

气 資 005

中国湿度資料

中华人民共和国中央气象局編印

1958年7月 北京



56.4572251
144

目 录


一、說 明

二、相对湿度

1. 平均相对湿度所取观测时间及资料来源编号总表	1—12
2. 纪录来源一览表	13—14
3. 相对湿度资料	1—190
(1) 黑龙江	1—9
(2) 吉林	9—15
(3) 辽宁	15—27
(4) 内蒙古自治区	28—33
(5) 河北	33—42
(6) 山西	42—44
(7) 山东	44—55
(8) 河南	55—58
(9) 陕西	58—64
(10) 甘肃	64—78
(11) 青海	78—80
(12) 新疆维吾尔自治区	80—83
(13) 江苏	83—93
(14) 浙江	93—97
(15) 安徽	97—98
(16) 湖北	98—102
(17) 湖南	102—109
(18) 江西	109—111
(19) 福建	111—123
(20) 台湾	123—143
(21) 广东	143—147
(22) 广西	147—152
(23) 贵州	152—163
(24) 四川	163—183
(25) 云南	183—188
(26) 昌都地区	189
(27) 西藏	189—190

三、绝对湿度

1. 平均绝对湿度所取观测时间及资料来源编号总表	1—10
--------------------------	------



中科院植物所图书馆



S0013525

6925

2. 纪录来源一览表	11—12
3. 绝对湿度资料	1—220
(1) 黑龙江	1—12
(2) 吉林	12—19
(3) 辽宁	19—32
(4) 内蒙古自治区	33—40
(5) 河北	41—52
(6) 山西	52—53
(7) 山东	54—69
(8) 河南	69—72
(9) 陕西	72—76
(10) 甘肃	76—93
(11) 青海	94—96
(12) 新疆维吾尔自治区	96—100
(13) 江苏	100—107
(14) 浙江	107—111
(15) 安徽	112
(16) 湖北	112—115
(17) 湖南	115—119
(18) 江西	119—122
(19) 福建	122—132
(20) 台湾	132—159
(21) 广东	159—164
(22) 广西	164—166
(23) 贵州	167—182
(24) 四川	183—209
(25) 云南	209—218
(26) 昌都地区	218
(27) 西藏	219—220

說 明

本資料整編至1953年止，紀錄滿三整年一般質量可用者，均整理出版。

內容包括有：“平均相對濕度”，“最小相對濕度”，“平均絕對濕度”，“最大絕對濕度”及“最小絕對濕度”五項。另附“觀測時間及資料來源編號總表”，以便查閱。其中“觀測時間”一欄中所列的觀測時間，是計算日平均相對濕度（或平均絕對濕度）時參加計算平均值的觀測時間，而不是該站的全部觀測次數。例如：某站某年為六次（6, 9, 12, 14, 18, 21）觀測，但該年平均相對濕度取三次（6, 14, 21）平均，則該欄中即填（6, 14, 21），而不填（6, 9, 12, 14, 18, 21）。資料來源編號一欄，將各個年代所用的資料的編號列入；按編號查“資料來源一覽表”得所用資料的原名。

本資料中相對濕度和絕對濕度，都是由於濕球溫度表讀數查常用表而得。解放前的絕對濕度紀錄，一般均未施氣壓訂正；解放後從1951年起，有部分台站，施以氣壓訂正。

解放前的資料中，由於有若干地區某些年代里計算濕度所用公式不同（常用表不同），或同一台站如先後時期所用常用表不同，紀錄是不均勻的，處理時分段統計。例如：樂山1937—1946年與1947—1953年所用的常用表不同，兩段紀錄有明显的差異，故分為樂山（一）和樂山（二）兩段出版。

各站的站名，基本上以1957年各站的原始表簿為準，如1957年尚未建站的處所，則以1957年出版的地圖為準。有若干站的經、緯度、高度記載有變動，一般以所用原始資料的最後一年，最後一個月的記載列入。凡高度上列有“（ ）”號者，表示該高度非实测值，凡高度的右上角附有“+”號者，表示該高度是該站水銀氣壓表的水銀槽的高度。

統計說明：

1. 相對濕度以百分率來表示，只取正數；絕對濕度以毫米為單位，取兩位小數。偽滿的資料中，絕對濕度只取一位小數，為了統一起見，均在第二位小數處補“○”。

2. 平均相對濕度（或平均絕對濕度）計算時所用觀測次數和時間，原則上取時間上分布均勻的時間，例如二十四次（1—24），十二次（2, 4, 6, 8, 10, 12, 14, 18, 20, 22, 24），八次（3, 6, 9, 12, 14, 18, 21, 24），六次（2, 6, 10, 14, 18, 22），以及較有代表性而且廣泛使用的三次（6, 14, 21）等。但也有少數站例外，也一併列入，例如：衡陽的1932年10月至1933年。有少數站雖然平均次數已無法查考，也列入供參考，平均次數欄列為“—”號表示不明。

3. 最小相對濕度及最大、最小絕對濕度，挑自每日的定時觀測紀錄不限於列入平均的幾次觀測。但某些站的最小相對濕度有自記紀錄，則應挑自自記紀錄，若某月挑自自記紀錄，則在該月紀錄的右上角附一“*”號，若全年都挑自自記紀錄，在該年年份的右上角附一“*”號。

4. 一月內紀錄僅缺五天或五天以內者，仍計算月平均值並挑選月極值，但在該月紀錄外加一“（ ）”號。紀錄不全的年份，不作年平均，亦不加入累年平均，也不挑選年極值，但應參加累年各月極值的挑選。若累年的年極值選到不全年份時，則該年應補選年極值。

5. 同一極值出現的日期若出現三次或三次以上者，只記次數，不記日期。累年各月極值的日期，年份的記法，也採用類似方法。

6. 一站的紀錄中，前後兩段有明显的不連續的現象時，則選一段質量較好、年代較長的紀錄進行統計及參加累年極值挑選，另一段則用“* * *”符號隔開，供參考用。

明 故 盛 夷

平均相对湿度所取观测时间及资料来源编号总表

1

站 名	頁次	平均相对湿度所取观测時間	資料来源编号
黑龍江			
瑋 瑯	1	1935-41.4, 41.6-42.4 (2,6,10,14,18,22)	1935-40 (7) 1941(1-4) (8) 1941.6-42.4 (9)
遜 克	1	1938-41.4 (2,6,10,14,18,22)	1938-40 (7) 1941(1-4) (8)
嫩 江	2	1939-45.7, 49.9-50 (2,6,10,14,18,22)	1939-45.7, 49.9-50 (61)
		1951 (3,6,9,12,14,18,21,24)	1951-53 (62)
		1952-53 (1-24)	
克 山	2	1936-43.2, 50 (2,6,10,14,18,22)	1936-40 (7)
		1949(8-12) (6,14,21)	1941-42.4 (9)
		1951-53 (3,6,9,12,14,18,21,24)	1942.5-43.2, 49.8-50 (61)
			1951-53 (62)
海 倫	3	1933-36 (5,13,21)	1933-36 (11)
		1952.7-53 (3,6,9,12,14,18,21,24)	1952.7-53 (62)
齊齊哈爾	4	1930.5-32, 34-35 (5,13,21)	1930.5-31.35 (10)
		1933, 36 (6,14,22)	1932 (13)
		1939-41.4, 41.6-42.4, (2,6,10,14,18,22)	1933-34 (12)
		49.6-50 "	
		1951-53 (1-24)	1936 (4)
			1939-40 (7)
			1941-42.4 (9)
			1949(7-12) (14)
			1950 (63)
			1951-52 (64)
			1953 (62)
富 錦	4	1935.11-43.2 (2,6,10,14,18,22)	1935(11-12) (9)
		1952(8-12) (3,6,9,12,14,18,21,24)	1936-40 (7)
		1953 (1-24)	1941(1-4) (8)
			1941.5-43.2 (61)
			1952.8-53 (62)
佳 木 斯	5	1938-41.4, 41.6-42.4 (2,6,10,14,18,22)	1938-40 (7)
		49(6-12) "	1941-42.4 (9)
		1950 (6,14,22)	1949(6-12) (14)
		1951 (3,6,9,12,14,18,21,24)	1950 (63)
		1952-53 (1-24)	1951-53 (62)
哈 爾 濱	6	1931-34 (5,13,21)	1931-33 (4)
		1936-41.4, 41.6-42.4, 49 (2,6,10,14,18,22)	1934 (12)
		1950 (6,14,21)	1936-40 (7)
		1951-53 (1-24)	1941-42, 4 (9)
			1949 (64)
			1950-53 (62)(63)
密 山	6	1937-41.4, 41.6-42.4 (2,6,10,14,18,22)	1937-40 (7)
			1941(1-4) (8)
			1941.6-42.4 (9)
雞 西	7	1949(1-2), 49.5-50 (2,6,10,14,18,22)	1949(1-2,5-12) (14)
		1951-53 (3,6,9,12,14,18,21,24)	1950-53 (62)
牡 丹 江	7	1937-43.2, 49.4-50 (2,6,10,14,18,22)	1937-40 (7)
		1949(1-3) (—)	1941-42.4 (9)
		1951-53 (1-24)	1942.5-43.2, 49.4-50 (61)
			1949(1-3) (14)
			1951-53 (62)
綏 芬 河	8	1936-43.2 (2,6,10,14,18,22)	1936 (7)
		1952.8-53 (3,6,9,12,14,18,21,24)	1937-41.4 (8)
			1941.5-43.2 (9)
			1952.8-53 (62)
東 寧	9	1937-41.4 (2,6,10,14,18,22)	1937-40 (7)
			1941(1-4) (8)
吉 林			
白 城	9	1950 (2,6,10,14,18,22)	1950 (63)
		1951-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
洮 南	9	1928-36 (5,13,21)	1928 (10)
			1929-36 (4)
長 春	10	1909-12 (3,7,11,15,19,23)	1909-23, 35 (6)
		1913-32, 35-42.4, 49-50 (2,6,10,14,18,22)	1924-32, 36 (5)
		1933-34 (2,4,6,8,10,12,14,16,18,20,22,24)	1933-34 (12)
			1937-40 (7)

站名	页次	平均相对湿度所取观测时间		资料来源编号	
蛟河	12	1947.2-48.4	(3, 6, 9, 12, 14, 18, 21, 24)	1941(1-4)	(8)
		1951-53	(1-24)	1941.5-42.4	(9)
				1947(2-5)	(16)
				1947.6-48.4, 49	(14)
				1950	(63)
				1951-53	(62)
				1950-53	(62)
		1950(1-2.9-12)	(2, 6, 10, 14, 18, 22)		
		1950(3-8)	(6, 14, 22)		
		1951-53	(3, 6, 9, 12, 14, 18, 21, 24)		
雙遼公主嶺	12	1925-36.6	(5, 13, 21)	1925-36.6	(11)
		1952.6-53	(3, 6, 9, 12, 14, 18, 21, 24)	1952.6-53	(62)
		1949.5-50	(6, 14, 22)	1949.5-50	(63)
		1952-53	(3, 6, 9, 12, 14, 18, 21, 24)	1952-53	(62)
四平	13	1934	(2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24)	1934	(12)
		1935-37	(2, 6, 10, 14, 18, 21)	1935	(4)
		1938-44, 49.4-50(2, 8-12)	(2, 6, 10, 14, 18, 22)	1936	(5)
		1950(3-7)	(6, 14, 22)	1937-44	(17)
延吉	14	1951	(3, 6, 9, 12, 14, 18, 21, 24)	1949(4-12)	(14)
		1952-53	(1-24)	1950-53	(62)
		1937-43.2	(2, 6, 10, 14, 18, 22)	1937-40	(7)
		1953	(1-24)	1941(1-4)	(8)
通化	15	1939-42.4	(2, 6, 10, 14, 18, 22)	1941.5-43.2	(61)
		1950(11-12)	(6, 14, 21)	1953	(62)
		1951	(3, 6, 9, 12, 14, 18, 21, 24)	1939-40	(7)
		1952-53	(1-24)	1941-42.4	(9)
遼寧	15			1950(11-12)	(63)
				1951-53	(62)
開原	15	1926-36	(5, 13, 21)	1926-36	(4)
		1950	(6, 14, 22)	1950	(63)
		1951	(3, 6, 9, 12, 14, 18, 21, 24)	1951-53	(64)
		1952-53	(1-24)		
撫順	16	1950	(6, 14, 22)	1950	(63)
		1951-53	(3, 6, 9, 12, 14, 18, 21, 24)	1951-53	(62)
		1905.5-07.6, 13-32	(2, 6, 10, 14, 18, 22)	1905.5-06	(60)
		35-42.4, 49		1907-23, 35	(6)
瀋陽	17	1907.7-12, 47-48.6	(3, 7, 11, 15, 19, 23)	1924-32, 36-37	(5)
		1933-34	(2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24)	1933-34	(12)
			(6, 14, 22)	1938-40	(7)
		1950	(1-24)	1941-42.4	(9)
錦州	19	1951-53	(1-24)	1947(1-5)	(15)
				1947.6-48.6	(16)
				1949	(14)
				1950	(63)
鞍山	19	1939-41.4, 41.6-42.4	(2, 6, 10, 14, 18, 22)	1951-53	(62)
		49.7-50	"	1939-40	(8)
		1951-53	(1-24)	1941-42.4	(9)
				1949(7-12)	(14)
營口	20	1925-32, 34-36	(5, 13, 21)	1950	(63)
		1933, 50(5-12)	(6, 14, 22)	1951-53	(62)
		1951	(3, 6, 9, 12, 14, 18, 21, 24)	1925-31, 35-36	(4)
		1952-53	(1-24)	1932	(13)
興城	22	1949(7-12)	(2, 6, 10, 14, 18, 22)	1933-34	(12)
		1950-52	(6, 14, 21)	1950	(63)
		1953	(3, 6, 9, 12, 14, 18, 21, 24)	1951-53	(62)
		1914.4-19	(5, 13, 21)	1914-19	(10)
蓋平熊岳	23	1949(4-12), 50.4-51.2	(6, 14, 22)	1949.4-51.2	(61)
		1950(1-3)	(2, 6, 10, 14, 18, 22)	1951.3-53	(62)

平均相对湿度所取观测时间及资料来源编号总表

3

站 名	其次	平均相对湿度所取观测时间	资料来源编号
安 東	23	1951(3-12) 1952-53 1949(5-12) 1950 1951 1952-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24) (2, 6, 10, 14, 18, 22) (6, 14, 22) (3, 6, 9, 12, 14, 18, 21, 24) (1-24)
大 連	24	1904.10-07.6, 13-32 35-39, 50(6-12) 1907.7-12 1933-34 1940 1951-53	(2, 6, 10, 14, 18, 22) " " (3, 7, 11, 15, 19, 23) (2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24) (6, 14, 22) (1-24)
旅 順	26	1906-23, 33-37 1924-32, 38-40	(5, 13, 21) (6, 14, 22)
內蒙古 自治區			1906-23, 33-37 (4)(6) 1924-32, 38-40 (5)(6)
滿 州 里	28	1935.11-41.4, 41.6-42.4	(2, 6, 10, 14, 18, 22)
海 拉 爾	28	1935-41.4, 41.6-42.4 50(3-12) 1951 1952-53	(2, 6, 10, 14, 18, 22) " " (3, 6, 9, 12, 14, 18, 21, 24) (1-24)
興 安	29	1935.11-41.4, 41.6-42.4	(2, 6, 10, 14, 18, 22)
博 克 圖	29	1951 1952-53	(3, 6, 9, 12, 14, 18, 21, 24) (1-24)
索 倫	30	1937-41.4, 41.6-42.4	(2, 6, 10, 14, 18, 22)
烏 蘭 浩 特	30	1949.10-50 1951 1952-53	(2, 6, 10, 14, 18, 22) (3, 6, 9, 12, 14, 18, 21, 24) (1-24)
通 遼	31	1949.10-50 1951 1952-53	(2, 6, 10, 14, 18, 22) (3, 6, 9, 12, 14, 18, 21, 24) (1-24)
開 魯	31	1939-41.4, 41.6-42.4 1952.5-53	(2, 6, 10, 14, 18, 22) (3, 6, 9, 12, 14, 18, 21, 24)
赤 峰	31	1936-43.2, 49.10-50 1951 1952-53	(2, 6, 10, 14, 18, 22) (3, 6, 9, 12, 14, 18, 21, 24) (1-24)
呼 和 浩 特	32	1934, 35.4-36, 47-50	(6, 14, 21)
呼 和 浩 特	33	1951-53	(6, 14, 21)
包 頭	33	1949(11-12) 1950-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)
河 北			
國 場	33	1951-53	(3, 6, 9, 12, 14, 18, 21, 24)
承 德	34	1937-41.4, 41.6-42.4 49(7.9-12), 50 1947.3-48.10 1951 1952-53	(2, 6, 10, 14, 18, 22) " " (6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24) (1-24)
張 家 口	34	1947.4-53	(6, 14, 21)
北 京	35	1875-84.9, 95-99 1915.5-24, 26.7-28.4 33-37.8, 46-53 1929.7-32 1940-45 1941(1-2), 42-45.4 1941(3-12)	(7, 13, 21) (1-24) " " (3, 6, 9, 12, 14, 18, 21, 24) (2, 6, 10, 14, 18, 22) (2, 6, 10, 14, 18, 22) (2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24) (6, 14, 21)
昌 黎	37	1946(2-12), 53 1947(1-4), 47.9-48.5 1950-52.10 1951-53	(3, 6, 9, 12, 14, 18, 21, 24) (7, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)
唐 山	37	1951-53	(3, 6, 9, 12, 14, 18, 21, 24)
津 天	38	1904.10-34, 36 1937(1-7), 38.6-42	(6, 14, 22) (1-24)

平均相对湿度所取观测时间及资料来源编号总表

站 名	页次	平均相对湿度所取观测时间		资料来源编号	
塘 沽	40	44-45	(1-24)	1928-34, 36	(3)
		19.2-53	(6, 14, 21)	1937(1-7)	(63)
				1938(6-12), 49.10-53	(62)
				1939-42, 44-45	(23)
保 定(一)	41	1946	(6, 14, 21)	1946.2-49.9	(63)
		1947-53	(3, 6, 9, 12, 14, 18, 21, 24)	1946	(63)
				1947-50	(62)
				1951-53	(64)
保 定(二)	42	1927-36.4	(2, 6, 10, 14, 18, 22)	1927-28	(18)
		1936.5-37.5	(2, 6, 10, 14, 18, 21)	1929-31	(1)
		1944-45	(1, 5, 9, 13, 17, 21)	1932-37.5	(19)
		1946-48.10	(3, 6, 9, 12, 14, 18, 21, 24)	1944-48.10	(61)
石 家 庄	42	1949.9-52.6	(7, 14, 21)	1949.9-53	(63)
		1952.7-53	(6, 14, 21)		
		1950(5-12)	(6, 14, 21)	1950(5-12)	(65)
		1951-53	(3, 6, 9, 12, 14, 18, 21, 24)	1951-53	(62)
山 西	42	1949.9-53	(6, 14, 21)	1949.9-53	(63)
太 原	43	1947.6-48.1	(6, 14, 21)	1947.6-53	(62)
		1948.2-49.1, 49.6-53	(3, 6, 9, 12, 14, 18, 21, 24)		
		1924-33	(2, 6, 10, 14, 18, 22)	1924-25	(24)
		1934-37.9, 50.4-53	(6, 14, 21)	1926-37.9	(63)
山 東	44	1947.3-48.1	(—)	1947.3-48.1, 50.4-53	(62)
煙 台	46	1907-36, 39-40	(6, 14, 22)	1907-23	(6)
		1950.4-53	(1-24)	1924-27, 39-40	(5)
				1928-36	(3)
				1950.4-53	(61)
惠 民	46	1949(2-12)	(—)	1949	(25)
		1950.5-53	(6, 14, 21)	1950.5-51	(26)
				1952-53	(63)
				1951-53	(64)
德 州	46	1941(1-5), 43(5-12)	(1-24)	1941-45.5	(62)
		46(1-5), 50.4-53	"	1946(1-6), 50(4-12)	(63)
		1941.6-43.4	(2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24)		
			(2, 6, 10, 14, 18, 22)		
萊 陽	47	1944-45.5	(2, 6, 10, 14, 18, 22)	1949-51	(25)
		1949	(—)	1952	(63)
		1950-53	(6, 14, 21)	1953	(62)
				1941(1-6.8-9.11)	(62)
張 店	47	1941(1-4.6.9), 45(1-2)	(2, 6, 10, 14, 18, 22)	42-43, 45(1-2)	"
		1941(5.7-8.10-11) 42-43.4	(2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24)	1941(7.10), 44.12	(63)
			(1-24)	1944(1-11)	(66)
			(1-24)	1950(4-12)	(63)
濰 縣	48	1943.5-44	(1-24)	1951-53	(62)
		1950.4-53	(1-24)	1948(11-12)	(63)
				1949-50	(25)
				1951-53	(62)
濟 南(一)	48	1948.11-49	(3, 6, 9, 12, 14, 18, 21, 24)	1919-48.6	(27)
		1950-53	(1-24)	1921-27	(6)
				1928-31	(3)
				1938(9-12)	(25)
濟 南(二)	48	1919-20	(—)	1948(1-5)	(63)
		1921-31	(2, 6, 10, 14, 18, 22)		
		1932-34	(3, 6, 9, 12, 15, 18, 21, 24)		
		1935-37.9, 47-48.6	(3, 6, 9, 12, 14, 18, 21, 24)		
濰 縣	48	1938.5-39	(7, 10, 13, 16, 19, 22)		
		1940-45	(1.4.7.10.13.16.19.22)		
		1946	(3, 9, 12, 14, 15, 18, 21, 24)		
		1932.8-37.11	(1-24)	1932.8-37.11	(62)
泰 安(一)	50	1950.5-53	(6, 14, 21)	1950.5-51	(25)
				1952	(64)
				1953	(62)
				1933-37.3	(26)
泰 安(二)	51	1898.6-99	(8, 14, 20)	1898.6-1948.2	(30)
		1900-01, 29.5-33	(—)	1898.6-99, 1902.10-14.3	(63)
		1902-14.6, 15(4-12)	(7, 14, 21)	1916-20	(28)
		1916-29.4, 38.2-45	(2, 6, 10, 14, 18, 22)	1930-33	(3)
舊 縣	54	1934-37.8, 46-53	(1-24)	1934-36, 46-50	(29)
				1951-53	(64)
				1949-51	(25)
				1952-53	(63)

平均相对湿度所取观测时间及资料来源编号总表

站名	页次	平均相对湿度所取观测时间	资料来源编号
滋 陽	54	1941(1-2), 41.6-43.4 (2, 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24) 1941(3-5), 43(5-12) (1-24) 50.4-53 " 1944-45.4 (2, 6, 10, 14, 18, 22) 1950.8-53 (6, 14, 21)	1941-45 (62) 1950(4-12) (63) 1951-53 (64) 1950(8-12) (26) 1951 (25) 1952-53 (62)
臨 沂	55		
河 南			
安 陽	55	1950.10-53 (3, 6, 9, 12, 14, 18, 21, 24)	1950 (63) 1951-53 (62)
新 鄉	56	1951-52 (3, 6, 9, 12, 14, 18, 21, 24) 1953 (1-24)	1951-53 (62)
開 封	56	1932(4-11), 33(3-11) (—) 1934.2-37, 50(5-12) (6, 14, 21) 1951-53 (1-24)	1932-33 (31) 1934.2-35, 50 (63) 1936-37 (32) 1951-53 (62)
鄭 州	57	1950.5-53 (1-24)	1950 (63) 1951-53 (62)
洛 陽	57	1950.11-53 (1-24)	1950(11-12) (63) 1951-53 (62)
信 陽	57	1951-53 (1-24)	1951-53 (62)
陝 西			
榆 林	58	1936.11-48, 51 (6, 14, 21) 1952-53 (3, 6, 9, 12, 14, 18, 21, 24)	1936.11-48 (63) 1951-53 (62)
延 安	59	1951 (6, 14, 21) 1952-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
涇 陽	59	1935-48.6 (6, 14, 21)	1935-48.6 (63)
高 陵	60	1921.4-41.9, 42(5-7) (—)	1921.4-23 (34) 1924-42.7 (63)
武 功	61	1935-37.9, 38 (7, 13, 21) 1937(10-12), 39 (6, 9, 14, 21) 1942-44 (6, 14, 21)	1935-37, 39 (33) 1938, 42-44 (63)
西 安	61	1932 (6, 14, 22) 1933-35, 38(11-12) (3, 6, 9, 12, 15, 18, 21, 24) 1936-38.10, 39(1-5) (1-24) 42.2-49.4, 50-53 " 1939.6-40 (6, 14, 21) 1941-42.1, 49(5-12) (3, 6, 9, 12, 14, 18, 21, 24)	1932-53 (62)
商 縣	63	1939.8-44(1, 3-12) (6, 14, 21)	1939.8-44(1, 3-12) (63)
漢 中	63	1953(3-12) (3, 6, 9, 12, 14, 18, 21, 24) 1935.6-45, 48.10-49.8 (6, 14, 21) 1951.1 (3, 6, 9, 12, 14, 18, 21, 24) 1951.2-53 (1-24)	1953(3-12) (62) 1935.6-45 (63) 1948.10-49.8, 51-53 (62)
甘 肅			
安 西	64	1940.3-41.6 (6, 14, 21) 41.10-42(1, 6-9), 43-48 "	1940.3-48 (63) 1951-53 (64)
敦 煌	65	1951-53 (3, 6, 9, 12, 14, 18, 21, 24) 1937.6-39 (6, 9, 14, 21) 1940-51.1 (6, 14, 21)	1937.6-51.1 (63) 1951.2-53 (62)
酒 泉	66	1951.2-53 (3, 6, 9, 12, 14, 18, 21, 24) 1934(7-12) (6, 14, 21)	1934.7-53 (62)
張 掖	67	1935-36.10, 37-53 (1-24) 1937.5-41.10, 51-52 (6, 14, 21)	1937.5-41 (63)
連 山	67	1953 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
武 威	68	1951-53 (3, 6, 9, 12, 14, 18, 21, 24) 1950.3-51.11 (6, 14, 21)	1951-53 (62) 1950(3-12) (63)
中 寧	69	1951.12-53 (3, 6, 9, 12, 14, 18, 21, 24) 1940(5-12), 51(1-4) (6, 14, 21) 1941-49.7, 51.5-53 (3, 6, 9, 12, 14, 18, 21, 24) 1940-41.2, 42.9-43(6-12) (3, 6, 9, 12, 14, 18, 21, 24) 45-48.6, 49(1-3), 53 " 1941.3-42.8, 43(7-8) (6, 14, 21) 44, 48(7-12) "	1942-49.7, 51-53 (62) 1940-49.3, 53 (62)(63)
蘭 州	70	1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
蘭 州	70	1937-39 (—)	1937-39, 42-49.7 (63)

站名	站次	平均相对湿度所取观测时间	资料来源编号
蘭州	71	1942-49.7, 50.9-52 (6, 14, 21)	50(9-12) (63)
		1953 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
		1932.7-34.1 (—)	1932.7-50 (63)
榆中	72	1934.2-35.10, 36-53 (1-24)	1951-53 (62)
		1940.5-48, 51(2-7) (6, 14, 21)	1940.5-48 (63)
西峰鎮	73	1953(3-12) (3, 6, 9, 12, 14, 18, 21, 24)	1951(2-7), 53(3-12) (62)
		1937.5-39 (—)	1937.5-50 (63)
		1940-49.6, 50 (6, 14, 21)	1951-53 (62)
臨夏	74	1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1949(3-10), 50 (63)
		1949(3-10), 50(2-12) (6, 14, 21)	1951-53 (62)
華家嶺	74	1943-48.8, 49.3 (6, 14, 21)	1943-48.8, 49.3 (63)
		1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (64)
平涼	75	1937.2-38, 42-46.9 (6, 14, 21)	1937.2-38 (65)
			1942-46.9 (63)
平涼(農)	75	1950-51.1 (6, 14, 21)	1950 (63)
		1951.2-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
臨洮	76	1950 (6, 14, 21)	1950 (63)
		1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
岷縣	76	1940-48.10, 50 (6, 14, 21)	1940-48.10, 50 (63)
		1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
天水	77	1935.9-38, 39(9-10) (6, 14, 21)	1935.9-38, 39(9-10) (63)
		40(4-11), 42-50 "	40(4-11), 42-50 "
武都	78	1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
		1944-47.10, 50(3-12) (6, 14, 21)	1944-47.10, 50(3-12) (63)
		1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
青海 都蘭寺	78	1944-48(7.9-12) (6, 14, 21)	1944-48 (62)
		1936.12, 38, 40.11-41.2 (6, 14, 21)	1936.12-53 (61)
		41.12, 42.9-43.3.9-12 "	
新疆維吾 爾自治區		44(3-12), 45.5 "	
		1937.39-40.10, 41(3-11) (3, 6, 9, 12, 14, 18, 21, 24)	
		42(1-8), 43(4-8), 45.6-53 "	
塔城	80	1943-45.6 (1.7.13, 19)	1943-45.6, 51.7-53 (61)
		1951.7, 51.9-52 (6, 14, 21)	
奇台	80	1953 (3, 6, 9, 12, 14, 18, 21, 24)	
		1951.4-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951.4-53 (62)
烏魯木齊	81	1951.8-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951.8-53 (62)
		1951-53 (1-24)	1951-53 (62)
哈密	81	1951.1 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
		1951.2-53 (1-24)	
焉耆	82	1951(5-6) (6, 14, 21)	1951.5-53 (62)
		1951.7-53 (3, 6, 9, 12, 14, 18, 21, 24)	
庫車	82	1951(1-6) (6, 14, 21)	1951-53 (64)
		1951.7-53 (3, 6, 9, 12, 14, 18, 21, 24)	
喀什	82	1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
江蘇 新海連	83	1950.4-53 (1-24)	1950(4-12) (63)
			1951-53 (62)
徐州(農)	83	1929-33, 49(4-12) (—)	1929-37.9 (63)
		1934-37.9 (6, 14, 21)	1949.4-51 (25) (63)
徐州	84	1950-53 (3, 6, 9, 12, 14, 18, 21, 24)	1952-53 (64)
		1951-53 (1-24)	1951-53 (62)
淮陰	84	1950(5-6) (2, 8, 14, 20)	1950.5-53 (62)
		1950(7-12) (3, 6, 9, 12, 15, 18, 21, 24)	
東台	85	1951-52 (3, 6, 9, 12, 14, 18, 21, 24)	
		1953 (1-24)	
鎮江	86	1924-26 (—)	1924-33 (35)
		1927-33 (6, 14, 22)	1934-37.10, 40-43 (63)
		1934-37.10, 38-43 (6, 14, 21)	44(5-10) "
		44(5-10) "	1938-39 (65)
		1952(9-12) (3, 6, 9, 12, 14, 18, 21, 24)	1952.9-53 (62)
		1953 (1-24)	
		1931.3-35 (3, 6, 9, 12, 15, 18, 21, 24)	1931.3-36 (35)
		1936-37.3 (1-24)	1937(1-7), 46(9-12) (36)
		1937(4-7) (—)	1947-52 (63)
		1946.9-48, 49.1 (6, 14, 21)	

平均相对湿度所取观测时间及资料来源编号总表

7

站名	页次	平均相对湿度所取观测时间	资料来源编号
南 京	86	49.5-52.10.12 (6, 14, 21) 1928-37.10.48, 8-53 (1-24) 1946-48(1-7) (6, 14, 21)	1928 (61) 1929-37.1 (2) 1937(2-10) (66) 1946-48.7, 49-53 (62) 1948(8-12) (63) 1949.5-50 (38)
南 通	87	1949.5-50.6 (6, 14, 21) 1950.7-52 (3, 6, 9, 12, 14, 18, 21, 24) 1953 (1-24)	1951 (63) 1952-53 (62) 1917-36 (35)
南通軍山	88	1917-33 (3, 6, 9, 12, 14, 18, 21, 24) 1934-37 (6, 14, 21)	1937 (63)
常 熟	89	1929.12-33, 35.7-37.8 (3, 6, 9, 12, 15, 18, 21, 24) 1934-35.6 (6, 14, 21)	1929.12-37.8 (63)
崑 山	89	1930-34 (—) 1935 (3, 6, 9, 12, 14, 18, 21, 24) 1936-37.3 (3, 6, 9, 12, 15, 18, 21, 24)	1930-36 (35) 1937(1-3) (36)
上 海	89	1873-1941, 51-53 (1-24) 1942-50 (—)	1873-43.3 (40)(41) 1943-50 (42) 1951-53 (62)
浙 江			
杭 州	93	1904.11-05, 06.7-18 (6, 14, 22) 1933, 42, 45.12-47 (—) 1934-37.7, 50 (6, 14, 21) 1951-53 (1-24)	1904.11-05 (60) 1906.7-18 (5)(6) 1933-37.7, 50 (63) 1942 (43) 1945.12-47 (44) 1951-53 (62) 1950 (63)
衙 州	95	1950 (6, 14, 21)	1951-53 (62)
海 門	95	1950 (6, 14, 21)	1951-53 (62)
松 陽	95	1938-41, 51-52 (6, 14, 21)	1938.7-41 (63) 1951-52 (62)
龍 泉	96	1935-38, 42-47.11, 49 (—) 1948, 50-52 (6, 14, 21) 1953 (3, 6, 9, 12, 14, 18, 21, 24)	1935-38, 42-53 (61)
溫 州	97	1950-53 (1-24)	1950 (53) 1951-53 (62)
安 徽			
金 安	97	1940-45.11 (6, 14, 21)	1940-45.11 (63)
歙 縣	98	1950.4-53 (1-24)	1950(4-12) (63) 1951-53 (62)
湖 北			
鄖 縣	98	1941-47.9 (6, 14, 21) 1952.7-53 (3, 6, 9, 12, 14, 18, 21, 24)	1941-47.9 (63) 1952.7-53 (62)
光化老河口	99	1950(6-12) (6, 14, 21) 1951-53 (1-24)	1950(6-12) (63) 1951-53 (62)
漢 口	99	1905(2-12), 06.7-36 (6, 14, 22) 39-40 " "	1905 (60) 1906.7-28, 39-40 (5) 1929-36 (3) 1950 (63) 1951-53 (62)
沙 市	101	1905.2-20.2 (6, 14, 22)	1905-06 (60) 1907-20.2 (5)
恩 施	102	1951-53 (1-24)	1951-53 (62)
湖 南			
常 德	102	1934-35.3, 50 (6, 14, 21) 1935.4-38.7 (3, 6, 9, 12, 15, 18, 21, 24) 1951-53 (1-24)	1934-38.7 (46) 1950 (63) 1951-53 (62)
沅 陵	103	1942.7-49.1 (6, 14, 21) 1952.7-53 (3, 6, 9, 12, 14, 18, 21, 24)	1942.7-49 (63) 1952.7-53 (62)
長 沙	104	1932.8-38.7, 46.4-49.3 (3, 6, 9, 12, 14, 18, 21, 24) 49.10-50.7 " "	1932.8-38.7 (46) 1946.4-50 (63) 1951-53 (62)
芷 江	104	1938.6-49.4, 50(6-12) (6, 14, 21) 1951-53 (1-24)	1938-49.4, 50(6-12) (63) 1951-53 (62)

平均相对湿度所取观测时间及资料来源编号总表

站名	页次	平均相对湿度所取观测时间	资料来源编号
邵陽	105	1936.9-44.5, 50(10-12) 1951-52 1953	1936.9-44.5, 50 (63) 1951-53 (62) (3, 6, 9, 12, 14, 18, 21, 24)
南嶽	106	1937.5-42.4, 42.8-44.5 1952.11-53	1937.5-44.5 (63) 1952.11-53 (62)
衡陽	107	1932(8-9), 34-38.10 39.11-44.4 32.10-33 1950-53	1932.8-44.4, 50 (63) 1951-53 (62) (6, 9, 12, 14, 18) (1-24)
零陵	108	1951-52 1953	1951-53 (62) (1-24)
郴縣	108	1936.12-38, 39.2-44.5 1951.9-52 1953	1936.12-44.5 (63) 1951.9-53 (62) (3, 6, 9, 12, 14, 18, 21, 24)
江西			
九江	109	1950.12 1951-53	1950.12 (63) 1951-53 (62)
南昌	109	1936.7-38.9, 48.10-49.2 1946-48.6 1950.6-53	1936.7-38.9, 46-47 (63) 1948 (16) 1949(1-2), 50 (63) 1951-53 (62)
玉山	110	1950(11-12) 1951-52 1953	1950(11-12) (63) 1951-53 (62) (3, 6, 9, 12, 14, 18, 21, 24)
吉安	110	1939-43.8.12 1951.8-53	1939-43.8.12 (63) 1951(8-12) (62)
遂川	111	1951-52 1953	1952-53 (64) 1951-53 (62)
贛州	111	1950.12 1951-52 1953	1950.12 (63) 1951-53 (62) (3, 6, 9, 12, 14, 18, 21, 24)
福建			
浦城	111	1935.12-41, 42(10-12) 1942(1-9), 43(4-6) 44-49.3, 51-53	1935.12-37, 42 (63) 43(4-6), 44-49.3, 51.1 " (48) 1938-41 (48) 1951.2-53 (62) 1940.11-47.10 (63)
崇安	112	1940.11-41.9, 42-45.2 1941(10-12), 45.3-47.10	(1-24) (6, 14, 21)
武夷山	113	1949.11-50 1951(1-3) 1951.4-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24) (1-24)
邵武	113	1939(1-3), 39.6-43.7 43.10-45	(6, 14, 21) "
建陽	114	1940.10-42.6, 44.8-45 47-53	(6, 14, 21) "
建甌	115	1950.6-53	(1-24)
福安	115	1937.4-43.7, 46.2-49.2	(6, 14, 21)
南平	116	1935.7-40, 51-52.7 1941-45, 47(1-11) 48(1-7.9) 1952.8-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24) " (1-24)
沙縣	117	1939.3-43.7, 43.10-50.3 50.5-53.11	(6, 14, 21) "
閩清	118	1940-48.9	(6, 14, 21)
福州	118	1936-38.5, 42(3-6) 42.10-44.3, 51-53 1938.6-41.3, 42(1-2) 46-47.4, 49.8-50.3, 6-12	(1-24) " (6, 14, 21) "
永安	119	1938.10-48.11, 53(4-12) 1953(1-3)	(1-24) (6, 14, 21)
長汀	120	1935.11-43.7, 43.10-45 1951-53	(6, 14, 21) (1-24)
連城	121	1940.7-48.8, 51.6-53.11	(6, 14, 21)
龍岩	121	1939.10-41, 52-53.4	(6, 14, 21)

平均相对湿度所取观测时间及资料来源编号总表

9

站 名	頁次	平均相对湿度所取观测時間	資料来源编号
		1942-43.7, 43.10-45 53(5-12)	(1-24) " (63)
龍 溪	122	1944.10-47.5, 51.3-53	(6, 14, 21) (64)
厦 門	123	1950(1.3-12) 1951-53	(6, 14, 21) (1-24) (62) (63)
台 灣			1951-53 (62)
彭 佳 嶼	123	1910-39 1940	(2, 6, 10, 14, 18, 22) (6, 14, 22) (49)
大 屯 山	124	1937-40.9	(—) (5)
基 隆 坡	124	1899.10-1901 1902-14, 17-38 1915-16.8	(—) (2, 6, 10, 14, 18, 22) (6, 14, 21) (50) (52)
松 山 北	126	1936.7-40.9 1897-1940	(2, 6, 10, 14, 18, 22) (1-24) (50)
新 竹	128	1938-39 1940	(2, 6, 10, 14, 18, 22) (6, 14, 22) (49)
宜 蘭	129	1936-39 1940	(2, 6, 10, 14, 18, 22) (6, 14, 22) (5)
台 中	129	1897-1939 1940	(2, 6, 10, 14, 18, 22) (6, 14, 22) (5)(6)(49)
花 蓮	131	1911-1939 1940	(2, 6, 10, 14, 18, 22) (6, 14, 22) (5)
澎 湖	133	1897-1939 1940	(2, 6, 10, 14, 18, 22) (6, 14, 22) (5)(6)(49)
阿 里 山	135	1933(4-12) 1934-39 1940	(—) (2, 6, 10, 14, 18, 22) (6, 14, 22) (63)
台 南	136	1897-1939 1940	(2, 6, 10, 14, 18, 22) (6, 14, 22) (5)(6)(49)
台 东	138	1901-39 1940	(2, 6, 10, 14, 18, 22) (6, 14, 22) (5)
高 雄	140	1932-39 1940	(2, 6, 10, 14, 18, 22) (6, 14, 22) (5)(49)
恒 春	140	1897-1945(1, 3, 5-8) 45.10-46	(2, 6, 10, 14, 18, 22) (5)(6)(49)
廣 東			1939-46 (51)
曲 江 頭	143	1951-53	(1-24) (62)
廣 州	143	1950(7-12) 1951-53	(6, 14, 21) (1-24) (63)
香 港	144	1912.3-33 1948.10-99.9, 50-53	(—) (1-24) (62)
江 門	147	1884-1941, 47-10, 47-48 1951-53	(1-24) (1-24) (55) (63)
廣 西			1951-53 (64)
桂 林	147	1935.8-43.9 1949(1-6, 8-10) 1951-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24) (1-24) (63)
柳 城	148	1936-44.9, 46-50.1, 7-12	(6, 14, 21) (63)
百 色	149	1939-40.9, 40.11-43.10 44(1-7), 48(1-4, 10-12) 49(1-3), 50(11-12)	(6, 14, 21) " " (63)
梧 州	149	1951-53 1938.11-43.10, 44(1-8) 1951-53	(1-24) (6, 14, 21) (1-24) (63)
貴 縣	150	1935.9-39.10, 40(2-10) 40.12-43.9, 44(1-6)	(6, 14, 21) " (62)
南 寧	151	1935(7-12), 41.11-43.10 44(1-8) 1936-39.10, 51-53 1948.10-49.9	(6, 14, 21) " (1-24) (3, 6, 9, 12, 14, 18, 21, 24) (63)
龍 津	152	1935(10-12) 1936-39.11	(3, 6, 9, 12, 14, 18, 21, 24) (6, 14, 21) (62)
			1935.9-44.8, 52.7-53 (63)

平均相对湿度所取观测时间及资料来源编号总表

站 名	頁次	平均相对湿度所取观测時間	資料来源編號
貴 州		41.11-43.10, 44(1-8) (6, 14, 21) 52.7-53 "	
桐 梓	152	1937.5-49.10, 50(4-12) (6, 14, 21) 1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1937.5-44 (63) 1945-53 (62)
思 南	153	1940.5-46.2, 49(11-12) (6, 14, 21) 50.3 " 1946.3-49.10, 50(1-2) (3, 6, 9, 12, 14, 18, 21, 24) 50.4-53 "	1940.5-46, 47(1-2.7.11) (63) 49(11-12), 50.3 " 1947(3-6.8-10.12) (62) 48-49.10, 50(1-2) " 50.4-53 "
湄 潭	154	1940.4-46 (1-24) 1947-53 (3, 6, 9, 12, 14, 18, 21, 24)	1940.4-50 (62) 1951-53 (64)
遵 義	155	1941.10-43.8, 45(3-4.6) (3, 6, 9, 12, 14, 18, 21, 24) 51-53 " 1943.9-44.10, 45.7-46.3 (6, 14, 21) 46.5-49.10, 50(10-12)	1941.10-44.10 (63) 45.3-46.3, 48(5-12) " 49(1-3), 50(10-12) " 1946.5-47, 48(1-4) (62) 49(4-10) " 51-53 (64)
銅 仁	156	1944-46.2, 47-49.10 (6, 14, 21) 1950.9-53 (3, 6, 9, 12, 14, 18, 21, 24)	1944-46.2, 47-49.10 (62) 50.9-53 "
畢 節	156	1937(3-7), 46-53 (3, 6, 9, 12, 14, 18, 21, 24) 1937.8-45 (6, 14, 21)	1937.3-45 (63) 1946-53 (62)
鎮 遠	157	1947-48.7 (6, 14, 21) 1948.8-49.6.8-10, 50-53 (3, 6, 9, 12, 14, 18, 21, 24)	1947-53 (62)
威 宁	158	1944, 51-53 (3, 6, 9, 12, 14, 18, 21, 24) 1945-49.1 (6, 14, 21)	1944 (56) 1945-49.1 (63) 1951-53 (62)
貴 陽	158	1935.11-36, 38.5-40 (6, 14, 21) 44.2-45.4 " 1937-38.4, 41-44.1 (1-24) 45.5-53 "	1935.11-50 (62)(63) 1951-53 (62)
安 順	159	1945-50 (6, 14, 21) 1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1945-53 (62)
獨 山	160	1937.4-44.9 (6, 14, 21) 1946-49.10, 50.4-53 (3, 6, 9, 12, 14, 18, 21, 24)	1937.4-44.9 (63) 1946-50 (62) 1951-53 (64)
盤 縣	161	1940-48, 49(2-9) (6, 14, 21) 50(10-11), 51.2-52.9 " 1952.10-53 (3, 6, 9, 12, 14, 18, 21, 24)	1940(1-5), 51-53 (62) 1940.6-50.11 (63)
羅 甸	162	1944.5-48 (6, 14, 21) 1951.2-53 (3, 6, 9, 12, 14, 18, 21, 24)	1944.5-48 (62) 1951.2-53 (64)
興 仁	162	1947-49.10, 50(1-3.7-12) (6, 14, 21) 1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1947-50 (63) 1951-53 (62)
四 川			
松 潘	163	1940.4-49.6.8-10 (6, 14, 21) 50(1.4-5.7-9.12), 51.1 " 1951.2-53 (3, 6, 9, 12, 14, 18, 21, 24)	1940.4-53 (62)
廣 元	164	1941.10-44.2, 44.6-47 (6, 14, 21) 48(2-7), 49(1-3.5-10) " 1951.2-53 (3, 6, 9, 12, 14, 18, 21, 24)	1941.10-49, 51-53 (62)
平 武	165	1943, 45.6-48.3, 49, 50(6-12) (6, 14, 21) 1948(4-12), 51.11-53 (3, 6, 9, 12, 14, 18, 21, 24)	1943, 45-53 (62)
甘 孜	165	1951(1-4) (3, 6, 9, 12, 14, 18, 21, 24) 1951.5-53 (1-24)	1951-53.8 (62) 1953(9-12) (64)
達 縣	166	1942-49.10 (6, 14, 21) 1950.2-51.4, 51.6-53 (3, 6, 9, 12, 14, 18, 21, 24)	1942-44.4.6, 50.2-53 (62) 1944.5, 44.7-49.10 (63)
南 充	166	1942.8-44.5, 45-46.11 (6, 14, 21) 1951(2-5), 51.7-53 (1-24)	1942.8-45 (63) 1946, 51-53 (64)
成都川大	167	1932.8-34 (6, 15, 21) 1935-42 (6, 14, 21) 1941-53 (1-24)	1932.8-33 (58) 1934-42 (63) 1941-53 (62)(63)
成 都	168	1936, 11-53 (3, 6, 9, 12, 14, 18, 21, 24)	1936.11-53 (62)(63)
遂 寧	169	1942-49.10 (6, 14, 21)	1942-49.10 (62)
名 山	170	1939(2-6) (6, 9, 14, 21) 1939.7-43, 47-48 (6, 14, 21) 1944-46, 49(1-10) (3, 6, 9, 12, 14, 18, 21, 24) 51.11-53 "	1939(2-6), 40, 44-46 (62) 48-49.10, 51-53 " 1939(7-12), 41-43, 47 (63)
雅 安	171	1939.3-51.1 (6, 14, 21)	1939.3-42 (63)

站 名	页次	平均相对湿度所取观测时间	资料来源编号
北 碚	172	1951.2-53 (3,6,9,12,14,18,21,24) 1935-42 (6,14,21) 1943-49,50.3-53 (3,6,9,12,14,18,21,24) 1950(1-2) (1-24)	1943-53 (62) 1935-53 (62)
内 江	173	1936(11-12) (6,14,21) 1937-41 (3,6,9,12,15,18,21,24) 1942-53 (3,6,9,12,14,18,21,24)	1936.11-53 (62)
樂 山(一)	174	1936.11-42.6 (3,6,9,12,15,18,21,24) 1942.7-44.6 (6,14,21) 1944.7-46 (3,6,9,12,14,18,21,24)	1936.11-37 (63) 1938-46 (62)
樂 山(二)	174	1947-49.11,50-53 (3,6,9,12,14,18,21,24)	1947-53 (62)
重慶白市驛	175	1950.11-53 (1-24)	1950.11-52 (62) 1953 (64) 1940 (63) 1941-53 (62)
重慶沙坪壩	175	1940.4-47 (6,14,21) 1948-50 (1-24) 1951-53 (3,6,9,12,14,18,21,24)	1940 (63) 1941-53 (62)
峨 嵋 山	176	1939.4-41 (3,6,9,12,15,18,21,24) 1942-45.1,45.9-53 (3,6,9,12,14,18,21,24) 1945(2-8) (6,14,21)	1939.4-53 (62)
漢 源	177	1944.10-49.11 (6,14,21) 50.8,51(1-3) "	1944.10-49.11,50.8 (62) 51-53 "
峨 嵋	178	1951.4-53 (3,6,9,12,14,18,21,24) 1942(2-3),42.6-51.7 (6,14,21)	1942.2-50 (62)
彭 水	178	1951.8-53 (3,6,9,12,14,18,21,24) 1945.4-51.5 (6,14,21) 1951.6-53 (3,6,9,12,14,18,21,24)	1951-53 (64) 1945.4-50 (62) 1951(1-5) (63) 1951.6-53 (64)
瀘 州	179	1942-50.5.8,50.11-51.4 (6,14,21) 1951.5-53 (3,6,9,12,14,18,21,24)	1942-50.2,51-52.3 (62) 52.6-53 " 1950(3-5.8.11-12) (63) 52(4-5) "
宜 賓	180	1938.5-43.6,43.11-44.11 (6,14,21) 50.11-52 "	1938.5-44.11,50(11-12) (63) 1951-53 (62)
西 陽	180	1953 (3,6,9,12,14,18,21,24) 1942.2-50.3,50.5-51 (6,14,21) 1952-53 (3,6,9,12,14,18,21,24)	1942.2-44.4,46-53 (62) 1944.5-45 (63)
體 波	181	1942-43,46-48.7 (6,14,21) 48.9-49(6,9-11) "	1942-43,46-49.6.9-11 (63) 1952.7-53 (62)
西 昌	182	1952.7-53 (3,6,9,12,14,18,21,24) 1939.3-51.3 (6,14,21) 1951.4-53 (1-24)	1939.3-50 (63) 1951-53 (62)
雲 南			
昭 通	183	1945-46,51(1-2) (3,6,9,12,14,18,21,24) 1947-48,50(4-12) (6,15,21) 1951.3-53 (1-24)	1945-46,51-53 (62) 1947-48,50(4-12) (63)
麗 江	183	1943-49.10,50(9-12) (6,14,21) 1951-53 (3,6,9,12,14,18,21,24)	1943-49.10,50(9-12) (63) 1951-53 (64)
大 理	184	1940-44.3,48.8-53 (3,6,9,12,14,18,21,24) 1944.4-48.7 (6,14,21)	1940-50 (62) 1951-53 (64)
霑 益	185	1951-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
保 山	185	1950.4-51.7 (3,6,9,12,14,18,21,24) 1951.8-53 (1-24)	1950.4-53 (62)
騰 衝	186	1951-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
昆 明	186	1930-36 (6,14,21) 1937-38.4,47-49.11 (1-24) 50-53 "	1930-38.4 (59) 1946-50 (63) 1951-52 (65) 1953 (62)
昆明太平山	187	1946 (6,15,21) 1938.5-42.4,46.3-47.4 (1-24) 1942(5-6) (2,5,8,11,13,17,20,23) 1943-46.2,47.5-48.6 (3,6,9,12,14,18,21,24) 53(3-12) "	1938.5-49.3 (62) 1953(3-12) (64)
玉 溪	188	1948.7-49.3 (6,9,14,21) 1946-48 (6,14,21)	1946-48,50.11-53 (62)
蒙 自	188	1950.11-53 (3,6,9,12,14,18,21,24) 1950.5-51.5 (3,6,9,12,14,18,21,24) 1951.6-53 (1-24)	1950.5-53 (62)
昌都地區			
昌 都	189	1941-43.4 (6,14,21)	1941,51.4-53 (62)

平均相对湿度所取观测时间及资料来源编号总表

站 名	頁次	平均相对湿度所取观测时间	资料来源编号
西 藏 拉 薩	189	1951.4-53 (3,6,9,12,14,18,21,24)	1942-43.4 (63)
		1941-49, 51.11-52(1-4,6) (6,14,21) 1953 (3,6,9,12,14,18,21,24)	1941-49, 51-52 (63) 1953 (62)

資 料 来 源 一 覽 表

1. 前中央研究院气象研究所編印：气象年报
2. 前中央研究院气象研究所編印：气象月刊
3. 日本东亚研究所1942年編印：东亚气象資料第一篇
4. 日本东亚研究所1942年編印：东亚气象資料第五篇
5. 日本中央气象台編印：中央气象台年报
6. 日本中央气象台編印：中央气象台月报
7. 伪滿中央觀象台編印：滿洲气象年报
8. 伪滿中央觀象台編印：滿洲气象月报
9. 伪滿中央觀象台編印：滿洲气象略表
10. 伪南滿洲鐵道株式会社地方部农务課1935年編印：滿州农业气象报告
11. 伪关东測候所編印：滿洲气象累年报告
12. 伪关东都督府觀測所編印：滿洲气象报告
13. 伪关东厅觀測所編印：滿洲气象表
14. 伪交通部东北区气象机构接收委員办事处編印：东北气象月报（1947—1948）
东北气象台編印：东北气象月报（1949）
15. 伪交通部东北区沈阳气象台編印：东北气象紀錄簡报。
16. 伪中央气象局編印：气象汇报。
17. 伪滿四平觀象所編印：气象累年原簿
18. 前保定河北大学农科气象觀測所編印：气象年报
19. 前河北省立农学院气象觀測所編印：气象季刊
20. Главная Геофизическая обсерватория編印：Летоисписи Главной Физической обсерватории（1873—1914）
（俄国地球物理觀象总台編印：物理觀象总台年报）（1873—1914）
21. 伪华北觀象台月表原簿
22. 昌黎气象年表原簿
23. 伪天津測候所气象要素逐日平均表
24. 伪山西省长公署統計处編印：山西省气象統計（1924—1925）
25. 伪山东省公署建設厅气象觀測所編印：山东气象年报（1932—1934、1936—1942）
山东省气象觀測所編印：山东气象年报（1949—1952）
26. 伪山东省建設厅气象測候所編印：山东气象月报（1933年—1937）
山东省气象觀測所編印：山东气象月报
27. 山东省气象觀測所編印：三十年来济南气象特刊
28. 伪青島觀象台編印：青島觀象台气象年报
29. 伪青島觀象台編印：青島觀象台气象月报（1934—1936、1946—1948）
青島觀象台編印：青島觀象台气象月报（1949—1951）

30. 伪青島市觀象台1948年編印: 青島觀象台五十周年紀念特刊
31. 伪河南建設厅气象測候所編印: 开封气象年报
32. 伪河南省政府建設厅开封气象測候所編印: 河南气象月报
33. 前国立西北农林专科学校1938年編印: 西北农林
34. 陝西通远坊气候ILCLiMa NELLO SHENS [CINa] (1921—1923)
35. 伪江苏省建設厅省会測候所編印: 气象年刊
36. 伪江苏省建設厅省会測候所編印: 气象月刊
37. 伪南通軍山气象台編印: 气象年报
38. 苏北南通行政区專員公署生产建設处水利科南通測候所編印: 气象月报(1949—1950)
39. 伪南通軍山气象台編印: 气象报告輯要
40. Observatoire de zi-ka-wei編印: Bulletin des observations. (徐家汇觀象台編印: 气象年报)
41. Observatoire de zi—ka—wei編印: Revue Mensuelle. (徐家汇觀象台編印: 每月一覽)
42. Met. observations made at the zi—ka—wei observatory shanghai.

(徐家汇觀象台气象觀測紀錄)

43. 日伪建設部部水利署南京一等气象測候所1943年編印: 气象报告
44. 伪浙江省建設厅測候所編印: 浙江气象通訊
45. 前湖南棉业試驗場气象組編印: 气象年报
46. 前湖南棉业試驗場气象組編印: 气象月刊
47. 伪福建省气象局編印: 福建气象年报
48. 伪福建省气象局編印: 福建气象月刊
49. 伪台湾总督府气象台1939年編印: 台湾累年气象报告
50. 伪台湾总督府气象台編印: 台湾气象报告
51. 伪台湾气象局恒春測候所1947年編印: 恒春五十年的气象統計
52. 伪台湾总督府台北測候所編印: 台湾气象表
53. 前国立第一中山大学农科学院附設觀測所編印: 民国十五年来广州气候汇编
54. 前国立中山大学农科气象觀測所报告
55. Royal observatory, Hongkong編印: Monthly meteorological Bulletin.

(香港皇家觀象台編印: 每月气象报告)

56. 伪貴州省政府建設厅气象所編印: 貴州气象簡报
57. 前四川大学理学院物理實驗室編印: 气象月刊(1932—1942)
58. 伪四川省气象測候所編印: 四川气象月报
59. 伪云南省政府編印: 最近十年昆明气象統計冊
60. 各站气象表
61. 各台站气象資料
62. 各台站气象月总簿
63. 各台站气象月报表
64. 各台站气象年总簿
65. 各台站气象年总表
66. 各台站二十四小时統計表(抄写)

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
黑龍江 璦 琿 $\varphi = 50^{\circ}15'N$ $\lambda = 127^{\circ}29'E$ $H = 130.7M$ 平均相对湿度(%)													
1935	79	74	64	55	61	68	66	78	76	73	83	77	71
1936	80	77	70	64	66	70	82	85	84	68	77	67	76
1937	77	75	69	54	72	68	78	73	70	63	72	72	70
1938	71	76	65	57	67	78	88	83	82	76	88	75	76
1939	82	80	80	61	65	82	79	72	72	66	71	79	74
1940	74	75	70	62	62	78	79	73	69	56	75	80	71
1941	82	79	79	67	-	70	78	75	78	67	80	84	-
1942	76	75	64	54	-	-	-	-	-	-	-	-	-
平 均	77	76	70	59	66	74	79	77	76	67	78	78	73
最小相对湿度(%)													
1935	47	29	14	14	24	34	26	37	33	22	45	42	14
日	19	22, 23	28	10	3	3, 12	12, 17	29	28	10	7	9	28, 3, 10, 11
1936	53	47	34	26	25	35	45	52	36	29	25	55	25
日	17	22	18	7	2	20	22	6	30	13	1	7	2, 5, 1, 11
1937	48	42	45	13	30	27	37	35	26	25	33	42	13
日	27	27	7, 23	21, 25	7, 9	8	14	25	28	6	8	22	21, 25, 4
1938	42	38	26	25	33	32	52	43	36	24	48	34	24
日	14	27	29	10	21	4	22	31	27	15	21	17	15, 10
1939	58	54	52	24	26	37	30	22	30	30	31	32	22
日	6	21	14, 17	19	16	1, 30	10	21	7	9	8, 10	1	21, 8
1940	23	39	26	25	24	32	41	36	27	20	24	41	20
日	11	29	28	9	6, 13	1	13	25	16	21	1	27	21, 10
1941	47	48	32	31	-	-	-	-	-	-	-	-	-
日	3	20	29	19	-	-	-	-	-	-	-	-	-
1942	23	29	14	13	24	27	26	22	26	20	24	32	13
日	11	22, 23	28	21, 25	30	8	12, 17	21	28	21	1	1	21, 25, 4
1940	1935	1935	1937	1935	1935	1937	1935	1939	1937	1940	1940	1939	1937
遜 克 $\varphi = 49^{\circ}15'N$ $\lambda = 128^{\circ}28'E$ $H = (90.0)M$ 平均相对湿度(%)													
1938	81	82	72	65	65	72	82	81	77	69	76	74	75
1939	74	68	71	57	66	77	79	75	76	69	71	79	72
1940	78	71	72	68	66	71	80	75	71	61	79	84	73
1941	77	79	76	70	-	-	-	-	-	-	-	-	-
平 均	78	74	72	63	66	73	80	77	75	66	75	79	73
最小相对湿度(%)													
1938	46	45	24	23	28	34	42	38	27	25	34	46	23
日	16	27	22	10	10	7	22	31	30	22	4	19, 31	10, 4
1939	43	39	36	20	26	39	37	41	31	26	37	45	20
日	9	28	29	19	6	2	21	26	30	9	11	14, 26	19, 4
1940	55	39	27	27	25	26	43	40	27	19	30	52	19
日	7, 8	26	31	21	31	1	13	20	16	21, 22	1	28	21, 22, 10
1941	44	47	37	25	-	-	-	-	-	-	-	-	-
日	24	9	29	16	-	-	-	-	-	-	-	-	-
1942	43	39	24	20	25	26	37	38	27	19	30	45	19
日	9	28, 26	22	19	31	1	21	31	30, 16	21, 22	1	14, 26	21, 22, 10
1939	1939	1938	1939	1940	1940	1939	1938	1938	1940	1940	1939	1940	1940

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
嫩 江 $\varphi=49^{\circ}10'N$ $\lambda=125^{\circ}13'E$ $H=222.3M$													
平均相对湿度(%)													
1939	87	82	79	64	59	78	80	77	79	71	72	83	76
1940	75	75	69	61	57	69	78	74	72	56	72	78	70
1941	78	76	77	69	64	74	82	80	78	69	71	79	75
1942	77	75	67	57	59	67	80	76	73	66	72	77	71
1943	70	69	63	52	63	72	80	76	74	70	74	79	70
1944	77	74	76	61	55	65	73	70	74	65	81	75	71
1945	74	78	72	55	55	72	75	—	—	—	—	—	—
1949	—	—	—	—	—	—	—	—	78	69	78	73	—
1950	74	70	62	60	65	70	72	79	74	72	73	79	71
1951	82	75	72	66	55	61	81	86	84	79	74	78	74
1952	83	80	67	67	61	75	83	82	81	71	77	78	75
1953	83	78	67	55	65	76	83	80	68	68	74	79	73
平 均	79	75	70	61	60	71	79	78	76	69	74	79	73
最小相对湿度(%)													
1939	65	55	49	25	23	33	44	34	24	23	29	51	23
1940	31	26	13	26	16	13	21	25	26	16	7	11, 31	15, 16/10
1941	49	37	27	18	20	25	29	35	18	21	29	43	18
1942	14	24	30	29	7	1	29	8	30	9, 20	4	7	29/4, 30/9
1943	50	44	44	34	22	31	45	35	30	26	38	52	22
1944	19, 23	8	21	28	17	1	4	20	17, 30	1	4	13	17/5
1945	55	49	35	28	21	22	40	38	32	22	27	46	21
1949	4, 27	24	26, 29	23, 30	26	2	22	29	13, 28	28	3	7	26/5
1950	45	43	23	19	21	28	44	40	30	25	32	47	19
1951	12	11	30	5, 15	7	1	17	18, 21	24	15	3, 4	2	5, 15/4
1952	47	44	37	22	19	21	33	28	31	27	38	48	19
1953	1, 31	28	24	18	24	5	9, 10	38	24	19	4	12	24/5
1945	43	46	35	21	21	30	30	39	—	—	—	—	—
1949	20	23	24	8	21	15	7	15	—	—	—	—	—
1950	—	—	—	—	—	—	—	45	32	26	36	45	—
1951	—	—	—	—	—	—	—	18	16	15	9	17	—
1952	47	39	31	28	30	31	36	29	28	30	37	57	28
1953	4, 31	27	23, 26	23	11, 14	7	29	1	21, 22	5	5	31	38
1945	52	49	33	30	25	28	34	43	42	37	33	43	25
1951	23	14	29	48	2	19, 24	2, 3	29	15	27	17	8	2/5
1952	46	44	30	27	19	30	40	39	28	24	37	56	19
1953	24	28	14	23	17	10, 11	3	21	30	12	2	15, 18	17/5
1945	56	30	21	14	15	32	38	33	20	19	23	54	14
1951	25	28	30	30	10	13, 26	3	26	16	28	8	5	30/4
极 值	43	30	21	14	15	21	29	28	18	19	23	43	14
日 期	20	28	30	30	10	5	29	38	30	28	8	7, 8	30/4
年 份	1945	1953	1953	1953	1953	1944	1940	1944	1940	1953	1953	1940	1953
												1951	
克 山 $\varphi=48^{\circ}04'N$ $\lambda=125^{\circ}52'E$ $H=223.4M$													
平均相对湿度(%)													
1936	76	79	67	53	59	75	87	81	87	69	71	92	75
1937	93	87	77	60	60	68	82	79	74	65	72	82	75
1938	83	83	70	59	63	71	83	79	76	67	82	90	76
1939	94	86	77	57	57	73	81	70	73	57	66	85	73
1940	93	89	66	52	51	67	75	74	75	56	74	81	71
1941	80	83	80	69	60	70	83	76	78	72	73	84	76
1942	80	75	60	53	67	68	82	73	67	63	72	78	70
1943	70	72	—	—	—	—	—	—	—	—	—	—	—
1949	—	—	—	—	—	—	—	90	84	80	87	85	—
1950	84	81	65	51	59	66	72	70	67	60	66	92	69

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951		87	72	70	61	49	64	79	85	83	70	73	81	73
1952		80	76	62	63	57	72	82	81	77	62	75	80	72
1953		86	84	68	51	64	78	84	80	70	71	70	77	74
平 均		85	81	69	57	59	70	81	77	75	65	72	84	73
最小相对湿度(%)														
1936		55	58	20	17	15	33	51	44	41	19	27	64	15
日	10,16	23	25	9	10	6	17	22,25	29	3	2	23,27	10/5	
1937		65	48	29	16	20	27	45	35	32	19	21	57	16
日	2	25	28	25	21	3	9	25,28	27	31	13	13	25/4	
1938		58	61	26	17	27	22	46	37	30	26	42	54	17
日	14	26	31	6	1	9	3	19	21,30	15	3,4	31	6/4	
1939		64	48	49	18	20	28	41	32	27	22	20	50	18
日	30	27	28	22	31	1	25	25	29	21,26	7	4	22/4	
1940		65	48	10	15	14	20	27	34	29	11	22	60	10
日	1	29	26	29	11	1	13	7	30	18	4	7,8	26/3	
1941		48	55	45	33	-	-	-	-	-	-	-	-	-
日	18	7	21	30	-	-	-	-	-	-	-	-	-	-
1949		-	-	-	-	-	-	-	46	38	31	63	63	-
日	-	-	-	-	-	-	-	-	30	15	23	5	21	-
1950		45	36	12	14	25	29	34	25	24	18	25	58	12
日	27	27	22	9,11	12	3,4	8	1	23	6	11,16	14	22/3	
1951		52	37	21	14	12	20	30	43	37	25	23	45	12
日	25	27	28	9	2	19	8	8,22	20	19	18	8	2/5	
1952		50	42	12	15	17	22	37	42	28	23	34	56	12
日	25	24,28	25	10	13	8	3,6	15	28	3	1	21	25/3	
1953		62	40	23	17	15	29	38	36	24	23	27	43	15
日	11	28	31	6	3	30	1	31	21	28	6	2	3/5	
極日年	值期份	45	36	10	14	12	20	27	25	24	11	20	43	10
		27	27	26	3	2	1,19	13	1	23,21	18	7	2	26/3
		1950	1950	1940	1950	1951	1940	1950	1950	1940	1939	1953	1940	
海 倫 $\varphi = 47^{\circ}26'N$ $\lambda = 126^{\circ}58'E$ $H = 240.3 M$														
平均相对湿度(%)														
1933		77	69	67	57	54	70	74	81	80	73	79	76	71
1934		78	78	70	60	69	77	79	77	74	66	60	62	71
1935		67	67	56	55	70	69	72	77	74	75	70	68	68
1936		72	73	67	58	58	71	84	80	80	69	67	72	71
1952		-	-	-	-	-	-	81	81	77	67	74	78	-
1953		89	87	70	56	67	76	84	79	71	77	74	77	76
平 均		77	75	66	57	64	73	79	79	76	72	70	71	71
最小相对湿度(%)														
1933		55	32	19	20	20	26	37	46	43	33	34	46	19
日	-	19	30	-	-	-	-	-	-	-	-	-	-	30/3
1934		63	51	36	28	25	39	45	40	30	30	30	31	25
日	-	-	-	-	-	3	-	-	-	-	-	-	10	3/5
1935		46	43	22	15	20	27	29	35	22	29	40	48	15
日	18	-	-	7	-	-	-	9	27	27	23	-	-	7/4
1936		47	58	36	15	19	26	52	48	36	31	22	49	15
日	-	-	-	28	14	26	-	-	-	-	-	8	-	28/4
1952		-	-	-	-	-	-	34	45	28	25	34	56	-
日	-	-	-	-	-	-	-	3	17	30	28	22	15	-
1953		63	44	24	19	20	35	37	37	27	32	36	46	19
日	11	27	31	30	9,10	30	1	31	20	12	3,6	1	30/4	
極日年	值期份	46	32	19	15	19	26	29	35	22	25	22	31	15
		18	19	30	7,28	14	-,26	9	27	27	28	8	10	7,28/4
		1935	1933	1933	1935	1936	1933	1935	1935	1935	1952	1936	1934	1935
					1936		1936							1936

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
齊齊哈爾 $\varphi = 47^{\circ}20'N$ $\lambda = 123^{\circ}56'E$ $H = 147.0 M$													
平均相对湿度(%)													
1930	-	-	-	-	46	74	80	85	80	73	70	68	-
1931	60	60	65	48	56	70	69	69	77	-	-	75	-
1932	79	74	65	57	56	69	81	75	71	69	63	64	69
1933	61	55	49	50	49	64	68	73	68	68	74	78	63
1934	74	67	66	48	65	73	74	72	72	63	53	56	65
1935	57	52	48	46	46	55	57	58	57	56	65	57	55
1936	57	62	52	45	46	51	63	60	62	44	51	59	54
1939	89	84	70	60	57	74	81	74	74	64	63	72	72
1940	72	71	59	55	54	69	74	74	71	54	74	75	67
1941	66	71	71	62	-	68	81	77	78	69	67	77	-
1942	70	67	53	55	-	-	-	-	-	-	-	-	-
1949	-	-	-	-	-	70	72	81	75	71	77	68	-
1950	71	64	55	53	62	68	70	73	66	65	67	81	66
1951	79	80	63	62	49	66	74	76	78	68	69	75	70
1952	72	64	65	63	54	70	78	76	76	64	70	70	69
1953	79	68	57	51	63	73	77	75	66	69	68	73	68
平 均	72	67	59	54	55	67	72	71	69	62	65	69	65
最小相对湿度(%)													
1930	-	-	-	-	15	23	36	43	35	28	35	29	-
1931	27	8	26	14	18	28	33	31	30	-	-	33	-
1932	48	30	19	12	8	21	42	35	29	25	23	28	8
日	4	11	30, 31	10	15	19	13	31	26	11	25	17	15/5
1933	27	24	14	12	9	14	29	25	23	20	32	54	9
日	13	18	29	21	11	10	29	13	29	11	9	29	11/5
1934	58	43	22	7	8	31	25	30	27	6	11	16	6
日	5	28	11	17	14	3, 13	24	21	29	5	19	11, 27	5/10
1935	22	12	8	4	6	13	14	11	9	7	26	31	4
日	-	-	-	21	-	-	-	-	-	-	-	-	21/4
1936	35	39	10	4	5	11	22	21	15	4	15	24	4
1939	68	53	34	23	20	26	42	35	29	22	16	37	16
日	8	26	16	3	18	1	25	8, 10	28	20	11	31	11/11
1940	35	30	19	20	18	26	31	35	30	23	34	45	18
日	3	26	26	29	8	1	13	27	30	9	3	25, 30	8/5
1941	36	46	39	26	-	-	-	-	-	-	-	-	-
日	19	9	21	29	-	-	-	-	-	-	-	-	-
1950	37	31	25	18	27	34	38	34	25	24	29	49	18
日	5	27	3, 27	10	14	3	38	1	22	6	2	27	10/4
1951	34	44	22	22	15	28	23	30	36	33	25	41	15
日	1	10	27	38	6	48	29	6	23	38	23	8	6/5
1952	39	28	28	18	19	26	34	32	36	24	38	45	18
日	25	29	20	3	10	21	4	23	28	28	2, 17	14	3/4
1953	51	32	25	17	13	29	36	29	22	28	23	39	13
日	25	22	30, 31	6, 7	7	14	11	31	17	6	3	1	7/5
極 值	22	8	8	4	5	11	14	11	9	4	11	16	4
日 年	-	-	-	21, -	-	-	-	-	-	-	19	11, 27	12, -/4
值 期	1935	1931	1935	1935	1936	1936	1935	1935	1935	1936	1934	1934	1935
份				1936									1936
富 錦 $\varphi = 47^{\circ}14'N$ $\lambda = 131^{\circ}59'E$ $H = 76.5 M$													
平均相对湿度(%)													
1935	-	-	-	-	-	-	-	-	-	-	74	80	-
1936	82	83	75	58	63	70	80	78	79	64	73	85	74
1937	76	75	78	66	67	74	80	79	76	70	66	81	74
1938	72	73	72	64	65	67	75	83	78	68	75	84	73
1939	87	74	70	60	63	75	77	71	78	68	69	80	73

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940	89	77	65	64	58	70	82	77	73	66	71	80	73
1941	72	68	70	71	63	77	85	81	75	69	71	74	73
1942	68	67	59	65	68	72	83	79	83	74	78	75	73
1943	75	76	-	-	-	-	-	-	-	-	-	-	-
1952	-	-	-	-	-	-	-	(85)	79	66	70	68	-
1953	75	72	71	67	72	77	86	81	74	66	70	77	74
平 均	78	74	70	64	65	73	81	79	77	68	72	80	73
最小相对湿度(%)													
1936	52	51	18	19	18	32	41	41	40	28	23	60	18
日	28	29	21	8	5	15	4	28	30	18	1	21	21/3, 5/5
1937	49	42	52	30	26	32	38	38	34	28	24	28	24
日	12	11	19	23, 29	18	19	5, 15	14, 15	30	31	13	26	13/11
1938	45	36	35	23	24	28	35	45	33	27	30	51	23
日	14, 25	8	30	20	2	2	4	4, 27	30	28	4	22	20/4
1939	55	31	27	17	26	28	40	36	34	24	27	46	17
日	30	28	16	3	18	1	2	13	28	21	8	26	3/4
1940	59	44	21	25	16	28	41	43	33	23	29	44	16
日	26	26	7	22	8	1	14	23, 25	29	22	3	30	8/5
1941	36	37	33	26	-	-	-	-	-	-	-	-	-
日	27	25	17	5, 12	-	-	-	-	-	-	-	-	-
1952*	-	-	-	-	-	-	-	42	24	23	19	35	-
日*	-	-	-	-	-	-	-	24	26	28	1	16	-
1953	50	45	34	22	19	34	45	24	27	24	25	33	19
日	26	25	25	25	8, 10	13	12	30	21	6	5	1	8, 10/5
極 值	36	31	18	17	16	28	35	24	24	23	19	28	16
日 期	27	28	21	3	8	3	4	30	26	22, 28	1	26	8/5
年 份	1941	1939	1936	1939	1940	3年	1938	1953	1952	1940	1952	1937	1940
1952													
佳木斯 $\varphi = 46^{\circ}49'N$ $\lambda = 130^{\circ}20'E$ $H = 80.4 M$													
平均相对湿度(%)													
1938	75	76	69	58	65	69	75	81	81	70	72	75	72
1939	75	69	68	60	62	78	81	71	79	66	66	76	71
1940	75	72	65	62	58	74	80	76	72	65	69	78	71
1941	71	72	72	66	-	74	83	81	76	70	69	78	-
1942	71	71	58	70	-	-	-	-	-	-	-	-	-
1949	-	-	-	-	-	74	65	75	75	74	76	79	-
1950	75	74	68	57	65	68	78	77	73	66	65	75	70
1951	71	71	68	62	50	76	77	79	81	70	70	68	70
1952	64	60	61	67	57	71	84	80	75	63	71	68	68
1953	81	73	64	58	66	74	83	75	72	67	66	74	71
平 均	74	71	66	61	60	73	80	77	76	67	68	73	70
最小相对湿度(%)													
1938	46	49	27	20	22	24	38	37	40	28	31	41	20
日	17	24	29	20	6	4	18	7	21	28	18	1	20/4
1939	53	34	25	20	23	36	43	36	34	30	26	50	20
日	29	26	15	3	17	13	1	15	30	21	10	26	3/4
1940	45	37	23	24	16	29	39	41	31	24	31	54	16
日	5	26	30	30	13	1	13	17	30	22	16	3	13/5
1941	51	47	28	-	-	-	-	-	-	-	-	-	-
日	27	24	12	-	-	-	-	-	-	-	-	-	-
1950	48	40	31	19	24	27	29	38	26	28	30	49	19
日	7, 10	13	29	16	16	1	1	21	23	10	7	26	16/4
1951	51	41	25	13	13	31	30	40	36	24	28	33	13
日	22, 24	22, 27	29	6	12	2	8	9	10	20	24	24	6/4, 12/5
1952	31	29	19	14	18	27	51	41	29	18	35	40	14
日	30	24	28	6	17, 25	15	29	16	28	28	1, 2	16	6/4
1953	46	42	20	18	17	28	44	30	22	20	23	36	17
日	25	24	10	25, 26	3	30	13	21	13	29	3	1	3

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 日 年	31 30 1952	29 24 1952	19 28 1952	13 6 1951	13 12 1951	24 4 1938	29 1 1950	30 21 1953	22 13 1953	18 28 1952	23 3 1953	33 24 1951	13 64, 12/5 1951
哈爾濱 $\varphi=45^{\circ}45'N$ $\lambda=126^{\circ}38'E$ $H=145.1M$ 平均相对湿度(%)													
1931	88	86	83	71	64	73	67	75	76	65	66	77	74
1932	71	73	64	58	60	70	85	79	77	72	68	74	71
1933	72	71	58	55	50	64	73	76	70	67	69	75	67
1934	75	67	62	54	62	74	82	78	75	62	61	68	68
1936	75	83	75	59	59	71	79	75	78	67	74	80	73
1937	79	74	64	60	56	66	74	78	74	71	66	84	71
1938	88	87	64	56	62	68	78	80	77	69	77	85	74
1939	86	80	64	52	58	74	79	70	76	59	67	82	71
1940	80	78	62	53	52	74	80	80	72	61	80	87	72
1941	83	80	75	63	-	69	77	81	76	72	63	79	-
1942	73	67	52	60	-	-	-	-	-	-	-	-	-
1949	80	66	62	58	57	63	66	80	75	66	81	80	70
1950	81	78	65	55	63	71	79	79	72	64	70	80	71
1951	75	73	72	65	55	74	78	81	80	75	75	80	74
1952	77	66	59	66	55	69	79	79	77	66	69	67	69
1953	81	70	55	54	66	72	82	75	67	72	71	75	70
平 均	79	75	65	58	59	70	77	78	75	67	71	78	71
最小相对湿度(%)													
1931	74	68	44	32	22	31	30	35	33	23	25	50	22
1932	35	39	19	22	20	24	50	43	36	34	25	48	19
1933	46	46	24	21	19	27	38	37	28	25	25	32	19
1934	52	36	30	22	21	31	46	37	32	25	26	22	21
日	25	28	24	17, 25	2	20, 22	5	11	20	6, 23	23	11	2/5
1936	52	58	43	21	21	32	45	34	38	32	30	49	21
日	5, 17	24, 25	29	28	4	2	5	12	11	15	1	25	28/4, 4/5
1937	55	39	28	22	22	27	30	41	37	34	28	42	22
日	1	25, 27	13	12	10, 15	2	9	14	30	20	15	6	38
1938	67	50	23	22	23	25	43	41	40	31	34	43	22
日	14	28	26	6	4, 6	2	18	1, 31	1	16, 28	1	2	6/4
1939	57	43	22	18	24	36	46	34	33	26	27	46	18
日	9	28	30	6	18	30	19	25, 26	27	20, 26	8	31	6/4
1940	34	34	16	17	10	30	38	44	31	23	33	56	10
日	2	25	27	20	13	3	13	15	26	21	4	30	13/5
1941	57	39	31	26	-	-	-	-	-	-	-	-	-
日	6	17	29	15	-	-	-	-	-	-	-	-	-
1950	50	47	30	23	25	29	37	44	29	27	30	49	23
日	27	28	7	38	29	4	3	26	23	10	2	12, 14	38
1951	44	33	31	20	14	31	29	38	35	33	30	45	14
日	31	19	19, 20	9	6	19	12	9	23, 25	38	2	21	6/5
1952	40	31	17	16	19	26	36	39	31	21	26	33	16
日	23	14, 29	27	3	13, 19	26	3	16	7	28	1	11	3/4
1953	57	25	19	18	18	32	39	34	25	24	26	38	18
日	11	26	21	27	7, 10	16	5	31	21	3	3	1	38
極 日 年	34 2 1940	25 26 1953	16 27 1940	16 3 1952	10 13 1940	24 - 1932	29 12 1951	34 48 3年	25 21 1953	21 28 1952	25 38 3年	22 11 1934	10 13/5 1940
密 山 $\varphi=45^{\circ}33'N$ $\lambda=131^{\circ}45'E$ $H=134.4M$ 平均相对湿度(%)													
1937	89	80	71	69	67	77	83	85	82	72	66	89	78
1938	72	73	66	63	67	73	76	84	82	72	73	75	73
1939	76	70	73	65	66	78	80	72	81	66	67	71	72
1940	70	68	62	59	57	77	80	77	71	65	73	78	70

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941		77	74	72	68	—	74	83	84	77	71	70	71	—
1942		65	62	54	61	—	—	—	—	—	—	—	—	—
平 均		77	73	68	64	64	76	80	80	79	69	70	78	73
最小相对湿度(%)														
1937		56	56	53	23	25	36	45	44	30	28	23	28	23
日		1	24	23	25	38	11	15	27	30	26	14	21	25/4, 14/11
1938		24	27	18	19	18	26	39	42	40	26	36	48	1F
日		14	27	16	20	4	4	27	9	30	29	1	21	16/3, 4/7
1939		50	42	37	15	25	28	43	37	26	24	34	43	15
日		30	23	5, 10	5	16	1	1	11	30	8	2, 8	13	5/4
1940		46	45	23	20	13	36	45	39	25	27	25	47	13
日		4	25	31	30	2	15	3	11	30	2, 7	2	5	2/5
1941		51	48	38	25	—	—	—	—	—	—	—	—	—
日		27	24	22	19	—	—	—	—	—	—	—	—	—
極 日	值	24	27	18	15	13	26	39	37	25	24	23	28	13
年	期	14	27	16	5	2	4	27	11	30	8	14	21	2/5
	份	1938	1938	1938	1939	1940	1938	1938	1939	1940	1939	1937	1937	1940
雞 西 $\varphi=45^{\circ}17'N$ $\lambda=130^{\circ}57'E$ $H=218.8M$														
平均相对湿度(%)														
1949		85	81	—	—	52	71	59	69	71	72	75	63	—
1950		70	65	59	52	66	75	81	74	72	64	72	86	70
1951		84	82	74	65	55	81	76	76	84	76	74	77	75
1952		78	70	64	67	53	74	81	83	77	69	71	70	71
1953		82	72	62	55	65	72	82	74	69	66	65	68	69
平 均		79	72	65	60	60	76	80	77	76	69	71	75	71
最小相对湿度(%)														
1950		28	32	25	18	24	32	36	27	26	23	29	50	18
日		4	13	4	16	3	30	1	30	23, 24	10	3	11	16/4
1951		54	46	36	17	14	28	31	36	35	25	31	39	14
日		22, 24	19	38	6	7	1	29	11	24	7	2	21	7/5
1952		34	35	23	17	20	19	41	42	24	21	35	29	17
日		12	21	25	6	38	10	17, 19	2	27	6	20	13	6/4
1953		54	33	20	16	14	30	33	25	23	22	32	27	14
日		24, 26	27	27	9, 27	10	30	1	30	21	30	3, 6	1	10/5
極 日	值	28	32	20	16	14	19	31	25	23	21	29	27	14
年	期	4	13	27	9, 27	7, 10	10	29	30	21	6	3	1	7, 10/5
	份	1950	1950	1953	1953	1951	1952	1951	1953	1953	1952	1950	1953	1951
						1953								1953
牡 丹 江 $\varphi=44^{\circ}35'N$ $\lambda=129^{\circ}36'E$ $H=240.3M$														
平均相对湿度(%)														
1937		87	84	75	66	59	74	74	78	74	73	63	76	74
1938		87	81	62	56	62	69	70	82	84	75	76	83	74
1939		84	68	60	62	66	85	77	69	82	63	73	80	72
1940		81	74	56	58	57	76	76	75	72	64	72	80	70
1941		84	74	68	60	62	74	73	81	73	73	67	73	72
1942		71	60	51	59	57	72	81	78	73	66	61	75	67
1943		73	67	—	—	—	—	—	—	—	—	—	—	—
1949		83	65	64	68	60	64	62	63	68	72	80	76	69
1950		77	76	66	53	66	73	80	70	69	67	76	83	71
1951		78	73	66	63	52	77	75	77	79	74	70	70	71
1952		67	60	62	64	52	71	78	83	78	70	75	74	70
1953		83	69	63	57	67	74	79	75	70	70	74	74	71
平 均		80	71	63	61	60	74	75	76	75	70	72	77	71

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
東 宁														
		$\varphi = 44^{\circ}04'N$ $\lambda = 131^{\circ}07'E$ $H = 115.6 M$												
		平均相对湿度(%)												
1937		62	59	51	56	57	78	76	78	71	68	58	65	65
1938		64	63	54	51	61	73	80	88	82	71	64	61	68
1939		62	57	59	59	64	80	76	69	81	65	63	66	67
1940		64	60	52	56	56	79	79	76	65	60	64	66	65
1941		69	68	61	59	-	-	-	-	-	-	-	-	-
平 均		63	60	54	56	60	78	78	78	75	66	62	65	66
		最小相对湿度(%)												
1937		23	18	17	14	20	31	36	40	27	20	21	34	14
1938	日	18	34	10	25	2	11	13	18	28	31	34	4	25/4
1938	日	33	27	18	17	20	25	37	52	47	29	25	17	17
1939	日	17	27	30	2	4	3,4	4	27	14	44	1	1	2/4, 1, 12
1939	日	30	28	19	19	25	37	34	30	30	27	28	29	19
1940	日	7	22	31	10	16	1	20	17	30	8, 22	12, 13	1	3/3, 10/4
1940	日	29	20	18	18	14	37	39	34	20	21	26	28	14
1941	日	5	15	24	30	2	5	3	7	30	13	17	13	2/5
1941	日	41	29	25	24	-	-	-	-	-	-	-	-	-
極 日 午	值 期 分	20, 21	16	13	13	-	-	-	-	-	-	-	-	-
極 日 午	值 期 分	23	18	17	14	14	25	34	30	20	20	21	17	14
極 日 午	值 期 分	18	34	10	25	2	3,4	20	17	30	31	34	1	25/4, 2/5
		1937	1937	1937	1937	1940	1938	1939	1939	1940	1937	1937	1938	1937
														1940
吉 林 白 城														
		$\varphi = 45^{\circ}38'N$ $\lambda = 122^{\circ}51'E$ $H = 151.4 M$												
		平均相对湿度(%)												
1950		74	61	53	51	59	68	74	70	57	52	64	67	63
1951		60	64	61	60	46	65	66	69	66	60	59	67	62
1952		60	51	53	55	45	58	75	72	70	59	60	62	60
1953		75	56	47	44	63	72	79	75	62	73	69	66	65
平 均		67	58	54	53	53	66	74	72	64	61	63	66	63
		最小相对湿度(%)												
1950		30	12	10	21	21	29	34	29	22	19	24	35	10
1950	日	5	27	9	20, 24	16	4	1	1	22	6	2	26	9/3
1951		35	29	27	24	15	23	20	22	18	19	22	30	15
1951	日	22	2	17, 20	4, 18	6	6, 19	11, 12	26	20, 23	7	18	19	6/5
1952		27	28	21	10	11	18	23	32	29	19	28	29	10
1952	日	6	19	4	5	13	23, 26	4	20	9, 28	26	6	14	5/4
1953		44	22	20	20	17	25	42	(36)	(25)	24	29	39	17
1953	日	29	22	24	6	3	23	5	31	16	3	3	3	3/5
極 日 午	值 期 分	27	12	10	10	11	18	20	22	18	19	22	29	10
極 日 午	值 期 分	6	27	9	5	13	23, 26	11, 12	26	20, 23	34	18	14	3/3, 5/4
		1952	1950	1950	1952	1952	1952	1951	1951	1951	3年	1951	1952	1950
														1952
洮 南														
		$\varphi = 45^{\circ}20'N$ $\lambda = 122^{\circ}45'E$ $H = 151.0 M$												
		平均相对湿度(%)												
1928		78	65	53	48	45	60	72	89	72	65	64	66	65
1929		67	67	49	48	48	48	70	76	64	49	54	61	58
1930		69	72	53	40	39	62	71	81	69	59	72	79	64
1931		79	72	56	50	56	67	66	71	74	61	62	68	65
1932		63	68	62	56	53	58	84	78	72	73	53	57	65

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1933	65	64	55	46	44	64	70	76	67	67	74	80	64
1934	77	75	71	53	59	70	78	73	73	66	78	81	71
1935	82	74	63	62	58	68	68	74	68	65	79	79	70
1936	77	79	70	59	51	65	78	71	70	60	76	71	69
平 均	73	71	59	51	50	62	73	77	70	63	68	71	66
最小相对湿度(%)													
1928	52	28	25	22	16	19	30	60	35	25	20	31	16
1929	28	31	9	12	15	15	28	21	20	7	8	17	7
1930	22	26	15	10	15	25	28	29	28	19	22	45	10
1931	23	39	10	14	14	26	30	29	34	23	20	31	10
1932	26	27	19	14	17	20	51	30	33	23	17	20	14
1933	10	15	23	17	14	22	35	35	25	22	24	26	10
1934	23	17	17	14	20	28	32	32	23	20	33	22	14
1935	27	20	20	25	24	30	30	31	29	14	21	22	14
1936	23	40	22	18	16	30	36	32	28	18	48	32	16
極 值	10	15	9	10	14	15	28	21	20	7	8	17	7
日 期	10	25	29	20	3	25	28.1	30	21.30	27	24	7	27/10
年 份	1933	1933	1929	1930	1931	1929	1929	1929	1929	1929	1929	1929	1929
					1933		1930						
長 春													
$\phi = 43^{\circ} 52' N$ $\lambda = 125^{\circ} 20' E$ $H = 215.7 M$													
平均相对湿度(%)													
1909	69	64	54	54	54	64	76	80	68	65	64	71	65
1910	69	70	67	57	51	69	76	84	77	74	62	57	68
1911	71	72	68	70	54	73	79	79	72	64	71	64	70
1912	63	66	52	48	63	65	71	78	63	64	60	69	64
1913	76	68	60	47	43	73	77	68	64	55	54	76	63
1914	67	66	62	44	39	65	77	79	77	67	78	66	66
1915	67	75	76	67	69	77	80	85	74	71	73	64	73
1916	72	75	67	57	60	66	75	77	71	64	60	69	68
1917	79	73	52	42	48	52	80	80	72	69	67	78	66
1918	73	70	61	51	55	72	80	80	81	58	67	70	69
1919	77	69	50	54	52	68	63	71	69	64	64	67	64
1920	70	77	52	49	47	62	67	73	73	63	74	62	64
1921	66	57	46	48	54	63	77	77	76	68	66	75	64
1922	71	70	52	49	57	56	77	76	73	63	70	72	66
1923	72	72	63	51	57	68	77	82	71	70	77	75	70
1924	77	72	68	56	58	57	77	75	65	62	65	62	66
1925	62	54	54	49	62	59	77	79	76	67	59	61	63
1926	70	69	62	44	48	51	69	79	75	62	65	74	64
1927	65	53	64	45	58	56	76	74	68	69	61	77	64
1928	83	76	62	47	51	63	75	80	65	67	67	60	66
1929	69	71	51	46	63	55	74	75	67	57	55	68	63
1930	73	66	47	45	52	65	78	84	73	66	74	74	66
1931	74	66	57	55	62	77	75	78	79	59	61	76	68
1932	67	69	57	51	55	61	80	74	71	71	62	68	66
1933	63	68	68	50	48	63	71	75	66	69	67	76	65
1934	74	64	60	51	58	72	81	78	76	62	57	62	66
1935	70	54	43	44	48	70	75	74	70	70	64	69	63
1936	71	75	60	56	55	68	74	74	74	63	70	73	68
1937	73	68	62	58	49	63	63	78	68	64	56	67	64
1938	84	82	56	54	64	69	82	80	76	66	68	81	72
1939	89	78	49	50	52	71	78	78	78	65	66	76	69
1940	73	65	47	50	52	74	73	78	69	58	77	82	67
1941	79	75	71	58	-	66	72	80	71	68	60	71	-
1942	63	53	47	53	-	-	-	-	-	-	-	-	-
1947	-	77	70	51	51	69	84	82	75	72	73	80	-

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948	79	79	72	60	-	-	-	-	-	-	-	-	-
1949	88	82	69	56	58	62	81	87	78	76	83	81	75
1950	84	77	66	62	64	74	83	80	74	66	68	76	73
1951	68	68	69	56	50	75	75	83	73	71	74	71	69
1952	70	66	58	63	47	67	76	78	72	65	61	68	66
1953	79	59	50	47	66	75	82	78	68	70	71	68	68
平 均	73	69	58	52	55	66	76	78	72	66	66	70	67
最小相对湿度(%)													
1909	29	19	9	15	18	20	33	34	21	23	16	46	9
日	1	10	19	7	31	5	4	16	26	31	18	2	19/3
1910	44	51	35	19	18	27	25	41	31	31	19	24	18
日	6	23	22	29	5	34	8	30	26	1,17	25	24	5/5
1911	41	48	37	27	19	26	37	41	27	28	20	27	19
日	17	24	15	18	10	11,12	28	19	28	5	7	7,9	10/5
1912	25	23	14	17	19	21	33	37	25	22	22	39	14
日	5	25	17	16,23	1	2	1	19	19,27	2,23	8	4,5	17/3
1913	36	41	19	11	15	25	42	28	22	19	19	46	11
日	4	20	13	16	11,24	2	13,25	29,30	11	16	23	15	16/4
1914	31	25	24	16	13	25	28	40	31	24	47	44	13
日	27	23	5	34	6	7,15	6	28	29	26	30	31	6/5
1915	31	48	53	30	28	35	41	50	39	32	33	25	25
日	5	25	2	16	5	1	5	31	27	14,23	6	25	25/12
1916	36	46	27	15	20	32	40	35	29	24	21	24	15
日	1	4	26	7	4,15	18	17,26	25	24	27	14	5	7/4
1917	48	37	18	13	11	24	37	36	33	29	29	43	11
日	18	28	19	17	14	7,8	5	1	30	20	17	1	14/5
1918	51	40	22	17	15	31	41	44	39	27	30	43	15
日	21	15	27	19,29	2	7	16	20,22	12	29	18	6	2/5
1919	51	25	17	17	19	24	28	26	27	21	24	41	17
日	9	28	27	28,30	4,10	1	-	19	24,30	28	6	11	34
1920	34	48	17	14	19	25	24	32	31	28	31	24	14
日	5	5	26	18	13	-	4	9	8	9	-	16	18/4
1921	36	25	16	9	21	27	33	31	31	28	32	45	9
日	26	12	8	23	12,16	22	14	26,27	-	-	-	-	23/4
1922	48	36	24	18	14	25	31	41	37	24	25	38	14
日	31	14	-	23	7	1	6	26	-	13,14	5	25	7/5
1923	36	29	27	17	17	29	32	37	33	31	42	54	17
日	13	22	3	24	1	3	1	18	21	4	2	7,10	24/4,1/5
1924	54	50	30	19	19	27	40	32	28	26	20	10	10
日	6	5	28	23,24	1	34	1	29	10,11	20	28	3	3/12
1925	31	24	13	8	17	23	29	37	36	21	12	15	8
日	20	18,20	20	7,8	11	20	3	1	17	4	19	14	7,8/4
1926	35	24	20	12	19	19	24	33	33	19	17	29	12
日	24	15	30	2,12	28	3,8	6	22	26	22	8	12	2,12/4
1927	32	20	13	15	11	17	35	39	24	28	22	43	11
日	23	17,27	31	13	15	12	26	22	11	24	27,30	34	15/5
1928	46	45	21	15	18	20	34	36	24	24	17	31	15
日	4	13	26,28	21	7	10	10,18	26	27	5	24	8	21/4
1929	38	39	11	9	20	19	28	29	26	20	22	24	9
日	4	20	26	16	16	9	26	31	19	28,29	10	3	16/4
1930	43	30	16	16	16	25	38	43	32	25	31	47	16
日	26	13	11	13	3,12	19	2	30	20,25	16	15	30	44
1931	48	39	27	16	22	33	33	37	36	25	20	28	16
日	27	18	13,29	8	20	21	28	23	34	19	20	5	8/4
1932	32	35	21	12	20	24	50	31	29	29	20	35	17
日	30	7	26	12	12	1,25	3	18	6	6	5	14	12/4
1933	35	24	25	19	19	23	36	36	29	32	24	35	19
日	29	5	20	21	3,10	11	2,7	9	14,30	29	3	6	34
1934	53	35	14	21	20	32	46	41	31	29	21	26	14
日	21,25	22	7	17	14	10	2,3	28	24	20	21	11	7/3
1935	32	16	10	19	22	29	32	38	25	31	22	41	10
1936	41	40	25	21	20	26	41	33	36	26	28	50	20
日	1,23	29	18,30	8	10,16	2	11	12	10,30	10	13	11	10,16/5
1937	46	43	17	23	19	28	29	39	34	25	21	29	17
日	31	25	12	11	10,16	9,19	15	27	6	23	6	8	12/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938	日	54 15	47 26, 28	21 9	20 8, 10	19 3	25 3	46 8	33 31	30 3	23 22	25 22	46 2	19 3/5
1939	日	61 27	28 28	12 26	7 2	19 3	29 4	39 19	42 6	37 15, 18	32 25, 26	24 8, 12	43 30, 31	7 2/4
1940	日	36 2	25 16	15 18	15 29	19 23	30 20	36 3	39 27	29 23	23 21	47 21	49 30	15 18/3, 29/4
1941	日	52 4	42 24	40 14	19 12	- -	- -	- -	- -	- -	- -	- -	- -	- -
1950	日	47 27	44 12, 13	23 8	23 25	21 16	35 4	37 2	40 22	32 23	28 29	18 2	38 12	18 2/11
1951	日	34 30, 31	29 14	24 20	15 20	13 6	27 20	21 9	38 31	28 25	25 7	32 10	30 12	13 6/5
1952	日	28 24	25 23	20 14	15 9	14 15	25 26	22 1	42 28	26 7, 9	20 28	22 7	25 11	14 15/5
1953	日	48 26	20 28	15 12	17 11, 24	20 1	29 16	43 5	34 31	22 19	21 5	26 3	36 1	15 12/3
極日	值	25 5	16 -	9 19	7 2	11 14, 15	17 12	21 9	26 19	21 26	19 16, 22	12 19	10 3	7 2/4
年	份	1912	1935	1909	1939	1917 1927	1927	1951	1919	1909	1913 1926	1925	1924	1939
蛟 河 $\varphi=43^{\circ}42'N$ $\lambda=127^{\circ}19'E$ $H=275.1 M$														
平均相对湿度(%)														
1950	日	81	79	72	64	70	78	84	79	72	70	70	83	75
1951	日	81	80	74	67	56	80	78	81	80	76	75	75	75
1952	日	77	71	66	68	60	77	82	85	82	75	76	73	74
1953	日	83	72	71	59	71	74	81	79	74	73	75	77	74
平 均		81	76	71	65	64	77	81	81	77	74	74	77	75
最小相对湿度(%)														
1950	日	42	19	29	19	23	35	35	23	25	26	47	19	19
1951	日	26	15	7	25	16	5	1	22	21	20	12	6	15/25/4
1951	日	38	34	27	14	11	33	30	39	37	24	35	18	11
1952	日	26	12	25	6	6	28	29	19	25	13	26	13	6/5
1952	日	33	36	21	23	5	28	37	45	40	28	38	41	5
1953	日	5, 7	23	20	3	15	14	18	28	26, 29	28	19	17	15/5
1953	日	51	35	33	18	20	29	50	36	30	24	28	39	18
1953	日	26	25	21	30	7	30	12	28, 29	17	4	13	16	30/4
極日	值	33 5, 7	19 15	21 20	14 6	5 15	28 14	30 29	35 22	23 21	24 13, 4	26 12	18 13	5 15/5
年	份	1952	1950	1952	1951	1952	1952	1951	1950	1950	1951 1963	1950	1951	1952
雙 遼 $\varphi=43^{\circ}40'N$ $\lambda=123^{\circ}29'E$ $H=116.8 M$														
平均相对湿度(%)														
1925	日	74	64	70	60	72	73	76	78	73	65	67	67	70
1926	日	72	76	66	50	53	55	72	80	75	63	62	73	66
1927	日	71	62	67	51	61	62	79	78	73	70	62	69	67
1928	日	79	70	56	50	49	69	78	81	69	69	69	67	67
1929	日	66	68	55	55	69	55	76	73	67	56	70	80	66
1930	日	79	72	61	52	51	61	79	83	73	70	75	79	70
1931	日	83	71	65	62	60	71	68	78	75	58	61	74	69
1932	日	70	73	66	60	58	65	85	73	73	70	75	73	70
1933	日	74	76	77	57	52	66	77	79	70	69	68	75	70
1934	日	74	73	68	61	62	74	80	77	77	65	66	73	71
1935	日	72	62	51	49	47	71	77	78	69	68	72	72	66
1936	日	73	75	67	56	53	76	-	-	-	-	-	-	-
1952	日	-	-	-	-	-	65	74	76	74	72	59	54	-
1953	日	68	57	50	46	66	73	81	77	66	69	71	66	66

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均		74	69	63	54	58	66	77	78	72	66	68	72	68
最小相对湿度(%)														
1925		17	20	19	19	26	34	31	39	28	22	22	11	11
1926		33	23	14	14	16	17	22	27	25	22	17	34	14
1927		23	21	20	14	20	16	25	34	26	27	15	14	14
1928		32	16	10	16	13	25	30	32	21	23	13	28	10
1929		22	18	15	14	22	22	29	26	27	18	24	11	11
1930		39	30	14	16	17	22	31	39	29	25	19	34	14
1931		40	17	16	17	20	28	29	37	31	21	10	30	10
1932		17	29	11	13	11	23	59	27	31	29	33	23	11
1933		36	28	38	15	17	23	37	35	29	26	20	22	15
1934		36	22	22	21	23	31	40	34	30	24	22	24	21
1935		27	20	12	14	20	19	34	37	28	24	24	31	12
1936		29	22	22	16	15	27	—	—	—	—	—	—	—
1952		—	—	—	—	—	27	20	42	28	22 ²⁴	22 ²⁴	24 ²⁴	—
日		—	—	—	—	—	4,26	1	8,28	29	23	6	19	—
1953 ²⁴		31	19	17	15	18	31	37	27	21	19	24	31	15
日		24	22	12	25	1	2,29	17	31	17	5	3	1	25/4
極日午	值期	17	16	10	13	11	16	20	26	21	18	10	11	10
午	份	—,23	20	27	4	12	5	1	31	25,17	27	20	30,4	27/3,20/12
1925		1928	1928	1932	1932	1927	1952	1929	1928	1929	1931	1925	1928	1928
1932									1953			1929	1931	1931
公主嶺 $\varphi=43^{\circ}31'N$ $\lambda=124^{\circ}48'E$ $H=203.0M$														
平均相对湿度(%)														
1949		—	—	—	—	64	66	85	85	75	78	80	72	—
1950		79	75	68	71	69	75	86	78	72	64	66	68	73
1952		62	59	58	62	49	65	76	77	73	68	63	60	64
1953		67	54	50	49	65	75	82	79	71	71	74	71	67
平 均		69	63	59	61	61	72	81	78	72	68	68	66	68
最小相对湿度(%)														
1949		—	—	—	—	19	29	47	39	37	31	40	36	—
日		—	—	—	—	9	1	28	27	20,26	5	15	18	—
1950		45	33	25	29	28	22	49	41	33	29	25	35	22
日		27	27	8	25	29	16	2,28	22	20	29	2	12	16/6
1952 ²⁴		19	22	21	15	18	24	25	45	29	22	25	27	15
日		12	22	14	8	15	24	1	8	7,9	28	18	12	8/4
1953 ²⁴		34	15	18	18	23	31	42	36	24	24	30	39	15
日		27	22	12	13,23	8	30	17	21	21	5,7	13	3	22/2
極日午	值期	19	15	18	15	18	22	25	36	24	22	25	27	15
午	份	12	22	12	8	15	16	1	21	21	28	2,18	12	8/4,22/2
1952		1953	1953	1953	1952	1952	1950	1952	1953	1953	1952	1950	1952	1952
												1952		1953
四 平 $\varphi=43^{\circ}11'N$ $\lambda=124^{\circ}20'E$ $H=162.8M$														
平均相对湿度(%)														
1934		81	70	61	51	61	77	80	78	75	63	61	66	69
1935		70	54	47	45	46	70	80	81	73	69	68	71	65
1936		69	79	61	61	51	70	77	77	77	65	65	63	68
1937		62	59	58	60	54	62	67	84	70	65	58	56	63
1938		61	64	52	51	63	68	82	80	76	70	64	67	67
1939		70	61	47	48	52	66	78	72	74	61	61	62	63
1940		59	50	44	45	48	69	73	81	66	56	77	75	62
1941		75	68	67	53	56	67	74	79	70	68	62	71	68
1942		61	52	50	53	56	49	76	74	62	62	63	74	61
1943		70	64	55	58	64	59	64	77	68	59	59	71	64
1944		68	54	69	49	56	62	68	68	73	59	68	64	63

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	—	—	—	52	54	62	79	85	76	78	82	82	—
1950	87	83	73	69	68	75	85	80	73	68	69	73	75
1951	70	73	70	59	52	77	73	81	73	74	75	76	71
1952	70	67	63	67	52	68	75	77	72	67	64	66	67
1953	75	58	51	47	66	75	83	79	71	71	75	72	69
平 均	70	64	58	54	56	68	76	78	72	65	66	68	66
最小相对湿度(%)													
1934	62	29	26	23	23	38	45	39	23	24	26	33	23
日	26	22	7	26,29	2,12	1	3	27	25	4	19	1,14	5*
1935	37	27	20	12	18	27	36	44	34	24	29	47	12
1936	36	50	17	22	17	26	36	37	33	27	27	40	17
日	17	5	25	29	16	30	12	12	10	6	15	6,9	25/3,16/5
1937	33	17	13	23	20	26	30	40	31	29	22	26	13
日	30	25	11	12	10	9	7	31	26	20	8	30	11/3
1938	24	13	11	18	20	25	45	34	36	31	19	33	11
日	17	27	18	30	1,3	3	7	31	3	31	9	1	18/3
1939	42	21	17	17	21	27	43	35	27	20	26	26	17
日	13	28	12	2,6	19	5	19	3*	30	9	12	13	3*
1940	22	19	16	16	14	29	40	45	26	22	45	35	14
日	2	23	18	30	20	9	15,23	20,27	29	4	21	30	20/5
1941	35	31	32	16	18	25	37	39	29	31	21	36	16
日	14	23	31	13	11	25	16	20	19	21	2	20	13/4
1942	29	22	19	15	19	17	35	36	23	15	23	30	15
日	29	21	17	23	27	15	3	28,31	14	17	5	1	23/4,17/10
1943	38	30	15	14	24	27	31	30	31	19	23	35	14
日	18	26	20	20	8	10	3*	4	23	26	11	17	20/4
1944	32	21	23	13	18	23	28	31	35	23	25	33	13
日	21	28,29	2	17	2	22	1	28	23	22	25	26	17/4
1950	49	48	28	21	26	37	40	37	31	34	23	37	21
日	28	13,14	8	25	28	1	2,5	22	20	4,29	2	26	25/4
1951*	36	31	31	18	19	22	30	38	30	33	37	37	18
日	30	1	16,23	3	12,13	20	8	31	1,8	13	4,10	12	3/4
1952*	33	33	27	22	19	27	27	44	26	23	24	19	19
日	16	21,22	15,16	9	15	12	4	3*	7,8	23	20	12	15/5,12/12
1953	37	21	17	15	17	38	48	39	27	28	28	26	15
日	22	12,28	12	26	1	15	7	31	17,19	3	9	19	26/4
極 值	22	13	11	12	14	17	27	30	23	15	19	19	11
日 期	2	27	18	—	20	15	4	4	25,14	17	9	12	18/3
年 份	1940	1938	1938	1935	1940	1942	1952	1943	1934	1942	1938	1952	1938
延 吉													
$\varphi = 42^{\circ}54'N$ $\lambda = 129^{\circ}31'N$ $H = 172.9 M$													
平均相对湿度(%)													
1937	85	80	70	58	52	71	68	76	70	63	62	63	68
1938	69	63	55	51	59	71	78	80	79	75	69	73	69
1939	73	59	58	55	62	74	76	72	77	64	62	58	66
1940	56	50	49	53	47	76	73	76	72	64	65	65	62
1941	64	52	57	57	64	70	76	80	75	71	69	71	67
1942	61	51	48	57	56	68	75	79	73	62	55	66	63
1943	56	51	—	—	—	—	—	—	—	—	—	—	—
1953	73	66	65	59	71	77	83	79	72	69	73	82	72
平 均	69	60	57	56	59	72	76	77	74	67	65	68	67
最小相对湿度(%)													
1937	54	45	24	18	18	28	23	37	26	21	25	17	17
日	29	25	11	11,12	2	2	5	15,19	28	30	12,28	13	13/12
1938	28	26	16	20	21	24	40	45	35	25	22	29	16
日	16	26,27	6,11	9	1,8	4	16	1,2	7	31	1	15	6,11/3
1939	33	12	9	7	22	27	39	34	24	22	15	15	7
日	23	27	14	3	3,4	5	19	26	16	1	13	29	3/4
1940	18	9	12	16	11	34	34	36	24	21	20	22	9
日	3	11	11,27	30	2	19	16	7	30	8,16	24	5	11/2

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941	日	25	11	12	17	-	-	-	-	-	-	-	-	-
		5	24	22	11	-	-	-	-	-	-	-	-	-
1953	日	42	30	19	15	17	26	37	33	23	23	20	36	16
		27	26	1	26	9	16	1	29	17	1,3	13	23	26/4
極	值	18	9	9	7	11	24	23	33	23	21	15	15	7
日	期	3	11	14	3	2	4	5	29	17	34	13	29	3/4
年	份	1940	1940	1939	1939	1940	1938	1937	1953	1953	1937 1940	1939	1939	1939
通 化														
平均相对湿度(%)														
1939	日	83	76	62	56	66	75	76	79	82	69	69	80	73
1940	日	78	70	57	55	55	77	79	84	77	70	78	87	72
1941	日	86	77	71	63	-	76	77	84	81	69	76	85	-
1942	日	85	77	67	58	-	-	-	-	-	-	-	-	-
1950	日	-	-	-	-	-	-	-	-	-	-	68	73	-
1951	日	76	71	67	59	48	72	76	84	79	76	77	77	72
1952	日	82	76	76	66	59	72	80	82	80	74	73	70	74
1953	日	74	67	67	62	69	78	84	82	75	73	72	79	74
平 均		79	72	66	60	59	75	79	82	79	72	74	79	73
最小相对湿度(%)														
1939	日	25	40	17	19	25	38	43	43	38	24	23	37	17
		10	27	14	5	3	16	22	7	17	28	13	1	14/3
1940	日	21	26	20	19	16	43	39	49	33	31	44	54	16
		2	34	24	30	2	15	17	17,26	28	4	16	8	2/5
1941	日	40	39	23	22	-	-	-	-	-	-	-	-	-
		3	24	7	18	-	-	-	-	-	-	-	-	-
1950	日	-	-	-	-	-	-	-	-	-	-	23	29	-
		-	-	-	-	-	-	-	-	-	-	2	27	-
1951	日	33	23	23	14	10	26	30	40	22	27	32	37	10
		22	2	25	3	13	20	8	10	25	27	10	23	13/5
1952	日	36	29	32	22	14	28	39	41	35	31	25	17	14
		29	10	16	13	15	22	27	7	9	26	5	11	15/5
1953	日	41	24	27	19	22	37	44	24	28	25	27	45	19
		23	22	1	9	9	19	17	29	30	1	14	16,29	9/4
極	值	21	23	17	14	10	26	30	24	22	24	23	17	10
日	期	2	2	14	3	13	20	8	29	25	28	13,2	11	13/5
年	份	1940	1951	1939	1951	1951	1951	1951	1953	1951	1939	1939 1950	1952	1951
遼 寧 開 原														
平均相对湿度(%)														
1926	日	73	71	57	43	50	52	73	84	77	68	68	82	67
1927	日	77	73	74	53	63	59	83	83	80	74	70	78	72
1928	日	79	77	67	47	56	67	81	83	69	67	69	66	69
1929	日	72	71	59	49	66	60	81	77	69	65	64	72	67
1930	日	74	70	63	50	53	56	78	83	74	71	72	71	68
1931	日	71	62	55	46	51	64	59	71	59	47	57	70	59
1932	日	57	74	55	46	49	58	77	67	62	64	56	71	61
1933	日	61	66	75	49	56	68	81	87	79	81	69	74	71
1934	日	72	65	51	62	73	82	86	85	81	67	58	59	70
1935	日	75	53	58	53	51	73	81	82	70	71	67	68	67
1936	日	66	76	58	65	67	84	85	87	87	75	71	68	74
平 均		71	69	61	51	58	66	79	81	73	68	66	71	68

[illegible]

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
潘 陽 $\varphi = 41^{\circ}47'N$ $\lambda = 123^{\circ}24'E$ $H = 43.0 M$ 平均相对湿度(%)													
1905	—	—	—	—	67	69	81	76	73	73	63	71	—
1906	71	82	62	53	53	65	79	73	65	68	58	71	67
1907	69	62	49	48	66	66	71	80	77	76	68	72	67
1908	81	76	60	51	66	69	80	84	82	75	62	61	71
1909	65	57	61	62	61	64	76	79	70	64	58	56	64
1910	56	51	45	52	47	67	67	76	69	64	48	44	57
1911	52	53	57	62	52	65	79	82	74	69	68	59	64
1912	54	61	47	53	69	64	75	80	70	68	64	64	64
1913	67	54	48	54	50	69	68	65	62	54	52	64	59
1914	58	54	64	51	50	68	84	84	83	79	79	76	69
1915	71	65	66	67	68	72	81	82	75	77	72	62	72
1916	67	63	52	55	58	65	74	76	67	66	65	65	64
1917	67	55	52	42	50	54	72	76	72	69	61	71	62
1918	68	58	64	51	62	65	75	82	86	75	68	65	68
1919	66	55	52	48	54	70	71	72	73	72	61	54	62
1920	57	73	53	51	51	61	70	75	72	59	69	56	62
1921	61	46	41	53	61	59	73	77	77	71	62	62	62
1922	60	62	49	48	57	54	74	74	69	59	62	59	61
1923	47	44	54	49	51	63	71	77	69	69	69	68	61
1924	66	56	56	53	50	62	81	73	72	63	59	65	63
1925	67	58	56	52	63	61	70	76	70	66	59	65	64
1926	63	61	53	42	50	48	65	77	71	64	62	72	61
1927	65	64	72	52	61	57	77	76	69	70	64	77	67
1928	86	77	61	48	56	64	78	81	70	70	63	64	68
1929	72	68	49	49	64	57	80	74	71	68	64	78	66
1930	79	75	63	56	53	65	82	79	74	74	76	75	71
1931	77	65	54	55	61	72	72	86	76	70	67	79	70
1932	68	81	65	59	58	63	77	75	74	72	63	67	69
1933	63	67	69	54	58	68	76	80	71	74	68	79	69
1934	88	70	55	56	66	81	78	76	73	65	63	68	70
1935	73	56	48	47	53	72	79	71	63	68	68	71	64
1936	69	78	59	65	59	74	76	77	84	74	75	77	72
1937	77	78	69	66	59	60	69	82	72	72	63	62	69
1938	67	64	59	60	66	75	85	81	77	77	68	72	71
1939	76	61	53	53	59	70	78	78	79	70	67	66	68
1940	71	55	50	54	54	73	75	83	69	66	76	83	67
1941	80	73	68	57	—	71	74	80	72	66	66	79	—
1942	72	58	56	56	—	—	—	—	—	—	—	—	—
1947	78	69	61	49	55	67	80	79	74	67	65	71	68
1948	68	70	63	60	58	61	—	—	—	—	—	—	—
1949	73	64	59	60	59	68	83	85	70	73	74	70	70
1950	73	72	65	69	70	74	81	79	74	73	60	63	71
1951	56	63	59	58	61	76	81	83	76	78	78	75	70
1952	75	71	69	71	64	70	74	79	76	75	68	62	71
1953	69	60	56	54	69	78	82	80	71	74	71	69	69
平 均	68	64	57	54	58	66	76	78	73	70	66	67	66
最小相对湿度(%)													
1905	—	—	—	—	29	40	43	41	33	24	22	26	—
1906	—	—	—	—	2	6	21	7	16	26	19	5	—
1906	26	37	19	19	17	26	38	35	28	26	15	34	15
1907	15	9, 27	14	7	21	5, 6	13	20	26	8	15	28	15/11
1907	22	24	14	9	24	28	28	42	32	29	28	35	9
1907	7	10	34	1	21	13	5	30	11	28, 31	12	3	1/4
1908	41	45	22	17	25	29	46	47	40	29	23	20	17
1908	16	9	26, 31	4	6	1	16	30	23	20	22	24	4/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1909	日	25 3	26 3	19 3	14 22	21 16	22 10	31 4	35 31	23 29	26 23	17 17,25	19 23	14 22/4
1910	日	5 6	12 23	9 31	17 10	17 21,23	26 22	25 8	45 11	30 30	30 3	7 27	2 10	2 10,12
1911	日	14 12	17 5	20 9	24 1	12 13	25 12	32 4	43 10	32 28	24 4	23 6	13 4	12 13/5
1912	日	17 7	17 4	10 23	18 16	24 5	24 4	33 1	44 2	29 6,26	26 12	18 24	23 8	10 23/3
1913	日	26 11	23 15	14 25	18 16	16 24	26 12	23 5	28 5	19 11	19 4,5	13 15	27 13	13 15,11
1914	日	16 26	10 27	23 3	15 28	19 5	22 10	38 6	52 27	35 29	33 26	35 30	42 11	10 27/2
1915	日	37 5	36 27	32 10	31 23	29 5	34 25	44 9	44 26	37 21	25 27	25 12	20 25	20 25,12
1916	日	29 16	18 25	11 18	13 5	16 15	26 24	39 23	36 31	26 28	26 8,26	26 16	19 9	11 18/3
1917	日	35 14,22	12 24	17 9	10 3	18 27	19 2	28 5	37 12	25 20	30 9,11	18 7	34 5,6	10 3/4
1918	日	22 27	9 21	23 23	4 20	17 8	25 29	36 1,2	45 3	42 1	27 16	20 24	19 30	4 20/4
1919	日	24 26	13 24	11 2	14 25	22 21	27 6	38 12	28 18	27 30	26 1	14 9	16 7	11 2/3
1920	日	18 5	40 28	13 24	21 9	20 9	24 18	21 9	31 6	27 10	21 15	25 2	17 11	13 24/3
1921	日	23 31	10 28	12 24	14 17	20 24	22 7	28 12,14	27 26	29 -	23 -	18 -	21 -	10 28/2
1922	日	28 31	16 28	16 15	16 11	20 -	13 4	28 6	38 22	30 18	17 22	17 3	19 10	13 4/6
1923	日	10 12	7 2	8 3	13 24	17 1,3	24 24	26 1	35 30	27 25	32 2,5	29 24	35 10	7 2/2
1924	日	37 7	26 16,28	18 14	20 23,24	16 2	26 23	40 21,22	35 29	25 24	23 20	20 18	20 3	16 2/5
1925	日	18 28	11 20	13 17	13 11	21 12	23 17	30 2	33 1	30 19	26 5	14 14	35 26	11 20/2
1926	日	29 24	22 14	17 29	14 28	15 6	15 2	17 8	30 29	29 26	23 8	22 18	31 11	14 28/4
1927	日	29 29	29 3	26 2	21 21,27	21 11	20 1	30 26	37 22	26 12	31 3	27 19	29 1	20 1/6
1928	日	53 1	40 23	22 28	18 5,19	20 3,19	24 2	40 17	38 26	27 25	29 3	20 9	32 6	18 5,19/4
1929	日	35 17	23 19	14 6	21 5,28	23 21,30	23 8	39 27	28 31	33 30	28 13,31	26 8	34 3,4	14 6/3
1930	日	49 31	25 25	24 6	19 16	18 20	22 2	36 11	36 30	29 5	30 15,16	38 9,12	30 24	18 20/5
1931	日	32 12	21 25	22 29	19 9,10	22 2	24 2	32 25	46 24	33 4	29 14	18 20	34 5	18 20/11
1932	日	26 14	40 14	21 27	22 6,12	21 11	22 25	37 2	34 18	33 3	29 31	18 4	28 11	18 4/11
1933	日	27 15	23 5	20 20	22 25,28	20 4	24 2	34 2	40 9	24 13	33 23	25 6	32 4	20 20/3,4/5
1934	日	53 28	25 24	21 27	21 16	18 2	39 21	41 24	34 13	34 22,26	30 3	24 18	30 1	18 2/5
1935	日	23 32	22 40	18 17	18 22	21 17	31 30	39 28	28 37	27 38	26 34	24 35	27 39	18 17
1936	日	14 36	13 33	26 30	22 27	16 18	30 23	1 30	4 42	10 32	15,16 37	1,15 28	6 30	26/316/5
1937	日	5 23	26 31	12 25	11 26	16 23	10 32	7,13 46	30 36	2 36	6 36	12 28	29 27	16/5 23
1938	日	17 40	10 24	16,18 19	3 22	11 21	21 31	31 46	31 32	3 33	22 34	9 21	9 20	17/1,11/5 19
1939	日	28 15,27	24 12	19 25	22 3	21 5	31 5	46 31	32 12	33 11	34 30	21 30	20 12	12/3
1940	日	15 2	19 27	23 23	18 24	21 2	34 9	29 17	45 28	31 28	27 7	39 7	41 31	15 2/1
1941	日	45 28	31 6	33 16	22 23	- -	- -	- -	- -	- -	- -	- -	- -	- -

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	45	45	35	30	34	41	40	44	39	35	27	35	27
1951	日	28	26	20	25	29	2	10	22	16	29	24	30	24/11
1951	日	25	27	26	21	22	36	39	33	33	37	40	29	21
1952	日	21	7	23	20	9	1	8	31	1	10	9	12	20/4
1952	日	42	37	34	28	23	31	32	39	34	31	27	28	23
1953	日	16	22	3,12	9	20	25	4	31	8	23	18	11	20/5
1953	日	29	20	19	18	22	41	41	40	28	29	28	25	18
1953	日	26	22	12	24	1	16	17	31	17,19	7	9	16	24/4
極 值	日期	5	7	8	4	12	13	17	27	19	17	7	2	2
日 午	月份	6	2	3	20	13	4	8	26	11	22	27	10	10/12
		1910	1923	1923	1918	1911	1922	1926	1921	1913	1922	1910	1910	1910
錦 州 $\varphi=41^{\circ}07'N$ $\lambda=121^{\circ}07'E$ $H=21.8M$ 平均相对湿度(%)														
1939	日	66	50	51	52	53	63	80	72	66	66	56	54	61
1940	日	54	47	45	43	48	66	69	78	63	53	65	67	58
1941	日	62	58	58	44	-	71	74	74	64	57	60	65	-
1942	日	53	45	49	48	-	-	-	-	-	-	-	-	-
1949	日	-	-	-	-	-	-	69	77	58	64	71	70	-
1950	日	71	63	62	64	65	67	79	76	64	64	60	64	67
1951	日	64	66	62	50	54	63	70	75	64	66	71	65	64
1952	日	65	57	58	56	53	62	74	71	68	64	61	62	63
1953	日	65	60	54	49	62	79	82	78	65	66	58	63	65
平 均		64	57	55	52	56	67	76	75	65	63	62	63	63
最小相对湿度(%)														
1939	日	30	15	18	17	19	21	40	32	28	25	23	15	15
1940	日	25	21	12,18	27	19	4,5	30	29	11,12	30	27	17	21,17/12
1940	日	15	6	9	15	14	23	19	38	23	17	23	27	6
1941	日	2	27	14	8,28	20	6	17	26	22	5	25	8	27/2
1941	日	21	15	22	10	-	-	-	-	-	-	-	-	-
1941	日	11	5	30	12	-	-	-	-	-	-	-	-	-
1950	日	36	26	21	23	23	29	35	34	26	25	24	30	21
1951	日	28	27	15	8	21	3,20	1	23	19,30	23	13	6,28	15/3
1951	日	21	26	15	12	10	24	18	18	20	24	27	15	10
1951	日	26	5	16	20	4	1,4	11	31	1	13	7,8	12	4/5
1952	日	26	20	16	14	12	19	26	31	21	22	20	25	12
1953	日	34	19	4	2	7	18	2	27	16	15	5,20	8	7/5
1953	日	26	21	12	13	18	35	43	34	21	20	19	18	12
1953	日	22	16,28	25	23	1	9	16	31	24	7	9,11	20	25/3
極 值	日期	15	6	9	10	10	19	18	18	20	17	19	15	6
日 午	月份	2	27	14	12	4	18	11	31	1	5	9,11	17,12	27/2
		1940	1940	1940	1941	1951	1952	1951	1951	1951	1940	1953	1939	1940
鞍 山 $\varphi=41^{\circ}05'N$ $\lambda=122^{\circ}50'E$ $H=15.3M$ 平均相对湿度(%)														
1925	日	71	56	54	49	62	64	70	79	68	64	65	68	64
1926	日	68	64	51	39	54	47	66	81	71	59	64	70	61
1927	日	64	56	71	50	59	52	77	77	64	61	59	69	63
1928	日	76	73	59	46	50	56	71	78	61	60	63	60	63
1929	日	58	54	43	47	58	51	77	78	63	61	64	70	60
1930	日	73	77	69	51	50	54	79	76	67	67	71	68	67
1931	日	68	59	58	53	54	67	70	78	64	58	60	68	63
1932	日	56	69	56	48	50	61	74	72	72	65	60	66	62
1933	日	61	68	69	47	54	65	73	78	66	66	64	72	65
1934	日	75	67	57	52	57	71	75	78	69	60	58	63	65
1935	日	65	53	49	39	42	68	77	73	61	59	68	63	60
1936	日	60	69	55	58	49	62	68	74	71	60	62	63	63

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950		-	-	-	-	56	69	79	77	68	66	54	57	-
1951		51	58	51	47	50	66	68	77	66	67	64	59	60
1952		77	76	69	66	56	61	77	80	75	71	75	58	70
1953		62	61	64	59	66	81	84	84	71	73	74	79	72
平 均		66	64	58	50	54	62	74	78	67	63	65	66	64
最小相对湿度(%)														
1925		35	15	11	8	22	30	34	43	30	30	27	25	8
1926		27	21	19	14	16	16	19	42	27	27	21	28	14
1927		34	25	29	20	17	21	42	43	24	26	20	32	17
1928		46	33	19	18	18	22	32	37	19	24	27	23	18
1929		26	16	12	18	14	16	41	28	26	25	28	22	12
1930		33	45	26	18	16	20	29	38	28	27	30	23	16
1931		34	21	15	15	20	21	36	40	22	19	24	34	15
1932		27	39	22	17	19	22	36	27	33	30	28	28	17
日		14	1	27	4,9	16	25	2,3	18	30	30	4,27	11	4,9/4
1933		24	18	24	21	18	21	33	42	25	29	28	33	18
日		8	5	16	21	9	2	17	8	13,14	23	28	6	5/2,3/5
1934		50	26	16	21	20	35	39	35	30	24	24	26	16
日		1	15	27	3*	2	22	24	13	21	4,26	21	6	27/3
1935		28	20	15	14	17	25	41	24	25	24	31	37	14
1936		35	46	18	20	18	24	25	34	33	24	29	35	18
1950		-	-	-	-	17	34	43	42	32	40	23	23	-
日		-	-	-	-	13	4	10	22	16	5,6	13	30	-
1951		20	26	19	16	16	28	21	36	30	27	30	25	16
日		1	23	16	20	2	23	11	31	1	10,16	26	12	20,4,2/5
1952		34	33	24	24	19	23	29	42	37	24	28	29	19
日		10	16,21	12	22	7	21,22	4	27	28	13	25	16	7/5
1953		31	27	27	17	25	46	56	47	27	24	29	40	17
日		10	28	1	24	14	19	10,18	31	20	3	18	19	24/4
极 值		20	15	11	8	14	16	19	24	19	19	20	22	8
日 期		1	-	-	-	-	-	-	-	-	-	-	-	-/4
年		1951	1925	1925	1925	1929	1926	1926	1935	1928	1931	1927	1929	1925
营 口 $\varphi=40^{\circ}40'N$ $\lambda=122^{\circ}14'E$ $H=2.4M$														
平均相对湿度(%)														
1904		-	-	-	-	-	-	-	-	-	67	57	67	-
1905		77	58	54	60	61	68	78	72	66	67	63	66	66
1906		65	72	61	56	57	67	78	69	62	65	64	65	64
1907		64	53	52	50	62	64	75	78	71	72	64	65	64
1908		81	71	55	56	57	68	83	78	78	71	66	65	69
1909		63	55	56	66	60	67	81	82	76	72	68	67	68
1910		66	62	55	59	56	74	74	79	73	75	59	56	66
1911		69	78	72	73	57	65	77	80	78	68	70	62	71
1912		59	68	56	54	65	66	77	79	70	67	62	68	66
1913		75	62	55	58	52	72	71	71	62	62	59	58	63
1914		61	56	64	51	50	66	82	78	75	73	74	67	66
1915		69	65	62	65	63	72	79	77	69	72	71	68	69
1916		75	73	62	64	60	66	76	77	67	68	70	66	69
1917		66	57	56	49	53	62	76	74	71	63	65	68	63
1918		62	62	65	52	63	65	72	77	74	69	66	65	66
1919		67	62	61	53	59	69	72	74	69	67	63	63	65
1920		67	80	65	56	55	63	74	72	71	61	73	59	66
1921		65	52	52	58	65	62	72	77	71	65	58	66	64
1922		60	66	55	51	62	58	72	77	70	63	65	60	63
1923		55	48	65	59	59	65	76	80	67	68	63	58	64
1924		57	46	55	58	57	68	81	72	68	64	63	67	63
1925		67	60	62	59	67	70	71	78	68	64	64	62	66
1926		59	63	54	45	63	57	72	82	74	64	66	59	63
1927		60	56	68	53	58	58	80	78	72	71	66	62	65

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1928		66	65	57	54	55	62	72	77	67	65	68	56	64
1929		57	57	47	52	65	62	84	79	67	67	66	68	64
1930		68	70	63	58	56	65	85	81	75	76	68	67	69
1931		67	59	57	57	62	70	76	76	67	60	62	63	65
1932		58	66	49	54	56	64	75	72	73	67	57	58	62
1933		53	60	63	52	57	67	72	76	68	66	63	69	64
1934		70	64	56	53	60	73	77	78	70	64	54	62	65
1935		64	55	52	45	49	68	80	74	64	66	66	65	62
1936		62	67	57	62	59	66	71	75	73	64	64	67	66
1937		62	62	66	60	58	64	72	81	71	67	64	56	65
1938		58	60	61	51	63	69	78	75	70	72	62	62	65
1939		63	55	56	56	56	62	74	74	74	68	62	64	64
1940		61	54	55	53	53	64	70	80	69	63	68	71	63
1941		68	64	62	52	60	74	73	79	69	63	66	71	67
1942		66	57	55	55	63	56	79	76	67	64	63	64	64
1943		63	63	-	-	-	-	-	-	-	-	-	-	-
1949		-	-	-	-	63	70	82	85	74	74	75	73	-
1950		78	70	63	66	63	70	78	78	71	70	58	62	69
1951		61	65	63	56	60	71	76	82	75	79	73	72	69
1952		68	66	68	67	63	65	75	78	72	71	67	61	68
1953		62	65	62	60	68	78	82	82	70	74	71	72	71
平 均		65	62	59	56	59	66	76	77	70	68	65	64	66
最小相对湿度(%)														
1904	日	-	-	-	-	-	-	-	-	-	32	17	30	-
1905	日	38	15	13	17	12	28	38	40	23	19	21	26	14,25
1906	日	7,20	18	20	11	7	8	21	7	16	1	19	15	7/5
1907	日	29	29	12	14	20	31	41	33	29	28	26	33	12
1908	日	-	-	-	-	-	-	-	-	-	-	-	-	-
1909	日	22	21	9	8	10	22	29	32	30	32	31	22	8
1910	日	7	27	29	14,22	6	8	2	30	11,19	29	3	21	14,22/4
1911	日	44	34	12	20	22	22	46	40	37	30	21	31	12
1912	日	-	19	30	12	24	3	16	7	20,22	20	22	-	30/3
1913	日	19	15	15	23	20	38	48	36	30	37	32	31	15
1914	日	10	5	17	10	17	-	10	30	29	19	17	9	5/2,17/3
1915	日	27	19	16	21	21	27	35	43	33	35	19	24	16
1916	日	30	24	23	11	1	22	7	11	27	9	27	27	23/3
1917	日	28	34	36	31	20	32	40	44	34	24	33	26	20
1918	日	12,22	4	9	26	13	30	4	4	8	4	5	15	13/5
1919	日	21	23	15	15	28	30	45	36	24	29	20	28	15
1920	日	22	-	28	16	8,9	18	14	30	19	21,22	9	-	28/3,16/4
1921	日	35	25	16	13	19	29	25	26	19	26	8	20	8
1922	日	12	27	11	12	1	1	5	30	11	15	13	18	13/11
1923	日	17	15	19	15	16	19	45	42	29	27	32	26	15
1924	日	11	22	26	27	5	1	23	27	27	20	15	23	22/2,27/4
1925	日	22	25	20	15	20	29	33	24	29	23	19	19	15
1926	日	-	13	-	19	-	-	2	31	12	-	27	-	19/4
1927	日	25	22	12	17	19	33	14	37	25	22	20	22	12
1928	日	-	26	26	-	-	-	-	31	28	-	28	11	26/3
1929	日	22	21	15	17	16	24	28	30	32	21	26	30	15
1930	日	-	24	20	-	26	2	-	12	21,30	-	12	15	20/3
1931	日	20	17	23	17	15	23	34	36	31	30	26	26	15
1932	日	15	10,19	5,19	19,29	13	11	1	28	12	1	8	27	13/5
1933	日	32	23	24	17	24	32	39	34	22	24	25	28	17
1934	日	27	19	12	26	1	-	12	5	30	-	5	-	26/4
1935	日	35	42	14	18	16	25	24	28	28	19	29	22	14
1936	日	1	20	22	20	12	-	1	-	25	19	11	9	22/3
1937	日	21	21	12	15	20	25	32	29	28	17	12	23	12
1938	日	21	27	22,23	24	-	8	9	-	-	-	22	-	30
1939	日	30	20	18	14	25	17	35	38	21	24	24	17	14
1940	日	24	-	27	30	-	1	6	24	18	22	13	31	30/4
1941	日	22	14	16	21	20	26	35	46	30	22	15	9	9
1942	日	13	23	1	23	3	24	1	30	26	6	24	10	10/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1924	日	10	7	10	9	15	23	42	32	27	20	23	32	7
1925	日	5	13	4, 23	4	5	23	22	27	13	19	11	4	13/2
1926	日	35	20	22	16	25	31	35	38	30	25	21	19	16
1927	日	28	18	4	2	22	17	3	30	7	5	21	10	2/4
1928	日	13	5	14	17	17	20	27	36	26	23	27	17	5
1929	日	33	15	17	21	15	2	8	26	26	23	19	11	15/2
1930	日	19	18	15	19	20	21	35	40	27	31	26	27	15
1931	日	11	28	1	27	1	1	4	12	12	33	11	9	1/3
1932	日	26	22	10	19	21	23	30	46	25	26	27	23	10
1933	日	2, 3	24	25	19	21	2	1	21	29	4	6	28	25/3
1934	日	19	18	14	19	23	22	46	36	25	24	31	23	14
1935	日	16, 17	15	1, 22	15	22	8	1	31	30	31	20, 25	2	1, 22/3
1936	日	29	30	20	19	21	32	45	49	31	37	36	34	19
1937	日	6	8	5	13	21, 22	23	2	25	4	11	12	21	13/4
1938	日	34	29	20	19	21	31	38	41	30	13	17	28	13
1939	日	14, 16	23	24	10	3	2	24	5	28	25	20	3, 16	25/10
1940	日	22	38	17	19	20	23	34	28	30	28	24	25	17
1941	日	8	15, 20	8	12, 16	20	26, 27	3	18	5	31	33	22	8/3
1942	日	24	27	24	19	18	28	35	40	24	25	23	34	18
1943	日	-	-	-	-	9	-	-	-	-	-	-	-	9/5
1944	日	39	23	13	21	23	36	42	43	25	24	23	22	13
1945	日	22	15	18	18	20	31	39	28	25	25	30	32	15
1946	日	25	29	24	25	21	26	34	29	29	20	23	24	20
1947	日	12	26	33	22	6	29	4	12	10	30	15	2	30/10
1948	日	24	21	27	23	21	23	38	32	29	27	29	24	21
1949	日	18	26	11, 29	6	4, 15	10	12	30	2	14	12	27, 29	33
1950	日	23	27	18	19	20	29	39	29	26	27	20	24	18
1951	日	13	17, 20	6	20	6	3	31	31	6	31	7	9	6/3
1952	日	33	24	15	22	25	26	38	37	36	31	16	24	15
1953	日	27	12, 15	18	25	19	4	31	1	27, 29	8, 30	27	2	18/3
1954	日	32	18	21	19	22	32	26	44	29	27	24	35	18
1955	日	29	27	20	30	17, 23	9	17	26	16, 29	21	24	8	27/2
1956	日	36	24	27	19	-	-	-	-	-	-	-	-	-
1957	日	24	6	24	23	-	-	-	-	-	-	-	-	-
1958	日	-	-	-	-	24	32	49	44	39	37	34	34	-
1959	日	-	-	-	-	2	17	6	26	33	24	17	6	-
1960	日	42	26	21	19	20	23	37	30	30	30	19	26	19
1961	日	28	27	14	29	13	2	9	23	30	1	27	31	29/4, 27/11
1962	日	19	22	27	19	20	32	20	30	31	33	31	34	19
1963	日	20	2	33	21	13	23	11	19	1	26	23	12, 23	20, 12, 1/4
1964	日	31	32	33	27	26	25	30	42	34	30	21	26	21
1965	日	23	23	4	29	23	6, 20	4	27	16	25	6	15, 19	6/11
1966	日	26	28	22	22	29	34	51	48	23	25	26	28	22
1967	日	10	22	27	33	9	3	27	30	24	11	14	31	43
1968	日	10	5	9	8	10	17	14	24	19	13	8	9	5
1969	日	5	15	29	14, 22	6	1	-	31	11	25	13	10	15/2
1970	日	1924	1926	1907	1907	1907	1922	1916	1915	1913	1931	1913	1923	1926
<p>興 城 $\varphi = 40^{\circ} 36' N$ $\lambda = 120^{\circ} 34' E$ $H = 10.0 M$</p> <p>平均相对湿度(%)</p>														
1949	-	-	-	-	-	-	84	83	63	75	76	76	-	-
1950	75	70	70	76	75	80	88	87	77	77	66	59	75	-
1951	60	63	65	65	70	76	80	84	79	76	73	71	72	-
1952	67	66	66	62	61	70	85	81	80	66	58	53	68	-
1953	64	64	58	52	71	86	88	83	74	72	58	59	69	-
平 均	67	66	65	64	69	78	85	84	78	73	64	61	71	-
<p>最小相对湿度(%)</p>														
1950	39	30	24	24	32	38	54	48	42	28	31	20	20	-
1951	12	22	18	8	21	9	8	23	28	26	23	4	4/12	-
1952	20	22	10	22	24	33	32	39	33	25	31	29	10	-
1953	23	1	28	1, 2	9	21	28	31	9	26	9	12	28/3	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	27	20	15	7	17	19	33	43	27	22	18	21	7
1953	日	24	19,22	23	1	7,21	4	31	4,17	28	15	5	17	1/4
1953	日	27	16	10	12	21	43	42	36	24	21	12	11	10
	日	22,24	17	25	23	14	3	16	31	25	11	9	2	25/3
極日	值期	20	16	10	7	17	19	32	36	24	21	12	11	7
年	份	23	17	28,25	1	7,21	4	28	31	25	11	9	2	1/4
		1951	1953	1951	1952	1952	1952	1951	1953	1953	1953	1953	1953	1952
蓋平熊岳 $\varphi=40^{\circ}13'N$ $\lambda=122^{\circ}11'E$ $H=22.2M$														
平均相对湿度(%)														
						*			*			*		
1914		-	-	-	46	41	62	78	81	80	71	64	59	-
1915		70	71	56	55	54	65	78	78	70	71	68	57	66
1916		73	71	66	61	57	63	72	79	70	69	67	64	68
1917		62	56	58	49	52	57	71	71	71	64	56	57	60
1918		52	51	53	46	52	53	58	57	66	61	56	53	55
1919		55	48	47	35	50	69	73	63	64	59	71	70	59
						*			*			*		
1949		-	-	-	66	61	72	86	86	79	79	79	80	-
1950		78	75	64	68	65	73	84	87	78	79	68	70	74
1951		65	69	64	63	61	70	78	87	84	83	77	73	73
1952		70	69	69	62	57	60	78	80	75	72	68	62	69
1953		64	64	61	57	66	77	82	83	74	75	66	68	70
平 均		69	69	65	63	62	70	81	84	78	77	70	68	72
最小相对湿度(%)														
						*			*			*		
1914		-	-	-	9	13	21	47	46	32	24	13	7	-
1915		30	41	13	14	16	29	35	36	23	20	33	31	13
1916		43	35	29	12	19	27	35	32	30	27	26	28	12
1917		31	23	23	17	20	23	29	36	29	24	23	26	17
1918		21	15	19	12	14	15	24	21	23	23	23	20	12
1919		25	20	19	4	6	29	36	23	23	14	23	37	4
						*			*			*		
1949		-	-	-	22	22	38	57	50	37	34	41	40	-
日		-	-	-	2	3	20	6	26	26	24	2	23	-
1950			36	33	21	26	33	42	50	36	38	28	37	21
日		29	26	16,30	9	11	21	9	23	19	25	24	30	9/4
1951		29	16	31	28	21	34	33	42	38	38	37	35	16
日		17	2	16,30	2,21	13	1	11	31	2	5	25	13,14	2/2
1952		36	31	27	20	18	20	29	39	33	29	24	25	18
日		25,30	23	4	30	7	20	4	27	14	13	5,6	12	7/5
1953		29	22	21	15	26	34	50	48	27	33	25	29	15
日		26	22	28	24	23	3	27	15,29	20	34	13	19	24/4
極日	值期	29	16	21	15	18	20	29	39	27	29	24	25	15
年	份	17,26	2	28	24	7	20	4	27	20	13	5,6	12	24/4
		1951	1951	1953	1953	1952	1952	1952	1952	1953	1952	1952	1952	1953
安 東 $\varphi=40^{\circ}05'N$ $\lambda=124^{\circ}07'E$ $H=58.9M$														
平均相对湿度(%)														
1949		-	-	-	-	77	84	91	90	79	78	75	78	-
1950		81	74	72	76	79	84	90	88	79	74	65	73	78
1951		66	69	76	69	74	80	88	91	81	81	76	79	78
1952		73	66	74	77	75	82	86	87	78	76	64	56	75
1953		59	66	67	69	77	85	92	84	73	76	62	62	73
平 均		70	69	72	73	76	83	89	88	78	77	67	68	76
最小相对湿度(%)														
1950		55	46	33	37	40	46	57	49	37	35	33	38	33
日		2	13	24	18,25	31	1	9	23	30	27	13	7	24/3,3/11
1951		31	25	36	25	27	43	41	46	24	35	35	39	24
日		6,21	2	26	2	5	22	1	31	23	4	23	5	23/9

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952 日		31	22	31	35	28	36	46	54	37	27	19	18	18
1953 日		17	21	7,16	1,22	23	22,25	4	6,31	9	11	6	23	23/12
1953 日		23	31	17	18	23	43	51	43	22	30	21	24	17
1953 日		25	26	28	17,23	15	5	31	15	25	13	17	2	28/3
1953 日		23	22	17	18	23	36	41	43	22	27	19	18	17
1953 日		25	21	28	17,23	15	22,25	1	15	25	11	6	23	28/3
1953 日		1953	1952	1953	1953	1953	1952	1951	1953	1953	1952	1952	1952	1953
大 連 $\varphi=38^{\circ}54'N$ $\lambda=121^{\circ}38'E$ $H=95.6M$														
平均相对湿度(%)														
1904		-	-	-	-	-	-	-	-	-	60	58	62	-
1905		75	61	61	61	62	69	83	75	67	66	60	65	67
1906		66	71	59	55	63	77	83	76	63	67	58	67	67
1907		68	63	58	58	66	70	84	83	68	67	59	55	67
1908		71	64	51	53	65	74	83	81	75	67	57	54	66
1909		60	53	54	61	60	69	88	84	72	64	62	63	66
1910		64	61	58	58	57	72	83	78	66	67	64	61	66
1911		71	69	66	70	61	69	85	83	81	62	65	63	70
1912		59	69	60	55	68	73	78	84	66	63	58	67	66
1913		72	61	57	59	50	75	78	75	64	58	58	62	64
1914		67	66	68	56	52	70	86	84	77	70	65	59	68
1915		73	66	60	58	62	69	82	74	60	65	61	62	66
1916		67	63	57	62	59	67	77	78	68	63	63	63	66
1917		60	61	57	47	55	69	81	77	70	60	64	65	64
1918		60	61	63	57	69	70	84	81	69	61	60	58	66
1919		68	64	59	55	66	74	81	74	71	62	64	61	67
1920		65	69	63	51	52	70	85	75	75	69	67	54	66
1921		60	58	56	60	66	69	83	82	72	64	55	62	66
1922		60	71	57	57	64	67	79	84	76	65	62	61	67
1923		58	57	73	64	59	71	86	88	68	63	65	61	68
1924		62	57	60	65	54	66	90	75	68	63	60	55	65
1925		58	57	57	58	76	78	83	82	71	65	61	63	67
1926		64	69	53	47	74	61	81	82	71	62	70	67	67
1927		70	62	74	60	60	69	86	77	71	67	61	65	69
1928		68	63	59	52	60	73	77	79	65	62	65	63	66
1929		60	62	50	50	67	66	86	77	65	61	57	68	64
1930		59	69	64	57	60	60	89	80	65	68	61	54	66
1931		60	55	56	54	60	75	83	85	71	56	65	62	65
1932		54	62	53	56	60	77	85	74	72	59	56	57	64
1933		58	60	61	58	59	78	83	79	66	57	58	63	65
1934		57	58	55	55	64	77	88	86	74	60	56	61	66
1935		58	55	52	47	50	68	85	80	68	67	60	58	62
1936		54	61	55	60	61	75	81	80	74	58	58	56	64
1937		57	60	66	58	54	71	81	85	77	68	63	58	67
1938		56	59	60	50	69	74	87	75	61	67	56	65	65
1939		64	60	64	58	60	66	80	75	70	67	62	58	65
1940		56	56	54	52	54	69	84	83	68	67	65	65	64
1950		-	-	-	-	-	79	87	83	69	71	66	71	-
1951		74	74	69	57	69	69	81	87	69	73	71	69	72
1952		63	66	63	62	59	63	82	79	69	65	69	64	67
1953		61	64	64	54	71	84	89	87	71	72	62	60	70
平 均		63	62	60	57	61	71	83	80	70	64	62	61	66
最小相对湿度(%)														
1904		-	-	-	-	-	-	-	-	-	31	24	28	-
1905		33	20	27	24	23	27	35	33	30	24	29	30	20
1906		7	8	12,20	23	8	9	20	8	28	27	15	27	8/2
1906		26	38	21	20	25	23	35	40	31	28	23	36	20
1906		14	10	30	20	17	9	14	27	30	23	15	28	20/4

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939 日	31 7	25 10,21	22 12	19 25	23 1,8	21 4	33 31	42 5,26	35 16,29	27 26	22 12	27 30	19 25/4
1940 日	21	19	12	18	20	24	23	43	25	29	30	24	12
1950 日	-	-	-	-	-	47	42	52	33	38	34	43	-
1951 日	-	-	-	-	-	9	1	28	19	5	13	17	-
1951 日	35	32	22	14	23	27	34	36	28	27	39	28	14
1952 日	31	2	15	20	5	21	9	31	1	22	5,8	13	20/4
1952 日	31	32	23	20	19	22	38	45	30	32	22	28	19
1953 日	16	18,19	17	30	21	4	4	25	16	11	5	30	21/5
1953 日	32	26	20	16	16	37	46	51	25	31	23	24	16
1953 日	31	16	31	21,23	15	4	16	23	19	11	14	2	38
極 日 年	20 30	14 8,14	9 5	13 23	14 23	19 6,19	23 -	27 14	23 10	21 13	22 12,5	19 14	9 5/3
值 期 份	1918	1925	1909	1919	1915	1915	1940	1917	1915	1909	1939	1908	1909
						1920					1952		
旅 順													
$\varphi=38^{\circ}48'N$ $\lambda=121^{\circ}13'E$ $H=16.1M$													
平均相对湿度(%)													
1906	63	65	65	72	82	92	94	84	73	75	66	68	75
1907	67	62	64	70	77	85	92	94	86	78	65	61	75
1908	70	65	60	65	74	80	90	87	81	76	59	59	72
1909	65	58	62	66	69	75	89	84	75	70	61	58	69
1910	65	57	59	63	64	81	90	88	73	76	66	62	70
1911	68	70	68	71	66	78	87	87	85	65	70	64	73
1912	57	68	60	57	69	82	89	92	73	74	63	65	71
1913	71	65	59	67	64	80	88	81	70	64	65	64	70
1914	68	68	72	58	62	80	90	89	77	70	68	60	72
1915	74	68	63	66	67	79	90	84	69	72	62	68	72
1916	67	66	59	63	63	70	81	80	72	69	68	69	69
1917	65	63	61	46	56	71	87	84	68	60	63	66	66
1918	60	60	63	53	69	71	84	85	73	68	59	61	67
1919	67	62	60	58	65	77	84	73	69	59	62	61	66
1920	65	68	66	54	57	71	85	74	71	66	67	59	67
1921	65	60	61	66	70	73	86	82	68	65	54	64	68
1922	61	73	57	57	68	71	79	83	75	65	63	59	68
1923	60	60	72	64	64	73	87	90	67	62	66	63	69
1924	63	62	66	69	57	71	90	76	66	61	59	61	67
1925	63	57	59	59	74	80	82	81	70	61	60	63	67
1926	63	68	56	57	76	65	82	83	70	59	66	65	68
1927	64	59	70	62	60	70	87	77	72	66	66	66	68
1928	67	58	56	56	64	77	83	83	67	60	66	60	66
1929	55	59	54	54	71	70	88	81	67	60	55	68	65
1930	63	72	68	65	66	66	90	82	66	68	57	55	68
1931	58	54	60	58	65	79	84	86	74	57	63	62	67
1932	54	56	54	61	69	85	92	87	84	61	59	56	68
1933	59	64	65	62	63	79	83	81	70	65	60	64	68
1934	62	62	60	60	65	79	89	84	77	68	66	67	70
1935	63	60	57	55	54	72	89	83	69	70	67	62	67
1936	60	66	52	61	63	78	86	84	72	61	62	55	68
1937	66	65	70	63	62	82	89	85	79	71	64	60	71
1938	62	64	65	54	74	80	88	78	68	70	60	65	69
1939	68	64	65	60	67	71	83	78	74	71	64	61	69
1940	61	63	62	60	63	76	86	84	72	69	68	68	69
平 均	64	63	62	61	66	76	87	83	73	67	63	63	69
最小相对湿度(%)													
1906	17	46	26	24	43	69	48	39	31	31	35	32	17
1907	-	-	-	-	-	-	-	-	-	-	-	-	-
1907	23	24	15	39	29	51	41	49	44	43	37	35	15
1907	14	8	12	16	18	23	3	31	29	23	30	5	12/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1908	日	39	35	20	28	37	37	68	47	43	36	28	24	20
1909	日	1	13	25,26	7	2,10	3	24	28	19	29	14	14	25,26/3
1910	日	32	30	26	25	27	28	66	43	34	39	27	20	20
1910	日	26	-	28	29	25	9	4	31	29	4	29	21	21/12
1910	日	25	23	12	20	32	46	52	48	40	39	30	33	12
1910	日	27	21	23	25	3	9	-	29	-	-	12	-	23/3
1911	日	36	30	24	27	22	35	39	53	44	28	38	31	22
1911	日	22	23	8	-	-	-	-	-	-	8	13	12	-/5
1912	日	34	23	15	20	32	33	51	67	39	39	33	33	15
1912	日	30	11	28	25	7	6	19	17	1	21	24	2	28/3
1913	日	40	35	15	20	33	34	35	34	31	30	24	32	15
1913	日	12	28	13	12	-	21	4	31	17	9	24	22	13/3
1914	日	33	26	29	21	25	32	53	55	35	31	35	30	21
1914	日	-	-	18	-	3	-	-	-	20	20	30	18	-/4
1915	日	39	37	31	33	25	34	48	51	34	28	29	32	25
1915	日	3	13	-	6	3	-	-	31	4	-	27	25	3/5
1916	日	40	30	24	22	15	32	40	36	38	32	39	36	15
1916	日	11	-	21	20	-	-	-	24	28,29	-	-	4	-/5
1917	日	40	33	21	15	22	30	29	35	31	23	30	35	15
1917	日	22,30	22	16	16	-	-	5	-	38	11	-	8	16/4
1918	日	24	22	16	17	15	29	31	45	34	31	22	35	15
1918	日	30	20,28	-	-	-	-	1	-	15,29	23	27	1,14	-/5
1919	日	33	24	24	21	24	17	36	21	30	31	29	19	17
1919	日	2	18	-	-	-	-	-	-	10	14	2	-	-/6
1920	日	31	25	29	16	19	18	28	28	39	32	35	30	16
1920	日	-	-	-	-	13	-	-	15	-	-	-	-	-/4
1921	日	36	27	24	19	23	19	37	43	28	29	22	31	19
1921	日	-	-	-	17	-	-	11	26	-	-	-	-	17/4-6
1922	日	28	29	19	19	25	26	33	47	31	30	31	35	19
1922	日	26	27	-	-	-	-	2	28	18,20	14	-	30	-3,-4
1923	日	25	26	29	21	25	29	39	63	35	31	37	32	21
1923	日	-	-	-	-	-	-	-	-	-	-	-	-	-/4
1924	日	20	32	30	20	23	25	59	22	25	28	27	28	20
1924	日	17	22	15	17	28	23	22	13	12	8	30	18	17/1,17/4
1925	日	15	10	17	18	26	34	40	38	30	31	24	25	10
1925	日	28	8	8,11	2	21	14,16	3	8	8	15	1,21	25	8/2
1926	日	24	24	17	15	21	22	25	42	37	23	33	26	15
1926	日	19	18,19	24	20	-	27	7	30	13	21	3	17	20/4
1927	日	28	22	30	25	19	27	55	42	32	33	36	28	19
1927	日	8	27	11	14	1	1	6	11,12	19	17	13	20	1/5
1928	日	24	26	23	27	25	27	45	52	27	30	38	32	23
1928	日	12	3,26	21	10,23	10	13	18	20	24	10,22	7	27,31	21/3
1929	日	26	26	22	18	33	34	57	30	32	30	30	35	18
1929	日	16	10	3	13	24,26	3	19	31	17	14	8,13	27	13/4
1930	日	30	31	28	22	23	34	63	46	38	31	29	25	22
1930	日	23	10	30	12,13	23	2,3	1,17	24	18	13	14	20	12,13/4
1931	日	27	20	26	25	25	36	57	43	30	30	27	35	20
1931	日	20	20	11,23	9	10	4	19	5	28	38	20	13	20/2
1932	日	27	34	22	21	28	40	55	44	52	30	23	29	21
1932	日	3	4	8,23	10	8	25	8	21	14	29	28	2,11	10/4
1933	日	34	28	23	25	23	31	39	50	30	32	33	34	23
1934	日	34	32	29	23	18	40	62	46	37	36	36	31	18
1935	日	27	23	22	21	21	28	52	36	29	32	33	34	21
1936	日	39	35	23	22	14	31	34	32	34	32	32	23	14
1937	日	34	29	23	24	21	33	47	44	41	30	32	28	21
1938	日	30	25	27	18	20	30	56	43	25	25	31	24	18
1938	日	1,16	38	13,19	11,30	11	15	31	1,21	9	14	1	10	11,30/4
1939	日	30	24	25	17	15	24	36	40	30	30	24	23	15
1939	日	25	13	17	24	3	3	22	29	30	25	29	31	3/5
1940	日	21	20	23	20	20	23	35	43	30	31	34	28	20
極日	德期	15	10	12	15	14	17	25	21	25	23	22	19	10
極日	份	28	8	23	16,20	-	-	7	-	12,9	11,21	27,-	-	8/2
極日	年	1925	1925	1910	1917	1936	1919	1926	1919	1924	1917	1918	1919	1925
					1926					1938	1926	1921		

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
內蒙古自治區 滿州里		$\varphi = 49^{\circ}35'N$ $\lambda = 117^{\circ}26'E$ $H = 640.6 M$												
		平均相对湿度(%)												
1935	日	-	-	-	-	-	-	-	-	-	-	87	84	-
1936	日	81	77	75	60	54	58	67	63	72	67	78	80	69
1937	日	79	81	80	59	51	56	72	74	74	58	77	78	70
1938	日	75	80	68	44	56	57	66	79	81	69	86	87	71
1939	日	92	87	79	58	48	64	65	73	68	65	75	84	72
1940	日	86	90	75	52	54	64	78	71	69	57	80	89	72
1941	日	86	87	84	66	-	61	71	74	62	67	80	84	-
1942	日	81	79	66	57	-	-	-	-	-	-	-	-	-
平 均		83	83	75	55	53	60	70	72	73	63	79	84	71
		最小相对湿度(%)												
1936	日	53	50	26	14	20	23	25	31	31	19	37	62	14
1937	日	17	4,27	28	6	13	20	10	9	18	15	12	1	6/4
1937	日	60	48	53	23	19	22	30	28	37	26	35	43	19
1938	日	1,10	26	22	25	13	9	12	29	10,20	22	13	26	13/5
1938	日	44	55	21	18	23	20	24	31	32	36	45	60	18
1939	日	13	6	29	3,4	4,5	4,8	6	4	30	10	3	21	3,4/4
1939	日	70	61	40	21	17	22	25	28	26	26	28	58	17
1940	日	1	25	30	7	3*	11	18	4	28	12	9	31	3*
1940	日	65	61	26	19	20	26	39	31	28	23	24	74	19
1941	日	2	24	25	15	19	5,6	27	27,28	4	8,10	1	25	15/4
1941	日	63	66	49	25	-	-	-	-	-	-	-	-	-
1941	日	16,20	6	24	29,30	-	-	-	-	-	-	-	-	-
極 值	日期	44	48	21	14	17	20	24	28	26	19	24	43	14
日 年		13	26	29	6	3*	4,8	6	29,4	28	15	1	26	6/4
		1938	1937	1938	1936	1939	1938	1938	1937	1939	1936	1940	1937	1936
海拉爾		$\varphi = 49^{\circ}13'N$ $\lambda = 119^{\circ}45'E$ $H = 676.6 M$												
		平均相对湿度(%)												
1935	日	69	72	63	56	61	58	65	70	59	61	81	90	67
1936	日	99	90	82	60	53	59	69	67	66	64	84	87	73
1937	日	95	92	89	66	57	58	75	77	76	62	75	78	75
1938	日	80	83	74	55	59	65	77	80	78	71	86	83	74
1939	日	81	82	82	66	58	70	74	75	70	71	78	81	74
1940	日	74	76	76	63	56	65	77	72	70	58	73	79	70
1941	日	76	76	74	61	-	70	74	75	69	66	73	82	-
1942	日	80	76	67	58	-	-	-	-	-	-	-	-	-
1950	日	-	-	72	54	50	60	56	73	60	68	70	78	-
1951	日	82	79	77	72	45	52	63	70	76	78	78	92	72
1952	日	97	99	85	71	55	64	70	79	79	67	80	80	77
1953	日	82	83	77	56	66	76	78	75	63	67	80	88	74
平 均		84	84	78	63	57	63	72	74	71	67	79	84	73
		最小相对湿度(%)												
1935	日	41	33	22	15	24	24	24	31	27	22	53	67	15
1936	日	16	13	8	6,8	30	11,12	16	6	10	23	1	6	6,8/4
1936	日	72	59	47	21	20	19	26	26	24	19	42	67	19
1937	日	19	20	28	29	12	20	10	2,28	26	12	2	2	20/6,12/10
1937	日	70	67	67	19	23	21	30	33	31	23	22	56	19
1938	日	16	26	7	25	14	15,20	15	29,30	11	25	9	24	25/4
1938	日	63	56	24	21	19	22	35	30	37	30	63	64	19
1941	日	22	1,11	27,31	19	5	9	11,31	3	30	16	4	17,27	5/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939	日	64	61	56	27	22	25	33	29	31	20	37	50	20
		4	28	13	15	16	18	18	4	25,27	6	12	2	8/10
1940	日	60	43	38	22	20	27	38	32	27	19	37	59	19
		18	12	25	29	19	5	13	26	29	17	1,7	7	17/10
1941	日	54	54	40	22	-	-	-	-	-	-	-	-	-
		18	8	26	29	-	-	-	-	-	-	-	-	-
1950	日	-	-	31	21	16	24	20	22	22	21	30	33	-
		-	-	27	28	13	7	11,28	1	12,22	5	2	31	-
1951*	日	33	53	40	22	18	22	24	23	24	28	25	67	18
		1	5	14	25	1,29	9,23	16	22	19	5	17	1	1,29/5
1952*	日	81	86	48	23	15	23	26	40	36	20	42	67	15
		23	10	31	9	4	22	3	5	26,27	6	24	5	4/5
1953*	日	66	64	25	11	14	32	31	30	18	23	19	67	11
		24	26	30	26	3*	14	5,16	27	15	26	3	2	26/4
極日	值	33	33	22	11	14	19	20	22	18	19	19	33	11
年	期	1	13	8	26	3*	20	11,28	1	15	12,17	3	31	26/4
	份	1951	1935	1935	1953	1953	1936	1950	1950	1953	1936	1953	1950	1953
											1940			
興 安 $\varphi=48^{\circ}50'N$ $\lambda=121^{\circ}40'E$ $H=981.4M$														
平均相对湿度(%)														
1935	日	-	-	-	-	-	-	-	-	-	-	84	85	-
1936	日	87	84	77	69	62	68	84	80	78	68	86	93	78
1937	日	96	87	86	67	58	61	77	79	77	59	76	95	77
1938	日	98	95	73	53	59	69	83	83	79	65	87	88	78
1939	日	87	84	82	61	57	78	82	81	74	74	85	97	79
1940	日	99	97	84	73	60	68	83	78	73	60	90	88	79
1941	日	66	69	69	71	-	74	85	82	73	73	83	92	-
1942	日	90	90	68	58	-	-	-	-	-	-	-	-	-
平 均		93	89	80	65	59	69	82	80	76	65	85	92	78
最小相对湿度(%)														
1936	日	72	48	45	24	26	29	46	48	32	22	34	62	22
		7,31	5	31	30	9	20	7	9	26	12	2	24	12/10
1937	日	41	26	47	13	23	25	35	34	32	21	27	70	13
		2	21	18	10	9	16	2	29,30	30	12	2	23	10/4
1938	日	57	51	17	22	21	25	45	41	41	28	44	63	17
		13	27	2	13,20	3	9	6	1	3*	25,27	3,4	27	2/3
1939	日	60	41	44	21	19	32	44	42	31	22	22	65	19
		31	27	2	19	15	18	10	8	27	25	10	29	15/5
1940	日	74	63	31	27	25	30	46	37	32	23	40	52	23
		10	9	27	30	19	8	13	26	29	4	2	31	4/10
1941	日	33	33	43	25	-	-	-	-	-	-	-	-	-
		23	18	5	30	-	-	-	-	-	-	-	-	-
極日	值	33	26	17	13	19	25	35	34	31	21	22	52	13
年	期	23	21	2	10	15	16,9	2	29,30	27	12	10	31	10/4
	份	1941	1937	1938	1937	1939	1937	1937	1937	1939	1937	1939	1940	1937
							1938							
博克圖 $\varphi=48^{\circ}46'N$ $\lambda=121^{\circ}55'E$ $H=738.7M$														
平均相对湿度(%)														
1951	日	77	80	69	57	40	58	72	78	71	68	74	85	69
1952	日	89	86	76	63	52	69	79	80	73	64	76	75	74
1953	日	77	76	65	55	63	76	80	75	57	58	72	81	70
平 均		81	81	70	58	52	68	77	78	67	63	74	80	71
最小相对湿度(%)														
1951	日	45	41	18	12	9	24	31	35	26	25	33	51	9
		1,4	17	30	9	6	23	6	9	19,20	8	16	19	6/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	61	59	33	9	14	23	31	34	27	16	34	60	9
1953	日	23	25	33	3	13	11	4	21	29	6	2	10,12	3/4
1953	日	54	35	29	20	12	25	40	28	17	21	29	50	12
	日	3	22	21,24	30	7	13	5	26	20	1	3	31	7/5
值	期	45	39	18	9	9	23	31	28	17	16	29	50	9
份	份	1,4	22	30	3	6	11	6,4	26	20	6	3	31	6/5,3/4
		1951	1953	1951	1952	1951	1952	1951	1953	1953	1952	1953	1953	1951 1952
索 倫														
$\varphi = 46^{\circ} 36' N$ $\lambda = 121^{\circ} 14' E$ $H = 546.5 M$														
平均相对湿度(%)														
1937	日	62	58	53	43	44	59	66	61	66	53	58	65	57
1938	日	62	61	44	38	47	61	76	77	75	62	63	67	61
1939	日	72	61	51	48	45	71	80	74	68	60	60	67	63
1940	日	61	62	51	45	44	65	73	72	65	51	67	72	61
1941	日	66	68	62	49	-	65	73	68	60	56	57	60	-
1942	日	54	52	44	43	-	-	-	-	-	-	-	-	-
平 均		64	61	50	44	45	64	74	71	69	57	62	68	61
最小相对湿度(%)														
1937	日	25	6	13	3	8	26	27	25	26	20	24	43	3
1938	日	3	21	26	9	8	33	9	28	30	21,30	3,4	33	9/4
1939	日	43	27	13	13	16	15	37	31	34	25	30	40	13
1939	日	33	18	18	15	3	2	18	1	27	12,25	6,21	20,21	18/3,15/4
1939	日	44	31	12	3	13	25	45	35	26	22	24	29	3
1940	日	31	43	10	22	2,14	5	29,30	5	25,29	11	4	31	22/4
1940	日	36	26	17	17	10	25	32	33	19	17	24	42	10
1941	日	5	25	24	29,30	10	1,10	14	15	22	9	1	7	10/5
1941	日	40	43	30	18	-	-	-	-	-	-	-	-	-
1942	日	16	28	21	8	-	-	-	-	-	-	-	-	-
值	期	25	6	12	3	8	15	27	25	19	17	24	29	3
份	份	3	21	10	9,22	8	2	9	28	22	9	43	31	9,22/4
		1937	1937	1939	1937	1937	1938	1937	1937	1940	1940	3年	1939	1937 1939
烏蘭浩特														
$\varphi = 46^{\circ} 13' N$ $\lambda = 122^{\circ} 03' E$ $H = 273.4 M$														
平均相对湿度(%)														
1949	日	-	-	-	-	-	-	-	-	65	70	60	-	-
1950	日	69	63	52	44	55	64	65	67	58	53	49	58	58
1951	日	48	47	42	57	43	57	64	63	66	63	60	65	56
1952	日	55	48	52	56	46	58	72	68	68	57	66	67	59
1953	日	77	61	53	47	58	68	74	70	55	62	63	68	63
平 均		62	55	50	51	51	62	69	67	62	59	60	65	59
最小相对湿度(%)														
1949	日	-	-	-	-	-	-	-	-	-	24	27	33	-
1950	日	-	-	-	-	-	-	-	-	-	16	2,16	1	-
1950	日	36	27	13	15	26	30	30	29	29	21	20	26	13
1951	日	18	27	4	21	16,27	12	31	1	22	6	13	26	4/3
1951	日	21	21	16	17	16	22	24	19	21	29	28	30	16
1952	日	22	1	17	4	2	23	29	28	20	6	22	14	17/3,2/5
1952	日	18	23	23	14	13	20	29	29	26	21	28	36	13
1953	日	11	4	29	5	13,20	26	4	23	9	5,6	3,6	10,12	13,20/5
1953	日	40	20	25	20	11	23	32	28	13	16	13	31	11
1953	日	24	28	18,30	6	7	23	11	31	16	3	3	31	7/5
值	期	18	20	13	14	11	20	24	19	13	16	13	26	11
份	份	11	28	4	5	7	26	29	28	16	3	3	26	7/5
		1952	1953	1950	1952	1953	1952	1951	1951	1953	1953	1953	1950	1953

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
通 遼 $\varphi=43^{\circ}40'N$ $\lambda=122^{\circ}15'E$ $H=178.2M$														
平均相对湿度(%)														
1949	—	—	—	—	—	—	—	—	—	—	68	80	(63)	—
1950	71	67	63	58	60	67	75	73	61	57	60	53	64	64
1951	51	54	56	52	47	63	63	68	58	63	64	60	58	58
1952	55	47	48	55	43	57	68	68	66	58	53	52	56	56
1953	63	49	44	43	60	70	75	74	59	67	66	60	61	61
平 均	60	54	53	52	53	64	70	71	61	61	61	56	60	60
最小相对湿度(%)														
1949	—	—	—	—	—	—	—	—	—	20	39	(13)	—	—
1950	—	—	—	—	—	—	—	—	—	24	6	5	—	—
1951	21	33	24	7	25	30	37	31	27	27	11	11	7	7
1951	2	23	7	10	16,28	3	2	22	23	6	12	17,31	10/4	10/4
1951	17	18	21	18	14	20	22	24	21	22	26	26	14	14
1952	28	19	12	4	13	20	5,8	26	1,2	13	14	27	13/5	13/5
1952	19	16	19	15	14	22	22	28	25	17	19	20	14	14
1952	4	19,22	6	2	8	21	1	28	7	26	6	15	8/5	8/5
1953	29	22	14	17	19	23	34	32	22	23	25	25	14	14
1953	22	9,12	7	26	1	15	17	31	18	1	12	1	7/3	7/3
極 值	17	16	14	7	14	20	22	24	21	17	11	11	7	7
日 期	28	19,22	7	10	13,8	20	3*	26	1,2	26	12	17,31	10/4	10/4
年 份	1951	1952	1953	1950	1951	1951	1951	1951	1951	1952	1950	1950	1950	1950
開 魯 $\varphi=43^{\circ}36'N$ $\lambda=121^{\circ}12'E$ $H=265.9M$														
平均相对湿度(%)														
1939	73	59	46	46	44	67	78	82	66	61	59	63	62	62
1940	72	59	50	47	48	70	73	83	66	63	78	81	66	66
1941	77	74	66	52	—	71	76	80	66	60	55	59	—	—
1942	57	45	48	49	—	—	—	—	—	—	—	—	—	—
1952	—	—	—	—	44	57	68	66	64	50	49	49	—	—
1953	72	53	46	40	55	68	70	69	54	62	61	59	59	59
平 均	72	57	47	44	49	68	74	78	62	62	66	68	62	62
最小相对湿度(%)														
1939	32	18	10	18	19	26	38	26	29	23	20	27	10	10
1940	12	25	12	2	10	5	19	29	28	13	11	30	12/3	12/3
1940	31	22	23	24	15	30	33	48	24	23	42	52	15	15
1940	2	27	17	3*	10	16	3	20	30	1	1	30	10/5	10/5
1941	53	41	34	22	—	—	—	—	—	—	—	—	—	—
1941	19	10	3*	7	—	—	—	—	—	—	—	—	—	—
1952	—	—	—	—	12	24	20	30	23	13	15	22	—	—
1952	—	—	—	—	13,19	4*	1	28	7	26	4,6	10	—	—
1953	24	12	13	13	17	18	26	28	19	18	19	19*	12	12
1953	24	22	7	26	1,3	15	17	31	3*	1	13	19	22/2	22/2
極 值	24	12	10	13	12	18	20	26	19	13	15	19	10	10
日 期	24	22	12	26	13,19	15	1	29	3*	26	4,6	19	12/3	12/3
年 份	1953	1953	1939	1953	1952	1953	1952	1939	1953	1952	1952	1953	1939	1939
赤 峰 $\varphi=42^{\circ}16'N$ $\lambda=118^{\circ}54'E$ $H=565.0M$														
平均相对湿度(%)														
1936	57	67	44	39	41	47	57	58	62	41	42	45	50	50
1937	49	44	50	41	37	53	51	67	63	46	50	52	50	50
1938	50	42	47	32	49	53	70	74	63	58	46	55	53	53
1939	57	46	44	38	40	58	75	73	58	59	50	48	54	54
1940	61	45	38	31	37	56	55	74	57	44	67	71	53	53

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941		67	57	44	36	38	59	67	69	55	53	53	58	55
1942		52	43	38	39	52	45	68	76	61	48	45	47	51
1943		50	42	-	-	-	-	-	-	-	-	-	-	-
1949		-	-	-	-	-	-	-	-	-	64	59	64	-
1950		57	53	48	57	61	63	74	74	57	54	52	54	59
1951		59	62	49	40	43	59	62	59	52	61	60	59	55
1952		58	54	51	44	41	51	67	67	63	51	56	64	56
1953		70	60	48	43	54	69	66	74	61	59	55	53	59
平 均		58	52	46	40	45	56	65	70	59	52	52	55	54
最小相对湿度(%)														
1936		22	21	9	10	11	18	21	19	23	17	12	17	9
日		5,27	27	24	24	4	11	19	22	24	4	14	11,24	24/3
1937		22	12	12	13	14	20	21	26	23	18	19	18	12
日		18,31	15,28	11	24	2	9	24,25	2	5	13	14	29	3*
1938		16	15	15	14	16	23	35	31	21	18	14	16	14
日		28	19	15,17	11	1,6	2,8	7,10	26	8	25	6	20	11/4,6/11
1939		22	13	7	16	16	19	39	25	22	19	16	15	7
日		12	20	15	4*	2	14	19,20	29	19	20	12	14	15/3
1940		21	14	10	12	12	21	20	32	24	17	24	34	10
日		2	20	21	15	2	6,9	18	15	22,30	25	1	29	21/3
1941		27	23	13	7	-	-	-	-	-	-	-	-	7
日		20	19	23	4	-	-	-	-	-	-	-	-	4/4
1950		29	26	21	18	27	27	33	29	23	23	24	27	18
日		28	5	13	25	10,21	20	31	23	10	1	5,19	26	25/4
1951		17	24	19	14	10*	21*	14*	20*	19*	21*	26*	25*	10
日		31	12	31	18	2	23	16	12	20	7	21	8	2/5
1952*		27	22	18	14	12	16	15	26	25	21	19	23	12
日		3*	20	3*	3*	19	21	1	15	8	4	4,5	9	19/5
1953*		24	14	17	15	17	23	23	31	21	21	19	19	14
日		29	22	25	9,29	22	6	10	31	16	3,10	12	16	22/2
极 值		16	12	7	7	10	16	14	19	19	17	12	15	7
日 期		28	15,28	15	4	2	21	16	22	20	4,25	14	14	15/3,4/4
年 份		1938	1937	1939	1941	1951	1952	1951	1936	1951	1936	1936	1939	1939
											1940			1941
呼和浩特市(農) φ= 40° 48' N λ= 111° 38' E H= 1035.0 M														
平均相对湿度(%)														
1934		62	56	47	41	52	54	68	70	63	62	60	63	58
1935		-	-	-	47	53	49	72	69	60	58	73	-	-
1936		84	79	66	60	43	51	65	59	68	48	53	60	61
1947		71	56	43	39	42	52	57	73	77	72	60	57	58
1948		62	52	54	52	48	52	64	77	71	58	59	60	59
1949		68	68	59	46	45	53	73	73	70	65	63	67	63
1950		69	70	55	54	52	60	75	72	59	56	63	68	63
平 均		69	64	54	49	47	54	67	71	68	60	60	63	60
最小相对湿度(%)														
1935		-	-	-	16	11	17	30	34	27	26	20	49	-
日		-	-	-	2	6	27	31	20	3	16	15	8	-
1936		34	43	19	23	14	18	29	28	15	19	14	16	14
日		29	19	30	13	9	21	13	31	17	2	23	16	9/5,23/11
1946		-	-	-	-	-	-	-	-	-	-	32	26	-
日		-	-	-	-	-	-	-	-	-	-	25	19	-
1947		36	16	16	17	11	15	18	26	37	32	28	31	11
日		19	16	22	29	15,18	6	21,25	4	29	13	13,14	7	15,18/5
1948		37	24	16	10	11	18	22	39	22	23	27	26	10
日		30	11	4	19,21	4	14	4	29	2	16	18,26	27	19,21/4
1949		32	25	17	12	14	13	32	26	17	20	26	34	12
日		6	16	11	8	24	17	28	22	26	29	17	10	8/4
1950		32	17	16	22	17	13	32	27	19	21	26	31	13
日		28	2	14	10	22	5	8	3	28	12	22	14	5/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日 年	值 期 份	32 6,28 1949 1950	16 16 1947	16 3 1948	10 19,21 1948	11 4 1948	13 17,5 1949 1950	18 21,25 1947	26 4,22 1947 1949	15 17 1936	19 2 1936	14 23 1936	16 16 1936	10 19,21/4 1948
呼 和 浩 特														
$\varphi=40^{\circ}49'N$ $\lambda=111^{\circ}41'E$ $H=1062.2M$														
平均相对湿度(%)														
1951	日	58	82	65	47	54	44	67	73	66	69	77	66	64
1952	日	61	61	61	59	60	49	71	76	69	69	72	70	65
1953	日	60	55	54	39	47	54	64	73	66	68	68	67	60
平 均		60	66	60	48	54	49	67	74	67	69	72	68	63
最小相对湿度(%)														
1951	日	15	22	15	15	21	16	20	30	27	32	30	31	15
1952	日	21	2	21	7	18	14	7	24	10,11	12	25	11	3
1952	日	23	22	21	23	19	19	18	38	26	31	28	23	18
1953	日	29	1	21	9,30	20	16	1	4	15,20	24	4,18	31	1/7
1953	日	23	21	22	20	17	20	26	24	27	25	24	28	17
1953	日	13	16	3	3	9	13	11	8	5	8	30	20	9/5
極日 年	值 期 份	15 21 1951	21 16 1953	15 21 1951	15 7 1951	17 9 1953	16 14 1951	18 1 1952	24 8 1953	26 15,20 1952	25 8 1953	24 30 1953	23 31 1952	15 3 1951
包 頭														
$\varphi=40^{\circ}36'N$ $\lambda=109^{\circ}50'E$ $H=1016.0M$														
平均相对湿度(%)														
1949	日	-	-	-	-	-	-	-	-	-	-	49	47	-
1950	日	59	64	45	45	48	61	68	69	57	58	56	58	57
1951	日	55	71	50	46	51	47	65	68	63	66	72	66	60
1952	日	60	60	53	54	62	52	67	71	62	61	70	76	62
1953	日	61	54	49	38	42	50	59	73	62	65	68	65	57
平 均		59	62	49	46	51	53	65	70	61	63	67	66	59
最小相对湿度(%)														
1949	日	-	-	-	-	-	-	-	-	-	-	3	15	3
1950	日	-	-	-	-	-	-	-	-	-	-	17	19	17/11
1950	日	11	9	5	11	16	25	25	25	17	14	25	23	5
1951	日	14	25	12	3,8	19	12	30	19	9	11	4	29	12/3
1951	日	15	11	9	10	11	12	21	25	17	24	20	21	9
1952	日	27	2	9	2,4	15,21	5	4,5	25	11	28	21	12	9/3
1952	日	22	17	7	16	15	19	20	31	19	20	24	24	7
1952	日	30	16	9	20	21	16	5	31	20	4	5	31	9/3
1953	日	26	21	18	15	12	17	16	23	21	19	18	21	12
1953	日	24	21	6,24	25	9	13,23	9	8	2,6	25	30	3	9/5
極日 年	值 期 份	11 14 1950	9 25 1950	5 12 1950	10 2,4 1951	11 15,21 1951	12 5 1951	16 9 1953	23 8 1953	17 9,11 1950	14 11 1950	3 17 1949	15 19 1949	3 17/11 1949
河 北 圍 場														
$\varphi=41^{\circ}57'N$ $\lambda=117^{\circ}33'E$ $H=850.1M$														
平均相对湿度(%)														
1951	日	69	67	57	49	56	68	73	63	65	75	71	74	66
1952	日	74	69	65	57	50	56	78	78	73	63	64	63	66
1953	日	65	67	57	50	61	69	75	78	65	65	62	62	65
平 均		69	68	60	52	56	64	75	73	68	68	66	66	66
最小相对湿度(%)														
1951	日	38	34	25	24	18	32	35	18	25	27	30	44	18
1952	日	28	2	27	14,30	3	5	6	28	1,3	26	14	12	3/5,28/8
1952	日	48	37	28	22	18	17	19	37	24	25	24	37	17
1953	日	23	28	29	18,30	19,20	21	1	15	16	25	23	30	21/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	36 19	30 25	12 30	15 24	21 26	24 15	27 16	34 31	20 8,30	17 2	28 9	26 1	12 30/3
極日	值期	36 19	30 25	12 30	15 24	18 3	17 21	19 1	18 28	20 8,30	17 2	24 23	26 1	12 30/3
年	份	1953	1953	1953	1953	1951 1952	1952	1952	1951	1953	1953	1952	1953	1953
承 德														
$\varphi=40^{\circ}58'N$ $\lambda=117^{\circ}50'E$ $H=370.9M$														
平均相对湿度(%)														
1937	日	57	52	51	42	38	58	62	75	72	63	51	45	56
1938	日	50	42	48	35	58	65	83	78	67	71	54	55	59
1939	日	59	47	46	39	44	50	72	71	63	69	65	57	57
1940	日	57	45	41	38	47	67	72	80	76	70	66	68	61
1941	日	59	55	44	43	-	72	72	62	60	54	56	56	-
1942	日	46	37	42	36	-	-	-	-	-	-	-	-	-
1947	日	-	-	52	43	54	66	82	84	78	65	54	58	-
1948	日	60	53	57	64	63	67	84	79	73	63	-	-	-
1949	日	-	-	-	-	-	-	78	-	72	63	64	70	-
1950	日	66	59	51	64	63	72	77	76	64	59	52	50	63
1951	日	52	52	41	32	45	53	67	65	57	66	61	52	54
1952	日	50	50	52	42	46	50	74	71	64	54	55	54	55
1953	日	55	55	47	38	60	68	70	77	65	61	56	56	59
平 均		56	50	47	41	50	60	72	74	66	64	58	55	58
最小相对湿度(%)														
1937	日	28	24	20	15	16	22	24	34	32	26	19	23	15
1938	日	3	1	16	30	2	13,17	6	28	7	28	23	11	30/4
1939	日	20	12	18	17	22	25	46	32	30	32	20	19	12
1939	日	1	20	6	12	5,11	15	3	26	4	16	11	20	20/2
1939	日	22	23	13	17	20	22	36	29	31	36	29	21	13
1940	日	18	4	12	22	24,25	4	6	29	29	7	26	17	12/3
1940	日	22	16	18	16	18	28	33	43	37	42	25	30	16
1941	日	3	29	14	10,11	10	18	18	6	22	1,26	24	3	3
1941	日	22	11	19	21	-	-	-	-	-	-	-	-	11
1941	日	10,11	20	17	7,12	-	-	-	-	-	-	-	-	20/2
1947	日	-	-	19	16	23	34	53	45	35	27	27	28	-
1948	日	-	-	26	29	22	1	30	21	29	29	14	17	-
1948	日	28	25	24	27	27	29	55	41	38	29	-	-	-
1949	日	10	25	26	19,29	26	12	29	29	3	12	-	-	-
1949	日	-	-	-	-	-	-	32	-	22	17	13	38	-
1949	日	-	-	-	-	-	-	27	-	27	31	18	5	-
1950	日	31	27	21	18	23	38	37	37	25	27	23	23	18
1950	日	28	25	13	10	7,9	11	9	23	27	12	27	26	10/4
1951	日	20	17	12	12	11	18	24	19	21	27	20	21	11
1951	日	13	2,17	15,31	21,22	4	9	11	30	1	25	22	12,31	4/5
1952	日	21	16	14	12	11	16	22	31	23	18	16	25	11
1952	日	30	2	21	29	21	30	2	28	13,14	24	5	8,14	21/5
1953	日	28	24	17	14	18	20	22	33	23	22	21	19	14
1953	日	25	21	29	24	15	15	27	31	24	11	30	1,4	24/4
極日	值期	20 1,13	11 20	12 15,31	12 3	11 4,21	16 30	22 2,27	19 30	21 1	17 31	13 18	19 3	11 3
年	份	1938 1951	1941	1951	1951 1952	1951 1952	1952	1952 1953	1951	1951	1949	1949	1938 1953	3
張家口														
$\varphi=40^{\circ}50'N$ $\lambda=115^{\circ}11'E$ $H=759.6M$														
平均相对湿度(%)														
1947	日	-	-	-	31	42	49	55	67	67	54	48	63	-
1948	日	56	50	43	46	44	46	73	72	59	46	44	54	53
1949	日	58	53	35	33	41	54	79	70	69	54	53	56	55
1950	日	61	56	43	50	57	60	78	75	63	53	47	47	58
1951	日	51	61	45	33	42	41	57	64	48	61	61	54	52
1952	日	53	54	51	44	48	44	72	70	65	49	59	59	56
1953	日	56	57	43	34	52	57	70	76	59	56	56	58	56

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均		56	55	43	40	47	50	72	71	61	53	53	55	55
最小相对湿度(%)														
1947	—	—	—	13	15	17	22	28	30	17	8	25	—	—
日	—	—	—	20,29	15,18	9,20	10	5	19	31	12	22	—	—
1948	25	15	8	13	15	13	36	34	21	17	19	24	8	8
日	9	25	23	21	4	14	7,16	30	2	16	11	1,6	23/3	7
1949	22	17	7	7	10	10	34	34	17	23	21	24	7	7
日	31	26	12	23	9	2	28	34	26	27	24	20	23,23/4	23/3
1950	23	18	9	8	9	18	37	27	20	17	15	15	8	8
日	28	28	12	10	12	11	9	22	28	31	14	30	10/4	10/4
1951	19	13	11	10	10	10	9	17	14	22	23	24	9	9
日	27	17	31	5*	3*	12,14	7	31	10	3,26	22,26	12	7/7	7/7
1952	19	22	15	11	8	14	21	26	22	16	16	21	8	8
日	30	1	30	9,17	27	20	1	30	15	3,23	4	29	27/5	27/5
1953	22	16	10	9	11	12	11	22	19	17	17	18	9	9
日	24	22	24	25	6	7	11	9	23	8	23	3	25/4	25/4
极 值	19	13	7	7	8	10	9	17	14	16	8	15	7	7
日 年	27,30	17	12	23	27	3*	7	31	10	3,23	12	30	23/3,23/4	23/3,23/4
值 期	1951	1951	1949	1949	1952	1949	1951	1951	1951	1952	1947	1950	1949	1949
份	1952					1951								
北 京														
$\varphi=39^{\circ}57'N$ $\lambda=116^{\circ}19'E$ $H=52.3M$														
平均相对湿度(%)														
1875	50	49	57	39	43	55	82	72	73	55	45	49	56	56
1876	40	46	40	38	37	46	75	78	69	60	49	55	53	53
1877	60	56	51	49	64	50	55	71	59	49	50	51	55	55
1878	41	46	33	44	45	67	68	84	76	73	63	53	58	58
1879	51	50	43	53	44	51	78	78	74	65	58	53	58	58
1880	57	73	62	50	45	67	81	66	65	51	43	39	58	58
1881	45	45	39	41	48	62	66	78	70	59	58	47	55	55
1882	50	48	45	42	42	53	72	72	71	70	55	46	56	56
1883	48	62	56	53	51	47	76	73	67	71	58	46	59	59
1884	54	42	57	42	44	51	76	80	77	—	—	—	—	—
1895	38	57	58	55	57	70	74	75	60	63	47	47	58	58
1896	37	35	42	58	43	34	69	74	69	59	60	41	52	52
1897	51	32	59	54	47	60	73	73	55	47	52	32	53	53
1898	40	46	51	45	51	52	67	68	68	50	56	43	53	53
1899	49	58	56	53	55	53	66	60	50	45	47	53	54	54
1915	—	—	—	—	64	66	82	81	78	84	66	62	—	—
1916	59	55	50	53	47	62	70	77	69	63	65	56	61	61
1917	41	37	39	72	43	62	79	79	76	69	56	—	—	—
1918	48	43	51	43	55	58	71	77	53	46	54	58	55	55
1919	72	40	45	32	44	51	79	68	62	59	47	51	54	54
1920	52	61	49	39	44	52	68	61	67	63	62	64	57	57
1921	54	50	48	39	47	55	62	68	56	60	49	48	53	53
1922	52	47	37	36	43	44	70	78	65	54	58	42	52	52
1923	37	39	55	46	39	46	66	75	63	49	51	45	51	51
1924	44	46	41	43	46	50	81	77	72	72	74	58	59	59
1926	—	—	—	—	—	—	72	82	—	—	—	—	—	—
1927	—	—	—	—	—	—	—	69	57	—	45	56	—	—
1928	—	61	49	36	—	—	—	—	—	—	—	—	—	—
1929	—	—	—	—	—	—	73	67	59	53	45	61	—	—
1930	55	67	54	53	67	53	74	79	59	61	55	54	61	61
1931	52	50	48	49	54	54	66	77	63	51	54	58	56	56
1932	47	46	34	41	48	64	77	71	73	52	48	44	54	54
1933	40	43	51	50	45	74	76	75	65	61	53	59	58	58
1934	43	42	36	46	53	59	75	76	70	62	46	54	55	55
1935	46	38	44	34	43	53	66	72	54	51	63	37	50	50

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1936	41	56	40	38	44	52	61	68	66	48	48	41	50
1937	44	52	50	45	37	59	69	82	-	-	-	-	-
1940	68	58	54	42	48	64	73	81	73	63	65	67	63
1941	60	55	42	40	41	67	72	69	60	51	56	60	56
1942	43	38	45	37	48	42	74	73	62	55	47	39	50
1943	46	41	43	49	56	45	63	83	69	57	62	54	56
1944	54	42	40	55	49	51	73	74	63	52	51	36	53
1945	39	48	48	43	46	57	71	80	83	70	67	50	59
1946	49	50	63	52	58	57	78	81	74	69	64	51	62
1947	60	55	44	38	50	61	75	75	74	61	50	58	58
1948	55	56	60	53	52	57	80	81	71	59	56	64	62
1949	55	63	49	44	52	68	86	81	79	66	67	65	65
1950	60	59	54	68	67	69	83	84	71	69	58	50	66
1951	67	61	52	38	54	56	73	74	61	69	66	53	60
1952	45	56	55	47	51	46	77	77	71	59	66	59	59
1953	53	60	50	39	61	65	80	83	66	63	63	52	61
平 均	50	50	48	46	49	56	73	75	67	59	56	51	57
最小相对湿度(%)													
1930	-	-	18	18	19	22	28	33	24	23	14	14	-
日	-	-	28	16, 20	2	3	4	29	23	10	9	14	-
1931	10	9	17	17	22	21	27	35	24	21	17	21	9
日	29	27	27	12	7	12	20	27	28	3	18	4, 16	27/2
1932	17	16	11	16	16	22	31	26	33	23	18	8	8
日	8	15	7	19	11	7	7	19	1	19	26	11	11/12
1933	9	8	5	15	18	25	30	33	21	23	18	14	5
日	21	2	6	17	10	1	15	30	27	22, 24	27	25	6/3
1934	12	11	7	18	17	23	35	33	29	22	15	10	7
日	20	8	15	16	21	13	18	31	7, 10	19	30	3	15/3
1935	4	7	15	11	16	19	21	28	20	20	7	7	4
日	22	11	21	26	20	7, 9	2	26	12	5	15	14, 23	22/1
1936	6	12	6	11	13	17	19	21	24	15	15	15	6
日	18	11	14	1	7	11	3	13, 28	24	31	23	2	18/1, 14/3
1937	17	17	15	16	15	22	27	35	-	-	-	-	-
日	5	26	15	6	2	16	5	28	-	-	-	-	-
1940	31	25	24	20	19	21	25	38	29	25	25	20	19
日	2, 26	28	10	10, 11	20	7	17	25	21	20	26	27	20/5
1941	13	19	14	15	14	21	27	19	20	20	14	21	13
日	11	3	11	12	30	25	23	26	5	26, 27	28	28	11/1
1942	10	13	14	16	15	15	20	26	25	19	19	11	10
日	4	14	25	16	3	5	2	31	18, 29	1	7	22	4/1
1943	17	14	16	20	21	18	25	33	28	23	19	13	13
日	3	7	15	10, 21	3	5, 21	3	30	27	21, 25	8	27	27/12
1944	11	12	13	17	18	16	25	33	20	15	15	12	11
日	25	24	9	14, 28	4, 11	6	1	19, 28	20	24	10	29	25/1
1945	14	14	10	13	17	17	26	37	33	21	15	17	10
日	24	5	5	16	2, 8	5	31	2, 28	9	7	30	30	5/3
1946	9	14	13	15	16	16	29	40	21	24	21	11	9
日	8	15	7	3, 15	18	11	5	24	18	6	28	8	8/1
1947	17	12	10	15	18	20	33	33	27	23	17	16	10
日	13	20	14	1	5	1	30	3	29	11	17	17	14/3
1948	15	15	14	20	19	24	43	40	27	20	21	19	14
日	24	3, 8	4	19	2	4	7	21, 29	2	24	24	1	4/3
1949	29	24	22	17	17	19	41	37	26	19	20	23	17
日	2	26	1	3	23, 24	2	28	16, 26	26	29	17	6	5
1950	26	26	16	19	23	27	51	41	29	29	22	21	16
日	1, 6	4	19	9	9	9	7	20, 25	28, 29	9	13	29, 30	19/3
1951	21	19	15	11	13	19	28	27	22	23	19	17	11
日	20	15	31	29	1, 4	22	16	31	10, 24	26	25	12	29/4
1952	17	16	13	11	14	14	16	38	24	16	19	18	11
日	30	1, 22	22	17, 29	21	20	2	25	13	24	18	31	17, 29/4
1953	16	16	15	12	15	18	36	37	20	18	18	17	12
日	28	16	24	10	14	8	18	31	25, 30	7	21	29	10/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 日 年	值 期 份	4 22 1935	7 11 1935	5 6 1933	11 5 4年	13 3 1936 1951	14 20 1952	16 2 1952	19 26 1941	20 5 4年	15 31,24 1936 1944	7 15 1935	7 14,23 1935	4 22/1 1935
昌 黎														
$\varphi=39^{\circ}41'N$ $\lambda=119^{\circ}09'E$ $H=16.1M$														
平均相对湿度(%)														
1941	58	59	58	46	53	75	79	75	63	53	58	63	62	
1942	45	43	51	49	57	54	78	73	62	52	49	44	55	
1943	55	50	46	50	55	54	63	78	66	58	55	49	57	
1944	66	47	48	44	49	56	76	68	62	55	50	34	55	
1945	52	58	58	39	-	-	-	-	-	-	-	-	-	
1946	-	54	67	54	54	68	85	81	70	70	66	55	-	
1947	61	60	59	52	-	-	-	-	70	56	55	63	-	
1948	68	69	63	67	58	-	-	-	-	-	-	-	-	
1950	80	77	61	60	52	62	82	81	66	66	66	69	69	
1951	61	69	56	48	54	57	74	77	64	68	66	59	63	
1952	(59)	59	61	56	55	58	81	76	73	62	-	-	-	
1953	68	62	61	52	67	77	86	88	73	74	66	61	70	
平 均	62	58	54	50	55	62	77	77	65	61	59	54	62	
最小相对湿度(%)														
1941	11	17	17	17	22	28	36	33	26	20	17	23	11	
日	19	6	23	5,12	12	21	6	27	20	17	20	31	19/1	
1942	18	10	13	17	19	15	24	27	28	17	10	11	10	
日	18,29	19	25	6	2	15	5	28	29	9,27	28	12	19/28/11	
1943	16	11	14	17	13	17	15	31	24	16	10	11	10	
日	3	11	14,27	11,20	16	5,13	13	30	28	25	11	7	11/11	
1944	22	9	13	12	15	16	26	19	18	15	11	12	9	
日	7	15	23	16	1,2	6	1	28	22	3	11	20	15/2	
1945	13	13	8	10	-	-	-	-	-	-	-	-	-	
日	1	2	22	10,18	-	-	-	-	-	-	-	-	-	
1946	-	10	22	20	19	18	47	56	24	29	24	16	-	
日	-	16	30	13	3,15	11	5	24	14	7	29	8	-	
1947	24	16	20	18	-	-	-	-	25	20	18	16	-	
日	3	22	14	21	-	-	-	-	18	28	9	10	-	
1948	28	21	17	21	20	-	-	-	-	-	-	-	-	
日	10,26	29	3	4	3	-	-	-	-	-	-	-	-	
1952	10	15	12	8	17	15	23	32	25	21	-	-	-	
日	30	19	22	20	8	18	2	1	16	24	-	-	-	
1953	16	14	14	7	12	27	40	48	28	30	28	24	7	
日	28	16	25	10	14	9	17	27	24	30	9	16,18	10/4	
極 日 年	值 期 份	10 30 1952	9 15 1944	8 22 1945	7 10 1953	12 14 1953	15 15,18 1942 1952	15 13 1943	19 28 1944	18 22 1944	15 3 1944	10 28,11 1942 1943	11 12,7 1942 1943	7 10/4 1953
唐 山														
$\varphi=39^{\circ}40'N$ $\lambda=118^{\circ}07'E$ $H=57.0M$														
平均相对湿度(%)														
1951	64	67	55	42	51	51	71	74	64	68	71	64	62	
1952	59	62	60	51	53	57	80	77	74	63	66	56	63	
1953	63	61	58	43	64	71	84	85	73	71	67	61	67	
平 均	62	63	58	45	56	60	78	79	70	67	68	60	64	
最小相对湿度(%)														
1951	24	26	14	9	10	15	20	24	18	22	23	17	9	
日	20	23	21	22	1,13	8,22	16	24	26	1,25	14	12	22/4	
1952	16	20	11	9	15	15	21	38	22	20	14	9	9	
日	30	20	22	12	13	18	2	16,26	28	11	5	31	12/4,31/42	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	18	16	11	9	13	14	45	37	21	20	21	15	9
		1,14	17	29	10	14	8	18	22	24	11	9	2	10/4
校	值	16	16	11	9	10	14	20	24	18	20	14	9	9
日	期	30	17	22,29	31	1,13	8	16	24	26	11	5	31	4
年	份	1952	1953	1952	3年	1951	1953	1951	1951	1951	1952	1952	1952	3年
				1953							1953			
天 津 $\varphi=39^{\circ}06'N$ $\lambda=117^{\circ}23'E$ $H=2.9M$														
平均相对湿度(%)														
1904	-	-	-	-	-	-	-	-	-	69	55	65	-	-
1905	61	47	56	59	49	66	69	72	61	58	50	48	58	58
1906	66	63	42	44	51	57	70	70	64	63	53	52	58	58
1907	61	51	51	52	45	56	74	80	74	75	63	59	62	62
1908	73	67	52	53	53	63	77	78	71	69	68	59	65	65
1909	66	44	54	55	50	66	79	79	70	62	54	48	61	61
1910	55	40	52	54	52	66	73	81	71	69	61	56	61	61
1911	69	76	69	65	61	65	74	80	81	66	67	60	69	69
1912	49	58	54	46	54	69	80	75	70	70	62	66	63	63
1913	72	52	56	62	50	73	71	76	69	65	62	63	64	64
1914	55	71	68	49	53	57	81	73	69	72	71	56	65	65
1915	69	64	58	52	60	63	80	76	66	65	58	61	64	64
1916	62	51	46	54	50	66	66	76	70	60	67	62	61	61
1917	48	47	47	42	47	59	76	75	73	68	67	54	59	59
1918	54	62	64	59	66	64	74	79	63	58	63	63	64	64
1919	70	62	60	43	57	62	76	71	65	58	58	61	62	62
1920	59	64	57	49	53	62	74	63	67	62	58	60	61	61
1921	58	50	48	46	61	70	76	82	66	64	49	58	61	61
1922	61	66	51	47	55	56	72	77	66	56	57	53	60	60
1923	46	42	61	55	50	57	72	80	68	58	56	47	58	58
1924	46	43	46	48	47	63	82	75	69	58	53	62	58	58
1925	56	49	55	47	63	74	77	81	70	68	63	49	63	63
1926	54	55	54	53	64	60	74	81	70	62	73	53	63	63
1927	68	63	71	55	50	56	75	74	67	59	57	57	63	63
1928	67	62	50	49	46	59	72	74	66	55	66	62	61	61
1929	67	53	47	48	51	49	75	74	63	61	52	75	60	60
1930	67	76	61	51	53	50	75	80	66	63	59	60	63	63
1931	61	54	53	52	57	57	64	75	63	48	64	65	59	59
1932	55	48	39	45	51	63	73	71	71	50	47	50	55	55
1933	51	52	58	54	49	69	71	76	63	58	58	64	60	60
1934	54	56	44	48	54	59	71	78	71	68	54	70	61	61
1936	50	67	48	47	49	57	70	76	69	54	48	54	57	57
1937	45	53	63	53	43	63	74	-	-	-	-	-	-	-
1938	-	-	-	-	-	70	79	71	63	68	54	66	-	-
1939	66	66	59	47	54	55	74	70	64	69	69	62	63	63
1940	65	63	66	50	50	64	70	81	70	63	59	62	64	64
1941	59	54	51	40	45	70	74	67	59	54	63	64	58	58
1942	45	37	52	45	52	48	76	76	64	60	58	55	56	56
1944	79	64	60	64	60	63	81	74	67	61	59	47	65	65
1945	57	63	59	42	52	65	79	85	83	71	79	66	67	67
1946	-	60	73	60	61	56	77	79	76	72	72	63	-	-
1947	69	64	60	56	59	68	79	79	75	60	58	64	66	66
1948	68	64	69	68	57	60	79	76	70	59	62	68	67	67
1949	59	66	52	48	51	64	84	78	79	75	71	75	67	67
1950	78	64	67	78	66	71	80	84	71	74	64	63	72	72
1951	70	65	59	45	56	58	77	78	67	72	71	62	65	65
1952	56	60	58	53	57	59	80	77	75	65	73	62	65	65
1953	65	64	62	47	64	71	84	88	76	75	72	66	70	70
平 均	61	58	56	52	54	62	75	77	69	63	61	60	62	62

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小相对湿度(%)														
1904	日	-	-	-	-	-	-	-	-	-	24	16	19	-
1905	日	23	0	8	20	19	31	35	34	22	22	7	30	-
1906	日	28,30	5	3	7	21	23	2	7	17	1	5	22	0
1906	日	25	23	8	10	19	13	30	25	25	23	19	20	5/2
1907	日	2	27	15	22	20	5	14	28	4	19	8,29	9	8
1907	日	17	13	9	18	18	21	21	31	33	34	23	23	15/3
1908	日	9	27	1	1	17,31	13,26	3	30	1	6	20	4,14	9
1908	日	24	26	12	23	21	17	30	39	30	30	30	18	1/3
1908	日	5	17	17	21	18	6	2	8	30	8	22,27	31	12
1909	日	23	14	9	19	20	24	41	34	23	22	22	16	17/3
1910	日	28	16	5	9	8	8	11	31	7,29	12	29	21	9
1910	日	12	6	9	9	22	21	29	40	32	25	19	18	5/3
1911	日	2	25	3	12	13,23	26	8	31	4	23	17	21	6
1911	日	23	30	5	21	8	20	37	40	42	22	28	20	25/2
1912	日	21	4	8	25	7	5	26	7	30	30	7	21	5
1912	日	14	17	18	13	17	28	45	39	34	32	25	30	8/3
1913	日	19	3	20	25	27	5	15	12	24	15	5	9	13
1913	日	21	12	23	24	22	29	34	27	29	28	28	13	25/4
1913	日	11	26	12	15	19	19	3	13	27	28	13,15	12	12
1914	日	20	31	25	22	24	22	37	38	34	34	28	16	26/2
1915	日	2,15	26	30	21	24,28	17,18	21	23	25	1,9	20	17	16
1915	日	25	20	20	21	21	24	32	38	31	27	21	20	17/12
1916	日	2	13	7	5	2	6,9	1	10	27,28	22,26	27	22	20
1916	日	18	19	18	16	19	27	26	38	28	26	19	23	3
1917	日	13	15	4,22	9	3	1,8	2	18	10	2,24	27	4	16
1917	日	16	15	12	15	21	24	26	29	35	30	31	28	9/4
1917	日	19	18	9	15	18	4	7	13,14	11	3	15	3	12
1918	日	14	14	25	23	23	28	31	32	27	26	23	26	9/3
1918	日	16	9	10	16	19	29	1	28	11	15	2	22	14
1919	日	26	24	26	20	20	26	39	29	28	28	28	24	141,9/2
1920	日	1	23	18,30	7,30	3,4	3,26	4	16	16,17	27	7,20	7	20
1920	日	26	20	26	23	26	27	35	28	33	30	19	14	4
1921	日	21	5	13	19	12,22	23	1	30,31	3,7	6,13	4	26	14
1921	日	21	8	9	10	19	28	33	42	-	-	-	-	26/12
1922	日	11	26	10	14	13	12	3	31	-	-	-	-	-
1922	日	24	10	17	12	-	21	24	41	31	26	20	19	-
1924	日	9	11	8	24	-	2	10	26	3	13	26	31	-
1924	日	9	13	7	11	12	27	40	26	31	12	15	13	7
1924	日	7	27	29	16	11	18	22	28	21,22	7	30	3	29/3
1925	日	19	15	13	19	23	35	30	44	31	29	16	17	13
1926	日	27	17	2	4	19	16	17	5,27	22	5	21	6,11	2/3
1926	日	8	6	11	13	14	21	23	34	20	15	20	18	6
1927	日	18	14	28	18	6	1	1	29	24	6	25	1	14/2
1927	日	21	12	12	19	18	18	21	31	22	19	20	18	12
1928	日	8	28	4	27	3	17	2	18	17	28,29	11	18	28/2,4/3
1928	日	18	16	10	14	11	18	30	34	26	19	26	23	10
1929	日	10	23	25	22	2	3	2	18	29	17	6	3	25/3
1929	日	20	23	20	18	16	19	33	30	27	26	13	36	13
1929	日	28	2	1,2	12,18	21	28	13	19	1,28	18	15	4,6	15/11
1930	日	29	24	19	17	18	17	22	40	30	26	19	4	4
1931	日	30	14	29	20	20	2	6	29	11,17	11	11	22	22/12
1931	日	12	6	17	12	23	22	24	30	22	20	21	23	6
1932	日	26	5	12	13	7	11	18	27	14	31	9	12,13	5/2
1932	日	20	20	15	18	19	19	24	23	32	21	20	21	15
1933	日	26	17	30	6,28	9	6	7	19	28,29	21	4,25	1	30/3
1933	日	25	21	21	18	17	22	26	40	23	21	17	22	17
1934	日	11	13,14	27,28	25,27	3,4	1	16	9	27	22	27	18,21	3
1934	日	12	20	17	17	19	24	26	36	31	28	23	21	12
1934	日	26	24	13,15	1	3	7	1	31	3-5	21	30	1	26/1
1936	日	20	23	15	14	16	21	27	28	31	29	15	17	14
1937	日	13,15	15	24	19	5	1	3	12	17	3	12	3	19/4
1937	日	11	7	4	9	4	21	29	-	-	-	-	-	-
1937	日	5,6	24	15	6	3	2,9	5,6	-	-	-	-	-	-

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938 日	-	-	-	-	-	18	52	26	18	16	21	23	-
1939 日	-	-	-	-	-	15	9,14	26	9	15	6	6	-
1940 日	17	19	17	12	9	23	29	26	24	30	23	24	9
1941 日	25	7	25	22	7	25	31	28	23	6	29	6	7/5
1942 日	13	8	9	20	10	24	25	45	25	18	17	15	8
1943 日	2	19	21	7	12	3	17	24	10	20	24	28	19/2
1944 日	9	9	3	9	10	18	29	19	18	16	8	12	3
1945 日	19	3	7	12	4	25	6	24	12	27	28	4	7/3
1946 日	9	6	3	12	9	6	25	36	32	19	20	25	3
1947 日	29	28	25	16	11	15	2	15	18	9	5	26	25/3
1948 日	44	32	19	33	24	23	39	32	27	24	19	20	19
1949 日	17	18	20	15	30	28	1	19	5	2	10	17	29,19,11
1950 日	31	29	18	8	16	15	36	47	45	29	34	26	8
1951 日	24	2	15	5	12	2	30	28	13	19	30	27	5/4
1952 日	-	16	30	23	23	14	30	38	27	32	27	30	-
1953 日	-	7	7	11,23	18	11	6	27	14	17	27	5	-
1954 日	22	25	22	22	16	17	45	42	31	26	24	29	16
1955 日	12	22	14	13	31	1	4	4	24	11	12	19	31/5
1956 日	30	20	23	24	21	24	50	45	32	24	26	31	20
1957 日	27	22	4	27	24,27	18	3,8	12,28	29	25	27	22	22/2
1958 日	29	22	18	12	16	18	47	35	34	28	31	44	12
1959 日	17	14	9	23	15	2	28	26	26	29	1	10	23/4
1960 日	32	26	22	29	23	32	44	41	25	33	18	16	16
1961 日	3	26	11	13	10,22	10	9	27	29	12,23	13	29	29/12
1962 日	21	19	19	9	13	17	29	23	19	26	25	16	9
1963 日	25	23	16	21	11	8	17	31	9	1	25	12	21/4
1964 日	16	18	8	15	13	14	25	37	26	24	21	24	8
1965 日	24	19,23	23	33	21	17	2	26	13	16	5	31	23/3
1966 日	21	20	17	9	14	15	37	47	26	28	26	23	9
1967 日	13	15,17	29	24	14,24	3	18	22	25	33	9	30	24/4
短 值 期 年	8	0	3	8	4	6	21	19	18	12	8	4	0
1926	16	5	7,25	5	3	15	3,2	24	9,12	7	28	22	5/2
1905			1941	1945	1937	1942	1907	1941	1938	1924	1941	1930	1905
			1942				1927		1941				
塘 沽 $\varphi = 38^{\circ}58'N$ $\lambda = 117^{\circ}49'E$ $H = 4.7 M$													
平均相对湿度(%)													
1946	68	69	74	62	69	68	86	85	79	77	75	65	73
1947	74	69	67	63	62	78	85	83	77	66	63	72	72
1948	72	74	75	67	61	69	83	80	76	68	72	78	73
1949	70	73	64	57	60	68	85	81	78	70	74	62	72
1950	78	68	69	70	66	73	86	81	66	75	68	69	72
1951	72	71	63	51	65	61	76	76	65	72	71	65	67
1952	66	66	65	61	62	61	80	73	71	65	75	68	68
1953	70	70	68	53	66	76	82	87	72	71	70	69	71
平 均	71	70	68	61	64	69	83	81	73	71	71	71	71
最小相对湿度(%)													
1946	27	27	35	22	21	22	46	48	31	36	26	27	21
1947	33	16	6	33	18	11	5	27	18	7	28	11	18/5
1948	28	23	28	23	20	26	48	49	32	27	22	30	20
1949	29	21	16	11,13	30	1	4	3	24	21	12	1	30/5
1950	29	21	17	18	18	25	47	43	37	30	36	29	17
1951	27	22	6	22	3	18	26	12	3	5,17	11	1	6/3
1952	26	25	16	14	14	16	45	33	31	30	28	48	14
1953	26	27	23	13,14	14	15	27	26	26	30	18	28	33
1954	41	33	23	17	19	32	48	41	25	31	34	29	17
1955	23	26	12	9	9,22	9	7	20	28	29	12,24	26	9/4
1956	22	22	23	13	16	18	39	27	23	25	27	26	13
1957	20,28	16	31	20	1	9	9	20,25	26	1	8	13	20/4
1958	26	22	13	14	16	15	28	33	24	21	27	22	13
1959	30	19	22	29	13,21	4	2	26	28	17	5	31	22/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	29	23	21	8	16	14	36	43	26	27	30	19	8
		28	16,21	29	23	14	3	18	28	24	11	10	2	23/4
極	值	22	21	13	8	14	14	28	27	23	21	22	19	8
日	期	20,28	22	22	23	14	3	2	20,25	26	17	12	2	23/4
年	份	1951	1948	1952	1953	1949	1953	1952	1951	1951	1952	1947	1953	1953
保 定(一) $\varphi = 38^{\circ} 53' N$ $\lambda = 115^{\circ} 28' E$ $H = 19.3 M$														
平均相对湿度(%)														
1927	日	75	71	68	55	44	46	76	75	67	56	60	58	63
1928	日	49	65	49	43	41	51	72	79	72	60	68	64	59
1929	日	62	51	39	41	46	53	74	80	66	59	48	71	58
1930	日	59	65	56	51	55	46	71	83	65	66	63	66	62
1931	日	63	57	44	47	53	52	72	78	65	50	65	72	60
1932	日	57	51	40	37	51	62	78	80	78	55	54	62	59
1933	日	64	58	63	52	55	78	76	81	70	66	60	78	67
1934	日	70	67	54	67	58	51	71	78	70	66	52	78	65
1935	日	82	48	46	38	36	43	69	75	60	53	72	53	56
1936	日	51	65	43	44	46	49	60	70	58	45	41	52	52
1937	日	52	56	54	46	39	-	-	-	-	-	-	-	-
1944	日	65	51	44	53	47	49	75	76	68	66	64	52	59
1945	日	49	52	56	49	55	64	70	79	83	75	79	56	64
1946	日	52	47	61	46	51	44	72	77	70	66	62	51	58
1947	日	61	51	42	34	49	61	68	74	73	56	53	61	57
1948	日	68	60	57	56	50	46	77	80	68	56	-	-	-
1949	日	-	-	-	-	-	-	-	-	76	63	-	71	-
1950	日	67	60	57	68	63	68	84	82	69	73	66	58	68
1951	日	78	70	58	46	58	52	69	76	64	72	77	61	65
1952	日	51	66	58	51	56	50	77	73	69	62	79	73	64
1953	日	59	65	60	42	62	62	80	84	72	72	74	68	67
平 均		62	59	52	48	51	55	73	78	69	62	63	63	61
最小相对湿度(%)														
1934	日	19	20	16	19	16	17	32	35	21	18	15	16	15
		21	17	15	4	20	14	23	6,31	24	26	13	3	13/11
1935	日	24	10	15	15	10	16	21	31	20	16	18	19	10
		31	17	21	26,29	19	7	2	26	34	16,17	9	23	17/2,19/5
1936	日	16	24	12	14	16	15	19	24	22	16	14	16	12
		3	14	13	24	44	1	3	13	34	4,30	21	6	13/3
1937	日	19	17	12	14	15	-	-	-	-	-	-	-	-
		24	23	21	16	3,4	-	-	-	-	-	-	-	-
1944	日	12	9	12	18	16	15	28	35	23	28	23	14	9
		5	19	5	15	2	9	2	31	19	10,30	12,20	26	19/2
1945	日	11	12	11	16	20	20	20	36	33	33	34	7	7
		14	1	5	12	2	24	-	-	-	-	-	27	27/12
1946	日	10	6	12	13	15	13	27	30	17	22	20	10	6
		8	1	7	-	-	-	-	-	-	-	-	-	1/2
1947	日	10	16	11	11	12	19	17	32	25	19	14	19	10
		12	22	21	44	19	20	4	3	29	23	29	10	12/1
1948	日	22	18	15	20	15	12	18	43	28	23	-	-	-
		20	3	2	19,21	3	14	1	11	29	6,27	-	-	-
1951	日	46	45	41	30	31	34	34	31	27	26	27	11	11
		28	16	6	21	16	12	6	31	16	26	7	12	12/12
1952	日	11	23	10	17	20	14	27	40	28	23	16	17	10
		22	20	20	1,29	27	17	2	6	12	17	6	31	20/3
1953	日	11	16	19	16	18	19	40	38	27	25	26	35	11
		1	14	6	25	15	3,9	17	31	25	9	18	1	1/1
極	值	10	6	10	11	10	12	17	24	17	16	14	7	6
日	期	8,12	1	20	44	19	14	4	13	-	44	21,29	27	1/2
年	份	1946	1946	1952	1947	1935	1948	1947	1936	1946	1935	1936	1945	1946
		1947									1936	1947		

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
保定(二) $\varphi=38^{\circ}50'N$ $\lambda=115^{\circ}34'E$ $H=19.2^+M$														
平均相对湿度(%)														
1950		-	-	-	-	68	70	83	87	74	74	65	53	-
1951		76	66	55	50	61	55	67	76	62	72	76	59	65
1952		48	57	56	51	54	47	77	73	68	58	76	66	61
1953		48	63	48	36	59	60	75	83	69	65	71	65	62
平 均		57	62	53	46	58	54	73	77	66	65	74	63	63
最小相对湿度(%)														
1951	日	24	17	16	14	21	18	29	29	21	19	18	15	14
		28	15	9	20	16	7	14	31	24	9	25	12	20/4
1952	日	11	12	14	11	12	9	19	33	21	6	18	3	3
		33	19	2	13	27	3	2	21	26	1	5	31	31/12
1953	日	14	11	11	10	9	12	30	33	20	20	22	21	9
		7,28	21	25	10	15	3,9	18	31	30	9	21	18	15/5
極 值	日期	11	11	11	10	9	9	19	29	20	6	18	3	3
日 年	份	33	21	25	10	15	3	2	31	30	1	25,5	31	31/12
		1952	1953	1953	1953	1953	1952	1952	1951	1953	1952	1951	1952	1952
石家莊 $\varphi=38^{\circ}02'N$ $\lambda=114^{\circ}28'E$ $H=83.8M$														
平均相对湿度(%)														
1949		-	-	-	-	-	-	-	-	76	59	60	66	-
1950		66	59	47	60	58	61	84	83	66	71	66	48	64
1951		75	70	45	38	54	53	73	79	63	69	71	54	62
1952		45	68	60	50	53	45	78	73	65	56	80	73	62
1953		54	71	51	38	61	58	82	86	70	64	76	65	65
平 均		60	67	51	47	57	54	79	80	66	65	73	60	63
最小相对湿度(%)														
1949	日	-	-	-	-	-	-	-	-	17	21	10	18	-
		-	-	-	-	-	-	-	-	26	11	24	6	-
1950	日	15	15	11	10	13	21	38	40	20	23	17	11	10
		10	25,28	7	9	4	11	6	28	28	8	17	29	9/4
1951	日	14	15	10	8	10	11	23	28	16	12	14	9	8
		24,28	17	17	12,20	4,21	7	28	20	17	23	25	12	12,29/4
1952	日	7	21	12	8	9	9	27	20	25	3	22	22	3
		6	1	21	16	27	10	2	26	13,26	1	5	22	1/10
1953	日	13	25	13	12	13	18	39	39	19	12	18	22	12
		27	18	24	2	24	12,14	18	31	4	10	12	18	2/4,29/10
極 值	日期	7	15	10	8	9	9	23	20	16	3	10	9	3
日 年	份	6	33	17	33	27	10	28	26	17	1	24	12	1/10
		1952	1950	1951	1951	1952	1952	1951	1952	1951	1952	1949	1951	1952
山 西 太 原 $\varphi=37^{\circ}55'N$ $\lambda=112^{\circ}31'E$ $H=799.6M$														
平均相对湿度(%)														
1947		-	-	-	-	-	49	50	67	69	63	54	50	-
1948		56	51	57	50	40	45	60	66	65	57	58	72	56
1949		63	-	-	-	-	59	79	75	81	65	63	70	-
1950		64	68	50	54	57	66	79	79	70	71	62	54	65
1951		57	76	49	41	53	54	68	76	74	72	72	64	63
1952		56	61	69	56	59	50	73	74	72	63	78	68	65
1953		57	57	50	42	56	65	75	81	67	66	74	74	64

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	-	-	-	11	12	21	23	27	13	21	17	18	-
1951	日	-	-	-	8,10	8	9	6	27	27	12	17	31	-
1951	日	20	19	11	12	14	14	19	33	25	29	36	24	11
1952	日	28,29	23	31	12	4	9	6	20	18	29	29	12	31/3
1952	日	27	24	23	18	19	14	28	29	26	17	26	26	14
1953	日	7	10	31	14	3*	10	3	31	13-15	14	5	29	10/6
1953	日	23	22	12	14	12	17	34	42	27	21	34	37	12
1953	日	31	10,17	29	23	13	13	20	20	19	9	19	29	20/3,13/5
極日	值期	7	16	11	11	12	14	19	24	13	17	17	18	7
極日	年	20	19,27	31	8,10	8,13	9,10	6	12	27	14	17	31	20/1
		1934	1935	1951	1950	1953	1952	1951	1936	1950	1952	1950	1950	1934
山 東 煙 台 $\varphi = 37^{\circ} 32' N$ $\lambda = 121^{\circ} 23' E$ $H = 45.6 M$														
平均相对湿度(%)														
1907	日	73	68	63	57	67	72	81	82	72	63	62	64	69
1908	日	73	66	58	59	67	80	87	80	68	69	60	59	69
1909	日	67	54	59	57	58	66	83	83	72	64	68	62	66
1910	日	71	65	65	71	67	77	85	86	68	74	80	73	74
1911	日	78	74	71	72	66	77	86	87	81	70	73	71	76
1912	日	70	71	66	64	61	78	81	81	73	75	72	74	72
1913	日	75	71	59	66	61	78	86	84	72	71	73	73	72
1914	日	70	76	72	63	65	71	88	90	85	67	69	63	73
1915	日	71	64	60	65	67	77	81	77	64	68	63	65	69
1916	日	72	66	59	63	58	68	75	84	73	66	68	69	68
1917	日	66	65	56	52	56	66	82	82	74	59	61	69	66
1918	日	60	63	65	59	65	67	81	81	62	59	60	62	65
1919	日	73	61	62	51	66	78	81	75	71	57	61	64	67
1920	日	70	73	66	55	59	66	80	77	76	63	64	64	68
1921	日	59	58	60	59	67	72	83	82	72	70	59	65	67
1922	日	66	75	60	58	72	67	78	81	74	71	69	70	70
1923	日	65	68	70	67	61	66	80	87	71	64	61	61	68
1924	日	62	67	67	68	60	70	83	81	72	60	60	66	68
1925	日	67	67	62	59	74	83	82	83	75	68	65	69	71
1926	日	71	70	58	53	75	66	80	84	71	63	70	75	70
1927	日	75	74	75	64	65	62	79	80	72	67	66	71	71
1928	日	79	71	64	57	55	68	73	82	68	63	65	72	68
1929	日	76	70	61	56	72	66	80	75	62	62	59	79	68
1930	日	75	77	70	64	63	65	88	82	66	69	64	64	71
1931	日	70	67	59	58	63	74	83	87	68	55	69	71	69
1932	日	65	69	58	60	57	71	76	79	74	54	56	63	65
1933	日	70	68	67	62	64	74	79	78	63	56	57	67	67
1934	日	69	61	57	57	59	65	84	84	71	61	57	66	66
1935	日	67	60	55	51	54	63	86	80	62	57	66	66	64
1936	日	65	74	59	62	59	68	77	80	70	53	54	57	65
1939	日	65	65	63	59	62	60	76	79	69	64	65	56	65
1940	日	66	64	55	53	52	67	83	84	67	60	65	62	65
1950	日	-	-	-	59	55	70	81	82	65	65	71	70	-
1951	日	73	71	62	55	67	68	80	85	70	73	75	67	71
1952	日	66	67	68	64	62	62	81	81	72	62	71	68	69
1953	日	66	69	63	53	64	77	80	85	69	66	67	61	68
平均		69	68	63	60	63	70	81	82	71	64	65	67	69
最小相对湿度(%)														
1907	日	37	42	22	22	24	31	30	40	41	31	28	17	17
1908	日	11	24	1	23	30	8	3	30	29	29	28	11	11/12
1908	日	42	31	23	25	17	41	47	45	30	35	28	30	17
1908	日	3	25	25	19	18	4	2	30	25	2	25	2	18/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1909	日	32	16	19	20	16	23	42	46	43	34	26	23	16
1910	日	23	13	5	30	29	10	8,26	31	10	31	26	6	13/2, 29/5
1911	日	7	23	1	13,14	23	2,26	4	22	17	10	4	4	26
1912	日	41	46	33	31	27	38	47	55	56	44	52	38	23/2
1913	日	20	27	11	22	9	30	5	5	11	29	8,29	16	27
1914	日	27	27	25	23	28	26	44	49	39	39	43	39	9/5
1915	日	31	6,7	19	19	9	6	19	1	13	11,17	25	25	23
1916	日	32	32	24	29	28	45	44	43	41	44	39	30	19/4
1917	日	30	7	30	13	10,23	1	1	15,31	13,27	19,23	15	28	24
1918	日	40	41	35	28	26	27	62	65	47	29	32	23	30/3
1919	日	1	28	19	21,25	22	11	15	15	15	23	24	18	23
1920	日	20	32	33	15	22	18	39	40	22	28	29	23	18/12
1921	日	16	19	2,20	8	29	5	1	11	11	15,21	1	15	15
1922	日	35	38	25	26	23	24	30	53	43	29	38	24	8/4
1923	日	14	15,27	25	5	5,11	2	2	22	11	5	12	2	23
1924	日	34	34	22	15	21	27	37	46	40	26	27	30	5,11/5
1925	日	22	22	10	29	19	13	8	12	20	14	21	7	15
1926	日	28	25	27	18	25	29	39	45	28	27	31	29	29/4
1927	日	21	21	3,16	17	21	11	4	29	21	12,25	19	15	18
1928	日	44	23	27	16	23	35	53	45	26	25	24	27	17/4
1929	日	21	12	20	27	23	28	30	19	17	23	25	1	16
1930	日	32	39	28	25	23	26	38	44	48	30	35	24	27/4
1931	日	5	25	17	14	25	25	12	16	25	6,27	1,26	19	23
1932	日	20	21	20	19	18	29	46	55	-	-	-	-	25/5
1933	日	22,23	26	7	17,18	14	13	2	26	-	-	-	-	-
1934	日	24	28	21	23	-	20	29	47	39	35	29	34	-
1935	日	10	27	15	12,17	-	13	12	6	19	29	11	25	-
1936	日	14	24	38	24	23	23	37	50	31	30	28	29	-
1937	日	8	3	3,31	18,27	17	15	5	27	23	30	5	2	14
1938	日	33	26	26	22	22	25	36	50	40	30	32	29	8/1
1939	日	9	20,22	9	10	1	16	20	24	19	11	20	31	22
1940	日	41	39	19	22	27	27	36	45	42	31	39	46	104,1/5
1941	日	25	25	28	29	8	4	1	29	12	20,21	26	38	19
1942	日	48	46	36	22	26	23	39	52	39	38	24	38	28/3
1943	日	2	28	27	25	29	17	1,4	17	17	3	12	10	22
1944	日	50	43	27	21	19	25	26	48	36	29	27	48	25/4
1945	日	12	24	29	10	3	17	2	23	38	23	4	6	19
1946	日	52	24	19	20	24	23	49	36	27	32	30	42	3/5
1947	日	9,11	19	21	14	30	29	10	31	28	29	1,12	9	19
1948	日	45	35	33	30	21	22	36	60	26	26	32	30	21/3
1949	日	20	20	22	16,26	15	3	12	19	24	6	6	25	21
1950	日	30	23	23	21	27	33	48	53	23	27	26	43	15/5
1951	日	17	27	29	9,23	2,24	5	26	31	4	15	7	14	21
1952	日	36	40	21	22	23	30	50	54	30	25	19	30	9,23/4
1953	日	4	29	7	1,18	10,23	4	9	12,22	30	30	8	13	19
1954	日	34	39	24	22	26	30	39	38	26	29	22	39	8/11
1955	日	8	26	29	29	3	24	14	22	14	25	7,8	2	22
1956	日	48	24	20	22	24	24	42	49	37	28	24	39	38
1957	日	9	15	17	25	2	15	10	27	24	26	22	8,25	20
1958	日	38	33	23	22	18	25	57	48	31	21	31	38	17/3
1959	日	24	3	21	27	7	1	4,24	28	14	13	18	4	18
1960	日	30	40	21	15	21	31	35	49	27	23	21	26	7/5
1961	日	4	11	31	20	10	11	15	9	18	19	13	14	15
1962	日	34	32	34	21	19	22	45	41	33	33	34	29	20/4
1963	日	8	22	2,26	28	3	6	2	14	16	11	16	13	19
1964	日	32	29	20	19	16	19	33	41	35	22	37	30	3/5
1965	日	-	-	-	-	-	-	-	-	-	-	-	-	16
1966	日	-	-	-	15	18	27	34	48	23	36	33	42	-/5
1967	日	-	-	-	9	10	21	6	31	29	1,11	15	25	-
1968	日	29	37	15	18	18	32	43	56	39	42	36	32	15
1969	日	29	17	17	21	7,11	1	18	31	25	25	24	17	17/3
1970	日	32	22	20	26	18*	20*	48*	43*	33*	29*	34*	27*	18
1971	日	15	20	23	13	21	6	13	4	10	27	19	22	21/5
1972	日	31	31	27	10	15	25	42	57	34	22	30	24	10
1973	日	8	19,22	16	24	14	3	17	11,15	7	2	13	23	24/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日年	值期份	14 8 1924	16 13 1909	15 17 1951	10 24 1953	15 14 1953	18 5 1915	26 2 1928	36 31 1929	22 11 1915	21 13 1935	19 8 1932	17 11 1907	10 24/4 1953
惠 民														
$\varphi=37^{\circ}30'N$ $\lambda=117^{\circ}29'E$ $H=15.5M$														
平均相对湿度(%)														
1949	—	81	51	45	49	54	73	76	73	60	54	77	—	—
1950	—	—	—	—	61	62	80	81	67	76	72	65	—	—
1951	71	68	57	51	60	56	80	84	75	73	72	67	68	68
1952	61	63	61	58	55	58	75	67	77	(71)	80	75	67	67
1953	65	75	62	46	63	66	82	88	76	72	73	68	70	70
平 均		66	69	60	52	59	60	79	80	76	72	75	70	68
最小相对湿度(%)														
1949	—	42	19	16	15	33	56	58	41	43	38	44	—	—
1950	—	27	26	13	23	16	16	30	28	30	16	19	—	—
1951	—	—	—	—	14	21	36	40	31	36	32	31	14	14
1951	33	31	27	24	25	27	39	42	26	27	20	25	20	21/5
1952	25, 31	16	38	14	1, 9	4	10	20	30	1	2	12	2/11	2/11
1952	24	25	22	20	20	25	40	36	41	(22)	32	33	20	20
1953	24	22	17, 31	15	8	6	4	26	4	15	7	27	15/4, 8/5	15/4, 8/5
1953	31	28	22	16	19	18	41	53	34	25	34	32	16	16
1953	23	18	38	13	38	3	8	28	18	11	13	26, 29	13/4	13/4
極日年	值期份	24 24 1952	25 22 1952	19 26 1949	16 13 1949 1953	14 21 1950	18 3 1953	36 9 1950	36 26 1952	26 30 1951	22 15 1952	20 2 1951	25 12 1951	14 21/5 1950
德 州														
$\varphi=37^{\circ}29'N$ $\lambda=116^{\circ}22'E$ $H=22.7M$														
平均相对湿度(%)														
1941	65	63	43	36	37	60	58	66	48	45	62	65	54	54
1942	46	45	45	41	53	42	73	74	58	55	53	52	53	53
1943	54	49	45	49	60	51	59	71	72	65	68	62	59	59
1944	66	60	43	50	49	47	76	75	65	65	58	56	59	59
1945	52	55	61	49	55	—	—	—	—	—	—	—	—	—
1946	66	61	71	65	66	—	—	—	—	—	—	—	—	—
1950	—	—	—	65	54	60	73	76	62	74	66	65	—	—
1951	77	71	56	47	60	51	71	76	65	70	72	62	65	65
1952	55	66	61	53	48	48	72	70	58	82	77	63	63	63
1953	60	73	56	39	57	60	78	87	69	68	74	68	66	66
平 均		60	61	50	45	52	51	70	74	64	61	67	63	60
最小相对湿度(%)														
1941*	23	22	13	13	11	16	19	13	19	16	15	21	11	11
1941	19	21	13	13, 14	18	24	1	24	13	27	27	31	18/5	18/5
1942*	13	12	14	11	16	15	20	26	24	16	15	16	11	11
1942	17	14	17	20	3	4, 15	6	29	19	23	3, 25	2, 27	20/4	20/4
1943*	15*	12*	12*	13*	20	16	23	30	24	27	16	15	12	12
1943	6	7	22	9	6	13	13, 14	1	9	18	20	3	7/2, 22/3	7/2, 22/3
1944*	15	12	10	15	15	13	29	36	19	22	17	20	10	10
1944	6	15	5	19, 28	27	26	5	28	13	30	13	17, 19	5/3	5/3
1945*	10	12	18	18	12	—	—	—	—	—	—	—	—	—
1945	27	9	16	10	31	—	—	—	—	—	—	—	—	—
1946	22	15	31	31	27	—	—	—	—	—	—	—	—	—
1946	14	1	3	2, 22	24	—	—	—	—	—	—	—	—	—
1950	—	—	—	19	20	22	40	36	26	35	26	26	—	—
1951	—	—	—	10	5	11	8	27	28	2	27	30	—	—
1951	31	25*	17*	17*	22*	18*	26*	26*	23*	23*	23*	21*	17	17
1951	21	15	9	13	22	8	16	31	30	1	25	7	9/3, 13/4	9/3, 13/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952*	日	12	20	12	10	12	12	31	29	24	16	27	17	10
1953*	日	24	22	31	14	28	3,17	19	25	28	15	5	31	14/4
日	28	17	14	9	12	15	3	35	45	26	22	29	26	9
			25	12,13	15			7	28	26	9,22	22	30	12,13/4
植	值	10	12	10	9	11	12	19	13	19	16	15	15	9
日	期	27	4*	5	12,13	18	3,17	1	24	13	3*	3*	3	12,13/4
年	份	1945	4年	1944	1953	1941	1952	1941	1941	1941	3年	1941	1943	1953
										1944		1942		
萊 陽 $\varphi=36^{\circ}57'N$ $\lambda=120^{\circ}42'E$ $H=57.7M$														
平均相对湿度(%)														
1949		74	68	62	64	61	67	81	83	79	70	67	84	72
1950		83	78	72	68	72	82	89	88	76	78	78	80	79
1951		82	75	72	59	74	72	84	88	80	77	77	74	76
1952		76	70	68	65	65	68	87	88	84	75	83	80	76
1953		76	80	74	67	76	81	88	87	76	74	79	75	78
平 均		78	74	70	65	70	74	86	87	79	75	77	79	76
最小相对湿度(%)														
1949		13	30	26	26	19	25	47	46	43	35	33	39	13
日		12	27	12	24	24	20	7	26	26	23	25	1	12/1
1950		50	32	28	32	32	39	51	38	32	37	33	45	28
日		11	26	20	8	21	21	10	23	29	5	15	2	20/3
1951		29	27	21	14	21	20	36	50	33	33	36	22	14
日		28	15	17	14	1	9	8	19	26	1	8	12	14/4
1952		19	35	23	22	20	19	40	50	41	27	45	42	19
日		31	5	23	13	28	20	4	7	29	7,12	6	30	31,120/6
1953		38	39	26	16	25	33	55	50	28	21	43	39	16
日		23	18	27	23	13-15	3	15	29	25	9	13	23	23/4
植	值	13	27	21	14	19	19	36	38	28	21	33	22	13
日	期	12	15	17	14	24	20	8	23	25	9	25,15	12	12/1
年	份	1949	1951	1951	1951	1949	1952	1951	1950	1953	1953	1949	1951	1949
											1950			
張 店 $\varphi=36^{\circ}48'N$ $\lambda=118^{\circ}03'E$ $H=42.7M$														
平均相对湿度(%)														
1941		64	54	45	37	44	58	62	66	54	48	62	-	-
1942		46	54	52	40	48	40	63	75	66	55	52	53	54
1943		50	52	49	49	54	55	72	71	78	62	65	57	60
1944		63	56	41	53	50	52	65	74	63	61	57	55	58
1945		54	58	-	-	-	-	-	-	-	-	-	-	-
平 均		53	54	47	47	51	49	67	73	69	59	58	55	57
最小相对湿度(%)														
1941		15	21	14	16	13	22	-	23	25	-	20	-	-
日		3*	14	3	21	4	24	-	25	13,14	-	3	-	-
1942*		14	13	14	14	14	13	15	32	28	17	18	10	10
日		5	14,19	1	12,21	22	11	6	29	19	9	27	26	26/12
1943*		10	17	19	21	21	20	34	31	31	21	20	18	10
日		13	4*	14	11	3*	13	23	22	20	30	20	28	13/1
1944		25	22	16	19	20	17	25	29	21	19	18	-	-
日		6	6*	19	28	27	26	28	29	22	31	24	-	-
1945		10	-	-	-	-	-	-	-	-	-	-	-	10
日		27	-	-	-	-	-	-	-	-	-	-	-	27/1
植	值	10	13	14	14	13	13	15	23	21	17	18	10	10
日	期	13,27	14,19	3,1	12,21	4	11	6	25	22	9	27,24	26	3*
年	份	1943	1942	1941	1942	1941	1942	1942	1941	1944	1942	1942	1942	3年
		1945		1942								1944		

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
濰 縣 $\varphi=36^{\circ}42'N$ $\lambda=119^{\circ}07'E$ $H=37.8^+M$														
平均相对湿度(%)														
1950	日	-	-	-	61	71	68	81	83	75	80	78	73	-
1951	日	77	74	61	54	69	64	78	84	74	71	79	69	71
1952	日	71	72	70	67	62	59	84	82	74	69	81	76	72
1953	日	66	76	63	50	68	74	83	86	69	66	76	67	70
平 均		71	74	65	57	66	66	82	84	72	69	79	71	71
最小相对湿度(%)														
1950	日	-	-	-	17	30	34	42	49	33	41	40	26	-
1951	日	31	33	16	15	20 [†]	24 [†]	30 [†]	32 [†]	29	2,10	20	27	-
1952	日	28	7	17	21	1	9	17	31	25	1	26	15,17	21/4
1952 [†]	日	19	18	30	29	22	14	45	38	31	20	33	32	14
1953	日	23	10,19	3,11	8	13,16	17	8	26	16	2	1	21	17/6
1953 [†]	日	20	26	19	8	19	21	44	46	22	15	30	21	8
1953 [†]	日	28	18	8,29	12	14	3	16	30	26	2,9	19	23	12/4
極 值	日 期	19	18	16	8	19	14	30	32	22	15	30	21	8
日 年		23	10,19	17	12	14	17	17	31	26	2,9	19	23	12/4
		1952	1952	1951	1953	1953	1952	1951	1951	1953	1953	1953	1953	1953
濟 南(一) $\varphi=36^{\circ}41'N$ $\lambda=116^{\circ}58'E$ $H=54.0M$														
平均相对湿度(%)														
1948	日	-	-	-	-	-	-	-	-	-	-	63	74	-
1949	日	66	68	55	46	48	52	80	80	78	63	63	78	65
1950	日	70	64	56	64	58	59	76	78	69	76	69	66	67
1951	日	75	74	55	48	61	51	73	78	71	69	72	66	66
1952	日	62	65	62	57	53	53	72	72	71	64	83	77	66
1953	日	65	76	60	47	62	62	81	86	64	61	66	65	66
平 均		68	69	58	52	56	55	76	79	71	67	71	70	66
最小相对湿度(%)														
1948	日	-	-	-	-	-	-	-	-	-	-	29	28	-
1949	日	21	31	18	15	16	22	38	40	35	30	25	37	15
1950	日	19	14	31	7	14	13	1	27	27	30	24	6	7/4
1950 [†]	日	20	25	22	24	19	24	31	39	27	34	27	21	19
1951	日	10	27	18	9	11	11	9	30	28	26	19	30	11/5
1951 [†]	日	25	30	21	18	21	18	34	42	30	31	30	26	18
1952	日	26	16	9	11	1	8	16	31	25	2	26	12	11/4,8/6
1952 [†]	日	23	26	20	23	19	17	40	37	38	27	35	40	17
1953	日	22,23	19,22	31	17	6	3	4	26	2,22	15	1	21	3/6
1953 [†]	日	28	37	24	20	22	24	44	48	23	20	27	27	20
1953 [†]	日	21	17	28	12,23	15	3,13	7	29	26	2	19	23	3/6
極 值	日 期	20	25	18	15	16	17	31	37	23	20	25	21	15
日 年		10	27	31	7	14	3	9	26	26	2	24	30	7/4
		1950	1950	1949	1949	1949	1952	1950	1952	1953	1953	1949	1950	1949
濟 南(二) $\varphi=36^{\circ}40'N$ $\lambda=117^{\circ}02'E$ $H=53.9^+M$														
平均相对湿度(%)														
1919	日	77	50	51	38	44	53	66	59	57	41	41	49	52
1920	日	46	67	48	37	37	46	63	62	75	56	50	54	53
1921	日	58	42	47	45	49	57	76	85	75	66	56	63	60
1922	日	64	66	48	50	59	52	66	78	61	45	48	47	57
1923	日	49	56	60	60	51	52	67	75	62	50	52	45	57
1924	日	43	47	44	46	49	53	77	69	56	54	50	48	53
1925	日	46	32	38	40	51	63	72	77	60	53	61	43	53

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1926	55	60	44	43	53	45	66	74	66	60	70	59	58
1927	66	68	66	58	45	45	59	62	56	54	55	57	58
1928	61	54	49	49	38	53	59	73	60	49	60	76	57
1929	62	54	46	43	44	43	64	73	52	52	50	80	55
1930	65	71	56	50	50	48	72	80	64	67	59	59	62
1931	63	60	45	47	54	49	72	78	62	51	71	66	60
1932	66	64	40	43	52	51	65	72	66	44	42	50	55
1933	60	55	50	54	50	59	65	76	63	55	56	70	59
1934	52	49	45	46	44	49	65	81	68	62	52	70	57
1935	71	47	40	41	39	44	70	75	57	52	72	52	55
1936	49	61	38	53	50	55	69	70	62	41	39	54	53
1937	57	57	52	54	44	53	68	82	73	—	—	—	—
1938	—	—	—	—	43	60	69	60	46	63	52	71	—
1939	56	62	48	39	46	40	64	81	78	65	59	50	57
1940	58	62	48	37	40	52	71	81	62	48	62	63	57
1941	59	53	38	33	43	51	57	67	50	45	61	60	51
1942	42	47	46	37	46	38	62	69	54	49	47	49	49
1943	51	47	44	43	55	45	64	69	71	53	60	53	55
1944	60	52	35	44	41	45	62	68	54	53	51	49	51
1945	54	57	55	34	40	46	67	68	70	57	68	51	56
1946	56	52	60	44	50	44	64	73	64	52	62	53	56
1947	69	54	42	39	45	54	74	77	73	62	68	69	61
1948	59	70	66	53	44	48	—	—	—	—	—	—	—
平 均	58	55	47	44	47	49	67	73	63	53	56	57	56
最小相对湿度(%)													
1921	24	16	15	15	20	25	36	59	—	—	—	—	—
日	20	21	13	14	27	1	1	18	—	—	—	—	—
1922	21	28	18	24	—	27	28	34	29	25	16	19	—
日	18	11	19	19	—	1	4	17	4	9	27	17	—
1923	—	—	24	23	20	20	25	38	25	15	22	18	—
日	—	—	8	30	28	10	10	4	16	4	30	25	—
1924	19	17	24	21	24	22	54	36	26	23	23	19	17
日	2	22	34	54	34	14	27	27	9	7	29	23	22/2
1925	18	14	9	16	22	22	31	38	24	26	33	17	9
日	2	22	2	13	21, 27	11	19	18, 19	22	20, 21	4	28	2/3
1926	29	14	19	17	21	21	25	37	26	27	32	19	14
日	2	1	9, 10	25	6	28	8	27	12	20	25	28	1/2
1927	29	32	37	22	23	18	23	28	33	24	24	25	18
日	18	26, 27	27	28	3	27	2	4	44	29	17	9	27/6
1928	18	20	18	20	16	19	28	37	24	21	18	28	16
日	11	9	26	8	28	3	1, 18	8	25, 26	11, 21	1	16	28/5
1929	15	21	17	18	19	19	26	35	32	23	23	34	15
日	6	10	11	34	22	18	1	1	22, 30	18	25, 26	17	6/1
1930	33	30	22	20	16	19	31	42	30	27	28	24	16
日	4, 18	11	29	16, 21	2	4	12	20	26	9	11	25	2/5
1931	24	25	13	16	19	22	35	47	30	26	29	12	12
日	30	25	26	8	2	2, 11	23	27	30	2	3	14	14/12
1932	25	20	13	16	15	13	21	27	24	20	18	18	13
日	9	20	9	28	19	6	7	21	29	20	8	13	9/3, 6/6
1933	22	19	20	20	21	21	32	34	26	20	21	27	19
日	12	3	31	25	10	18	28	20	14	22	20	22	3/2
1934	20	22	14	20	18	18	29	51	31	26	24	22	14
日	20	26	18	16	22	14	19	30	10	26	3	3	18/3
1935	32	22	17	14	18	11	25	40	23	21	32	18	11
日	29	10	16	27	20	4	2	15	27	16	21	15	4/6
1936	20	23	17	18	20	21	34	30	27	17	15	17	15
日	19	29	7	4	26	4	3	30	28	20	13	6	13/11
1937	19	19	11	16	13	20	32	51	33	—	—	—	—
日	7	13	15	6	27	2	6, 15	11	2	—	—	—	—
1938	—	—	—	—	—	—	—	—	8	32	19	28	—
日	—	—	—	—	—	—	—	—	10, 24	5	7	2	—
1939	13	15	8	7	7	7	21	20	13	10	22	22	7
日	23	21	22	30	25	5	5	30	24	11	15	4	34

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940	日	20	22	18	11	15	21	22	37	25	17	28	20	11
		27	7	12	23	4	5	19	15	12	25	24	7	23/4
1941	日	18	21	14	15	16	21	26	26	24	18	23	26	14
		29	5	26	10	4	24	6	24	13	27	28	5	26/3
1942	日	21	17	19	15	15	16	22	27	28	21	19	21	15
		8	11	18	12	12	11	5	29	4	25	3	28	12/4,12/5
1943	日	23	22	16	17	21	18	33	32	31	22	22	19	16
		13	12	16	9	6	15	23	1	20	25	20	4	16/3
1944	日	25	19	16	17	16	10	26	33	21	19	18	19	10
		5	25	29	28	27	26	5	28	22	29	9	21	26/6
1945	日	17	19	11	11	14	18	30	35	28	27	-	20	-
		27	9	31	12	26	2	22	14	13	20	-	28	-
1946	日	19	18	23	18	19	20	26	-	-	-	-	27	-
		16	1	3	15	19	17	4	-	-	-	-	4	-
1947	日	-	-	-	-	-	-	36	37	30	28	27	26	-
		-	-	-	-	-	-	23	6	10	9	20	22	-
1948	日	23	17	20	18	18	-	-	-	-	-	-	-	-
		19	6	4	24	3	-	-	-	-	-	-	-	-
極日	值期	13	14	8	7	7	7	21	20	8	10	15	12	7
年	份	23	22,1	22	30	25	5	7,5	30	10,24	11	13	14	3
		1939	1925 1926	1939	1939	1939	1939	1932 1939	1939	1938	1939	1936	1931	1939
泰 山 $\varphi=36^{\circ}16'N$ $\lambda=117^{\circ}12'E$ $H=1541.0M$														
平均相对湿度(%)														
1932	日	-	-	-	-	-	-	-	80	78	47	34	42	-
1933	日	52	66	62	60	60	79	87	83	72	63	55	65	67
1934	日	54	56	56	58	57	69	84	87	78	57	40	56	63
1935	日	42	49	41	49	43	56	88	84	63	49	65	58	57
1936	日	60	65	44	63	61	65	78	76	61	39	36	51	58
1937	日	51	60	61	53	49	76	82	97	78	66	59	-	-
平 均		52	59	51	58	55	67	84	83	69	52	49	58	61
最小相对湿度(%)														
1932	日	-	-	-	-	-	-	-	25	35	18	0	3	0
		-	-	-	-	-	-	-	24	15	22	3	21	3
1933	日	11	18	15	6	9	24	48	23	15	4	3	20	3
		1	2	12	18	6	20	17	30	13	1	28	4	28/11
1934	日	21	10	11	0	13	18	30	20	17	7	0	0	0
		5	15	23	27	27	14	20	14	5	26	18	6-9	6
1935	日	0	12	5	8	7	19	33	24	27	1	1	1	0
		4	5	13	11	1,13	5,7	7	12	26	17	10	23	4
1936	日	9	6	0	8	17	18	30	25	21	6	8	11	0
		23	4	23	2	4	29	23,25	19,20	2,20	17	4	6	23/3
1937	日	1	0	0	0	14	24	30	66	20	20	13	-	0
		12	23	3	28	5	1	26	29	2	12	19	-	5
極日	值期	0	0	0	0	7	18	30	20	15	1	0	0	0
年	份	4	23	4	27,28	1,13	14,29	4	14	13	17	4	6-9	19
		1935	1937	1936 1937	1934 1937	1935	1934 1936	3	1934	1933	1935	1932 1934	1934	5
泰 安(-) $\varphi=36^{\circ}13'N$ $\lambda=117^{\circ}10'E$ $H=129.4M$														
平均相对湿度(%)														
1950	日	-	-	-	-	68	68	84	85	78	82	73	70	-
1951	日	78	78	60	51	64	57	79	79	71	67	71	63	68
1952	日	54	60	60	58	56	52	79	76	69	65	83	79	66
1953	日	63	75	65	54	69	69	85	85	64	68	73	72	70
平 均		65	71	62	54	63	59	81	80	68	67	76	71	68

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小相对湿度(%)														
1950	日	-	-	-	-	11	24	40	45	38	44	40	32	11
1951	日	42	43	21	17	23	20	41	38	25	24	18	15	22/5
1952	日	25	18	9	7	19	8	2	31	30	1	25	12	12/12
1953	日	13	26	16	22	19	16	47	39	30	21	34	36	13
1954	日	22,24	19	22,31	14	8	3,20	17	19	12	15	1	31	22,24/1
1955	日	26	28	27	21	20	27	52	44	22	16	33	28	16
1956	日	28	17	34	16	13	3	1	28,29	18,19	5	19	25	5/10
極 值	日期	13	26	16	17	11	16	40	38	22	16	18	15	11
日 年	值 期	22,24	19	22,31	7	22	3,20	9	31	18,19	5	25	12	22/5
		1952	1952	1952	1951	1950	1952	1950	1951	1953	1953	1951	1951	1950
泰 安(二) $\varphi=36^{\circ}13'N$ $\lambda=117^{\circ}07'E$ $H=160.5M$														
平均相对湿度(%)														
1933		73	70	61	59	53	63	67	80	62	56	55	68	64
1934		53	61	46	46	49	53	65	80	68	61	52	66	58
1935		68	50	41	43	40	46	69	67	52	53	70	54	54
1936		51	58	37	43	53	56	71	64	95	43	40	54	55
1937		62	62	54	-	-	-	-	-	-	-	-	-	-
平 均		61	60	46	48	49	55	68	73	69	53	54	61	58
青 島 $\varphi=36^{\circ}04'N$ $\lambda=120^{\circ}19'E$ $H=77.0M$														
平均相对湿度(%)														
1898		-	-	-	-	-	86	88	87	73	64	66	72	-
1999		71	78	68	66	79	81	81	81	68	62	63	76	73
1900		75	70	68	78	77	82	88	87	71	70	66	78	76
1901		81	64	69	75	77	81	91	84	75	70	68	73	76
1902		74	71	82	80	75	83	87	83	70	67	67	76	76
1903		80	75	75	74	77	73	85	88	76	65	64	70	75
1904		77	80	72	78	77	78	88	83	69	66	64	73	75
1905		82	76	77	75	74	81	90	82	83	79	65	72	78
1906		72	76	71	67	71	90	89	83	73	70	61	69	74
1907		78	72	72	80	66	81	86	84	69	66	62	64	73
1908		73	69	68	66	67	79	91	79	77	74	73	65	73
1909		71	60	63	71	68	85	94	88	77	65	68	64	73
1910		68	60	63	71	71	82	88	86	69	65	71	64	72
1911		71	75	74	75	80	82	89	88	82	61	66	68	76
1912		61	68	72	67	72	83	89	87	71	66	63	69	72
1913		79	63	57	69	64	83	89	84	73	67	70	66	72
1914		64	72	79	73	78	84	-	-	-	-	-	-	-
1915		-	-	-	73	77	91	96	88	81	80	63	71	-
1916		68	64	60	72	72	83	87	84	81	73	77	75	75
1917		65	64	67	74	71	84	92	84	78	64	61	56	72
1918		60	64	69	67	73	81	86	84	66	65	68	66	71
1919		72	68	71	68	74	86	87	74	69	62	56	62	71
1920		66	70	71	68	69	80	90	79	77	67	66	63	72
1921		67	61	65	69	74	82	92	86	72	66	62	66	72
1922		67	81	71	71	78	79	84	84	78	67	60	63	74
1923		65	66	78	77	76	83	93	91	68	60	61	58	73
1924		62	60	65	80	69	78	93	81	75	64	60	64	71
1925		61	58	64	63	82	88	91	84	69	64	63	58	70
1926		67	69	58	63	80	79	85	87	76	68	71	69	73
1927		72	68	75	73	74	79	93	76	64	64	62	67	72
1928		69	66	70	70	75	80	86	83	73	67	72	67	73
1929		67	65	62	67	83	85	95	84	65	60	51	71	71
1930		59	75	76	79	80	81	91	85	68	68	58	60	73

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1931	66	65	64	63	76	78	86	88	70	56	69	68	71
1932	63	57	57	71	71	85	88	76	71	54	57	59	67
1933	66	66	68	73	72	85	88	81	72	62	64	70	72
1934	56	60	57	66	71	79	90	88	76	67	56	70	70
1935	66	61	60	67	64	75	88	76	62	65	69	57	68
1936	57	69	57	70	76	84	90	84	75	58	53	58	69
1937	63	68	70	70	67	80	85	88	-	-	-	-	-
1938	-	58	70	61	73	83	90	80	63	71	58	61	-
1939	65	70	71	62	72	72	86	79	72	70	67	62	71
1940	64	71	63	65	68	84	93	86	67	61	65	69	71
1941	66	65	60	62	71	89	85	76	61	62	66	72	70
1942	55	60	72	68	73	78	92	81	73	65	61	63	70
1943	62	64	65	67	76	82	85	82	70	65	61	64	70
1944	63	59	61	65	70	79	87	82	72	62	64	52	68
1945	60	63	73	68	69	84	94	87	79	67	67	58	72
1946	64	70	69	67	72	82	87	83	72	68	68	61	72
1947	70	64	69	68	77	82	94	89	78	62	73	73	75
1948	71	77	80	72	66	80	89	88	78	73	70	80	77
1949	73	79	73	68	74	84	91	89	81	64	61	76	76
1950	81	80	77	79	76	85	90	83	70	72	69	70	78
1951	77	78	70	66	79	79	89	87	72	72	69	67	75
1952	67	70	72	74	77	78	91	86	81	68	79	71	76
1953	70	77	75	69	79	88	94	90	72	71	73	70	77
平 均	68	68	68	70	74	82	89	84	73	66	65	67	73
最小相对湿度(%)													
1898	-	-	-	-	-	-	63	61	45	34	36	34	-
日	-	-	-	-	-	-	23	31	20	16	26	16	-
1899	34	44	27	30	42	38	45	57	36	24	25	33	24
日	8	7	25	13, 22	5	-	-	-	-	-	-	-	-10
1900	56	28	30	33	35	41	66	52	36	40	33	49	28
日	-	-	-	-	-	-	-	-	-	-	-	-	-2
1901	53	33	28	21	36	50	70	41	40	38	31	36	21
日	-	-	-	-	-	-	-	-	-	-	-	-	-4
1902	39	26	28	28	29	35	28	55	34	32	28	28	26
日	23	4	9	11	23	1	9	30, 31	24	24	5	8	4/2
1903	37	41	23	32	24	33	59	44	42	23	19	37	19
日	12	17	14	30	1	3	10	-	10	10	8	1	8/11
1904	42	53	31	37	34	18	56	54	26	34	31	37	18
日	19	24	19	25, 27	5	8	10	20, 21	20	30	1	20	8/6
1905	49	47	28	23	29	36	60	47	49	43	19	29	19
日	14	17	5	22, 28	27	13	20	6, 8	17	31	29	1	29/11
1906	32	43	19	23	27	55	37	42	38	27	30	30	19
日	15	1	15	3	21	18	11	28	25	26	16	10	15/3
1907	33	35	25	29	15	30	44	40	38	29	18	28	15
日	3	25	13	22	10	14	3	29	9	12	8	11	10/5
1908	35	36	18	18	18	17	61	45	31	35	35	27	17
日	4	22	17	8	5	7	30	7, 8	20	9	28	20	7/6
1909	32	24	25	31	22	34	72	58	43	24	30	19	19
日	1	28	24	15	19	9	29	31	25, 29	14	25	25	25/12
1910	22	18	17	24	19	26	52	54	34	21	29	29	17
日	2	10	16	4	12	5	1	14	14	11	19	22	16/3
1911	32	47	36	27	20	40	54	56	44	31	24	27	20
日	-	-	-	-	-	-	-	-	-	-	-	-	-5
1912	23	24	26	16	23	27	54	60	31	27	22	27	16
日	2	6	8	23	4	5	2	29	24	8	10	4, 24	23/4
1913	27	21	17	11	22	37	61	40	41	24	30	27	11
日	31	13	13	8	20	21	7	31	3	2	14	6	8/4
1914	29	20	37	12	17	25	-	-	-	-	-	-	-
日	5	8	16	-	-	-	-	-	-	-	-	-	-
1915	32	-	16	27	36	44	55	54	45	33	33	25	-
日	-	-	-	-	-	-	-	-	-	-	-	-	-
1916	19	22	19	21	22	32	47	40	40	28	33	34	19
日	24	11	27	24	7	6	4	24	29	20	29	26	24, 27/3

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1917 日	22 22	20 20	18 23	21 6	33 24	31 17	45 4	30 17	40 7	35 13	24 11	22 31	18 23/3
1918 日	26 3,21	25 19	27 20	22 19	24 20	24 10	42 14	37 29	27 29	30 12,22	39 11	28 27	22 19/4
1919 日	29 21	23 10	26 25	23 22	19 11	39 5	52 11	33 17,18	32 16	28 23	22 19	27 1,5	19 11/5
1920 日	23 8	31 3,24	25 11	24 21	23 27	29 5	63 25	36 18	40 18	33 5	25 13	20 19	20 19/12
1921 日	34 15	23 -	22 2	17 -	23 -	40 6	64 -	48 27	35 -	32 -	32 -	26 -	17 -/4
1922 日	26 20	32 27	28 -	24 -	31 -	32 -	43 11	40 -	41 22	28 -	16 26	30 17	16 26/11
1923 日	26 -	25 -	24 3	34 23	23 8	45 11	62 1	60 24	32 27	27 15	23 30	12 30	12 30/12
1924 日	25 7,8	22 24	25 13	26 2	23 26	28 12	51 12	33 27	34 24	28 29	29 12	31 1,9	22 24/2
1925 日	25 2	24 23	21 1,4	24 5,13	36 20	37 14	54 18	49 27	38 7,16	26 20	30 28	19 7	19 7/12
1926 日	17 21	17 24	21 27,28	22 14	25 6	25 14	45 7	39 30	40 15	32 29	35 26	25 25	17 21,1,24/2
1927 日	37 23	29 8	34 34	31 14	31 3	37 16	62 27	35 18	31 17,20	27 29	26 34	27 2	26 34
1928 日	25 12	24 18	25 21	27 22,23	22 2	29 1	49 18	50 29	34 26	33 20	40 22	31 30	22 2/5
1929 日	35 8	20 10	24 2	28 21	39 29	35 28	73 8	37 22	28 16	29 19	24 18	24 23	20 10/2
1930 日	23 17	20 11	30 17	20 21	26 22	34 4	54 17	50 27	29 23	25 15	25 11,12	12 23	12 23/12
1931 日	17 27	20 28	16 1	17 11	25 27	28 13	63 21	95 27	25 29	22 28	23 1	18 13	16 1/3
1932 日	19 7	21 28	12 12	26 10,18	25 21,22	43 24	56 17	35 20	42 29	24 21	29 29	17 12	12 12/3
1933 日	18 14	27 14	26 11	29 27	26 10	35 7	47 22	47 21	32 27	24 22	32 2,6	25 21	18 14/1
1934 日	19 26	19 25	14 28	21 16	23 21	33 6	50 21	51 14	38 20	24 26	24 28	24 8	14 28/3
1935 日	30 19	20 16	27 16	30 29	32 15	32 10	47 1	34 30	29 14	24 16	37 18	15 34	15 34
1936 日	9 18	21 12	13 5	21 15	29 6	32 3	45 16	50 20	37 17	30 1	19 23	17 8	9 18/1
1937 日	22 7	18 -	22 -	20 -	21 2	29 -	38 -	63 -	- -	- -	- -	- -	- -
1938 日	- -	18 8,9	27 10	29 23	30 9	37 16	58 31	48 20	27 10	30 15	26 13	22 30	- -
1939 日	24 -	28 -	23 -	22 -	19 24	21 -	34 31	51 1	34 23	35 31	21 29	30 -	19 24/5
1940 日	28 -	23 -	25 -	18 -	21 -	24 -	42 -	39 -	25 -	25 -	30 -	31 -	18 -/4
1941 日	23 29	22 -	21 -	20 -	20 -	53 -	55 -	33 -	24 14	24 27	28 -	29 -	20 -/4-5
1942 日	22 -	18 -	23 -	16 -	23 -	24 -	64 -	37 -	31 -	22 -	25 -	13 -	13 -/12
1943 日	19 -	25 -	25 -	28 -	26 -	33 -	41 -	36 -	29 9	28 -	24 -	14 -	14 -/12
1944 日	30 -	24 -	15 11	17 -	26 -	21 8	38 -	45 -	33 13	29 12	24 9	24 20	15 11/3
1945 日	28 6	21 10	29 31	26 13	25 25	34 3	66 30	63 2	48 9	33 31	31 1	16 18	16 18/12
1946 日	19 17	28 18,28	20 3	20 17	24 11	26 28	38 5	41 24	26 18	29 28	31 30	23 29	19 17/1
1947 日	26 28	26 27	23 3	25 4	28* 22	25* 1,2	52* 7	49* 5	29* 18	29* 23	37* 4	35* 1	23 3/3
1948 日	33 11	26 26	32 6	18 22	23 8,11	26 15	40 7	51 22	32 17	37 17	35 29	39 15	18 22/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949*	日	31	33	23	22	19	33	58	45	38	25	23	21	19
1950*	日	16	17	23	3,6	14	21	5	26	27	30	18	7	14/5
1951*	日	37	32	18	22	19	30	47	43	29	34	30	35	18
1952*	日	10	26	20	7	5	20	28	27	28	5	15	22	20/3
1953*	日	33	35	23	17	24	27	39	35	23	30	31	29	17
1951*	日	20	18, 23	22	22	5	4	16	20	30	26	8	15	22/4
1952*	日	31	23	24	27	22	27	55	45	48	27	45	31	22
1953*	日	18	18	22	17	8	19	4	2	21	2	5	28	8/5
1953*	日	32	30	17	23	26	42	62	51	26	29	36	37	17
1953*	日	23, 28	18	25	23	25	2	16	28	25	9, 10	19	23	25/3
極日年	值期份	9	17	12	11	15	17	25	30	23	21	16	12	9
極日年	值期份	18	24	12	8	10	7	7	17	30	11	26	30, 23	18/1
極日年	值期份	1936	1926	1932	1913	1907	1908	1926	1917	1951	1910	1922	1923	1936
莒 縣														
$\varphi = 35^{\circ}36'N$ $\lambda = 118^{\circ}52'E$ $H = 86.4 M$														
平均相对湿度(%)														
1949		60	61	55	46	49	59	70	73	73	57	57	81	62
1950		69	68	56	61	59	67	83	83	73	75	73	72	70
1951		75	77	64	60	73	75	89	88	78	75	75	68	75
1952		71	72	73	68	68	69	87	88	85	78	87	78	77
1953		62	80	66	64	73	79	90	86	72	73	81	74	75
平 均		67	72	63	60	64	70	84	84	76	72	75	75	72
最小相对湿度(%)														
1949		17	42	40	26	37	38	59	62	58	25	40	67	17
1950		17	18	6	3	14	21	21	30	25	29	16	5	17/1
1951		35	30	30	18	18	23	48	48	25	34	31	42	18
1952		24	27	13	11	5	9	9	28	28	1	18	29	11/4, 5/5
1953		29	32	21	14	27	29	56	55	36	31	31	20	14
1951		28	26	22	16	1	9	17	31	30	24	29	12	16/4
1952		20	28	28	28	28	23	61	58	-	(30)	39	44	-
1953		22	19	22	18	34	4	7	7	-	12	1	21	-
1953		23	48	14	19	25	24	65	49	26	21	33	25	14
1953		10	18	25	2	26	3	1	30	26	2	22	30	25/3
極日年	值期份	17	28	14	14	18	23	48	48	25	21	31	20	14
極日年	值期份	17	19	25	16	5	9, 4	9	28	28	2	18, 29	12	16/4, 25/3
極日年	值期份	1949	1952	1953	1951	1950	1950	1950	1950	1950	1953	1950	1951	1951
滋 陽														
$\varphi = 35^{\circ}35'N$ $\lambda = 116^{\circ}55'E$ $H = 52.0 M$														
平均相对湿度(%)														
1941		67	60	57	53	53	57	68	73	66	57	73	68	63
1942		49	64	62	53	63	54	71	73	63	67	59	57	61
1943		51	52	56	58	61	55	68	73	73	63	63	57	61
1944		66	60	43	61	55	44	67	71	64	66	63	67	61
1945		63	61	66	55	-	-	-	-	-	-	-	-	-
1950		-	-	-	67	57	60	81	85	77	81	75	78	-
1951		78	79	63	59	71	62	80	80	78	72	76	64	72
1952		65	70	69	65	58	53	81	80	76	67	83	84	71
1953		67	78	65	52	63	65	83	85	66	66	72	75	70
平 均		63	66	59	57	61	56	74	76	69	65	70	67	66
最小相对湿度(%)														
1941		6	20	19	15	13	18*	31*	25*	26*	23*	18*	20*	6
1942*		29	13	3	29	28	23	18	24	4	6	28	31	29/1
1942*		11	22	24	16	23	14	26	26	25	19	18	16	11
1943		7, 15	27	14	34*	2	14	3	29	19	2, 22	1	25, 27	7, 15/1
1943		9*	13*	16*	17*	20	15	25	34	25	21	21	17	9
1943		11	7	5	9	27	13	23	30	20	28	20-22	6	11/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944 ⁺ 日		19	17	13	21	18	17	25	23	21	26	24	27	13
1945 ⁺ 日		5	26	22	23	6	27	29	19	14	29	9	7,9	22/3
1945 ⁺ 日		15	18	11	14	-	-	-	-	-	-	-	-	-
1950 日		17	9	9	21	-	-	-	-	-	-	-	-	-
1950 日		-	-	-	18	16	16	43	51	29	37	35	39	-
1951 日		-	-	-	8	10	9	30	28	28	2	18	26,27	-
1951 日		33	32	24	17	26	22	38	33	33	31	21	15 ⁺	15
1952 ⁺ 日		28	23	9	14	1	11	15	20	30	24	25	12	12/12
1952 ⁺ 日		8	26	20	17	17	13	45	41	33	18	34	36	8
1953 ⁺ 日		24	4	16	17	29	4	17	19	18	15	1	31	24/1
1953 ⁺ 日		25	26	17	13	13	19	49	37	20	18	24	28	13
1953 ⁺ 日		22,28	17	30	3,11	15	3	19	29	30	9	22	30	3*
極日 年	值 期 份	6	13	11	13	13	13	25	23	20	18	18	15	6
		29	7	9	3,11	28,15	4	23,29	19	30	15,9	28,1	12	29/1
		1941	1943	1945	1953	1941	1952	1943	1944	1953	1952	1941	1951	1941
						1953		1944		1953	1953	1942		
臨 沂 $\varphi=35^{\circ}09'N$ $\lambda=118^{\circ}18'E$ $H=54.6M$														
平均相对湿度(%)														
1950		-	-	-	-	-	-	-	81	68	69	57	54	-
1951		49	59	51	54	68	61	82	83	71	65	63	51	63
1952		48	70	71	60	66	60	85	84	79	70	78	76	71
1953		67	76	63	54	62	72	84	81	64	62	68	66	68
平 均		55	68	62	56	65	64	84	83	71	66	70	64	67
最小相对湿度(%)														
1950		-	-	-	-	-	-	-	39	26	27	18	18	-
1950 日		-	-	-	-	-	-	-	28	29	2	14	26	-
1951 日		45	11	20	12	26	17	43	46	24	22	19	8	8
1951 日		13	11	1	20	1	8	1	24	30	15	25	15	15/12
1952 日		15	25	17	13	21	17	59	46	39	20	44	37	13
1952 日		15	2	22	17	30	3,4	18	19	19,25	12	17	3	17/4
1953 日		18	32	15	11	11	21	50	38	21	13	21	22	11
1953 日		23	19	7	11,12	13	2	16	30	26	9	13	10,25	3*
極日 年	值 期 份	15	11	15	11	11	17	43	38	21	13	18	8	8
		15	11	7	11,12	13	3*	1	30	26	9	14	15	15/12
		1952	1951	1953	1953	1953	1951	1951	1953	1953	1953	1950	1951	1951
						1952								
河 南 安 陽 $\varphi=36^{\circ}08'N$ $\lambda=114^{\circ}21'E$ $H=74.8M$														
平均相对湿度(%)														
1950		-	-	-	-	-	-	-	-	-	78	74	68	-
1951		79	79	53	46	61	56	80	79	72	74	78	65	69
1952		56	67	70	61	59	46	79	79	74	61	81	77	68
1953		55	70	57	43	57	61	82	87	68	64	76	69	66
平 均		63	72	60	50	59	54	80	82	71	66	78	70	68
最小相对湿度(%)														
1950		-	-	-	-	-	-	-	-	-	28	19	15	-
1950 日		-	-	-	-	-	-	-	-	-	12	20	29	-
1951 ⁺ 日		35	36	13	12	16	15	35	34	23	25	21	18	12
1951 日		20,24	15	3*	3	1,8	5	15,16	17	30	1	25	14	3/4
1952 ⁺ 日		14	24	18	13	14	10	39	29	28	17	22	28	10
1952 日		7	4,9	2	14	28	4	18	25	29	30	5	28	4/6
1953 ⁺ 日		7	22	11	6	11	14	37	47	23	14	22	18	6
1953 日		6	17	11	12	3*	3	9	28	17	2	13	17	12/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日 年	極期 份	7 6 1953	22 17 1953	11 11 1953	6 12 1953	11 3 1953	10 4 1952	35 15,16 1951	29 25 1952	23 30,17 1951 1953	14 2 1953	19 20 1950	15 29 1950	6 12/4 1953
新 鄉														
$\varphi = 35^{\circ}21'N$ $\lambda = 113^{\circ}50'E$ $H = 72.0 M$														
平均相对湿度(%)														
1951		82	79	52	50	63	58	78	75	69	72	73	61	68
1952		53	62	69	61	57	46	76	71	73	62	78	73	65
1953		56	72	65	48	56	63	81	81	62	62	74	67	66
平 均		64	71	62	53	59	56	78	76	68	65	75	67	66
最小相对湿度(%)														
1951*		30	23	9	13	15	14	24	19	24	33	17	10	9
日		1	18	17	13,22	19	6,9	21	21	24	2	25	13	17/3
1952*		4	14	20	13	16	13	39	25	29	14	21	28	4
日		20	22	3	14	22	4	18	25,26	3	14	5	29	20/1
1953*		18	16	15	12	15	13	46	43	22	16	26	18	12
日		27	10	25	12	15,27	2	7	28	30	1	13	23,25	12/4
極日 年	極期 份	4 1952	14 1952	9 1951	12 1953	15 3 1951 1953	13 4,2 1952 1953	24 21 1951	19 21 1951	22 30 1953	14 14 1952	17 25 1951	10 13 1951	4 20/1 1952
開 封														
$\varphi = 34^{\circ}50'N$ $\lambda = 114^{\circ}20'E$ $H = 75.0 M$														
平均相对湿度(%)														
1932		-	-	-	45	68	58	79	82	81	63	46	-	-
1933		-	-	66	68	63	66	73	83	80	72	65	-	-
1934		-	75	56	68	66	63	73	82	81	73	56	86	-
1935		80	65	54	62	53	52	84	86	80	75	87	85	72
1936		78	83	61	66	65	65	72	73	69	50	49	68	67
1937		76	76	65	66	66	75	86	92	87	87	84	83	79
1950		-	-	-	-	71	62	83	80	76	84	77	73	-
1951		76	81	66	59	69	59	80	77	73	71	75	64	71
1952		69	73	75	64	67	51	81	76	77	67	84	82	72
1953		69	77	70	54	58	61	80	84	64	64	80	72	69
平 均		75	76	65	62	63	61	81	81	75	69	77	76	72
最小相对湿度(%)														
1934		-	32	12	19	21	16	30	45	46	18	16	25	-
日		-	14,16	17	4	22	14	19	19	14,21	25	1,14	5	-
1935		32	10	3	15	4	12	35	56	36	30	50	54	3
日		23	12	19	24,27	7	3,5	5	19	28	11	19	9	19/3
1936		37	42	30	24	20	24	24	34	24	17	20	19	17
日		21	15	22	19	27	4	15	28	22	14	26	31	14/10
1937		32	37	18	11	21	39	55	67	54	53	54	52	11
日		1,13	27	12	11	4	1,17	5	29	10	20	30	14	11/4
1950		-	-	-	-	25	18	40	36	30	34	35	28	-
日		-	-	-	-	5,9	9	5,6	28	30	8	18	31	-
1951		28	33	24	19*	29*	16*	35*	30*	19*	28*	24*	19*	16
日		25	9	28	22	1	9	2	17,23	30	3	25	13	9/6
1952*		25	29	23	20	21	12	44	30	33	24	35	40	12
日		25	9	22	14	27	21	29	19,24	4	2,12	5	20	21/6
1953*		20	26	22	(17)	12	(14)	46	48	25	21	27	29	12
日		9	10	7	8	14	1	9	28,31	8	10	13	24	14/5
極日 年	極期 份	20 9 1953	10 12 1935	3 19 1935	11 11 1937	4 7 1935	12 3 1935 1952	24 15 1936	30 4 1951 1952	19 30 1951	17 14 1936	16 1,14 1934	19 31,13 1936 1951	3 19/3 1935

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
<p>鄭 州 $\varphi=34^{\circ}45'N$ $\lambda=113^{\circ}35'E$ $H=80.6M$</p> <p>平均相对湿度(%)</p>													
1950	-	-	-	-	62	55	80	78	73	79	75	66	-
1951	80	81	61	57	66	59	77	76	64	68	71	56	68
1952	55	67	69	60	60	44	74	68	72	59	78	73	65
1953	64	77	69	53	57	62	81	83	65	63	80	70	69
平 均	66	75	66	57	61	55	77	76	67	63	76	66	67
<p>最小相对湿度(%)</p>													
1950	-	-	-	-	18	13	34	31	25	27	29	28	-
日	-	-	-	-	2	9	6,7	28	29,30	8	20	30	-
1951	27	40	22	14	19	17	33	29	16	26	16	15	14
日	28	17	9	22	8	8	20,21	21	30	23	25	15	22/4
1952	13	26	18	15	12	9	40	20	25	14	23	24	9
日	14	9,10	22	14	8	4	17	26	2	1	5	29	4/6
1953	14	22	20	15	12	18	46	42	12	20	24	22	12
日	9	10	25	12	14,24	7,13	26	27	30	1,23	13	18	3*
極 值	13	22	18	14	12	9	33	20	12	14	16	15	9
日 年	14	10	22	22	3*	4	20,21	26	30	1	25	15	4/6
	1952	1953	1952	1951	1952	1952	1951	1952	1953	1952	1951	1951	1952
<p>洛 陽 $\varphi=34^{\circ}40'N$ $\lambda=112^{\circ}30'E$ $H=136.0M$</p> <p>平均相对湿度(%)</p>													
1950	-	-	-	-	-	-	-	-	-	-	73	64	-
1951	77	82	52	57	67	56	76	76	66	72	74	60	68
1952	54	69	75	63	66	45	72	72	75	62	81	76	68
1953	63	74	66	56	55	57	80	82	59	63	79	73	67
平 均	65	75	64	59	63	53	76	77	67	66	78	70	68
<p>最小相对湿度(%)</p>													
1950	-	-	-	-	-	-	-	-	-	-	17	14	-
日	-	-	-	-	-	-	-	-	-	-	18	26	-
1951	20	38	10	17*	20*	18*	28*	30*	20*	35*	25*	23*	10
日	25	21	28	22	1	9	21	16	30	2	25	14	28/3
1952*	18	27	25	17	19	14	37	28	29	23	36	25	14
日	14,17	9	2	14	22	3	29,30	24	2	1	5	30	3/6
1953*	11	19	21	18	10	15	32	47	14	19	27	23	10
日	8	10	24	24	24	13	7	28	28	1	12,13	25	24/5
極 值	11	19	10	17	10	14	28	28	14	19	17	14	10
日 年	8	10	28	22,14	24	3	21	24	28	1	18	26	28/3,24/5
	1953	1953	1951	1951	1953	1952	1951	1952	1953	1953	1950	1950	1951
				1952									1953
<p>信 陽 $\varphi=32^{\circ}10'N$ $\lambda=114^{\circ}05'E$ $H=78.4M$</p> <p>平均相对湿度(%)</p>													
1951	81	82	69	73	72	74	82	76	74	75	78	75	76
1952	76	83	83	72	81	67	82	84	81	78	90	82	80
1953	76	90	75	65	63	68	80	84	75	74	83	82	76
平 均	78	85	76	70	72	70	81	81	77	76	84	80	77
<p>最小相对湿度(%)</p>													
1951*	28	36	29	24	27	34	47	35	30	29	36	30	24
日	24	19	9	11	25	17	3*	21	18	29	25	17	11/4
1952*	29	35	35	26	23	30	47	41	41	29	38	38	23
日	20	10	22	14	29	1,10	2	19	3,26	2	1	21,30	29/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	31 22	41 19	28 25	19 2	15 13	19 11	46 12	48 16	34 29	25 10	29 13	38 18	15 13/5
1953	日	28 24	35 10	28 25	19 2	15 13	19 11	46 12	35 21	30 18	25 10	29 13	30 17	15 13/5
1951	日	1951	1952	1953	1953	1953	1953	1953	1951	1951	1953	1953	1951	1953
陕 西 榆 林 $\varphi=38^{\circ}15'N$ $\lambda=109^{\circ}25'E$ $H=1094.2M$ 平均相对湿度(%)														
1936	日	-	-	-	-	-	-	-	-	-	-	52	56	-
1937	日	56	62	37	38	39	58	58	64	65	51	60	57	54
1938	日	68	58	55	37	38	46	58	52	60	58	55	60	54
1939	日	60	63	48	44	33	38	65	52	56	58	64	78	55
1940	日	62	57	51	34	31	40	58	75	69	52	69	66	55
1941	日	67	64	45	34	35	37	58	50	55	47	57	61	51
1942	日	57	54	53	38	46	37	58	65	59	64	54	64	54
1943	日	59	55	62	52	47	49	54	64	62	56	60	57	56
1944	日	82	66	47	54	46	-	72	71	59	63	58	64	-
1945	日	68	61	56	42	36	40	55	63	69	60	69	61	57
1946	日	62	56	59	46	43	50	65	59	65	57	66	69	58
1947	日	71	62	46	38	41	47	46	-	75	66	56	62	-
1948	日	64	55	65	50	43	48	55	65	71	56	61	72	59
1951	日	53	74	48	41	47	42	55	67	66	68	70	64	58
1952	日	60	58	56	53	59	45	56	60	62	60	73	71	59
1953	日	61	54	54	47	46	49	60	71	60	67	75	79	60
平 均		61	59	53	43	42	45	58	62	63	58	64	66	56
最小相对湿度(%)														
1936	日	-	-	-	-	-	-	-	-	-	-	11	12	-
1937	日	-	-	-	-	-	-	-	-	-	-	22	10	-
1937	日	20	12	3	-	15	20	20	31	21	21	20	22	-
1938	日	1	23	16	-	23	1,3	5	12	6	28	8	13	-
1938	日	22	12	21	15	16	18	18	21	20	22	17	17	12
1939	日	12	24	17,28	3*	29	30	1	31	9	24	29	2	24/2
1939	日	15	17	15	14	7	13	26	16	18	18	21	44	7
1939	日	15	23	22	26	18,19	13	1	30	1	2	11	18	18,19/5
1940	日	25	21	15	9	8	10	17	24	25	22	30	28	8
1940	日	5	25	11,16	22	7,17	3	17	31	1	23	30	13	7,17/5
1941	日	33	21	13	10	7	11	16	14	21	18	24	22	7
1941	日	10	21	31	28	27	1	1	29	26	8	1	31	27/5
1942	日	25	18	13	10	13	13	13	30	22	21	2	27	2
1942	日	7,28	10	25	12	12	10	4	30	22,30	15,24	25	23	25/11
1943	日	26	18	12	13	13	12	21	29	21	17	22	12	12
1943	日	12	25	18	9	7	3,5	15	1	9,18	21	23	21	4*
1944	日	50	26	10	7	13	-	34	33	21	27	20	26	-
1944	日	31	29	30	29	5,26	-	26	11,12	13,19	31	8,14	18	-
1945	日	27	27	12	12	12	12	16	26	22	19	26	20	12
1945	日	31	27	25	4*	4	2	18	2	13	20	30	11	7*
1946	日	28	20	11	11	13	14	26	14	17	17	23	41	11
1946	日	18	19	11	23	25	11	6,7	26	18,24	17	15	18	11/3,23/4
1947	日	38	23	14	11	17	18	15	-	28	25	23	31	-
1947	日	5	28	21,29	13,14	11	20,24	10,12	-	23	24	12,13	11	-
1948	日	28	18	21	12	10	15	19	23	29	17	28	34	10
1948	日	21	20	5	19	11	14	4	11	9	7	2	12	11/5
1951	日	22	32	15	11	11	15	17	21	23	20	28	29	11
1951	日	24	22	22	12	21	7	1	8	12	25	27	12	12/4,21/5
1952*	日	25	21	17	19	19	14	16	18	17	13	18	30	13
1952*	日	23	2	21	29	20	3	7	31	14,15	4	5	29	4/10
1953*	日	21	21	17	16	10	10	21	22	18	19	33	40	10
1953*	日	13	18,27	24	25,29	6	24	10	9	7	9	30	3	6/5,24/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
值 期 日 年	份	15 1939	12 23,24 1937 1938	3 16 1937	7 29 1944	7 3 1939 1941	10 3,24 1940 1953	13 4 1942	14 29,26 1941 1946	17 4 1946 1952	13 4 1952	2 25 1942	12 10,21 1936 1943	2 25/11 1942
延 安														
$\varphi = 36^{\circ} 36' N$ $\lambda = 109^{\circ} 32' E$ $H = 900.0 M$														
平均相对湿度(%)														
1951	日	65	81	63	56	60	58	69	73	77	72	72	69	68
1952	日	62	70	71	58	68	55	74	74	69	66	81	68	68
1953	日	56	50	54	49	53	59	76	76	77	76	81	80	66
平 均		61	67	63	54	60	57	73	74	74	71	78	72	67
最小相对湿度(%)														
1951	日	24	36	16	12	15	18	18	22	23	27	34	27	12
1952	日	29	17	27	8	19	28	21	16	16	28	24	20,21	8/4
1952	日	11	21	16	15	22	18	36	26	23	22	31	17	11
1953	日	25	2,3	21	16	20	19	29	30	30	2,14	4	29	25/1
1953	日	21	11	16	17	11	17	27	27	26	24	27	35	11
1953	日	9	10	6,11	3	14	9,14	9	9	30	1	30	3	10/2,14/5
值 期 日 年	份	11 1952	11 10 1953	16 4 3年	12 8 1951	11 14 1953	17 9,14 1953	18 21 1951	22 16 1951	23 16,30 1951 1952	22 2,14 1952	27 30 1953	17 29 1952	11 3 1952 1953
涇 陽														
$\varphi = 34^{\circ} 42' N$ $\lambda = 108^{\circ} 52' E$ $H = - M$														
平均相对湿度(%)														
1935	日	87	80	71	79	(70)	61	78	74	77	78	87	84	77
1936	日	79	86	70	68	61	57	61	75	67	51	51	75	67
1937	日	71	67	51	65	56	69	79	81	80	75	78	80	71
1938	日	83	76	71	70	57	73	70	70	88	86	74	79	75
1939	日	82	87	68	61	56	63	76	69	81	77	80	85	74
1940	日	-	-	67	61	64	71	76	86	86	83	83	78	-
1941	日	82	81	87	84	86	81	78	81	89	81	86	91	84
1942	日	86	86	81	68	77	69	75	74	-	82	78	82	-
1943	日	83	80	90	91	85	73	85	87	88	87	82	81	84
1944	日	87	87	57	76	70	70	67	78	70	84	75	80	75
1945	日	78	85	72	66	51	61	74	73	86	82	89	81	75
1946	日	82	74	80	68	77	70	75	83	87	86	86	85	79
1947	日	90	91	82	73	76	75	70	84	88	89	88	87	83
1948	日	85	82	86	86	77	78	-	-	-	-	-	-	-
平 均		82	81	73	73	68	68	74	78	82	80	80	83	77
最小相对湿度(%)														
1935	日	63	28	25	9	(3)	15	27	35	33	34	55	54	3
1936	日	24	28	13	27	4	3	2	12	28	11	3,10	28	4/5
1936	日	24	55	32	23	26	3	22	33	22	13	14	32	3
1937	日	24	20	2,16	19	27,31	1	23	5	25	14	27	8	1/6
1937	日	35	25	18	19	15	26	44	32	33	27	33	49	15
1938	日	25	27	28	7	6	1	26	21	18	18	12	1	6/5
1938	日	51	25	26	27	18	35	34	34	46	43	33	30	18
1939	日	11,25	26	28	14,26	22	27	3,10	2	29	5	29	1	22/5
1939	日	62	51	22	13	22	18	30	30	37	28	44	36	13
1939	日	3	17	23	30	13	8	5	8	12	21	28	28	30/4
1940	日	-	-	10	17	15	20	33	36	44	51	37	25	-
1941	日	-	-	12	22	16	4	25	2	13	20,26	18	13	-
1941	日	57	38	16	52	43	25	34	31	48	35	42	40	16
1942	日	19	9,13	8	17	5	22	1,21	1	18	6	7	2	8/3
1942	日	48	55	31	24	10	30	35	38	-	34	32	41	-
1942	日	23	14	26	5	2	30	14	24,31	-	24	6	10	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1943	日	46	22	62	40	46	25	49	26	40	48	43	52	22
1944	日	13	11	18	28	3	9,13	6	16	4	30	10	11	11/2
1944	日	43	53	7	23	19	23	29	32	26	42	23	34	7
1944	日	2	24	4	27	4	12	30	3	20	18	8	23	4/3
1945	日	13	41	20	24	13	(14)	32	34	47	38	49	23	13
1945	日	23	34	23	26	13	5	3	20,21	18	1,20	3	6	23/1,13/5
1946	(30)	18	(23)	18	39	21	30	50	49	48	45	51	18	18
1946	日	19	17	19	17	2	10	22	5	26	1	3,22	1	17/2,17/4
1947	日	65	71	39	32	38	33	24	38	55	55	55	56	24
1947	日	30	17	26,28	13	18	10	10	6	13	13	2	19	10/7
1948	日	45	37	36	43	31	24	-	-	-	-	-	-	-
1948	日	18	26	22	28	27	4	-	-	-	-	-	-	-
極 日 年	值 期 份	13	18	7	9	3	3	22	26	22	13	14	23	3
		23	17	4	27	4	1	23	16	25	14	27	6	4/5,1/6
		1945	1946	1944	1935	1935	1936	1936	1943	1936	1936	1936	1945	1935
														1936
高陵通遠坊 $\varphi = 34^{\circ}31'N$ $\lambda = 109^{\circ}05'E$ $H = 365.0 M$														
平均相对湿度(%)														
1921	日	-	-	-	72	65	61	78	84	78	74	71	69	-
1922	日	63	64	53	51	59	42	58	82	76	60	70	65	62
1923	日	73	71	56	73	65	62	76	78	92	85	78	71	73
1924	日	71	66	72	57	73	68	76	79	87	94	84	79	76
1925	日	78	73	71	82	72	67	80	92	80	75	73	62	75
1926	日	58	54	50	48	-	46	-	79	70	78	82	-	-
1927	日	66	61	58	68	48	46	48	55	62	57	-	-	-
1928	日	65	64	49	46	66	69	68	79	87	-	-	-	-
1929	日	83	72	65	50	-	(55)	(53)	76	76	79	68	85	-
1930	日	91	96	65	69	-	-	-	-	72	75	82	(73)	-
1931	日	-	-	76	81	84	-	-	-	80	77	76	78	-
1932	日	62	69	57	55	60	57	56	66	63	50	67	60	60
1933	日	83	59	57	61	58	55	73	68	75	79	69	83	68
1934	日	91	91	60	66	65	45	58	70	82	86	79	85	73
1935	日	93	77	60	67	58	44	70	77	74	71	84	65	70
1936	日	59	70	50	60	56	54	54	74	63	49	48	71	59
1937	日	-	-	43	58	49	-	78	81	-	73	79	57	-
1938	日	60	46	65	61	53	67	63	61	86	83	68	70	65
1939	日	58	75	60	53	47	(63)	48	-	68	63	71	63	-
1940	日	67	68	53	40	52	42	72	83	82	68	66	63	63
1941	日	54	57	45	42	48	35	62	69	72	-	-	-	-
1942	日	-	-	-	-	61	44	56	-	-	-	-	-	-
平 均		73	69	59	61	61	55	67	75	78	74	70	71	68
最小相对湿度(%)														
1924	日	45	41	34	33	38	42	45	50	46	66	41	48	33
1925	日	9	24	25	25	25	10	25	31	1	27	29	1	25/4
1925	日	30	30	37	44	23	24	43	54	40	35	30	25	23
1926	日	10	30	4,11	12,16	27	11	17	24	22	7	27,30	21	27/5
1926	日	25	20	11	9	-	17	-	40	14	40	20	-	-
1927	日	23	24	13	8	-	2,3	-	29,30	8	30	30	-	-
1927	日	10	10	7	20	5	7	14	19	24	19	-	-	5
1928	日	27	9,10	4	30	23	18	3	34	30	30	-	-	23/5
1928	日	20	22	17	5	28	30	28	50	47	-	-	-	5
1928	日	31	7	12	12,13	14,27	27	19	1	1	-	-	-	12,13/4
1929	日	-	(33)	-	-	-	-	-	-	-	-	-	-	-
1929	日	-	12	-	-	-	-	-	-	-	-	-	-	-
1932	日	11	15	13	14	12	12	16	15	22	10	11	11	10
1932	日	26	2	26	14	21,24	1	25	5	1,2	22	4	11	22/10
1933	日	22	14	11	21	20	18	22	20	33	35	23	39	11
1933	日	31	2	5	20,21	2	30	1	21	13	23,26	6	5	5/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1934	日	40	40	15	12	20	5	20	21	28	27	29	42	5
1935	日	19	17,28	16	29	13,27	15	10	4	8	21	21	17	15/6
1935	日	40	26	13	19	15	15	30	36	32	19	36	25	13
1936	日	28	28	10	24,27	3*	4	1	11	12	28	8	28	10/3
1936	日	13	19	(14)	14	17	15	22	30	28	18	21	23	13
1937	日	31	12	13	2	27	10	17	12	28	14	3,11	6	31/1
1937	日	-	-	15	16	16	-	35	45	-	29	23	24	-
1938	日	-	-	27	7	2	-	5	14	-	20	30	10	-
1938	日	22	16	21	17	18	28	22	23	(36)	-	-	-	-
1939	日	26	16	29	14	18	30	2	3	12	-	-	-	-
1939	日	21	17	(12)	17	16	(24)	(17)	-	25	15	17	30	-
1940	日	22	4	21	6	24	7	11	-	20	3	28	3*	-
1940	日	16	20	8	15	16	17	25	34	31	27	20	16	8
1941	日	6	22	12	27	6	7	19	2	11	24	12	16	12/3
1941	日	18	24	14	16	15	17	17	20	22	-	-	-	-
1942	日	28	3*	18	17	21,26	30	1	9	13	-	-	-	-
1942	日	-	-	-	-	22	10	-	-	-	-	-	-	-
1942	日	-	-	-	-	2	9	-	-	-	-	-	-	-
值	期	10	10	7	5	5	5	14	15	14	10	11	11	5
日	年	27	9,10	4	12,13	23	15	3	5	8	22	4	11	4*
1927	1927	1927	1927	1928	1927	1934	1927	1932	1926	1932	1932	1932	1932	3*
武 功 $\varphi=34^{\circ}17'N$ $\lambda=108^{\circ}04'E$ $H=503.0M$														
平均相对湿度(%)														
1935	日	92	84	82	79	77	59	80	81	85	77	91	65	79
1936	日	80	79	69	67	66	58	54	72	66	52	46	67	65
1937	日	70	68	40	54	49	68	80	82	77	73	73	59	66
1938	日	79	66	79	72	66	77	74	72	89	87	78	79	77
1939	日	65	80	70	66	65	58	73	68	72	67	74	69	69
1942	日	(60)	57	67	62	71	59	60	65	(75)	77	(59)	63	65
1943	日	67	63	72	67	69	65	72	77	(81)	75	69	60	70
1944	日	79	66	49	(70)	64	69	67	77	(67)	84	75	73	70
平 均		74	70	66	67	66	64	70	74	77	74	71	67	70
最小相对湿度(%)														
1938	日	21	20	32	24	23	39	38	38	55	34	38	37	20
1942	日	11	22	29	16	22	25	2	28	9	5	10	4	22/2
1942	日	(23)	25	25	20	26	17	27	29	(27)	34	(23)	26	17
1943	日	27	26	17	8	15	9	5,10	31	6	31	27	29	9/6
1943	日	10	22	28	17	24	25	32	46	(29)	40	35	6	6
1944	日	7	23	16	10	5	13,14	23	21	10	27	14	3	3/12
1944	日	42	24	18	(25)	18	26	23	33	(25)	46	33	13	13
1944	日	14	19	12	1	4	12	14	3	13,20	30	15	31	31/12
值	期	10	20	18	17	18	17	23	29	25	34	23	6	6
日	年	7	22	12	10	4	9	14	31	13,20	5,31	27	3	3/12
1943	1938	1944	1943	1944	1942	1944	1942	1944	1944	1938	1942	1943	1943	1943
西 安 $\varphi=34^{\circ}15'N$ $\lambda=108^{\circ}55'E$ $H=400.0M$														
平均相对湿度(%)														
1932	日	68	75	54	49	59	62	67	72	77	66	71	73	66
1933	日	71	53	59	68	58	55	66	67	72	79	74	83	67
1934	日	65	71	73	77	61	47	57	72	78	79	74	86	70
1935	日	82	74	64	70	56	44	70	75	77	71	82	73	70
1936	日	63	71	56	62	59	54	50	67	63	52	45	67	59
1937	日	62	62	38	56	50	62	75	79	79	76	71	57	64
1938	日	62	52	70	63	56	68	65	61	84	83	72	72	67
1939	日	59	78	63	59	50	52	66	63	70	69	73	67	64
1940	日	66	69	60	49	58	50	69	80	81	73	70	67	66

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941	59	61	53	52	53	39	62	67	75	68	77	75	62
1942	55	52	62	59	67	53	56	59	69	69	56	59	60
1943	55	57	69	62	61	63	64	70	79	76	71	59	66
1944	69	55	42	67	61	61	54	71	63	80	72	65	63
1945	66	72	64	62	44	45	65	64	83	73	82	70	66
1946	74	60	75	62	70	63	68	70	85	80	79	62	71
1947	71	62	51	57	61	57	58	75	77	80	78	79	67
1948	74	78	81	71	64	62	58	64	71	77	78	81	72
1949	74	71	73	67	65	70	66	77	88	84	82	78	75
1950	72	74	67	78	71	57	55	69	82	90	83	82	73
1951	77	85	66	74	75	50	80	80	82	86	89	81	77
1952	70	74	77	70	79	62	78	86	83	77	87	80	77
1953	72	76	71	72	75	68	80	75	75	80	85	84	76
平 均	68	67	63	64	62	57	65	71	77	76	75	73	68
最小相对湿度(%)													
1932	19	32	22	19	14	26	26	29	32	27	28	31	14
日	2	3	18,26	3	23	1	5	5	27	12	2	20	23/5
1933	25	15	15	23	21	18	10	27	34	37	22	36	10
日	31	19	15	30	4,6	11	8	7	15	22	8	24	8/7
1934	23	24	33	29	24	17	21	29	30	30	29	46	17
日	19	17	21	24	13	16	9,14	9	1	31	1	5	16/6
1935	19	23	24	18	15	16	26	33	38	31	42	29	15
日	22	28	17	26	21	3	1	14	28	28	8	31	21/5
1936	8	24	17	14	19	17	17	23	22	18	13	11	8
日	17	29	9	3	30	9	17	12	25	14	26	6	17/1
1937	11	16	11	15	12	16	32	33	26	26	21	11	11
日	20	26	11	7	2	1	5	14	30	19	30	18	34
1938	18	10	26	21	17	26	25	24	37	35	21	18	10
日	6	16	1,27	16	23	20	2,5	27	9	5	29	12	16/2
1939	11	27	16	17	18	18	23	25	28	20	15	27	11
日	22	4	24	29	18	6	15	30	11	3	29	26	22/1
1940	20	23	17	21	21	23	30	33	41	35	33	27	17
日	5	8	12	22	6	4	19	2	12	24	20	16	12/3
1941	12	23	19	11	17	15	14	29	31	22	30	28	11
日	34	3	13	20	22,28	30	1	1	1	25	2	13	20/4
1942	22	11	25	20	20	20	17	26	23	22	19	13	11
日	16	19	2,26	12	15	24,25	1,9	31	1	31	27	27	19/2
1943	10	19	29	19	18	18	25	31	34	30	23	13	10
日	10,14	6	14	10	6	13	22	3,14	18	2,7	18	3	10,14/1
1944	18	14	6	22	19	20	23	26	21	35	28	25	6
日	6	20	5	1	3	19	29	13	14,20	18	8	6	5/3
1945	17	32	22	25	18	17	25	26	35	32	35	12	12
日	25	8	31	11,24	13,31	24	31	1	15	8	3	18	18/12
1946	31	25	29	21	30	21	25	30	37	29	29	19	19
日	20	11,19	19	17,19	24	4	22	21	26	3	16	28	28/12
1947	24	10	10	7	25	24	17	31	35	36	31	39	7
日	31	20	8	19,20	16	1	13	11	17	12	25	30	19,20/4
1948	27	33	44	29	23	23	21	30	28	32	32	30	21
日	13	20	23	3	28	1,14	15	2,3	17	7,17	14	14	15/7
1949	29	27	29	26	28	35	33	38	40	45	35	27	26
日	13	13	1	27	10,13	15	23	1	1	11	13	26	27/4
1950	24	26	22	31	23	17	20	18	37	45	38	30	17
日	5	5	13	10	20	9	6	17	28	4	18	25	9/6
1951	20	26	26	28	19	15	29	35	30	42	33	23	15
日	25	9	6	13	30	18	26	17	24	16	25	14	18/6
1952	27	23	20	22	23	17	35	36	39	26	33	26	17
日	17	4	2	14,20	28	3	23	31	22	30	7	20,31	3/6
1953	20	27	25	27	27	15	36	30	25	31	36	25	15
日	11	17	7	5	27	11	9	25	26	1	12,21	27	11/6
極 值	8	10	6	7	12	15	10	18	21	18	13	11	6
日 年	17	16,20	5	19,20	2	34	8	17	14,20	14	26	6,18	5/3
	1936	1936,47	1944	1947	1937	34	1933	1950	1944	1936	1936	1936,37	1944

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
商 縣 $\varphi=33^{\circ}57'N$ $\lambda=109^{\circ}56'E$ $H=800.0M$ 平均相对湿度(%)													
1939	-	-	-	-	-	-	-	73	67	64	70	62	-
1940	72	74	60	46	59	52	68	79	80	68	68	60	66
1941	59	63	51	43	56	46	65	72	74	61	65	66	60
1942	58	61	64	55	59	54	63	65	67	70	56	57	61
1943	66	58	70	62	65	69	67	79	84	84	89	58	71
1944	77	-	42	60	59	61	63	79	73	80	71	74	-
1953	-	-	68	63	64	64	78	77	67	69	76	74	-
平 均	64	64	61	52	60	55	66	74	76	71	70	60	65
最小相对湿度(%)													
1939	-	-	-	-	-	-	-	24	20	19	17	22	-
日	-	-	-	-	-	-	-	30	20	2	26	26	-
1940	18	26	18	18	18	18	25	37	38	29	21	18	18
日	5	22	11-13	34	5,6	4	21	3	12	34	20	13	114
1941	21	22	19	17	17	19	19	36	25	22	24	23	17
日	25,29	7	18,20	17	4,5	23	1	17	24	28	6	16	34
1942	13	22	19	17	18	18	23	30	22	21	19	21	13
日	7	12	26	13	14	9	1	30	7	24	2	27	7/1
1943	21	15	25	23	21	19	29	38	27	27	33	20	15
日	3	10	16	8,11	7	4	15	3	10	9	30	9	10/2
1944	31	-	13	19	20	19	32	27	21	34	25	28	13
日	15	-	19	28	5	12	22,28	3	20	30	23	7,21	19/3
1953*	-	-	29	23	15	19	37	36	23	26	37	27	-
日	-	-	24,25	9,25	7	11	6,9	20	28	1	26,27	28	-
值 日 年	13	15	13	17	15	18	19	24	20	19	17	18	13
期 份	7	10	19	17,13	7	4,9	1	30	20	2	26	13	7/1,19/3
1942	1943	1944	1941	1941	1941	1940	1941	1939	1939	1939	1939	1940	1942
			1942			1942							1944
漢 中 $\varphi=33^{\circ}05'N$ $\lambda=107^{\circ}10'E$ $H=510.1M$ 平均相对湿度(%)													
1935	-	-	-	-	-	61	79	81	87	87	89	84	-
1936	79	76	74	64	74	86	87	90	90	85	73	81	80
1937	76	74	59	66	75	83	89	89	88	82	79	78	78
1938	76	73	77	69	66	77	78	73	90	85	78	77	77
1939	75	80	82	74	69	72	74	68	75	78	83	79	76
1940	78	79	75	60	65	57	78	88	89	82	84	80	76
1941	69	68	64	60	66	67	67	69	81	78	80	84	71
1942	69	68	74	68	69	61	71	67	77	83	75	77	72
1943	66	63	72	70	72	73	70	75	82	83	77	80	74
1944	79	69	57	70	70	76	75	71	78	84	81	75	74
1945	72	70	70	74	56	74	76	83	86	78	88	79	76
1948	-	-	-	-	-	-	-	-	-	83	79	81	-
1949	69	71	69	69	68	67	75	81	-	-	-	-	-
1951	81	77	69	76	78	68	82	83	83	86	87	82	79
1952	73	67	70	69	81	74	83	88	87	84	87	81	79
1953	78	77	76	73	71	73	84	78	80	84	83	84	78
平 均	75	72	71	69	70	72	78	79	84	82	81	80	76
最小相对湿度(%)													
1935	-	-	-	-	-	33	38	49	51	50	58	30	-
日	-	-	-	-	-	4,6	2	15	13	26	10	18	-
1936	24	42	34	25	24	52	52	50	55	42	25	35	24
日	20	11	14	22	3	16	11	11	19	16	26	25	20/1,3/5
1937	36	38	22	22	28	45	50	57	62	44	28	23	22
日	4	27	27	7	14	29	27	14	26	20	23	18	27/3,7/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938	日	33	32	42	29	29	42	46	37	60	51	45	36	29
1939	日	7	17	16	14	9	13	3,6	4,5	4	5	28	4	14/48/5
1939	日	46	55	57	24	23	34	34	39	31	43	35	43	23
1940	日	10	3	21	29	24	8	5	15,28	11	3	28	9	24/5
1940	日	25	44	31	25	25	26	51	47	61	38	50	50	25
1941	日	24	24	11	7	5	27	30	3	14	24	25	23	38
1941	日	28	43	20	21	29	25	24	39	40	39	39	57	20
1942	日	23	27	16	21	30	29	1	29	1	25	27	4	16/3
1942	日	36	32	34	24	26	16	30	34	32	48	34	36	16
1943	日	26	26	30	8	15	8	14	28	2	31	13	31	8/6
1943	日	24	19	36	22	28	32	37	43	40	51	29	32	19
1944	日	11	6	14	11	2	20	5	15	10	2	20	5	6/2
1944	日	30	28	17	19	17	33	41	38	43	61	42	38	17
1944	日	6	23	5	1	4	2	30	4	19	18	20	5	5/34/5
1945	日	38	39	24	40	17	19	42	42	55	40	62	30	17
1945	日	14	26	5	29	3	1	5	2	4	2	2	17	3/5
1948	日	-	-	-	-	-	-	-	-	-	49	38	31	-
1948	日	-	-	-	-	-	-	-	-	-	10	15	13	-
1949	日	25	25	24	27	30	27	25	45	-	-	-	-	-
1949	日	8	13	5	20	6	14,15	29	15	-	-	-	-	-
1951	日	20	28	24	27	25	25	38	43	44	51	25	20	20
1951	日	20	28	17	12	25	18	1	17	28	24	7	13	20/1
1952	日	23	24	25	30	36	29	46	41	35	39	51	27	23
1952	日	6	19	18	3	29	8	22	24	25	14	16	27	6/1
1953	日	27	28	38	27	30	26	50	40	34	44	37	30	27
1953	日	11	20	1,13	5	28	5,11	24	19	28	19	18	27	11/1,5/4
按日年	值期份	20	19	17	19	17	16	24	34	31	38	25	23	16
		20	6	5	1	4,3	8	1	28	11	24	26	18	8/6
		1951	1943	1944	1944	1944	1942	1941	1942	1939	1940	1936	1937	1942
甘 肅 安 西 $\varphi=40^{\circ}30'N$ $\lambda=95^{\circ}55'E$ $H=1182.0M$														
平均相对湿度(%)														
1940	-	-	34	33	29	32	31	42	38	43	58	58	-	-
1941	58	53	40	32	31	(31)	-	-	-	37	-	-	-	-
1942	60	-	-	-	-	34	37	46	45	-	-	-	-	-
1943	58	57	45	44	34	38	41	44	47	52	53	60	48	-
1944	59	(48)	35	34	31	38	40	37	32	39	64	60	43	-
1945	75	74	42	38	32	33	35	38	38	40	44	53	45	-
1946	54	55	47	44	41	40	43	43	43	45	50	61	47	-
1947	58	50	43	42	46	48	44	48	51	51	50	67	50	-
1948	62	55	56	54	51	49	49	48	46	49	46	60	52	-
1951	44	45	35	26	26	35	39	39	36	38	60	70	41	-
1952	72	58	35	32	37	32	49	37	36	47	56	74	47	-
1953	60	56	40	31	27	31	29	43	35	41	57	80	44	-
平 均	60	55	42	38	36	38	41	42	40	45	53	65	46	-
最小相对湿度(%)														
1940	-	-	4	6	10	13	14	16	14	16	25	15	-	-
1941	-	-	29	3	15	3	17	16	13	5,7	1	18	-	-
1941	21	18	12	9	11	(13)	-	14	-	15	-	-	-	-
1942	7	23	30	18	25	4,9	-	30	-	1	-	-	-	-
1942	17	-	-	-	-	16	16	18	18	-	-	-	-	-
1943	23	-	-	-	-	29	19	15,19	7	-	-	-	-	-
1943	18	13	18	14	11	13	13	18	17	25	20	27	11	-
1944	21	26	31	13	5	14	11	7	10	3	14	9,14	5/5	-
1944	16	(14)	8	11	12	10	12	13	14	17	22	20	8	-
1944	16	25	23	28	5,18	11	13	13	15	14	3	20	23/3	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1945	日	27	24	13	16	11	15	14	15	17	15	19	23	11
1946	日	1	26	4	18	8	4, 28	30	23	1	3	6, 17	13	8/5
1946	日	18	19	10	12	16	16	18	19	20	18	14	22	10
1947	日	4	21	12	22	27	2	3*	2, 12	17	27	13	5	12/3
1947	日	11	15	12	14	14	20	17	18	20	25	20	22	11
1948	日	31	21	21	1, 12	8	26	23, 24	13, 14	17	6	2	5	31/1
1948	日	29	15	19	23	18	25	19	23	19	24	18	28	15
1951	日	13	23	1	9	2	9	20	1	7	10	15	1	23/2
1951	日	20	18	9	6	2	12	13*	15*	10*	8*	20*	36*	2
1951	日	28	10	19, 23	27	10	9	2, 3	6	24	7	11	20	10/5
1952*	日	29	22	9	8	10	9	12	8	9	11	19	27	8
1953*	日	31	26	13	15	29	18	5, 16	28	12, 19	3	6, 8	30	15/4, 28/8
1953*	日	16	15	8	6	4	8	9	12	13	14	19	24	4
1953*	日	9	7	16	12	13	1	7	8	1	25	1, 22	3	13/5
極日年	值期份	11	13	4	6	2	8	9	8	9	8	14	15	2
		31	26	29	3*	10	1	7	28	12, 19	7	13	18	10/5
		1947	1943	1940	3*	1951	1953	1953	1952	1952	1951	1946	1940	1951
敦 煌 $\varphi - 40^{\circ}08'N$ $\lambda - 94^{\circ}47'E$ H-1100.0 M														
平均相对湿度(%)														
1937	-	-	-	-	-	44	39	54	43	43	65	65	-	-
1938	71	83	59	43	38	44	41	49	49	46	67	71	55	-
1939	70	61	55	40	43	42	45	52	48	45	66	73	53	-
1940	72	69	53	39	37	40	42	48	48	50	64	72	53	-
1941	77	72	52	39	44	37	41	43	48	44	53	71	52	-
1942	73	70	45	41	45	40	44	53	46	53	59	76	54	-
1943	76	68	54	44	35	40	47	43	43	47	67	79	54	-
1944	79	70	46	45	40	47	49	45	46	54	77	89	57	-
1945	88	84	59	46	38	43	45	40	47	50	63	82	57	-
1946	82	70	54	44	44	42	50	51	56	65	75	87	60	-
1947	83	74	52	43	47	46	48	59	58	62	64	86	60	-
1948	89	76	70	51	50	43	53	52	59	59	69	77	62	-
1949	80	64	60	51	44	52	56	-	-	-	-	-	-	-
1950	79	83	57	42	44	54	47	43	46	49	63	74	57	-
1951	74	71	50	-	38	43	39	37	45	54	68	76	-	-
1952	78	64	45	39	39	37	50	45	43	54	66	75	53	-
1953	61	55	45	38	31	38	35	46	42	48	63	73	48	-
平 均	77	71	53	42	41	42	46	48	49	52	65	78	55	-
最小相对湿度(%)														
1940	23	28	20	13	15	15	15	18	16	20	29	27	13	-
日	12	16	28	23	7	9	3	8	22	7	1	15	23/4	-
1941	31	31	20	13	17	14	16	18	20	10	12	21	10	-
日	20	4	19	18	28	15	16	16	26	14	26	8	14/10	-
1942	26	16	11	15	15	16	19	24	17	24	26	32	11	-
日	30	25	3	21	5, 14	3	24	14	21	19	14	11	3/3	-
1943	30	28	25	17	10	13	17	11	16	22	25	39	10	-
日	28	16	26	23	4	5	10, 17	6	14	3	1	14	4/5	-
1944	44	21	15	16	15	21	19	19	24	27	33	71	15	-
日	19	27	29	3*	18	11, 17	13	11, 13	3*	14	3	28	29/3, 18/5	-
1945	61	38	20	19	16	18	19	15	18	16	32	41	15	-
日	26	25	31	1, 14	21	2	1	12	9	16	26	12	12/8	-
1946	38	34	20	18	18	18	21	19	22	36	43	41	18	-
日	24	23	29	18	3*	18	5, 11	11, 12	14	7	19	5	5*	-
1947	43	36	23	17	22	20	21	26	28	37	39	49	17	-
日	17	4, 6	23	1	17	3*	13	15	19	2	2	7	1/4	-
1948	65	24	32	23	18	19	21	18	21	27	29	33	18	-
日	19	23	28	20	29	13	31	15	20	7	16	8	29/5, 15/8	-
1949	33	21	29	19	15	24	21	-	-	-	-	-	-	-
日	26	12	17	29	4, 5	1	27	-	-	-	-	-	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	51	59	19	16	21	18	20	20	22	19	21	41	16
	日	16	2	22	4	29	9	4,10	21	4,28	1	1	30	4/4
1951	日	36	22	15	-	18	18	18	14	17	23	31	43	-
	日	30	16	18	-	30	28	18	8	15	13	1	13	-
1952	日	31	31	19	14	13	15	13	16	17	22	32	43	13
	日	23	19	21	16	21	4	16	25,28	2,20	18	2	26	23/5,16/7
1953	日	32	21	17	16	10	11	16	17	20	17	27	40	10
	日	26	9	16,19	23,30	23	5	40	3	21,30	1	6	16	23/5
极 值	日	23	16	11	13	10	11	13	11	16	10	12	21	10
日 期	份	12	25	3	23,18	4,23	5	16	6	22,14	14	26	8	30
年		1940	1942	1942	1940	1943	1953	1952	1943	1940	1941	1941	1941	30
					1941	1953				1943				30
酒 泉 $\varphi=39^{\circ}40'N$ $\lambda=98^{\circ}43'E$ $H=1469.3M$														
平均相对湿度(%)														
1934	日	-	-	-	-	-	-	52	66	46	50	44	48	-
1935	日	44	36	31	29	27	29	45	39	46	43	58	73	42
1936	日	57	49	42	39	30	35	37	48	36	30	-	-	-
1937	日	62	46	33	30	30	41	43	57	45	41	42	45	43
1938	日	53	34	34	33	26	36	39	56	45	38	39	47	40
1939	日	43	30	29	28	31	36	44	50	40	33	33	33	36
1940	日	33	33	43	24	28	36	38	49	47	44	44	35	38
1941	日	46	43	32	25	32	33	41	41	45	34	42	46	38
1942	日	47	52	38	34	38	36	42	56	45	45	43	57	44
1943	日	55	40	42	33	31	43	45	50	44	37	47	50	43
1944	日	56	41	31	40	31	45	48	49	41	46	50	66	45
1945	日	66	59	40	38	28	36	37	48	45	46	41	42	44
1946	日	43	43	34	33	38	38	49	46	42	40	39	60	42
1947	日	57	40	31	41	38	37	40	49	55	57	53	69	47
1948	日	65	56	56	37	39	39	46	48	47	44	47	52	48
1949	日	56	39	35	31	38	36	51	39	41	49	46	72	44
1950	日	60	59	37	28	30	36	45	40	42	46	43	48	43
1951	日	48	45	30	22	26	47	47	40	44	48	57	55	42
1952	日	61	68	48	37	49	39	59	48	46	46	58	67	52
1953	日	55	53	41	44	33	42	41	58	45	43	64	75	50
平 均		53	45	37	33	33	38	44	48	45	43	47	55	43
最小相对湿度(%)														
1934	日	-	-	-	-	-	-	16	23	12	10	14	23	-
	日	-	-	-	-	-	-	2	6	25	20	3	8	-
1935	日	14	16	0	0	1	7	15	14	10	14	22	26	0
	日	10	27	10,13	12,25	18	8	24	12	12	30	8	4	40
1936	日	22	17	12	0	2	6	11	13	11	9	-	-	0
	日	29	1,7	22	15	30	10,13	24	21	17,24	21	-	-	15/4
1937	日	30	15	9	0	5	8	11	16	14	14	14	14	0
	日	1	27	3	8,9	6	18	6	29	9	23	3,30	40	8,9/4
1938	日	23	2	0	1	3	11	14	10	13	11	11	19	0
	日	30	26	31	30	40	11,12	7	28	17	26	7	6,10	31/3
1939	日	8	8	0	0	7	5	13	12	12	11	6	6	0
	日	14	27	40	11,16	17	2	29	13	8	2	15	26	60
1940	日	0	4	9	4	5	12	9	14	14	14	8	5	0
	日	5	16	12	15	6	22	17	31	22	25	13	14	5/1
1941	日	14	8	6	7	5	9	14	14	12	6	19	13	5
	日	13	23	11,13	9	17	2	2,23	6,8	22	24	6	21	17/5
1942	日	21	17	13	15	11	12	15	14	12	16	22	27	11
	日	8	28	9,31	40	12	3	8	14	29	13	3	11	12/5
1943	日	27	15	14	5	11	15	14	16	14	11	18	14	5
	日	24	26	9	22	27	5,12	17	6,26	10	27,30	1	20	22/4
1944	日	29	14	6	11	8	14	16	14	14	17	20	32	6
	日	12	25	17	28	2,5	30	25	2,13	10,21	30	18,22	21	17/3
1945	日	21	18	5	9	8	10	14	19	17	11	11	11	5
	日	28	26	27	22	22	1	30	1,2	11	31	25	17	27/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1946	日	13	11	1	10	12	15	17	15	17	14	8	12	1
1947	日	3*	18	13	1,17	24	3*	11	12	26	3*	9	6	13/3
1948	日	17	3	8	9	17	15	15	18	17	25	25	31	3
1949	日	31	28	29	1	24	20,22	24	22	5*	2,12	7	2	28/2
1950	日	21	13	14	9	12	15	14	15	19	15	16	16	9
1951	日	19	23	2,30	21	9,31	14	31	17	20	18	30	12	21/4
1952	日	18	10	7	7	6	13	20	16	16	16	13	17	6
1953	日	1	19	2	24	8	15,16	10	13,27	27	8	18	1	8/5
1954	日	27	16	5	7	8	11	15	13	13	11	12	11	5
1955	日	11	23	11	9	6	9	5	31	14	11	9	8	11/3
1956	日	12*	3*	2	1	6	13	10*	11*	12*	16*	21*	24*	1
1957	日	1	16	8	11	18	10	31	18	15	9	19	10	11/4
1958	日	24	24	12	8	13	16	17	17	16	18	22	28	8
1959	日	18	2	21	2	20	6,7	17	28	4,20	3	6	25	2/4
1960	日	21	16	15	15	12	13	17	20	20	15	23	31	12
1961	日	8	10	13	13	6	6	7	1,3	29	22	23	11	6/5
極 值	日	0	2	0	0	1	5	9	10	10	6	6	5	0
期 份	年	5	26	7*	7*	18	2	17	28	12	24	15	14	15*
年		1940	1938	3年	4年	1935	1939	1940	1938	1935	1941	1939	1940	6*
張 接 $\varphi=38^{\circ}55'N$ $\lambda=100^{\circ}35'E$ $H=1550.0M$														
平均相对湿度(%)														
1937		-	-	-	-	67	73	71	70	70	61	63	55	-
1938		52	47	50	47	47	51	44	58	61	52	67	66	54
1939		62	65	66	59	53	61	62	63	63	49	56	54	59
1940		48	58	60	45	40	48	46	58	61	52	64	55	53
1941		56	56	-	43	43	45	48	49	-	50	-	-	-
1951		59	52	47	45	48	60	59	56	57	59	68	66	56
1952		67	67	51	49	55	48	71	61	60	63	68	67	61
1953		60	54	48	46	38	49	52	67	57	61	70	77	57
平 均		58	57	54	49	47	53	56	61	60	56	66	64	57
最小相对湿度(%)														
1940	日	0	18	14	12	15	18	17	0	18	15	22	7	0
1941	日	15	16	13	15	11,19	11,24	3	11	3	24	9	31	15/1,11/8
1942	日	0	8	-	13	13	17	16	16	-	17	-	-	0
1943	日	13	3	-	14	14	14,22	16	16	-	22	-	-	13/1
1944	日	11	8	12	14	13	18	21	14	14	13	10	26	8
1945	日	3	18	21	23,30	7,10	10	16	2,8	15	13	19	4,10	18/2
1946	日	24	12	10	14	0*	(5*)	15*	11*	14*	15*	20*	15*	0
1947	日	7	10	13	24	4,21	13	5	26	20	31	3	11	4,21/5
1948	日	17	14	12	16	11	13	18	13	19	19	6	17	6
1949	日	9	26	22	12	23	7	7	1	30	25	6	23	6/11
極 值	日	0	8	10	12	0	5	15	0	14	13	6	7	0
期 份	年	15,13	3,18	13	15	4,21	13	5	11	15,20	13	6	31	5*
年		1940	1941	1952	1940	1952	1952	1952	1940	1951	1951	1953	1940	3*
		1941	1951							1952				
祁連山 $\varphi=38^{\circ}46'N$ $\lambda=100^{\circ}12'E$ $H=2238.0M$														
平均相对湿度(%)														
1951		40	46	39	30	35	56	52	51	50	53	55	55	47
1952		61	67	55	48	61	48	67	57	55	55	59	61	58
1953		53	48	47	52	35	41	41	63	52	50	57	65	50
平 均		51	54	47	43	44	48	53	57	52	53	57	60	52
最小相对湿度(%)														
1951	日	6	1	4	6	9	17	17	22	15	13	10	26	1
1952	日	2	18	21	30	1	29	21	18	9	22	19	23	18/2
1953	日	32	34	18	24	24	23	25	25	25	27	26	21	18
1954	日	27	10	13	29	4	7	8	26	20	18	14	12	13/3

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 日	17 8	14 26	13 5	20* 13	14* 24	17* 5,6	15* 7	19* 1	22* 30	9* 26	14* 29	19* 18	9 26/10
極 日 年	6 2	1 18	4 21	6 30	9 1	17 3*	15 7	19 1	15 9	9 26	10 19	19 18	1 18/2 1951
值 期 份	1951	1951	1951	1951	1951	1951	1953	1953	1951	1953	1951	1953	
銀 川													
$\varphi=38^{\circ}25'N$ $\lambda=106^{\circ}16'E$ $H=1101.3M$													
平均相对湿度(%)													
1950	-	-	62	55	50	58	66	65	65	67	65	79	-
1951	76	79	57	49	49	48	62	66	71	73	66	66	64
1952	62	55	58	49	62	52	60	68	63	62	71	73	61
1953	59	55	52	45	39	45	58	74	71	69	80	80	61
平 均	66	63	56	48	50	48	60	69	68	68	72	73	62
最小相对湿度(%)													
1950	-	-	14	20	18	19	14	31	26	18	18	36	-
日	-	-	2	11	16	27	5	17	12	11	18	13	-
1951	31	25	17	15	17	15	23	28	26	35	25	20	15
日	28	18	8	7	18,30	8	5	22	12	9	21	11	7/4,8/6
1952*	17	20	13	12	12	16	16	24	20	14	25	16	12
日	16	20	2	15	21,31	16,22	6	26	28	29	5	28,29	3*
1953*	13	17	11	12	10	10	9	23	17	14	20	(13)	9
日	6	10	2	12	7,26	9	8	10	7	13	12	17	8/7
極 日 年	13 6	17 10	11 2	12 15,12	10 7,26	10 9	9 8	23 10	17 7	14 29,13	18 18	13 17	9 8/7 1953
值 期 份	1953	1953	1953	1952 1953	1953	1953	1953	1953	1953	1952 1953	1950	1953	
武 威													
$\varphi=38^{\circ}05'N$ $\lambda=102^{\circ}55'E$ $H=1475.0M$													
平均相对湿度(%)													
1940	-	-	-	-	55	57	65	75	71	67	71	65	-
1941	64	67	58	49	54	53	60	62	73	62	69	72	62
1942	63	76	47	36	(50)	49	53	67	66	65	58	70	58
1943	65	53	61	52	40	51	-	-	-	-	64	63	-
1944	70	57	44	(53)	35	50	57	60	68	57	68	76	58
1945	81	76	54	51	38	42	46	59	62	57	63	66	58
1946	57	57	53	42	58	49	57	54	52	(47)	49	60	54
1947	63	48	42	(45)	45	45	50	59	73	74	64	75	57
1948	67	69	68	52	48	54	55	66	68	59	65	72	62
1949	65	58	38	37	41	50	62	-	-	-	-	-	-
1951	43	45	37	33	33	51	53	55	58	53	65	64	49
1952	60	64	53	41	56	44	65	60	59	60	65	63	58
1953	51	48	42	50	34	46	50	68	66	64	71	85	56
平 均	62	61	50	45	45	49	55	61	65	60	64	70	57
最小相对湿度(%)													
1940	-	-	-	-	25	31	33	29	30	29	30	19	-
日	-	-	-	-	11	10	23,30	19	23	16,28	30	17	-
1941	5	16	14	13	17	21	32	19	35	20	22	20	5
日	2	6	30	29	28	13	26	6	27	23	15	1	2/1
1942	23	19	6	5	10	15	16	24	20	14	14	30	5
日	31	22,27	15	7	13	25	5,24	8	30	26	4	3*	7/4
1943	21	6	17	11	9	9	-	-	-	-	17	11	-
日	13	27	14	23	5	4	-	-	-	-	1	18	-
1944	30	5	9	10	11	13	10	11	14	14	16	24	5
日	12	26	30	28,29	6	10,13	13	2	13	30	22	24	26/2
1945	31	9	16	10	9	10	8	17	18	15	20	20	8
日	30	25	27	24	31	3	21	14	16	18	5	13	21/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1946	日	20	12	5	6	26	10	15	14	18	6	11	17	5
1947	日	21	22, 24	29, 30	18	2, 6	2	6	12	3*	30	19	14	29, 30/3
1948	日	22	4	9	3	8	13	13	14	17	15	2	19	2
1949	日	30	22	22	18	9	15	13	22, 23	16	30	10	7	10/11
1951	日	11	11	14	12	11	13	20	23	20	13	17	25	11
1952	日	18	23, 24	2	2, 4	19, 26	9	19	3*	8	13	3	12, 14	4*
1953	日	24	11	2	9	7	12	16	-	-	-	-	-	-
1954	日	22	19, 28	2	4	8	1	8, 12	-	-	-	-	-	-
1955	日	22	13	13	12	4	15	9*	6*	6*	10*	13*	13*	4
1956	日	3	18	28	7	19	29	16	21	10	22	1, 19	11	19/5
1957	日	11	7	3	1	8	12	11	13	17	12	22	15	1
1958	日	26	10	13	15	4	30	16	26, 27	14	17, 18	3, 8	28	15/4
1959	日	11*	9*	0*	13*	9*	14*	17*	20*	21	18*	22*	41*	0
1960	日	1	9	22	3	24, 27	1	7	9	29	26	1	23, 26	22/3
1961	日	5	4	0	1	4	9	8	6	6	6	2	11	0
1962	日	2	22	22	15	19	4	21	21	10	30	10	18	22/3
1963	日	1941	1947	1953	1952	1951	1943	1945	1951	1951	1946	1947	1943	1953
中 率														
$\phi = 37^{\circ} 30' N$ $\lambda = 105^{\circ} 36' E$ $H = 1186.0 M$														
平均相对湿度 (%)														
1940	日	49	51	55	33	42	52	64	78	76	59	61	57	56
1941	日	48	52	44	37	44	49	62	52	61	54	59	55	51
1942	日	48	45	43	37	55	49	59	68	67	67	55	58	54
1943	日	49	36	61	51	50	60	62	66	64	60	55	54	56
1944	日	62	49	40	51	42	52	58	60	62	63	58	53	54
1945	日	74	60	50	49	44	47	61	68	71	63	62	58	59
1946	日	46	49	48	41	46	55	66	59	60	54	58	62	54
1947	日	57	44	40	43	48	48	52	61	75	73	58	59	55
1948	日	56	50	64	49	46	54	54	62	69	60	60	70	58
1949	日	64	51	48	-	-	-	-	-	-	-	-	-	-
1950	日	51	46	47	47	39	50	57	69	70	67	72	75	58
平 均	日	54	48	49	44	46	52	60	64	68	62	60	60	56
最小相对湿度 (%)														
1940	日	16	20	15	12	13	19	22	32	34	19	26	23	12
1941	日	4	22	13	22	31	10	17	18	2	16	12	13	22/4
1942	日	18	17	15	13	16	19	24	20	20	20	25	26	13
1943	日	30	1	31	5	3	22	23	7	2	4	24	2	5/4
1944	日	26	24	16	11	17	21	26	22	20	26	21	23	11
1945	日	8	22	23	29	11	10	25	28	6	23	4	12	29/4
1946	日	29	14	18	16	13	12	29	32	17	14	19	20	12
1947	日	14	7	14	8	3	4	31	6	10	5	11	20	4/6
1948	日	32	10	17	14	16	24	18	26	28	24	21	20	10
1949	日	30	25	8	18	7	2, 23	23	1	15	30	4	10	25/2
1950	日	21	10	8	14	15	25	24	20	21	24	29	28	8
1951	日	6	21	12	21	2	8, 10	6	26	15	31	1	27	12/3
1952	日	29	16	13	14	19	20	19	25	26	38	25	22	13
1953	日	18	13	23	18	9	3*	12	10	19	10	25, 26	27, 31	23/3
1954	日	10	9	19	15	16	24	20	27	28	23	22	16	9
1955	日	4	23	31	3	4	1	14	7	8	7	15	12	23/2
1956	日	25	15	14	-	-	-	-	-	-	-	-	-	-
1957	日	24	18	7	-	-	-	-	-	-	-	-	-	-
1958	日	21	15	16	15	13	17	18	19	22	23	26	30	13
1959	日	7, 8	9	11, 28	24	7	13	7	10	7	23	21	26	7/5
1960	日	10	9	8	11	13	12	18	18	17	14	19	16	8
1961	日	4	23	12	29	3*	4	23, 7	10	10	5	11	12	12/3
1962	日	1948	1948	1946	1942	3*	1943	1945	1953	1943	1943	1943	1948	1946

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
烏鞘嶺 $\varphi=37^{\circ}11'N$ $\lambda=103^{\circ}05'E$ $H=3039.1M$ 平均相对湿度(%)														
1951	日	49	57	51	65	54	70	73	75	73	65	71	61	64
1952	日	61	67	68	58	72	59	72	69	70	61	59	59	65
1953	日	62	55	59	76	50	57	66	75	80	73	67	66	66
平 均		57	60	59	66	59	62	70	73	74	66	66	62	65
最小相对湿度(%)														
1951	日	2	0	7*	22	21*	28*	19*	17*	9*	20*	16*	8	0
1952	日	2	19	29	8	19	30	16	3	24,25	9	1	23	19/2
1952	日	23	15	10	18	18	16	26	23	19	15	13	21	10
1953	日	29	10	14	26,28	5	21	5	28,29	4	31	16	21	14/3
1953	日	17	16	15	26	16	20	22	29	26	17	16	23	15
1953	日	7	8	7	6	24	8	7	10	28	26	24	14	7/3
極 值	日	2	0	7	18	16	16	19	17	9	15	13	8	0
日 年	期 份	2	19	29	26,28	24	21	16	3	24,25	31	16	23	19/2
		1951	1951	1951	1952	1953	1952	1951	1951	1951	1952	1952	1951	1951
靖 遠 $\varphi=36^{\circ}36'N$ $\lambda=104^{\circ}39'E$ $H=1405.0M$ 平均相对湿度(%)														
1937	日	78	66	43	*	44	57	68	66	70	68	76	78	63
1938	日	81	77	64	62	55	68	72	80	70	70	71	70	70
1939	日	66	(57)	—	75	62	70	72	52	63	62	71	71	—
1942	日	80	80	70	63	69	63	68	77	79	82	76	86	74
1943	日	81	48	59	56	54	54	62	65	68	69	66	74	63
1944	日	78	61	44	55	51	57	61	66	73	79	76	84	65
1945	日	89	88	67	61	44	48	62	69	77	72	79	80	70
1946	日	74	69	65	*	47	53	51	65	62	61	57	58	59
1947	日	57	36	36	44	43	46	47	56	75	74	69	56	53
1948	日	49	55	60	58	48	52	55	61	65	56	60	61	57
1949	日	46	51	55	46	42	51	63	—	—	—	—	—	—
1950	日	—	—	—	—	—	—	—	—	64	65	52	40	—
1951	日	42	51	39	45	44	50	60	57	63	65	57	58	53
1952	日	48	47	53	49	62	55	60	60	64	64	63	51	56
1953	日	47	48	60	58	42	49	60	65	69	70	67	69	59
平 均		53	51	52	50	49	51	58	60	66	64	62	57	56
最小相对湿度(%)														
1942	日	13	26	40	*	33	35	37	50	50	53	21	49	13
1943	日	28	5	30,31	21	13	21	1,5	30	13	15	17	15	28/1
1943	日	27	18	27	21	12	12	28	33	21	28	34	32	12
1944	日	29	11	1	18	18	5	1	8	19	8	28	5	18/5,5/6
1944	日	45	23	15	15	14	15	25	32	36	50	48	52	14
1945	日	3,10	29	31	2	20	10	3	4	14	7	15,21	7,24	20/5
1945	日	49	38	36	32	16	21	28	28	42	37	45	37	16
1945	日	3	25	17	22,24	31	19	23	1	16	20	24	8	31/5
1946	日	37	28	26	16	19	11	31	27	26	25	23	18	11
1947	日	15	25	30	12	2	10	31	3	14	28	5	3	10/6
1947	日	32	14	18	13	15	16	17	24	35	49	44	32	13
1948	日	27	16	14	18	16	23	7,13	14	19	9,27	8,18	18,31	18/4
1948	日	20	31	31	21	19	18	18	23	20	19	23	32	18
1949	日	13	33	3,31	2,3	20	33	14	7	7	16	8	1	4*
1949	日	16	18	12	13	13	16	25	—	—	—	—	—	—
1949	日	28	28	2	23	9	18	8	—	—	—	—	—	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	-	-	-	-	-	-	-	24 8	27 30	22 28	24 5	21 23	-
1951	日	10 27	11 28	10 1	18 10,12	16 20	20 30	24 21	19 8	26 13,16	30 6	13 21	33 13	10 27,1,1/3
1952	日	31 3	26 21	24 17	20 16	25 28	22 5	28 3	22 26	19 20	16 27	19 1,2	23 13-15	16 27/10
1953	日	26 16,17	21 11	22 7	18 24	12 7	14 7	16 2,7	19 9	31 17,27	26 6	27 25	33 25	12 7/5
極 日 年	值 期 份	10 27	11 28	10 1	13 18,23	12 7	11 10	16 2,7	19 8,9	19 20	16 27	13 21	18 3	10 27,1,1/3
		1951	1951	1951	1947 1949	1953	1946	1953	1951 1953	1952	1952	1951	1946	1951
蘭 州 $\varphi=36^{\circ}03'N$ $\lambda=103^{\circ}57'E$ $H=1519.2M$														
平均相对湿度(%)														
1932	日	-	-	-	-	-	-	50	67	69	61	60	77	-
1933	日	79	68	49	52	46	52	68	65	64	74	70	77	64
1934	日	72	62	39	43	60	49	66	81	73	74	66	71	63
1935	日	80	66	49	64	53	53	64	73	67	77	-	-	-
1936	日	57	45	42	47	43	54	64	65	66	60	61	66	56
1937	日	64	53	34	43	49	63	64	63	66	60	57	56	56
1938	日	60	51	50	39	34	52	51	65	66	62	59	62	54
1939	日	55	46	39	43	42	48	58	55	61	55	63	65	53
1940	日	54	52	64	33	44	40	54	74	76	66	68	64	57
1941	日	57	57	40	37	41	41	55	56	68	55	66	63	53
1942	日	54	47	43	40	50	52	55	66	69	73	61	66	56
1943	日	55	46	62	58	55	61	64	66	72	73	55	57	60
1944	日	64	48	38	51	45	55	58	61	66	73	64	59	57
1945	日	77	75	52	46	35	40	53	62	71	64	65	64	59
1946	日	52	46	48	44	53	51	63	63	65	61	54	54	55
1947	日	63	39	31	40	44	50	54	59	74	75	67	61	55
1948	日	58	59	59	58	53	58	57	62	72	65	61	67	61
1949	日	60	54	54	49	49	59	69	67	71	69	65	66	61
1950	日	58	63	59	45	43	58	60	64	74	72	64	63	60
1951	日	61	61	45	46	45	55	64	69	73	71	70	75	61
1952	日	65	57	54	44	57	49	58	58	63	64	59	65	58
1953	日	54	46	48	51	34	44	53	60	69	71	65	76	56
平 均		61	54	48	45	46	52	59	64	69	67	63	65	58
最小相对湿度(%)														
1932	日	-	-	-	-	-	-	17	30	33	25	25	43	-
1933	日	55	31	21	21	14	23	23	32	31	39	39	31	14
1934	日	7,29	28	16,18	24	23	28	24	27	18	29	8	24	23/5
1935	日	27	19	11	10	17	11	12	39	23	25	27	30	10
1936	日	28	22	18	7	12	15	3	14	19	27	5	5	7/4
1937	日	35	12	8	13	12	16	24	28	25	(39)	-	-	-
1938	日	31	1	18	25	20	5	8	2	15	9	-	-	-
1939	日	14	11	12	17	15	13	18	26	22	19	8	22	8
1940	日	13	18	2	16	27	20	24	31	24	18,22	26	15	26/11
1941	日	23	12	3	13	15	21	25	28	27	24	15	19	3
1942	日	24	27	4	17	6	25	6	2	19	18	30	4	4/3
1943	日	20	14	15	12	9	11	13	21	22	23	19	22	9
1944	日	31	26	29	9	22	7	27	6	10	18	10	3	22/5
1945	日	14	11	8	7	6	10	13	17	14	13	21	22	6
1946	日	15	24	23	12	18	6	6	18	8	1	3	9,11	18/5
1947	日	15	17	12	5	10	10	13	18	39	22	13	21	5
1948	日	4	9,23	12	28	21	4,23	18	1	3	28	18	30	28/4
1949	日	26	11	8	9	8	10	15	15	29	22	27	22	8
1950	日	22	5	25	16	3	6	29	29	27	28	4	25	25/3,3/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942	日	16	10	5	3	12	16	14	28	25	30	22	26	3
1943	日	30	6	31	6	1	9	17	30	13	30	15	27	6/4
1944	日	21	16	23	22	17	16	29	32	21	28	16	20	16
1945	日	16	8	16	9	18	6	31	9	12	29	22	5	3
1946	日	26	15	11	9	12	13	14	15	25	40	21	17	9
1947	日	15	29	21	29	1	12	3	3	14	29	21	18	29/4
1948	日	32	30	18	13	8	12	13	14	34	27	30	25	8
1949	日	1	26	31	24, 25	7	3	23	1	21	12	26	16	7/5
1950	日	16	13	14	9	13	10	26	23	25	21	21	18	9
1951	日	23	23	29	2	31	4	25	4	15	31	17	7, 8	2/4
1952	日	19	11	10	9	12	15	15	14	29	31	27	25	9
1953	日	5	16	28	18	3	27	7	22	19	29	18	28	18/4
1954	日	21	17	22	21	21	19	19	22	30	28	29	32	17
1955	日	19	21	8	2	4	16	21	6	8	17	19	16	21/2
1956	日	27	18	17	14	13	22	27	27	25	29	30	32	13
1957	日	23	19	7	25	9	17	9	28	5	11	23	30	9/5
1958	日	28	25	22	23	15	19	21	36	33	30	26	29	15
1959	日	6, 8	7	11	26	4	19	5, 23	3	12	13	23	28	4/5
1960	日	21	17	16	14	10	17	20	25*	28*	29*	32*	34*	10
1961	日	29	18	20, 21	8	19	9	21	8	16	8	23	20	19/5
1962	日	27	16	7	7	15	12	18	13	16	20	22	23	7
1963	日	17	11	22	13	5, 29	3	17	28	3	16	3	15	22/3, 3/4
1964	日	21	14	15	11	8	10	11	13	27	29	23	38	8
1965	日	9	8	11	26	6, 27	7, 11	7	2	1	1, 23	25	20	6, 27/5
1966	日	14	10	3	3	6	10	11	13	14	13	8	17	3
1967	日	13, 15	6	4	6	18	7	7	28, 2	8	1	26	18	4/3, 6/4
1968	日	1936	1942	1937	1942	1939	5年	1953	1952	1939	1939	1936	1944	1937
1969	日	1939							1953					1942
<p>檳 中 $\varphi = 35^{\circ}52'N$ $\lambda = 104^{\circ}00'E$ $H = 2080.0 M$</p> <p>平均相对湿度(%)</p>														
1940	日	-	-	-	-	49	41	57	78	82	64	80	76	-
1941	日	52	57	52	40	46	45	57	56	72	55	68	72	56
1942	日	73	75	55	44	53	50	57	64	66	79	63	80	63
1943	日	75	66	71	65	60	70	70	63	70	65	72	70	68
1944	日	73	72	52	61	57	60	64	65	69	84	71	60	66
1945	日	67	70	65	65	48	50	61	72	77	64	67	75	65
1946	日	82	72	71	60	67	69	79	75	75	74	69	64	71
1947	日	81	66	65	68	68	72	75	76	85	88	71	73	74
1948	日	68	76	74	70	64	71	69	76	78	71	-	64	-
1949	日	-	83	71	60	51	65	70	-	-	-	-	-	-
1950	日	-	-	-	57	59	40	49	63	70	76	76	70	73
1951	日	-	-	-	-	-	-	-	-	-	-	-	-	-
平 均	日	72	68	62	58	57	59	66	67	73	73	69	71	66
<p>最小相对湿度(%)</p>														
1940	日	-	-	-	-	13	10	20	29	50	13	34	25	-
1941	日	-	-	-	-	21	4	18	1	23	15	13, 26	31	-
1942	日	18	16	13	10	15	19	21	26	27	13	32	28	10
1943	日	30	25	25	20	3	6	28	4	27	22	7	10	20/4
1944	日	10	11	12	15	14	17	22	25	30	51	27	47	10
1945	日	31	6	31	21	13	12	9	15	18	26	6	15	31/1
1946	日	30	25	35	23	26	34	39	22	15	28	32	30	15
1947	日	18	25	1	13	18	4	1	9	19	31	15	15	19/9
1948	日	33	44	7	21	17	16	29	15	35	46	16	25	7
1949	日	4	4	5	29	5	11	15	3	16	30	21	24	5/3
1950	日	44	31	14	22	19	19	23	22	41	31	36	42	14
1951	日	4	16	27	2	31	3, 17	20	1	16	29	26	20	27/3
1952	日	31	29	18	18	25	26	49	43	41	47	37	10	10
1953	日	12	19, 20	30	2	7	1	13	3	28	30, 31	26	7	7/12
1954	日	36	15	3	41	42	47	46	45	55	65	32	31	3
1955	日	4	23	24	1	16	27	13	15	18, 19	30	28	1	24/3
1956	日	43	4	30	32	31	34	35	43	37	31	-	18	-
1957	日	25	25, 26	7	3	27	1	21	6	6	17	-	10	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	-	20	21	22	13	24	33	-	-	-	-	-	-
1953*	日	-	21	21	13	19	9	1	-	-	-	-	-	-
1953	日	-	-	17	13	8	12	20	23	35	37	19	31	-
1953	日	-	-	6	24	7	7	8	2,10	13	26	21	19	-
極 值	值	10	4	3	10	8	10	20	15	15	13	16	10	3
日 年	期	31	25,26	24	20	7	4	18,8	3	19	15,22	21	7	24/3
	份	1942	1948	1947	1941	1953	1940	1940	1944	1943	1940	1944	1946	1947
								1953			1941			
西峰鎮 $\varphi=35^{\circ}42'N$ $\lambda=107^{\circ}44'E$ $H=1440.0M$ 平均相对湿度(%)														
1937		-	-	-	-	64	72	81	88	83	73	83	87	-
1938		83	77	75	65	76	76	78	75	77	82	75	77	76
1939		83	79	70	67	61	73	71	68	72	73	80	75	73
1940		82	80	79	62	63	64	81	89	88	79	80	77	77
1941		78	81	76	66	65	58	76	77	82	73	86	80	74
1942		85	83	76	66	80	76	79	85	87	89	82	77	80
1943		84	83	82	79	69	73	74	82	83	80	84	84	80
1944		90	86	76	76	73	75	77	79	75	84	71	77	78
1945		84	82	68	61	61	72	74	83	85	80	88	76	76
1946		76	68	79	71	78	81	81	84	90	87	86	80	80
1947		82	73	64	67	72	69	71	84	84	85	79	77	76
1948		64	73	80	77	68	75	73	78	84	81	83	79	76
1949		69	74	74	71	74	74	-	-	-	-	-	-	-
1950		72	77	78	73	71	75	75	80	83	98	81	73	77
1951		74	83	73	74	68	61	78	82	83	83	81	73	76
1952		70	76	81	59	71	56	81	82	73	64	78	54	70
1953		45	54	53	51	47	57	74	75	73	79	80	74	64
平 均		77	77	74	68	68	69	76	80	81	80	81	76	76
最小相对湿度(%)														
1940	日	38	20	31	18	26	30	41	55	56	47	31	31	18
	4	9	15	28	21	7	14,19	3	2	23	27	26	28	28/4
1941	日	29	39	29	31	15	14	17	31	46	16	30	28	14
	2	5	26	15	7	13	24	14	27	7	5	1	13/6	13/6
1942	日	38	55	18	31	42	33	43	64	42	51	29	23	18
	25	34	30	6,8	2,14	10	1,2	20	7	27	30	10	30/3	30/3
1943	日	55	43	49	40	34	34	40	46	44	48	47	58	34
	29	19	17	10	17	8	16	2	2	28	22	15,27	17,5,8/6	17,5,8/6
1944	日	62	50	42	33	32	42	46	45	39	57	30	28	28
	5	28	28	30	10	9	14	2	7	26	20	31	31/12	31/12
1945	日	47	33	24	18	23	35	37	41	48	46	52	34	16
	30	24	30	2	2	3	24	1	15	20	3	20	20	2/4
1946	日	41	23	30	27	44	36	54	50	62	54	64	43	23
	20	24	29	2	7	1	24	1	27	6	20	4,7	24/2	24/2
1947	日	44	28	27	31	33	36	39	51	50	50	42	43	27
	2	27	13,23	14	18	22	6	9	17	10	26	31	13,23/3	13,23/3
1948	日	32	40	45	34	29	35	34	43	52	48	48	54	29
	17	13	9	25	25	1,19	4	1	8	3	2	12	25/5	25/5
1949	日	36	35	38	35	39	27	-	-	-	-	-	-	-
	22	17	3,17	4	16,17	16	-	-	-	-	-	-	-	-
1950	日	33	41	49	31	32	37	29	46	46	47	52	31	29
	28	5	3	11	25	9	5	18	27	12	28	31	5/7	5/7
1951	日	36	51	33	34	26	26	31	43	42	38	45	36	26
	2	17	29	12	20	8	1	22	25	31	3	13	20,5,8/6	20,5,8/6
1952	日	26	33	25	18	29*	6*	35*	16*	10*	13*	27*	12*	6
	19	12	31	16	28	13	15	30	30	4	1	16,31	13/6	13/6
1953*	日	5	7	6	9	5	14	23	26	27	34	36	35	5
	8	10	13	11	5,6	11	7,9	20	30	9,23	30	27	32	32

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日 年	健期 份	5 8 1953	7 10 1953	6 13 1953	9 11 1953	5 5,6 1953	6 13 1952	17 24 1941	16 30 1952	10 30 1952	13 4 1952	27 1 1952	12 16,31 1952	5 3 1953
臨 夏 $\varphi=35^{\circ}37'N$ $\lambda=103^{\circ}11'E$ $H=1900.0M$														
平均相对湿度(%)														
1949	—	—	67	64	70	78	83	81	84	82	—	—	—	—
1950	—	66	81	75	86	83	73	71	77	77	64	60	—	—
1951	60	67	56	58	76	84	87	86	86	80	70	69	73	73
1952	62	62	60	54	70	65	70	70	74	68	67	67	66	66
1953	60	53	60	60	51	59	70	72	81	80	76	70	66	66
平 均		61	61	59	57	66	69	76	76	80	76	71	69	68
最小相对湿度(%)														
1949	—	—	30	24	28	44	51	51	54	55	—	—	—	—
日	—	—	8	7	10	28	1	1	5	11	—	—	—	—
1950	—	28	52	45	70	28	31	27	43	43	28	27	—	—
日	—	17	23	27	15	1	24	8	16	30	22	3	—	—
1951	22	30	23	27	37	52	64	66	64	41	32	19	19	19
日	31	17	9	6	1	10	1	7	29	30	24,25	6,8	6,8/12	11
1952*	11	23	14	14	26	22	30	24	32	31	26	24	11	11
日	18	9	14,22	16	1,4	14	14	29	20	31	3	31	18/1	18/1
1953*	20	14	16	16	16	16	27	20	32	27	23	(25)	14	14
日	5,8	7	6	6	7,27	6	8	2	30	26	22	23	7/2	7/2
極日 年	健期 份	11 18 1952	14 7 1953	14 14,22 1952	14 16 1952	16 7,27 1953	16 6 1953	27 8 1953	20 2 1953	32 20,30 1952	27 26 1953	23 22 1953	19 6,8 1951	11 18/1 1952
華家嶺 $\varphi=35^{\circ}25'N$ $\lambda=104^{\circ}50'E$ $H=2407.4M$														
平均相对湿度(%)														
1943	61	58	77	81	69	67	74	80	80	76	66	52	70	70
1944	78	63	46	71	66	74	80	80	78	91	79	64	73	73
1945	65	68	78	78	57	60	74	85	87	80	83	75	74	74
1946	68	70	82	69	76	78	83	80	86	79	79	73	77	77
1947	83	66	65	73	72	78	79	89	92	94	80	75	79	79
1948	69	82	90	89	81	85	79	88	—	—	—	—	—	—
1949	—	—	83	—	—	—	—	—	—	—	—	—	—	—
1951	61	78	54	67	52	60	76	73	80	78	73	62	68	68
1952	60	76	81	63	83	67	78	80	76	80	83	58	74	74
1953	59	55	62	60	47	57	69	73	77	79	70	62	64	64
平 均		67	67	68	70	65	68	77	80	82	82	77	65	72
最小相对湿度(%)														
1943	12	18	27	24	19	25	23	48	23	17	24	14	12	12
日	12	10	9	13	20	7	13	27	13	28	24	5	12/1	12/1
1944	23	11	8	22	14	27	31	29	34	30	24	14	8	8
日	4	17	18	1,28	5	10	3	3,4	13	30	21	30	18/3	18/3
1945	4	16	44	43	22	18	35	35	40	41	54	37	4	4
日	28	7	26	3	31	24	1	1	12	18	24	15	28/1	28/1
1946	40	32	40	22	29	36	56	44	44	35	30	33	22	22
日	2	20	22	2	2	9	24,26	29	30	30	30	15	2/4	2/4
1947	46	26	44	34	39	43	45	59	53	65	40	39	26	26
日	30	13	17,28	17,18	17	28	23	5,19	17	11	8	19	13/2	13/2
1948	32	48	62	56	46	48	50	57	—	—	—	—	—	—
日	14	21	2	2	26	1	1,19	6	—	—	—	—	—	—
1949	—	—	46	—	—	—	—	—	—	—	—	—	—	—
日	—	—	10	—	—	—	—	—	—	—	—	—	—	—
1951	7	5	6	8	10	16	19*	20*	19*	23*	12*	16*	5	5
日	26	18	20	11	20	27	1	8	16	31	1	22	18/2	18/2

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	19	18	26	10	29	22	25	24	25	30	26	14	10
1953	日	19	9	13	16	28	7,13	9	31	19	31	4	30	16/4
1953	日	14	13	12	16	11	14	24	22	30	27	18	19	11
	日	8	7,26	5	6,26	6,13	11	20	7	30	22	22	25	6.13/5
極日年	值期份	4	5	6	8	10	14	19	20	19	17	12	14	4
	日	28	18	20	11	20	11	1	8	16	28	1	34	28/1
	日	1945	1951	1951	1951	1951	1953	1951	1951	1951	1943	1951	34	1945
平 涼														
$\varphi=35^{\circ}25'N$ $\lambda=106^{\circ}24'E$ $H=1400.0M$														
平均相对湿度(%)														
1937		-	74	69	61	49	70	81	85	84	73	72	68	-
1938		77	68	59	50	45	65	65	75	77	74	65	71	66
1942		51	55	67	79	82	73	71	73	76	82	73	72	71
1943		66	65	70	69	66	77	78	84	87	84	77	59	74
1944		80	67	48	80	67	73	76	72	73	83	72	71	72
1945		77	78	75	82	77	73	75	82	88	83	82	68	78
1946		70	70	75	70	76	70	73	70	80	-	-	-	-
平 均		70	67	64	72	67	72	73	77	80	81	74	68	72
最小相对湿度(%)														
1942	日	6	12	18	33	49	37	31	38	34	30	40	23	6
	日	16	12	21	2	1,13	29	1	28	29	3	7	25	16/1
1943	日	12	24	25	23	23	34	45	51	46	55	35	19	12
	日	15	21	16	10	17	8	31	1	1	7,15	25	20	15/1
1944	日	29	28	11	44	19	34	45	38	27	49	26	33	11
	日	13	8,12	11,21	30	3,4	10	14	3,14	13	26	22	31	11,21/3
1945	日	40	27	32	55	43	43	39	43	57	55	32	20	20
	日	3	25	27	16,21	31	2	24	1	15	15,18	27	7	7/12
1946	日	25	26	31	36	40	29	38	34	37	-	-	-	-
	日	17	18	31	3	31	10	7	13	17	-	-	-	-
極日年	值期份	6	12	11	23	19	29	31	34	27	30	26	19	6
	日	16	12	11,21	10	3,4	10	1	13	13	3	22	20	16/1
	日	1942	1942	1944	1943	1944	1946	1942	1946	1944	1942	1944	1943	1942
平 涼(農)														
$\varphi=35^{\circ}25'N$ $\lambda=106^{\circ}38'E$ $H=1400.0M$														
平均相对湿度(%)														
1950		67	73	67	63	58	67	68	76	78	80	68	67	69
1951		64	74	61	63	59	55	74	67	77	77	73	63	67
1952		56	70	76	61	73	58	76	80	70	63	73	63	68
1953		53	55	55	57	51	58	73	72	76	80	79	77	66
平 均		60	68	65	61	60	60	73	74	75	75	73	68	68
最小相对湿度(%)														
1950	日	22	22	28	18	16	23	20	31	39	41	22	27	16
	日	11	2	5	10,11	13	9,10	22	8	27,30	28	23	31	13/5
1951	日	19	20	18	18	14	19	28	28	28	39	26	18	14
	日	2	21	28	10	17	28	21	17	13	30	24	21	17/5
1952	日	21	26	30	15	23	13	23*	23*	16*	6*	14*	11*	6
	日	17	9	23	15,16	31	3	14	24	19	16	1	14	16/10
1953*	日	8	9	13	12	8	14	24	25	27	33	23	36	8
	日	8	26	6	4	5	11	9	8,20	6	9	25	24,28	8/15/5
極日年	值期份	8	9	13	12	8	13	20	23	16	6	14	11	6
	日	8	26	6	4	5	3	22	24	19	16	1	14	16/10
	日	1953	1953	1953	1953	1953	1952	1950	1952	1952	1952	1952	1952	1952

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
<div>臨 洮</div> <div>$\varphi=35^{\circ}23'N$ $\lambda=103^{\circ}51'E$ $H=1877.0M$</div> <div>平均相对湿度(%)</div>														
1950		62	71	70	61	62	73	73	72	81	81	78	82	72
1951		83	81	70	66	64	68	77	80	80	74	78	75	75
1952		76	65	65	55	70	65	68	70	72	72	70	68	68
1953		62	61	60	56	52	61	72	70	76	76	70	73	66
平 均		71	70	66	60	62	67	73	73	77	76	74	75	70
<div>最小相对湿度(%)</div>														
1950		34	29	34	14	14	39	38	20	47	48	45	36	14
日		5,9	24	31	13	6	22,30	15	29	4	30	18,24	29	13/4,6/5
1951		38	37	28	25	25	32	23	47	51	37	34	30	23
日		27,28	16	17	6	20,21	30	1	8	17	6	1	19	1/7
1952		30	24	13	14	29	28	32	28	13	18*	17*	23*	13
日		28	10	22	13	1	14	21	28,30	20	31	4	30	22/3,20/9
1953*		7	10	11	7	5	13	23	22	32	22	20	31	5
日		16	7	23	6,26	6,27	7	8	9	29	22	22,23	18	6,27/5
極 日	7	10	11	7	5	13	23	20	13	18	17	23	5	
年	16	7	23	6,26	6,27	7	1,8	29	20	31	4	30	6,27/5	
	1953	1953	1953	1953	1953	1953	1951	1950	1952	1952	1952	1952	1953	
<div>岷 縣</div> <div>$\varphi=34^{\circ}30'N$ $\lambda=104^{\circ}05'E$ $H=2246.0M$</div> <div>平均相对湿度(%)</div>														
1940		54	63	66	55	66	60	70	77	76	71	63	61	65
1941		55	53	52	56	64	67	74	70	73	65	64	59	63
1942		55	60	65	59	64	62	70	68	71	73	62	54	64
1943		60	52	62	66	68	72	70	70	72	71	63	54	65
1944		64	60	53	65	67	71	71	68	73	77	68	59	66
1945		60	61	62	67	58	62	69	70	73	70	67	59	65
1946		51	52	68	57	65	69	70	71	75	68	65	60	64
1947		63	57	50	56	65	67	71	72	72	75	57	62	64
1948		55	58	67	67	67	67	70	68	70	70	-	-	-
1950		54	59	69	65	64	71	75	71	77	79	66	59	67
1951		63	64	59	70	66	68	74	76	77	70	75	73	70
1952		65	71	71	62	74	72	76	77	74	76	73	61	71
1953		65	57	71	69	63	70	78	73	83	82	76	67	71
平 均		59	59	62	62	65	68	72	72	75	73	67	61	66
<div>最小相对湿度(%)</div>														
1940		5	19	17	11	10	18	29	34	45	29	13	19	5
日		27	24	12	30	29	28	2	1	6	28	18	16	27/1
1941		14	8	10	12	15	24	22	28	25	23	25	27	8
日		26	4	7	21	5	1	28	7	27	28	17	25	4/2
1942		18	18	21	12	12	18	24	31	26	29	30	21	12
日		27,31	6	31	11	1	11	9	20	6	24	24	10,14	11/4,2/5
1943		23	11	14	13	19	20	32	26	32	23	21	20	11
日		10	23	21	12	6	4	31	28	16	28	23	9	23/2
1944		24	20	11	22	21	22	30	25	28	32	22	32	11
日		9	9	6	1	5	13	13	13	14	29	20	22	6/3
1945		18	15	18	24	20	16	24	22	36	23	31	15	15
日		23	25	27	1	4,29	5	2	1	2	3	6	18	25/2,18/12
1946		20	16	16	13	20	21	32	29	32	25	29	25	13
日		5	7	12	6	28	4	10	4	30	23	17,21	6	6/4
1947		14	17	10	13	21	29	31	38	25	32	16	17	10
日		27	28	1	19	17	28	6	8	16	30	25	4	1/3
1948		20	15	22	18	26	24	30	24	28	30	-	-	-
日		18	23	28	2	28	1	13,21	2	8	14	-	-	-

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950 日	18 29	22 20	24 23	19 15	17 13	27 20	30 5	36 8,27	41 1	42 30	28 22	26 9	17 13/5
1951 日	25 27	14 16	16 16	21 8	21 20	27 19,30	20* 19	25* 1	22* 29	15* 15	13* 19	1* 25	1 25/12
1952* 日	13 20	21 10	0 22	0 16	14 28	25 13	27 14	15 10,28	19 27	15 30	18 16	7 30	0 22/3,16/4
1953* 日	6 6	10 9	9 6	5 6	7 6,27	7 7	26 7,24	23 7,9	30 21,30	27 26	17 23	27 24	11 6/4
極 值 日 年	5 27 1940	8 4 1941	0 22 1952	0 16 1952	7 6,27 1953	7 7 1953	20 19 1951	15 10,28 1952	19 27 1952	15 15,30 1951	13 18,19 1940	1 25 1951	0 22/3,16/4 1952
天 水 $\varphi=34^{\circ}29'N$ $\lambda=106^{\circ}01'E$ $H=1096.1M$													
平均相对湿度(%)													
1935	-	-	-	-	-	-	-	-	74	71	74	72	-
1936	59	60	53	49	50	57	65	72	66	61	55	63	59
1937	62	59	43	50	48	63	71	70	73	66	60	53	60
1938	55	53	59	50	50	63	60	69	77	75	69	61	62
1939	-	-	-	-	-	-	-	-	59	63	-	-	-
1940	-	-	-	42	56	47	60	75	78	68	65	-	-
1942	56	55	59	54	58	48	54	57	70	69	61	58	58
1943	56	47	59	56	55	59	61	66	70	65	53	46	58
1944	57	49	39	54	56	60	65	66	68	78	76	70	62
1945	72	73	60	66	49	55	62	68	78	72	78	71	67
1946	64	60	70	54	65	64	66	65	76	71	67	66	66
1947	70	63	47	51	59	63	65	75	77	74	70	69	65
1948	63	63	68	69	60	70	63	72	77	74	78	70	69
1949	62	64	66	63	60	61	75	(75)	85	78	74	75	70
1950	65	68	63	62	55	62	63	68	74	76	65	59	65
1951	56	70	55	61	57	54	72	69	79	76	75	70	66
1952	60	67	73	56	73	65	73	78	74	74	76	62	69
1953	59	58	60	57	54	60	72	67	76	79	79	72	66
平 均	61	61	58	57	57	60	66	69	75	73	69	64	64
最小相对湿度(%)													
1935	-	-	-	-	-	-	-	-	48	44	35	16	-
日	-	-	-	-	-	-	-	-	3	30	22	16	-
1936	23	22	19	16	21	24	28	36	37	28	24	14	14
日	29	9	23	2	22	20	26	6	9	30	17	4	4/12
1937	24	16	14	16	16	27	32	34	37	28	25	16	14
日	20	26	25	5	3	7	4	14	18	20	23	17	25/3
1938	16	10	10	18	20	26	34	30	40	31	30	31	10
日	6	16	12	14	12	15	38	5	9	5	3	23	16/2,12/3
1939	-	-	-	-	-	-	-	-	27	23	-	-	-
日	-	-	-	-	-	-	-	-	29	4	-	-	-
1940	-	-	-	14	17	18	21	30	48	36	30	-	-
日	-	-	-	28	2	4	2	1	1	14	15	-	-
1942	10	21	18	19	19	16	19	15	28	29	24	8	8
日	1,3	7	30	10,12	13	9	21	29	3	23	29	26	26/12
1943	13	6	23	15	18	19	21	20	32	30	12	14	6
日	1	7	16	10	5	5	16	8	10	14	20	4,7	7/2
1944	22	10	13	18	18	21	34	25	22	41	43	38	10
日	15	17	17	27,30	4	8	2,13	4	16	28	1	23	17/2
1945	35	41	19	30	18	15	24	28	42	32	39	28	15
日	21	25	3	16	13	1	31	14	16	19	29	16	1/6
1946	33	24	32	21	31	20	31	30	35	28	26	28	20
日	25,31	17	30	16	30	2	31	1	26	3	25	8	2/6
1947	37	24	21	19	19	28	26	38	43	44	39	36	19
日	31	21	26	2	16	22,24	23	8	16	13	17	9,11	2/4,16/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948	日	23	23	37	25	24	28	23	36	42	44	42	38	23
		20	20	31	3	12, 27	3*	8	10	7	17, 19	15	17	3*
1949	日	32	24	23	27	20	21	35	(35)	49	52	38	39	20
		13	19	5, 6	4*	16	15	1	31	1	25, 26	21	23	16/5
1950	日	33	33	27	19	22	21	21	29	36	41	30	23	19
		7	3	11	16	5, 13	28	5, 23	7	27	1	14	25	16/4
1951	日	21	35	17	11	14	16	22	30	35	36	34	35	11
		27	13	28	11	20	6	20	3*	15	30, 31	21	12	11/4
1952	日	26*	22*	24*	17*	26*	22	37	24*	24*	25*	35*	22*	17
		28	1, 10	22	15	28	4	16	31	1	1	2, 20	23	15/4
1953*	日	59	14	14	8	10	8	26	22	12	38	38	31	8
		12, 17	5, 25	11	4	27	11	15	14	7	9	4	23	4/4, 11/6
極日	值	10	6	10	8	10	8	19	15	12	23	12	8	6
年	期	1, 3	7	12	4	27	11	21	29	7	4	20	26	7/2
	份	1942	1943	1938	1953	1953	1953	1942	1942	1953	1939	1943	1942	1943
武 都 $\varphi=33^{\circ}23'N$ $\lambda=104^{\circ}41'E$ $H=1090.0M$														
平均相对湿度(%)														
1944		66	66	57	72	65	64	60	61	80	81	79	72	69
1945		71	76	67	71	53	59	76	71	81	77	77	72	71
1946		66	62	66	60	77	78	76	78	80	79	79	78	73
1947		73	71	62	62	70	70	69	77	78	79	-	-	-
1950		-	-	73	72	68	70	66	72	79	80	72	76	-
1951		77	73	66	71	55	58	68	68	83	77	75	76	71
1952		71	70	67	60	75	70	74	76	76	75	69	65	71
1953		68	60	63	64	57	57	69	60	76	73	69	66	65
平 均		70	68	64	66	64	64	71	69	79	77	75	72	70
最小相对湿度(%)														
1944	日	23	17	24	30	25	20	28	28	54	31	51	23	17
		5	5	15	2	12	10	5	4	5	12	15	8	5/2
1945	日	35	37	36	36	24	22	32	38	48	44	47	43	22
		15	13	9	25	29	22	30	1	13	8	29	6	22/6
1946	日	45	38	37	28	42	50	47	35	44	23	50	51	23
		20	18	30	18	29	4	24	1	26	18	11	16	18/10
1947	日	45	38	38	32	33	26	32	45	50	49	-	-	-
		31	24	28	19	10	21, 22	7	8	17	26	-	-	-
1950	日	-	-	41	39	36	38	29	42	41	50	49	36	-
		-	-	12	11	13	3*	4	1	1	30	3*	9	-
1951	日	39	41	30	36	24	30	29	30	52	44	47	50	24
		10	15	2	22	20, 30	7	1	17	25	30	7	12, 13	20, 30/5
1952	日	51	50	41	32	45	38	49	46	45	42	37	30	30
		6	6	22	8, 16	6, 29	9	28, 31	31	1, 25	30	7	30	30/12
1953	日	30	29	30	29	10*	17*	28*	24*	31*	30*	30*	36*	10
		10	28	2	1, 2	27	6	5	20	7	21	26	21	27/5
極日	值	23	17	24	28	10	17	28	24	31	23	30	23	10
年	期	5	5	15	18	27	6	5	20	7	18	26	8	27/5
	份	1944	1944	1944	1946	1953	1953	1944	1953	1953	1946	1953	1944	1953
青 海 都蘭 $\varphi=37^{\circ}01'N$ $\lambda=98^{\circ}46'E$ $H=2985.0M$														
平均相对湿度(%)														
1944		53	56	45	46	51	77	67	60	65	58	57	57	58
1945		65	63	57	56	58	61	65	70	57	62	51	53	60
1946		51	49	46	56	67	73	70	62	66	62	53	60	60
1947		68	56	51	52	66	60	67	57	53	62	52	57	58
1948		58	55	55	41	44	56	63	-	54	54	53	61	-

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均	59	56	50	53	61	68	67	62	60	61	53	57	59
最小相对湿度(%)													
1944 日	24	27	18	22	13	22	31	24	24	25	20	22	13
1945 日	17	17	4	21	5	25	17	21	20	31	9	30	5/5
1946 日	30	30	16	16	20	12	12	19	19	29	16	20	12
1947 日	22	5,8	30	1	17	17	26	27	2	9	7	19	17/6,26/7
1948 日	23	22	11	14	25	21	24	20	13	29	23	40	11
1949 日	2,19	7,12	4	18	9	19	22	4	25	3	3	26	4/3
1950 日	33	23	23	14	31	21	33	22	14	25	24	27	14
1951 日	5	13	24	13	10,16	13	23	8,9	8,15	30	1	20	3
1952 日	33	25	17	15	11	20	24	-	21	23	25	32	11
1953 日	25	20	31	1	18	13	18	-	3	4,17	24	16	18/5
极 值	23	22	11	14	11	12	12	19	13	23	16	20	11
日 期	2,19	7,12	4	18,13	18	17	26	27	25	4,17	7	19	4/3,18/5
年 份	1946	1946	1946	1946	1948	1945	1945	1945	1946	1948	1945	1945	1946
				1947									1948
西 宁													
$\varphi = 36^{\circ}35'N$ $\lambda = 101^{\circ}55'E$ $H = 2295.0 M$													
平均相对湿度(%)													
1936	-	-	-	-	-	-	-	-	-	-	-	61	-
1937	73	54	34	38	42	58	60	59	63	56	64	58	55
1938	57	48	48	41	35	53	56	67	74	66	54	52	54
1939	51	45	41	50	56	70	68	70	74	60	61	62	59
1940	40	52	53	40	48	52	65	74	78	69	61	50	57
1941	44	42	34	45	50	52	62	60	69	60	58	54	53
1942	(50)	50	45	46	49	55	63	64	66	65	50	64	56
1943	51	41	52	52	53	63	63	64	63	62	57	(51)	56
1944	-	-	40	54	51	67	70	63	64	65	69	63	-
1945	-	-	-	-	45	53	61	64	66	56	56	50	-
1946	42	42	43	42	46	53	64	67	62	58	51	47	51
1947	53	33	30	45	55	61	60	61	66	71	56	52	54
1948	46	45	49	58	49	60	56	64	70	67	54	54	56
1949	45	43	42	49	64	67	73	70	-	63	60	56	-
1950	43	39	52	46	43	55	59	64	69	66	52	50	53
1951	53	54	33	41	52	64	70	73	73	70	67	66	60
1952	63	54	59	43	59	54	63	64	63	54	55	60	58
1953	60	48	52	51	46	52	65	69	76	70	67	73	61
平 均	52	46	45	46	49	57	62	66	69	64	58	57	56
最小相对湿度(%)													
1936 日	-	-	-	-	-	-	-	-	-	-	-	12	-
1937 日	-	-	-	-	-	-	-	-	-	-	-	3	-
1938 日	9	0	1	7	8	15	14	22	21	20	19	10	0
1939 日	25	28	3	13	5	18	27	14	7	24	3	2	28/2
1940 日	9	6	6	13	11	17	24	32	42	32	24	12	6
1941 日	28	22	16	3	2,7	4	3	6	11	30	5	3	22/2,16/3
1942 日	19	10	8	11	17	36	22	29	9	11	17	19	8
1943 日	25	5	21	5,13	11	29	5	20	27	2	16	27	21/3
1944 日	5	7	1	4	9	10	19	27	40	28	10	14	1
1945 日	13	23	6	15,19	7	5	26	1	9	15	24	29	6/3
1946 日	4	0	0	13	14	12	23	19	29	20	5	20	0
1947 日	21	24,25	3	3	4,22	10,16	29	7	4	22	4	24	5
1948 日	(11)	2	6	5	4	9	22	22	21	16	18	16	2
1949 日	8	6	28	11	14	8	6	21	7	31	3	9	6/2
1950 日	10	2	0	7	6	9	18	20	21	8	7	(11)	0
1951 日	25	27	16	4,8	27	9	12	12	12,18	15	30	19	16/3
1952 日	-	-	1	8	12	21	23	18	22	19	10	25	-
1953 日	-	-	6	13	11	5	15	14	23	26	24	25	-
1954 日	-	-	-	-	11	15	17	6	27	9	13	4	-
1955 日	-	-	-	-	24	19	2	17	18	20	12	19	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1946	日	0	5	0	0	6	13	24	7	19	18	10	0	0
1947	日	26	6,13	2,10	20	7	4	12	12	16	24	21	8	5*
1948	日	10	0	0	9	12	16	19	24	10	26	10	0	0
1949	日	25	28	5*	3*	17	11	7	16	15	30	28	1,7	8*
1950	日	0	1	0	11	7	17	13	15	26	33	9	12	0
1951	日	19	23	2	27	5	1	20	6	6	3*	16	12	19/1,2/3
1952	日	6	0	0	8	17	19	22	26	-	19	16	11	0
1953	日	29	21	7,8	6	20	18	8	17	-	11	28	26	3*
1954	日	17	10	0	6	5	14	16	25	28	25	19	6	0
1955	日	4,11	8,24	6	26	3,4	19	11	8,23	16	13	3*	7	6/3
1956	日	13	10	3	9	6	20	24	24	29	21	14	16	3
1957	日	7,29	21	4	11	18	1	11	9	15	8	24	25	4/3
1958	日	20	13	14	9	15	18	21	15	17	12*	17*	15*	9
1959	日	21	12	21	16	5	7,13	17	29	29	2	3*	17	16/4
1960	日	14	10	10	12	11	13	15	16	31	15	19	24	10
1961	日	11	6	6	3*	6	6	8	1	21	26	21	24	6/2, 6/3
極 值	日	0	0	0	0	4	9	13	6	9	8	5	0	0
期 份	26,19	5*	15*	20	14	8,9	20	17	27	15	4	3*	26*	8年
年	1946	4年	7年	1946	1942	1942	1948	1945	1939	1943	1941	1946	1947	
	1948					1943								
新疆维吾尔自治区 塔 城 $\varphi=46^{\circ}45'N$ $\lambda=82^{\circ}50'E$ H=400.0M														
平均相对湿度(%)														
1943	日	67	75	73	59	40	49	44	59	48	61	74	79	61
1944	日	(79)	60	55	49	42	44	45	41	65	56	76	70	57
1945	日	73	78	71	49	39	39	-	-	-	-	-	-	-
1951	日	-	-	-	-	-	-	53	-	53	77	78	80	-
1952	日	81	71	76	69	52	55	59	59	63	62	-	72	-
1953	日	74	73	76	60	53	59	61	63	(49)	76	84	85	68
平 均		73	69	68	56	45	51	50	54	54	64	78	78	62
最小相对湿度(%)														
1943	日	41	39	40	20	16	20	22	25	20	20	40	45	16
1944	日	3*	8	30	12,30	4,31	17	3,9	21	8	3*	20	12	4,31/5
1945	日	45	40	25	22	20	20	25	25	30	30	36	45	20
1946	日	6	1	26,30	9	16,23	7,8	2	26	5*	8*	13	3*	4*
1947	日	40	40	35	7	4	10	-	-	-	-	-	-	4
1948	日	9	8	14	30	1	11	-	-	-	-	-	-	1/5
1951	日	-	-	-	-	-	-	25	-	25	36	40	39	-
1952	日	-	-	-	-	-	-	17	-	20	24	6	16	-
1953	日	41	35	36	25	12	18	26	24	17	21	-	33	-
1954	日	30	24	19	22	31	1	31	23	17	10,11	-	2	-
1955	日	27	33	40	22*	9*	12*	20*	22*	15	21	51	46	9
1956	日	29	8	1,22	11	30	3	2,5	23	11,16	4	30	11	30/5
極 值	日	27	33	25	7	4	10	20	22	15	20	36	33	4
期 份	29	8	26,30	30	1	11	2,5	23	11,16	3*	13	2	1/5	
年	1953	1953	1944	1945	1945	1945	1953	1953	1953	1943	1944	1952	1945	
奇 台 $\varphi=44^{\circ}03'N$ $\lambda=89^{\circ}27'E$ H=612.0M														
平均相对湿度(%)														
1951	日	-	-	-	48	41	48	45	38	47	72	(83)	94	-
1952	日	(95)	87	(81)	66	49	48	48	43	50	67	85	83	67
1953	日	76	77	74	57	42	47	44	50	38	69	89	92	63
平 均		86	82	78	62	46	48	46	47	44	68	87	88	65
最小相对湿度(%)														
1951	日	-	-	-	13	10	20	15	12	17	27	(33)	40	-
1952	日	-	-	-	4*	17	19,28	4	16	10	6	8	9	-

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952 日	(60)	45	(12*)	19*	14*	3*	1*	4*	7*	6*	21*	43*	1
1953 日	13	19	30	3	27	15	14	1	29	16	8	29	14/7
1953 日	11	6	29	16	11	8	10	10	11	17	45	61	6
1953 日	29	6	21	12	12	18	4	23	30	11	1	3	6/2
極日 年	11 29	6 6	12 30	13 4*	10 17	3 15	1 14	4 1	7 29	6 16	21 8	40 9	1 14/7
值 期 份	1953	1953	1952	1951	1951	1952	1952	1952	1952	1952	1952	1951	1952
伊 寧 $\varphi=43^{\circ}55'N$ $\lambda=81^{\circ}17'E$ $H=670.0M$													
平均相对湿度(%)													
1951	-	-	-	-	-	-	-	52	57	75	82	83	-
1952	90	88	78	68	66	68	60	55	60	60	90	87	73
1953	87	87	78	60	56	66	56	60	52	74	86	87	71
平 均	89	88	78	64	62	67	58	58	56	67	88	87	72
最小相对湿度(%)													
1951	-	-	-	-	-	-	-	21	25	31	41	40	-
1952	-	-	-	-	-	-	-	18	11	21	6	17	-
1952	66	53	25	21	25	28	24	25*	26*	16*	34*	47*	16
1952	17, 30	22	31	12	30	28	29	9	27	9	7	28	9/10
1953	55	54	41	20	22	29	24	24	18	26	45	49	18
1953	7	19	14	11	4	28	20	28	29	11	26	22	29/9
極日 年	55 7	53 22	25 31	20 11	22 4	28 28	24 29, 20	21 18	18 29	16 9	34 7	40 17	16 9/10
值 期 份	1953	1952	1952	1953	1953	1952	1952	1951	1953	1952	1952	1951	1952
烏魯木齊 $\varphi=43^{\circ}47'N$ $\lambda=87^{\circ}37'E$ $H=902.7M$													
平均相对湿度(%)													
1951	83	84	75	37	39	48	43	40	50	76	81	88	62
1952	90	89	82	66	49	53	49	40	50	61	85	85	67
1953	88	93	84	54	43	46	46	53	37	70	87	85	66
平 均	87	89	80	52	44	49	46	44	46	69	84	86	65
最小相对湿度(%)													
1951	37	28	37	9	9	17	18	17	18	32	37	35	9
1952	29	27	16	29	17	3*	17, 28	3*	3, 9	30	27	8, 9	29/4, 17/5
1952	56	51	40	21*	13*	13*	16*	9*	20*	16*	(33)*	38*	9
1952	10	17	11	2	28	2	30	16	19	3	8	11	16/8
1953	(45)	41	44	13	10	16	18	21	10	22	37	38	10
1953	8	9	5	11	12	1	22, 23	22	16	25	4, 27	16	12/5, 16/9
極日 年	37 29	28 27	37 16	9 29	9 17	13 2	16 30	9 16	10 16	16 3	33 8	35 8, 9	9 3*
值 期 份	1951	1951	1951	1951	1951	1952	1952	1952	1953	1952	1952	1951	1951
哈 密 $\varphi=42^{\circ}50'N$ $\lambda=93^{\circ}27'E$ $H=770.0M$													
平均相对湿度(%)													
1951	75	78	51	19	21	24	28	33	37	45	63	83	46
1952	85	66	36	36	30	33	31	28	33	47	65	80	48
1953	78	71	43	26	25	30	26	30	24	43	49	87	44
平 均	79	72	43	27	25	29	28	30	31	45	59	83	46
最小相对湿度(%)													
1951	23	17	2	5	5	5	9	10	9	16	28	44	2
1951	10	17	20	29	16	10	4	6	11	6	5, 6	1, 2	20/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952 日		33	16	11	14	10	10	10	8 [※]	11 [※]	10 [※]	22 [※]	42 [※]	8
1953 [*] 日		29	26	18	3,14	4 [※]	3,4	5	29	5,20	13	5	13	29/8
1953 [*] 日		44	33	6	6	6	9	11	13	10	13	18	24	6
1953 [*] 日		18	28	19,27	26	13	4	6,30	27,31	15-17	2	5	3	4 [※]
極 日 年	值 期 份	23	16	2	5	5	5	9	8	9	10	18	24	2
		10	26	20	29	16	10	4	29	11	13	5	3	20/3
		1951	1952	1951	1951	1951	1951	1951	1952	1951	1952	1953	1953	1951
焉 耆 $\varphi=42^{\circ}03'N$ $\lambda=86^{\circ}34'E$ $H=1058.0M$														
平均相对湿度(%)														
1951		-	-	-	-	37	44	55	50	57	67	77	87	-
1952		79	70	53	51	43	51	59	56	63	58	69	79	61
1953		70	65	54	55	40	51	45	55	54	61	74	88	59
平 均		75	68	54	53	42	51	52	56	59	60	72	84	60
最小相对湿度(%)														
1951		-	-	-	-	15	21	14	22	22	27	36	53	-
1952		-	-	-	-	18	19	5	16,19	7	9,13	12	12	-
1952		40	28 [※]	17 [※]	16 [※]	14 [※]	15 [※]	19 [※]	15 [※]	24 [※]	18 [※]	28 [※]	45 [※]	14
1953 [*] 日		20	22	21,22	4,16	23,27	1	15	17,28	17	18	6	14	23,27/5
1953 [*] 日		34	14	18	20	13	15	19	24	21	22	21	33	13
1953 [*] 日		17	28	11	10	22,27	4	28	23,31	16,18	14,24	29	1	22,27/5
極 日 年	值 期 份	34	14	17	16	13	15	14	15	21	18	21	33	13
		17	28	21,22	4,16	22,27	1,4	5	17,28	16,18	18	29	1	22,27/5
		1953	1953	1952	1952	1953	1952	1951	1952	1953	1952	1953	1953	1953
庫 車 $\varphi=41^{\circ}45'N$ $\lambda=83^{\circ}04'E$ $H=1100.0M$														
平均相对湿度(%)														
1951		72	63	44	31	26	32	33	32	34	49	73	77	47
1952		70	61	44	34	28	38	37	34	43	45	62	76	48
1953		62	52	46	57	31	42	30	44	44	49	64	90	51
平 均		68	59	45	41	28	37	33	37	40	48	66	81	49
最小相对湿度(%)														
1951		44	30	12	11	14	15	15	14	11	24	36	45	11
1952		31	18	24	9	21,25	15,19	5	22	4	1,2	1,2	12	9/4,4/9
1952		37	30 [※]	12 [※]	11 [※]	9 [※]	13 [※]	1 [※]	10 [※]	15 [※]	10 [※]	28 [※]	45 [※]	1
1953 [*] 日		25	23	22	9,15	29	3	15	3	14	18	7	14	15/7
1953 [*] 日		29	0	16	20	12	13	14	18	18	20	41	43	0
1953 [*] 日		11	27,28	12	8	19	5	7	28	7	17	25	1	27,28/2
極 日 年	值 期 份	29	0	12	11	9	13	1	10	11	10	28	43	0
		11	27,28	24,22	3 [※]	29	3,5	15	3	4	18	7	1	27,28/2
		1953	1953	1951	1951	1952	1952	1952	1952	1951	1952	1952	1953	1953
喀 什 $\varphi=39^{\circ}24'N$ $\lambda=76^{\circ}08'E$ $H=1306.0M$														
平均相对湿度(%)														
1951		76	69	52	41	44	52	49	52	57	63	75	85	60
1952		80	75	63	45	45	43	56	62	62	64	72	84	63
1953		72	62	59	59	48	49	48	55	65	60	74	(88)	62
平 均		76	69	58	48	46	48	51	56	61	62	74	86	62
最小相对湿度(%)														
1951		34	12	18	16	15	18	21	21	14	21	27	37	12
1951		5	19	24	24	1	5	26	3	3 [※]	16	11,12	20	19/2

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952 日		38	31	24	19	18	18	18*	25*	24*	16*	17*	53*	16
1953 日		28	26	23	30	3*	6	14	17	17	18	9	3*	18/10
1953 日		30	19	16	18	18	19	19	22	22	22	20	(56)	16
1953 日		27	16	19	15	6	1,16	15	4	21	14	10	21	19/3
1953 日		30	12	16	16	15	18	18	19	14	16	17	37	12
1953 日		27	19	19	24	1	5,6	14	4	3*	18	9	20	19/2
1953 日		1953	1951	1953	1951	1951	1951	1952	1953	1951	1952	1952	1951	1951
江 蘇 新海連 $\varphi=34^{\circ}35'N$ $\lambda=119^{\circ}15'E$ $H=4.0M$														
平均相对湿度(%)														
1950		-	-	-	71	62	70	78	76	68	75	73	75	-
1951		77	80	68	66	70	63	80	78	68	68	76	69	72
1952		70	76	76	67	69	63	82	81	78	71	84	80	75
1953		69	79	72	59	65	72	83	78	66	67	76	74	72
平 均		72	78	72	64	68	66	82	79	71	69	79	74	73
最小相对湿度(%)														
1950		-	-	-	26	17	20	44	35	28	26	33	33	-
1951		-	-	-	7,11	5	9	27	27	28	2	18	23	-
1951		35	35	29	19	23	18	41	39	24*	22*	28*	22*	18
1952*		25	6	9	12	19	9	17	24	1,30	1	2	15	9/6
1952*		20	29	23	23	17	15	46	35	38	21	47	41	15
1952*		24	4	22	15	30	3,4	31	19	19	2	1	21,22	3,4/6
1953*		28	30	26	14	12	16	50	39	21	15	34	29	12
1953*		7	17	21	23	13	2	30	24	26	9	13,14	25	13/5
1953 日		20	29	23	14	12	15	41	35	21	15	28	22	12
1953 日		24	4	22	23	13	3,4	17	27,19	26	9	2	15	13/5
1953 日		1952	1952	1952	1953	1953	1952	1951	1950	1953	1953	1951	1951	1953
徐 州(農) $\varphi=34^{\circ}19'N$ $\lambda=117^{\circ}22'E$ $H=34.3M$														
平均相对湿度(%)														
1929		76	69	66	62	64	60	75	74	59	65	56	88	68
1930		81	78	67	77	79	74	73	85	76	73	71	75	76
1931		85	85	72	76	79	74	89	86	73	59	81	85	79
1932		77	70	58	69	79	70	81	87	83	61	62	69	72
1933		85	81	68	83	79	67	59	78	76	72	62	74	74
1934		68	76	62	70	71	71	80	83	77	71	66	80	73
1935		78	69	57	68	53	53	72	68	54	63	77	69	65
1936		58	71	47	63	62	64	77	76	64	45	45	60	61
1937		64	72	61	63	56	64	78	83	75	-	-	-	-
1949		-	-	-	67	64	72	81	82	84	69	73	85	-
1950		84	81	76	78	67	67	84	83	77	81	75	75	77
1951		80	81	68	64	70	65	84	81	71	70	78	72	74
1952		70	78	78	67	71	61	85	83	81	73	85	83	76
1953		75	84	73	61	63	67	85	85	68	68	75	77	73
平 均		76	77	66	70	70	66	79	81	72	67	69	76	72
最小相对湿度(%)														
1934		23	36	26	34	25	40	55	51	38	26	24	31	23
1934		27	15,22	6	1	21	12	13	22	13	26	19	7	27/1
1935		29	21	20	32	15	18	27	34	23	19	34	29	15
1935		30	13	10	1	14	7	4	15	27	17	20	24	14/5
1936		18	31	11	15	19	21	38	35	20	16	15	12	11
1936		18	28	26	2	28	1	17	30	20	20	13	5	26/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937	日	9	20	16	14	19	23	42	40	36	-	-	-	9
1949	日	12	8	15	6	3	10	15	25	20	-	-	-	12/1
1950	日	-	-	-	25	26	19	49	46	44	30	29	34	-
1951	日	-	-	-	4	14	16	28	26	21	29	16	6	-
1952	日	34	34	20	29	23	21	40	42	38	31	29	31	20
1953	日	10	26	13	8	21	9	29	29	30	6	18	24	13/3
1954	日	30	37	23	18	20	18	31	40	26	26	32	25	18
1955	日	26	18	16	14	2	8	15	19	30	1	25	13	14/4,8/6
1956	日	16	37	29	18	21	13	49	32	41	23	41	45	13
1957	日	20	3	22	14	29	3	31	19	26,29	2	1	21	3/6
1958	日	35	36	20	18	13	20	51	47	21	20	29	31	13
1959	日	20	18	7	23	13	2	9	28	19	9	13	30	13/5
值	日	9	20	11	14	13	13	27	32	20	16	15	12	9
期	份	12	8	26	6	13	3	4	19	20	20	13	5	12/1
年		1937	1937	1936	1937	1953	1952	1935	1952	1936	1936	1936	1936	1937
徐 州														
$\varphi=34^{\circ}15'N$ $\lambda=117^{\circ}15'E$ $H=45.0M$														
平均相对湿度(%)														
1951	日	76	80	67	65	71	65	83	81	73	71	76	73	73
1952	日	74	81	79	68	72	63	84	82	81	73	83	82	77
1953	日	72	80	68	57	60	64	83	82	64	65	73	72	70
平 均		74	80	71	63	68	64	83	82	73	70	77	76	73
最小相对湿度(%)														
1951	日	32	40	26	19	28	23	44	32	36	27	28	28	19
1952	日	26	3	16,28	12,16	2	8,9	15	20	9,25	26	2	12	12,16/4
1953	日	24	33	35	23	24	20	46	33	40	25	43	39	20
1954	日	20,24	2	24	17	8,30	19	31	19	22	3	1	21	19/6
1955	日	31	36	20	18	12	18	51	36	21	19	28	27	12
1956	日	23	21	7,21	12,23	14	2	9,18	28	19	11	13	30	14/5
值	日	24	33	20	18	12	18	44	32	21	19	28	27	12
期	份	20,24	2	7,21	12,23	14	2	15	20	19	11	2,13	30	14/5
年		1952	1952	1953	1953	1953	1953	1951	1951	1953	1953	1951	1953	1953
淮 陰														
$\varphi=33^{\circ}35'N$ $\lambda=119^{\circ}02'E$ $H=18.2M$														
平均相对湿度(%)														
1950	日	-	-	-	-	74	74	87	83	82	89	84	81	-
1951	日	83	88	76	76	77	76	86	84	80	78	83	80	81
1952	日	81	85	87	78	81	71	89	87	86	81	90	87	84
1953	日	77	86	80	68	71	73	87	82	78	75	81	82	78
平 均		80	86	81	74	76	73	87	84	81	78	85	83	81
最小相对湿度(%)														
1950	日	-	-	-	-	20	18	49	45	42	48	34	38	18
1951	日	-	-	-	-	5	9	9	28	20	1	6	26	9/6
1952	日	39	44	29	27	24	24	46	44	33	28	33	31	24
1953	日	25	4	10,29	11	19	9	10	19	30	24	1,25	14	19/5,8/6
1954	日	37	37	34	35	24	25	47	37	43	31	51	44	24
1955	日	20	10	22	14,15	30	4	31	19	25	2	1	28	30/5
1956	日	38	40	33	24	20	25	44	43	34	24	35	36	20
1957	日	22	18	14	12	14	2	30	25	14	9	13	10,13	14/5
值	日	37	37	29	24	20	18	44	37	33	24	33	31	18
期	份	20	10	10,29	12	5,14	9	30	19	30	9	1,25	14	9/6
年		1952	1952	1951	1953	1950	1950	1953	1952	1951	1953	1951	1951	1950

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
		東 台												
		$\varphi = 32^{\circ}51'N$ $\lambda = 120^{\circ}19'E$ $H = 5.8 M$												
		平均相对湿度(%)												
1924		72	90	79	79	83	83	86	83	82	82	77	86	82
1925		88	85	79	81	86	87	89	90	84	83	84	74	84
1926		59	70	71	75	85	83	88	79	81	73	82	31	77
1927		84	85	83	75	71	77	84	83	77	76	78	73	79
1928		75	75	79	82	74	84	83	81	86	83	83	80	80
1929		78	73	74	73	76	86	85	83	76	74	68	79	77
1930		74	80	81	84	81	85	81	85	79	78	75	81	80
1931		85	86	81	75	79	80	84	-	72	66	81	74	-
1932		76	73	67	72	73	79	73	73	71	70	70	72	72
1933		77	83	77	73	71	82	79	77	83	77	77	81	78
1934		67	74	72	78	76	73	77	83	82	76	78	84	77
1935		83	85	82	80	75	77	85	82	76	79	83	73	80
1936		73	79	72	76	78	80	89	91	84	74	69	75	78
1937		79	83	84	84	77	32	81	82	80	78	-	-	-
1938		76	75	78	67	73	83	82	81	77	79	71	79	77
1939		80	82	81	74	71	69	82	82	77	76	79	71	77
1940		73	80	75	69	67	73	79	83	81	77	74	78	76
1941		75	79	75	66	74	78	-	81	81	72	78	84	-
1942		72	80	86	75	79	83	83	78	81	77	75	76	79
1943		75	80	79	78	80	82	81	80	79	78	80	78	79
1944		-	-	-	-	76	78	80	80	81	78	-	-	-
1952		-	-	-	-	-	-	-	-	85	78	87	80	-
1953		75	84	79	68	72	77	84	80	80	75	79	83	78
平 均		75	80	77	76	76	80	83	82	80	77	77	78	78
		最小相对湿度(%)												
1934		11	37	26	32	28	31	40	43	42	37	34	40	11
日		26	17	22	1	2	14	8,12	5	8	25	4	14	26/1
1935		54	47	35	34	29	26	42	50	38	39	36	30	26
日		19,23	16,19	9	29	7	7	11	11	17	28	21	19	7/6
1936		34	32	24	27	33	35	50	65	41	27	21	27	21
日		9	1	25	15	31	4	11	29	22	4	15	6	15/11
1937		27	25	44	31	30	34	26	47	43	35	-	-	-
日		11	9	13	10	21	1	1	27	29	16	-	-	-
1938		29	26	28	18	23	32	39	54	31	27	28	30	18
日		10	14	14	14	9	3	20	24	10	21	1	3	14/4
1939		43	37	31	23	19	18	47	54	27	23	30	27	18
日		22	8	22	23	25	4	30	13	23	4	15	13	4/6
1941		27	21	29	21	26	35	-	42	46	29	29	35	-
日		11	2	17	30	19	7	-	23-25	5,19	28	15	5	-
1942		23	35	32	28	29	27	49	33	36	24	25	25	23
日		5	16	19	22	14	9	16	28	24	24	2	4,28	5/1
1943		23	31	26	26	25	33	48	43	34	34	36	33	23
日		16	11	16,17	12	7	15	24	31	10	11	20	7	16/1
1944		-	-	-	-	17	26	43	43	36	26	-	-	-
日		-	-	-	-	3	11	24	3	18,19	8	-	-	-
1952		-	-	-	-	-	-	-	-	48*	31*	48*	45*	-
日		-	-	-	-	-	-	-	-	34	2	8	4	-
1953*		36	44	36	24	21	30	52	44	37	30	34	38	21
日		21,22	21	12	23,24	26	2,8	27	26	27	9,10	14	11	26/5
極 日 年	值 期 份	11 26	21 2	24 29	18 14	17 3	18 4	26 1	33 28	27 23	23 4	21 15	25 4,28	11 26/1
		1934	1941	1936	1938	1944	1939	1937	1942	1939	1939	1936	1942	1934

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
鎮 江 $\varphi=32^{\circ}13'N$ $\lambda=119^{\circ}27'E$ $H=43.9 M$ 平均相对湿度(%)														
1931	—	—	73	70	78	73	88	79	80	71	81	80	—	—
1932	74	74	59	73	79	79	73	76	76	62	63	72	72	76
1933	77	80	74	77	71	78	77	77	79	75	72	80	76	76
1934	70	70	62	76	74	65	71	78	81	76	75	80	73	73
1935	76	77	71	74	60	72	78	81	73	76	77	73	74	74
1936	72	78	63	74	79	81	85	84	73	59	58	69	73	73
1937	78	80	77	77	72	79	80	—	—	—	—	—	—	—
1946	—	—	—	—	—	—	—	—	81	76	76	75	—	—
1947	84	68	65	61	82	78	85	86	77	68	70	78	75	75
1948	69	78	79	73	79	78	85	87	84	80	75	87	80	80
1949	71	—	—	—	77	82	83	83	79	72	81	78	—	—
1950	80	77	77	78	75	76	85	84	83	84	75	62	78	78
1951	69	82	70	80	73	79	84	82	77	75	75	72	77	77
1952	73	78	80	74	80	74	86	87	85	72	—	72	—	—
平 均	75	76	69	74	75	76	80	82	78	73	71	75	75	75
最小相对湿度(%)														
1931	—	—	—	—	—	—	—	—	—	—	26	41	—	—
1932	—	—	—	—	—	—	—	—	—	—	5	13	—	—
1932	28	22	17	17	37	39	40	37	33	25	17	—	17	17
1932	13	28	15	18	34	8	25	5	30	9	7	—	34	34
1935	33	28	21	26	23	23	46	48	37	32	31	25	21	21
1935	23	28	4	2	22	12	13	29	13	29	9	13	4/3	4/3
1936	22	25	22	23	30	35	56	53	29	25	19	20	19	19
1936	18	15	26	3	27	1	10	30	28	26	16	3	16/11	16/11
1937	19	25	28	23	34	36	47	—	—	—	—	—	—	—
1937	10	4	16	6	10, 29	1	10	—	—	—	—	—	—	—
1946	—	—	—	—	—	—	—	—	39	37	29	35	—	—
1946	—	—	—	—	—	—	—	—	18	24	19	10	—	—
1947	47	27	23	18	29	25	58	60	33	28	25	40	18	18
1947	30	23	9	14	30	8	14	19	17	12	20	20	14/4	14/4
1948	23	32	36	36	36	37	60	63	56	33	35	41	23	23
1948	17	25	3	22	8	5	26	28	15	17	15	3	17/1	17/1
1949	29	—	—	—	25	42	50	43	40	31	39	41	—	—
1949	17	—	—	—	14	11	31	27	27	28	18	17	—	—
1950	35	41	26	35	31	28	57	56	48	45	30	29	26	26
1950	24	17, 27	12	28	21	9, 12	14	25	2	31	19	21, 25	12/3	12/3
1951	29	41	33	35	27	40	58	45	37	36	35	37	27	27
1951	21, 29	16	8	12	19	12	3	24	30	1	2	14, 18	19/5	19/5
1952	36	38	36	30	29	37	50	55	54	22	—	41	—	—
1952	20	20	23	15	29	5	1	19	24	4	—	11, 21	—	—
極 值	19	22	17	17	23	23	40	37	29	22	17	20	17	17
日 年	10	28	15	18	22	12	25	5	28	4	7	3	34	34
期 份	1937	1932	1932	1932	1935	1935	1932	1932	1936	1952	1932	1936	1932	1932
南 京 $\varphi=32^{\circ}03'N$ $\lambda=118^{\circ}47'E$ $H=61.5 M$ 平均相对湿度(%)														
1928	77	75	81	77	65	70	76	78	75	60	74	82	74	74
1929	79	74	64	62	68	70	74	78	67	67	59	88	71	71
1930	79	79	76	83	80	82	79	83	78	70	66	74	77	77
1931	80	86	70	70	77	72	89	79	77	67	79	80	77	77
1932	73	74	59	72	78	77	70	76	74	55	58	68	70	70
1933	78	79	70	75	71	84	78	75	76	74	69	78	76	76
1934	64	69	64	75	69	73	72	73	80	74	72	79	72	72
1935	77	76	70	78	60	68	74	78	66	78	83	77	74	74
1936	75	80	64	74	78	80	84	83	71	58	59	72	73	73
1937	78	81	78	75	72	80	80	82	79	78	—	—	—	—

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1946	72	69	86	75	78	78	85	85	81	73	74	74	78
1947	86	68	59	56	76	75	83	81	74	65	63	76	72
1948	64	76	76	69	76	75	83	81	83	76	67	81	76
1949	70	76	75	70	77	80	81	81	78	73	77	78	76
1950	80	76	73	74	74	72	82	78	79	85	75	64	76
1951	71	81	69	78	70	76	83	77	77	75	75	70	75
1952	71	80	79	72	81	74	84	84	83	73	85	74	78
1953	68	83	73	64	66	76	82	76	78	73	79	80	75
平 均	74	77	71	72	73	75	80	79	76	70	71	76	75
最小相对湿度(%)													
1928	34	39	35	34	29	22	38	36	29	22	29	44	22
■	-	-	-	-	-	-	-	-	-	-	-	-	-6
1929	31	35	21	23	28	20	39	41	29	33	23	31	20
■	10	17	12	12	4	3	31	2	16	17	26	1	3/6
1930	42	34	34	43	34	37	47	45	33	27	21	30	21
■	5, 8	19	22	17	29	6	11	24	27	7	20	26	20/11
1931	36	37	23	22	33	24	55	51	26	32	29	36	22
■	19	27	31	4	2	11	15	20	12	28	5	13	4/4
1932	27	22	22	20	34	33	39	32	35	23	22	17	17
■	13	28	25	18	25	6	25	4	29	31	7	12	12/12
1933	36	32	24	27	29	50	53	40	36	30	27	26	24
■	8	21	31	1	6	2	31	22	21	25	19	20	31/3
1934	13	28	19	29	27	37	28	32	34	33	31	33	13
■	20	10, 15	7	1	14	5	15	4	23	26	23	4	20/1
1935	26	31	25	31	22	21	39	42	27	33	39	25	21
■	23	13	6	1	23	3	28	31	27	19	21	18	3/6
1936	20	32	24	21	34	33	55	40	23	23	20	24	20
■	17	15	26	3	7	1	21	29	22	6	28	3	17/1, 28/11
1937	19	36	33	25	31	39	42	41	39	32	-	-	-
■	12	4	16, 29	10	10	10	27	31	18	25	-	-	-
1948	-	-	-	-	-	-	-	-	-	34	20	35	-
■	-	-	-	-	-	-	-	-	-	6	21, 25	14	-
1949	23	33	33	25	28	39	39	39	44	27	36	33	23
■	17	15	2	13	7, 14	22	28	28	23, 27	28	17	27	17/1
1950	-	-	-	-	-	-	53	42	37	43	30	23	-
■	-	-	-	-	-	-	30	29	20	30	14	23	-
1951*	26	41	28	23	29	34	48	43	36	27	34	22	22
■	25	17	22	23	21	9	10	19	30	1	8	15	15/12
1952*	31	38	30	24	30	44	48	50	37	25	48	32	24
■	15, 24	4	23	14	30	17	2	9	26	2	1	22	14/4
1953*	26	40	30	17	19	26	41	41	36	33	37	35	17
■	7	18	30	3	14	8	30	24	27	9, 25	19	10	3/4
值 日 年	13 20	22 28	19 7	17 3	19 14	20 3	28 15	32 4	23 22	22 -	20 38	17 12	13 20/1
	1934	1932	1934	1953	1953	1929	1934	1932 1934	1936	1928	1936 1948	1932	1934
南 通 $\Phi=32^{\circ}01'N$ $\lambda=120^{\circ}54'E$ $H=11.4M$													
平均相对湿度(%)													
1949	-	-	-	-	85	87	90	85	81	76	83	83	-
1950	85	81	81	81	82	84	87	85	84	85	78	76	82
1951	82	84	82	84	79	82	86	85	85	82	82	82	83
1952	80	84	85	79	84	81	88	88	86	80	86	81	84
1953	76	86	84	73	76	84	86	83	81	78	81	83	81
平 均	81	84	83	79	80	83	87	85	84	81	82	81	83
最小相对湿度(%)													
1949	-	-	-	-	33	41	60	49	37	36	42	36	-
■	-	-	-	-	14	22	28	27	27	15	19	17	-
1950	51	35	32	31	35	34	60	52	51	44	36	39	31
■	10	27	14	9	21	12	12	25	15	28	19	27	9/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	38	47	48	42	36	37	56	60	50	35	41	31	31
	日	28	6	22	23	22	9	10	17	16	26	2	15	15/12
1952	日	41	44	38	31	24	31	59	62	43	32	53	44	24
	日	8,26	20	23	17	16	4	1,2	18	20	2	8	4,22	16/5
1953	日	36	46	32	25	16	36	58	54	44	27	49	44	16
	日	22	23	17,30	3	14	8	27	10,25	27	10	13,14	11	14/5
極	值	36	35	32	25	16	31	56	49	37	27	36	31	16
日	期	22	27	30	3	14	4	10	27	27	10	19	15	14/5
午	份	1953	1950	1950	1953	1953	1952	1951	1949	1949	1953	1950	1951	1953
南通軍山 $\varphi=31^{\circ}57'N$ $\lambda=120^{\circ}56'E$ $H=110.4M$														
平均相对湿度(%)														
1917	日	68	68	71	67	67	87	86	84	84	73	66	59	73
1918	日	59	75	76	81	73	85	85	84	75	71	76	83	77
1919	日	81	81	84	74	75	87	89	85	76	63	68	70	78
1920	日	64	83	82	80	77	82	88	85	86	73	75	78	79
1921	日	79	67	71	78	79	89	86	88	80	72	66	73	77
1922	日	78	86	75	78	82	79	84	85	84	74	65	64	78
1923	日	69	77	81	81	83	80	88	84	76	67	73	68	77
1924	日	74	78	74	78	83	82	84	82	80	71	63	68	76
1925	日	75	71	74	70	80	83	90	87	79	67	76	64	76
1926	日	73	76	72	70	78	81	87	82	83	70	77	78	77
1927	日	77	78	79	78	69	82	87	87	74	70	69	70	77
1928	日	75	71	73	76	69	75	82	83	79	62	72	79	75
1929	日	79	71	67	64	74	81	83	83	67	67	63	84	74
1930	日	74	79	78	83	79	84	84	84	75	72	67	74	78
1931	日	80	80	72	71	77	77	89	82	82	66	79	76	78
1932	日	73	70	58	75	78	83	78	77	74	62	60	68	71
1933	日	75	80	76	78	72	84	80	77	79	73	67	74	76
1934	日	65	66	60	76	75	66	77	77	81	69	60	79	72
1935	日	73	77	72	78	63	75	86	87	73	76	80	76	76
1936	日	74	80	68	80	83	87	88	88	79	69	67	76	78
1937	日	80	80	82	82	77	85	85	86	83	78	80	73	81
平 均		74	76	74	76	76	82	85	84	79	70	70	73	76
最小相对湿度(%)														
1917	日	17	18	20	17	16	47	53	37	42	29	29	21	16
	日	20	24	4	30	18	28	3	15	29	13	11	28	18/5
1918	日	16	19	33	25	23	33	49	53	25	26	38	45	16
	日	6	23	17	15	19	3	5	5	30	13	24	14	6/1
1919	日	36	42	33	21	26	45	50	58	29	23	20	31	20
	日	20	4,24	19	10	2	7	29	16	17	17	25	9,16	25/11
1920	日	21	41	30	33	33	19	49	43	53	21	28	28	19
	日	14,15	9	18	21	28	6	11	17	25	24	12	25	6/6
1921	日	43	21	15	26	31	54	61	63	44	33	23	33	15
	日	22	18	10	14,18	22	2	5	11,17	28	3,4	6	29	10/3
1922	日	37	40	28	27	28	25	51	56	47	19	26	29	19
	日	10	11	15,20	18	12	10	18	25	19-21	28	10	17	28/10
1923	日	25	26	37	31	37	33	54	58	22	24	20	22	20
	日	4	3	30	8	9	12	31	1	27	16	14	24	14/11
1924	日	25	32	22	30	17	32	56	49	41	25	17	21	17
	日	9	3	25	18	29	13	27	17	21,24	28	30	11	29/5,30/11
1925	日	36	19	16	14	28	33	63	59	38	22	31	19	14
	日	5	22	2	13	20	15	1	26	30	21	28	9	13/4
1929	日	33	36	9	-	-	-	-	-	-	-	-	-	9
	日	4	12	13	-	-	-	-	-	-	-	-	-	13/3
1934	日	27	22	19	22	32	28	40	42	49	26	27	37	19
	日	27	14	6	1	14	5	3	25	22	26	2	1,3	6/3
1935	日	34	35	32	25	21	24	63	61	35	29	41	38	21
	日	30	3,18	4	2	23	4	3	29	26	17	10	13	23/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1936	日	12	43	25	18	37	60	63	56	37	28	26	27	12
1937	日	18	14	9	3	1	5	28	29	18	21	17	6	18/1
1937	日	33	44	37	34	27	-	-	-	-	-	-	-	-
1937	日	10	15	15	6,10	10	-	-	-	-	-	-	-	-
極日年	值期份	12	18	9	14	16	19	40	37	22	19	17	19	9
極日年	值期份	18	24	13	13	18	6	3	15	27	28	30	9	13/3
極日年	值期份	1936	1917	1929	1925	1917	1920	1934	1917	1923	1922	1924	1925	1929
常 熟 $\varphi=31^{\circ}31'N$ $\lambda=120^{\circ}40'E$ $H=90.8 M$														
平均相对湿度(%)														
1929	-	-	-	-	-	-	-	-	-	-	-	-	85	-
1930	81	85	86	89	85	84	84	86	81	75	72	77	82	82
1931	83	86	76	75	81	79	89	81	86	71	81	80	81	81
1932	75	76	67	78	86	87	80	80	78	65	62	69	75	75
1933	76	79	75	80	73	82	82	81	83	71	66	70	77	77
1934	64	68	64	75	73	66	76	69	72	60	63	71	68	68
1935	75	79	75	83	64	75	78	82	71	73	79	77	76	76
1936	77	79	67	79	83	86	86	86	75	63	61	74	76	76
1937	80	80	79	80	75	85	84	84	-	-	-	-	-	-
平 均	76	79	73	80	78	80	82	81	78	68	69	74	76	76
最小相对湿度(%)														
1934	22	21	15	20	23	21	43	46	40	30	40	43	15	15
1934	26	12	7	16	1	5	1	25	8	27	2	6	7/3	7/3
1935	46	54	41	44	28	24	36	51	31	35	39	30	24	24
1935	30	13	4,6	29	15	10	15,17	16	27	17	10	14	10/6	10/6
1936	32	39	33	24	39	42	59	56	35	27	28	24	24	24
1936	17	3	9	3	7	1	28	11	28	21	14	6	3/4,6/12	3/4,6/12
1937	29	37	39	31	32	36	56	53	-	-	-	-	-	-
1937	11	15	14	6	10	1	27	8	-	-	-	-	-	-
極日年	值期份	22	21	15	20	23	21	36	46	31	27	28	24	15
極日年	值期份	26	12	7	16	1	5	15,17	25	27	21	14	6	7/3
極日年	值期份	1934	1934	1934	1934	1934	1934	1935	1934	1935	1936	1936	1936	1934
昆 山 $\varphi=31^{\circ}23'N$ $\lambda=120^{\circ}57'E$ $H=74.1 M$														
平均相对湿度(%)														
1930	79	83	83	83	77	81	86	79	78	76	73	78	80	80
1931	73	67	67	65	78	78	84	80	80	72	77	76	75	75
1932	76	75	67	76	77	80	78	79	77	71	71	75	75	75
1933	78	77	80	81	74	80	77	77	78	70	68	74	76	76
1934	72	71	67	78	76	72	78	76	79	71	75	78	74	74
1935	76	79	74	78	71	85	86	85	82	82	85	81	80	80
1936	82	82	75	84	87	89	92	92	-	62	(67)	76	-	-
1937	82	82	83	-	-	-	-	-	-	-	-	-	-	-
平 均	76	75	73	77	76	79	82	79	79	74	75	77	77	77
上 海 $\varphi=31^{\circ}12'N$ $\lambda=121^{\circ}26'E$ $H=4.6 M$														
平均相对湿度(%)														
1873	83	68	72	75	77	77	77	78	82	74	68	70	75	75
1874	80	79	81	70	81	83	82	83	83	81	75	80	80	80
1875	77	79	81	71	74	89	83	83	85	77	78	80	80	80
1876	86	84	79	83	77	84	83	84	76	79	74	81	81	81
1877	77	73	70	80	80	83	88	85	83	70	82	83	80	80
1878	81	82	76	85	79	84	88	88	86	85	82	77	83	83
1879	81	83	77	79	85	88	81	82	87	82	83	78	82	82
1880	82	88	81	81	80	82	89	87	85	80	71	76	82	82

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1881		70	83	79	83	85	87	86	86	87	83	82	77	82
1882		83	78	71	81	78	88	88	86	86	83	83	77	82
1883		77	85	79	83	82	81	84	86	78	78	80	73	81
1884		77	77	78	78	78	83	85	84	86	83	78	70	80
1885		76	78	78	82	82	89	86	84	85	80	74	78	81
1886		75	73	84	77	81	86	81	87	83	83	77	69	80
1887		87	80	76	70	77	89	84	83	85	77	74	66	79
1888		76	82	82	85	80	83	84	84	81	78	83	83	82
1889		83	78	79	84	84	83	86	85	85	88	78	77	83
1890		79	84	83	81	77	88	83	85	80	71	76	84	81
1891		82	83	78	76	76	77	84	85	85	85	79	78	81
1892		83	85	85	82	80	81	77	77	76	74	80	70	79
1893		83	79	79	79	85	86	83	88	90	80	70	69	81
1894		77	76	81	82	83	86	82	83	83	80	78	77	81
1895		73	80	81	82	79	84	87	83	83	81	80	72	80
1896		76	82	82	88	80	87	90	85	85	81	81	77	83
1897		86	78	87	78	82	79	81	87	89	82	81	76	82
1898		81	85	86	79	85	82	80	88	86	85	78	71	82
1899		75	80	79	84	82	82	84	89	82	77	76	84	81
1900		83	78	77	82	77	83	85	85	84	82	84	82	82
1901		89	67	78	80	81	87	90	83	79	82	76	75	81
1902		80	71	80	84	84	83	84	87	81	80	81	83	82
1903		77	74	85	80	77	82	84	81	80	77	73	67	78
1904		72	74	78	85	78	82	83	85	81	82	72	73	79
1905		83	76	82	83	81	80	83	86	82	78	73	77	80
1906		78	83	75	78	82	86	84	84	84	77	74	73	80
1907		78	80	79	78	71	81	87	83	84	86	81	74	80
1908		81	77	77	83	77	85	87	83	85	85	78	79	81
1909		81	77	80	77	72	89	82	81	86	82	78	77	80
1910		79	75	79	81	82	87	83	83	80	78	80	75	80
1911		79	78	84	81	83	89	85	87	86	77	78	82	82
1912		78	78	80	76	78	84	86	86	82	80	78	81	81
1913		82	81	76	84	80	87	86	82	83	76	81	75	81
1914		72	81	81	83	84	85	82	83	86	85	81	77	82
1915		77	81	73	83	76	87	83	86	83	85	82	78	81
1916		79	80	73	81	80	85	86	85	84	79	80	78	81
1917		71	71	74	71	73	87	84	84	83	80	75	69	77
1918		64	77	80	82	76	85	85	82	79	78	82	84	80
1919		80	81	84	75	78	86	86	83	77	72	76	74	79
1920		67	81	81	80	78	83	85	83	85	79	79	81	80
1921		81	73	75	80	80	88	81	83	84	80	74	76	80
1922		78	85	76	79	82	80	82	82	85	80	69	69	79
1923		71	77	80	80	82	82	86	82	77	72	78	73	78
1924		76	80	74	77	84	83	80	82	85	78	72	74	79
1925		80	78	76	72	82	79	87	85	84	74	79	71	79
1926		74	76	74	71	77	84	82	80	85	76	83	79	78
1927		78	79	80	77	72	84	83	86	83	77	76	74	79
1928		80	77	76	81	75	81	85	85	83	74	79	80	80
1929		79	72	71	68	80	85	84	85	76	76	72	86	78
1930		75	79	79	73	83	84	83	83	83	81	75	79	80
1931		80	81	76	73	80	80	88	82	85	74	81	79	80
1932		77	75	66	75	81	86	79	81	81	72	73	75	77
1933		76	81	75	80	76	86	81	82	83	75	75	77	79
1934		70	72	67	79	78	75	75	75	82	75	76	79	75
1935		76	81	77	83	72	80	84	85	79	83	86	81	81
1936		76	80	72	79	84	89	87	89	85	76	79	83	82
1937		84	83	84	83	82	88	84	85	85	84	88	81	84
1938		81	80	83	80	83	92	85	85	82	81	79	78	82
1939		80	83	85	82	83	84	89	85	85	85	84	75	83
1940		78	83	77	74	78	81	80	82	83	83	79	77	80

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941		78	82	80	75	81	84	88	89	85	77	82	86	82
1942		78	82	86	80	81	86	80	79	83	77	80	78	81
1943		74	80	85	82	82	91	87	85	82	79	82	82	83
1944		82	77	76	82	81	83	83	83	84	82	87	75	81
1945		81	78	79	78	78	84	88	85	92	83	88	78	83
1946		79	78	87	79	82	83	84	78	80	73	75	76	80
1947		84	71	66	66	83	83	84	82	78	75	75	79	77
1948		77	85	84	78	72	81	86	85	86	81	77	89	82
1949		73	76	80	77	82	84	87	81	78	76	82	84	80
1950		81	80	80	79	80	82	82	82	83	81	77	75	80
1951		83	87	80	84	79	82	87	85	82	82	80	80	83
1952		80	84	83	76	84	83	85	85	85	76	81	78	82
1953		73	82	80	73	76	85	81	78	79	78	81	81	79
平 均		78	79	79	79	80	84	84	84	83	79	78	77	80
最小相对湿度(%)														
1873		64	43	49	52	47	62	67	70	58	46	51	23	23
日		31	21	27	20	11	3	7	30	12	20	30	10	10/12
1874		41	39	37	26	31	43	58	73	40	30	31	30	26
日		13	24	18	4	19	1	24	2	18	29	15	13	4/4
1875		22	23	35	26	18	47	50	43	43	31	31	41	18
日		30	2	3	10	24	4	2	24	2	19	25	16	24/5
1876		44	38	27	34	17	24	48	42	26	26	19	38	17
日		3	23	28	11	1	4	2	30	30	19	11	27	1/5
1877		15	29	15	20	36	31	57	44	31	15	49	30	15
日		7	19	17	18	31	3	27	14	17	12	11	2	3
1878		39	34	25	26	22	29	61	56	51	45	36	29	22
日		24	6	26	23	2	13	13	24	10	28	21	1	2/5
1879		22	34	23	25	38	50	49	43	52	27	38	28	22
日		1	16	27	25	13	1	16	16	17	28	9	6	1/1
1880		28	51	32	37	27	31	66	47	46	36	22	18	18
日		4	23	25	11	21	1	26	17	16	3	9	29	29/12
1881		14	30	35	35	35	54	57	61	30	40	34	30	14
日		29	11	24	8	24	2	7	10	28	18	24	31	29/1
1882		23	34	17	27	27	49	61	47	55	39	36	23	17
日		10	22	27	15	23	13	7	6	25	14	29	20	27/3
1883		9	33	30	39	23	30	43	50	31	35	29	33	9
日		18	5	15	1	26	2	15	1	23	31	2	9	18/1
1884		28	36	36	28	24	33	51	44	41	34	32	18	18
日		8	25	9	27	28	2	5	12	25	24	19	19	19/12
1885		32	32	29	30	29	33	55	49	44	26	17	17	17
日		27	28	2	29	5	5	6	21	26	26	27	16	27/11, 16/12
1886		19	27	27	27	28	34	49	51	38	35	25	18	18
日		15	17	28	25	1	12	11	1	25	4	23	28	28/12
1887		29	31	29	25	28	28	53	51	44	29	22	18	18
日		1	17	26	15	14	2	15	7	14	8	25	28	28/12
1888		19	43	32	33	28	34	50	55	42	23	44	50	19
日		2	9	20	1	22	3,5	24	21	11	21	14, 24	2	2/1
1889		42	25	30	25	41	29	51	52	38	49	35	31	25
日		24	18	26	28	17	4	7	29	12	30	13	19	18/2, 28/4
1890		23	42	38	26	26	40	50	52	30	26	23	36	23
日		9	13	24	8	19	1	1, 2	1	19	29	1	5	9/1, 1/11
1891		37	30	29	27	20	30	56	55	39	45	38	35	20
日		15	14	10	8	16	5	24	11	30	2	25	12	16/5
1892		24	49	40	31	35	35	48	51	39	24	42	19	19
日		22	15	14	2, 15	21	13	19	16, 31	30	24	30	27	27/12
1893		16	42	23	19	40	42	39	55	60	27	19	15	15
日		3	12	17	24	4	16	9	26	25	19	23	7	7/12
1894		23	20	25	28	26	38	50	44	34	33	25	34	20
日		10	19	29	2	24	11	10, 24	25	12	26	6	20	19/2
1895		24	29	25	31	21	35	50	44	30	35	33	25	21
日		24	1	30	14	19	5	5	4	9	25	5	18	19/5
1896		21	38	34	32	20	41	61	48	40	30	30	34	20
日		29	20	8	2	25	1	5	7	12	27	4	23	25/5

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1897 日	36 9	39 12	50 21	22 22	21 2	30 16	37 15	59 25	45 30	35 23	34 24	29 12	21 2/5
1898 日	31 27	39 10	59 5	29 12	33 14	29 5	40 22	57 18	51 10	44 6	25 27	19 14	19 14/12
1899 日	17 5	17 7,8	32 26	35 9	31 4	22 5	51 3,25	55 28	23 30	19 8	30 28	30 8	17 3
1900 日	49 14	27 23	24 9	18 28	24 14	44 3	47 21	48 20	33 24	39 23	43 20	15 9	15 9/12
1901 日	60 2	15 24	19 4	15 3	24 19	32 15	56 5	47 27	33 6	40 27	24 30	20 19	15 24/2,3/4
1902 日	23 2	14 14	16 9	22 3	28 12	39 1	51 7	49 12	27 29	29 17	31 6	36 25	14 14/2
1903 日	25 17	18 23	51 2	26 17	24 1	30 12	47 2	51 11	43 23	35 15	24 10	11 5	11 5/12
1904 日	25 22	13 8	27 21	34 26	30 7	31 7	51 10	50 19	27 21	31 8	30 16	24 7	13 8/2
1905 日	39 8	35 14	32 6	26 22	25 28	27 13	49 10	51 9	41 20	26 10	22 29	19 12	19 12/12
1906 日	26 2	37 3	20 7	24 3	27 30	50 2	43 13	48 15	50 4	22 25	27 21	22 29	20 7/3
1907 日	19 4	41 24	25 5	22 1	20 10	25 8	51 3	46 27	47 9	36 1	33 11	27 20	19 4/1
1908 日	43 11	35 6	25 11	25 28	18 24	31 2	47 30	47 27	44 13	29 1	21 26	31 2	18 24/5
1909 日	39 24	25 13	23 7	15 23	12 28	33 1	40 21	38 3	42 11	34 30	18 29	20 25	12 28/5
1910 日	30 31	23 11	16 7	28 14	22 24	35 1	46 24	44 9	35 9	34 9	24 17	27 22	16 7/3
1911 日	33 1	32 3	19 2	26 18	27 15	54 3	53 25	54 23	41 15	26 9	28 12	47 29	19 2/3
1912 日	27 19	23 8	14 18	27 19	25 13	29 8	51 28	55 5	35 23	28 20	29 24	30 3	14 18/3
1913 日	31 29	28 10	19 28	27 18	26 16	38 10	50 3	44 20	34 22	23 21	24 22	20 31	19 28/3
1914 日	11 3	18 13	34 21	27 8	30 3	38 3	48 20	49 1	45 14	29 12	33 28	29 19	11 3/1
1915 日	23 16	32 28	21 21	22 7	26 2	50 5	46 14	48 3	33 28	39 8	37 19	21 23	21 2/3,23/12
1916 日	26 17	21 14	20 25	26 4	28 2	39 18	52 27	47 23	47 30	29 16	32 11	16 27	16 27/12
1917 日	16 18	8 20	17 4	12 7	14 2	42 1	44 3	34 15	41 29	20 13	21 12	18 27	8 20/2
1918 日	9 15	10 22	28 17	23 15	19 20	27 3	52 27	45 30	25 30	28 13	32 18	35 15	9 15/1
1919 日	22 20	29 4	26 30	18 24	21 3	49 7	53 29	44 16	23 17	22 16	15 21	23 29	15 21/11
1920 日	9 15	27 9	28 15	26 22	27 4	24 6	41 11	44 17	48 29	27 23	30 20	24 25	9 15/1
1921 日	27 31	16 23	19 10	26 18	19 22	47 2	45 28	44 3	32 29	29 25	24 14	31 29	16 23/2
1922 日	17 10	34 4	18 24	25 18	28 12	25 11	48 14	51 25	38 21	18 28	18 28	12 31	12 31/12
1923 日	18 4	18 3	30 1	27 25	26 11	31 3	50 31	44 1	37 17	19 11	23 13	22 22	18 4/1,3/2
1924 日	20 10	25 24	20 23	20 18	32 9	22 12	49 16	47 20	37 23	29 28	20 23	7 11	7 11/12
1925 日	39 25	25 22	14 2	17 15	25 30	24 15	55 30	50 14	40 19	19 23	23 29	19 1	14 2/3
1926 日	24 6	12 24	17 23	12 14	11 31	14 1	42 30	37 5	38 19	26 28	32 5	28 9	11 31/5
1927 日	13 28	22 12	20 27	21 21	20 24	13 8	47 28	53 22	46 23	14 29	21 16	19 29	13 28/1,8/6
1928 日	24 6	24 25	22 13	22 11	21 2	25 2	46 29	37 23	39 30	22 10	28 26	29 17	21 2/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1929	日	17		12	16	28	27	52	52	32	32	17	29	12
1930	日	10		15	15	4	2	26	24	5	17	18	5	15/3
1930	日	26	28	28	38	38	39	54	49	41	22	24	28	22
1931	日	18	12	21	26	25	7	19	8	23	10	20	26	10/10
1931	日	20	23	21	18	31	20	57	51	44	19	28	25	18
1932	日	14	26	28	1	15	13	17	28	12	29	5	16	1/4
1932	日	22	24	8	13	25	44	43	42	26	21	16	15	8
1932	日	13	29	8	18	23	4	14	4	20	10	7	14	8/3
1933	日	24	29	26	24	24	34	46	46	35	16	24	23	16
1933	日	31	12	31	1	6	8	16	23	28	23	20	22	23/10
1934	日	10	19	4	17	19	16	37	31	34	23	26	31	4
1934	日	26	10	7	16	14	5	14	25	8	25	2	2	7/3
1935	日	25	22	16	30	22	26	55	49	34	37	47	35	16
1935	日	19	18	4	2	23	7,8	14,15	29	26	17	22	14	4/2
1936	日	33	35	24	24	35	52	55	58	34	24	28	27	24
1936	日	20	15	7	3	20	1	9	8	19,22	21	15	6	3
1937	日	33	40	41	26	38	41	51	58	50	36	44	35	26
1937	日	-	-	15	-	10	-	-	20	-	22	-	19	-/4
1938	日	39	29	36	29	42	43	53	57	40	37	39	30	29
1938	日	-	-	-	-	-	-	-	-	-	22	-	-	-/4, -/4
1939	日	28	44	36	27	31	28	59	53	40	34	34	30	27
1939	日	15	-	-	-	-	-	-	-	-	5	-	-	-/4
1940	日	28	37	29	24	27	29	51	43	47	35	34	30	24
1940	日	-	-	11	-	-	-	-	-	21	-	-	-	-/4
1941	日	31	35	35	19	33	40	53	49	39	37	38	41	19
1941	日	31	-	-	-	-	-	15	3	-	15,29	-	-	-/4
1951	日	38	44	42	32	28	37	53	50*	41*	32*	38*	29*	28
1951	日	25	6	17	23	22	10,11	28	9	16	1	8	15	22/5
1952*	日	40	48	30	26	35	41	50	50	35	29	51	41	26
1952*	日	21	18	23	15	30	5	1	1	26	2	2,18	22	15/4
1953*	日	30	46	36	23	21	38	48	40	35	28	48	41	21
1953*	日	22	8	30	22	15	8	26	25	26	11	27	25	15/5
校 日	年	9	8	4	12	11	13	37	31	23	14	15	7	4
值 期	份	3	20	7	7,14	31	8	15,14	25	30,17	29	21	11	7/3
年		3年	1917	1934	1917 1926	1926	1927	1897 1934	1934	1899 1919	1927	1919	1924	1934
浙 江 杭 州														
$\varphi = 30^{\circ}15'N$ $\lambda = 120^{\circ}10'E$ $H = 11.6 M$														
平均相对湿度(%)														
1904	-	-	-	-	-	-	-	-	-	-	-	76	76	-
1905	86	85	86	85	81	79	80	84	86	84	80	87	84	-
1906	-	-	-	-	-	-	-	84	83	87	78	79	76	-
1907	77	86	82	78	72	80	83	79	85	88	85	74	81	-
1908	83	82	79	84	77	81	81	78	82	84	80	80	81	-
1909	86	79	80	76	72	87	74	77	83	83	79	77	79	-
1910	80	80	78	83	80	83	79	79	81	79	76	79	80	-
1911	79	80	83	79	82	86	81	85	82	77	78	84	81	-
1912	80	74	80	75	76	78	78	82	82	78	79	80	79	-
1913	81	81	77	84	77	83	84	78	84	76	85	78	81	-
1914	76	85	84	84	83	79	71	74	84	83	79	82	80	-
1915	78	82	74	84	73	85	76	83	82	86	85	78	81	-
1916	81	85	77	81	79	81	79	80	82	79	77	80	80	-
1917	76	77	76	76	74	87	80	82	85	82	78	73	79	-
1918	67	80	81	80	76	83	80	77	79	77	83	87	79	-
1933	90	86	82	83	78	85	77	76	81	78	79	79	81	-
1934	84	78	75	78	74	70	67	64	80	77	78	81	76	-
1935	80	83	81	88	72	79	80	83	78	80	83	81	81	-
1936	85	82	75	77	83	83	80	81	72	68	76	82	79	-
1937	84	81	81	81	77	86	74	-	-	-	-	-	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942	日	79	90	86	79	82	86	76	76	84	82	81	75	81
1945	日	-	-	-	-	-	-	-	-	-	-	-	78	-
1946	日	73	73	88	72	76	77	79	75	76	74	80	81	77
1947	日	88	80	77	79	87	85	78	77	80	79	82	85	81
1950	日	83	82	84	80	82	81	81	82	84	86	83	76	82
1951	日	82	86	82	87	76	82	82	79	85	82	84	82	82
1952	日	80	89	87	78	84	81	84	83	84	79	85	81	83
1953	日	79	88	84	77	75	80	72	73	83	82	83	83	80
平 均		81	82	81	80	78	82	78	79	82	80	81	80	80
最小相对湿度(%)														
1904	日	-	-	-	-	-	-	-	-	-	-	33	35	-
1905	日	51	52	47	43	28	39	46	43	57	46	45	43	28
1907	日	31	55	34	34	29	34	48	48	46	51	46	32	29
1908	日	5	2	5	6	19	8	19	20	8	1	11	12	19/5
1908	日	51	50	37	44	38	39	50	40	46	39	31	32	31
1909	日	34	5	23	24	12,13	2	29,31	28	10	1	26	3	26/11
1909	日	52	35	36	37	30	50	44	35	50	49	32	38	30
1910	日	29	11,12	2	9	27,29	1	27,29	3	12	7	25	5,21	27,29/5
1910	日	38	37	34	39	32	39	40	47	43	37	32	40	32
1911	日	2	13	11	13	23	1	24	24	10	9	10	25	23/5,10/11
1911	日	40	39	31	34	40	55	52	53	47	37	36	55	31
1912	日	2	28	1	18,21	17	3	6	6	34	18	6	16	1/3
1912	日	38	31	34	34	39	39	46	45	43	36	39	44	31
1913	日	19	2	18	11	12	8	29	2	23	21	20	3	2/2
1913	日	39	40	31	42	33	42	53	35	42	42	43	39	31
1914	日	30	5	27	18	17	24	29	20	3	29	22	4	27/3
1914	日	30	50	46	41	45	37	44	39	40	40	41	42	30
1915	日	1	13	18,21	15	24	4	28,31	2,9	15	9,12	29	15	1/1
1915	日	37	39	34	38	34	47	42	52	43	52	49	35	34
1916	日	14	28	2	7	4,5	3	17	1	9	3	29	17	34
1916	日	41	43	35	29	38	39	45	44	50	40	29	32	29
1917	日	16	14	26	6	23	2	3	27	29	16	12	1	6/4,12/11
1917	日	31	30	38	22	26	50	52	39	45	42	37	29	22
1918	日	17	12	30,31	29	9,18	1	13	16	30	17	19	27	29/4
1918	日	28	29	38	34	32	52	52	41	40	38	41	58	28
1933	日	13	22	18	16,18	20	29	30,31	16	20,30	25	24	28,31	13/1
1933	日	41	50	42	41	40	58	53	42	47	40	33	43	33
1934	日	8	12	17	1	3	7	14	6	9	23	19	5	19/11
1934	日	45	44	34	32	22	36	37	29	40	30	29	35	22
1935	日	4	8,11	5	1	14	5	6	24	23	26	2	7	14/5
1935	日	32	37	21	19	28	25	45	47	28	33	46	39	19
1936	日	18	13	9	30	22	3	26	23	27	29	1	14	30/4
1936	日	46	34	29	34	42	41	48	44	31	24	30	35	24
1937	日	26	3	14	3	7	1	27	29	17	21	29	27	21/10
1937	日	48	26	39	26	37	50	36	-	-	-	-	-	-
1950	日	12	4	12	10	17	1	11	-	-	-	-	-	-
1950	日	39	40	38	37	35	35	56	52	50	41	34	35	34
1951	日	10	4	13	8,12	21	9	28	22	24	31	18	18	18/11
1951	日	31	38	35	33	27	40	48	50	44	36	36	33	27
1952	日	21	18	29	23	20	5	28	8,9	18	1	26	16	20/5
1952	日	38	49	30	28	41	37	42	50	40	36	43	36	28
1953	日	20,21	19	22	15	30	5	2	2	26	12	11	21	15/4
1953	日	34	47	35	22	20	41	42	41	45	36	46	38	20
1953	日	7	11	29,30	3	17	12	27	25	25	5	22	25	15/5
核 值	日期	28	26	21	19	20	25	36	29	28	24	29	29	19
日 年		13	4	9	30	15	3	11	24	27	21	12,2	27	30/4
		1918	1937	1935	1935	1953	1935	1937	1934	1935	1936	1916	1917	1935
												1934		

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939 日	36	35	32	24	28	35	44	32	29	26	34	29	24
1940 日	14	9	18	6	5	14	4,5	31	24	6	29	19	6/4
1941 日	36	39	25	26	27	28	36	42	31	32	34	32	25
1942 日	1	22	13	8	2	17	12,13	14	11	25	30	17	13/3
1943 日	27	32	26	28	33	34	41	33	43	33	37	46	26
1944 日	31	1	19	16	18	1	9	7	26	27	13	6	19/3
1945 日	31	14	33	34	31	33	38	28	37	22	26	10	10
1946 日	21	21	3	8	20	1	24	23	30	28	2	15	15/12
1947 日	20	29	20	26	32	41	38	28*	39*	37*	40*	(24*)	20
1948 日	8	19	23	5	15	10	2	4	21	1	1,12	4	8/123/3
1949 日	20	14	20	24	27	28	36	28	29	22	26	10	10
1950 日	8	21	23	6	2	17	12,13	23,4	24	28	2	15	15/12
1951 日	1952	1951	1952	1939	1940	1940	1940	1951	1939	1951	1951	1951	1951
龍 泉 $\varphi = 28^{\circ}06'N$ $\lambda = 119^{\circ}07'E$ $H = 200.0 M$ 平均相对湿度(%)													
1935	80	83	77	*	81	78	72	76	73	*	74	72	77
1936	72	(75)	72	86	78	81	73	75	71	65	70	74	74
1937	73	70	77	76	76	81	76	79	78	73	77	75	76
1938	75	77	78	75	84	76	74	72	72	66	62	65	73
1942	65	76	71	70	74	77	75	77	81	71	66	70	73
1943	53	60	73	67	72	79	76	72	66	67	59	58	67
1944	68	64	63	71	71	71	66	67	64	70	74	56	67
1945	69	74	64	64	60	67	72	69	78	61	68	67	68
1946	56	62	81	66	77	73	76	71	67	61	66	79	70
1947	75	74	66	67	72	73	69	71	70	66	66	-	-
1948	79	87	78	77	84	81	82	77	78	75	74	80	79
1949	72	79	80	79	-	85	76	79	77	79	82	83	-
1950	80	77	82	80	81	80	76	80	81	77	78	75	79
1951	81	79	86	84	68	72	69	66	74	70	75	78	75
1952	78	85	86	78	82	77	79	75	78	78	75	78	79
1953	81	82	78	75	81	80	74	78	85	82	79	83	80
平 均	80	82	82	79	79	78	76	75	79	76	76	79	78
最小相对湿度(%)													
1935	41	46	37	54	29	33	44	44	38	33	30	40	29
1936	17	14	11	2	23	4	13	26	28	27	20	23	23/5
1937	33	(36)	38	36	43	57	37	53	33	32	39	39	32
1938	20,21	12	9	4	23	26,30	4	16,29	26	15	28	5	15/10
1939	41	36	48	32	39	52	41	51	48	33	49	43	32
1940	12	17	12	8	13	21	8	26	4	17	10	19	8/4
1941	41	47	48	34	46	50	38	36	34	28	21	20	20
1942	8	26	18	18	12	25	20	15	26	23	13	30	30/12
1943	18	41	33	30	34	32	49	42	46	30	21	35	18
1944	17	1	20	7	21	9	28	7	19	24	19	12	17/1
1945	11	17	35	27	35	44	44	25	32	30	20	17	11
1946	13	10	12	9	6	14	25	16	21	30	20,21	8	13/1
1947	26	27	26	29	29	37	41	41	29	31	29	16	16
1948	7	25	19	29	5	19	29	31	19	8	21	21	21/12
1949	22	31	23	26	18	26	41	42	45	27	36	20	18
1950	17	9	8	21	15	9	3	3	19	10	12	18	15/5
1951	17	20	34	28	38	38	50	45	44	26	33	36	17
1952	5	8	31	8	16	6	16	18	9	13	2	2	5/1
1953	43	28	22	26	40	41	43	44	35	35	29	-	-
1954	14	23	10	14	19	20	29	8	21	14	5	-	-
1955	29	42	31	33	52	40	53	39	51	35	28	29	28
1956	17	25	30	2,3	3	3,5	3,29	18	5*	10	29	14	29/11
1957	27	31	39	35	-	51	41	45	42	34	41	48	-
1958	9,17	16	2	14,26	-	21	9	1	3	27	18	8	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	36	27	36	37	37	38	44	42	48	36	30	35	27
1951	日	9	28	12,13	9,12	21	8	17	9	14,16	27,31	15	17,18	28/2
1952	日	52	47	63	56	41	47	47	40	45	43	43	47	40
1953	日	22	20	2	8	26	21	25	23	48	29	2	15,16	23/8
1954	日	52	50	50	45	52	50	51	53	50	45	51	48	45
1955	日	15	25	22	17	18	11	1,4	38	29	3	2,6	18	17,4,3/10
1956	日	35	40	29	22	24	39	30	41	45	27	29	37	22
1957	日	8	12	30	3	8	38	30	10	26	10	22	12	3/4
植 株	日	27	27	29	22	24	38	30	39	42	27	28	29	22
日 年	期 份	9,17	28	30	3	8	8	30	18	3	10	29	14	3/4
		1949	1950	1953	1953	1953	1950	1953	1948	1949	1953	1948	1948	1953
温 州 $\varphi = 28^{\circ}01'N$ $\lambda = 120^{\circ}40'E$ $H = 4.8 M$														
平均相对湿度(%)														
1950	日	82	79	85	87	88	91	89	90	87	84	79	77	85
1951	日	86	89	87	91	82	88	83	82	86	79	81	79	84
1952	日	77	85	89	83	90	87	89	86	88	81	79	76	84
1953	日	81	88	86	83	88	91	87	85	88	83	81	83	85
平 均		82	85	87	86	87	89	87	86	87	82	80	79	85
最小相对湿度(%)														
1950	日	39	28	30	39	37	50	49	53	49	35	37	38	28
1951	日	9	27	4,12	10	20	2	20	22	18	27,31	14	17	27/2
1952	日	46	43	49	46	26	46	49	41	37	37	37	27	26
1953	日	21,29	19	18	12	26	5	28	23	19	31	26	15	26/5
1954	日	31	46	37	34	48	40	40	53	50	42	42	36	31
1955	日	18	20	22	4	16	4	3	4,17	29	16	5,12	11	18/1
1956	日	35	46	35	31	31	48	45	53	47	35	38	36	31
1957	日	7	22	29,30	23	15	20	31	5	25,30	10	19,22	11	23,4,15/5
植 株	日	31	28	30	31	26	40	40	41	37	35	37	27	26
日 年	期 份	18	27	4,12	23	26	4	3	23	19	38	14,26	15	26/5
		1952	1950	1950	1953	1951	1952	1952	1951	1951	1950	1950	1951	1951
											1953	1951		
安 徽 金 寨 $\varphi = 31^{\circ}34'N$ $\lambda = 115^{\circ}49'E$ $H = 120.0 M$														
平均相对湿度(%)														
1940	日	76	78	71	60	65	66	73	81	77	73	73	71	72
1941	日	71	73	67	66	73	72	80	80	82	70	71	78	74
1942	日	66	73	78	67	75	74	78	73	74	74	68	60	72
1943	日	-	79	78	79	83	84	-	-	-	-	-	-	-
1944	日	-	-	-	-	-	-	-	-	-	-	75	67	-
1945	日	67	70	73	73	73	75	80	77	76	71	76	-	-
平 均		71	75	72	64	71	71	77	78	78	72	71	70	73
最小相对湿度(%)														
1940	日	30	44	28	26	24	28	41	53	44	34	40	25	24
1941	日	1	22	13	24,30	1	10,18	12,13	2	11	11	19	13	1/5
1942	日	18	20	21	20	29	23	35	40	27	22	19	31	18
1943	日	31	3	19	16	19	1	29	2,23	25	27	16	7	31/1
1944	日	20	28	26	19	27	21	41	24	27	20	21	18	18
1945	日	28	28	26	10	14	11	3	29,30	2,19	19	2	30	30/12
1946	日	-	20	22	18	23	37	-	-	-	-	-	-	18
1947	日	-	23	16	12	7	6	-	-	-	-	-	-	12/4
1948	日	-	-	-	-	-	-	-	-	-	-	40	23	-
1949	日	-	-	-	-	-	-	-	-	-	-	22	10	-
1950	日	24	27	36	41	35	26	50	50	43	40	37	-	-
1951	日	16	9	28	19	12	6	26	2	19	18,24	4	-	-

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年	
值 日 年	值 期 份	18 31 1941	20 3,23 1941 1943	21 19 1941	18 12 1943	23 7 1943	21 11 1942	35 29 1941	24 29,30 1942	27 31 1941 1942	20 19 1942	19 16 1941	18 30 1942	18 31 3年
安 慶 $\varphi=30^{\circ}32'N$ $\lambda=117^{\circ}02'E$ $H=26.3M$														
平均相对湿度(%)														
1950	-	-	-	77	75	73	77	75	78	83	77	72	-	
1951	80	87	81	83	74	78	81	71	79	74	79	78	79	
1952	81	88	85	77	81	74	79	80	81	77	84	76	80	
1953	74	87	80	73	72	79	76	74	76	77	80	78	77	
平 均	78	87	82	78	76	77	79	75	79	76	81	77	79	
最小相对湿度(%)														
1950	-	-	-	36	31	36	45	40	50	44	32	42	-	
日	-	-	-	8	6	11	18	29	16	31	18	23,27	-	
1951*	35	39	45	44	34	41	44	41	45	37	44	38	34	
日	26,29	20	29	12	21	9	10	19	18,27	27	8	5	21/5	
1952*	44	50	50	36	36	38	46	45	44	33	46	34	33	
日	8	21	24	15,16	14	10	30	19	29	2,3	2	21	2,3/10	
1953*	33	54	35	23	26	44	46	41	40	33	43	39	23	
日	7	22	25	23	9	12	28,30	13	14	1	27	10	23/4	
值 日 年	值 期 份	33 7 1953	39 20 1951	35 25 1953	23 23 1953	26 9 1953	36 11 1950	44 10 1951	40 29 1950	40 14 1953	33 31 1952 1953	32 18 1950	34 21 1952	23 23/4 1953
湖 北 鄖 縣 $\varphi=32^{\circ}48'N$ $\lambda=110^{\circ}45'E$ $H=157.7M$														
平均相对湿度(%)														
1941	65	66	61	56	62	56	62	73	76	62	75	77	66	
1942	67	70	77	62	61	63	62	66	66	76	68	65	67	
1943	67	66	77	70	71	65	69	81	76	74	74	65	71	
1944	73	66	54	69	59	62	57	69	73	79	75	68	67	
1945	73	72	72	71	54	65	73	72	71	68	79	67	70	
1946	66	60	81	64	67	65	75	76	75	69	78	68	70	
1947	82	71	57	56	74	75	79	74	77	-	-	-	-	
1952	-	-	-	-	-	-	78	86	81	74	84	78	-	
1953	74	84	71	61	59	63	74	77	64	69	80	(82)	72	
平 均	69	69	70	65	62	63	67	73	72	71	76	70	69	
最小相对湿度(%)														
1941	25	28	18	18	19	21	24	33	34	22	34	38	18	
日	29	9	17	17	27	6	29	1	13	25	2	23	17/3,17/4	
1942	27	29	27	23	21	20	25	23	19	31	25	29	19	
日	7	11	26	7	6	8	7	31	1	21	22	4	1/9	
1943	28	21	29	25	22	28	37	44	32	40	35	27	21	
日	8	22	14	11	5	11	8,16	4	19	2,16	20	6	22/2	
1944	34	18	23	21	22	27	33	30	31	45	29	10	10	
日	4,6	24	5,15	28	4,6	19	23	12	20	30	20	20	20/12	
1945	39	38	29	33	21	19	34	43	38	34	42	25	19	
日	15	15	8,9	11	13	1	24	1	16	21	3	17	1/6	
1946	33	24	44	26	34	30	45	43	45	28	40	24	24	
日	9	19	3	17	31	17	21	9	29	26	1,18	27	19/2,27/12	
1947	33	21	15	18	38	29	47	38	46	-	-	-	-	
日	31	20	9	3	19	2	9	20	17	-	-	-	-	
1952*	-	-	-	-	-	-	41	42	30	21	30	24	-	
日	-	-	-	-	-	-	30	21,25	28	15,31	7	27	-	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953*	日	17	32	26	20	15	19	29	36	23	24	38	(35)	15
		11	28	11	29	26	11	21	12	30	1,11	21	25	26/5
極	值	17	18	15	18	15	19	24	23	19	21	25	10	10
日	期	11	24	9	17,3	26	1,11	29	31	1	15,31	22	20	20/12
年	分	1953	1944	1947	1941	1953	1945	1941	1942	1942	1952	1942	1944	1944
					1947		1953							
光化老河口 $\varphi=32^{\circ}25'N$ $\lambda=111^{\circ}40'E$ $H=91.4M$														
平均相对湿度(%)														
1950		-	-	-	-	-	71	85	80	78	87	81	71	-
1951		80	82	71	73	74	66	81	78	71	80	81	75	76
1952		73	77	80	74	82	63	79	84	83	78	89	84	79
1953		80	89	76	68	65	67	83	83	67	74	85	86	77
平 均		78	83	76	72	74	65	81	82	74	77	85	82	77
最小相对湿度(%)														
1950		-	-	-	-	-	19	39	47	36	42	38	28	-
日		-	-	-	-	-	11	30	20	13	29	18	23	-
1951*		24	33	26	25	18	20	34	31	28	34	32	27	18
日		25	17	9	13	25	9	3	17	18	1	25	10,13	25/5
1952*		26	33	34	26	27	18	43	43	44	25	52	30	18
日		20	9	22	14	29	8	20	19	3*	2	5	3	8/6
1953*		32	45	28	26	19	23	46	50	24	24	43	41	19
日		11	28	25	2	6,24	11	9	12	28	1	18	23	6,24/5
極	值	24	33	26	25	18	18	34	31	24	24	32	27	18
日	期	25	17,9	9	13	25	8	3	17	28	1	25	10,13	25/5,8/6
年	分	1951	1951	1951	1951	1951	1952	1951	1951	1953	1953	1951	1951	1951
			1952											1952
武 漢 $\varphi=30^{\circ}38'N$ $\lambda=114^{\circ}17'E$ $H=23.0M$														
平均相对湿度(%)														
1905		-	78	82	82	81	74	78	81	80	79	74	80	-
1906		-	-	-	-	-	-	78	82	83	76	82	84	-
1907		81	83	82	76	74	80	83	75	77	85	83	79	80
1908		83	82	79	85	75	81	82	69	77	82	82	75	79
1909		88	75	81	78	71	89	84	76	77	85	75	76	80
1910		83	79	80	85	81	80	76	77	76	74	76	70	78
1911		77	82	84	75	81	84	76	78	77	73	76	81	79
1912		77	72	82	75	74	76	80	72	72	71	79	79	76
1913		78	73	76	83	73	80	79	67	65	62	73	70	73
1914		70	80	78	79	78	74	69	73	72	77	80	73	75
1915		73	77	70	77	71	78	77	80	79	83	79	71	76
1916		78	78	72	75	79	78	81	73	76	73	76	75	76
1917		67	72	72	72	70	80	78	76	72	72	68	58	71
1918		49	72	77	79	74	79	81	78	71	66	79	86	74
1919		81	74	83	77	72	81	81	71	74	69	70	71	75
1920		67	88	85	77	82	76	76	73	82	76	79	78	78
1921		75	71	74	81	79	81	72	79	79	77	73	76	76
1922		80	81	75	78	80	78	76	73	66	68	60	56	73
1923		62	75	76	78	71	77	77	74	69	66	68	74	72
1924		79	76	75	72	83	75	83	72	71	73	69	65	74
1925		74	69	72	68	75	68	67	76	65	70	79	70	71
1926		74	78	73	71	73	76	82	74	76	74	77	81	76
1927		78	79	75	74	70	75	78	79	75	73	68	71	75
1928		73	69	71	75	69	72	74	70	62	61	74	82	71
1929		81	76	67	69	73	74	79	78	74	75	70	87	75
1930		80	81	75	84	77	79	68	79	76	76	73	75	77
1931		83	88	77	76	79	74	84	73	73	67	81	80	78

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1932		75	74	65	73	82	76	70	75	75	63	65	65	72
1933		79	79	75	80	77	79	75	74	74	76	76	81	77
1934		66	72	66	79	74	73	67	69	75	76	67	76	72
1935		71	77	70	80	70	76	73	68	66	77	82	73	74
1936		73	78	72	77	74	74	78	74	66	56	60	72	71
1939		76	81	79	75	67	72	78	74	68	72	76	63	73
1940		74	81	71	63	69	70	70	76	70	76	70	70	71
1950		84	80	84	81	79	76	81	78	82	84	78	76	80
1951		83	84	80	85	78	81	82	77	80	76	79	78	80
1952		76	84	85	80	83	73	78	80	80	82	88	77	81
1953		75	85	81	76	74	78	77	79	78	81	84	81	79
平 均		76	78	76	77	75	77	77	75	74	73	75	74	76
最小相对湿度(%)														
1905	日	-	41	41	38	36	34	44	46	45	40	39	14	14
1907	日	-	10	4,8	6	26	15	27	8	4,19	30	28	21	21/12
1908	日	49	42	39	42	27	45	40	45	40	52	49	43	27
1909	日	17	28	5	1	28	7	19	3	8	23	11	20,21	28/5
1910	日	51	51	40	45	36	42	44	38	40	34	37	39	34
1911	日	7	19	23	23	6	5	31	28	30	1	26	5,22	1/10
1912	日	54	31	38	39	27	53	50	42	50	50	30	34	27
1913	日	22	11	6	8	26	1	3	3	14	7	24	25	26/5
1914	日	44	41	34	47	40	39	40	43	31	36	36	25	25
1915	日	30	6	6	12	24	1	28	24	5	11	17	27	27/12
1916	日	35	45	37	26	42	52	48	52	43	28	36	49	26
1917	日	2	3	1	26	25,27	29	29	2	15	3	7	3	26/4
1918	日	41	30	25	35	34	41	47	46	29	30	38	43	25
1919	日	19	2	17	10	11	8,10	30	26	16	3	19	3	17/3
1920	日	42	29	32	44	38	46	45	41	32	21	31	24	21
1921	日	30	15	25	18	16	23	22	20	23	22	20	30	22/10
1922	日	32	42	39	40	39	31	37	38	35	39	36	38	31
1923	日	2	2	31	15	30	2,3	28	28	11	3,11	24	18	2,3/6
1924	日	21	40	32	28	34	39	45	49	42	48	42	33	21
1925	日	14	21	3	6	15	12	18	5	9	3	28	14	14/1
1926	日	41	37	29	31	44	35	47	37	39	32	43	36	29
1927	日	15	14	27	6	29	18	13	20	23,24	19	30	2	27/3
1928	日	28	33	37	29	32	46	45	44	38	36	32	31	28
1929	日	17,18	3	24	29	8	1,2	4	11	15	14	10	23,28	17,18/1
1930	日	28	27	31	30	40	50	53	47	40	30	38	43	27
1931	日	2,29	22	17	18	10	6	20	4	18	5,18	17	14	22/2
1932	日	39	39	40	36	35	48	48	31	36	33	35	36	31
1933	日	3	24	19,31	6,10	3	11	18	18	16	12	21	8	18/8
1934	日	27	54	44	42	45	40	41	36	52	37	38	34	27
1935	日	7	2	12	5	30	6	29	18	3	24,25	3	19	7/1
1936	日	39	33	31	-	-	-	-	-	-	-	-	-	-
1937	日	17,22	20	9	-	-	-	-	-	-	-	-	-	-
1938	日	34	41	32	35	-	42	42	37	29	28	22	23	-
1939	日	10	11	22	27	-	10	17,20	22	20	2,10	25	30	-
1940	日	39	35	30	38	40	32	54	45	40	36	28	27	27
1941	日	5	23	22	10	29	6	25	25	16	7	30	10	10/12
1942	日	43	28	30	31	30	38	40	47	30	35	35	27	27
1943	日	11	13	11	21	27	26	13	4	7,29	9	28	10	10/12
1944	日	35	32	34	28	40	37	49	43	39	36	40	49	28
1945	日	5	23	26	29	29	16	30	9	16	29	4	22,26	29/4
1946	日	35	39	36	33	33	37	45	38	44	31	32	35	31
1947	日	29	11	5	27	3	6	24	18	17	28	16	29	28/10
1948	日	35	25	35	43	38	39	42	37	33	30	34	53	25
1949	日	11	23	20	13,14	12	16	25	28	30	8	2	9	23/2
1950	日	39	42	29	31	36	32	49	46	32	41	39	44	29
1951	日	8	15	14	15	3	1	16	18,25	2	18	18,25	1	14/3
1952	日	40	39	32	50	42	41	40	41	40	35	38	41	32
1953	日	30	16	15	20	29	7,8	26	18	12	7	4	25	15/3
1954	日	45	41	44	39	39	32	50	43	42	38	39	29	29
1955	日	19	27	12	5	15	11	3,31	3	12	9	5	12	12/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1932	日	34	32	30	29	45	41	40	41	42	29	32	27	27
1933	日	7	28	19	19	22	2	22	5	29	10	20	12	12/12
1934	日	44	48	32	37	34	51	47	46	41	37	39	51	32
1934	日	28	12,13	17	1	3	25	14,15	34	19	24	6	3	17/3
1934	日	28	34	29	40	40	33	37	32	44	30	31	32	28
1935	日	20	9	5,7	20	25	5	29,30	24	8,9	25	22	4	20/1
1935	日	34	42	30	31	28	29	45	42	32	42	44	37	28
1936	日	17,23	14	3,11	30	14	3	28	16,21	28	30,31	20	22	14/5
1936	日	22	39	39	37	39	42	47	43	32	25	24	33	22
1936	日	18	29	1	3	27	12	20	18	23	17,25	27	5	18/1
1939	日	32	43	27	25	22	18	37	25	23	19	32	26	18
1940	日	15	7	17	6	8	11	24	30	30	10	29	29	11/6
1940	日	21	37	24	24	21	23	39	48	22	23	33	30	21
1950	日	-	-	-	-	-	-	-	-	-	-	-	-	-1, -/5
1950	日	52	41	41	44	37	34	50	46	46	43	39	33	33
1951*	日	23	20	15	10	20	8	17	21	16	30,31	18	24	24/12
1951*	日	37	39	31	38	38	43	48	40	40	30	42	27	27
1952*	日	30	16	18	11	20,25	17	1	21	30	27,29	1,2	15	15/12
1952*	日	30	42	46	32	40	32	48	43	40	25	41	37	25
1953*	日	18,25	18	24	15	13	11	2,30	18,19	26	2	34	21	2/10
1953*	日	28	45	33	34	25	37	50	46	29	35	48	38	25
1953*	日	7	21	25	23	13	1	34	1	30	11	13,19	12	13/5
極日年	值期份	21	25	24	24	21	18	37	25	22	19	22	14	14
1915	1928	14,-	23	-	-	-	11	44	30	-	10	25	21	21/12
1940	1940	1940	1940	1940	1940	1939	34	1939	1940	1939	1922	1905	1905	1905
沙 市 $\varphi=30^{\circ}18'N$ $\lambda=112^{\circ}15'E$ H=50.0 M														
平均相对湿度(%)														
1905	-	79	84	83	82	77	80	83	82	80	76	77	-	-
1906	84	84	78	78	79	86	83	84	80	71	74	70	79	79
1907	71	80	80	75	72	79	85	78	80	85	83	78	79	79
1908	83	84	78	83	76	82	85	76	78	81	78	68	79	79
1909	82	70	75	77	75	86	84	79	79	82	77	75	78	78
1910	83	77	78	86	82	81	81	83	79	79	76	71	80	80
1911	77	84	86	79	84	84	81	78	76	75	79	80	80	80
1912	78	79	82	-	-	81	84	75	69	71	80	79	-	-
1913	78	76	76	88	80	87	87	75	65	67	77	77	78	78
1914	74	84	83	83	84	76	78	81	74	81	82	75	80	80
1915	76	75	75	81	78	81	82	86	86	86	82	78	81	81
1916	80	79	76	80	84	83	88	77	81	79	79	78	80	80
1917	73	77	77	77	79	86	88	82	83	81	72	67	79	79
1918	59	76	80	82	80	80	81	85	80	71	81	86	78	78
1919	83	77	85	81	75	84	86	77	76	74	73	70	78	78
1920	73	83	-	-	-	-	-	-	-	-	-	-	-	-
平 均	77	79	79	81	79	83	84	80	78	78	78	75	79	79
最小相对湿度(%)														
1905	-	43	44	40	31	41	47	54	40	40	40	42	-	-
1906	-	9	8	6	26	13	2	5	19	30	4,28	20,21	-	-
1906	44	45	43	44	42	52	58	54	49	26	43	40	26	26
1907	17	9	6	3	30	1	25	26	5,6	17	7	29	17/10	17/10
1907	30	42	38	40	26	37	52	51	40	50	52	37	30	30
1908	1	28	5	29	28	8	1,18	31	9	23	28	10	1/1	1/1
1908	45	52	42	36	41	48	58	45	47	40	27	31	27	27
1909	1	18	24	21	17	5,13	31	8	22,27	1	26	22	26/11	26/11
1909	32	32	30	30	29	52	56	52	52	50	41	36	29	29
1909	1	11	6	6	26	1	27	7	8	8	23,29	25	26/5	26/5
1910	37	40	33	52	39	48	53	57	42	45	41	41	33	33
1910	30	11	5	16	31	5	31	1	8	15	18	25	5/3	5/3
1911	44	53	41	37	50	49	57	45	38	36	42	51	36	36
1911	12	24	1	25,26	26	30	27	29	7	17	6	3,5	17/10	17/10
1912	40	41	36	-	-	40	54	42	30	33	46	40	-	-
1912	20	8	21	-	-	8	30	29	17	11	4	7	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1913	日	42	37	44	54	46	54	59	44	31	24	38	40	24
	日	29	6	12	17,18	21	23	22	23,31	20	14	18,21	30	14/10
1914	日	32	50	45	44	43	42	52	51	38	45	46	46	32
	日	6	1	4	18	30	1	1	29	11	1	24	14,15	6/1
1915	日	39	41	33	31	41	42	56	55	50	50	53	42	31
	日	12	23	3	6	30	11	3	24	7,8	30	9	21	6/4
1916	日	34	43	41	38	48	47	57	35	43	39	42	42	34
	日	11	29	22,28	3	28	17	12	20	25	19	26	15	11/1
1917	日	32	44	45	37	44	51	63	56	55	34	37	39	32
	日	17	17	28	29	3	8	6	12,17	7	16	18	6	17/1
1918	日	33	33	45	34	43	53	45	55	43	35	40	54	33
	日	4,11	22	17	14	19	3	1	23	12	34	21	29	34
1919	日	47	49	48	36	45	46	60	36	37	34	32	33	32
	日	19	24	19	10	2	15	31	18	15	12	20	8	20/11
1920	日	29	58	-	-	-	-	-	-	-	-	-	-	-
	日	7	2	-	-	-	-	-	-	-	-	-	-	-
极 值	期	29	32	30	30	26	37	45	35	30	24	27	31	24
日 年	份	7	11	6	6	28	8	1	20	17	14	26	22	14/10
		1920	1909	1909	1909	1907	1907	1918	1916	1912	1913	1908	1908	1913
恩 施														
$\phi = 30^{\circ}16'N$ $\lambda = 109^{\circ}22'E$ $H = 434.6 M$														
平均相对湿度(%)														
1951	日	81	82	79	82	75	72	81	73	77	84	86	86	80
1952	日	83	81	83	78	82	68	75	83	79	83	88	84	81
1953	日	85	84	80	76	76	77	83	75	75	87	84	86	81
平 均		83	82	81	79	78	72	80	77	77	85	86	85	81
最小相对湿度(%)														
1951	日	40	42	22	34	21	31	38	31	31	35	38	48	21
	日	14,26	17	12	7	25	18	30	18	21,26	16	2	7,14	25/5
1952	日	43	28	31	31	34*	25*	34*	32*	35*	34*	36*	45*	25
	日	20	20	22	18	29	15	4	13	25	15	5	30	15/6
1953*	日	44	48	38	28	23	26	37	31	30	37	38	52	23
	日	12	7	31	3	28	7	31	13	2	1	18	14	28/5
极 值	期	40	28	22	28	21	25	34	31	30	34	36	45	21
日 年	份	14,26	20	12	3	25	15	4	18,13	2	15	5	30	25/5
		1951	1952	1951	1953	1951	1952	1952	1951	1953	1952	1952	1952	1951
湖 南 常 德														
$\phi = 28^{\circ}55'N$ $\lambda = 111^{\circ}33'E$ $H = 34.4 M$														
平均相对湿度(%)														
				*			*			*				
1934	日	74	82	77	85	81	78	71	75	77	81	80	-	-
1935	(79)	83	80	80	83	73	80	74	71	66	82	84	75	76
1936	日	76	80	77	80	76	70	76	75	64	58	73	79	74
1937	日	79	80	78	82	76	75	80	82	81	79	84	-	-
1938	日	77	80	76	82	76	76	76	-	-	-	-	-	-
				*			*			*				
1950	日	88	81	86	(82)	84	84	83	81	84	85	81	78	83
1951	日	81	84	83	86	80	80	83	76	77	81	83	82	81
1952	日	82	86	85	80	87	76	81	82	81	82	87	79	82
1953	日	83	86	84	81	79	78	76	79	78	86	86	86	82
平 均		84	84	85	82	83	80	81	80	80	84	84	81	82
最小相对湿度(%)														
				*			*			*				
1934	日	36	39	32	48	40	45	39	40	30	39	40	-	-
	日	24	6	5	29	24	2	12	24	8	26	1	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1935	(44)	43	37	32	35	36	45	39	29	41	42	45	29	
日	28	14	8	30	10	3	28	28	14	30	18	17	14/9	
1936	40	37	35	46	43	33	45	44	22	24	33	41	22	
日	18	3	14	3,16	28	1	1,21	29	8	15,26	27	26	8/9	
1937	36	37	40	32	40	45	45	55	48	38	50	-	-	
日	12	4	12	9	14	2	2	27	14	23	30	-	-	
				*			*			*				
1950	55	44	48	(45)	39	52	55	46	54	44	36	43	36	
日	5	27	1	9	20	8,17	18	20	13	30	14,18	9	14,18/1	
1951*	35	35	32	42	30	45	50	40	40	43	49	34	30	
日	20	17	17	7	20	5,30	26	17,22	29	17	8,15	15	20/5	
1952*	40	47	37	37	51	45	48	48	46	38	40	39	37	
日	7	9	22	16	14	10	3	19	27	31	1	22	22/3,16/4	
1953*	45	47	45	38	36	40	43	43	43	41	43	54	36	
日	9	11	6	1	14	7	17	2,3	16	1	21	12	14/5	
極日	35	35	32	37	30	40	43	40	40	38	36	34	30	
值	20	17	17	16	20	7	17	17,22	29	31	14,18	15	20/5	
年	1951	1951	1951	1952	1951	1953	1953	1951	1951	1952	1950	1951	1951	
沅 陵 $\varphi=28^{\circ}27'N$ $\lambda=110^{\circ}23'E$ $H=143.8M$														
平均 相对湿度 (%)														
1942	-	-	-	-	-	-	75	73	60	74	70	69	-	
1943	60	74	77	76	79	77	80	81	79	82	74	70	76	
1944	80	72	76	81	76	81	77	67	78	88	77	57	76	
1945	68	74	74	76	71	71	79	83	70	63	80	76	74	
1946	69	70	79	72	79	81	81	75	73	67	75	73	75	
1947	76	68	74	71	78	78	76	75	77	74	72	73	74	
1948	68	80	76	77	83	82	84	83	76	79	72	81	78	
1949	70	-	-	-	-	-	-	-	-	-	-	-	-	
1952	-	-	-	-	-	-	83	81	81	84	82	71	-	
1953	79	82	81	82	83	83	79	77	78	87	83	83	81	
平 均	71	74	77	76	78	79	79	77	76	77	76	73	76	
最小 相对湿度 (%)														
1942	-	-	-	-	-	-	42	27	22	24	31	29	-	
日	-	-	-	-	-	-	30	30	30	1	24	8,30	-	
1943	14	23	37	32	38	33	42	47	39	33	35	29	14	
日	12	6	11	11	7	12	24	23	22	3	34	7	12/1	
1944	36	35	28	38	35	44	40	31	36	43	34	25	25	
日	6	25	5	1	5,6	18	30	12	17	29	20	4,18	4,18/12	
1945	36	32	29	31	34	29	42	49	31	24	41	34	24	
日	5,15	26	28	11	12	2	27	24	20	13	8	17	13/10	
1946	25	32	28	31	41	48	47	40	33	24	37	34	24	
日	9	34	30	21	15,16	5	9	21	27	24	5	27	24/10	
1947	32	29	31	30	35	36	44	41	39	27	27	25	25	
日	1	21	2	4,13	20	6	10	18	18,22	10	10	23	23/12	
1948	28	36	40	34	41	39	54	52	39	34	31	36	28	
日	2	24	2,9	27	8	3	27	24	17	16	19	14	2/1	
1949	32	-	-	-	-	-	-	-	-	-	-	-	-	
日	7	-	-	-	-	-	-	-	-	-	-	-	-	
1952*	-	-	-	-	-	-	41	38	40	38	36	24	-	
日	-	-	-	-	-	-	5	26	27	2,31	2,3	10	-	
1953*	36	34	44	32	27	40	38	36	36	35	38	46	27	
日	12	7	5,7	19	13	7	30,31	1	17	1,23	20,28	9,10	13/5	
極日	14	23	28	30	27	29	38	27	22	24	27	24	14	
值	12	6	5,30	4,13	13	2	30,31	30	30	34	10	10	12/1	
年	1943	1943	1944	1944	1947	1953	1945	1953	1942	1942	3年	1947	1952	1943

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
長 沙														
$\varphi=28^{\circ}15'N$ $\lambda=112^{\circ}50'E$ $H=60.0M$														
平均相对湿度(%)														
1932		-	-	-	-	-	-	-	75	80	69	76	74	-
1933		85	88	80	85	80	84	76	71	76	79	82	84	81
1934		76	77	74	82	76	80	66	65	73	75	77	82	75
1935		81	87	80	87	78	83	73	72	70	83	85	83	80
1936		80	83	81	80	82	78	75	74	68	61	70	82	76
1937		80	82	80	83	77	77	77	79	80	78	84	-	-
1938		81	80	84	77	79	84	74	-	-	-	-	-	-
1946		-	-	-	81	85	85	85	82	80	70	83	87	-
1947		89	82	82	81	86	84	79	78	80	79	80	85	82
1948		83	90	86	83	89	83	83	80	83	84	82	90	85
1949		77	88	88	-	-	-	-	-	-	80	89	92	-
1950		90	85	92	84	84	84	80	84	88	88	87	81	86
1951		85	89	89	92	80	81	81	73	82	81	86	82	83
1952		86	91	91	82	88	82	81	82	80	84	88	78	84
1953		86	88	86	82	80	79	72	74	82	86	87	88	83
平 均		84	86	84	84	82	82	77	75	78	80	83	84	82
最小相对湿度(%)														
1932	日	-	-	-	-	-	-	-	35	42	30	33	28	-
	日	-	-	-	-	-	-	-	13	3	11	21	12	-
1933	日	41	58	34	44	50	56	48	36	40	35	38	45	34
	日	28	21	31	21	3,16	28,30	14	28	7	23	9	4,18	31/3
1934	日	30	29	33	45	43	46	38	21	23	32	39	33	21
	日	27	8	16	19,20	28	2	30,31	10	8	26	23	5	10/8
1935	日	36	45	40	46	32	33	40	39	34	43	42	45	32
	日	18	14	11	30	7	3	29	23	28	30	19	17	7/5
1936	日	34	38	33	43	49	39	47	42	31	21	31	43	21
	日	18	10	15	16	13	11	31	21	20	26	16	26	26/10
1937	日	33	33	31	32	33	43	44	48	41	34	45	-	-
	日	11	5	16	9	13	27	13	24	1	22	24,29	-	-
1951	日	39	30	43	50	31	44	48	37	37	35	42	30	30
	日	29	19	17	8	23	5	2	20	30	30	2	14	19/2,14/12
1952	日	39	44	33	34	39	43	42	43	39	32	40	34	32
	日	8	20	23	16	14	10	6	2	3	3	1	13	3/10
1953	日	41	40	51	32	27	40	37	39	42	48	45	41	27
	日	9	21	22	3	8	12	29	14	15	2	23	13	8/5
極 值	日 期	30	29	31	32	27	33	37	21	23	21	31	28	21
日 年	份	27	8	16	9,3	8	3	29	10	8	26	16	12	19/8,26/10
		1934	1934	1937	1937	1953	1935	1953	1934	1934	1936	1936	1932	1934
					1953									1936
正 江														
$\varphi=27^{\circ}27'N$ $\lambda=109^{\circ}38'E$ $H=266.5M$														
平均相对湿度(%)														
1938		-	-	-	-	-	84	78	79	78	77	77	77	-
1939		82	87	81	81	76	81	82	74	72	76	82	69	79
1940		79	84	83	76	82	81	81	79	77	78	81	83	80
1941		82	82	79	76	79	75	78	80	79	78	80	82	79
1942		77	77	83	82	84	82	81	80	70	82	76	78	79
1943		72	80	81	81	81	79	80	82	81	86	82	76	80
1944		86	80	83	86	78	82	78	78	78	91	82	68	81
1945		78	80	80	78	75	77	77	81	72	70	84	80	78
1946		74	77	84	78	79	83	82	77	80	71	82	79	79
1947		83	78	79	77	79	80	75	75	79	79	78	80	79
1948		76	84	82	78	84	81	82	80	80	83	76	83	81
1949		75	84	-	86	-	-	-	-	-	-	-	-	-
1950		-	-	-	-	-	84	79	82	88	84	82	80	-

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	77	85	81	86	78	80	81	73	77	84	85	80	81
1952	82	83	85	80	86	78	83	84	83	85	87	76	83
1953	87	86	84	83	82	80	78	76	79	88	86	87	83
平 均	80	82	82	80	80	80	80	78	77	81	82	79	80
最小相对湿度(%)													
1936	-	-	-	-	-	55	48	47	45	32	42	40	-
1937	-	-	-	-	-	1	20	25	11	3	13	26	-
1939	41	61	36	38	38	39	56	24	25	29	36	33	24
1940	11	28	17	6	8	14	30, 31	31	1	11	30	19	31/8
1941	28	53	35	32	42	37	51	41	37	35	38	44	28
1942	8	23	12	8	23	2	23	20	13	6	14	30	8/1
1943	36	45	34	33	43	37	43	40	40	37	41	45	33
1944	31	4	19	15	31	2	6	15	9	27	15	5	15/4
1945	39	36	42	35	53	43	56	36	33	24	38	39	24
1946	16	19	18	21	21	23	12	30	19, 20	26	1	30	26/10
1947	33	40	42	47	41	35	46	54	48	34	44	37	33
1948	11	10	11	8, 11	19	12	8	14, 15	22, 23	2	24	8	11/1
1949	44	50	43	61	39	53	50	45	38	59	41	27	27
1950	6	10	4	18, 21	5	9	29	18	17	29	22	20	20/12
1951	35	45	36	38	36	38	36	52	37	30	49	36	30
1952	15, 17	26	8	2	12, 16	2	17	29, 31	16, 19	2, 10	8	19	2, 10, 40
1953	31	39	39	32	45	44	56	46	39	34	41	50	31
1954	6	3	30	19	31	5	18	20	28	4	25	5	6/1
1955	45	31	39	36	42	54	45	40	39	39	39	44	30
1956	1	24	12	13	18	24, 30	27	6	17	10, 11	11	31	13/4
1957	32	53	50	42	47	46	53	53	52	47	47	49	32
1958	3	24	4	28	8	2	23	13	17	18-20	16	15	3/1
1959	48	46	-	49	-	-	-	-	-	-	-	-	-
1960	12	17	-	26	-	-	-	-	-	-	-	-	-
1961	-	-	-	-	-	35	44	48	49	42	39	33	-
1962	-	-	-	-	-	10	31	29	17	30	14, 18	5	-
1963	30	24	29	31	31	40	38	30	33	38	42	26	24
1964	26	19	7	7	31	30	1	20	27	1, 29	1, 25	14	19/2
1965	33	24	33	21	46	36	45	45	40	40	39	33	21
1966	19	21	22	16	13	38	21	3	30	16	1	4	16/4
1967	45	(39)	42	33	30	42	39	32	37	35	47	41	30
1968	11, 12	8	7	1, 3	8	12	31	12	29	1	27	11	8/5
極 值	28	24	29	21	30	35	36	24	25	24	36	26	21
日 期	8	19, 21	7	16	8	12, 10	17	31	1	26	30	14	16/4
年 份	1940	1951	1951	1952	1953	1943	1945	1939	1939	1942	1939	1951	1952
邵 陽 $\varphi=27^{\circ}15'N$ $\lambda=111^{\circ}23'E$ $H=250.0M$													
平均相对湿度(%)													
1936	-	-	-	-	-	-	-	-	67	60	67	79	-
1937	76	77	76	80	76	78	75	81	75	68	78	79	77
1938	76	75	79	73	80	81	74	75	73	71	70	72	75
1939	78	86	80	76	74	78	79	74	69	72	77	61	75
1940	75	83	82	72	75	77	76	76	66	68	76	76	75
1941	81	81	75	70	75	71	75	76	72	72	79	80	76
1942	70	79	79	79	79	81	81	77	72	77	74	77	77
1943	68	77	81	79	75	76	83	79	74	78	73	69	76
1944	81	80	82	89	78	-	-	-	-	-	-	-	-
1950	-	-	-	-	-	-	-	-	-	83	79	71	-
1951	75	82	83	87	76	80	77	72	77	80	83	78	79
1952	80	84	85	80	85	77	82	83	79	82	82	70	81
1953	84	85	84	83	82	76	73	71	75	84	85	83	80
平 均	76	81	80	78	78	78	78	76	73	75	78	75	77

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小相对湿度(%)														
1936	日	-	-	-	-	-	-	-	-	27	22	24	37	-
1937	日	28	40	33	37	35	44	43	45	37	28	35	39	28
1938	日	11	5	16	9	13	20	14	31	19	17	30	8	11/1, 27/10
1939	日	31	30	37	29	50	47	41	40	38	34	30	36	29
1940	日	9	17	16	16	24	1	26	25	11	3	12	5	16/4
1941	日	33	52	37	24	32	39	47	31	30	25	30	25	24
1942	日	14	8	17	7	13	13	15	30, 31	30	10	29	23	7/4
1943	日	34	39	31	32	33	26	45	40	28	27	35	30	26
1944	日	1	23	13	5	31	2	12	14	12	3, 12	14	17	2/6
1945	日	39	41	34	26	35	36	38	40	33	30	42	44	26
1946	日	24	5	17	14	31	1	23	8	14	6	17	5	14/4
1947	日	34	32	45	39	43	39	46	35	34	36	42	33	32
1948	日	16	19	19	22	19	11	31	16, 24	30	26	11	27	19/2
1949	日	19	33	48	39	34	35	48	43	34	25	40	29	19
1950	日	4	9	30, 31	8	7	12	30	5	22	2	11	4, 10	4/1
1951	日	31	33	39	55	39	-	-	-	-	-	-	-	-
1952	日	6	25	20	23, 29	6	-	-	-	-	-	-	-	-
1953	日	31	27	27	42	31	35	38	38	35	36	41	24	24
1954	日	20	18	7	11	19	30	1	22, 30	19	24, 29	2	14	14/12
1955	日	34	38	25	31	46	37	51	51	44	37	35	(15)	15
1956	日	18	22	22	15	13	9	34	4	3	31	1, 2	4	4/12
1957	日	33	48	51	40	37	35	33	35	34	35	40	38	33
1958	日	12	11	7	2	8	12	29	17	29	1	22	13	12/1, 29/7
极 值	日期	19	27	25	24	31	26	33	31	27	22	24	15	15
日 年	值 期	4	18	22	7	19	2	19	30, 31	29	18	27	4	4/12
	份	1943	1951	1952	1939	1951	1940	1953	1939	1936	1936	1936	1952	1952
南 嶽 $\varphi=27^{\circ}15'N$ $\lambda=112^{\circ}45'E$ $H=1309.0M$														
平均相对湿度(%)														
1937	日	-	-	-	-	89	93	91	95	92	84	92	81	-
1938	日	95	86	91	85	90	89	87	94	96	91	80	84	89
1939	日	88	96	94	88	84	88	92	92	82	83	91	61	87
1940	日	79	96	90	66	87	87	93	92	89	74	83	72	84
1941	日	95	92	86	80	84	84	93	94	89	85	83	80	87
1942	日	78	95	92	89	-	-	-	90	85	91	90	78	-
1943	日	65	79	89	88	83	85	93	89	83	76	68	56	80
1944	日	94	93	82	91	87	-	-	-	-	-	-	-	-
1945	日	-	-	-	-	-	-	-	-	-	-	88	91	-
1946	日	91	96	95	92	90	88	86	85	95	93	91	90	91
平 均		86	91	91	83	86	87	91	91	89	84	83	74	86
最小相对湿度(%)														
1937	日	-	-	-	-	8	47	67	71	59	47	29	12	-
1938	日	-	-	-	-	14	19	18	22	18	24	30	12	-
1939	日	48	22	20	29	30	60	66	77	74	60	14	39	14
1940	日	1	27	17	17	10	25	20	27	12	22	14	3	14/11
1941	日	29	34	50	34	27	35	73	46	36	20	51	28	20
1942	日	15	5	18	7	12	12	12	31	1	4	2	31	4/10
1943	日	21	65	26	19	55	36	77	74	62	13	18	3	3
1944	日	4	22	12	29	30	1	11	11	14	26	14	1	1/12
1945	日	49	37	32	15	14	35	74	74	56	49	24	19	14
1946	日	31	1	31	11	28	28	11	23	25	29	15	18	28/5
1947	日	19	21	60	17	-	-	-	60	51	30	62	15	-
1948	日	18	26	19	6	-	-	-	31	20	26	2, 21	7	-
1949	日	-	-	-	-	-	-	-	-	-	-	18	17	-
1950	日	-	-	-	-	-	-	-	-	-	-	5	31	-
1951	日	19	52	50	26	29	47	61	66	63	48	8	17	8
1952	日	27	8	6	25	8	12	30	12	17	2	21	13	21/11

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
接日 期年	值 期 份	19	21	20	15	8	35	61	46	36	13	8	3	3
		18, 27	26	17	11	14	12, 28	30	31	1	26	21	1	1/12
		1942	1942	1938	1941	1937	1939	1953	1939	1939	1940	1953	1940	1940
		1953					1941							
衡 陽														
$\varphi=26^{\circ}56'N$ $\lambda=112^{\circ}30'E$ $H=94.0M$														
平均相对湿度(%)														
1932	-	-	-	-	-	-	-	-	79	85	74	80	78	-
1933	87	91	81	90	79	82	73	69	70	77	79	81	80	80
1934	78	80	78	85	77	83	69	69	70	73	83	82	77	77
1935	83	90	85	89	79	83	76	77	72	82	86	86	82	82
1936	85	86	85	82	86	83	76	79	71	68	73	83	80	80
1937	84	84	85	84	81	84	79	82	77	74	82	82	82	82
1938	84	81	83	78	80	80	72	77	75	76	-	-	-	-
1939	-	-	-	-	-	-	-	-	-	-	81	72	-	-
1940	82	88	86	77	78	81	77	76	68	74	79	81	79	79
1941	88	87	82	78	79	78	81	78	77	78	82	83	81	81
1942	73	84	82	81	78	78	71	73	65	79	73	76	76	76
1943	69	80	84	80	78	77	83	78	76	81	74	69	77	77
1944	85	82	84	87	-	-	-	-	-	-	-	-	-	-
1950	87	83	90	84	85	84	76	84	84	84	82	76	83	83
1951	83	88	90	91	76	80	75	71	76	79	85	79	83	83
1952	83	88	90	82	86	78	79	79	78	83	84	75	82	82
1953	87	88	87	85	83	79	75	73	80	86	88	89	83	83
平 均	82	86	85	84	80	81	76	76	74	78	81	80	80	80
最小相对湿度(%)														
1932	-	-	-	-	-	-	-	-	42	47	43	43	41	-
日	-	-	-	-	-	-	-	-	1	3	5	2	12	-
1933	47	67	41	62	47	61	45	38	39	39	36	45	36	36
日	31	20	16	29	3	12	14	28	21	19	21	4	21/11	21/11
1934	31	36	36	50	41	53	42	32	28	34	51	37	28	28
日	25	8	17, 18	3*	9	26	29	8	9	26	5, 23	5	9/9	9/9
1935	43	54	52	57	39	34	42	40	31	46	42	51	31	31
日	30	13, 14	9, 16	30	19	3	30	26	14	26	18	18	14/9	14/9
1936	43	45	36	44	47	44	46	49	32	22	31	45	22	22
日	21	12	15	15	23	11	31	21	27	16	27	4	16/10	16/10
1937	39	26	43	31	42	52	47	51	41	30	39	38	26	26
日	3	5	16	9	14, 15	3	18	31	24	18	30	8	5/2	5/2
1938	43	39	43	36	46	50	39	43	40	35	-	-	-	-
日	7	17	1	17	6	20	25	4	26	22	-	-	-	-
1939	-	-	-	-	-	-	-	-	-	-	36	36	-	-
日	-	-	-	-	-	-	-	-	-	-	26	14	-	-
1940	38	56	35	34	40	40	46	41	35	26	41	38	26	26
日	5	25	12	12	2	2	28	21	13	11	15	17	11/10	11/10
1941	48	33	42	37	32	38	47	42	(39)	(40)	38	55	32	32
日	31	3	17	14	31	3	11	26	14	30	17	6	31/5	31/5
1942	30	42	39	33	40	31	40	29	21	31	34	32	21	21
日	7	20	20	7	6	10	31	31	20	24	2	8	20/9	20/9
1943	23	30	42	39	29	37	44	42	35	31	38	29	23	23
日	11	9	18	8	6	14	24	26	14	6	23	8	11/1	11/1
1944	39	36	37	36	-	-	-	-	-	-	-	-	-	-
日	6	25	17	6	-	-	-	-	-	-	-	-	-	-
1950	33	42	61	42	42	42	42	44	41	45	42	37	33	33
日	9	20	2	15	9	10	19	20	17	15	14, 18	9	9/1	9/1
1951	40	28	40	40	31	30	43	28	32	35	30	28	28	28
日	28, 31	20	17	11	31	1	23	20	30	1	2	15	3*	3*
1952	34	41	37	28	46	36	42	46	41	30	37	31	28	28
日	7	21	23	16	13	10	3	10	29	3	1	11	16/4	16/4
1953	43	42	47	36	34	39	42	36	37	37	36	41	34	34
日	6, 7	21	9	3, 25	9	12	30	12	24	2	22	13	9/5	9/5

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
极 日 年	23 11 1943	26 5 1937	35 12 1940	28 16 1952	29 6 1943	30 1 1951	39 25 1938	28 20 1951	21 20 1942	22 16 1936	30 2 1951	28 15 1951	21 20/9 1942
零 陵 $\varphi=26^{\circ}22'N$ $\lambda=111^{\circ}31'E$ $H=164.0M$ 平均相对湿度(%)													
1951	82	86	(89)	89	73	80	71	72	78	81	84	79	80
1952	83	87	87	80	85	79	78	82	81	83	82	74	82
1953	86	87	87	84	82	77	72	71	82	87	87	89	83
平 均	84	87	88	84	80	79	74	75	80	84	84	81	82
最小相对湿度(%)													
1951*	45	28	(31)	36	28	38	33	31	30	30	36	18	18
日	16	20	16	11	19,23	30	24	22	27	31	25	15	15/12
1952*	21	30	43	27	45	35	32	44	42	41	36	29	21
日	7	22	23	16	13	17	5	2	11	3	5	10	7/1
1953*	38	47	51	39	41	44	41	35	46	48	46	43	35
日	9,12	11	7	25	29	12,22	18,30	17	27	2	23	11	17/8
极 日 年	21 7 1952	28 20 1951	31 16 1951	27 16 1952	28 19,23 1951	35 17 1952	32 5 1952	31 22 1951	30 27 1951	30 31 1951	36 25,5 1951	18 15 1951	18 15/12 1951
郴 县 $\varphi=25^{\circ}45'N$ $\lambda=112^{\circ}59'E$ $H=171.9M$ 平均相对湿度(%)													
1936	-	-	-	-	-	-	-	-	-	-	-	80	-
1937	77	75	79	77	76	79	76	79	75	77	82	79	78
1938	79	77	77	73	74	64	63	76	79	77	74	75	74
1939	-	79	79	76	74	74	79	83	81	84	86	76	-
1940	83	86	87	79	80	81	79	77	73	78	84	81	81
1941	88	88	82	80	78	77	80	79	80	81	85	87	82
1942	73	89	81	79	79	75	76	76	75	84	78	81	79
1943	72	78	82	79	76	76	83	78	79	80	79	70	78
1944	92	85	85	92	83	-	-	-	-	-	-	-	-
1951	-	-	-	-	-	-	-	-	79	80	87	82	-
1952	84	88	87	79	83	78	78	80	82	85	86	84	83
1953	88	90	88	88	83	76	73	72	86	88	89	90	84
平 均	81	84	83	79	79	76	76	77	79	81	82	81	80
最小相对湿度(%)													
1936	-	-	-	-	-	-	-	-	-	-	-	41	-
日	-	-	-	-	-	-	-	-	-	-	-	5	-
1937	26	21	28	30	28	43	37	43	35	28	37	30	21
日	3	4	13	9	15	5	15	31	25	23	30	13	4/2
1938	32	19	33	29	43	35	33	44	45	31	31	41	19
日	7	27	2	18	30	18	19	26	27	25	16	3	27/2
1939	-	36	44	28	26	44	46	42	33	40	48	33	-
日	-	5	17	7	13	13	10,14	30,31	10	3	7	29	-
1940	24	45	31	33	29	33	45	41	30	26	29	28	24
日	8	11	12	12	2	2	7	22,23	13	7	15	13	8/1
1941	46	47	29	32	41	33	47	45	37	39	34	39	29
日	15	1	18	15	4	3	5	9	30	11	16	24	18/3
1942	23	48	33	32	36	35	50	37	33	29	37	34	23
日	9	23	20	7	21	12	11,28	30	23	24	3	15	9/1
1943	27	24	41	26	33	33	47	46	42	33	30	24	24
日	12	27	1	9	7	14	25	21	26	11	24	21	27/2,21/12
1944	47	37	41	41	28	-	-	-	-	-	-	-	-
日	7	11	14	6	6	-	-	-	-	-	-	-	-
1951*	-	-	-	-	-	-	-	-	30	31	35	29	-
日	-	-	-	-	-	-	-	-	26	17	2	14	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948	日	-	-	-	-	-	-	-	-	-	34	27	38	-
1949	日	34	47	-	-	-	-	-	-	-	10	15	14	-
1950	日	14	28	-	-	-	-	-	-	-	-	-	-	-
1951	日	-	-	-	-	-	51	53	54	46	41	35	37	-
1952	日	-	-	-	-	-	9	20	20	16	29, 31	19	9, 24	-
1953	日	31	23	40	34	35	48	46	31	45	37	39	28	23
1954	日	28	20	17	11	20	16, 20	25	22	27	28	8	15	20/2
1955	日	38*	46*	36*	26*	41*	42*	46*	47*	51	38	46	34	28
1956	日	25	19	23	15	13	10	6	1	26	31	34	10	15/4
1957	日	(29)	40	45	32	36	45	44	45	43	42	50	43	29
1958	日	12	8	25	3	14	12	30	34	25	10	22	12	12/1
極日	值期	29	23	36	27	35	42	41	31	38	18	27	28	18
年	份	1953	1951	1952	1947	1951	1952	1938	1951	1936	1936	1948	1951	1936
玉山														
$\varphi = 28^{\circ}40'N$ $\lambda = 118^{\circ}15'E$ $H = 93.6 M$														
平均相对湿度(%)														
1950	日	-	-	-	-	-	-	-	-	-	-	84	82	-
1951	日	88	88	88	87	78	79	82	75	81	79	84	82	83
1952	日	82	88	88	80	86	80	82	80	83	84	83	81	83
1953	日	84	88	84	77	81	81	71	70	81	83	84	86	81
平均		85	88	87	81	82	80	78	75	82	82	84	83	82
最小相对湿度(%)														
1950	日	-	-	-	-	-	-	-	-	-	-	51	50	-
1951	日	-	-	-	-	-	-	-	-	-	-	44	9	-
1952	日	46	45	53	44	28	34	46	40	41	41	39	36	28
1953	日	27	19	17	8	26	1	23	23	30	30	1	14	26/5
1954	日	40	52	41	31	46	38	50	49	51	48	47	49	31
1955	日	21	22	24	17	14	9	1	15	22	3	11	11	17/4
1956	日	44	54	37	33	29	44	32	32	37	33	50	43	29
1957	日	8	12	31	3	24	13, 21	30	15	25	10	19	12	24/5
極日	值期	40	45	37	31	28	34	32	32	37	33	39	36	28
年	份	1952	1951	1953	1952	1951	1951	1953	1953	1953	1953	1951	1951	1951
吉安														
$\varphi = 27^{\circ}05'N$ $\lambda = 114^{\circ}55'E$ $H = 73.0 M$														
平均相对湿度(%)														
1939	日	86	84	81	78	75	77	(73)	75	72	75	77	66	77
1940	日	74	78	79	73	76	81	76	76	73	74	83	81	77
1941	日	87	87	85	81	82	78	82	79	82	79	85	82	83
1942	日	74	83	82	80	80	80	77	79	85	85	80	76	80
1943	日	70	77	81	79	79	80	84	78	-	-	-	70	-
1951	日	-	-	-	-	-	-	-	71	76	77	80	78	-
1952	日	79	86	88	82	85	80	81	80	81	81	80	72	81
1953	日	83	86	87	85	84	77	75	71	84	87	89	90	83
平均		81	84	84	80	80	81	77	77	80	80	82	78	80
最小相对湿度(%)														
1939	日	51	65	60	41	38	47	(35)	45	38	43	49	35	35
1940	日	14	5	1	7	8	26	10	31	10	16	29	6	10/7.6/12
1941	日	44	57	44	41	35	48	51	49	47	35	54	54	35
1942	日	2	3	21	30	1	18	27	22	25	6	1	12	1.5/6/10
1943	日	55	40	51	47	51	49	55	50	46	46	54	59	40
1944	日	31	1	20	15	30	4	12	8	30	9	14	29	1/2
1945	日	40	59	52	52	54	46	49	48	52	46	43	37	37
1946	日	8	19	19, 25	7	6	13	28	4	2	24	28	7	7/12
1947	日	32	47	50	42	40	50	53	51	-	-	-	34	-
1948	日	11	12	1	8	7	15	27	21, 27	-	-	-	8	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951*	日	-	-	-	-	-	-	-	23	35	35	36	23	-
1952*	日	33	21	33	31	45	35	39	44	47	45	37	34	21
1953*	日	22	20	23	16,17	13	9	5	3	30	2,4	10	10	20/2
1953*	日	33	46	41	38	27	44	42	33	41	41	51	45	27
1953*	日	9,12	21	12	3	9	8,12	28,31	16	26	2	22,23	12	9/5
植 值	期	32	21	33	31	27	35	35	23	35	35	36	23	21
日 年	份	11	20	23	16,17	9	9	10	22	7	6,30	2,4	14,15	20/2
		1943	1952	1952	1952	1953	1952	1939	1951	1953	1940	1951	1951	1952
遂 川 $\varphi=26^{\circ}15'N$ $\lambda=114^{\circ}20'E$ $H=101.5M$														
平均相对湿度(%)														
1951		82	82	88	90	77	82	75	75	77	78	85	81	81
1952		80	87	88	82	85	82	81	79	82	82	83	76	82
1953		85	87	85	84	81	75	74	74	86	86	87	89	83
平 均		82	85	87	85	81	80	77	76	82	82	85	82	82
最小相对湿度(%)														
1951	日	43	33	41	43*	27*	37*	41*	38*	38*	34*	35*	33*	27
1952*	日	30	19	17	8,11	22	1	24	21,22	18	18	2	14	22/5
1952*	日	39	51	37	35	46	41	43	42	45	45	43	(34)	34
1953*	日	19	20,22	22	14	4	9	6	2	11	3,21	11,12	12	12/12
1953*	日	36	47	47	36	26	40	42	40	44	41	46	44	26
1953*	日	12	11	9	3	8	28	30	2	26	2	23	12,13	8/5
植 值	期	36	33	37	35	26	37	41	38	38	34	35	33	26
日 年	份	12	19	22	14	8	1	24	21,22	18	18	2	14	8/5
		1953	1951	1952	1952	1953	1951	1951	1951	1951	1951	1951	1951	1953
赣 州 $\varphi=25^{\circ}50'N$ $\lambda=114^{\circ}50'E$ $H=109.5M$														
平均相对湿度(%)														
1950		-	-	-	-	-	-	-	-	-	-	-	73	-
1951		83	83	90	90	78	80	72	73	72	75	83	79	80
1952		79	85	90	86	85	83	83	83	84	81	81	79	83
1953		84	86	85	85	84	76	74	71	81	81	83	86	81
平 均		82	85	88	87	82	80	76	76	79	79	82	81	81
最小相对湿度(%)														
1950	日	-	-	-	-	-	-	-	-	-	-	-	42	-
1951*	日	50	38	44	44	33	38	38	38	38	36	34	31	31
1952*	日	1	19	7	11	23	1	22	22	19	18	2	14	14/12
1952*	日	35	48	47	36	45	43	49	49	52	44	41	36	35
1953*	日	7	19	23	17	4	9	3	27	30	4	12	11,12	7/1
1953*	日	33	47	48	39	30	46	37	32	40	44	44	36	30
1953*	日	12	12	9	3	8	3*	18	12	26	3	22	12	8/5
植 值	期	33	38	44	36	30	38	37	32	38	36	34	31	30
日 年	份	12	19	7	17	8	1	18	12	19	18	2	14	8/5
		1953	1951	1951	1952	1953	1951	1953	1953	1951	1951	1951	1951	1953
福 建 浦 城 $\varphi=27^{\circ}55'N$ $\lambda=118^{\circ}35'E$ $H=269.6M$														
平均相对湿度(%)														
1935		-	-	-	-	-	-	-	-	-	-	-	83	-
1936		80	78	80	80	82	84	77	78	76	72	78	80	79
1937		79	77	85	80	80	84	76	81	78	76	80	77	79

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938		78	80	79	77	82	78	79	78	77	72	72	75	77
1939		77	77	82	76	80	83	82	80	77	81	82	73	79
1940		81	82	82	75	82	84	80	80	80	82	81	80	81
1941		84	83	82	78	82	80	83	80	85	79	83	84	82
1942		77	89	83	81	83	85	79	77	77	80	74	78	80
1943		—	—	—	79	81	85	—	—	—	—	—	—	—
1944		83	84	78	84	83	82	76	79	80	85	88	75	81
1945		84	87	80	79	75	78	80	80	85	78	82	81	81
1946		74	75	86	78	85	81	82	80	77	75	79	82	80
1947		83	82	76	79	80	80	76	78	78	76	77	79	79
1948		78	86	80	77	84	78	87	75	75	74	75	82	79
1949		72	77	79	—	—	—	—	—	—	—	—	—	—
1951		80	80	84	83	73	77	76	73	80	76	80	76	78
1952		76	83	83	78	82	78	80	77	82	80	79	76	80
1953		84	86	81	79	83	82	74	75	85	85	84	86	82
平 均		80	82	81	79	81	81	79	78	79	78	80	79	80
最小相对湿度(%)														
1935		—	—	—	—	—	—	—	—	—	—	—	38	—
1936		—	—	—	—	—	—	—	—	—	—	—	23	—
1937		27	27	29	25	40	48	46	43	26	23	33	30	23
1938		20	13	8	4	14	25	3,9	29	22	15	27	26	15/10
1939		28	29	34	28	29	42	37	43	35	28	36	32	28
1940		12	4	13	9	17	20	22	29	11	23	30	3	3
1941		33	29	32	21	31	37	41	42	32	30	25	26	21
1942		8	22	28	17	13	8	19	15	25	21,22	8	5	17/4
1943		28	32	32	24	33	41	46	36	29	33	30	31	24
1944		12	8	18	7	5	13	22	31	23	5	27	3	7/4
1945		30	42	21	30	33	35	46	46	38	20	36	31	20
1946		1	22,23	13	8	1,3	17	6	16,24	18	9	16	17	9/10
1947		31	36	35	30	44	40	52	45	48	35	35	42	30
1948		31	1	19	1	18	12	4,6	3,23	26,30	27	16	30	1/4
1949		28	47	40	34	41	41	44	29	33	28	26	26	26
1950		16	27	20	22	21	10	20	31	1	24,25	28	8,12	3
1951		—	—	—	36	27	40	—	—	—	—	—	—	—
1952		—	—	—	30	6	14	—	—	—	—	—	—	—
1953		37	43	28	39	33	41	47	38	39	23	36	31	23
1954		7	10	20	29	5	13	4	12	17	8	21	17	8/10
1945		26	42	34	31	28	30	46	44	46	37	32	29	26
1946		17	22	8,9	20	15	9	3	31	19	12	5	29	17/1
1947		27	22	30	26	41	35	49	49	43	25	26	26	22
1948		21	8	31	19	16	5	17	3	6,13	11,13	2	29	8/2
1949		49	30	26	23	40	47	47	43	33	24	31	27	23
1950		1	23	10	14	19	3,20	28,30	18	18	11	5	22,31	14/4
1951		24	32	28	30	52	31	50	35	43	28	28	32	24
1952		2,16	25	30	4,11	13	3	22,25	8	3	11	5,21	16	2,16/1
1949		28	27	35	—	—	—	—	—	—	—	—	—	—
1950		9	17	19	—	—	—	—	—	—	—	—	—	—
1951		34	22	35	38	26	36	37	38	34	29	29	16	16
1952		21	18	17	11	26	1	25	23	30	31	25	12,16	12,16/2
1953		9	20	22	17	20	24	30	45	44	24	26	29	9
1954		9	20	23	15	14	11,12	2,3	2	22	17	6	4	9/1
1955		33	33	36	22	27	35	39	37	40	30	46	40	22
1956		8	8	12,30	3	7	12	29	6	25,26	10	22	12	3/4
極 值	日 期	9	20	21	17	20	24	30	29	26	20	25	16	9
日 年		9	20	13	15	14	11,12	2,3	31	22	9	8	12,16	9/1
		1952	1952	1940	1952	1952	1952	1952	1942	1936	1940	1938	1951	1952
崇 安														
φ= 27°45'N λ= 118°01'E H= 208.7 M														
平均相对湿度(%)														
1940		—	—	—	—	—	—	—	—	—	—	80	79	—

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941	82	83	81	77	80	80	87	80	85	79	83	82	82
1942	72	88	85	80	83	84	82	78	77	77	73	76	80
1943	74	75	84	80	82	87	83	84	78	75	70	69	78
1944	77	77	75	82	82	85	79	81	79	83	85	71	80
1945	79	83	77	76	74	81	83	80	85	73	79	79	79
1946	72	78	85	76	86	82	85	83	80	75	78	83	80
1947	84	79	76	79	81	85	80	80	81	75	-	-	-
平 均	76	81	81	79	81	83	83	81	81	77	78	77	80
最小相对湿度(%)													
1940	-	-	-	-	-	-	-	-	-	-	33	25	-
日	-	-	-	-	-	-	-	-	-	-	30	17	-
1941	25	27	35	27	39	37	53	43	44	33	30	41	25
日	31	1	19	14	4	6	5	7	29	27	13	29	31/1
1942	21	50	50	41	39	36	49	29	30	27	32	25	21
日	2	1	29	1,7	21	9	31	31	21	24	33	8	2/1
1943	25	27	42	36	32	42	44	49	25	25	20	19	19
日	17	27	12	8	6	14	24	6	20	2,3	22	8	8/12
1944	20	26	25	31	34	49	48	43	33	36	34	26	20
日	7	25	1	29	5	19	7,24	1,7	17	6	21	20	7/1
1945	25	27	32	32	22	34	41	39	42	33	44	25	22
日	16	27	29	11,12	15	9	19	2,3	19	33	10,12	29	15/5
1946	22	26	28	24	46	37	45	51	48	27	32	30	22
日	2,21	18	31	20	31	5	16	8	3,6	13	2	28	2,21/1
1947	25	26	27	24	43	49	46	42	39	28	-	-	-
日	1	24	10	14	30	7	7,29	19	18	11	-	-	-
極 值	20	26	25	24	22	34	41	29	25	25	20	19	19
日 年	7	33	1	20,14	15	9	19	31	20	2,3	22	8	8/12
	1944	3年	1944	1946	1945	1945	1945	1942	1943	1943	1943	1943	1943
				1947									
武夷山 $\varphi=27^{\circ}39'N$ $\lambda=117^{\circ}53'E$ $H=(514.6)m$													
平均相对湿度(%)													
1949	-	-	-	-	-	-	-	-	-	-	81	83	-
1950	77	70	82	78	80	83	80	84	82	77	74	66	78
1951	79	77	86	86	71	76	78	70	77	69	78	71	77
1952	72	82	87	79	84	80	83	80	79	76	73	69	79
1953	81	85	82	77	82	80	74	73	80	83	81	82	80
平 均	77	79	84	80	79	80	79	77	80	76	77	72	79
平均相对湿度(%)													
1949	-	-	-	-	-	-	-	-	-	-	37	48	-
日	-	-	-	-	-	-	-	-	-	-	18	27	-
1950	35	29	28	28	38	41	48	46	41	37	31	28	28
日	10	19	12	9	10,20	9,12	5,19	22	14	31	15	4	33
1951	39	18	45	35	28	38	44	33	38	27	29	20	18
日	30	19	7	8	19	1	19	20	30	30	25	16	19/2
1952	24	35	29	23	32	31	44	45	38	38	26	22	22
日	18	20	22	15	13	9	2	2	22	17	6	4	4/12
1953	30	32	31	23	26	34	45	43	34	32	31	36	23
日	12	8	29	3	7	12	14	10,15	25	11	23	12	3/4
極 值	24	18	28	23	26	31	44	33	34	27	26	20	18
日 年	18	19	12	15,3	7	9	19,2	20	25	30	6	16	19/2
	1952	1951	1950	1952	1953	1952	1951	1951	1953	1951	1952	1951	1951
				1953			1952						
邵 武 $\varphi=27^{\circ}21'N$ $\lambda=117^{\circ}29'E$ $H=-m$													
平均相对湿度(%)													
1939	86	83	89	-	-	87	84	81	84	86	78	-	-
1940	85	87	87	81	86	85	79	79	83	82	80	83	83
1941	84	84	83	81	81	80	85	81	85	80	88	86	83
1942	78	86	85	85	87	85	78	78	81	81	79	80	82
1943	79	79	86	83	85	87	86	-	-	83	77	78	-
1944	88	87	83	86	84	86	78	82	81	87	88	79	84

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1945	85	88	82	83	83	83	81	80	86	81	85	85	84
平 均	84	86	84	83	84	84	80	80	82	82	84	82	83
最小相对湿度(%)													
1939	44	42	48	—	—	52	55	45	45	45	53	37	—
日	12	8	17	—	—	14	4	31	9	22	26	31	—
1940	36	53	34	37	41	45	40	43	35	36	31	35	31
日	2	22	13	8	2	18	6,11	17	10	25	30	12	30/11
1941	43	34	31	30	31	34	45	38	42	40	45	45	30
日	31	1	19	16	4	6	10	8	6	1	14	25	16/4
1942	30	44	39	38	42	36	41	36	39	38	36	31	30
日	18	27	20	7	8	9	22	9	3	29	1	8	18/1
1943	31	32	46	47	39	40	51	—	—	41	31	31	—
日	17	9	19	17	8	15	25	—	—	6,8	25	10	—
1944	49	51	39	41	42	47	43	49	46	46	46	39	39
日	23	10,11	19	28	4	13	25,26	6	22	6	21	21	19/3,21/12
1945	40	46	38	40	39	44	45	44	48	43	56	47	38
日	16	28	9	13	4	7	15	31	1	7	1	31	9/3
極 值	30	32	31	30	31	34	40	36	35	36	31	31	30
日 年	18	9	19	16	4	6	6,11	9	10	25	30,25	8,10	15,18/1
	1942	1943	1941	1941	1941	1941	1940	1942	1940	1940	1940	1942	1941
											1943	1943	1942
建 陽 $\varphi = 27^{\circ}20'N$ $\lambda = 118^{\circ}07'E$ H = - M													
平均相对湿度(%)													
1940	—	—	—	—	—	—	—	—	—	83	86	84	—
1941	87	86	85	83	85	85	85	82	85	83	88	89	85
1942	80	89	86	84	86	86	—	—	—	—	—	—	—
1944	—	—	—	—	—	—	—	81	79	85	89	77	—
1945	85	88	82	82	80	85	83	82	87	81	85	85	84
1947	88	86	84	84	85	87	83	83	84	81	83	83	84
1948	83	89	84	82	89	83	86	81	82	79	79	86	84
1949	77	81	83	83	85	87	84	85	82	82	86	87	84
1950	84	84	85	82	86	85	84	86	85	83	84	82	84
1951	85	84	88	88	80	82	81	79	83	81	86	83	83
1952	83	84	88	84	86	85	83	83	84	83	81	81	84
1953	85	86	83	82	86	83	76	75	84	86	84	85	83
平 均	84	85	85	83	85	85	83	82	84	82	84	85	84
最小相对湿度(%)													
1940	—	—	—	—	—	—	—	—	—	29	32	28	—
日	—	—	—	—	—	—	—	—	—	25	30	17	—
1941	31	32	35	32	40	38	53	43	45	37	43	46	31
日	31	1	19	16	4,29	3	4	8	30	8	13	29	31/1
1942	28	51	51	40	46	35	—	—	—	—	—	—	—
日	8	1	8	6	7	30	—	—	—	—	—	—	—
1944	—	—	—	—	—	—	—	41	30	43	43	26	—
日	—	—	—	—	—	—	—	7	17	6	21	21	—
1945	39	47	34	30	29	40	44	47	48	36	44	28	28
日	20	8	10	20	17	9	3	2	19	31	14	29	29/12
1947	50	29	26	24	46	50	51	47	36	36	37	24	24
日	1	23	29	14	18,21	7	30	33	18	12,13	20	7	14/4,7/12
1948	28	47	25	32	55	37	54	40	46	32	30	42	25
日	16	24	4	3	13	3	27	19	14	17	17	15	4/3
1949	23	30	39	38	33	40	50	49	38	39	39	51	23
日	9	17	1	6	14	20	21	26	3	28	18	27	9/1
1950	40	33	30	34	37	44	52	51	47	38	38	27	27
日	6	20	13	7	8	9	33	22	16	30	1	9	9/12
1951	44	29	47	35	35	39	46	33	37	32	38	25	25
日	21,29	17	7	11	22	1	24	20	19	29	1,2	15	15/12
1952	34	42	42	33	37	41	48	52	48	44	41	30	30
日	19	4	23	15,18	13	9	4	33	22	2	5	9	9/12

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 日	44 7	45 21	33 30	31 24	29 28	46 13,21	40 30	41 4*	43 25	44 11	47 23,27	41 12	29 28/5
極 日 年	23 9 1949	29 23,17 1947 1951	25 4 1948	24 14 1947	29 17,28 1945 1953	35 30	40 30	33 20	30 17	29 25	30 17	24 7	23 9/1 1949
建 甌													
$\varphi = 27^{\circ}05'N$ $\lambda = 118^{\circ}19'E$ $H = 112.8 M$													
平均相对湿度(%)													
1950	-	-	-	-	-	83	80	85	85	82	82	83	-
1951	88	85	89	89	78	81	78	75	79	80	87	84	83
1952	84	85	87	84	84	85	83	82	85	86	84	85	85
1953	86	86	81	82	84	82	75	73	83	85	83	87	82
平 均	86	85	86	85	82	83	79	77	82	84	85	85	83
最小相对湿度(%)													
1950	-	-	-	-	-	38	47	48	45	35	36	38	-
日	-	-	-	-	-	12	17	14	14	30	1	16,18	-
1951	48	30	37	44	32	35	42	28	32	33	31	24	24
日	21	18	7	11	22	1	22,26	20	19	28	2	14	14/12
1952	34	40	35	30	34	40	42	38	47	37	40	34	30
日	8,19	23	23	15	14,15	10	4	5	3*	17	5	5,12	15/4
1953	32	42	32	29	29	39	33	35	36	33	32	40	29
日	7	8,21	29	3	8	13,18	28,30	4*	24	11	23	12	3/4,8/5
極 日 年	32 7 1953	30 18 1951	32 29 1953	29 3 1953	29 8 1953	35 1 1951	33 28,30 1953	28 20 1951	32 19	33 28,11 1951	31 2	24 14	24 14/12 1951
福 安													
$\varphi = 27^{\circ}04'N$ $\lambda = 119^{\circ}38'E$ $H = 116.0 M$													
平均相对湿度(%)													
1937	-	-	-	77	78	86	78	81	78	(74)	76	71	-
1938	70	71	82	71	81	83	76	80	79	75	69	68	75
1939	69	71	76	74	79	82	83	77	77	79	78	66	76
1940	70	72	75	69	78	81	78	80	78	83	78	79	77
1941	83	83	79	75	79	78	83	78	81	72	82	83	80
1942	76	88	81	82	82	82	79	77	78	78	76	75	80
1943	65	71	90	74	78	86	86	-	-	-	-	72	-
1946	-	75	83	76	86	83	84	81	79	75	75	77	-
1947	81	75	75	77	82	85	78	78	81	74	74	72	78
1948	73	81	78	78	84	84	84	81	82	73	68	79	79
1949	71	78	-	-	-	-	-	-	-	-	-	-	-
平 均	75	77	78	74	81	82	80	79	79	76	75	75	78
最小相对湿度(%)													
1937	-	-	-	30	34	52	37	51	38	(32)	38	28	-
日	-	-	-	8	4,13	21	13	18	2	17,23	30	6	-
1938	34	24	37	21	34	43	42	36	42	27	24	23	21
日	8	23	30	17	13	13	17	15	25	22	13	27	17/4
1939	28	25	32	30	40	40	44	39	31	34	36	26	25
日	11	8	17	6	13	26	23	30	9	8	27	10	8/2
1940	29	34	23	29	32	32	35	44	36	31	33	26	23
日	4	22	13	8	11	17	13	29	10	25	13	17	13/3
1941	33	35	31	26	35	32	39	31	33	26	36	28	26
日	31	1	19	18	4	4	11	7	30	27	14,15	29	18/4,27/10
1942	25	39	30	35	36	28	44	27	28	24	33	22	22
日	9	24	19	7	21	9	31	31	26	24	1,24	5,11	5,11/12
1943	20	29	41	29	27	41	46	-	-	-	-	24	20
日	12	10	12	16	8	14	24	-	-	-	-	8	12/1
1946	-	33	42	32	57	49	54	50	48	38	37	37	-
日	-	18	31	17	8	15	16	31	1	21	17	28	-

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1947	55	37	42	39	50	47	46	44	40	35	31	32	31
■	14,28	23	13	3	13,22	10	30	22	23	13	11	2	11/11
1948	32	45	46	38	50	45	54	46	50	31	24	34	24
■	16	10	5	11	9	4	31	14	13	7	16	14	16/11
1949	25	27	-	-	-	-	-	-	-	-	-	-	-
■	9,14	16	-	-	-	-	-	-	-	-	-	-	-
極 值	20	24	23	21	27	28	35	27	28	24	24	22	20
日 期	12	23	13	17	8	9	13	31	26	24	13,16	5,11	12/1
年 份	1943	1938	1940	1938	1943	1942	1940	1942	1942	1942	1938	1942	1943
1948													
南 平													
$\varphi=26^{\circ}38'N$ $\lambda=116^{\circ}10'E$ $H=127.2M$													
平均相对湿度(%)													
1935	-	-	-	-	-	-	77	79	76	78	80	83	-
1936	77	81	81	82	84	81	75	76	76	68	72	77	78
1937	79	77	84	77	78	83	74	79	75	74	79	79	78
1938	75	78	78	72	82	72	73	75	72	72	72	73	75
1939	77	72	80	78	79	85	82	78	79	82	82	75	79
1940	79	80	83	77	85	84	80	79	79	84	80	81	81
1941	83	83	83	79	80	77	81	77	80	79	87	87	81
1942	78	87	81	81	83	82	80	77	78	79	79	81	81
1943	72	73	82	78	76	83	82	-	-	76	74	76	-
1944	78	82	77	82	83	83	76	79	75	80	86	77	80
1945	85	88	79	76	79	79	78	79	85	77	82	81	81
1947	87	84	77	80	80	86	78	80	82	80	80	-	-
1948	80	84	78	79	86	81	83	-	79	-	-	-	-
1951	83	80	84	86	76	80	77	74	79	75	81	77	79
1952	76	81	81	81	82	83	82	79	81	79	77	78	80
1953	82	84	80	79	83	81	73	72	82	82	80	85	80
平 均	79	81	81	79	81	81	78	77	78	78	80	79	79
最小相对湿度(%)													
1935	-	-	-	-	-	-	39	38	36	37	37	40	-
■	-	-	-	-	-	-	28	23	28	30	20	18	-
1936	31	44	37	38	42	43	40	38	31	23	23	32	23
■	21	10	8	4	14,15	30	21	22,23	21	15	28	27	15/10,29/11
1937	39	32	36	20	29	39	35	41	37	26	35	38	20
■	12	4	4,13	9	14	6	22	21,26	25	23	10	12,15	9/4
1938	31	36	29	25	41	35	38	37	36	32	26	28	25
■	8	23	30	17	31	8	20	5	25	22	15	6	17/4
1939	30	34	35	31	35	51	46	39	36	39	46	34	30
■	15	18	18	24	9	27	4	31	9	6	30	19	15/1
1940	30	41	28	27	26	31	43	40	36	38	32	30	26
■	25	23	13	5	1	2	5	25	11	7	30	17	1/5
1941	37	29	34	19	40	33	47	45	37	38	51	48	19
■	20	1	19	15	28	2	9	8	30	1	13,14	30	15/4
1942	29	49	34	31	40	35	50	31	37	39	32	31	29
■	16	1	20	11	21	9	30	31	2	25	3	5	16/1
1943	29	29	41	36	29	39	46	-	-	35	30	29	-
■	11	10	12	17	7	14	26	-	-	38	22	8	-
1944	38	38	28	42	31	40	41	48	32	39	38	35	28
■	7	25	14	24	5	19	8	7,9	17	6	21	9	14/3
1945	31	45	35	28	26	40	39	45	48	34	45	35	26
■	17	28	30	12	13	9	2	31	2,19	9	5	29	13/5
1947	49	34	27	30	40	49	44	47	43	38	40	-	-
■	6	23	10,29	14	19	10	10	19	18	13,15	27	-	-
1948	32	41	31	33	47	37	47	-	46	-	-	-	-
■	17	25	30	2	9	4	27	-	14	-	-	-	-
1951	47	65	48	50	34	42	44	22	36	38	33	24	22
■	19	7	7	4	23	12	24	20	19	30	2	15	20/8
1952	29	38	36	31	40	40	40	37*	49*	39*	40*	30*	29
■	8	23	23	18	15	10	5	4	6	5	12	5	8/1
1953*	32	43	35	23	27	42	34	33	40	43	45	43	23
■	8	8	29	3	8	21	28	10	26	12	23	12	3/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
日 期	值 期	29 3 3年	29 1,10 1941	27 10,29 1947	19 15 1941	26 1,13 1940	31 2 1940	34 28 1953	22 20 1951	31 21 1936	23 15 1936	23 28 1936	24 15 1951	19 15/4 1941
沙 縣 $\varphi=26^{\circ}24'N$ $\lambda=117^{\circ}47'E$ $H=44.4 M$														
平均相对湿度(%)														
1939	-	-	83	79	81	83	80	76	79	89	97	97	-	
1940	83	80	84	82	84	88	81	77	77	83	82	84	82	
1941	85	84	83	81	79	78	82	81	82	81	86	87	82	
1942	80	88	83	79	84	81	80	77	80	81	79	80	81	
1943	75	74	82	78	78	82	84	-	-	79	76	77	-	
1944	78	82	79	84	84	83	77	79	79	79	84	76	80	
1945	84	87	79	79	81	82	77	80	84	79	81	83	81	
1946	81	76	84	77	87	84	82	80	77	78	79	83	81	
1947	86	86	82	85	84	87	82	79	79	84	84	82	83	
1948	84	88	80	80	85	79	80	75	79	82	81	79	81	
1949	77	78	81	82	79	87	76	79	76	81	79	83	80	
1950	81	77	77	-	81	82	78	82	79	78	76	75	-	
1951	82	79	84	87	76	79	75	75	79	78	82	81	80	
1952	79	81	86	84	82	83	81	81	83	83	82	83	82	
1953	84	85	82	82	85	82	77	78	84	83	84	-	-	
平 均	82	83	82	82	82	83	79	78	80	81	82	82	81	
最小相对湿度(%)														
1939	-	-	41	36	38	44	41	39	37	35	-	-	-	
1940	42	43	37	30	28	37	52	47	35	44	40	35	28	
1941	25	22	14	4,5	1	2	26	10	10	9	30	17	1/5	
1942	33	32	29	32	39	33	47	41	42	37	43	52	29	
1943	20	1	15	15	23	3	12	8	30	8	13	30	15/3	
1944	33	47	36	44	49	37	44	35	33	34	39	29	29	
1945	8	1	20	3	21	9	28	31	20	24	3	5,6	5,6,12	
1946	23	31	43	33	30	42	48	-	-	28	22	28	22	
1947	12	9,27	19	9	7	14	22	-	-	3	22	8	22/11	
1948	40	38	30	39	29	46	40	42	37	40	37	30	29	
1949	12	25	13	28	5	29	8	25	18	6	21	20	5/5	
1950	33	53	37	36	32	33	42	50	48	38	36	44	32	
1951	17	28	30	4,12	15	9	2	21	19	10,12	29	29	15/5	
1952	38	33	50	27	41	42	50	47	33	36	38	53	27	
1953	21,22	8	31	21	6	6	20	38	6	25,28	8	3	21/4	
1944	52	49	56	37	48	53	51	51	47	57	60	61	37	
1945	6	24	29	14	21	28	5	19	16	13	20	4,28	14/4	
1946	54	63	40	47	52	44	42	42	60	61	53	52	40	
1947	15	11	12	3	10	30	18	5	1,29	38	20	14	12/3	
1948	44	46	51	37	37	58	41	55	48	60	65	66	37	
1949	12	15	20	25	5	30	9	1	3	20	18	8	2,4,5/5	
1950	52	54	52	-	55	52	43	52	60	58	56	53	-	
1951	28	28	27	-	3	30	5	22	17	31	15	17	-	
1952	62	53	68	51	51	49	44	41	64	58	62	63	41	
1953	9	23	7	29	22	26	26	20	20,30	17	9	5	20/8	
1944	56	58	65	39	48	52	46	56	62	61	63	62	39	
1945	7	14	30	17	5	28	5	5	8	4	19	4	17/4	
1946	33	42	42	36	34	42	44	37	42	45	49	-	-	
1947	7,8	13	26	2,4	8	21	9	16	25	11	23	-	-	
日 期	值 期	23 12	31 9,27	29 15	27 21	28 1	33 3,9	40 8	35 31	33 20,6	28 3	22 22	28 8	22 22/11
年	值 期	1943	1943	1941	1946	1940	1941	1944	1942	1942	1943	1943	1943	1943

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
閩 清														
$\varphi=26^{\circ}12'N$ $\lambda=118^{\circ}50'E$ $H=93.9 M$														
平均相对湿度(%)														
1940		74	78	80	74	81	85	78	80	78	81	79	77	79
1941		79	81	78	75	78	79	81	75	80	72	82	83	79
1942		74	83	79	82	81	77	79	71	73	72	72	71	76
1943		67	73	77	73	77	80	81	81	74	70	70	75	75
1944		78	76	75	81	81	81	72	74	77	75	80	75	77
1945		80	82	75	75	76	77	75	76	81	74	77	78	77
1946		75	71	80	73	82	81	79	79	74	74	74	79	77
1947		82	79	74	76	78	84	77	74	78	74	77	79	78
1948		79	83	75	78	82	81	80	76	79	-	-	-	-
25 均		76	78	77	76	79	81	78	76	77	74	76	77	77
最小相对湿度(%)														
1940		28	42	28	30	30	38	36	42	38	37	30	27	27
■		1	22, 24	13	28, 30	2, 3	3	7	8	6	7	30	17	17/12
1941		41	44	29	26	43	46	54	41	40	38	44	62	26
■		28	2	19	16	22	10	19	8	5	2	1	15, 17	16/4
1942		34	46	37	41	40	31	38	29	31	23	31	23	23
■		8	1	19, 24	11, 30	7	10	7	31	21	24	3	7	24/10, 7/12
1943		24	26	31	32	24	37	33	48	41	29	33	36	24
■		11	28	19	8	8	14	21	11	12, 25	6, 10	26	8	17/1, 8/5
1944		41	43	38	46	36	44	40	39	43	41	49	33	33
■		9	20, 27	4	15	6	30	26	8	16, 17	6	21	20	20/12
1945		35	43	35	32	33	39	39	44	44	33	43	43	32
■		16	22	25	20	17	8	18	26	2	12	11	28	20/4
1946		34	32	25	28	49	51	44	44	45	37	37	35	25
■		22	8	31	20	3	14, 29	3	8	17	23	18	28	31/3
1947		52	32	34	24	45	50	46	42	42	40	39	39	24
■		27, 31	23	14	14	12	10	31	19, 22	18	13	11	21	14/4
1948		29	37	41	42	46	38	48	46	48	-	-	-	-
■		16	25	26	5	9	3	27	19	14	-	-	-	-
極 值	24	26	25	24	24	31	33	29	31	23	30	23	23	23
日 期	11	28	31	14	8	10	21	31	21	24	30	7	24/10, 7/12	1942
年 份	1943	1943	1946	1947	1943	1942	1943	1942	1942	1942	1940	1942	1942	1942
福 州														
$\varphi=26^{\circ}05'N$ $\lambda=119^{\circ}18'E$ $H=91.0 M$														
平均相对湿度(%)														
1936		77	81	78	78	81	82	75	76	76	66	68	77	76
1937		79	79	85	78	80	85	76	82	77	74	78	74	79
1938		74	80	78	70	83	77	78	79	78	76	65	72	76
1939		77	75	79	80	81	84	83	76	78	78	78	69	78
1940		76	82	86	74	86	89	83	83	84	81	77	78	82
1941		83	85	84	-	-	-	-	-	-	-	-	84	-
1942		77	87	82	83	85	85	-	-	-	82	78	76	-
1943		69	75	82	76	78	86	85	83	76	70	69	73	77
1944		78	80	76	-	-	-	-	-	-	-	-	-	-
1946		69	68	81	72	82	87	84	78	74	70	73	80	77
1947		88	83	75	77	-	-	-	-	-	-	-	-	-
1949		-	-	-	-	-	-	-	-	77	75	77	81	-
1950		79	78	78	-	-	84	79	84	78	74	72	76	-
1951		82	80	83	89	81	84	78	77	81	71	76	71	79
1952		74	82	88	83	86	87	85	78	80	74	71	73	80
1953		80	86	82	76	84	85	80	77	83	76	74	79	80
平 均		76	79	82	78	82	85	81	79	79	74	73	75	78

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小相对湿度(%)														
1936	日	29	38	33	35	35	41	39	39	27	22	30	41	22
	日	20	4	8	16	7	17	1	15	30	16	22	1	16/10
1937	日	36	41	42	37	42	44	43	45	45	33	37	33	33
	日	3	4	17	15	10	6	25	2	26	17	9	1	17/10/12
1938	日	37	37	35	22	37	41	39	43	47	28	23	34	22
	日	8	22	29	17	10	14	26	14	18	21	13	28	17/4
1939	日	32	38	37	41	42	49	46	32	32	42	37	32	32
	日	12	8	17	8	9	4	12	28	30	16	30	24	4
1940	日	34	50	36	31	43	46	44	51	40	45	35	33	31
	日	4	13	31	28	3	3	12	8	29	7,13	16,30	17	28/4
1941	日	47	53	43	-	-	-	-	-	-	-	-	44	-
	日	20	6	18	-	-	-	-	-	-	-	-	17	-
1942	日	29	48	36	40	45	42	-	-	-	42	43	31	-
	日	8	24	7	11	6	9	-	-	-	24	22	5	-
1943	日	30	36	39	28	26	48	56	48	38	30	27	35	26
	日	12,18	23	12	16	6	13	15,31	23	12	2	22	8	6/5
1944	日	28	45	37	-	-	-	-	-	-	-	-	-	-
	日	7	27	13	-	-	-	-	-	-	-	-	-	-
1946	日	29	30	21	45	51	62	62	60	41	43	44	51	21
	日	5	18	31	20	12	5	1	9	17	22	1	3	31/3
1947	日	71	59	37	33	-	-	-	-	-	-	-	-	-
	日	14	27	7	11	-	-	-	-	-	-	-	-	-
1949	日	-	-	-	-	-	-	-	-	43	37	44	46	-
	日	-	-	-	-	-	-	-	-	3	24	22	6	-
1950	日	38	36	38	-	-	53	43	51	54	37	34	39	-
	日	6	27	20	-	-	12	19	19	13	30	15	9	-
1951	日	36	31	42	40	35	58	49	33	30	31	29	24	24
	日	29	19	17	4	31	21	30	20	19	30	24	15	15/12
1952	日	27	42	36	32	50	48	46	47	47	37	31	26	26
	日	18	23	22,23	17	13	11	3	31	29	3	1	10	10/12
1953	日	25	46	37	21	35	53	42	42	37	27	29	32	21
	日	7	21	12,31	23	15	27	31	16	25	10	22	11	23/4
極日	值	25	30	21	21	26	41	39	32	27	22	23	24	21
年	期	7	18	31	23	6	17,14	1,26	28	30	16	13	15	2
	份	1953	1946	1946	1953	1943	1936	1936	1939	1936	1936	1938	1951	1946
							1938	1938						1953
永 安 $\varphi=25^{\circ}58'N$ $\lambda=117^{\circ}21'E$ $H=208.3M$														
平均相对湿度(%)														
1938		-	-	-	-	-	-	-	-	-	74	75	78	-
1939		82	77	84	77	79	84	82	79	79	84	85	82	81
1940		82	80	85	81	84	86	81	81	81	85	83	86	83
1941		88	87	85	83	82	81	82	80	82	80	89	89	84
1942		81	88	82	82	84	78	81	78	79	81	83	83	82
1943		77	74	79	77	74	80	83	82	80	78	77	81	79
1944		81	88	85	85	86	84	75	81	79	82	86	80	83
1945		84	89	78	73	76	76	72	77	84	76	81	82	79
1946		77	71	82	71	85	78	79	79	77	78	80	85	79
1947		88	85	79	81	81	85	79	79	81	81	81	83	82
1948		82	87	79	83	86	80	79	79	82	79	81	-	-
1953		83	84	81	83	85	78	75	74	83	81	83	88	82
平 均		82	82	82	79	82	81	79	79	81	81	83	84	81
最小相对湿度(%)														
1938	日	-	-	-	-	-	-	-	-	-	22	23	30	-
	日	-	-	-	-	-	-	-	-	-	23,24	13	28	-
1939	日	35	33	35	26	24	42	39	31	33	33	38	25	24
	日	12	18	18	7	13	27	6	30	9	8	26,27	31	13/5
1940	日	28	31	20	22	24	38	38	37	43	40	38	34	20
	日	2	11	12	5	1	2	13	29	10	8	17	17	12/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941	日	39	31	26	31	43	33	42	40	39	37	45	56	26
1942	日	31	1	20	15	4,28	6	12	15	30	8	14	16	20/3
1942	日	30	48	34	33	40	31	46	20	31	34	41	24	20
1942	日	18	1	20	7	7,21	9	38	30	21	24	1	5	30/8
1943	日	25	27	31	31	28	27	43	44	41	33	28	23	23
1943	日	11	9,22	20	9	7	14	27	29	21	5	22	8	8/12
1944	日	43	50	36	38	31	44	39	42	33	45	37	30	30
1944	日	12	11	14	24	5	13,19	17	29	16	7	21	20	20/12
1945	日	32	47	31	28	23	30	34	37	49	33	44	36	23
1945	日	17	28	9	18	12	9	18	3	19	12	6,18	18,27	12/5
1946	日	34	28	31	21	38	40	44	45	36	36	38	41	21
1946	日	5,6	18	27,31	18	31	6	16	38	15	24	18	29	18/4
1947	日	47	27	27	20	34	45	43	41	41	40	43	40	20
1947	日	4,6	24	29	13	3	24,27	29	19	19	12,13	26	21,29	13/4
1948	日	29	50	32	44	56	44	49	50	54	51	44	-	-
1948	日	18	15	4	4	2	3	3,14	18	1,22	12	19	-	-
1953	日	25	35	36	31*	26	38	35	30	39	41	43	40	25
1953	日	8	13	29	4	9,29	21	31	16	29,30	19	23	11,12	8/1
極日年	值期份	25	27	20	20	23	27	34	20	31	22	23	23	20
1943	1943	11,8	38	12	13	12	14	18	30	21	23,24	13	8	38
1953	1947	1943	1940	1947	1945	1943	1945	1942	1942	1938	1938	1943	3年	3年
長 汀 $\varphi=25^{\circ}45'N$ $\lambda=116^{\circ}20'E$ $H=325.0M$														
平均相对湿度(%)														
1935	-	-	-	-	-	-	-	-	-	-	79	83	-	-
1936	77	79	83	79	84	79	74	74	71	64	69	76	76	76
1937	80	77	85	79	79	84	75	80	74	74	79	76	79	79
1938	79	78	80	72	81	71	75	78	74	70	67	73	75	75
1939	77	76	84	78	80	84	81	77	77	77	80	68	78	78
1940	75	80	85	79	84	84	80	79	76	75	77	77	79	79
1941	83	86	84	82	81	79	82	78	78	74	84	83	81	81
1942	71	88	81	84	84	79	80	78	77	79	74	73	79	79
1943	68	72	80	79	74	80	82	-	-	73	68	68	-	-
1944	74	80	79	83	84	83	76	81	75	81	83	72	79	79
1945	80	87	77	75	79	79	76	76	77	67	75	79	77	77
1951	79	77	86	87	74	77	75	74	71	71	79	73	77	77
1952	78	83	88	86	87	86	85	84	84	83	81	78	84	84
1953	64	87	86	87	87	82	82	78	84	85	83	87	84	84
平 均	78	82	83	81	82	81	78	78	77	75	78	76	79	79
最小相对湿度(%)														
1935	-	-	-	-	-	-	-	-	-	-	32	43	-	-
1936	-	-	-	-	-	-	-	-	-	-	23	18	-	-
1936	29	39	35	37	38	38	36	41	28	20	21	30	20	20
1937	21	13	15	16	23	28	30	10	30	23	10	1	23/10	23/10
1937	39	32	35	26	31	49	39	40	39	34	38	22	22	22
1937	13	4	4	9	14	20	13	31	7	24	5	12	12/12	12/12
1938	37	23	31	26	38	39	37	42	35	32	29	34	23	23
1938	11	28	30	17	12	6	16	17	26	23	8	5,30	28/2	28/2
1939	33	33	41	33	38	50	41	32	36	35	35	23	23	23
1939	15	6	18	7	5	27	31	31	30	5	27	31	31/12	31/12
1940	23	41	29	26	34	36	45	46	43	28	32	34	23	23
1940	2	11	13	9	1	2	18	15	6	8	15	17	2/1	2/1
1941	46	36	43	37	44	34	50	45	41	30	43	45	30	30
1941	31	1	19	15	4	4	5	10	30	14	14	18	14/10	14/10
1942	30	66	43	38	49	37	50	30	36	31	41	30	30	30
1942	38	7	20	7	21	9	30	30	20,22	25	25	5	58	58
1943	26	26	40	34	27	37	43	-	-	23	30	26	-	-
1943	11	25	12	9	7	14	22	-	-	30	23	11	-	-
1944	33	44	34	37	30	53	35	48	29	47	38	39	29	29
1944	6	25	14	29	6	29	7	25	17	16	22	10	17/9	17/9

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1945	日	30	59	30	34	28	29	41	40	33	28	36	34	28
1951	日	18	27	31	3	15	9	2	21	19	24	4,5	29	25,24/10
1952	日	38	24*	35*	46*	32*	31*	40*	39*	30*	24*	27*	20*	20
1953	日	21	14	7	11	20,22	1	23	21	19	30	2	14	14/12
1952	日	26	48	32	30	50	40	50	50	51	44	36	27	26
1953	日	7	20,21	22	15	15	9	1,4	4	10,23	3	12	12,14	7/1
1953	日	23	38	48	40	29	40	41	37	40	43	42	33	23
1953	日	7,8	13	29	3,4	9	12	31	16	25	28	23	13	7,8/1
極日年	值期份	23	23	29	26	27	29	35	30	28	20	21	20	20
1940	1936	38	28	13	38	7	9	7	30	30	23	10	14	23/10 14/12
1953	1940	1936	1940	3年	1943	1945	1944	1942	1936	1936	1936	1951	1936	1951
連 城														
$\varphi=25^{\circ}42'N$ $\lambda=116^{\circ}44'$ H--M														
平均相对湿度(%)														
1940	-	-	-	-	-	-	-	77	76	78	78	78	74	-
1941	84	85	81	80	80	79	80	77	75	76	73	82	83	80
1942	73	86	78	79	81	83	81	75	74	74	81	76	74	78
1943	75	75	79	81	80	80	81	-	-	73	74	71	71	-
1944	74	82	84	87	89	87	78	83	80	85	86	81	81	81
1945	84	91	82	81	83	84	78	79	82	72	78	81	81	81
1946	75	72	86	74	-	84	83	83	79	76	78	83	83	-
1947	88	86	81	82	83	87	79	77	81	80	79	81	82	82
1948	80	87	78	84	-	83	77	74	-	-	-	-	-	-
1951	-	-	-	-	-	81	77	76	74	72	81	75	-	-
1952	78	83	87	82	81	82	83	79	81	79	75	77	81	81
1953	62	85	83	83	84	79	74	73	80	79	80	-	-	-
平 均	80	86	82	82	83	84	80	78	79	78	79	80	81	81
最小相对湿度(%)														
1940	-	-	-	-	-	-	45	41	43	35	31	25	25	25
1941	-	-	-	-	-	-	12	14	6	8	13	17	17/12	17/12
1941	29	37	33	31	42	34	48	34	37	36	33	40	29	29
1942	5	6	18	15	4	2	28	9	30	14	14	26	5/1	5/1
1942	31	51	37	29	37	39	49	39	37	26	36	30	26	26
1943	2,9	1	21	7	31	9	30	1	27,29	6	15	7	6/10	6/10
1943	35	31	41	45	37	37	29	-	-	33	38	28	-	-
1944	13	27	2	9	8	14,17	27	-	-	6	27	10	-	-
1944	29	49	60	55	46	63	53	55	56	65	57	54	29	29
1944	6	25	10	29	5	29	7	29	18,22	21	21	3	6/1	6/1
1945	47	72	47	45	42	50	40	42	47	34	41	28	28	28
1945	17	8	7	22	15	10	18	9	30	9,14	15	30	30/12	30/12
1946	34	28	40	34	-	55	56	50	50	41	42	47	-	-
1946	38	9	9	20	-	17,29	16	7	17	38	18	3	-	-
1947	57	39	39	36	47	60	48	44	53	48	47	44	36	36
1947	6	24	26	14	20	28	29,30	19,26	22	13	38	5	14/4	14/4
1948	38	61	45	49	-	52	46	39	-	-	-	-	-	-
1948	3	20,21	12	13	-	8	5	7	-	-	-	-	-	-
1951	-	-	-	-	-	32	42	39	37	31	38	27	-	-
1951	-	-	-	-	-	1	18	22	19	16	2	15	-	-
1952	30	54	32	30	47	49	48	48	49	41	40	30	30	30
1952	31	38	23	16,17	16	10	1,5	2	7,24	4	10,12	11	48	48
1953	27	39	50	38	31	44	42	42	45	47	45	-	-	-
1953	7	13	29	4	9	13	31	16	25	18	23	-	-	-
極日年	值期份	27	28	32	29	31	32	29	34	37	26	31	25	25
1953	7	9	23	7	9	1	27	9	48	6	13	17	17/12	17/12
1940	1946	1952	1942	1953	1951	1943	1941	3年	1942	1940	1940	1940	1940	1940
龍 岩														
$\varphi=25^{\circ}06'N$ $\lambda=117^{\circ}01'E$ H=332.6 M														
平均相对湿度(%)														
1939	-	-	-	-	-	-	-	-	-	80	76	70	-	-

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940	75	76	85	82	86	88	86	83	80	83	81	80	82
1941	86	85	81	79	77	76	80	78	78	75	76	83	80
1942	83	88	86	82	85	83	86	81	78	80	77	73	82
1943	72	75	82	76	74	82	83	-	-	72	66	68	-
1944	70	79	77	83	87	85	81	82	79	78	82	75	80
1945	80	87	75	75	79	80	79	81	83	74	81	79	79
1952	72	77	84	82	80	85	85	82	82	75	71	69	79
1953	78	81	84	82	86	83	79	76	82	80	77	79	81
平 均	78	82	82	81	83	83	82	80	80	78	78	77	80
最小相对湿度(%)													
1939	-	-	-	-	-	-	-	-	-	42	47	33	-
1940	27	44	39	32	46	40	54	51	38	34	38	33	27
1941	1	11	14	5	1,24	2	13	29	29	7	14	17	1/1
1942	47	37	31	40	46	35	50	46	41	40	39	37	31
1943	31	1	19	16	2	6	4	9	28	1	6	16	19/3
1944	42	59	51	38	37	40	53	46	39	30	45	26	26
1945	9	1	9	7	7,21	9	30	22	22	24	1,26	8	8/12
1952	35	34	48	33	37	37	59	-	-	32	26	21	-
1953	11	26	12,16	9	9	14	4,25	-	-	2,30	22	8,10	-
1944	31	32	24	48	35	53	42	54	33	43	40	33	24
1945	7	25	11	29	5	30	8	25,26	17	7	21	20	11/3
1945	28	47	29	33	33	39	48	48	53	36	44	38	28
1952	17	27	31	3*	4	9	3*	23	8,19	13	14	18	17/1
1952	-	-	21	24	39	46	49	40	48	41	38	16	16
1953	-	-	22	15	15	23	1	3	10	4	2	10	10/12
1953	17	36	40	38	36	48*	41*	41*	41*	47*	39*	31*	17
1953	7	21	9	4	9	8	31	16	29	11	23	12	7/1
極 值	17	32	21	24	33	35	41	40	33	30	26	16	16
日 期	7	25	22	15	4	6	31	3	17	24	22	10	10/12
年 份	1953	1944	1952	1952	1945	1941	1953	1952	1944	1942	1943	1952	1952
龍 溪 $\varphi=24^{\circ}32'N$ $\lambda=117^{\circ}41'E$ $H=12.5M$													
平均相对湿度(%)													
1944	-	-	-	-	-	-	-	-	-	76	80	75	-
1945	80	87	78	79	83	83	80	83	85	75	78	75	81
1946	76	72	82	73	83	84	85	81	78	79	77	78	79
1947	87	83	77	80	84	-	-	-	-	-	-	-	-
1951	-	-	85	90	81	86	82	82	81	76	81	76	-
1952	77	81	85	86	86	88	87	82	84	77	74	77	82
1953	78	84	81	80	85	84	77	75	82	79	77	78	80
平 均	78	81	82	80	84	85	82	80	82	78	77	77	81
最小相对湿度(%)													
1944	-	-	-	-	-	-	-	-	-	41	43	39	-
1945	-	-	-	-	-	-	-	-	-	10	22	20	-
1945	44	68	38	27	33	49	50	52	48	37	47	32	27
1946	3*	1	29	20	15	8	30	13	2	10	11	18	20/4
1946	41	33	28	34	43	50	49	53	50	43	36	39	28
1947	6	8	31	1	7	16	16	6	19	25	18	3	31/3
1947	59	36	31	40	42	-	-	-	-	-	-	-	-
1951	31	23	29	4	13	-	-	-	-	-	-	-	-
1951	-	-	52	60	40	52	47	41	51	37	42	33	-
1951	-	-	17	28	20	25	22	21	20	30	4	16,26	-
1952	35	44	44	42	51	60	56	44	54	44	43	29	29
1952	8,20	19	23	16	14,15	22	8	17	9,10	26	19,20	10	10/12
1953	26	43	43	35	31	45	47	41	45	50	41	40	26
1953	7	8	26	4	8	22	18	12	30	29	19	12	7/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日年	值期份	26 7 1953	33 8 1946	28 31 1946	27 20 1945	31 8 1953	45 22 1953	47 22,18 1951 1953	41 21,12 1951 1953	45 30 1953	37 10,30 1945 1951	36 18 1946	29 10 1952	26 7/1 1953
厦 門 $\varphi=24^{\circ}32'N$ $\lambda=118^{\circ}07'E$ $H=12.3M$														
平均相对湿度(%)														
1950	78	-	75	80	86	88	82	86	75	74	76	78	-	
1951	81	77	80	86	81	85	81	80	76	72	74	70	79	
1952	73	78	83	83	85	87	84	79	81	71	72	76	79	
1953	78	83	81	79	86	85	80	76	79	75	72	74	79	
平 均	77	79	81	83	84	86	82	78	79	73	73	73	79	
最小相对湿度(%)														
1950	45	-	41	37	34	61	56	58	53	45	45	42	-	
1951	30	-	14	7	8	3	17	9	17	31	9	10	-	
1951	51	33	49	56	37	60	48	40	39	40	41	27	27	
1952	29	19	17,19	4	23	19	31	21	19	30	2	15	15/12	
1952	26	38	40	40	46	53	55	45	52	40	46	33	26	
1953	21	10	24	1,16	14	27	4	17	29	3	3	10	21/1	
1953	34	33	42	38	34	55	51	37	41	44	39	37	33	
1953	7	8	26,30	23	3	25	3,27	16	30	10	23	11	8/2	
極日年	值期份	26 21 1952	33 19,8 1951 1953	40 24 1952	37 7 1950	34 8,3 1950 1953	53 27 1952	48 31 1951	37 16 1953	39 19 1951	40 30,3 1951 1952	39 23 1953	27 15 1951	26 21/1 1952
台 灣 彭 佳 嶼 $\varphi=25^{\circ}38'N$ $\lambda=122^{\circ}04'E$ $H=99.0M$														
平均相对湿度(%)														
1910	83	86	86	89	86	86	82	83	88	73	78	80	83	
1911	83	83	86	87	89	85	85	85	89	78	78	90	85	
1912	86	82	88	82	88	88	84	86	86	85	84	84	85	
1913	81	84	84	86	84	85	85	81	84	69	80	79	82	
1914	69	77	85	82	87	87	90	90	89	89	90	87	85	
1915	88	89	86	90	90	89	84	85	81	85	88	73	86	
1916	80	88	83	85	88	88	83	86	86	83	81	80	84	
1917	76	79	81	85	85	88	89	87	87	82	77	78	83	
1918	68	81	84	86	89	90	90	88	81	87	84	86	85	
1919	87	82	90	88	88	90	85	89	85	87	82	82	86	
1920	77	94	89	93	86	88	90	83	84	75	83	84	86	
1921	84	81	88	87	92	89	85	87	78	72	77	84	84	
1922	87	85	85	87	92	90	85	90	89	82	79	80	86	
1923	89	92	91	94	91	94	91	93	85	85	75	83	89	
1924	90	91	89	91	88	87	88	90	81	79	71	79	85	
1925	88	83	84	85	88	85	87	85	81	72	80	73	83	
1926	82	86	78	82	84	85	83	87	86	76	75	77	82	
1927	83	85	82	85	88	90	85	84	77	75	69	82	82	
1928	88	90	83	79	86	87	83	85	85	71	79	78	83	
1929	82	85	76	79	85	86	90	89	78	69	74	83	81	
1930	89	77	80	84	88	85	89	83	82	76	73	80	82	
1931	84	89	84	85	86	84	85	89	84	76	75	77	83	
1932	70	79	74	84	90	90	85	83	84	78	80	75	81	
1933	85	84	79	82	84	87	85	81	83	77	75	74	81	
1934	85	77	81	85	86	90	91	84	84	75	81	82	83	
1935	77	84	80	86	85	88	86	87	78	81	78	84	83	
1936	85	86	82	86	92	88	82	85	78	71	68	83	82	
1937	84	79	86	88	89	92	83	87	80	76	85	79	84	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938		85	83	84	80	89	85	83	84	80	81	71	78	82
1939		79	84	87	81	88	92	90	84	78	81	82	67	83
1940		75	85	87	82	86	92	90	87	85	83	78	72	84
平 均		82	84	84	85	88	88	86	86	83	78	78	80	84
$\varphi=25^{\circ}38'N$ $\lambda=122^{\circ}04'E$ $H=99.0M$														
最小相对湿度(%)														
1910		61	60	51	59	54	57	57	63	62	56	45	41	41
1911		55	67	43	45	59	62	60	53	62	53	51	68	43
1912		61	57	48	49	57	67	62	63	62	59	64	57	48
1913		50	55	45	61	48	63	63	60	57	42	53	45	42
1914		45	49	56	44	59	69	70	70	63	57	67	51	44
1915		61	49	51	52	56	67	66	62	47	62	50	41	41
1916		47	54	37	48	58	70	60	61	61	54	55	59	37
1917		51	54	46	37	49	66	64	59	60	54	53	54	37
1918		47	50	49	55	53	63	66	64	58	60	47	63	47
1919		49	49	53	57	53	69	50	69	48	58	54	58	48
1920		37	74	55	70	50	61	63	59	57	50	52	54	37
1921		55	52	64	57	58	72	62	62	49	53	47	52	47
1922		59	63	58	50	58	55	64	70	63	57	39	52	39
1923		70	64	64	71	60	73	71	74	48	50	46	56	46
1924		58	62	46	61	61	62	68	65	50	51	50	50	46
1925		65	37	54	58	56	62	56	56	58	48	51	41	37
1926		55	62	40	49	49	68	54	65	58	50	51	47	40
1927		48	51	50	58	56	70	60	62	50	47	43	48	43
1928		55	47	56	41	59	59	59	56	56	43	53	55	41
1929		51	59	47	46	45	65	70	63	53	48	42	53	42
1930		63	50	38	51	63	62	63	58	55	49	50	52	38
1931		45	63	38	50	61	51	64	64	62	44	47	50	38
1932		36	45	42	40	67	66	60	56	59	49	48	45	36
1933		57	60	41	52	55	63	65	58	49	46	50	53	41
1934		58	49	47	63	59	66	68	58	49	44	45	51	44
1935		50	43	46	51	55	61	59	59	51	52	51	61	43
1936		51	61	46	44	68	63	55	58	44	45	45	55	44
1937		53	47	52	56	66	63	63	69	55	46	55	44	44
1938		66	51	47	44	51	60	57	65	59	52	48	47	44
日		10	22	29	15	9	21	29	27	5,6	16	8	6	15/4
1939		54	62	50	45	59	65	68	62	45	55	55	45	45
日		12	16	18	9	25	30	2	29	24,30	1	27,28	29	44
1940		45	58	50	39	41	68	67	53	61	55	55	45	39
值		36	37	37	37	41	51	50	53	44	42	39	41	36
日		3	21	24	29	-	12	11	4	27	17	23	34	3/1
年		1932	1925	1916	1917	1940	1931	1919	1911	1936	1913	1922	3年	1932
大屯山 $\varphi=25^{\circ}11'N$ $\lambda=121^{\circ}31'E$ $H=1096.2M$														
平均相对湿度(%)														
1937		97	91	95	89	93	97	89	91	92	93	93	93	93
1938		96	95	92	83	93	90	91	93	93	94	99	98	93
1939		96	94	95	91	92	92	93	90	92	97	97	97	94
1940		87	92	92	88	92	95	94	91	94	-	-	-	-
平 均		96	93	94	88	93	93	91	91	92	95	96	96	93
基 隆 $\varphi=25^{\circ}09'N$ $\lambda=121^{\circ}45'E$ $H=32.0M$														
平均相对湿度(%)														
1899		-	-	-	-	-	-	-	-	-	80	88	92	-
1900		90	90	88	84	84	85	83	85	86	82	85	81	85
1901		88	72	81	85	88	85	83	81	77	78	78	82	82
1902		77	71	87	85	85	82	81	81	78	79	84	85	81

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1903	83	79	91	85	85	84	82	80	80	81	80	74	82
1904	83	78	89	87	87	87	89	88	84	86	83	87	86
1905	91	89	93	94	89	88	87	85	86	88	81	90	88
1906	86	91	83	88	88	83	84	83	81	82	85	81	85
1907	83	86	88	85	81	86	86	82	80	84	83	80	84
1908	85	84	87	92	83	86	81	86	88	82	81	88	85
1909	91	91	86	81	84	80	76	77	83	88	80	80	83
1910	85	91	93	88	87	83	79	87	87	80	82	85	86
1911	89	84	88	87	90	80	77	83	89	76	78	90	84
1912	88	82	89	84	85	82	79	86	86	87	87	85	85
1913	86	92	91	87	84	82	81	83	84	73	81	82	84
1914	76	79	89	85	85	82	79	85	87	87	87	85	84
1915	86	92	78	87	85	87	81	83	82	85	85	83	85
1916	87	87	86	88	87	86	80	82	-	-	-	-	-
1917	77	76	81	82	81	79	79	78	80	85	80	80	80
1918	76	82	85	82	87	86	81	75	77	85	84	88	82
1919	88	80	88	85	83	82	74	78	78	80	79	82	81
1920	78	92	91	87	84	82	81	74	79	80	88	90	84
1921	89	81	86	81	88	85	80	72	78	74	78	85	81
1922	89	87	88	84	87	85	78	78	85	83	76	82	84
1923	87	88	84	88	83	87	80	82	81	82	85	84	84
1924	87	89	88	98	82	82	76	80	79	82	71	78	82
1925	89	81	82	86	83	80	79	79	78	71	79	76	80
1926	82	87	84	82	79	83	76	75	79	81	80	80	81
1927	88	89	85	88	89	86	79	78	74	73	72	81	82
1928	85	84	86	79	83	83	76	79	83	76	83	85	82
1929	87	89	80	81	84	80	79	79	78	76	81	88	82
1930	93	82	82	82	86	81	80	77	80	79	77	85	82
1931	87	89	87	86	83	79	79	80	78	80	79	83	83
1932	77	82	77	82	83	82	75	75	84	80	81	79	80
1933	87	88	82	83	83	79	79	75	76	78	76	73	80
1934	83	80	80	83	80	83	79	73	74	78	85	84	80
1935	82	87	82	87	81	83	78	79	78	77	79	85	82
1936	81	85	83	81	89	80	72	78	77	78	75	87	81
1937	86	83	84	86	84	87	75	74	74	71	82	85	81
1938	83	81	83	78	82	76	76	79	81	78	79	84	80
平 均	85	85	86	85	85	83	79	80	81	80	81	83	83
最小相对湿度(%)													
1999	-	-	-	-	-	-	-	-	-	55	61	67	-
1900	74	61	49	43	50	60	55	57	54	57	53	52	43
1901	63	33	49	52	46	59	56	51	52	47	51	53	33
1907	58	52	57	53	39	58	60	54	57	57	61	47	39
■	4,22	12	4	1,4	18	13	7	10	8	5	9	21	18/5
1908	56	47	55	60	52	56	53	58	66	56	54	60	47
■	30	19	30	21	4,9	10	2	7	21	19	16	30	19/2
1909	64	41	54	37	33	33	50	47	49	57	-	53	-
■	16	15	26	7	28	9	20	13	7	11	-	4,5	-
1910	55	66	67	65	60	54	51	60	53	56	49	49	49
■	3	9	6	17	23	26	38	8	24	16,19	11	19,26	38
1911	61	58	55	53	61	52	47	56	68	49	47	63	47
■	2	13	1	18	15	27	25	11	13	30	11	12	25/7,11,13
1912	58	53	55	49	60	43	51	60	58	55	63	55	43
■	7	20	18	12	30	27	11	12	5	4	23	16,29	27/6
1913	58	74	50	60	51	42	54	60	55	47	50	48	42
■	19	11	25	7,8	16	4	4	17	20	23	18	7	4/6
1914	45	49	64	51	56	54	41	50	64	46	59	51	41
■	7	12	4	8	4	20	26	3	15	27	3	15	26/7
1915	60	48	42	50	56	62	53	46	49	54	58	55	42
■	17,18	28	7	8	3	4,21	27	8	8	25	16	17	7/3
1916	47	52	52	55	64	56	47	39	-	-	-	-	-
■	18	14	25	6	13	23	18	1	-	-	-	-	-

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1917	32	49	50	51	40	52	50	49	56	56	55	54	32
1918	54	50	52	50	53	53	47	48	52	56	55	55	47
1919	45	50	66	56	51	56	38	42	47	49	50	53	38
1920	41	55	59	64	53	58	51	44	58	54	59	60	41
1921	57	46	56	52	57	58	35	39	48	52	50	60	35
1922	53	66	62	37	57	59	49	44	59	51	43	53	37
1923	60	59	48	58	61	58	50	56	44	54	55	55	44
1924	60	47	47	64	54	52	53	52	55	53	49	51	47
1925	66	46	44	60	58	52	51	50	51	49	52	43	43
1926	57	57	47	47	48	52	51	45	52	61	61	55	45
1927	63	61	55	62	55	49	53	50	45	52	45	54	45
1928	53	57	39	45	59	53	55	57	59	51	54	61	39
1929	54	59	58	44	62	50	56	57	55	54	54	60	44
1930	68	54	42	49	58	51	56	43	52	53	53	56	42
1931	54	45	56	52	57	49	54	51	52	53	51	55	45
1932	46	56	50	51	60	54	45	47	59	51	54	39	39
1933	62	59	41	57	57	45	59	49	43	50	49	51	41
1934	58	50	39	52	55	58	50	47	41	50	59	55	39
1935	57	53	53	54	56	55	58	53	51	50	50	56	50
1936	52	61	51	48	69	51	46	50	50	52	52	54	46
1937	55	52	57	40	60	58	52	53	50	48	49	51	40
1938	62	46	54	48	59	52	54	55	57	54	54	51	46
極日 年	32	33	39	37	33	33	35	39	41	46	43	39	32
值 期 份	25	-	2, 22	7, 17	28	9	31	1, 19	9	27	26, 27	7	25/1
1917	1901	1928	1909	1909	1909	1921	1916	1934	1914	1922	1932	1917	
		1934	1922				1921						
松 山 $\varphi=25^{\circ}04'N$ $\lambda=121^{\circ}33'E$ $H=7.3M$													
平均相对湿度(%)													
1936	-	-	-	-	-	-	80	84	84	82	82	87	-
1937	88	86	88	86	87	90	81	88	80	83	88	90	86
1938	95	88	84	79	82	81	82	84	85	84	85	89	85
1939	85	85	89	86	89	90	88	79	84	87	84	83	86
1940	86	83	84	85	87	89	80	81	86	-	-	-	-
平 均	89	86	87	84	86	87	84	84	83	85	86	87	86
台 北 $\varphi=25^{\circ}02'N$ $\lambda=121^{\circ}31'E$ $H=8.0M$													
平均相对湿度(%)													
1897	86	88	89	82	80	79	75	80	80	81	83	83	82
1898	82	83	84	84	81	81	76	81	81	87	84	80	82
1899	84	81	78	85	82	82	74	78	81	81	87	87	82
1900	90	87	86	81	78	80	78	76	82	80	82	79	82
1901	67	78	78	81	82	79	80	79	78	81	79	83	80
1902	79	76	84	82	81	80	78	78	75	77	84	85	80
1903	84	80	89	82	81	83	80	78	81	82	84	79	82
1904	85	78	90	80	81	82	82	79	75	79	75	82	81
1905	85	80	91	86	83	82	78	78	81	81	77	86	82
1906	86	89	81	83	83	77	79	76	77	80	83	80	81
1907	78	86	84	84	81	84	80	76	78	83	84	85	82
1908	86	86	87	88	78	81	79	83	81	82	81	87	83
1909	88	87	86	81	84	78	71	74	80	82	79	78	81
1910	83	86	86	86	81	78	74	79	82	80	81	84	82
1911	86	83	82	83	86	79	73	81	80	80	80	88	82
1912	88	81	85	79	83	83	77	80	82	82	84	85	82
1913	85	87	88	84	81	73	81	78	81	77	82	85	82
1914	78	81	85	81	83	81	78	76	80	79	84	84	81
1915	85	87	79	81	83	80	74	77	80	81	84	81	81

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1916	84	87	84	80	80	81	78	80	78	85	83	85	82
1917	80	80	83	85	83	80	80	79	80	83	80	81	81
1918	75	80	81	79	84	81	78	78	77	87	85	87	81
1919	86	84	85	86	82	81	74	78	80	81	83	86	82
1920	82	90	88	85	84	81	81	76	80	81	82	81	83
1921	83	81	85	79	87	81	78	73	80	81	80	86	81
1922	86	87	84	83	85	83	75	80	83	81	81	82	83
1923	83	85	79	83	77	81	75	77	81	83	77	79	80
1924	84	87	83	85	79	83	77	81	82	83	73	82	82
1925	88	84	82	86	83	80	77	77	78	76	78	78	81
1926	81	86	82	85	79	81	76	77	79	82	81	81	81
1927	85	89	83	84	86	83	79	78	79	77	79	83	82
1928	85	84	88	79	83	84	75	82	84	79	83	84	83
1929	85	86	76	77	82	78	79	81	79	76	82	84	80
1930	89	82	82	80	82	79	81	77	79	79	79	87	81
1931	85	88	84	84	82	79	79	79	80	82	80	84	82
1932	78	86	79	82	82	84	77	80	84	80	83	83	82
1933	89	90	86	84	85	84	82	80	75	83	81	79	83
1934	88	82	84	84	80	81	80	70	74	81	86	84	81
1935	82	84	81	86	80	84	79	80	81	77	81	88	82
1936	83	86	85	81	85	81	75	79	79	80	77	87	82
1937	86	83	86	84	82	88	76	80	77	80	83	86	83
1938	87	86	83	77	80	76	79	80	80	80	80	84	81
1939	84	79	87	80	32	84	83	77	79	83	82	80	82
1940	82	83	84	82	85	87	76	78	81	81	80	78	81
平 均	84	84	84	83	82	81	78	78	80	81	81	83	82
最小相对湿度(%)													
1897	46	49	48	34	34	46	31	44	48	41	51	46	31
日	5	14	9	20	6	15	23	6	12,13	2	29	9	23/7
1898	49	39	45	52	48	47	47	52	47	59	46	43	39
日	28	11	21	18	8	6	34	20	23	3	27	14	11/2
1899	52	47	42	48	33	37	36	48	53	49	53	52	33
日	30	8	26	22	3	5	9	20	34	18	27	10,14	3/5
1900	61	56	45	40	36	49	46	48	53	48	38	46	36
日	27	23,26	11	28	4	25	27	11	24	15	19	21	4/5
1901	52	41	35	36	51	44	48	40	43	49	42	48	35
日	3	25	6	25	9	5	23	15	7,24	10,19	18	5	6/3
1902	35	37	36	45	47	45	48	47	39	45	47	44	35
日	30	15,28	14	9	13	14,20	15	27	8	17	21	18	30/1
1903	39	46	51	53	44	43	49	45	56	49	50	49	39
日	18	25	3	6	16	9	26	11	34	16	12	22	18/1
1904	47	38	51	47	46	44	48	52	40	43	44	33	33
日	12	10	1	6	22	2	2	1	16	8	27	7	7/12
1905	42	52	55	54	39	52	49	45	46	49	40	44	39
日	34	15	10	18	27	27	15	5	10	16	12	6	27/5
1906	50	47	39	53	51	43	43	41	47	49	53	42	39
日	21	10	9,10	8	21	23	11	22	21	7,8	21	29,30	9,10/3
1907	43	45	42	48	41	54	46	47	49	48	44	44	41
日	7	12	7	11	18	17	2	17	16,27	22	18	21	18/5
1908	44	48	44	51	39	42	49	48	53	48	50	43	39
日	13	19	30	23,24	4	3	4,24	7	24	25	16	26	4/5
1909	58	51	48	37	32	32	43	42	47	49	47	35	32
日	16	15	10	7	28	9	21	12	5,9	9,10	30	29	29/5, 3/6
1910	44	52	48	45	50	44	40	49	49	50	45	39	39
日	27	9	26	18	12	10	28	2,13	24	16	11	18	18/12
1911	49	51	38	44	52	45	43	48	49	46	37	55	37
日	3	13	4	23	12	1	11	4	26	30	11	8	11/11
1912	52	49	51	43	52	48	46	46	51	41	52	51	41
日	4	20	26	18	18	26,27	2	12	4	4	24	27	4/10
1913	46	34	49	45	48	29	49	45	53	41	44	43	29
日	20	4	25	25	17	4	3,4	21,22	25	17	18	7	4/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1914	日	32	40	47	40	52	46	45	47	44	47	41	47	32
1915	日	29	18	5	15	8	8	26	26	18	18	3	20	29/1
1915	日	49	47	39	43	39	46	40	40	38	47	53	36	36
1916	日	9,18	28	21	11	12	3	19,24	8	8	10	30	17	17/12
1916	日	34	49	35	43	43	53	46	43	47	50	47	46	34
1917	日	21	15	2	7	14	5,25	14	1	8	5	26	13	21/1
1917	日	50	41	46	43	37	47	47	47	47	48	48	45	37
1918	日	16,25	17	28	28	2	15	6	12,16	13	3	20,25	8	2/5
1918	日	43	41	31	30	48	44	48	47	45	54	52	48	30
1919	日	20	18	17	17	4	30	1,19	2	1,15	10	5	31	17/4
1919	日	43	40	48	39	45	50	41	45	45	45	42	49	39
1920	日	7	17	23	22	4	30	15	14	14	26	27	26	22/4
1920	日	36	43	52	48	42	49	50	38	49	45	46	47	36
1921	日	21	1	1	2	7	5,9	15	20	23,24	28	15	30	21/1
1921	日	45	38	49	47	48	45	27	37	45	48	42	52	27
1922	日	21	23	17	26	8,20	2	31	20	25	10,11	34	9	31/7
1922	日	46	56	48	37	49	48	46	41	49	48	39	46	37
1923	日	11	21,25	16	17	30	16	25	12	24	28	26,28	30	17/4
1923	日	47	34	39	44	38	45	42	44	34	42	39	27	27
1924	日	20	13	24	1,3	10	5	8	1	17	13	13	25	25/12
1924	日	42	40	33	47	36	49	48	43	47	51	41	46	33
1925	日	6	7	21	13,15	-	28	6,27	23	17	29	17	28	21/3
1925	日	54	38	32	51	51	42	41	46	42	41	37	37	32
1926	日	23	21	11	13,25	16	8	22	5	28	15,23	10	22	11/3
1926	日	43	43	36	45	33	43	46	43	50	46	49	45	33
1927	日	17	2	30	23	23	2	21	11	6	27	11	27	23/5
1927	日	56	55	45	45	44	51	48	49	42	41	38	47	38
1928	日	28,30	25	27	29	25	26	8	44	14	31	15	11	15/11
1928	日	48	47	41	44	48	49	45	44	44	43	45	50	41
1929	日	16	23	2	16	13	17,18	24	3	3	19	7	30	2/3
1929	日	42	48	31	24	48	43	46	49	46	39	45	46	24
1930	日	11	19	18,22	14	19	21	26,27	30	30	20	20	1	14/4
1930	日	56	43	33	48	44	44	47	43	45	48	47	44	33
1931	日	23	18	14	10,11	18	1,5	22	28	9	29	22	27	14/3
1931	日	47	42	45	45	44	43	46	46	38	46	45	46	38
1932	日	4,20	4	11	9	17	12	24	3,5	14	30	25	1	14/9
1932	日	36	52	41	44	53	51	44	48	58	46	46	50	36
1933	日	3,11	11	4	1	22	20,26	23	22	34	7	19	15	3,11/1
1933	日	58	56	44	57	58	51	57	42	45	47	44	36	36
1934	日	30	6	18	7	2	6	13	13	8	20	-	25	25/12
1934	日	47	45	45	45	50	49	48	39	42	47	41	48	39
1935	日	-	-	-	-	-	-	-	16,20	-	-	-	-	1620/8
1935	日	52	44	37	49	41	54	50	50	47	41	46	40	37
1936	日	-	-	17	-	-	-	-	-	-	-	-	-	17/3
1936	日	47	52	46	37	54	47	41	44	48	44	41	42	37
1937	日	3	11	16	5	13	17	28	15	27	3	29,30	17	5/4
1937	日	51	36	49	36	50	52	44	46	49	45	41	43	36
1938	日	24	5	9	10	24	12	19	26	23	11	1	1	5/2,10/4
1938	日	56	44	44	36	38	46	41	45	41	42	50	44	36
1939	日	-	-	-	18	-	-	-	-	-	-	-	-	18/4
1939	日	52	38	46	41	42	44	49	45	39	47	41	44	38
1940	日	3	11	2	10	14	2	12	21,22	23	7	28	29	11/2
1940	日	39	47	41	35	36	38	46	45	52	44	46	40	35
1941	日	-	-	-	-	-	-	-	-	-	-	-	-	-/4
强 日	值	32	34	31	24	32	29	27	37	34	39	37	27	24
期 年	份	29	4,13	34	14	28	4	31	20	17	20	11,10	25	14/4
		1914	1913	1918	1929	1909	1913	1921	1921	1923	1929	1911	1923	1929
			1923	1929								1925		
新 竹														
$\varphi = 24^{\circ}48'N$ $\lambda = 120^{\circ}58'E$ $H = 32.8 M$														
平均相对湿度(%)														
1938	84	84	84	80	81	76	77	81	80	80	76	83	81	81
1939	83	82	88	82	84	82	83	80	80	81	81	73	82	82

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940		79	84	87	86	87	88	83	80	82	83	79	76	83
平 均		82	83	86	83	84	82	81	80	81	81	79	77	82
最小相对湿度(%)														
1938	日	48	44	34	41	50	53	53	59	50	46	50	44	34
1939	日	17	25	29	18	14	1,21	26,29	13	6	19	13	31	29/3
1939	日	53	41	52	40	48	56	54	43	48	51	42	40	40
1940	日	11	11	2	7	15	2	12	20	22,24	7	28	30	7/4,30/12
1940	日	32	52	50	37	49	59	56	49	52	52	48	39	32
極 日	值	-	-	-	-	-	-	-	-	-	-	-	-	-/1
極 日	期	32	41	34	37	48	53	53	43	48	46	42	39	32
年	份	-	11	29	-	15	1,21	26,29	20	22,24	19	28	-	-/1
		1940	1939	1938	1940	1939	1938	1938	1939	1939	1938	1939	1940	1940
宜 蘭 $\varphi=24^{\circ}46'N$ $\lambda=121^{\circ}45'E$ $H=7.4M$														
平均相对湿度(%)														
1936		82	84	86	85	91	88	83	85	86	84	83	91	86
1937		89	82	86	89	89	90	82	86	86	83	87	89	87
1938		88	85	86	82	88	83	82	87	87	87	95	88	87
1939		86	81	86	84	87	87	85	81	91	95	91	84	87
1940		82	82	82	84	91	88	84	85	84	88	86	80	85
平 均		85	83	85	85	89	87	83	85	87	87	88	86	86
最小相对湿度(%)														
1936		51	46	60	40	74	61	58	47	55	52	44	61	40
1937		56	51	56	49	68	61	58	60	55	53	51	51	49
1938	日	28	3	5	9	20	29	11	12,13	10	25	10	1	9/4
1938	日	60	51	55	51	65	58	57	63	53	58	75	52	51
1939	日	54	53	56	52	60	61	52	44	66	73	49	48	44
1940	日	10	11	3,22	9	13	28	11	29	1	7	28	26	29/8
1940	日	36	48	42	38	61	50	49	55	47	55	47	41	36
極 日	值	36	46	42	38	60	50	49	44	47	52	44	41	36
年	份	-	6	-	-	13	-	-	29	-	2	26	-	-/1
		1940	1936	1940	1940	1939	1940	1940	1939	1940	1936	1936	1940	1940
台 中 $\varphi=24^{\circ}09'N$ $\lambda=120^{\circ}41'E$ $H=77.1M$														
平均相对湿度(%)														
1897		81	85	85	82	82	82	80	83	81	79	79	79	82
1898		81	82	84	82	78	84	81	85	81	80	80	73	81
1899		77	81	78	82	84	83	81	81	77	77	77	80	80
1900		83	84	87	81	83	82	78	81	80	78	79	77	81
1901		81	76	79	81	81	78	79	81	74	76	76	80	79
1902		77	70	77	79	83	83	78	80	74	75	78	81	78
1903		79	77	83	80	81	81	79	81	81	80	80	82	80
1904		84	80	89	83	80	84	85	83	80	78	76	79	82
1905		82	84	90	88	84	85	81	82	85	81	77	84	84
1906		83	86	81	85	84	80	83	81	86	79	77	81	82
1907		79	81	80	81	84	85	81	79	81	82	80	80	81
1908		84	82	85	86	79	81	80	83	83	80	79	85	82
1909		83	84	84	83	86	80	82	81	83	82	79	77	82
1910		83	82	83	85	80	77	77	82	83	78	81	78	81
1911		84	82	82	81	84	77	82	85	85	80	80	84	82
1912		87	84	84	79	82	87	80	84	80	81	80	81	83
1913		83	84	88	83	84	82	84	82	84	76	77	83	83
1914		78	80	81	80	80	79	81	80	83	80	83	84	81
1915		83	83	79	81	87	81	80	82	78	79	80	78	81
1916		80	83	85	81	78	81	77	84	80	79	79	82	81
1917		79	79	85	87	85	83	82	82	81	80	78	78	82

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1918	72	81	81	79	82	82	82	84	77	81	84	84	81
1919	82	84	82	87	84	81	77	81	79	82	79	83	82
1920	77	85	86	84	86	84	84	84	83	79	81	79	83
1921	77	79	84	80	86	83	79	79	79	77	81	82	81
1922	83	87	82	82	84	82	81	84	83	81	79	82	83
1923	80	82	82	81	77	82	78	81	76	78	76	76	79
1924	82	85	82	83	80	84	81	81	81	79	73	82	81
1925	85	81	84	87	82	81	80	80	79	74	78	77	81
1926	80	83	82	87	83	83	79	82	81	78	78	80	81
1927	82	85	85	86	87	84	81	81	81	78	76	81	82
1928	83	82	86	82	85	84	77	83	80	75	80	80	81
1929	81	83	76	76	81	80	83	83	78	72	77	80	79
1930	84	80	81	77	80	82	84	81	79	77	78	83	81
1931	82	82	83	85	83	80	77	82	82	76	76	79	81
1932	76	81	80	84	79	81	79	80	81	77	79	80	80
1933	81	84	79	78	76	81	79	73	75	74	76	79	78
1934	83	80	79	82	80	79	81	78	80	76	79	80	80
1935	78	81	79	82	78	82	82	82	79	82	77	80	80
1936	78	86	83	80	81	81	78	82	80	74	74	82	80
1937	84	79	85	82	79	83	80	84	78	75	78	81	81
1938	79	82	83	79	79	73	79	83	80	76	76	81	79
1939	81	76	84	81	81	81	82	80	78	81	79	75	80
1940	75	76	81	79	84	86	81	80	79	81	77	73	79
平 均	81	82	83	82	82	82	80	82	80	78	78	80	81
最小相对湿度(%)													
1897	53	57	57	46	48	52	53	55	56	40	42	47	40
日	3	12	27	21	5	15	23	18	29	24	30	28	24/10
1898	43	31	52	51	48	52	56	58	45	50	42	31	31
日	-	12	-	-	-	1	-	3	21	20	27	18	12/2, 18/12
1899	40	40	41	44	35	51	53	57	44	41	44	39	35
日	30	10	26	-	3	27	3	29	-	16	-	-	3/5
1900	51	45	53	47	54	52	47	56	43	46	32	35	32
日	18	-	14	27	27, 31	6	-	6, 11	-	-	19	-	19/11
1901	44	38	39	41	53	42	48	53	38	43	39	38	38
日	-	14	-	1	1	3	22	16, 18	7	-	-	15	3
1902	31	29	38	43	57	51	37	36	31	38	47	31	29
日	22	14	15	20	4, 25	13	-	-	30	-	29	-	14/2
1903	41	39	46	46	47	52	53	49	47	41	45	44	39
日	18	25	31	8	-	11, 12	29	23	-	-	15	22	25/2
1904	41	40	47	53	37	51	54	56	46	36	40	26	26
日	13	20	1	-	20	-	-	-	3	10	20	8	8/12
1905	37	55	61	52	51	58	50	53	60	48	40	43	37
日	6	14	9	18	13	20	19	13	23, 26	6	11	6	6/1
1906	45	48	39	53	54	52	54	53	49	48	48	39	39
日	-	5	10	8	12	23	11	-	24	24	-	29	10/3, 29/12
1907	40	48	43	44	43	53	56	47	43	48	36	40	36
日	25	12	7	-	13	-	23	19	8	16, 24	17	-	17/11
1908	44	45	49	50	43	41	55	54	54	44	41	36	36
日	-	19	23, 30	24	8	3	24	-	10	-	-	30	30/12
1909	36	40	51	41	40	45	52	50	45	47	44	37	36
日	18	1	26	7	28	-	31	-	13	30	-	29	18/1
1910	42	51	43	45	47	48	49	55	52	46	37	31	31
日	27	5	5	18	18	9	5	14, 18	24	16	12	26	26/12
1911	46	51	33	49	52	49	49	41	50	47	42	51	33
日	25	16, 19	2	9	6	9	10	27	15	20, 30	10	2	2/3
1912	48	42	42	48	45	54	51	53	45	46	42	44	42
日	22	12	28	24	13	27	30	11	27	3	26	21	3
1913	39	38	53	54	53	52	53	43	55	37	35	45	35
日	9	5	25	30	7	5	5, 8	16	2	22	18	7	18/11
1914	28	38	37	46	43	46	47	48	53	35	50	54	28
日	4	18	5	11	8	2, 3	31	4	27	12	18	15	4/1
1915	48	47	37	43	51	53	54	49	45	48	45	39	37
日	8	21	27	11	6	9	4	3	3	28	30	17	27/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1916	日	31 21	41 3,16	50 1	45 7	47 19	50 27	49 22,23	57 8,26	48 28	43 5	46 11	49 2	31 21/1
1917	日	43 16	33 15	52 12,29	50 6	46 4	50 15,30	53 19	54 13,25	45 30	51 26	45 16	41 8	33 15/2
1918	日	40 31	42 18	37 16	42 19	52 4	51 26	52 1	50 2	45 27	48 1,11	51 6	48 18,31	37 16/3
1919	日	27 5	35 18	49 4	47 7,22	39 —	49 14	46 6	50 14	38 19	42 7	34 —	45 22	27 5/1
1920	日	34 21	45 1	50 10	48 2,16	51 4,13	52 23	55 4	56 10	48 27	36 28	44 17	38 25	34 21/1
1921	日	46 10	40 21,22	44 20	49 27	52 10	52 27	47 16	39 6	43 —	46 —	39 —	43 —	39 6/3,7/11
1922	日	49 1	46 23	45 20	41 19	50 —	55 12	51 17	52 7	49 18,25	42 26	33 27	44 11	33 27/11
1923	日	36 —	33 —	34 26	36 1	44 11	52 5	47 2	50 8	41 16	43 12	33 23	35 26	23 13/11
1924	日	36 7	49 26,27	41 21	47 13	47 8	50 1	56 5	51 16	48 3*	49 3*	39 19	36 10	36 7/4,10/12
1925	日	51 12	40 23	33 12	51 25	49 29	50 26	52 27	50 22	44 29	37 23,24	38 10	32 23,25	32 23,25,12
1926	日	41 18	40 3	46 11,30	34 7	43 14	48 14,15	50 17,19	52 9	51 18	46 31	43 2,28	41 27,30	34 7/4
1927	日	46 29	46 1,3	50 24	54 30	55 25	53 22	46 17	37 19	41 12	38 28	37 5,15	37 16	37 9/3,16/12
1928	日	40 17	40 23	46 2	32 16	45 13	53 17	50 15	42 30	49 12	40 10	38 3	43 9	32 16/4
1929	日	40 13	44 21	27 18	30 16	50 5	45 2	50 26	56 24,27	46 15,30	41 22,29	36 28	43 1	27 18/3
1930	日	54 2	36 20	32 14	45 25	49 4,8	49 1	56 7,24	45 11	49 20,22	43 22	34 23	46 28	32 14/3
1931	日	40 1,19	45 4	45 11	50 5	50 17	44 22	48 25	49 23	51 19	42 30	38 6,20	48 6,14	38 6,20/11
1932	日	30 4	46 20	40 4	50 1,3	50 3	48 26	50 20	46 22	55 2,11	39 9	45 6	40 10	30 4/1
1933	日	47 —	50 —	29 17	45 —	46 —	50 —	51 —	43 —	43 —	41 —	31 —	34 —	29 17/3
1934	日	39 —	41 —	39 —	49 —	51 —	44 —	51 —	49 —	42 —	42 —	34 6	35 —	34 6/11
1935	日	44 —	44 —	42 —	49 —	47 —	55 —	55 —	31 24	38 —	48 —	40 —	41 —	31 24/8
1936	日	41 —	51 —	48 —	38 —	52 —	50 —	50 —	57 —	50 —	38 —	35 30	49 —	35 30/11
1937	日	48 —	35 5	52 —	51 —	50 —	53 —	52 —	56 —	47 —	36 —	43 —	42 —	35 5/2
1938	日	42 17	38 26	45 1	42 11,17	52 14,15	46 14	48 9	56 24	50 26	43 3*	43 6,23	44 8	38 26/2
1939	日	38 2	20 5	42 3	41 9	32 10	51 30	41 12	42 30	46 3*	42 17	47 28	33 30	20 5/2
1940	日	28 —	37 —	41 —	44 —	43 —	53 —	55 —	50 —	49 —	39 —	39 —	33 —	28 —
接日年	值期	27 5	20 5	27 18	30 16	32 10	41 3	37 —	31 24	31 30	35 12	23 13	26 8	20 5/2
1919	1939	1929	1929	1929	1939	1908	1902	1935	1902	1914	1923	1904	1939	
花 蓮														
$\varphi = 23^{\circ}58'N$ $\lambda = 121^{\circ}37'E$ $H = 17.6 M$														
平均相对湿度(%)														
1911	81	80	84	86	89	83	85	86	85	78	76	81	83	83
1912	81	79	80	80	84	87	78	83	81	81	79	80	81	81
1913	77	79	84	81	84	82	84	80	84	74	77	77	80	80
1914	73	80	83	83	85	82	80	80	83	81	82	80	81	81
1915	77	82	79	83	88	85	80	80	76	81	82	78	81	81
1916	80	82	79	82	83	84	76	81	83	94	76	78	81	81
1917	75	78	80	88	85	84	85	82	82	81	77	74	81	81
1918	67	77	80	80	84	83	84	83	77	83	82	81	80	80

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1935	日	60	56	53	61	59	65	50	58	51	54	47	56	47
		-	-	-	-	-	-	-	-	-	-	22	-	22/11
1936	日	47	58	50	34	63	59	50	53	48	43	40	50	34
		3	2	15	3	4	3	13	10	28	20	10	29	3/4
1937	日	58	47	53	43	57	66	51	51	58	38	38	54	38
		26	5	24	9	2	30	26	1	21	19	10	29	19/10/11
1938	日	51	45	51	49	59	58	54	56	50	40	48	52	40
		-	-	-	-	-	-	-	-	-	22	-	-	22/10
1939	日	49	50	54	43	62	57	53	51	50	58	47	42	42
		10	19	2	23	9,13	29	6	26	21	17	28	30	30/12
1940	日	45	53	51	47	57	61	62	60	57	59	54	46	45
		-	-	-	-	-	-	-	-	-	-	-	-	-/2
極日年	值期份	39	35	41	34	44	48	45	45	38	38	37	41	34
		3	22	25	3	10	22	19	25,27	9	28,19	13	30,9	3/4
		1932	1921	1926	1936	1923	1913	1912	1911	1915	1920	1923	1926	1936
									1913		1937		1932	
澎 湖 $\varphi=23^{\circ}32'N$ $\lambda=119^{\circ}33'E$ $H=9.4M$ 平均相对湿度(%)														
1897		84	83	87	85	85	86	86	86	82	77	79	78	83
1898		81	84	89	81	85	90	85	87	88	89	87	79	85
1899		90	84	80	92	93	91	89	88	88	86	84	88	88
1900		89	89	88	89	87	90	88	84	84	83	80	86	86
1901		82	72	81	85	84	86	83	87	75	76	82	83	81
1902		81	80	80	82	85	90	85	86	75	72	76	79	81
1903		77	75	84	83	85	88	83	88	83	77	76	74	81
1904		81	77	85	83	81	86	89	86	79	75	71	72	80
1905		83	82	89	87	85	85	83	82	83	76	73	81	82
1906		81	83	79	85	87	87	87	81	86	73	75	78	82
1907		78	81	80	81	86	89	87	87	82	82	80	84	83
1908		93	91	91	92	90	88	87	88	88	85	85	85	89
1909		83	82	83	80	83	84	81	82	82	79	76	74	81
1910		79	82	83	83	80	84	83	84	81	73	76	77	80
1911		82	82	85	79	85	83	91	85	87	74	77	83	83
1912		86	39	87	84	89	92	87	87	86	81	81	81	86
1913		83	83	84	85	85	87	84	86	83	68	76	78	82
1914		75	82	85	83	84	86	88	85	81	77	80	80	82
1915		81	83	77	84	86	84	85	85	80	84	85	80	83
1916		85	88	83	82	80	83	79	86	81	78	77	81	82
1917		75	73	79	85	85	87	87	87	85	79	75	74	81
1918		71	82	83	83	85	87	86	88	78	83	83	87	83
1919		82	83	85	88	83	86	86	87	76	77	74	78	82
1920		77	87	85	83	85	87	89	90	86	79	86	83	85
1921		85	84	87	83	87	83	81	85	80	75	79	82	83
1922		88	87	82	82	86	86	82	85	85	77	72	76	82
1923		79	83	82	81	78	81	83	84	85	75	71	73	80
1924		81	85	83	87	81	86	82	81	84	79	67	78	81
1925		87	83	83	85	84	84	86	85	79	65	74	69	80
1926		77	85	84	85	86	83	80	81	81	73	75	78	81
1927		84	85	85	86	88	88	85	86	78	75	71	79	83
1928		83	82	84	81	85	88	79	85	83	71	81	79	82
1929		82	83	78	80	82	84	86	88	77	69	79	83	81
1930		88	87	86	83	88	85	86	85	81	74	75	81	83
1931		83	85	84	86	86	87	83	90	86	78	79	82	84
1932		77	84	82	86	88	90	83	86	86	79	79	81	83
1933		86	88	82	84	84	87	88	81	80	78	82	77	83
1934		81	80	79	85	87	88	89	89	86	76	82	84	84
1935		82	84	83	88	84	90	89	90	84	85	82	85	86
1936		85	88	87	86	89	88	87	88	83	76	77	84	85

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937		87	81	87	84	86	90	84	91	84	77	82	81	85
1938		83	83	86	81	84	83	87	89	83	79	75	83	83
1939		84	79	83	81	87	86	87	86	85	85	86	80	84
1940		82	85	84	82	87	93	88	85	82	81	80	77	84
平 均		82	83	84	84	85	87	85	86	83	78	78	80	83
最小相对湿度(%)														
1897		58	46	57	59	57	56	63	60	51	41	50	56	41
日		7	11	7	2	3	8	25	8	28	24	28	27	24/10
1898		56	40	69	53	63	66	65	68	71	68	53	54	40
日		9	11	21	17	5	15	24	13,17	20	25,26	27	7	11/2
1899		62	60	54	67	68	71	63	70	53	47	59	64	47
日		4	4,7	27	18,22	2	30	11	14	22	7	22	14	7/10
1900		74	64	62	47	63	68	63	59	62	59	45	56	45
日		26	5	11	28	9	6	30	8,14	28	23	18	20	18/11
1901		63	40	57	61	37	57	53	68	55	53	50	56	37
日		9	12	27	1	5	3	23	14	11	7	24	4	5/5
1902		54	58	58	52	54	68	58	60	45	49	59	55	45
日		31	11,28	16	9	12	—	13	18	28	17	6	14,16	28/9
1903		47	43	66	61	60	68	64	63	62	47	59	51	43
日		6,18	18	31	18	8	6	16	5	25	2	8,11	3	18/2
1904		58	41	61	61	47	66	64	56	55	50	52	44	41
日		25	9	1	23	21	1,14	12	20	28	8	6,30	8	9/2
1905		61	60	68	57	58	64	59	61	60	50	51	58	50
日		1	14	4	6	27	19	19	13	4,7	6,10	3	13	6,10/10
1906		53	54	43	61	63	65	70	58	65	46	56	49	43
日		19	4	6	1	31	20	2,10	17	4	22	12	29	6/3
1907		56	58	42	51	60	67	63	65	50	64	61	52	42
日		23	11	5	1	11	7	31	9	8	21	7	21	5/3
1908		72	60	60	62	62	66	68	60	70	58	59	59	58
日		31	18	30	24	4	27	3,7	17	30	6	27	30	6/10
1909		65	54	55	49	50	66	58	56	46	53	50	50	46
日		26	12	26	7	28,29	13	9	29	13	6	14,30	5	13/9
1910		53	58	59	65	55	59	62	60	57	50	43	47	43
日		25	1	4	17	23	29	4	25	7	11	11	26	11/11
1911		61	63	45	48	65	61	69	56	65	49	54	58	45
日		2	4	4	18	6,12	10	—	3	15	15	9	11	4/3
1912		61	58	57	55	63	77	68	65	58	56	56	58	55
日		7	8	18	18	4	11	25,28	28	22	4	24	7	18/4
1913		59	63	42	65	50	65	64	63	62	44	51	44	42
日		29	16	25	8	16	29	10,14	27,28	2,18	16	18	7	25/3
1914		43	59	64	54	60	64	66	68	56	50	59	58	43
日		7	12	22	8	3	3	6	10,20	30	10	11	23	7/1
1915		58	48	43	53	61	64	62	64	46	60	59	48	43
日		8	28	25	8	4	26	15	19	8	29	30	17	25/3
1916		48	58	58	55	61	56	57	63	55	54	50	57	48
日		22	14	1	5	15,26	17	10	15	29	3*	11	2	22/1
1917		54	45	57	62	39	60	69	64	60	55	50	49	39
日		31	19	23	28	7	25	7,10	3*	30	13	16	29	7/5
1918		48	48	48	56	60	66	57	62	45	54	63	67	45
日		20	18	16	18	10	27	8	30	12	1	24	17	12/9
1919		55	52	61	68	42	68	63	65	47	52	37	53	37
日		4	18	19	30	—	11	—	1	—	7	21	29	21/11
1920		47	68	61	57	65	62	71	64	63	53	64	62	47
日		12,13	—	15	—	20	5,8	—	—	—	17	16	—	12,13/1
1921		57	51	60	58	59	54	62	65	52	54	53	63	51
日		14	21	18	19	1	4	5,24	3	—	—	—	—	21/2
1922		66	70	53	46	66	62	56	64	66	52	42	55	42
日		—	3	20	24	—	—	17	20	—	26	23,26	3*	23,26/11
1923		62	58	62	56	50	58	67	59	60	47	36	42	36
日		—	—	26,27	4	11	30	1	20	30	10,11	13	25	13/11
1924		55	57	50	46	49	65	60	62	64	54	45	51	45
日		2	2	22	26	20	6	28	16	17	29	9	11	9/11
1925		66	43	46	62	59	60	70	62	49	41	43	33	33
日		30	27	11	1	2	9	2,12	2	30	24	13	22	22/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1926	日	57 8	62 3	51 30	44 8	62 31	56 15	62 27	64 10	48 16	46 29	52 1	55 8	44 8/4
1927	日	63 12	63 6,7	48 27	68 26	59 3	70 27	62 20	67 25	55 22	52 29	43 16	53 24	43 16/11
1928	日	64 27	65 23	63 19	52 16	54 7	71 25	50 15	50 30	62 26	46 8	60 21	63 3	46 8/10
1929	日	58 9	61 12	48 13	53 13	57 19,28	63 6	64 14	68 31	54 22	49 20	54 26	59 12	48 13/3
1930	日	70 4	47 18	44 15	53 1	65 31	62 29	69 1,25	65 31	63 1,10	49 4	52 21	60 25	44 15/3
1931	日	52 19	52 16	49 11	58 5	64 6,17	62 12	58 29	67 5	66 19	54 29,30	55 6	62 15	49 11/3
1932	日	53 3	63 20	56 29	66 15	64 18	71 21,26	62 20	65 23	66 20	58 31	57 14	51 7	51 7/12
1933	日	61 —	68 —	44 16	56 —	57 —	63 —	65 —	50 5	56 —	49 —	57 —	58 —	44 16/3
1934	日	56 —	58 —	51 —	52 —	67 —	65 —	69 —	65 —	64 —	55 —	60 —	50 7,8	50 7,8/12
1935	日	56 —	56 —	59 —	57 —	51 10	67 —	70 —	66 —	61 —	55 —	59 —	63 —	51 10/5
1936	日	57 —	59 —	51 15	51 1	69 —	62 —	62 —	66 —	55 —	53 —	52 —	63 —	51 15/3, 1/4
1937	日	68 —	54 —	67 —	55 —	65 —	71 —	63 —	66 —	55 —	46 21	57 —	54 —	46 21/10
1938	日	64 10	51 28	57 1	52 7,17	65 9,10	61 1	63 25	74 23,30	59 26	48 22	55 12	54 5	48 22/10
1939	日	62 4,12	59 11	57 17,18	49 7	59 14	62 1	64 11	62 30	55 24	55 17	63 13	52 30	49 7/4
1940	日	53 —	60 —	57 —	53 —	65 —	67 —	59 —	62 —	58 —	56 —	55 —	41 —	41 —
極日 年	值 期 份	43 7	40 11,12	42 5,25	44 8	37 5	54 4	53 23	50 30,5	45 28,12	41 24	36 13	33 22	33 22/12
		1914	1898 1901	1907 1913	1926	1901	1921	1901	1928 1933	1902 1918	1897 1925	1923	1925	1925
阿里山 $\varphi=23^{\circ}31'N$ $\lambda=120^{\circ}48'E$ $H=2406.1M$														
平均相对湿度(%)														
1933	—	—	—	79	89	89	86	83	88	82	74	71	—	—
1934	82	82	83	81	90	84	91	87	86	80	81	76	84	84
1935	76	74	87	83	92	90	92	90	89	87	77	76	84	84
1936	84	86	88	72	82	88	88	89	89	87	76	79	84	84
1937	79	76	85	84	84	92	90	91	88	84	81	80	85	85
1938	76	83	85	86	85	87	91	93	91	86	84	83	86	86
1939	84	73	87	91	91	93	92	91	90	88	82	70	86	86
1940	83	81	78	86	88	93	89	91	94	88	87	72	86	86
平 均	81	79	85	83	87	90	90	90	90	85	81	77	85	85
最小相对湿度(%)														
1934	32	12	12	14	50	48	55	42	28	23	40	10	10	10
1935	11	19	26	26	61	52	63	50	41	37	26	13	11	11
1936	21	19	37	13	26	27	42	43	21	18	7	22	7	7
日	14	13	18,19	5	11	20	29	15	30	19	29	17,28	29/11	29/11
1937	17	5	40	32	22	54	56	49	50	30	25	18	5	5
日	16	4	24	10	2	8	5	30	19	21	9	28	4/2	4/2
1938	12	16	29	29	29	41	48	51	52	35	26	32	12	12
日	1	22	1	12	2	24	10	26	30	23,26	5	22	1/1	1/1
1939	37	18	19	42	35	42	53	34	54	48	36	14	14	14
日	20	11	2	11	10	30	5	31	11	8,16	21	20,30	20,30/12	20,30/12
1940	20	5	14	18	29	53	28	51	28	29	37	15	5	5
日	—	—	—	—	—	—	—	—	—	—	—	—	—	—/2
極日 年	值 期 份	11 22	5 4,7	12 8	13 5	22 2	27 20	28 —	34 31	21 30	18 19	7 29	10 10	5 4,7/2
		1935	1937 1940	1934	1936	1937	1936	1940	1939	1936	1936	1936	1934	1937 1940

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
台 南														
$\varphi=23^{\circ}00'N$ $\lambda=120^{\circ}13'E$ H=12.7 M														
平均相对湿度(%)														
1897	77	81	84	77	79	85	81	84	81	80	83	78	81	
1898	80	80	81	76	73	84	79	84	80	83	82	73	80	
1899	77	82	71	75	78	84	84	84	79	77	77	85	79	
1900	85	79	80	77	81	84	81	82	81	79	78	76	80	
1901	80	68	73	79	81	81	79	85	76	76	73	77	77	
1902	76	66	72	75	81	85	79	81	72	72	74	77	76	
1903	75	71	76	79	80	83	82	87	80	79	77	75	79	
1904	81	77	81	76	78	83	87	84	79	76	71	73	79	
1905	79	80	87	93	80	83	81	80	83	77	73	80	81	
1906	77	79	75	77	77	81	85	80	84	78	75	76	79	
1907	75	78	77	74	82	86	82	81	83	82	82	79	80	
1908	83	83	83	82	78	83	86	86	82	80	80	88	83	
1909	87	83	81	78	82	81	81	85	82	79	81	79	82	
1910	81	86	82	82	81	79	82	85	83	78	76	76	81	
1911	77	79	76	79	81	78	80	85	83	76	73	78	79	
1912	81	80	79	71	80	88	81	84	80	78	77	80	80	
1913	80	81	79	77	80	82	83	81	82	71	75	78	79	
1914	73	76	80	76	75	79	84	83	85	80	82	82	80	
1915	79	79	79	79	87	80	82	87	79	81	80	76	81	
1916	80	79	82	79	76	80	75	86	80	81	77	78	79	
1917	73	71	80	82	82	82	86	83	81	78	74	73	79	
1918	67	77	75	75	77	79	82	83	76	81	82	82	78	
1919	79	77	76	83	80	82	79	86	78	78	73	77	79	
1920	72	82	83	79	85	87	86	87	86	83	80	81	83	
1921	77	75	81	75	83	84	81	84	84	79	81	85	81	
1922	85	85	78	75	82	88	82	87	85	81	75	79	82	
1923	78	81	77	76	76	83	82	87	80	75	75	74	79	
1924	78	84	80	85	82	88	88	85	85	82	73	83	83	
1925	85	80	81	83	82	84	84	84	80	73	76	73	80	
1926	77	79	81	86	84	86	82	85	88	80	79	78	82	
1927	80	83	82	87	85	88	87	88	85	81	81	81	84	
1928	83	80	83	82	81	88	80	88	84	76	83	81	82	
1929	79	77	71	71	79	82	86	87	81	75	75	79	79	
1930	83	78	78	77	79	83	88	86	83	78	78	82	81	
1931	79	80	80	83	84	96	84	87	86	81	78	79	82	
1932	74	77	79	83	82	87	85	88	84	81	80	82	82	
1933	82	80	79	79	75	86	84	79	82	77	77	78	80	
1934	78	77	78	79	81	79	86	82	82	79	80	81	80	
1935	76	81	80	82	81	88	87	88	84	83	81	79	83	
1936	78	86	84	81	82	85	85	89	84	78	78	86	83	
1937	85	79	83	81	86	87	86	87	84	79	82	85	84	
1938	86	84	86	82	82	79	83	89	82	79	82	85	83	
1939	84	77	81	86	83	85	86	82	79	80	81	76	82	
1940	74	74	82	83	87	98	85	83	82	81	77	74	81	
平 均	79	79	79	79	81	84	83	85	82	79	78	79	81	
最小相对湿度(%)														
1897	44	46	50	40	49	58	44	54	54	45	43	42	40	
1898	21	12	5	20	24, 25	15	25	4	5	26	30	2	20/4	
1898	41	36	53	42	41	46	49	59	49	53	44	37	36	
1899	27	12	-	-	-	-	-	4	-	-	28	18	12/2	
1899	41	37	40	49	26	55	53	60	47	45	45	43	26	
1900	-	7	-	7	3	30	6	20	-	-	-	-	3/5	
1900	48	40	42	36	42	54	51	54	48	52	36	42	36	
1901	28	26	13	27	-	7	29	5, 10	11	-	19	-	27, 4, 9, 11	
1901	45	34	35	43	47	44	42	55	40	42	33	31	31	
1901	-	7	6	2	-	-	23	1	25	-	18	19	19/12	
1902	44	32	40	39	43	62	50	54	32	39	44	35	32	
1902	22	14	14	-	2	29	18	-	29	-	16, 26	-	14, 2, 25, 3	
1903	32	36	43	41	49	52	54	53	48	39	46	34	32	
1903	18, 20	11	-	-	22	-	-	11	-	-	29	22	18, 20/1	
1904	40	39	48	45	46	43	60	54	51	38	41	33	33	
1904	9	19	31	12	19	-	7	2	22	-	26	8	8/12	
1905	41	47	52	56	48	53	51	50	53	48	31	41	31	
1905	9	-	-	-	1	27	21	26	-	6, 22	13	3	13/11	
1906	44	37	37	48	45	54	56	51	55	45	47	32	32	
1906	25	-	-	28	-	15	2	21	24	-	4, 11	29	29/12	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1907	日	37	41	38	44	44	56	58	55	50	52	52	40	37
1908	日	17	23	7	24	12	13	13	34	30	13	12	21	17/1
1909	日	38	47	44	48	31	47	58	61	56	53	47	49	31
1910	日	13	19	24	22	6	—	2	20	—	19, 31	12	27	6/5
1911	日	53	35	46	37	54	52	47	56	42	52	51	30	30
1912	日	29	26	16	7	16	9	22	26	13	30	6	29	29/12
1913	日	36	55	49	47	42	47	46	58	53	49	33	39	33
1914	日	28	44	5	6	30	29	4	24	25	16	11	30	11/11
1915	日	42	44	34	42	52	49	53	52	51	47	40	47	34
1916	日	25	6	4	23	4, 6	9	9	3	14	30	10	5, 11	4/3
1917	日	49	45	49	45	51	63	55	58	46	42	45	39	39
1918	日	34	9	29	11, 18	27	2, 3	21, 30	23	23	4	23	10	10/12
1919	日	38	34	41	48	45	53	51	55	49	30	44	44	30
1920	日	9	5	25	13, 24	7, 9	1, 6	3	24	28	19	20	5	19/10
1921	日	34	41	47	39	42	42	58	56	56	51	50	52	34
1922	日	10	12, 14	2	8	7	3	3	10	20, 28	11	10	19	10/1
1923	日	39	46	38	48	53	58	51	62	44	50	46	36	36
1924	日	26	22	27	23	1	22	19	1, 18	8	28	30	17	17/12
1925	日	30	42	46	50	46	47	39	57	50	46	46	43	30
1926	日	21	14	27	13	8, 9	13	18	1	12	4, 5	12	1	21/1
1927	日	39	32	52	40	45	59	60	49	49	47	43	37	32
1928	日	20	11	34	2	4	7, 19	2, 16	13	30	28	19, 20	7	11/2
1929	日	36	31	38	38	47	47	55	56	45	46	46	51	31
1930	日	19	18	16	19	7, 18	27	7	30	12	1	5	11, 17	18/2
1931	日	33	37	43	48	35	54	49	59	37	38	35	39	33
1932	日	5	18, 20	22	8	—	28	19	21	21	9	26	30, 31	5/1
1933	日	30	50	46	47	56	56	63	55	59	45	46	46	30
1934	日	12	—	8	11	4, 19	6, 7	11, 14	23	13	28	16	26, 28	12/1
1935	日	41	36	44	39	49	57	55	57	44	46	45	43	36
1936	日	20	24	17	5	2	4	17, 24	30	—	—	—	—	24/2
1937	日	51	47	42	38	51	60	52	62	54	46	38	47	38
1938	日	—	—	—	16, 25	—	—	17	19	24	26	28	3, 13	34
1939	日	39	50	40	41	40	50	52	60	50	47	32	33	32
1940	日	—	—	27	29	10	6	2	3	30	34	17	26	17/11
1941	日	42	43	47	50	53	54	56	57	58	45	41	47	4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940	日	34	39	38	48	48	53	53	54	52	52	39	36	34
		-	-	-	-	-	-	-	-	-	-	-	-	-/1
極	值	30	31	31	28	26	42	39	43	32	30	31	28	26
日	期	21,12	18	17	21	3	3	18	31	29	19	13	22	3/5
年	份	1916	1918	1929	1929	1899	1914	1916	1933	1902	1913	1905	1925	1899
		1920												
台 东														
$\varphi=22^{\circ}45'N$ $\lambda=121^{\circ}09'E$ $H=8.9M$														
平均相对湿度(%)														
1901	74	73	75	78	83	82	80	85	77	79	73	69	77	
1902	68	65	79	79	82	81	79	77	72	68	75	75	75	
1903	73	75	78	77	77	81	77	81	80	80	72	68	77	
1904	74	72	81	79	78	85	81	81	77	74	72	70	77	
1905	75	75	81	90	83	81	83	80	82	75	68	75	78	
1906	76	73	70	74	80	77	81	79	86	78	68	81	77	
1907	73	75	75	78	80	84	79	76	79	82	75	70	77	
1908	75	75	79	81	81	81	78	81	81	82	76	80	79	
1909	75	76	76	79	82	81	80	80	78	82	78	71	78	
1910	73	75	78	83	83	81	80	84	85	78	76	70	79	
1911	71	69	78	85	85	78	85	85	84	77	74	75	79	
1912	74	72	73	75	80	83	79	82	80	79	76	78	78	
1913	75	76	77	78	81	76	82	82	85	75	75	75	78	
1914	72	80	80	80	82	81	81	82	84	81	80	77	80	
1915	74	75	77	80	88	85	84	82	80	84	82	77	81	
1916	79	81	80	81	84	85	78	82	85	83	78	79	81	
1917	74	74	78	85	85	83	87	82	83	80	76	76	80	
1918	69	78	79	79	80	75	83	85	80	81	81	80	79	
1919	76	74	77	83	85	84	82	84	75	83	74	77	80	
1920	76	78	76	80	85	81	81	80	79	76	76	77	79	
1921	75	76	79	80	84	85	83	82	81	76	78	78	80	
1922	75	78	76	78	82	83	80	84	84	79	74	74	79	
1923	75	80	79	82	79	85	83	83	77	77	72	72	79	
1924	75	80	78	82	81	84	83	82	82	80	68	74	79	
1925	80	72	77	78	82	81	82	79	79	70	76	72	77	
1926	71	75	75	79	82	83	79	81	83	77	72	71	77	
1927	75	79	76	82	85	84	83	81	79	72	71	72	78	
1928	75	70	76	76	80	83	79	82	80	70	75	74	77	
1929	76	74	73	71	80	78	82	81	77	67	72	74	75	
1930	72	70	72	75	79	78	81	79	78	73	70	75	75	
1931	74	74	75	79	82	79	77	82	79	73	73	75	77	
1932	67	71	72	79	81	81	79	81	82	77	74	73	76	
1933	73	73	74	80	81	81	80	76	76	74	71	70	76	
1934	70	78	80	80	83	79	81	78	82	74	77	74	78	
1935	76	73	76	87	88	90	87	86	82	81	75	73	81	
1936	72	80	78	79	82	82	79	82	79	74	70	78	78	
1937	78	74	79	80	82	84	79	84	81	74	77	77	79	
1938	73	75	78	79	80	76	75	82	79	75	74	74	77	
1939	76	74	79	78	84	81	86	78	79	79	78	67	78	
1940	74	76	78	79	84	83	83	81	81	80	74	67	78	
平 均		74	75	77	79	82	82	81	81	80	77	74	74	78
最小相对湿度(%)														
1901	47	47	42	49	57	57	56	52	51	43	40	44	40	
日	-	26	5	25	4	18	29,31	1	7	31	25	6	25/11	
1902	42	43	48	53	55	35	53	33	44	43	51	48	33	
日	30	6,23	-	30	13	21	23	31	-	17	21	3	31/8	
1903	44	48	58	53	31	27	52	34	52	48	44	42	27	
日	9	25	7,19	19	13	16	-	13	-	3	12	5	16/6	
1904	47	43	59	51	51	59	37	58	49	38	43	40	37	
日	26	-	15	2	20	2	26	13	19	10	17	1	26/7	

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1905 日	45 21	54 19	57 12	26 16	62 25	42 19	55 14	52 —	50 —	50 31	36 12	53 —	26 16/4
1906 日	45 —	33 1	39 8	34 —	53 17	48 —	47 12	48 —	64 26	50 11,18	54 3*	51 17	33 1/2
1907 日	41 6	48 9	46 —	47 4	59 19	55 5	52 15	52 17	49 17	59 —	46 30	41 22	41 6/122/12
1908 日	39 12	48 24	59 27	59 24,25	47 4	58 15	49 6	53 8	57 10,13	57 24	49 17	48 31	39 12/1
1909 日	39 31	50 14	36 9	44 6	55 29	59 12	57 31	58 8	50 13	57 26	46 27	45 26	36 9/3
1910 日	35 26	53 1	57 12	60 14	60 10	51 10	49 31	62 16	48 1	49 3*	47 11	42 26	35 26/1
1911 日	47 3,16	47 4	49 2	54 20	61 13	54 18	62 12	45 31	60 16	48 18	44 8	47 12	44 8/11
1912 日	50 3	48 20	25 6	43 12	33 1	34 27	58 11	39 28	43 16	53 5	45 24	46 7	25 6/3
1913 日	46 21	51 13	51 16	37 6	56 29	44 5,16	55 17	58 5	58 26	44 26	47 19	52 5	37 6/4
1914 日	40 2	46 15	49 22	33 27	56 4	55 9	36 27	55 6	42 6	53 28,29	56 11	54 20	33 27/4
1915 日	44 25	37 23	47 7	52 8	60 1	61 10	61 —	50 28	50 9,12	58 13,16	55 24	46 19	37 23/2
1916 日	45 16	56 11	58 27	59 6,8	62 18	60 26	53 26	57 3	55 29	52 5	52 12	52 1	45 16/1
1917 日	47 25	43 1	55 12	56 1	56 2	58 19	56 6	60 29	61 22	55 26	47 16	51 10	43 1/2
1918 日	47 22	41 19	48 17	51 16	53 31	49 27,29	60 19	58 24	55 25	39 5	62 3,5	54 31	39 5/10
1919 日	47 —	47 26	47 —	28 22	53 —	60 25	52 —	54 15	46 15	60 —	43 —	50 —	28 22/4
1920 日	49 22	35 5	54 7	55 —	42 —	53 23	42 15	56 6	42 3	44 28	52 15	52 —	35 5/2
1921 日	47 15	46 23	37 1	53 —	53 1	61 —	56 —	54 —	58 —	47 —	51 —	56 —	37 1/3
1922 日	56 11,30	47 11	51 —	46 17,19	44 —	58 27	56 —	58 5	60 15	49 —	43 23	51 10,30	43 23/11
1923 日	54 —	50 —	53 3	49 3	48 11	59 6	61 10,22	54 10	46 26	45 12	41 13	47 26	41 13/11
1924 日	52 3	56 6	54 19	52 1	60 30	60 28	60 28	58 19,29	50 6	48 29	41 25	43 29	41 25/11
1925 日	59 22	46 27	30 12	54 3,10	55 19	52 29	57 4	53 25,26	48 15	35 25	50 2	35 6	30 12/3
1926 日	46 11	46 3	43 13	28 23	46 12	56 27	57 12	47 15	55 18	42 31	41 1	36 31	28 23/4
1927 日	47 12	53 25	42 12	60 4,22	57 25	56 22	56 6	57 19	56 23	42 29	46 12,13	44 1,12	42 12/3,29/10
1928 日	44 15	46 19	40 8	46 17	53 4	61 15,16	56 17	61 30	55 26	39 31	48 22	53 17	39 31/10
1929 日	44 11	50 11	48 9	30 14	46 12	40 21	59 17	56 30	55 23	42 13,29	40 27	44 2	30 14/4
1930 日	53 3*	36 15	28 12	51 2	61 3*	58 13	28 27	55 9	56 21	51 12	43 15	47 27	28 14/3, 21/7
1931 日	45 12	36 14	52 12	39 15	48 25	38 21	49 6	28 10	48 23	32 15	45 7	49 14	28 10/8
1932 日	39 11	43 12	43 29	47 1	58 20,28	55 27	49 14	43 24	64 21,22	49 6,7	49 17	47 9	39 11/1
1933 日	51 —	53 —	46 —	51 —	58 —	43 —	59 —	52 —	41 2	41 —	40 20	43 —	40 20/11
1934 日	46 —	48 —	49 —	52 —	54 —	37 9	58 —	55 —	54 —	49 —	58 —	41 —	37 9/6
1935 日	54 —	49 —	32 28	66 —	66 —	65 —	49 —	48 —	51 —	60 —	39 —	46 —	32 28/3
1936 日	50 —	57 —	49 —	56 —	56 —	56 —	49 —	59 —	51 —	43 20,21	43 11	48 —	43 3*

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937	日	53	44	38	45	63	63	57	55	56	42	45	55	38
1938	日	—	—	11	—	—	—	—	—	—	—	—	—	11/3
1938	日	47	34	47	53	49	56	51	58	48	46	47	47	34
1939	日	8	16	30	2,11	12	7	23	34	26	22,23	13	6	16/2
1939	日	51	49	55	48	57	44	58	52	49	52	50	43	43
1940	日	1	10	11	9	3	16	9	30	21	17	28	27	27/12
1940	日	42	47	47	48	52	54	57	30	54	48	51	35	30
1940	日	—	—	—	—	—	—	—	—	—	—	—	—	—/8
恒 值	期	35	33	25	26	31	27	28	28	41	32	36	35	25
日 年	份	26	1	6	16	13	16	27	10	2	15	12	6,-	6/3
		1910	1906	1912	1905	1903	1903	1930	1931	1933	1931	1905	1925	1912
													1940	
高 雄 $\varphi=22^{\circ}37'N$ $\lambda=120^{\circ}16'E$ $H=29.1M$														
平均相对湿度(%)														
1932	日	67	73	74	78	78	84	80	85	82	79	76	76	78
1933	日	76	75	72	72	71	83	81	76	80	73	73	70	75
1934	日	72	71	70	73	77	77	84	80	80	75	77	77	76
1935	日	70	76	75	77	79	82	84	88	80	79	75	75	78
1936	日	77	79	78	73	73	81	81	84	80	74	69	75	77
1937	日	78	71	74	73	75	82	81	85	80	73	75	77	77
1938	日	75	76	77	77	77	72	79	87	80	77	74	78	77
1939	日	74	69	75	78	81	83	87	83	79	80	78	70	78
1940	日	66	70	72	75	77	83	84	82	80	79	75	67	76
平 均		73	73	74	75	76	81	82	83	80	77	75	74	77
最小相对湿度(%)														
1932	日	26	48	46	52	51	63	58	65	59	52	52	40	26
1932	日	4	13	5	3	14	26	19,26	31	11	8	21	8	4/1
1933	日	51	50	32	45	45	52	57	48	57	50	31	42	31
1934	日	45	42	36	41	44	55	56	62	50	50	54	43	36
1935	日	47	31	48	52	50	59	63	63	56	57	44	52	31
1936	日	44	47	49	47	48	54	59	63	56	48	37	39	37
1937	日	48	32	51	36	46	60	59	56	57	47	48	50	32
1938	日	37	38	44	51	55	53	54	69	61	49	53	50	37
1938	日	25	26	9	8	10,18	29	20	23	27	25	34	31	25/1
1939	日	51	44	50	38	58	65	60	63	53	57	51	33	33
1939	日	14,30	7	2	11	21	34	8,9	20	22	27	26	31	31/12
1940	日	41	41	32	39	30	59	63	61	59	57	51	35	30
恒 值	期	26	31	32	36	30	52	54	48	50	47	31	33	26
日 年	份	4	15	15,-	11	—	14	20	31	23	21	19	31	4/1
		1932	1935	1933	1937	1940	1933	1938	1933	1934	1937	1933	1939	1932
				1940										
恒 春 $\varphi=22^{\circ}00'N$ $\lambda=120^{\circ}45'E$ $H=22.3M$														
平均相对湿度(%)														
1897	日	74	74	77	74	78	89	87	93	93	87	90	77	83
1898	日	80	81	85	86	89	88	87	88	85	87	79	77	84
1899	日	79	81	71	78	82	86	86	87	81	75	75	74	80
1900	日	73	73	77	79	78	81	83	86	80	77	74	72	78
1901	日	76	69	71	77	82	84	85	88	80	77	72	74	78
1902	日	77	75	83	82	83	84	82	84	78	78	79	82	81
1903	日	80	81	79	80	83	84	86	87	83	83	79	79	82
1904	日	82	82	81	81	76	84	88	84	79	75	74	70	80
1905	日	77	75	76	81	81	84	84	83	82	75	72	72	79
1906	日	75	77	71	73	76	81	83	81	82	73	72	71	76
1907	日	70	71	74	75	77	86	84	83	80	81	76	71	77
1908	日	75	73	78	78	77	85	85	86	83	79	74	75	79
1909	日	75	74	73	74	75	79	81	84	81	77	70	65	76
1910	日	70	70	73	76	79	81	83	87	83	72	70	69	76
1911	日	72	70	73	76	80	77	83	86	82	75	71	73	77

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1912	72	72	73	75	76	86	83	83	80	79	72	72	77
1913	75	73	73	75	79	83	84	85	85	72	70	71	77
1914	72	75	74	73	74	82	84	85	82	74	71	71	76
1915	69	73	72	78	81	81	81	86	78	78	76	69	77
1916	72	75	71	73	78	82	79	88	81	76	73	72	77
1917	70	69	71	78	80	84	85	83	82	76	69	69	76
1918	62	70	73	73	77	80	86	86	80	78	80	82	77
1919	81	77	81	85	85	86	80	87	76	79	72	81	81
1920	77	78	76	78	83	87	88	87	87	85	84	72	82
1921	72	70	75	76	83	87	87	86	82	80	77	80	80
1922	82	83	76	75	83	86	84	88	83	74	69	81	80
1923	76	78	78	79	75	86	89	86	79	80	68	67	78
1924	72	74	72	79	76	85	86	84	84	76	63	67	77
1925	72	67	71	73	79	84	85	82	81	65	74	68	75
1926	69	71	71	78	79	79	83	82	81	73	70	70	76
1927	74	75	72	74	79	85	86	86	80	72	69	70	77
1928	74	70	72	73	80	84	82	87	83	68	71	72	76
1929	76	75	70	69	79	83	87	87	78	65	71	73	76
1930	71	69	71	72	78	82	86	85	79	73	70	73	76
1931	74	73	73	73	78	84	85	88	84	71	71	73	77
1932	65	70	70	77	81	85	86	88	83	75	72	72	77
1933	74	74	70	73	74	85	83	79	82	73	66	65	75
1934	68	75	74	72	77	80	85	82	80	74	77	72	76
1935	75	73	73	74	74	86	87	89	81	77	73	76	78
1936	75	79	70	76	77	84	82	87	80	75	71	71	77
1937	74	75	74	71	78	83	84	83	80	71	72	70	76
1938	69	70	71	72	75	75	80	88	80	75	71	71	75
1939	75	70	74	73	81	85	89	84	80	76	73	64	77
1940	69	71	74	78	82	87	88	84	83	78	71	67	78
1941	74	74	77	78	80	84	86	83	82	74	73	73	78
1942	70	73	71	71	75	84	88	82	82	72	67	73	76
1943	70	67	76	72	74	88	89	87	78	72	68	65	76
1944	70	69	69	76	79	87	85	87	82	72	77	71	77
1945	70	-	73	-	78	86	87	87	-	70	71	68	-
1946	71	70	73	69	78	81	83	82	79	69	70	70	75
平 均	73	74	74	76	79	84	85	85	81	75	73	72	78
最小相对湿度(%)													
1897	46	50	50	45	49	62	62	72	73	52	56	50	45
日	31	13	13	4	25	8	23	25	1	25	25	26, 29	4/4
1898	50	53	60	60	64	60	59	62	58	65	51	56	50
日	27	26	21	22	-	7	-	15	16	20	29	-	27/1
1899	52	55	47	55	40	64	58	63	59	50	42	51	40
日	14	-	18, 28	22	12	-	-	19	23	16	24	-	12/5
1900	49	51	52	38	47	57	57	57	53	50	44	50	38
日	-	6	11	28	-	6, 9	31	8	-	17	18	22	28/4
1901	53	43	49	50	50	60	60	59	52	50	51	46	43
日	-	24	5	-	7	-	-	22, 30	5	-	14	-	24/2
1902	48	46	50	54	51	60	56	58	54	52	56	59	46
日	25	13	1	5	-	29	7	21	-	13	21	10	13/2
1903	52	57	52	54	58	51	62	60	59	60	49	52	49
日	18	-	11	16, 23	22	-	8	22	22	-	12	31	12/11
1904	52	53	55	49	47	56	58	58	50	44	51	43	43
日	-	-	-	12	-	-	2	25	19	10	17, 18	7	7/12
1905	48	53	53	51	55	53	54	54	55	55	51	52	48
日	2	19	5	18	-	20	14	28	12	10	-	-	2/1
1906	51	46	48	44	42	60	61	49	61	50	52	46	42
日	-	6	8	25	17	18	-	22	-	-	-	-	17/5
1907	38	46	47	41	44	63	58	62	51	59	55	42	38
日	6	-	13	20	-	12	22	-	16	15	30	21	6/1
1908	47	49	53	52	46	59	58	65	62	59	50	53	46
日	-	-	-	-	4	21	11	13, 29	-	8	17	-	4/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1909	日	53	51	53	43	44	53	57	55	54	57	51	40	40
1910	日	25	-	-	-	11	-	18	31	5,10	9	26	26	26/12
1911	日	44	46	49	48	49	49	62	61	61	49	47	45	44
1912	日	28	10	5	-	25	25	-	-	24	14	12	-	28/1
1913	日	40	50	47	42	55	50	55	58	54	54	47	55	40
1914	日	9	10	2	10	18,20	12	1	25	15	21	8,9	15	9/1
1915	日	51	46	44	47	53	58	58	56	58	54	50	48	44
1916	日	30	22	29	12	12,28	2	21	12	25	4	25	7	29/3
1917	日	58	50	46	49	51	56	58	64	54	44	48	49	44
1918	日	1,11	12	6	19	7	7	12	5,19	3	22	19,25	6	22/10
1919	日	47	43	46	47	48	51	53	58	57	54	51	48	43
1920	日	2,3	21	28	9,26	4	27	5	10,12	23	13,29	11	30	21/2
1921	日	50	41	48	49	50	61	53	60	51	55	55	49	41
1922	日	15	27	25	1	12	7	22	20	12	13	29,30	1	27/2
1923	日	42	55	49	49	49	59	53	66	59	55	55	50	42
1924	日	16	26	9	21	16	8	25	27,30	29	4,5	12	1	16/1
1925	日	47	45	51	44	53	57	61	52	56	55	45	47	44
1926	日	16	10	26	3	2,4	15	10	16	28	28	34	10	3/4
1927	日	46	45	44	44	45	47	58	58	51	47	60	54	44
1928	日	34	19	17	17	21	27	6	23	3	14	3,5	11,14	17/3,17/4
1929	日	53	50	50	56	56	60	55	60	49	58	47	54	47
1930	日	18	25	11	8	-	12	-	-	-	3	15	-	15/11
1931	日	43	58	54	55	57	61	63	60	61	58	57	51	43
1932	日	22	-	11,22	22	-	-	-	31	-	-	28	24	22/1
1933	日	53	45	55	49	47	58	58	60	60	48	51	51	45
1934	日	15,31	22,23	-	5	1	-	-	10	-	-	-	-	22,23/2
1935	日	63	54	49	40	52	59	49	57	56	53	47	47	40
1936	日	17	28	-	25	-	29	-	17	24	29	23	30	25/4
1937	日	51	52	47	47	45	56	63	59	43	53	45	43	43
1938	日	-	-	26,27	3	7,9	3	29	2	18	6	13	27	18/3,27/12
1939	日	47	48	52	50	50	60	61	57	59	48	44	45	44
1940	日	24	22	14,22	14	8,30	5	6,28	30	3	29	25	29	25/11
1941	日	51	45	35	32	52	60	59	57	57	39	46	34	32
1942	日	24	6	12	1	2,11	12	29	25	34	27	4	21	1/4
1943	日	46	45	44	48	53	51	56	59	56	44	43	41	41
1944	日	11	2,3	31	7,8	15	1	11	13	6,7	31	1	29	29/12
1945	日	48	43	50	49	49	58	54	61	53	46	46	50	43
1946	日	29	26	21	29,30	21	27	15	25	10	25,29	20	2	26/2
1947	日	44	43	49	44	53	61	59	62	59	45	45	49	43
1948	日	15	13	20	10	7	2,16	4,28	24	1	31	22	9	13/2
1949	日	49	52	42	33	49	57	63	60	54	40	48	47	33
1950	日	11	22	19	14	10,11	3	17	25	12	23	27	27	14/4
1951	日	51	38	41	43	47	55	62	60	55	52	44	52	38
1952	日	12	17	22	30	8	18	24	29	21	12	15	27	17/2
1953	日	49	47	46	47	48	59	56	63	65	46	47	47	46
1954	日	20	4	16	10	1	3,5	29	4	17,27	15	6	19	16/3,15/40
1955	日	36	49	42	51	51	55	65	63	60	51	51	46	36
1956	日	11	18	5	34	19	30	34	30	11	6	19	9	11/1
1957	日	51	49	43	46	50	54	54	47	51	41	40	37	37
1958	日	47	52	46	48	45	53	53	56	51	50	58	44	44
1959	日	50	44	48	51	47	59	61	63	55	52	39	46	39
1960	日	50	50	45	49	50	55	61	64	46	52	45	47	45
1961	日	51	45	50	38	39	56	57	60	55	41	44	50	38
1962	日	51	42	45	48	37	44	50	64	53	48	48	39	37
1963	日	7,11	23	3,30	2	12	8	21	31	26	22	13	7	12/5
1964	日	48	43	46	44	56	56	49	54	36	48	44	44	36
1965	日	22	12	2	9	4,10	3	9,16	20	21	19	29	4	21/9
1966	日	32	44	41	44	50	57	62	49	54	51	48	41	32
1967	日	37	39	42	47	41	54	57	55	51	42	53	54	37
1968	日	42	39	43	46	46	50	56	42	45	44	48	46	39
1969	日	43	41	41	39	37	48	59	54	43	38	44	32	32
1970	日	45	41	33	46	33	57	59	56	53	50	51	50	33
1971	日	48	52	41	-	-	-	-	-	-	-	-	-	-
1972	日	44	41	39	22	43	48	52	56	51	43	44	42	22

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日年	值期份	32 6 1940	38 17 1930	33 13 1944	22 18 1946	33 6 1944	44 8 1938	49 3 1922 1939	42 12 1942	36 21 1939	38 8 1943	39 21 1935	32 22 1943	22 18/4 1946
廣 東 曲 江		$\varphi=24^{\circ}55'N$ $\lambda=113^{\circ}07'E$ $H=86.6 M$												
		平均相对湿度(%)												
1951	79	78	87	87	75	81	75	77	75	76	77	72	78	
1952	72	78	85	83	81	80	81	80	79	73	72	71	78	
1953	77	82	83	83	83	80	74	72	77	78	78	82	79	
平 均	76	79	85	84	80	80	77	76	77	76	76	75	78	
		最小相对湿度(%)												
1951*	31	30	35	47	31	46	40	38	30	33	34	21	21	
日	29	19	7	8	19	30	22	22	19	28	1,2	18	18/12	
1952*	21	42	30	33	49	45	46	46	38	38	40	24	21	
日	21	20,21	22	17	16	10	4	31	29	17	6,11	12	21/1	
1953*	27	34	43	35	33	48	36	29	40	47	34	34	27	
日	7	13	2,29	3	8	8,12	29	12	26	1,2	22	12	7/1	
極日年	值期份	21 21 1952	30 19 1951	30 22 1952	33 17 1952	31 19 1951	45 10 1952	36 29 1953	29 12 1953	30 19 1951	33 28 1951	34 3 1951	21 18 1951	21 18/12,21/1 1951 1952
汕 頭		$\varphi=23^{\circ}21'N$ $\lambda=116^{\circ}40'E$ $H=5.3 M$												
		平均相对湿度(%)												
1950	-	-	-	-	-	-	81	85	79	78	77	73	-	
1951	82	79	83	88	82	86	84	85	79	75	80	75	82	
1952	76	83	86	86	86	89	86	85	84	77	78	86	84	
1953	85	87	83	84	89	87	81	82	83	81	79	81	84	
平 均	81	83	84	86	86	87	84	84	82	78	79	81	83	
		最小相对湿度(%)												
1950	-	-	-	-	-	-	51	59	49	42	43	37	-	
日	-	-	-	-	-	-	20	23	10,18	31	8	18	-	
1951	53	29	59	55	29	57	57	51	47	42	40	27	27	
日	29,31	19	13,26	11	10	11	17,31	21	19	31	3	14	14/12	
1952*	34	51	44	40	42	62	48	57	55	51	45	48	34	
日	22	19	23	16	15	4	4	15	2	26	1	15	22/1	
1953*	39	51	40	42	49	54	52	52	45	44	47	46	39	
日	7	8	26	4	1	24	17	12	30	11	19	12	7/1	
極日年	值期份	34 22 1952	29 19 1951	40 26 1953	40 16 1952	29 10 1951	54 24 1953	48 4 1952	51 21 1951	45 30 1953	42 31 1950	40 3 1951	27 14 1951	27 14/12 1951
廣 州		$\varphi=23^{\circ}00'N$ $\lambda=113^{\circ}13'E$ $H=18.9 M$												
		平均相对湿度(%)												
1912	-	-	86	83	85	88	81	82	72	69	58	67	-	
1913	73	77	80	84	88	91	87	86	84	75	77	67	81	
1914	73	76	73	69	68	70	70	69	77	85	81	77	74	
1915	74	81	78	83	81	84	81	80	71	74	68	61	76	
1916	68	80	83	83	82	84	79	80	79	72	64	64	77	
1917	67	77	85	87	83	86	83	82	78	69	57	65	77	
1918	50	71	82	84	87	86	85	87	78	65	81	83	78	
1919	82	86	90	87	81	84	79	79	76	73	74	78	81	
1920	72	90	90	88	89	84	79	84	78	69	78	76	81	

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1921	61	67	75	81	88	85	78	79	75	63	56	66	73
1922	82	84	83	81	86	—	—	83	79	72	62	71	—
1923	73	72	78	83	79	82	83	83	74	74	71	73	77
1924	82	85	77	86	81	85	78	89	74	72	70	69	79
1925	82	79	84	89	85	83	80	78	71	68	72	65	78
1926	76	89	86	90	83	83	81	78	76	74	74	75	81
1927	79	82	86	82	84	81	82	83	79	78	74	82	81
1928	85	76	88	83	86	79	73	78	72	58	63	73	76
1929	76	84	79	65	83	77	79	79	74	62	60	78	76
1930	81	79	81	83	79	81	81	78	79	69	69	77	78
1931	76	87	89	89	85	83	82	80	82	70	67	80	81
1932	74	84	78	84	80	85	82	81	78	70	71	69	78
1933	74	81	77	84	80	82	74	73	78	65	68	75	76
1948	—	—	—	—	—	—	—	—	—	—	—	—	—
1949	65	77	84	84	82	86	82	85	81	—	—	—	—
1950	77	70	80	86	85	87	82	84	78	71	67	59	77
1951	75	78	88	88	80	87	83	83	77	74	73	64	79
1952	69	78	86	85	83	84	85	83	84	73	69	64	79
1953	75	87	88	87	87	85	82	81	82	82	76	77	82
平 均	74	80	83	84	83	83	80	81	77	71	70	72	78
最小相对湿度(%)													
1948	—	—	—	—	—	—	—	—	—	48	36	44	—
日	—	—	—	—	—	—	—	—	—	8	16	16	—
1949	26	38	47	60	47	58	51	55	55	—	—	—	—
日	15	15	2	3	8	7	29, 30	24	4, 7	—	—	—	—
1950	33	34	35	51	40	48	51	53	39	35	27	26	26
日	10	20	13	13	9	8	22	1	17	30	15	9	9/12
1951	33	29	50	53	37	55	51	47	39	36	32	20	20
日	21	18	7	11	9	25	1, 31	21	19	29	1	15	15/12
1952	32	39	48	37	49	48	52	53	52	41	38	24	24
日	3	19	23	15	15	10	11	4	30	31	3	11	11/12
1953	23	46	63	43	36	58	47	44	53	50	37	33	23
日	8	21	29	3, 4	8	12, 27	28	12, 30	25	11	19	11	8/1
極 值	23	29	35	37	36	48	47	44	39	35	27	20	20
日 年	8	18	13	15	8	8, 10	28	12, 30	17, 19	30	15	15	15/12
	1953	1951	1950	1952	1953	1950	1953	1953	1950	1950	1950	1951	1951
香 港 $\varphi=22^{\circ}18'N$ $\lambda=114^{\circ}10'E$ $H=33.2M$													
平均相对湿度(%)													
1884	78	79	91	86	85	83	83	82	76	74	68	62	79
1885	77	81	85	89	87	85	84	85	81	70	61	70	80
1886	67	75	87	87	81	83	83	82	67	72	59	55	75
1887	82	77	76	81	82	79	83	82	78	62	59	60	75
1888	68	80	85	87	85	84	80	84	78	72	71	74	79
1889	79	77	87	88	86	83	80	84	79	78	68	67	80
1890	71	82	84	84	82	82	85	84	73	64	68	76	78
1891	71	75	86	87	86	86	85	83	76	79	66	69	79
1892	72	85	82	82	83	83	85	83	77	63	73	59	77
1893	79	82	83	87	81	81	85	85	81	70	57	58	77
1894	74	74	77	87	84	86	83	85	79	67	60	64	77
1895	75	79	78	84	82	80	81	81	69	75	63	63	76
1896	76	85	88	87	79	85	82	80	80	73	76	65	80
1897	80	80	90	81	85	84	79	86	79	76	65	68	79
1898	65	78	82	81	83	83	80	82	80	68	61	52	75
1899	63	70	74	84	79	83	82	85	75	66	62	78	75
1900	77	74	87	84	82	82	83	78	72	72	68	66	77
1901	83	48	77	87	85	80	81	84	76	68	64	66	75
1902	67	60	81	83	84	83	82	83	65	70	74	75	76

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1903	68	73	89	83	87	82	84	85	84	70	62	56	77
1904	72	69	87	86	83	83	82	83	81	74	62	62	77
1905	79	84	88	85	82	83	80	84	81	71	66	80	80
1906	80	87	79	88	86	79	80	79	80	62	62	70	78
1907	69	75	80	84	82	80	80	81	78	80	73	63	77
1908	78	76	76	89	79	84	82	83	84	78	63	76	79
1909	80	81	81	79	83	80	81	81	80	77	62	59	77
1910	76	78	84	82	77	79	81	83	82	72	70	66	78
1911	74	71	83	82	90	82	81	82	78	74	76	77	79
1912	79	75	86	81	84	85	80	83	71	68	65	74	78
1913	69	81	79	85	82	83	82	84	81	64	72	68	78
1914	69	79	83	83	80	79	83	79	73	77	74	73	78
1915	72	81	78	84	84	83	81	82	75	75	70	62	77
1916	72	80	79	83	83	86	79	82	78	71	63	60	76
1917	63	72	78	86	82	83	83	83	77	73	60	60	75
1918	46	71	81	84	84	86	84	86	81	66	76	80	77
1919	81	79	90	85	82	83	81	82	73	72	67	66	78
1920	55	84	84	84	88	83	83	85	81	70	75	74	79
1921	66	68	78	81	88	84	81	82	75	69	58	70	75
1922	81	83	81	81	85	81	81	82	78	74	59	64	78
1923	64	72	78	85	79	82	81	84	73	72	72	71	76
1924	81	86	79	85	82	83	83	82	78	71	57	61	77
1925	76	70	81	83	85	82	81	79	74	64	70	58	75
1926	72	82	82	87	83	83	81	83	80	74	73	69	79
1927	74	78	80	84	86	84	84	85	80	71	64	72	79
1928	83	82	87	81	86	83	80	84	75	65	67	72	79
1929	76	79	73	75	84	79	84	85	79	69	64	78	77
1930	75	76	76	87	82	81	83	82	82	73	70	75	79
1931	75	85	80	87	87	82	81	83	81	67	66	72	79
1932	64	74	75	86	84	85	84	83	81	71	70	68	77
1933	74	80	78	82	82	83	83	78	79	71	70	74	78
1934	70	73	78	85	81	86	86	88	81	74	77	75	80
1935	79	80	83	89	83	83	86	84	82	83	77	76	82
1936	75	85	81	87	88	84	83	83	76	63	73	75	79
1937	79	78	89	86	84	85	84	86	82	72	71	76	81
1938	77	80	85	80	84	80	83	84	80	76	67	76	79
1939	79	79	89	82	85	85	84	83	77	73	75	62	79
1940	71	79	84	82	87	88	84	86	79	75	72	73	80
1941	84	85	85	84	-	-	83	83	75	74	-	-	-
1947	87	79	80	83	89	88	88	86	86	72	70	72	82
1948	74	87	83	88	89	86	86	85	84	78	71	85	83
平 均	74	77	82	84	84	83	82	83	78	71	67	69	78
最小相对湿度(%)													
1884	34	36	70	60	56	52	58	54	44	28	20	20	20
日	9	24	29	22	31	2	15	21	20	22	22	9	22/11,9/12
1885	58	57	56	60	69	49	56	62	40	41	23	29	23
日	7, 30	14	17	14	25, 27	9	16	7	14	26	4	27	4/11
1886	24	32	64	50	42	57	63	62	34	41	26	14	14
日	4	1	27	26	6	16	4	11	11	31	17	7, 15	7, 15/12
1887	53	53	24	32	36	34	61	53	55	32	16	12	12
日	6	16	27	3	14	1	14	8	30	6	17	31	31/12
1888	5	28	59	68	66	64	54	65	53	27	46	38	5
日	5	3	4	29	9	4	14	26, 27	27	26	22	26	5/1
1889	51	11	56	44	61	62	47	47	43	49	24	20	11
1890	25	41	45	38	57	64	69	61	34	27	16	29	16
1891	19	27	53	47	56	49	59	46	44	56	38	23	19
1892	31	42	44	20	35	60	66	53	37	22	32	18	18
1893	34	52	38	58	41	58	56	62	52	32	15	9	9
1894	23	24	26	49	46	60	57	62	52	38	10	15	10
1895	30	18	24	31	45	53	55	48	25	41	20	18	18

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1896		20	45	62	58	42	62	50	59	49	38	45	16	16
1897		45	23	60	32	60	58	54	61	41	39	12	29	12
1898		14	13	54	42	44	53	49	57	51	28	11	7	7
1899		18	14	30	57	34	61	60	59	35	24	19	29	14
1900		36	23	40	43	46	42	59	38	40	38	10	22	10
1901		65	6	48	54	58	44	55	52	30	27	23	12	6
1902		17	13	46	57	51	60	53	54	23	41	40	33	13
1903		17	43	42	46	39	57	57	61	55	35	19	8	8
1904		28	20	59	50	38	37	62	54	47	39	18	16	16
1905		47	38	49	34	47	36	51	56	53	30	24	35	24
1906		51	52	19	55	49	57	56	49	49	23	26	15	15
1907		16	34	23	31	42	37	58	56	44	56	40	18	16
1908		43	25	40	58	47	66	58	56	57	52	18	36	18
1909		52	41	46	28	36	57	56	51	42	49	20	23	20
1910		21	36	56	27	36	58	51	59	53	29	23	13	13
1911		40	37	21	47	60	60	54	53	45	39	42	48	21
1912		41	29	43	43	64	63	52	57	35	36	14	41	14
1913		30	48	31	57	51	63	61	59	38	26	32	15	15
1914		13	44	53	40	49	38	56	49	42	55	34	26	13
1915		26	26	26	32	33	61	55	51	41	41	27	18	18
1916		24	42	32	36	60	63	56	52	35	35	22	20	20
1917		17	33	43	45	28	61	57	61	46	41	13	17	13
1918		12	14	43	50	42	55	56	64	45	31	53	41	12
1919		13	30	67	35	29	61	56	54	37	46	26	10	10
1920		12	58	41	56	55	55	53	59	46	39	33	35	12
日		12	9	16	27	12	28	24	23	27	20	4	24	12/1
1921		22	29	35	40	58	54	56	59	39	27	13	36	13
日		22	21	12	3	2	2	23	5, 22	25	4	8	7	8/11
1922		47	52	37	17	56	51	55	57	43	35	17	18	17
日		10	3	24	17	31	12	17	2	17	26	26	8	17/4, 26/11
1923		24	12	32	35	40	55	63	60	27	29	28	35	12
日		5	1	22	28	8	6	26	18	29	9	2	30	1/2
1924		44	52	39	49	30	46	63	60	54	41	18	19	18
日		2	1	21	23	29	6	8	17	7	29	24	9	24/11
1925		41	27	17	47	57	58	58	54	35	31	31	19	17
日		31	27	12	13	27	20	28	28	7	10	1	4	12/3
1926		40	53	43	56	41	50	53	57	43	34	34	17	17
日		2	27	31	5	14	1	16	14	10	23	4	27	27/12
1927		30	35	43	52	49	63	61	66	58	31	25	24	24
日		28	8	5	4	30	3	13	29	9	15	16	9	9/12
1928		41	51	56	48	39	39	58	56	45	30	25	45	25
日		4	24	21	15	3	13	8	1	13	8	21	1	21/11
1929		34	52	37	26	46	50	59	61	43	41	26	44	26
日		10	14	17	20	29	2	8	25	8	22	18	4	20/4, 28/11
1930		46	36	29	49	51	54	59	60	58	33	32	37	29
日		8, 31	1, 15	13	2	13	30	1	10	2	10	19	24	13/3
1931		30	55	34	54	62	55	61	49	50	33	19	34	19
日		10	27	12	5	16	4	22	25	22	29	6	13	6/11
1932		19	38	39	56	59	64	61	64	60	45	38	18	18
日		3	29	24	15	6	23	10	15	6	26	13	7	7/12
1933		34	39	27	46	51	68	60	55	50	35	41	45	27
1934		35	31	39	61	55	66	65	66	57	54	52	31	31
1935		41	35	47	63	56	56	63	56	51	55	46	50	35
1936		40	50	46	63	66	59	64	58	37	25	38	36	25
1937		55	47	46	60	54	62	61	68	64	31	41	37	31
1939		44	38	54	34	57	66	58	42	41	37	43	33	33
1947		68	32	46	46	64	72	68	58	61	43	39	40	32
按日	期	5	6	17	17	28	34	47	38	23	22	10	7	5
年	份	5	-	12	17	-	1	-	-	-	-	-	-	5/1
		1888	1901	1925	1922	1917	1887	1889	1900	1902	1892	1894	1898	1888
												1900		

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
洪 江														
$\varphi=21^{\circ}02'N$ $\lambda=110^{\circ}28'E$ $H=10.0\text{ M}$														
平均相对湿度(%)														
1951	日	85	86	91	90	84	86	80	85	82	81	81	75	84
1952	日	83	88	92	86	85	85	83	84	84	77	77	74	83
1953	日	84	89	91	90	86	84	79	82	82	81	78	81	84
平 均		84	88	91	89	85	85	81	84	83	80	79	77	84
最小相对湿度(%)														
1951*	日	52	41	63	52	51	49	49	55	44	37	41	28	28
1952*	日	21	19	7	22	8,17	26	7	24	19	31	1	15	15/12
1952*	日	39	46	38	36	54	53	52	51	52	49	38	27	27
1953*	日	8	19	5	15	27	11	11,12	18	30	2	27	11	11/12
1953*	日	23	55	57	46	50	40	44	48	52	56	35	41	23
日		7	22	27	3	8	26	13	31	1	1	22	11	7/1
极 值	日期	23	41	38	36	50	40	44	48	44	37	35	27	23
日 年		7	19	5	15	8	26	13	31	19	31	22	11	7/1
		1953	1951	1952	1952	1953	1953	1953	1953	1951	1951	1953	1952	1953
广 西 桂 林														
$\varphi=25^{\circ}15'N$ $\lambda=110^{\circ}10'E$ $H=156.0\text{ M}$														
平均相对湿度(%)														
1935		-	-	-	-	-	-	-	85	63	78	81	80	-
1936		75	67	78	81	89	82	79	78	68	60	66	75	75
1937		75	79	80	86	85	83	79	84	73	62	74	77	78
1938		80	76	79	78	86	85	81	83	76	71	69	74	78
1939		79	89	85	79	81	83	83	78	71	74	79	60	78
1940		78	83	85	76	82	82	82	78	66	67	77	77	78
1941		80	82	80	77	81	79	83	81	72	77	82	79	79
1942		69	76	84	85	81	83	85	80	66	77	75	75	78
1943		68	71	81	84	81	76	82	84	76	-	-	-	-
1949		61	73	82	80	78	85	-	80	72	71	-	-	-
1951		73	75	84	84	76	80	80	79	72	75	76	67	77
1952		75	78	83	81	84	74	83	80	75	74	72	62	77
1953		77	82	82	78	80	78	76	72	71	79	77	78	78
平 均		76	79	82	81	83	81	81	79	71	72	75	72	78
最小相对湿度(%)														
1935	日	-	-	-	-	-	-	-	45	34	42	33	40	-
1936	日	-	-	-	-	-	-	-	24,25	16	26	19	18	-
1936	日	35	38	29	37	57	42	48	44	29	22	28	36	22
1937	日	20	12	8	15	20,23	11	31	21	30	19	27	27	19/10
1937	日	36	40	40	40	37	39	48	52	39	25	36	30	25
1938	日	1	4	28	8	15	19	34	3	19	21	30	11	21/10
1938	日	41	31	41	35	53	55	51	54	43	30	31	33	30
1939	日	9	21	15	17	10	18	20	27	27	19	15	5	19/10
1939	日	33	45	48	29	41	53	53	31	30	31	37	26	26
1939	日	15	5	17	7	8	7	25	31	8	1	29	23	23/12
1940	日	33	45	40	32	50	46	54	51	34	30	42	35	30
1941	日	3	23	11	5	30	2	28	22	14	5,12	14	30	5,12/10
1941	日	38	46	52	39	46	47	51	50	38	30	44	48	30
1942	日	31	1	19	10	3	29	6	13	14	7	4	5	7/10
1942	日	36	48	48	52	52	51	58	40	33	38	40	42	33
1943	日	16	19	18	21	7,20	11	22	30,31	20	25	1	4,13	20/9
1943	日	34	41	53	41	44	34	55	53	48	-	-	-	-
1943	日	11	7	31	8	6	13	23	31	16	-	-	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	日	21	22	52	40	36	51	-	46	36	37	-	-	21
	日	14	16	18	14	2	16,20	-	18	14	26	-	-	14/1
1951	日	27	23	35	32	31	34	39	39	28	33	26	23	23
	日	16	18	7	11	9,19	30	1	22	18	30	25	15	18/2,15/12
1952	日	28	34	46	25	48	30	44	44	40	32	40	21	21
	日	7	20	22	14	13	10	4,5	19	28	3	3	4	4/12
1953	日	32	45	45	28	29	40	44	34	35	38	26	26	26
	日	7	7,21	16	2	14	12	29	31	15	1	22	11	22/11,11/12
恒 值	21	22	29	25	29	30	39	31	28	22	26	21	21	21
日 期	14	16	8	14	14	10	1	31	18	19	25,22	4	14/14/12	14/14/12
年 份	1949	1949	1936	1952	1953	1952	1951	1939	1951	1936	1951	1952	1949	1952
柳 城 $\varphi=24^{\circ}25'N$ $\lambda=109^{\circ}17'E$ $H=110.0M$														
平均相对湿度(%)														
1936	80	77	80	79	87	84	81	82	74	67	67	74	78	78
1937	74	77	79	83	82	83	80	87	78	72	81	82	80	80
1938	86	84	84	79	82	85	84	86	77	73	72	76	81	81
1939	86	86	86	80	83	82	83	78	76	76	79	69	80	80
1940	79	82	82	78	79	84	84	82	70	68	76	75	78	78
1941	78	82	80	77	81	82	85	82	71	80	82	79	80	80
1942	72	75	84	83	80	85	89	81	69	79	76	79	79	79
1943	73	73	84	86	82	82	86	88	81	79	71	68	79	79
1944	75	81	85	84	83	88	82	83	75	-	-	-	-	-
1946	72	71	84	74	84	84	88	84	76	65	75	77	78	78
1947	81	81	83	82	81	88	85	83	84	71	69	67	80	80
1948	71	85	83	84	86	84	87	84	80	77	73	84	82	82
1949	68	76	86	85	79	-	-	-	-	-	-	-	-	-
1950	80	-	-	-	-	-	82	84	82	74	78	68	-	-
平 均	77	79	83	80	82	84	85	83	76	73	75	75	80	80
最小相对湿度(%)														
1936	34	42	19	40	58	36	44	38	26	14	21	37	14	14
日	20	12	14	15	17	10	31	1	28	17	22	4,25	17/10	17/10
1937	29	23	33	40	33	45	49	53	45	23	41	36	23	23
日	1	4	4	9	15	2	17	31	19	19	9	12	4/2,9/10	4/2,9/10
1938	57	47	53	25	39	57	51	54	42	25	24	41	24	24
日	13	22	16	17	10	28,29	21	25	27	20	8	3	8/11	8/11
1939	31	38	59	23	41	52	54	39	27	25	33	28	23	23
日	12	5	17,18	7	12	3	29,31	31	8	10	26	26	7/4	7/4
1940	32	51	36	37	45	41	54	47	33	23	29	25	23	23
日	1	23	12	5	2	17	8,27	21,29	28	4	14	17	4/10	4/10
1941	40	44	40	34	35	34	50	45	30	30	33	36	30	30
日	31	1	18	13	31	3	1	38	30	6	15	17	30/9,6/10	30/9,6/10
1942	29	40	38	36	43	40	59	41	28	34	38	39	28	28
日	2,9	16	18	21	20	10	29	30	19	28	22	13	19/9	19/9
1943	24	28	49	34	47	32	54	54	47	31	25	22	22	22
日	10	8	1	9	8	13	9	31	19	7	21	10	10/12	10/12
1944	28	31	42	52	43	59	50	52	31	-	-	-	-	-
日	7	25	10	6	5	10	38	17	20	-	-	-	-	-
1946	30	20	42	27	46	47	57	51	35	26	24	24	20	20
日	5	8	20	21	16	4	18	25	26	22	18	29	8/2	8/2
1947	46	37	45	31	49	51	51	49	44	31	23	29	23	23
日	30	23	10	2	18	24	19	28	21	9	3	23	3/11	3/11
1948	19	47	51	46	60	55	57	53	43	32	25	36	19	19
日	2	10	24	28	23	19	23	11	16	17	16	14	2/1	2/1
1949	18	26	61	47	35	-	-	-	-	-	-	-	-	-
日	14	16	18	30	7	-	-	-	-	-	-	-	-	-
1950	39	-	-	-	-	-	47	47	43	34	33	28	-	-
日	6	-	-	-	-	-	31	2	16	30	15	3,10	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
日	值	18	20	19	23	33	32	44	38	26	14	21	22	14
年	期	14	8	14	7	15	13	31	1	28	17	22	10	17/10
	份	1949	1946	1936	1939	1937	1943	1936	1936	1936	1936	1936	1943	1936
百色														
$\varphi=23^{\circ}55'N$ $\lambda=106^{\circ}32'E$ $H=138.0M$														
平均相对湿度(%)														
1939	79	86	83	85	80	80	85	83	79	78	83	71	81	
1940	74	73	76	68	(75)	80	81	80	77	-	82	79	-	
1941	75	75	69	69	71	77	82	83	80	84	86	82	78	
1942	79	76	76	71	76	80	87	83	73	82	80	82	79	
1943	74	73	74	71	68	65	80	86	81	75	-	-	-	
1944	82	80	74	75	77	86	82	-	-	-	-	-	-	
1948	65	72	72	80	-	-	-	-	-	80	74	79	-	
1949	68	73	76	-	-	-	-	-	-	-	-	-	-	
1950	-	-	-	-	-	-	-	-	-	-	79	71	-	
1951	78	72	75	79	78	84	82	85	82	80	78	77	79	
1952	73	71	77	68	75	73	80	83	82	81	75	68	76	
1953	77	77	76	75	76	78	74	76	76	80	74	78	76	
平 均	77	76	76	75	76	79	82	82	79	81	79	76	78	
最小相对湿度(%)														
1939	47	63	60	(58)	43	54	58	47	(39)	(34)	(50)	(32)	32	
日	15	11	30	7	13	7	9	31	30	11	8	26	26/12	
1940	(42)	(48)	28	(32)	(45)	(51)	(56)	(54)	(47)	-	43	41	-	
日	25	25	11	5	29	17	16	16	28	-	13	17	-	
1941	48	37	36	36	43	39	(51)	45	42	36	46	39	36	
日	9	12	17, 31	1, 4	3	3	6	15	29, 30	1	4	18	5*	
1942	42	41	43	36	35	44	59	47	37	34	50	48	34	
日	31	26	18, 19	21	31	9	13	29, 30	21	1	2	4	1/10	
1943	32	37	26	30	41	27	49	60	49	40	-	-	-	
日	11	9	22	9	19, 31	13	20	31	21	29	-	-	-	
1944	54	44	32	22	42	60	54	-	-	-	-	-	-	
日	8	25	10	8	11	2	9	-	-	-	-	-	-	
1948	36	42	31	-	-	-	-	-	-	41	44	51	-	
日	3, 4	16	10	-	-	-	-	-	-	16	16, 19	2	-	
1949	35	41	49	-	-	-	-	-	-	-	-	-	-	
日	14	16	10	-	-	-	-	-	-	-	-	-	-	
1950	-	-	-	-	-	-	-	-	-	-	51	35	-	
日	-	-	-	-	-	-	-	-	-	-	30	1	-	
1951*	43	42	49	51	54	52	60	62	56	46	50	34	34	
日	13	16, 17	6, 7	11	19	30	1	30	28	30	14	16	16/12	
1952*	37	34	30	22	31	24	38	47	48	44	30	24	22	
日	18	21	17	15	3	15	6	10, 20	27	3	3	12	15/4	
1953*	21	43	35	31	24	40	43	35	35	31	30	24	21	
日	8	21	11	3	7	7	29, 31	17	24	1	19	13	8/1	
日	21	34	26	22	24	24	38	35	35	31	30	24	21	
值	8	21	22	8, 15	7	15	6	17	24	1	3, 19	12, 13	8/1	
年	份	1953	1952	1943	1944	1953	1952	1952	1953	1953	1953	1952	1952	1953
梧州														
$\varphi=23^{\circ}30'N$ $\lambda=111^{\circ}25'E$ $H=45.3M$														
平均相对湿度(%)														
1938	-	-	-	-	-	-	-	-	-	-	73	75	-	
1939	78	76	86	78	81	84	82	82	78	80	79	70	80	
1940	75	76	84	83	81	85	82	83	71	70	72	72	78	
1941	80	84	81	82	84	84	84	81	72	75	80	77	80	
1942	69	85	83	81	82	79	86	81	68	76	75	76	78	
1943	67	70	83	78	80	78	83	83	77	68	-	-	-	
1944	67	76	81	82	85	86	81	81	-	-	-	-	-	

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	79	76	87	87	76	82	76	79	77	79	79	74	79
1952	73	79	84	82	83	78	81	81	78	72	72	70	78
1953	77	82	84	84	82	80	74	73	76	76	74	78	78
平 均	76	80	84	82	81	82	81	80	74	75	76	74	79
最小相对湿度(%)													
1938	-	-	-	-	-	-	-	-	-	-	29	39	-
日	-	-	-	-	-	-	-	-	-	-	8	3	-
1939	34	38	62	32	39	52	45	37	36	41	36	30	30
日	15	6	17	7	12	6,7	13	31	1	10	8	31	31/12
1940	27	45	34	36	52	53	54	51	40	29	33	31	27
日	3	23	12	3	24	2	21,28	21	28	8,12	14	17	3/1
1941	46	36	35	39	53	46	55	53	32	34	41	48	32
日	31	1	19	14	29	2	3	11,12	30	1	4	16	30/9
1942	35	60	38	50	52	34	58	46	31	36	42	37	31
日	17	23	19	21	30	9	12	31	20	25	2	14	20/9
1943	33	37	59	42	44	37	51	50	46	35	-	-	-
日	13	26,27	1	5	6	13	8	30	2,12	5	-	-	-
1944	35	32	43	51	44	55	52	51	-	-	-	-	-
日	7	25	4	6,7	5	29	1	15,27	-	-	-	-	-
1951	46	30	46	47	31	41	38	42	34	34	31	26	26
日	1	19	7	11	22	30	1	1	18	31	1	13	13/12
1952	26	39	45	35	48	42	37	40	42	40	39	28	26
日	8	19,20	23	15	3	11	4	7,31	30	21	13	11	8/1
1953	22	42	42	34	28	42	36	36	41	44	29	30	22
日	8	21	29	3	7	28	30	31	26	1,2	19	11	8/1
極日	22	30	34	32	28	34	36	36	31	29	29	26	22
日期	1953	1951	1940	1939	1953	1942	1953	1953	1942	1940	1938	1951	1953
貴 縣 $\varphi=23^{\circ}04'N$ $\lambda=109^{\circ}42'E$ $H=64.1M$													
平均相对湿度(%)													
1935	-	-	-	-	-	-	-	-	69	77	83	81	-
1936	73	81	82	80	84	80	79	80	70	60	61	69	75
1937	75	77	82	84	80	82	81	85	76	64	71	71	77
1938	79	82	82	77	85	83	85	90	84	79	80	82	82
1939	86	88	91	85	82	86	87	81	(77)	(78)	-	-	-
1940	-	85	90	90	87	90	92	86	78	82	-	81	-
1941	83	85	84	88	93	86	85	84	71	76	83	80	83
1942	72	83	83	82	84	83	89	82	67	80	75	78	80
1943	72	72	87	83	83	81	82	86	77	-	-	-	-
1944	72	81	85	85	86	88	-	-	-	-	-	-	-
平 均	76	82	83	82	85	83	84	84	74	71	74	76	79
最小相对湿度(%)													
1935	-	-	-	-	-	-	-	-	32	40	36	51	-
日	-	-	-	-	-	-	-	-	22	7	20	22	-
1936	42	51	36	54	55	51	52	49	28	22	28	36	22
日	3,21	25	14	3,28	9	10	31	27	27	20	12,22	26,27	20/10
1937	44	37	42	55	45	48	49	58	47	26	40	33	26
日	3	3	13	20	15	19	16	1,31	30	17	30	2	17/10
1938	47	51	51	50	60	56	62	65	58	49	47	63	47
日	12	17	31	18	7,10	29	15,22	24	29	21	8	2,5	12/1,8/11
1939	61	60	73	55	52	63	63	38	(41)	(44)	-	-	-
日	14	6	18	6,27	2	27	4,8	31	30	11	-	-	-
1940	-	58	65	61	66	80	81	69	55	53	-	38	-
日	-	6	12	12	16	8	21	20	3,25	10	-	13	-
1941	51	43	47	70	61	56	57	56	37	35	46	47	35
日	31	1	17	16	28	4	1	15	30	1	13,16	17	1/10
1942	36	52	48	55	53	42	67	44	33	34	46	43	33
日	17	15	18	34	20	9	34	31	19,22	24	2	13	19,22/9
1943	37	36	57	42	53	40	55	52	52	-	-	-	-
日	10	9	1	8	7	13	10	31	34	-	-	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944 日		35 7	37 25	51 4	53 8	38 5	64 18	-	-	-	-	-	-	-
極 日 年	值 期 份	35 7 1944	36 9 1943	36 14 1936	42 8 1943	38 5 1944	40 13 1943	49 16 1937	38 31 1939	28 27 1936	22 20 1936	28 12,22 1936	3 2 1937	22 20/10 1936
南 寧 $\varphi = 22^{\circ}48'N$ $\lambda = 108^{\circ}18'E$ $H = 76.7 M$														
平均 相 对 湿 度 (%)														
1935	-	-	-	-	-	-	-	79	79	71	82	84	81	-
1936	78	78	82	79	78	82	80	82	72	63	64	72	76	76
1937	75	73	80	83	78	80	79	83	78	70	74	74	77	77
1938	78	81	77	74	79	81	83	88	83	80	78	80	80	80
1939	84	86	89	83	81	83	87	82	81	79	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	87	84	-	-
1942	77	80	84	80	81	82	87	83	68	80	76	81	80	80
1943	78	77	84	84	81	80	83	87	79	74	-	-	-	-
1944	79	85	85	84	84	87	81	83	-	-	-	-	-	-
1948	-	-	-	-	-	-	-	-	-	81	80	88	-	-
1949	73	77	88	85	82	85	79	83	81	-	-	-	-	-
1951	79	76	86	85	80	86	84	87	82	83	83	76	82	82
1952	80	82	89	81	84	79	86	84	83	76	75	67	81	81
1953	82	88	87	86	82	85	80	78	79	79	77	80	82	82
平 均	78	80	84	81	80	82	83	84	78	76	75	76	80	80
最 小 相 对 湿 度 (%)														
1935	-	-	-	-	-	-	50	47	32	45	51	44	-	-
1936	37	47	31	47	45	51	48	54	28	20	30	34	20	20
日	29	10,12	14	25	7	10	11	27	27	18	22,23	27	18/10	18/10
1937	29	30	35	52	41	46	51	54	48	25	37	34	25	25
日	2,3	3	12	20	15	27	21	9	19	17	30	13	17/10	17/10
1938	39	39	39	41	39	58	56	54	53	40	36	45	36	36
日	10	21	6	22	4	30	22	26	28	21	8	2	8/11	8/11
1939	43	42	64	37	42	58	59	44	41	38	-	-	-	-
日	13	5	27	6	8	17	7	30,31	3	11	-	-	-	-
1941	-	-	-	-	-	-	-	-	-	-	60	59	-	-
日	-	-	-	-	-	-	-	-	-	-	13	17	-	-
1942	46	55	54	56	54	52	70	55	42	40	55	53	40	40
日	17	27	18	7	20	11	5,12	30	21	1	2	6	1/10	1/10
1943	51	43	63	49	66	52	62	70	61	48	-	-	-	-
日	12	25	1	9	19	13	20	30	1	6	-	-	-	-
1944	58	51	61	66	62	70	60	60	-	-	-	-	-	-
日	7	25	18	28	12	10	15	17	-	-	-	-	-	-
1948	-	-	-	-	-	-	-	-	-	37	43	54	-	-
日	-	-	-	-	-	-	-	-	-	17	16	16	-	-
1949	32	38	58	51	46	54	48	48	48	-	-	-	-	-
日	14	16	12	27	7	16	26	28	3*	-	-	-	-	-
1951*	45	30	40	48	40	51	54	54	41	40	37	25	25	25
日	2,16	18	7	11	19	9	1	1,7	19	25,27	2	15	15/12	15/12
1952	44*	37*	55*	39	53*	32*	50	54*	42*	43*	42*	26*	26	26
日	7	19	18	15	6	15	5	4	28	2	13	12	12/12	12/12
1953	23	45	50	42*	40*	48	41	43	(37)	44	30	33	23	23
日	7	21	8	3	7	12	31	13,31	24	2	22	11,13	7/1	7/1
極 日 年	值 期 份	23 7 1953	30 3,18 1937 1951	31 14 1936	37 6 1939	39 4 1938	32 15 1952	41 31 1953	43 13,31 1953	28 27 1936	20 18 1936	30 3* 1936	25 15 1951	20 18/10 1936

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
<div>龍 津</div> <div>$\varphi=22^{\circ}22'N$ $\lambda=106^{\circ}45'E$ $H=128.5\text{ M}$</div> <div>平均相对湿度(%)</div>														
1935	—	—	—	—	—	—	—	—	—	76	75	82	—	—
1936	79	73	81	77	78	82	81	81	76	65	66	72	76	76
1937	75	70	75	79	76	79	81	85	80	74	75	75	77	77
1938	73	76	68	71	79	82	83	87	84	81	75	75	78	78
1939	82	85	88	83	82	83	88	84	86	87	84	—	—	—
1941	—	—	—	—	—	—	—	—	—	—	85	83	—	—
1942	77	75	83	80	80	82	88	83	73	80	78	84	80	80
1943	76	75	81	83	78	77	82	87	83	74	—	—	—	—
1944	77	82	83	82	82	86	84	87	—	—	—	—	—	—
1952	—	—	—	—	—	—	85	88	85	81	79	70	—	—
1953	83	86	84	84	82	85	81	84	83	82	79	82	83	83
平 均	77	76	78	78	79	82	83	84	79	76	75	78	79	79
<div>最小相对湿度(%)</div>														
1935	—	—	—	—	—	—	—	—	—	32	27	40	—	—
日	—	—	—	—	—	—	—	—	—	6	20	18	—	—
1936	35	23	33	36	47	49	46	51	28	16	30	31	16	16
日	21	22	14	28	6	7	13	21	26	17	22	2	17/10	17/10
1937	28	27	32	47	41	48	47	50	41	29	37	36	27	27
日	2	3	12	29	19	28	18	10	19	18, 20	8	11	3/2	3/2
1938	37	33	27	37	43	54	56	56	46	40	35	40	27	27
日	10	15	6	5	4	13	15	25	27	3	8	3	6/3	6/3
1939	41	49	66	51	36	56	58	41	39	44	49	—	—	—
日	13	4	30	6	12	17	4	31	2	9	11	—	—	—
1940	—	48	(31)	—	41	—	—	—	—	—	—	—	—	—
日	—	2	11	—	16	—	—	—	—	—	—	—	—	—
1941	—	—	—	—	—	—	—	—	—	—	46	48	—	—
日	—	—	—	—	—	—	—	—	—	—	14	18	—	—
1942	39	43	43	51	54	48	63	42	40	31	40	45	31	31
日	11	1	18	6	17, 27	12	13	31	28	1	1	6	1/10	1/10
1943	36	39	45	45	54	43	46	62	54	38	—	—	—	—
日	11	9	23	8	19	13	17	26	5	29	—	—	—	—
1944	50	46	46	36	50	62	57	51	—	—	—	—	—	—
日	22	25	21	7	11	10	4	14	—	—	—	—	—	—
1952*	—	—	—	—	—	—	48	52	46	43	43	25	—	—
日	—	—	—	—	—	—	5	8	28, 30	17	14, 30	11	—	—
1953*	20	43	50	43	37	52	44	46	38	40	36	28	20	20
日	7	21	11	3	8	12	24	17	25	1	22	12, 13	7/1	7/1
極 值	20	23	27	36	36	43	44	41	28	16	27	25	16	16
日 期	7	22	6	28, 7	12	13	24	31	26	17	20	11	17/10	17/10
年 份	1953	1936	1936	1936	1939	1943	1953	1939	1936	1936	1935	1952	1936	1936
<div>貴 州 桐 梓</div> <div>$\varphi=28^{\circ}20'N$ $\lambda=106^{\circ}40'E$ $H=972.0\text{ M}$</div> <div>平均相对湿度(%)</div>														
1937	—	—	—	—	66	67	71	78	76	76	79	78	—	—
1938	74	74	75	77	71	78	77	75	79	77	76	75	76	76
1939	75	76	74	73	67	70	71	70	69	69	78	70	72	72
1940	73	75	73	68	70	67	70	67	70	70	75	75	71	71
1941	73	73	67	65	67	65	64	71	68	70	74	79	70	70
1942	75	69	67	68	68	71	67	65	66	67	74	73	69	69
1943	68	78	72	67	66	68	66	71	70	73	72	74	70	70
1944	78	70	71	71	71	69	65	65	71	77	76	73	71	71
1945	74	74	70	68	64	65	69	69	67	69	76	75	70	70
1946	75	70	72	64	67	68	67	68	71	70	76	76	70	70

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1947		76	73	71	70	66	72	70	69	71	79	73	72	72
1948		74	74	72	69	73	82	81	82	84	84	80	84	78
1949		81	81	80	82	80	87	80	82	81	85	—	—	—
1950		—	—	—	78	85	86	84	85	88	87	86	77	—
1951		79	79	79	82	75	79	79	77	77	81	85	80	79
1952		83	79	79	73	80	73	76	82	80	86	83	79	79
1953		83	82	82	80	80	75	78	74	80	86	83	85	81
平 均		76	75	73	71	70	72	71	72	73	76	77	76	73
最小相对湿度(%)														
1937	日	—	—	—	—	27	32	48	51	48	32	56	56	—
1938	日	—	—	—	—	15	1	1	23	6,19	17	8	15,17	—
1939	日	42	42	45	36	38	47	47	41	53	32	40	48	32
1940	日	7	21	5	16	23	25	30	5	28	3	8	26	3/10
1941	日	40	44	41	35	32	42	43	30	29	25	40	29	25
1942	日	14	23	23	30	12	21	15	30	2	4	31	4,8	4/10
1943	日	41	40	33	25	32	31	45	40	40	27	37	38	25
1944	日	6	17	12	5	30	2	8	20	13,15	25	13	18	5/4
1945	日	41	40	27	22	36	28	31	45	34	27	35	45	22
1946	日	14,22	5	17	10	23	2	1	9,31	30	4	13	6	10/4
1947	日	46	37	34	28	36	36	35	28	27	24	43	37	24
1948	日	31	1	18	21	20	9	8	30	1	25	7	11	25/10
1949	日	31	48	30	31	26	33	35	44	41	36	32	30	26
1950	日	18	26	22	9	3	7	12,22	10	23	29	23	10	3/5
1951	日	62	48	38	40	38	36	41	35	33	56	45	46	33
1952	日	22	10	10	7	12	1	31	14	16	30	22	4	16/9
1953	日	38	30	37	39	26	30	39	48	37	30	43	40	26
1954	日	18	27	28	2	16	5	31	1	21	11	8	18	16/5
1955	日	42	41	35	26	35	42	43	48	47	35	41	45	26
1956	日	22	3,8	28	20	30	3	18	8,25	4,12	8	19	29	20/4
1947	日	46	39	33	26	32	46	47	46	41	45	34	39	26
1948	日	4	23	2	2	18,20	24,29	13	16	17	15	11	28	2/4
1949	日	43	45	33	38	41	53	53	57	59	53	48	54	33
1950	日	4	14	9	27	5	2	29	24,26	18	19	9	3	9/3
1951	日	46	42	42	43	44	60	53	45	49	56	—	—	—
1952	日	13	15	20	26	7	23	26	30	17	7	—	—	—
1953	日	—	—	—	41	56	53	55	51	66	63	57	46	—
1954	日	—	—	—	14	7	8	18	18	12	5	15	2,10	—
1955	日	51	39	41	51	26	37	47	43	35	40	54	38	26
1956	日	5	18,22	17	8	31	29	3	31	26	15	2	12	31/5
1957	日	45	43	32	28	33	30	38	49	39	49	34	40	28
1958	日	19	21	22	16	13	15	3,23	7	21	17,31	2	3*	16/4
1959	日	50	49	40	43	33	34	47	38	40	39	38	40	33
1960	日	8	8	6	25	6,7	7	6	18	15	1	20	13	6,7/5
接 值	期	31	30	27	22	26	28	31	28	27	24	32	29	22
日 年	份	18	27	17	10	3*	2	1	30	1	25	23	4,8	10/4
1943		1943	1945	1941	1941	3年	1941	1941	1942	1942	1942	1943	1939	1941
思 南 $\varphi = 27^{\circ}56'N$ $\lambda = 108^{\circ}13'E$ $H = 376.2 M$														
平均相对湿度(%)														
1940		—	—	—	—	83	82	84	82	80	86	85	85	—
1941		83	86	80	81	83	80	80	82	80	79	83	87	82
1942		79	75	76	77	79	82	78	73	65	79	—	78	—
1943		71	79	80	80	79	79	76	84	79	87	81	80	80
1944		88	79	81	83	78	79	78	79	87	90	83	76	82
1945		79	80	79	80	80	74	77	83	73	71	79	77	78
1946		74	71	79	70	72	73	71	71	71	70	79	75	73
1947		79	76	76	78	78	80	80	80	82	87	87	87	81
1948		87	77	81	82	86	85	82	79	78	81	76	81	81
1949		79	83	79	81	81	89	78	79	75	83	86	85	82
1950		84	80	78	80	87	87	83	84	89	84	83	83	84

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951		83	81	80	86	80	82	79	74	76	83	86	82	81
1952		83	82	84	79	85	75	79	84	83	86	84	72	81
1953		78	78	80	80	81	76	78	76	77	85	81	79	79
平 均		81	79	80	80	81	80	78	80	79	82	82	80	80
最小相对湿度(%)														
1940	日	-	-	-	-	48	48	34	51	40	52	53	53	-
1941	日	50	49	39	41	51	43	44	45	35	33	46	47	33
1942	日	31	5	17	15	9	2	3,11	13,23	30	7	16	5	7/10
1942	日	49	40	32	31	43	46	43	28	29	30	-	47	-
1943	日	18	27	24	21	3,21	9	13	31	1,2	1	-	34	-
1943	日	30	30	42	44	35	37	39	50	40	39	40	39	30
1944	日	11	11	17	9	3	7,12	12	14	23	2	24	8	11/1,13/2
1944	日	49	45	45	55	31	41	45	45	45	60	46	36	31
1944	日	7	28	10,17	23	12	1	21	12	21	28,29	26	20	12/5
1945	日	39	37	39	39	34	33	38	48	36	31	47	45	31
1945	日	16	27	9,28	18	16	7	20	14	19	10,12	8	29	10,12,10
1946	日	39	37	36	29	37	40	45	41	39	30	45	44	29
1946	日	6,21	9	29	17	25	5	10,18	19	28	24	16	28	17/4
1947	日	38	38	38	34	33	49	49	53	52	62	62	70	33
1947	日	30	21,23	9	14	18	6	6	18	11	15	11	30	18/5
1948	日	55	60	42	50	52	49	53	49	40	46	48	53	40
1948	日	28	24	9	28	5	2	23,31	14	26	18	7	15	26/9
1949	日	51	48	52	46	46	46	53	44	41	59	61	69	41
1949	日	13	16	28	6	9	16	22,26	31	14	27	14	4,16	14/9
1950	日	63	48	60	37	49	58	55	54	65	53	51	63	37
1951	日	5	20	1	14	18	26	3	20	17	19	15	21	14/4
1951	日	58	45	47	63	40	43	51	44	36	48	58	46	36
1952	日	15	19	17	3	31	1	2	17	26	17	3	26	26/9
1952	日	56	56	49	27	50	36	43	50	55	59	54	34	27
1952	日	19	22	22	16	13	15	5	4	10	20,31	6	21	16/4
1953	日	56	48	50	38	33	43	48	45	38	47	47	55	33
1953	日	6,12	11	8,10	3	8	21	29	2	29	1	28	12	8/5
极 值	日期	30	30	32	27	31	33	34	28	29	30	40	34	27
日 年		1943	1943	1942	1952	1944	1945	1940	1942	1942	1942,46	1943	1952	1952
涪 潭 $\varphi=27^{\circ}47'N$ $\lambda=107^{\circ}29'E$ $H=769.0M$														
平均相对湿度(%)														
1940		-	-	-	79	83	81	84	82	84	86	86	86	-
1941		84	86	78	79	80	77	79	87	83	86	87	90	83
1942		82	78	81	81	85	85	82	79	76	85	84	82	82
1943		71	83	84	84	81	82	80	85	84	89	83	84	83
1944		91	83	82	88	82	83	82	82	86	94	89	77	85
1945		84	83	83	82	79	80	83	86	78	81	91	88	83
1946		83	80	86	79	82	86	84	83	83	82	89	86	84
1947		88	83	82	83	82	83	83	80	84	90	86	84	84
1948		83	89	84	84	87	85	85	84	84	85	83	88	85
1949		78	87	85	84	85	89	81	82	81	87	87	92	85
1950		86	81	91	82	86	85	84	82	91	89	86	79	85
1951		83	86	84	89	80	82	81	80	80	87	90	82	84
1952		87	86	87	81	86	75	80	86	85	90	90	79	84
1953		89	87	87	85	84	80	81	80	83	91	87	89	85
平 均		84	84	84	83	83	82	82	83	83	87	87	85	84
最小相对湿度(%)														
1940	日	-	-	-	29	30	25	51	46	40	46	37	38	-
1941	日	-	-	-	29	29	2	17	21	13	10	14	17	-
1941	日	45	44	28	23	38	26	31	51	41	35	42	42	23
1942	日	31	5	17	18	23	2	1	30	29	7	3	5	18/4
1942	日	45	40	23	30	43	37	43	33	30	29	39	47	23
1943	日	17	23	24	21	2	8	7	30	2	1	8	11	24/3
1943	日	31	42	31	30	30	37	43	43	42	46	40	42	30
1943	日	11	23	18	9	19	12	22,27	15	22,23	6	22	10	9/4,19/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944	日	56 6	53 10,12	37 10	50 6	33 5	36 11	46 9	46 16	41 21	63 30	51 21	37 20	33 5/5
1945	日	40 17	34 27	31 1	40 18	28 15,16	31 4,5	37 20	58 3*	36 17,19	31 2,12	52 8	53 29	28 15,16/5
1946	日	42 9,10	44 3	37 28	20 5	38 30	48 3	48 10	47 25	43 5	32 8	50 17,20	51 3*	20 5/4
1947	日	56 4	33 23	45 19,28	37 2,14	28 18	46 6,30	47 7	47 16,28	42 18	48 10	40 11	47 20	28 18/5
1948	日	46 3,4	52 24	27 9	44 27	47 6	40 2	50 20	52 14	45 17	32 9	42 21	56 6,15	27 9/3
1949	日	34 15	37 16	40 20	43 6	35 9	53 16	53 24	37 30	35 14	55 6	45 19	63 4	34 15/1
1950	日	34 16	48 23	57 31	31 14	48 30	34 8	55 5*	43 17,18	61 12	53 19	44 15	45 10	31 14/4
1951	日	50 2,5	36 17	42 16,17	53 7	25 31	30 29	42 3	29 17	29 26	38 29	53 1	37 24	25 31/5
1952	日	42 18	41 21	31 22	21 16	44 13	30 16	39 6	47 6	43 21	50 31	48 3	40 21	21 16/4
1953	日	48 9	49 8,11	43 7	38 25	28 8	39 7	48 29	41 17	46 14	46 1	48 22	29 13	28 8/5
極 日 年	值 期 份	31 11	33 23	23 24	20 5	25 31	25 2	31 1	33 30	29 26	29 1	37 14	29 13	20 5/4
		1943	1947	1942	1946	1951	1940	1941	1942	1951	1942	1940	1953	1946
遵 義														
$\varphi = 27^{\circ}41'N$ $\lambda = 106^{\circ}55'E$ $H = 855.6M$														
平均相对湿度(%)														
1941	-	-	-	-	-	-	-	-	-	-	80	83	89	-
1942	84	85	79	81	80	82	76	75	74	84	84	85	86	81
1943	81	86	84	81	76	79	72	83	85	87	82	83	83	82
1944	89	81	80	85	83	85	81	79	85	91	-	-	-	-
1945	-	-	82	79	-	79	80	86	79	79	89	86	-	-
1946	80	77	81	-	82	84	82	85	84	82	86	85	-	-
1947	85	83	80	83	81	86	85	81	83	88	83	86	84	-
1948	85	88	83	83	88	88	87	85	85	84	84	87	86	-
1949	79	83	83	85	87	92	85	82	80	87	-	-	-	-
1950	-	-	-	-	-	-	-	-	-	85	85	81	-	-
1951	82	82	81	85	76	80	80	78	77	84	87	81	81	-
1952	86	84	82	75	82	74	74	83	82	88	86	79	81	-
1953	88	86	84	83	81	77	78	77	81	87	85	88	83	-
平 均	84	85	82	82	81	81	79	80	81	86	85	84	83	-
最小相对湿度(%)														
1943	-	-	-	-	-	-	-	-	-	51	46	38	28	-
日	-	-	-	-	-	-	-	-	-	5	30	22	10	-
1944	68	49	39	47	34	51	48	40	41	69	-	-	-	-
日	21	12	10	7	2	12	20	18	21	30	-	-	-	-
1945	-	-	-	-	-	-	-	39	57	35	37	57	55	-
日	-	-	-	-	-	-	-	12	11	18	11,12	8	4	-
1946	46	38	39	-	45	51	40	47	42	42	40	56	-	-
日	7	23	28	-	6	13,29	18	25	3	8,23	20	3*	-	-
1947	51	41	39	36	36	52	46	49	36	45	37	55	36	-
日	5,31	23	2	2	18,29	28	7	17,18	17	9	11	8	4*	-
1948	57	63	31	43	54	54	51	52	53	47	51	61	31	-
日	3*	21	9	9	6	18	29	14	17	2	7	16,17	9/3	-
1949	37	43	37	51	41	63	51	44	44	52	-	-	-	-
日	15	16	19	26	7	10	26	31	14	12	-	-	-	-
1950	-	-	-	-	-	-	-	-	-	52	49	40	-	-
日	-	-	-	-	-	-	-	-	-	19	15	2	-	-
1951	50	38	42	53	26	32	49	42	30	50	58	39	26	-
日	26	17	17	7	31	29	24	16	26	19	3	24	31/5	-
1952	47	49	34	26	43	31	40	42	46	49	42	41	26	-
日	19	21	22	16	13	15	17,22	7	21	31	1	22	16/4	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953*	日	45	42	39	41	28	35	42	35	36	37	42	23	23
		9	8,11	7	25	7	7	29	18	23	1	21,28	13	13/12
值	期	37	38	31	26	26	31	39	35	30	37	37	23	23
日	份	15	23,17	9	16	31	15	12	18	26	3*	11	13	13/12
年		1949	1946	1948	1952	1951	1952	1945	1953	1951	1945	1947	1953	1953
			1951								1953			
銅 仁														
$\varphi=27^{\circ}38'N$ $\lambda=108^{\circ}57'E$ $H=274.8M$														
平均相对湿度(%)														
1944	(84)	78	80	85	77	82	78	79	82	91	87	78	82	
1945	(79)	84	84	85	80	78	(77)	87	79	(80)	92	(91)	83	
1946	84	83	-	-	-	-	-	-	-	-	-	-	-	
1947	(80)	76	78	76	80	82	78	77	82	81	78	75	79	
1948	77	82	78	80	84	82	83	83	79	80	73	80	80	
1949	71	82	-	83	78	85	73	74	74	76	-	-	-	
1950	-	-	-	-	-	-	-	-	88	83	82	82	-	
1951	78	83	80	86	77	79	80	71	79	83	85	79	80	
1952	82	82	82	79	85	75	80	82	82	85	86	74	81	
1953	83	82	81	81	82	78	78	75	79	88	86	86	82	
平 均		80	81	80	82	81	79	79	79	80	84	84	80	81
最小相对湿度(%)														
1944	(36)	44	31	55	14	38	40	42	38	57	34	28	14	
日	11	29	20	18	2	11	12	16	18	30	24	18	2/5	
1945	26	32	24	36	20	28	28	47	29	23	36	41	20	
日	17	27	9	2,19	4	7	20	24	11	23	6	4	4/5	
1946	36	42	-	-	-	-	-	-	-	-	-	-	-	
日	4	9,12	-	-	-	-	-	-	-	-	-	-	-	
1947	(40)	38	38	22	33	48	46	41	36	31	33	40	22	
日	30	22	12	14	19	5	14	21	17	15	11	20,31	14/4	
1948	34	44	42	38	44	37	49	46	36	39	25	33	25	
日	3	24	23	28	8	18	25	29	16	16,18	19	20	19/11	
1949	29	34	-	38	38	46	50	30	28	37	-	-	-	
日	13	16	-	26	2	20	11,26	31	14	27	-	-	-	
1950	-	-	-	-	-	-	-	-	45	44	34	43	-	
日	-	-	-	-	-	-	-	-	17	5	12	5	-	
1951*	29	30	36	31	29	32	33	30	32	34	38	32	29	
日	26	18	7	11	31	30	1	8,17	20	16	1	2	26/131/5	
1952*	25	26	29	19	38	28	39	41	37	36	33	28	19	
日	19	22	22	16	13	16	2	3	21	31	3	10	16/4	
1953*	40	35	40	29	27	31	38	32	34	33	40	38	27	
日	12	8	7	3,25	7	2	30	13	19	1	27	11	7/5	
值	期	25	26	24	19	14	28	28	30	28	23	25	28	14
日	19	22	9	16	2	7,16	20	3*	14	23	19	18,10	2/5	
年		1952	1952	1945	1952	1944	1945	1945	1949	1949	1945	1948	1944	1944
							1952		1951				1952	
畢 節														
$\varphi=27^{\circ}18'N$ $\lambda=105^{\circ}14'E$ $H=1474.0M$														
平均相对湿度(%)														
1937	-	-	66	71	74	80	71	81	77	80	84	86	-	
1938	91	83	-	-	75	80	78	77	79	78	84	80	-	
1939	84	84	78	(78)	74	78	80	79	79	77	84	81	80	
1940	77	83	83	74	76	73	78	79	79	81	80	78	78	
1941	75	75	70	68	69	73	72	79	79	80	78	84	75	
1942	81	83	76	72	74	79	74	73	76	80	83	84	78	
1943	82	81	72	74	69	75	76	80	77	84	77	76	77	
1944	89	83	79	79	74	81	78	76	82	88	82	87	82	
1945	85	85	75	79	74	76	75	81	75	72	76	80	78	
1946	83	73	73	67	77	78	80	77	76	83	84	84	78	
1947	80	81	76	80	74	84	81	77	80	88	81	85	81	
1948	85	82	79	79	83	81	83	75	80	81	88	84	82	

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	81	83	76	81	76	87	77	80	74	87	-	-	-
1950	77	85	82	75	79	83	81	79	90	87	86	87	83
1951	87	82	82	87	75	81	80	81	79	82	87	86	82
1952	87	86	78	72	81	75	79	87	83	91	86	87	83
1953	91	84	84	84	80	77	79	78	84	87	85	90	84
平 均	83	82	78	76	76	78	78	79	80	83	83	84	80
最小相对湿度(%)													
1937	-	-	12	15	28	36	34	44	34	39	53	32	-
日	-	-	23	10	15	25	1	22,30	24	17	30	17	-
1938	69	37	-	-	27	38	40	36	40	22	39	32	-
日	31	27	-	-	5	10	13	5	25	2,3	8	21	-
1939	46	30	23	(46)	22	40	45	33	29	30	43	36	22
日	10	4	23	1	7	15	11	25	2	10	6	4	7/5
1940	19	27	29	29	24	33	41	35	34	36	27	15	15
日	7	12	11	30	1	26	15	11	27	30	13	21	21/12
1941	31	16	20	15	22	21	27	38	30	31	20	44	15
日	22	5	5	10	20	2	2	14	24	4	12	5,6	10/4
1942	19	13	19	23	28	32	28	32	34	31	30	42	13
日	30	1	24	21	28	9	7	30	1,3	4	12	11	1/2
1943	37	40	17	20	27	27	31	43	40	26	37	24	17
日	19	16	17	25	12	6	13	31	38	28	23	6	17/3
1944	59	27	43	21	25	40	42	33	36	51	33	43	21
日	23	11	12	6	5	26	10	4	24	29	24,25	24	6/4
1945	33	23	20	24	21	30	31	51	28	17	34	33	17
日	16	31	13	17	14,16	5	20	29,30	18	3	23	26	3/10
1946	38	20	12	19	29	40	42	42	37	45	38	43	12
日	21	7,26	16	4	30	11,13	9,19	8	6	9	24	8	16/3
1947	16	36	17	19	19	39	51	41	36	46	38	36	16
日	9	23	29	20	2	23	1	6	18	10	6	28	9/1
1948	33	9	8	32	41	45	44	39	37	34	57	37	8
日	5	19	8	30	5	14	19,20	28	11	20	9	16	8/3
1949	10	38	9	28	22	56	40	22	31	47	-	-	-
日	30	22	19	26	7	15	23,26	30	1	6	-	-	-
1950	14	44	12	23	34	32	49	40	55	50	46	39	12
日	15	9	27	14	18	9	29	19	4,17	19	18	10	27/3
1951	12	8	17*	54*	22	33	50	44	30	34	45	29	8
日	8	22	17	7	30	2,29	24,28	15,31	26	14	12,13	24	22/2
1952	45	14	17	15	41	31	37	53	48	47	30	29	14
日	19	14	22	10	9	15	21	4	2,21	31	30	31	14/2
1953	45	23	30	43	20	34	46	38	48	46	31	40	20
日	12	14	26	25	7	7	9	13	24,26	23	22	1	7/5
極 值	10	8	8	15	19	21	27	22	28	17	20	15	8
日 期	30	22	8	38	2	2	2	30	18	3	12	21	8/3,22/2
年 份	1949	1951	1948	3年	1947	1941	1941	1949	1945	1945	1941	1940	1948 1951
鎮 遠 $\varphi = 27^{\circ}03'N$ $\lambda = 108^{\circ}24'E$ $H = 463.0 M$													
平均相对湿度(%)													
1947	80	78	76	78	80	84	79	75	79	81	77	76	79
1948	77	81	79	79	84	82	81	81	80	80	75	82	80
1949	72	81	80	80	79	86	-	76	76	79	-	-	-
1950	77	71	82	77	81	79	81	77	84	83	79	70	78
1951	74	77	76	80	75	80	79	75	77	82	81	76	78
1952	77	77	79	77	84	77	81	83	81	83	83	69	79
1953	80	78	82	80	80	79	78	79	79	86	81	81	80
平 均	78	77	79	79	81	80	80	78	80	83	79	76	79
最小相对湿度(%)													
1947	35	27	31	26	31	47	47	43	38	32	28	34	26
日	30	23	28	14	18	23	13	4*	17	10,11	11	28	14/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948	日	28	43	39	28	43	40	40	40	39	31	26	39	26
		2,3	24	9,10	28	5	18	28	14	16	9	19	15	19/11
1949	日	25	36	44	33	32	48	-	31	36	43	-	-	-
		14	16	19,29	26	9	15,16	-	30	2	24,26	-	-	-
1950	日	31	33	39	34	35	30	41	32	42	46	32	27	27
		17	20	1	9,15	18	9	18	19	17	27	14	3	3/12
1951*	日	32	19	33	35	24	30	42	33	27	31	44	32	19
		28	18	16	11	31	30	1	17	26	27	1	26	18/2
1952	日	27	27	22	24	43	28	37	42	40	36	32	26	22
		18	20,21	22	16	3	14	21	26	21	17	2	11	22/3
1953	日	38	41	39	36	25	39	40	39	36	36	38	26	25
		6,9	8	7	3,25	28	12,21	30	2,18	24	1	28	13	28/5
極 值	日期	25	19	22	24	24	28	37	31	27	31	26	26	19
年	期	1949	1951	1952	1952	1951	1952	1952	1949	1951	1948	1948	1952	1951
											1951		1953	
威 寧 $\varphi=26^{\circ}51'N$ $\lambda=104^{\circ}15'E$ $H=2316.5M$														
平均相对湿度(%)														
1944		71	69	66	59	67	76	70	64	74	76	62	82	70
1945		67	74	66	70	68	74	73	77	70	71	66	71	71
1946		70	67	57	57	68	71	75	71	69	75	68	68	68
1947		54	63	67	68	64	74	71	70	70	77	64	68	68
1948		69	67	68	73	81	82	86	83	-	80	89	68	-
1949		78	-	-	-	-	-	-	-	-	-	-	-	-
1951		75	64	80	75	75	82	86	85	85	83	85	78	79
1952		78	70	59	65	79	82	81	89	85	90	77	84	78
1953		76	74	71	81	78	81	83	81	89	83	75	78	79
平 均		70	69	67	68	71	77	77	77	77	79	71	76	73
最小相对湿度(%)														
1944	日	-	-	-	-	-	-	-	29	37	33	-	-	-
		-	-	-	-	-	-	-	4	27	31	-	-	-
1945	日	11	19	15	16	18	20	31	41	27	27	20	15	11
		10	26,27	11,14	16	8	5	20	12	22	3,20	23	9	10/1
1946	日	11	17	8	12	18	29	38	32	27	33	23	14	8
		1	25	16	20	6	3	19	14	7,27	2	34	13	16/3
1947	日	10	14	15	10	17	28	38	36	29	26	18	15	10
		10	2	19	2	17	4	23	28	18	31	4	27	10/1,2/4
1948	日	18	12	11	24	27	42	38	46	-	27	50	22	11
		31	19	8	13	14	8	20	20,25	-	18	20	29	8/3
1949	日	22	-	-	-	-	-	-	-	-	-	-	-	-
		28	-	-	-	-	-	-	-	-	-	-	-	-
1951	日	12	8	19	15	22	38	56	47	43	42	30	18	8
		7	22	25	12	4	1	25	8	25	14	20	25	22/2
1952	日	23	24	15	22	31	38	45	53	42	53	35	28	15
		9	8	23	17	10	14	4	4	26	31	30	23	23/3
1953	日	29	27	19	30	22	42	50	43	47*	33*	20*	18*	18
		1	4	24	10	7	14	17	18	23	29	6	16	16/12
極 值	日期	10	8	8	10	17	20	31	29	27	26	18	14	8
年	期	1947	1951	1946	1947	1947	1945	1945	1944	1945	1947	1947	1946	1946
										1946				1951
貴 陽 $\varphi=26^{\circ}34'N$ $\lambda=106^{\circ}42'E$ $H=1071.2M$														
平均相对湿度(%)														
1935		-	-	-	-	-	-	-	-	-	-	84	87	-
1936		83	77	79	75	82	79	77	80	71	70	75	83	78
1937		79	77	68	76	76	78	75	84	83	81	87	90	80
1938		87	83	79	82	80	81	78	79	81	80	81	78	81
1939		82	85	78	80	78	80	83	79	77	77	83	72	80

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940		74	82	83	76	83	78	81	79	80	80	81	82	80
1941		83	85	77	78	82	74	77	82	78	83	80	85	79
1942		81	81	76	76	77	81	82	77	74	80	82	80	79
1943		76	79	76	76	77	75	75	81	78	84	77	79	78
1944		90	82	79	78	77	81	80	79	82	89	81	79	81
1945		85	86	80	80	74	74	78	82	72	69	80	83	79
1946		79	74	75	70	80	79	78	78	76	76	80	83	77
1947		81	79	76	79	75	80	79	75	78	83	75	78	78
1948		79	81	(75)	(75)	82	81	81	77	77	77	77	80	79
1949		75	79	76	83	77	85	77	75	73	84	82	87	79
1950		80	74	81	73	79	80	82	81	91	90	89	83	82
1951		80	79	77	79	73	78	77	75	74	79	83	75	77
1952		82	79	76	69	78	71	73	78	75	81	79	72	76
1953		83	80	79	79	79	78	76	76	78	85	81	84	80
平 均		81	80	77	77	78	79	78	79	78	80	81	81	79
最小相对湿度(%)														
1935	日	-	-	-	-	-	-	-	-	-	-	46	52	-
1936	日	-	-	-	-	-	-	-	-	-	-	20	18	-
1936	日	41	37	37	37	38	39	40	43	26	23	36	41	23
1937	日	3	17	14,15	18	11	29	6	31	28	20	16	27	20/10
1937	日	21	18	16	19	26	37	44	49	44	35	49	49	16
1937	日	3	2	23	8	15	25	23	6	8	23	5,8	12	23/3
1938	日	50	41	32	38	34	52	47	40	48	29	40	48	29
1938	日	7	21	6	21	23	19	27	5	4	3	15	28	3/10
1939	日	47	39	39	43	34	43	50	31	35	28	42	30	28
1939	日	12	4	24	1,26	13	12	1	31	2	11	29	25	11/10
1940	日	31*	40	41	20	47	38	47	43	47	40	30	44	20
1940	日	2	27	11	3*	14	2	28	23	14	30	14	17	3*
1941	日	54	49	40	33	37	27	40	46	42	37	35	44	27
1941	日	2	5	17	4	31	8	1,2	15	29	6	15	15	8/6
1942	日	28	26	21	29	39	42	49	36	38	27	28	31	21
1942	日	31	1,23	24	21	20	9,10	10	29	2,3	28	1	8	24/3
1943	日	36	44	32	32	34	40	41	43	42	36	35	32	32
1943	日	8,12	9	22	8	12	7,9	27	15	14,23	6	22	7,10	4*
1944	日	63	42	39	22	27	40	48	43	43	58	35	30	22
1944	日	6	12	25	7	5	12	9	18	21	30	22	20	7/4
1945	日	46	49	39	40	27	24	34	49	30	28	41	41	24
1945	日	17	26,27	1,27	18	14	6	20	28	17	20	24	26	6/6
1946	日	44	22	17	20	44	42	46	44	36	36	33	45	17
1946	日	10	26	17	20	30	3	6	17,25	29	23	25	29	17/3
1947	日	28	21	34	25	36	40	37	40	38	32	30	41	21
1947	日	11	21	28	2	1	23	7	18	17	9	2	28	21/2
1948	日	38	33	(22)	(35)	(49)	47	44	43	39	35	30	44	22
1948	日	5	14	10	8	6	18	23,28	13,14	17	19,20	9	10,22	10/3
1949	日	22	25	27	39	35	51	41	31	34	47	42	54	22
1949	日	9	1	12	28	7,9	16	25	30	15	6,7	17,18	4	9/1
1950	日	40	38	31	37	44	45	51	46	59	58	56	53	31
1950	日	17	8,9	26,27	15	14	3*	18	17	13	5,20	14	4*	26,27/3
1951*	日	43	31	41	46	23	31	42	39	27	39	53	39	23
1951*	日	16,31	17	17	8	30,31	29,30	24	8	26	24,25	13,14	25	30,31/5
1952*	日	39	27	24	20	44	28	35	43	43	40	34	30	20
1952*	日	19	14	18	16	3,10	14	21	7	21	31	2	10	16/4
1953*	日	43	41	34	41	26	31	44	37	42	41	39	28	26
1953*	日	9	12	10	3	8	7	31	17	24	1	20	13	8/5
極 值		21	18	16	19	23	24	34	31	26	23	28	28	16
日 期		3	2	23	8	30,31	6	20	31,30	28	20	1	13	23/3
年 份		1937	1937	1937	1937	1951	1945	1945	1939	1936	1936	1942	1953	1937
安 順 $\varphi=26^{\circ}14'N$ $\lambda=105^{\circ}55'E$ $H=1375.1M$														
平均相对湿度(%)														
1945		80	80	77	84	77	84	85	89	82	75	84	86	82

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1946		84	78	71	69	80	81	81	79	77	79	80	87	79
1947		80	81	79	80	77	83	82	78	82	86	74	82	80
1948		81	78	73	79	84	85	89	81	82	80	82	79	81
1949		77	79	78	82	77	86	82	78	79	87	85	87	81
1950		76	76	80	74	81	80	83	79	89	87	81	81	81
1951		84	81	81	81	78	83	84	81	79	81	85	78	81
1952		86	82	76	72	84	79	81	86	81	88	(82)	79	81
1953		87	85	83	82	81	83	83	81	80	85	81	86	83
平 均		82	80	78	78	80	83	83	81	81	83	82	83	81
最小相对湿度(%)														
1945		65	42	31	39	47	46	54	67	50	35	57	49	31
日		9	27	1	18	15	19	21	28	17	10	11	26	1/3
1946		53	19	13	28	46	49	51	44	39	35	27	48	13
日		1,8	27	16	20	30	30	9	17	26	23	25	8	16/3
1947		33	36	43	25	31	48	50	49	50	—	28	31	—
日		11	23	2	2	1	23	13	19	18,21	—	11	29	—
1948		37	23	15	38	48	49	56	52	49	40	40	41	15
日		3	28	9	23	7	2	20	27	18	15	9	6	9/3
1949		26	24	26	43	38	54	40	39	35	49	47	39	24
日		31	1	9	27,30	9	5	29	30	1	7	17	31	1/2
1950		19	28	25	26	38	44	52	43	56	57	40	42	19
日		17	8	27,28	15	17	8,9	30	18	13,14	19	22	2	17/1
1951*		27	28	42	36	24	32	51	40	34	39	45	29	24
日		8	17	9,17	1	31	29	11	23	26	14,25	21	25	31/5
1952*		39	20	21	24	34	37	50	54	53	45	34	40	20
日		19	14	18	16	3	15	5	7	21	31	2	11	14/2
1953*		48	(41)	32	39	33	(40)	52	47	38	40	37	39	32
日		9	14	10	1	7,8	7	26	18	23,26	1	20	13	10/3
極 值	日 期	19	19	13	24	24	32	40	39	34	35	27	29	13
年		17	27	16	16	31	29	29	30	26	10,23	25	25	16/3
		1950	1946	1946	1952	1951	1951	1949	1949	1951	1945 1946	1946	1951	1946
獨 山 $\varphi=25^{\circ}51'N$ $\lambda=107^{\circ}32'E$ $H=988.7M$														
平均相对湿度(%)														
1937		—	—	—	87	83	83	84	88	84	76	83	86	—
1938		83	82	82	83	85	86	82	87	85	80	79	78	83
1939		84	88	86	81	80	83	86	83	80	81	86	69	82
1940		78	87	84	74	83	80	84	83	80	78	83	79	81
1941		83	87	77	77	81	79	83	88	79	83	83	85	82
1942		78	82	80	81	79	84	86	83	73	83	83	83	81
1943		75	81	81	84	81	79	82	85	82	85	80	77	81
1944		95	87	84	86	83	88	83	86	85	—	—	—	—
1946		60	62	72	69	80	80	80	82	80	73	82	85	75
1947		83	82	81	79	83	91	90	82	84	82	76	79	83
1948		78	84	83	82	83	83	86	82	78	79	74	81	81
1949		74	78	80	82	79	86	81	78	76	(84)	—	—	—
1950		—	—	—	79	84	80	82	81	87	85	82	73	—
1951		80	84	84	84	79	81	81	81	77	81	84	75	81
1952		83	84	85	80	86	76	80	84	82	84	86	73	82
1953		85	85	86	83	80	81	82	81	79	85	82	83	83
平 均		79	82	82	80	82	82	84	83	80	81	82	79	81
最小相对湿度(%)														
1937		—	—	—	32	40	47	62	56	45	27	45	42	—
日		—	—	—	8	16	19	14	21	11	18	29	12	—
1938		41	41	33	29	42	54	46	54	53	35	39	38	29
日		9	21	15	16	23	2	20	5,6	5	3	8	26	16/4
1939		44	38	39	38	37	48	59	30	34	32	53	31	30
日		11,14	4	17	27	8,13	12	20	31	1	4,10	30	25	31/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940	日	23	49	40	31	39	36	49	44	39	37	18	29	18
1941	日	7	27	12	5	1	2	28	20	14	6	14	13	14/11
1941	日	41	44	38	23	39	36	43	41	32	37	28	39	23
	日	1	5	6	18	9	2,5	1	15	18	2	15	15	18/4
1942	日	32	19	33	30	36	38	50	37	29	22	48	37	19
	日	8	23	18	21	20	9	13	31	19	1	2	12	23/2
1943	日	26	35	34	32	45	41	46	52	38	32	32	25	25
	日	12	9	20	9	19	14	29	31	21	29	23	8	8/12
1944	日	59	37	29	22	27	47	46	45	37	54	(26)	-	-
	日	7	12	10	7	5	12	15	16	21	30	21	-	-
1946	日	24	29	38	21	54	39	54	48	32	28	33	36	21
	日	5	26	17	20	6	4	18	19	28	8	18,19	29	20/4
1947	日	36	20	38	35	47	56	69	44	56	37	37	26	20
	日	11	23	9	2,14	19,22	23	5	29	18	10	2	21	23/2
1948	日	32	45	45	41	55	46	54	47	47	37	35	49	32
	日	4	9	13	28	2	19	28	14	17	16	21	17	4/1
1949	日	13	26	35	46	40	57	46	45	41	55	-	-	13
	日	9	11	13	13	7	16	31	31	1	24	-	-	9/1
1950	日	-	-	-	45	53	38	53	44	56	53	38	29	-
	日	-	-	-	8	18	9	30,31	18	13	19	15	2	-
1951	日	38	29	36	42	32	42	59	48	38	40	48	34	29
	日	27	17	7	11	19	29	1	15	23,26	18	26	17	17/2
1952	日	34	37	32	35	50	31	44	48	39	36	31	34	31
	日	19	19	18	16	4	23	20	8	21	17	3	4	23/6,3/11
1953	日	34	50	39	40	27	33	49	43	33	39	36	18	18
	日	6	12,21	10	2,3	7	7	30	17,28	30	1	23	13	13/12
極日	值	13	19	29	21	27	31	43	30	29	22	18	18	13
年	期	9	23	10	20	5,7	23	1	31	19	1	14	13	9/1
	份	1949	1942	1944	1946	1944	1952	1941	1939	1942	1942	1940	1953	1949
						1953								
盤 縣 $\varphi = 25^{\circ}45'N$ $\lambda = 104^{\circ}39'E$ H=1322.0 M														
平均相对湿度(%)														
1940	75	80	79	73	78	83	88	87	84	83	85	81	81	
1941	70	72	62	68	76	82	79	83	82	84	77	87	77	
1942	79	70	70	68	71	82	82	81	79	77	85	88	78	
1943	82	81	66	67	70	77	76	85	83	80	80	76	77	
1944	83	82	74	68	82	89	87	84	88	89	81	91	83	
1945	81	88	76	83	81	83	85	86	83	79	82	85	83	
1946	85	81	69	74	83	85	89	86	83	87	81	88	83	
1947	76	77	81	84	79	85	86	84	89	89	82	86	83	
1948	85	73	68	77	81	83	86	83	84	85	88	84	81	
1949	-	74	69	77	79	85	85	85	85	-	-	-	-	
1950	-	-	-	-	-	-	-	-	-	84	84	-	-	
1951	-	71	76	66	75	82	84	83	84	80	82	79	-	
1952	83	70	59	65	76	78	79	85	81	85	75	81	76	
1953	76	73	73	77	75	76	78	78	82	80	76	80	77	
平 均	80	77	71	73	77	82	83	84	83	83	81	84	80	
最小相对湿度(%)														
1940	12	20	23	26	28	45	49	59	39	25	24	20	12	
	20	19	9	25	9	3	14	23	27	25	13	21	20/1	
1941	10	15	16	17	29	29	32	36	44	25	17	36	10	
	18	12	9	4	10	1	2	15	28	5	17	24	18/1	
1942	14	14	20	19	28	38	40	35	42	23	45	45	14	
	29	7	13	11	29	9	9	14	2	28	13	16	29/1,7/2	
1943	30	27	16	21	29	41	39	53	47	29	36	25	16	
	24	17	19	25	9	8,18	30	15	5,18	29	16	22	19/3	
1944	20	21	19	23	35	58	51	54	57	61	38	74	19	
	3	23	31	8	10	25	17	5	26	16	14	9	31/3	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1945	日	25	15	27	35	45	60	60	63	57	50	48	44	15
	日	31	28	1	28	8,16	5	20	6	19	13	24	9	28/2
1946	日	52	29	24	37	55	61	65	66	41	45	33	45	24
	日	1,29	26	16,17	6	1	14	4	18	30	24	17,19	10	16,17/3
1947	日	27	37	35	34	35	56	62	56	65	64	53	42	27
	日	10	34	20	29	5	29	34	16,27	22	31	54	28,29	10/1
1948	日	52	23	18	35	39	53	51	51	45	51	50	55	18
	日	10	18	11	7	5	11	21	25	17	2,20	20	4,11	11/3
1949	日	-	32	19	37	35	42	51	52	50	-	-	-	-
	日	-	5	19	1,10	9	1	11	30	16	-	-	-	-
1950	日	-	-	-	-	-	-	-	-	-	54	27	-	-
	日	-	-	-	-	-	-	-	-	-	20	26	-	-
1951	日	-	15	25	19	24	34	50	47	45	36	33	29	15
	日	-	22	25	9	2	30	15	31	25	24	21	25	22/2
1952	日	28	15	12	13	21	29	41	50	43	41*	27*	26*	12
	日	9	13	21	14	3	14,15	4,5	5	26	31	26	26	21/3
1953*	日	18	15	16	19	21	29	40	34	41	29	26	29	15
	日	20	12,14	24	28	7	7	18,30	13	2	29	4,9	15,21	12,14/2
極日年	值期份	10	14	12	13	21	29	32	34	39	23	17	20	10
	日	18	7	21	14	3,7	44	2	13	27	28	17	21	18/1
	日	1941	1942	1952	1952	1952	34	1941	1953	1940	1942	1941	1940	1941
羅 甸														
φ= 25°27'N λ= 105°46'E H= 405.0 M														
平均相对湿度(%)														
1944	日	-	-	-	-	76	84	85	90	83	90	82	73	-
1945	日	(79)	73	72	76	76	80	80	86	77	66	81	87	78
1946	日	75	70	72	75	82	81	85	85	82	80	83	81	79
1947	日	78	74	78	77	76	80	80	76	77	73	69	73	76
1948	日	70	73	74	74	76	82	86	83	81	80	73	75	77
1951	日	-	71	72	71	76	81	83	81	81	85	83	81	-
1952	日	79	74	73	74	79	76	80	84	80	81	81	74	78
1953	日	80	77	77	74	77	78	80	79	79	82	78	78	78
平 均	日	77	74	74	75	78	80	82	82	79	77	78	78	78
最小相对湿度(%)														
1944	日	-	-	-	-	36	46	50	46	43	59	41	35	-
	日	-	-	-	-	5	9	9	15	30	4	21	20	-
1945	日	(33)	38	38	23	35	45	45	38	38	24	26	51	23
	日	18	27	1	28	12	26	20	26	17	15	11	8,29	28/4
1946	日	23	25	21	33	51	36	53	51	42	45	41	46	21
	日	13	26	16	21	16	3	11,18	15	27	27	25	2	16/3
1947	日	34	22	41	42	38	48	54	43	45	33	34	32	22
	日	11	10	2,9	19	1	24	7	28	28	10,11	11	29	10/2
1948	日	36	34	30	36	38	51	55	45	39	36	29	42	29
	日	4	21	9	23	1	2	23	21	17	16,17	22	10,22	22/11
1951	日	-	35	38	35	36	44	55	47	41	50	48	36	-
	日	-	17	16	29	19	1	5	21	19,23	30	14	15	-
1952	日	42	29	25	27	35	38	43	51	47*	44*	41*	38*	25
	日	7	14	18	16	3	16	6	7	28	11	1	21	18/3
1953	日	42*	42*	32*	31*	30*	40*	49	46	32	39	41	36	30
	日	6	20	10	2	7	7	11	17	30	1	27	13	7/5
極日年	值期份	23	22	21	23	30	36	43	38	32	24	26	32	21
	日	13	10	16	28	7	3	6	26	30	15	11	29	16/3
	日	1946	1947	1946	1945	1953	1946	1952	1945	1953	1945	1945	1947	1946
興 仁														
φ= 25°25'N λ= 105°15'E H= 1400.0 M														
平均相对湿度(%)														
1947	日	73	78	78	79	76	83	82	78	82	86	75	80	79
1948	日	78	70	67	74	80	81	87	80	79	79	80	80	78
1949	日	76	75	74	82	74	81	78	78	78	86	-	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	70	72	69	—	—	—	82	84	88	87	82	84	—
1951	日	85	81	82	77	75	83	83	85	84	82	84	81	82
1952	日	89	78	69	71	81	79	80	86	83	87	81	82	81
1953	日	85	81	81	84	79	81	80	82	83	85	81	84	82
平 均		82	78	75	77	78	81	82	82	82	84	80	81	80
最小相对湿度(%)														
1947	日	10	30	38	32	28	55	50	46	39	38	37	32	10
1948	日	4	10	19	2	5	9, 30	8	24	28	10	2	30	4/1
1948	日	41	23	14	31	42	53	50	50	43	42	49	51	14
1949	日	7	3	9	8	6	18, 23	20	17	17	16	10	22	9/3
1949	日	30	30	26	32	40	40	51	39	42	54	—	—	—
1950	日	31	2	12	26	21	1	29, 30	30	17	7	—	—	—
1950	日	22	25	24	—	—	—	52	42	54	51	44	39	—
1951	日	17	10	25, 26	—	—	—	29	16	13	6	23	17	—
1951	日	23	26	36	21	27	35	53	49	43	38	39	22	21
1951	日	7, 8	22	20	9	4	8, 29	24	8	26	24	6	25	9/4
1952	日	39	17	18	21	25	30	44	51	51	42	37	42	17
1952	日	19	13	15, 30	14	3	15	23	8	2	31	26, 30	1	13/2
1953	日	34	30	26	37	29	32	47	41	37	42	41	43	26
1953	日	10	12	10	28	7	7	18	18	23	1	9	14	10/3
極 值	期	10	17	14	21	25	30	44	39	37	38	37	22	10
日 年	份	4	13	9	9, 14	3	15	23	30	23	10, 24	3	25	4/1
		1947	1952	1948	1951	1952	1952	1952	1949	1953	1947	1947	1951	1947
					1952						1951	1952		
四 川 松 潘 $\varphi=32^{\circ}39'N$ $\lambda=103^{\circ}34'E$ $H=2881.6M$														
平均相对湿度(%)														
1940	—	—	—	60	62	62	72	68	79	62	59	64	—	—
1941	58	55	55	55	61	63	70	66	71	64	60	55	61	61
1942	51	60	59	57	58	64	65	63	69	68	65	57	61	61
1943	57	54	47	64	70	70	68	69	71	75	56	52	63	63
1944	64	58	53	58	62	69	66	65	69	72	62	59	63	63
1945	53	58	55	67	61	68	71	69	73	69	59	61	64	64
1946	57	63	65	58	69	75	75	73	74	70	64	61	67	67
1947	65	64	63	63	70	71	74	72	69	74	60	59	67	67
1948	58	63	60	62	71	73	72	70	73	69	65	59	66	66
1949	54	60	64	66	67	73	—	75	77	76	—	—	—	—
1950	61	—	—	69	67	—	71	69	76	—	—	61	—	—
1951	58	57	58	69	65	68	74	72	76	72	67	65	67	67
1952	62	62	64	61	72	74	76	78	77	77	70	65	70	70
1953	68	62	63	70	68	74	75	71	77	76	66	66	70	70
平 均	59	60	58	62	66	70	71	70	73	71	63	60	65	65
最小相对湿度(%)														
1940	—	—	—	21	16	20	38	34	50	18	8	18	—	—
1941	—	—	—	30	21	2	2	2	4	27	25	1	—	—
1941	13	11	11	11	20	24	35	32	39	20	24	20	11	11
1942	9	26	7	10	21	13	4	30	30	4	24	1	3	3
1942	11	7	21	1	16	20	23	31	33	30	20	22	1	1
1942	9, 24	6	9	22	14	9	1	21	5	24	30	20	22/4	22/4
1943	19	14	12	23	31	25	28	31	33	43	14	9	9	9
1943	26	9	21	14	4	5	23	8	17	28	24	18	18/12	18/12
1944	15	15	11	13	23	24	31	29	41	29	21	29	11	11
1944	5	2	10	23	11, 12	11	4	15	26	29	10, 21	10	10/3	10/3
1945	13	19	13	15	25	23	31	38	34	25	17	21	13	13
1945	24	21	4, 11	1, 2	16	4	24	3	18	18	15	17	3	3
1946	27	26	18	18	24	43	39	40	40	25	23	20	18	18
1946	21, 27	8	16	6	4	4	26	18	7	24	23	22	16/3, 6/4	16/3, 6/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1947	日	21	19	20	19	28	32	33	36	29	31	21	17	17
1948	日	4,5	1	12	20	17	30	24	9	17	31	25	7	7/12
1949	日	23	21	14	24	31	40	34	38	33	26	30	20	14
1950	日	1,7	19	2,4	6	5,6	17	14	7	2	27	19	20	2,4/3
1951	日	20	16	17	19	23	44	-	(36)	45	40	-	-	-
1952	日	30	17	20	10	24	16	-	31	8	5	-	-	-
1953	日	21	-	-	16	28	-	32	33	43	-	-	21	-
1954	日	7	-	-	6	13	-	13	16	1,4	-	-	9	-
1955	日	18	17	14	26	22	20	23	21	22	18	9	15	9
1956	日	17	21	17	8	1	30	1	2	24	9	20	26	20/11
1957	日	14	11	15	11	9	22	23	24	16	19	6	13	6
1958	日	26,27	11	30	19	5	23	30	9	25	16	30	22	30/11
1959	日	10	15	13	17	13	17	21	20	19	26	16	13	10
1960	日	27	13	7	2	1	7	6	17	22	30	22	27	27/1
極 值	日期	10	7	11	1	9	17	21	20	16	18	6	9	1
日 份		27	6	7,10	22	5	7	8	17	25	27,9	30	18	22/4
年		1953	1942	1941	1942	1952	1953	1953	1953	1952	1940	1952	1943	1942
				1944							1951			
廣 元 $\varphi = 32^{\circ}26'N$ $\lambda = 105^{\circ}48'E$ $H = 484.8 M$														
平均相对湿度(%)														
1941	-	-	-	-	-	-	-	-	-	-	71	69	69	-
1942	59	59	61	57	56	54	64	67	70	70	67	(58)	62	62
1943	52	59	62	57	57	69	65	65	73	71	61	58	62	62
1944	64	61	-	-	-	64	69	62	65	74	67	59	-	-
1945	59	64	53	64	54	60	66	80	75	69	70	65	65	65
1946	59	59	59	54	62	65	70	67	74	70	65	65	64	64
1947	63	56	55	57	57	68	68	73	72	73	68	63	65	65
1948	-	57	58	74	71	71	70	-	-	-	-	-	-	-
1949	65	68	64	-	62	69	74	79	86	81	-	-	-	-
1951	-	61	60	66	61	65	76	74	79	77	74	67	-	-
1952	59	62	64	60	75	68	78	76	78	74	70	62	69	69
1953	66	63	66	68	63	66	75	73	72	76	72	65	69	69
平 均	60	61	60	60	61	64	69	72	73	72	68	62	65	65
最小相对湿度(%)														
1941	-	-	-	-	-	-	-	-	(34)	35	30	27	-	-
1942	-	-	-	-	-	-	-	-	26	6	23	8	-	-
1943	7,11	26	23	21	24	17	25	25	28	30	30	(19)	17	17
1944	19	16	21	16	21	32	27	31	36	31	21	23	16	8/6
1945	3	6	14	7	2	8	17	7	2	27	14	3	6/2,7/4	6/2,7/4
1946	22	21	-	-	-	27	35	26	28	42	35	20	-	-
1947	6	12	-	-	-	40	1,4	21	19	29	26	19	-	-
1948	22	17	20	31	20	19	28	34	35	25	30	20	17	17
1949	3	8	5	29	10,28	1	30	1	22	1,8	29	16,17	8/2	8/2
1950	22	21	22	24	29	22	28	32	32	23	26	20	20	20
1951	13	24	30	5	1	1	7	1	26	3	21	1	1/12	1/12
1952	21	21	22	16	24	31	31	29	34	34	28	19	16	16
1953	29	20	27	3	6	1	13	4	19	12	8,24	9	3/4	3/4
1954	-	15	16	29	32	21	21	-	-	43	31	42	-	-
1955	-	20	5	2	31	22	16	-	-	29	2	13,14	-	-
1956	20	15	21	-	24	23	31	39	32	44	-	-	-	-
1957	11,13	1	4	-	22	15	29	15	26	17	-	-	-	-
1958*	(16)	22	12	27	19	25	36	34	40	41	23	15	12	12
1959*	20	9	18	10	29	18	1	17,18	28	12,22	22	13	18/3	18/3
1960*	21	20	21	25	35	19	46	33	29	32	28	24	19	19
1961*	6	18	19	14,28	12	9	6	24	25	14	7	20	9/6	9/6
1962*	24	24	26	22	21	16	38	30	26	31	25	26	16	16
1963	11	6,20	11	29	8,22	6	4	20	28	9	18,26	27	6/6	6/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日 年	值 期 份	16 20 1951	15 20,1 1948 1949	12 18 1951	16 7,3 1943 1947	19 29 1951	16 6 1953	21 16 1948	25 14 1942	26 28 1953	23 3 1946	21 14 1943	15 13 1951	12 18/3 1951
平 武 $\phi=32^{\circ}25'N$ $\lambda=104^{\circ}35'E$ $H=876.6M$														
平均相对湿度(%)														
1943	日	73	76	(75)	66	70	69	68	66	73	68	72	79	71
1945	日	—	—	—	—	—	67	69	76	75	74	74	81	—
1946	日	—	75	74	62	69	68	71	73	79	82	77	72	—
1947	日	74	72	60	62	63	68	77	74	79	79	75	74	71
1948	日	69	67	68	75	72	75	73	78	83	82	83	78	75
1949	日	71	74	68	69	65	73	81	77	81	83	79	77	75
1950	日	—	—	—	—	—	71	70	74	79	78	74	71	—
1951	日	—	—	—	—	—	—	—	—	—	—	79	72	—
1952	日	65	68	67	61	77	72	74	80	80	78	76	69	72
1953	日	74	68	68	75	68	71	76	77	80	82	76	76	74
平 均		71	71	68	68	69	71	75	75	80	79	77	76	73
最小相对湿度(%)														
1943	日	47	27	(32)	30	40	38	41	48	44	44	47	42	27
1945	日	7	11	19	11	6	5	23	38	21	9	9	1	11/2
1946	日	—	—	—	—	18	27	24	40	38	33	33	36	—
1947	日	—	—	—	—	4	24,26	7	5	15	8	24	17	—
1948	日	—	41	31	24	33	33	42	38	54	55	47	42	—
1949	日	—	22	19	3	8	1	4,5	1	30	22	26	1	—
1950	日	50	28	20	21	32	32	43	39	43	57	43	41	20
1951	日	5	25	4	18	19	5	23	31	1	38	12	12	4/3
1952	日	28	26	23	29	35	38	37	55	53	56	54	48	23
1953	日	21	23	12	2	7	13	14	29	2	15	18	14,15	12/3
1949	日	28	43	40	34	31	41	48	53	60	54	54	53	28
1950	日	17	19	4	20	9,11	19	29	17	1	5	14,15	17	17/1
1951	日	—	—	—	—	—	40	39	45	48	52	37	39	—
1952	日	—	—	—	—	—	7	23	3	4	9,23	5	20	—
1953	日	—	—	—	—	—	—	—	—	—	—	33	25	—
1954	日	—	—	—	—	—	—	—	—	—	—	25	13	—
1955	日	23	25	22	17	41	25	38	40	35	36	38	30	17
1956	日	24	19	23	3	21	3	15	31	12	31	7	3	3/4
1957	日	30	27	27	30	22	33	42	32	36	38	29	34	22
1958	日	11	28	4	1,2	6	38	5	20	12	22	26	20	6/5
極日 年	值 期 份	23 24 1952	25 19 1952	20 4 1947	17 3 1952	18 4 1945	25 3 1952	24 7 1945	32 20 1953	35 12 1952	33 8 1945	29 26 1953	25 13 1951	17 3/4 1952
甘 孜 $\phi=31^{\circ}38'N$ $\lambda=99^{\circ}59'E$ $H=3320.0M$														
平均相对湿度(%)														
1951	日	45	40	46	57	51	64	76	74	71	60	59	53	58
1952	日	43	42	46	58	63	69	68	75	73	69	49	46	58
1953	日	56	51	54	61	61	67	73	67	74	66	60	54	62
平 均		48	44	49	59	58	67	72	72	73	65	56	51	59
最小相对湿度(%)														
1951	日	9	1	8	10	11	17	35*	28*	14*	3*	12	10	1
1952	日	10	28	2	13,30	7	2	19	2	30	28,29	27	28	28/2
1953	日	1	5	9	14	13	23	28	27	29	17	9*	8	1
1954	日	24	17	16,21	13	5	14	29	18	22	30	19	1	24/1
1955	日	10	13	12	10*	17*	17*	24*	24*	31*	14*	12*	6*	8
1956	日	12	9	29	2	1	6	8	11	22	18	10	16	16/12
極日 年	值 期 份	1 24 1952	1 28 1951	8 2 1951	10 38 1951,53	11 7 1951	17 2,6 1951,53	24 8 1953	24 11 1953	14 30 1951	3 28,29 1951	9 19 1952	8 1,16 1952,53	1 28/2,24/1 1951,52

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
達 縣														
$\varphi=31^{\circ}16'N$ $\lambda=107^{\circ}28'E$ $H=296.5M$														
平均相对湿度(%)														
1942		88	76	80	83	85	81	71	77	82	90	88	88	82
1943		89	90	88	88	86	83	75	74	80	89	86	86	85
1944		86	81	74	74	69	78	75	63	79	83	84	77	77
1945		79	77	75	78	73	-	80	79	80	77	86	84	-
1946		82	76	74	71	79	81	81	76	81	80	90	85	80
1947		84	76	72	75	84	82	82	73	75	90	81	85	80
1948		82	82	85	79	84	83	81	80	81	89	86	90	84
1949		84	86	79	83	78	86	77	79	87	89	-	-	-
1950		-	86	86	80	82	84	80	80	86	91	88	89	-
1951		89	83	82	87	-	75	81	81	80	87	89	90	-
1952		86	81	77	74	83	78	82	87	87	87	87	88	83
1953		86	85	80	80	78	77	84	76	80	87	86	86	82
平 均		85	81	79	78	81	80	79	76	81	87	86	86	82
最小相对湿度(%)														
1942		51	24	31	51	58	56	44	41	52	71	76	60	24
日		26	24	17	8	6	13	21	25	10	3	3*	3	24/2
1943		70	69	71	69	55	53	31	35	40	57	51	50	31
日		18	23	17	7	30	10	26,27	2	22	28	3*	3	26,27/7
1944		54	33	23	30	25	46	42	36	49	52	59	51	23
日		4	12	10	1	4,5	1	30	29	27	20	21,25	20	10/3
1945		43	37	45	39	32	-	44	48	38	33	57	35	-
日		16	26	9	15	15	-	10	5,21	3*	2	7	17	-
1946		38	41	40	20	39	45	43	41	39	43	64	57	20
日		20	17	30	19	15	4	28	22,23	26	10,25	2	27	19/4
1947		34	44	37	31	40	42	45	37	37	54	50	50	31
日		29	28	3,28	20	28	1,24	24	13,17	4	9	21	18	20/4
1948		39	42	49	39	37	45	50	47	40	47	48	54	37
日		13	20	22	27	7	1,2	5	25	17	21	5	31	7/5
1949		43	44	33	42	33	46	39	39	45	33	-	-	-
日		8	17	14	18	25	7	24	3	1	5	-	-	-
1950		-	36	54	43	36	38	39	45	47	48	49	42	-
日		-	20	12	2,14	7,19	8	29	31	2	4,5	18	18	-
1951*		55	40	34	50	-	21	40	39	29	41	57	44	-
日		13	18	18	10,13	-	17	1	18	26	11	2	4,5	-
1952*		36	42	38	34	43	29	48	48	36	48	40	54	29
日		7	20	23	20	12,13	10	20-22	26	25	10	2	20,31	10/6
1953*		48	48	42	40	27	28	49	37	32	44	41	(50)	27
日		27	9	8,31	3	28	7	9,17	17	2	3	18	12	28/5
極 值	日 期	34	24	23	20	25	21	31	35	29	33	40	35	20
日 年		1947	1942	1944	1946	1944	1951	1943	1943	1951	1945	1952	1945	1946
南 充														
$\varphi=30^{\circ}48'N$ $\lambda=106^{\circ}04'E$ $H=296.0M$														
平均相对湿度(%)														
1942		-	-	-	-	-	-	-	65	75	-	-	86	-
1943		83	87	79	72	65	74	63	67	71	83	80	82	76
1944		85	78	75	70	63	-	-	-	-	-	-	-	-
1945		91	88	82	84	79	82	81	83	86	84	92	92	85
1946		92	85	83	76	79	86	85	81	90	86	90	-	-
1951		-	82	79	82	75	-	81	78	78	85	87	88	-
1952		83	82	75	69	79	75	82	85	86	83	86	88	81
1953		87	83	82	81	73	75	84	75	79	86	84	85	81
平 均		86	85	80	77	74	77	78	78	81	84	86	87	81

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小相对湿度(%)														
1942	日	-	-	-	-	-	-	-	30	26	-	-	66	-
1943	日	72	69	50	44	33	36	30	34	38	50	57	45	30
1944	日	3	3	20,22	22	6	7,8	4*	14,22	14,18	4	4*	3	4*
1945	日	53	45	40	31	22	-	-	-	-	-	-	-	22
1946	日	4	28	17,18	23	4	-	-	-	-	-	-	-	4/5
1947	日	59	33	42	50	36	40	50	49	49	44	59	50	33
1948	日	15,17	26	12	15	15	5	30	2	22	2	7	17	26/2
1949	日	68	50	50	37	40	49	59	49	55	46	61	-	-
1950	日	13,23	15	29	20	9	4	20	22	28	23	2	-	-
1951*	日	-	36	31	43	29	-	38	42	32	43	57	42	-
1952*	日	-	21,22	6	3	31	-	2	14,15	26	10	1	6	-
1953*	日	37	44	30	30	41	35	45	43	40	47	41	48	30
1954*	日	7	19	22	16	3,6	9	23	25	25	10,11	5	27	22,3,16/4
1955*	日	42	50	43	43	25	30	50	37	35	49	40	55	25
1956*	日	11	9	31	25	7	6	9	14	3	19	18	19,23	7/5
極日年	值期	37	33	30	30	22	30	30	30	26	43	40	42	22
1952	1945	1952	1952	1952	1944	1953	1943	1942	1942	1951	1953	1951	1944	4/5
成都川大 $\varphi=30^{\circ}41'N$ $\lambda=104^{\circ}12'E$ $H=503.1M$														
平均相对湿度(%)														
1932	日	-	-	-	-	-	-	-	82	85	86	81	78	-
1933	日	83	83	74	71	75	77	82	77	79	84	84	85	80
1934	日	84	77	76	76	74	76	82	84	82	83	83	83	80
1935	日	75	82	75	78	74	75	78	79	86	80	82	78	79
1936	日	82	76	80	72	72	71	81	86	75	76	77	78	77
1937	日	73	77	67	69	71	80	86	84	85	81	79	84	78
1938	日	86	80	80	78	72	80	82	81	84	83	86	82	81
1939	日	80	85	76	79	72	78	82	78	79	78	79	81	79
1940	日	80	77	82	73	79	73	87	86	85	83	84	84	81
1941	日	82	83	77	69	78	77	80	81	82	81	84	86	80
1942	日	80	84	77	73	78	77	79	78	81	82	83	80	79
平 均		81	80	76	74	75	76	82	81	82	81	82	82	79
最小相对湿度(%)														
1932	日	-	-	-	-	-	-	-	33	50	55	39	33	-
1933	日	-	-	-	-	-	-	-	6	6	1	28	12	-
1934	日	53	57	42	37	34	44	49	40	42	54	44	49	34
1935	日	6	1	26	28	2	26	16	23	14	29	6	11	2/5
1936	日	44	42	36	41	40	47	50	51	46	50	47	52	36
1937	日	19	6	20	27	17	18	18	31	4	25	22	23	20/3
1938	日	38	37	34	37	38	40	46	42	51	46	53	41	34
1939	日	15	6	18	28	12	11	20	13	13	26	4	21	18/3
1940	日	44	41	37	33	34	33	48	48	38	40	46	35	33
1941	日	2	9	13	19	2	9	16	30	25	27	11	2	19/4,9/6
1942	日	30	39	28	30	30	46	52	53	58	47	50	46	28
1943	日	8	27	24	13	15	1	5	3*	26	3*	29	18	24/3
1944	日	61	41	49	38	32	40	46	45	36	55	51	46	32
1945	日	18	17	1	21	23	11	10	12	9	1	6	4	23/5
1946	日	42	53	36	39	26	39	45	40	33	43	31	57	26
1947	日	27	1	27	26	8	11	11	17	10	14	29	21	8/5
1948	日	30	43	36	35	28	28	51	50	52	50	60	56	28
1949	日	23	1	13	23,24	18	3	2	1	29	2	30	4	18/5,3/6
1950	日	48	49	38	31	41	40	43	49	47	47	47	39	31
1951	日	23	7	16	21	31	8	2	29,31	3	27	3	26	21/4
1952	日	43	50	36	31	40	32	42	32	30	44	46	36	30
1953	日	26	26	17	4	3	9	14	16	29	24	30	30	29/9
極日年	值期	30	37	28	30	26	28	42	32	30	40	31	33	26
1937,40	1935	1937	1937	1939	1940	1942	1942	1942	1942	1936	1939	1932	1939	8/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
成 都														
$\varphi=30^{\circ}40'N$ $\lambda=104^{\circ}04'E$ $H=497.9\text{ M}$														
平均相对湿度(%)														
1941	75	76	77	62	70	77	83	83	79	81	84	88	78	
1942	82	85	80	75	78	76	84	83	87	86	86	84	82	
1943	81	76	78	76	69	80	79	81	83	84	79	80	79	
1944	85	80	73	75	70	81	82	79	85	90	79	79	80	
1945	82	78	71	79	68	76	83	88	88	83	86	84	81	
1946	83	78	74	68	74	80	84	84	85	84	85	85	80	
1947	84	83	77	77	73	82	87	86	83	88	86	86	83	
1948	82	78	82	79	81	83	85	83	85	84	88	85	83	
1949	83	86	79	81	72	85	87	87	88	88	86	88	84	
1950	85	79	79	75	79	84	84	86	89	86	86	81	83	
1951	82	79	77	82	72	80	86	83	86	85	87	83	82	
1952	76	78	77	70	83	80	82	86	82	88	83	77	80	
1953	82	80	78	80	76	78	84	80	85	86	83	82	81	
平 均	82	80	77	75	74	80	84	84	85	86	84	83	81	
最小相对湿度(%)														
1941	33	32	37	20	16	35	40	32	36	36	36	47	16	
日	23	7	16	18	6	1,2	2	7	3	2	3	4	6/5	
1942	37	36	35	31	36	28	40	43	44	41	49	32	28	
日	7	26	17	27	3,10	9	1	14	29	24	29	30	9/6	
1943	41	26	33	34	25	32	39	39	46	43	35	30	25	
日	3	7	19	12	6	7	25	21	13	27	28	5	6/5	
1944	40	34	27	31	24	37	49	40	47	53	34	30	24	
日	5	9	5	23	4	11	2	22	8	29	11	19	4/5	
1945	25	28	28	38	23	32	43	33	47	43	45	22	22	
日	15	7	7	15	15	5	20	1	8	2	20	17	17/12	
1946	43	33	34	22	37	38	49	49	44	40	30	38	22	
日	25	24	28	22	7	10	20,21	21	27	3	22	2	22/4	
1947	43	39	32	23	28	40	55	49	44	47	47	31	23	
日	30	27	27	18	19	2	6	4	7	11	13	19	18/4	
1948	34	38	40	37	42	46	53	50	42	51	39	34	34	
日	25	21	6	27	31	17	3	20	2	13	15	14	25/14/12	
1949	30	42	38	40	30	42	49	43	54	51	45	41	30	
日	14	2	17	12	22	16	8	14	1	5	4	15	14/12/2/5	
1950	37	37	38	35	41	42	55	50	57	46	52	35	35	
日	28	17	31	15,16	6	8	23	24	14,27	3	30	20	30	
1951	41	38	27	36	25	36	53	38	43	46	46	34	25	
日	20	15	18	11	30	1	27,28	17	12	23	7	14	30/5	
1952	31	40	32	30	49	37	44	40	42	48	33	34	30	
日	24	19,27	19	28	12	7	19	24	25	31	7	3	28/4	
1953	35	37	35	31	21	28	44	37	37	39	39	39	21	
日	11	28	5	29	7	7	5	20	3	22	18	21	7/5	
極 值	25	26	27	20	16	28	39	32	36	36	30	22	16	
日 期	15	7	5,18	18	6	9,7	25	7	3	2	22	17	6/5	
年 份	1945	1943	1944	1941	1941	1942	1943	1941	1941	1941	1946	1945	1941	
遂 寧														
$\varphi=30^{\circ}30'N$ $\lambda=105^{\circ}35'E$ $H=354.0\text{ M}$														
平均相对湿度(%)														
1936	-	-	-	-	-	-	-	-	-	-	72	77	-	
1937	70	73	63	67	65	73	77	78	81	78	74	79	73	
1938	79	76	79	77	66	81	81	78	87	82	84	79	79	
1939	80	82	77	77	67	75	79	73	71	73	77	82	76	
1940	76	72	76	64	71	63	77	76	80	78	78	80	74	
1941	76	73	71	63	64	68	71	77	76	76	81	85	73	
1942	77	74	75	69	69	74	68	62	76	82	82	80	74	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1943		76	72	72	71	62	76	70	69	75	84	77	78	74
1944		81	75	68	68	60	75	75	65	80	87	80	78	74
1945		76	76	68	75	68	72	74	82	79	77	86	83	76
1946		83	75	70	63	67	76	80	70	78	79	84	81	76
1947		81	79	73	79	73	81	78	72	75	88	80	84	79
1948		82	80	83	80	81	86	87	82	84	86	86	84	83
1949		83	84	80	81	72	89	85	85	87	90	88	88	84
1950		86	84	86	86	85	87	85	84	87	87	86	83	86
1951		81	80	78	84	73	77	84	81	82	85	87	86	82
1952		80	80	75	70	79	79	83	86	87	86	87	87	82
1953		86	85	82	81	74	77	85	77	82	86	83	84	82
平 均		80	78	75	74	70	77	79	76	80	83	82	82	78
最小相对湿度(%)														
1937	日	35	36	31	22	20	37	42	45	40	32	35	29	20
		20	5	29	7	15	29	3	13,23	6	16	7	17	15/5
1938	日	54	38	37	36	26	44	45	39	45	41	50	37	26
		20	21	16	16	23	11	26	12	29	4	14	23	23/5
1939	日	45	49	39	30	28	36	39	37	29	27	39	36	27
		27	1	24	5	20	8,11	11	20	10	13	28	9	13/10
1940	日	35	38	32	27	30	21	47	46	41	27	31	34	21
		23	24	12	25	30	23	12	3,21	13	24	5	10	23/6
1941	日	35	37	30	20	27	26	31	39	36	33	40	51	20
		23	7	11	18	2	2	2	9	29	6,7	3	6	18/4
1942	日	43	29	31	26	27	27	38	29	25	38	43	39	25
		25	2	28	4	5	8	13,21	13,27	2	25	1,13	3	2/9
1943	日	32	30	32	30	23	27	30	35	37	54	38	32	23
		3	5	19	7	6	8	25	14	14	2,27	20	3	6/5
1944	日	39	33	28	20	20	28	42	33	40	58	43	14	14
		5	12	17	1	4,5	12	17	16	22	29	26	19	19/12
1945	日	34	34	31	38	31	31	40	39	45	36	61	35	31
		15	27	5	14	14,15	4,5	22	1	21	2	3	17	5x
1946	日	48	33	38	23	33	36	47	34	36	39	47	41	23
		2	15	30	5	9	4	20,25	18	28	26	27	1	5/4
1947	日	46	47	36	35	33	41	48	36	43	63	49	47	33
		31	3	29	14	19	5	1,2	20	18	9	12	19	19/5
1948	日	41	39	50	38	38	54	61	50	55	56	50	47	38
		15	20	9	28	7	1	5	22	19	3	15	12,14	28/4,7/5
1949	日	41	52	47	48	33	63	52	53	60	65	54	55	33
		8	16	17	14	11	16	29	1	14,15	6	13	15	11/5
1950	日	51	54	56	57	42	49	58	49	48	50	53	39	39
		5	20	31	1	19	21	25	31	2,4	3	18	16	16/12
1951*	日	46	43	32	48	28	36	45	40	44	52	58	42	28
		20	21	6	3,13	22	1	2	11	26	14	14,25	7	22/5
1952	日	41	48	25	31	36	42	51	50	38	49	50	48	25
		7	21	19	28	13	9	27-29	25	25	10	5	27	19/3
1953	日	43	51	44	42	28	28	53	42	42	42	42	51	28
		11	6	31	29	7	7	5	20	3	19	21	23	7/5,7/6
極 值	日期	32	29	25	20	20	21	30	29	25	27	31	14	14
日 年	份	3	2	19	18,1	3x	23	25	13,27	2	13,24	5	19	19/12
		1943	1942	1952	1941	1937	1940	1943	1942	1942	1939	1940	1944	1944
					1944	1944					1940			
名 山 $\varphi=30^{\circ}05'N$ $\lambda=103^{\circ}08'E$ $H=740.0M$														
平均相对湿度(%)														
1942		88	85	84	81	83	80	80	83	88	90	90	88	85
1943		87	84	84	85	80	85	79	80	88	89	87	85	84
1944		91	87	80	83	78	82	81	82	89	93	87	86	85
1945		87	89	80	85	72	77	83	87	86	87	89	86	84
1946		86	80	89	79	82	87	89	88	90	91	92	91	87
1947		90	90	85	84	81	82	85	86	81	88	86	85	85
1948		79	77	82	81	83	87	85	84	87	86	86	82	83

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949		80	80	78	81	73	84	86	74	88	87	-	-	-
平 均		87	85	83	83	80	83	83	84	87	89	88	86	85
最小相对湿度(%)														
1942	日	60	59	41	38	51	47	45	53	54	62	65	57	38
		26	23	24	2	20	30	22	16	7	4	30	30	2/4
1943	日	67	59	57	56	49	37	49	49	59	64	60	52	37
		21	24	34	23	20	8	22	16	12,13	27	22	20	8/6
1944	日	65	56	48	41	37	55	51	53	68	69	60	49	37
		6	29	19	27	4	1	14	2	26	21	15	24	4/5
1945	日	46	50	47	52	30	38	51	53	54	51	51	54	30
		3	28	9	34	14	4	14	24	21	8	20	8	14/5
1946	日	50	34	57	40	45	56	63	64	57	63	68	65	34
		31	3	23	22	9	10	24,25	1	17	14	24	2	3/2
1947	日	57	53	49	44	47	44	51	56	60	58	55	30	30
		29	27	27	18	27	2	25	8	16	8	27	21	21/12
1948	日	38	37	47	42	52	59	54	51	62	55	47	41	37
		18	21	6	29	30	29	1	14	16	13	15	14	21/2
1949	日	30	46	41	45	40	53	53	53	62	55	-	-	30
		14	10	12	20	13	6	30	14	9	17	-	-	14/1
恒 值	日期	30	34	41	38	30	37	45	49	54	51	47	30	30
日 份		14	3	24,12	2	14	8	22	16	7,21	8	15	21	34
		1949	1946	1942	1942	1945	1943	1942	1943	1942	1945	1948	1947	34
康 定 $\varphi=30^{\circ}03'N$ $\lambda=101^{\circ}57'E$ $H=2558.0M$														
平均相对湿度(%)														
1939		-	65	64	82	72	84	80	71	85	78	72	79	-
1940		67	72	76	73	70	75	78	78	84	79	73	73	75
1941		72	69	61	66	74	79	79	77	82	76	67	66	72
1942		81	71	67	66	73	81	76	77	82	76	70	78	75
1943		81	74	65	72	69	80	74	74	78	79	72	69	74
1944		76	76	70	67	71	80	72	69	83	81	69	79	74
1945		72	77	62	65	69	73	77	81	80	80	65	67	72
1946		68	69	72	61	74	80	78	74	80	79	75	76	74
1947		63	64	69	74	70	77	81	77	78	80	65	67	72
1948		64	61	61	64	74	76	79	73	76	76	76	64	70
1949		62	65	68	72	71	82	80	84	82	84	-	-	-
1951		-	-	-	-	-	-	-	-	-	-	77	66	-
1952		70	69	64	65	78	80	75	85	84	86	74	72	75
1953		68	64	68	77	76	80	82	77	84	81	67	71	75
平 均		71	70	67	68	73	78	77	77	81	79	70	71	73
最小相对湿度(%)														
1939	日	-	28	9	47	21	46	45	37	42	37	20	35	-
		-	28	26	25	3	19	30	54	10	3	16	5	-
1940	日	12	13	12	16	19	34	28	36	48	30	18	18	12
		5,8	24	12	29	1	2	1,31	1	10	27	4	1	34
1941	日	26	28	13	21	30	28	23	40	40	16	8	12	8
		13	5	14,20	11	8,23	1	1	7	24	24	17	1	17/11
1942	日	6	4	14	14	20	42	27	41	48	42	10	16	4
		31	7	9	11	15	9	23	9,21	6	5,26	12	10,14	7/2
1943	日	7	29	9	23	9	37	19	35	42	27	23	15	7
		18	23,27	18	27	2	5,8	23	12	34	31	24	22	18/1
1944	日	16	37	12	16	21	39	39	22	52	26	11	34	11
		8	26	9	21	5,6	11	34	2	27	31	23	19	23/11
1945	日	13	10	4	18	12	17	22	35	41	32	7	1	1
		2,24	26	10	2	15	29	24	20	15	18	20	19,21	23,21/12
1946	日	13	12	13	12	26	43	40	34	31	25	17	33	12
		34	3	16	4,21	4,11	10	25	5	27	24	24	8	34
1947	日	11	14	20	21	20	29	45	38	49	36	13	16	11
		9	23	12	19	17	6	20,24	9	15	30	16	4	9/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948	日	13	11	15	23	20	43	40	42	44	32	54	16	11
		7	18,19	9	17	5,6	7	20	11	19	17	4,21	15	18,19/2
1949	日	13	33	15	11	18	49	32	47	55	55	-	-	-
		23	13	19	10	9	5	30	9	14	14,26	-	-	-
1951	日	-	-	-	-	-	-	-	-	-	-	20*	14*	-
		-	-	-	-	-	-	-	-	-	-	10	22,24	-
1952*	日	20	15	10	13	30	36	38	52	43	42	27	20	10
		13	14	23	14	4	13	29	25	20	31	5	31	23/3
1953*	日	18	8	13	20	20	39	50	36	49	45	16	19	8
		1,27	10	24	25	7	4	9	10	13	26	21	24	10/2
值	日	6	4	4	11	9	17	19	22	31	16	7	1	1
期	份	31	7	10	10	2	29	23	2	27	24	20	19,21	1921/12
年		1942	1942	1945	1949	1943	1945	1943	1944	1946	1941	1945	1945	1945
雅 安														
$\varphi=30^{\circ}00'N$ $\lambda=103^{\circ}03'E$ $H=636.8M$														
平均相对湿度(%)														
1939	日	-	-	85	85	76	80	79	77	84	84	85	85	-
1940	日	82	83	85	76	79	73	81	85	87	85	83	82	82
1941	日	80	78	77	72	78	80	86	87	87	84	86	87	82
1942	日	82	82	80	80	84	81	84	85	87	87	87	83	84
1943	日	82	82	84	84	77	82	80	82	88	83	84	82	83
1944	日	86	82	79	81	77	82	83	82	87	91	86	85	83
1945	日	83	83	79	83	72	69	78	84	84	84	87	80	81
1946	日	81	76	81	73	79	81	84	85	88	88	89	86	83
1947	日	82	83	79	81	78	84	89	89	88	89	86	87	85
1948	日	81	81	86	86	86	86	87	86	89	90	89	83	86
1949	日	82	84	82	85	77	85	89	86	92	91	89	87	86
1950	日	80	80	82	79	81	83	81	82	91	91	88	81	83
1951	日	83	81	78	82	71	75	84	83	87	87	88	82	82
1952	日	74	80	78	74	83	76	79	87	84	87	86	82	81
1953	日	81	79	81	79	74	74	81	81	85	87	83	84	81
平 均		81	81	81	80	78	79	83	85	87	87	87	84	83
最小相对湿度(%)														
1939	日	-	-	57	58	48	57	39	51	56	59	53	54	-
		-	-	27	5	3*	19	21	18,19	30	2	29	22	-
1940	日	44	57	59	41	50	47	50	55	55	56	55	58	41
		24	2	9	25	1,2	25,26	3	4	10	24	17	29,30	25/4
1941	日	55	47	46	36	53	48	63	66	64	60	65	60	36
		24	6	12,17	18	23	1	3*	29	27	1,13	2,4	16	18/4
1942	日	54	56	48	49	33	62	60	55	55	56	56	54	33
		12	28	2	5	25	11,22	5,12	16	30	29	21	30	25/5
1943	日	51	59	52	61	47	53	54	58	65	59	62	62	47
		7,24	23	20	23,27	13	8	12	6	2	31	3*	3*	13/5
1944	日	64	53	50	43	44	53	46	56	66	72	63	59	43
		6	10	19	24	7	25	30	16	20	20	17,19	20,23	24/4
1945	日	62	60	52	53	44	27	50	56	57	51	60	49	27
		3,15	28	1,10	15	15,16	5	18	2	16,22	7	2,3	4	5/6
1946	日	48	34	45	35	42	49	55	60	54	55	56	54	34
		21	24	28	22	7	10	24	4*	28	14	23	2	24/2
1947	日	48	40	36	38	39	53	62	64	63	61	58	64	36
		11	27	27	18	17	2,22	25	3,8	18	8	10	10	27/3
1948	日	55	53	49	45	48	53	55	56	64	57	59	45	45
		5	13	10	29	31	17	1	1	2	17	17	12,14	3*
1949	日	46	51	45	53	39	56	32	56	61	64	64	55	32
		14	14	17	20	22	6	26	30	1	26	4,18	26	26/7
1950	日	45	51	43	42	41	49	46	58	61	55	59	52	41
		28	4	10	11	6	21	5	7	4	3	23	20	6/5
1951	日	51	43	35	37	25	36*	42*	49*	41*	46*	43	34	25
		2	26	18	11	30	1	1	17	28	22	25	11	30/5
1952*	日	33	36	37	39	51	38	44	50	46	49	52	41	33
		24	22	19	20	2,29	8	22	24	25	15	7	24	24/1

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 日	45 12	38 28	45 2,5	38 29	32 6	35 5	48 6	42 20	40 28	43 21,22	43 18,27	45 21	32 6/5
值 期 日 年	33 24 1952	34 24 1946	35 18 1951	35 22 1946	25 30 1951	27 5 1945	32 26 1949	42 20 1953	40 28 1953	43 21,22 1953	43 31 1951	34 11 1951	25 30/5 1951
北 碚 $\varphi = 29^{\circ}50'N$ $\lambda = 106^{\circ}25'E$ $H = 282.6 M$													
平均相对湿度(%)													
1935	79	82	77	77	78	82	69	66	80	85	84	78	78
1936	79	76	74	70	74	68	66	75	62	70	77	78	72
1937	72	72	64	69	70	78	74	75	80	82	82	84	75
1938	77	74	78	77	68	83	79	74	87	81	83	82	79
1939	81	78	78	81	73	84	84	76	74	78	88	86	80
1940	82	75	77	71	78	73	81	75	82	84	82	84	79
1941	81	76	75	67	75	74	71	81	81	80	85	85	78
1942	79	75	71	71	76	86	68	64	75	84	88	87	77
1943	82	83	81	80	78	85	74	76	76	91	87	88	82
1944	83	74	78	75	70	85	77	66	86	93	92	86	80
1945	84	84	81	82	76	78	78	81	85	84	90	88	83
1946	88	80	78	69	77	84	82	75	80	83	92	83	81
1947	85	80	79	82	81	84	80	72	72	92	86	86	82
1948	88	83	83	81	87	84	84	77	81	87	86	90	84
1949	84	84	81	86	78	90	74	73	77	88	90	88	83
1950	86	87	83	80	83	85	81	83	91	92	89	86	86
1951	86	84	82	89	77	80	80	79	79	86	89	88	83
1952	85	80	74	73	83	77	81	87	85	89	89	90	83
1953	86	83	82	77	76	75	80	69	81	88	85	88	81
平 均	82	79	78	77	77	81	77	75	80	85	87	86	80
最小相对湿度(%)													
1935	40	51	39	42	30	35	34	36	46	50	50	46	30
日	27	25	8	21	11	12	29	13	18	20	19	17,20	11/5
1936	45	44	38	34	45	33	36	43	22	30	31	40	22
日	18	11	15	17	21	9	7	17	23	27,29	27	26	23/9
1937	39	40	29	30	20	41	44	41	31	37	43	52	20
日	20	3	29	9	15	26	11	25	6	16	29	10	15/5
1938	42	31	43	31	32	50	43	42	58	45	53	49	31
日	7	21	16	16	24	25	12	25	27	21,22	16	30	21/216/4
1939	49	48	47	40	34	50	51	40	28	33	54	58	28
日	27	23	29	6	12	12	19	30	10	13	30	29	10/9
1940	51	44	36	25	35	38	44	48	45	38	48	55	25
日	3	23	14	24	30	2	9	21	14	24	5	1	24/4
1941	45	46	34	30	35	34	38	51	46	37	43	58	30
日	20	2	18	18	23	2	2	13	31	5	3	6	18/4
1942	54	47	40	29	35	42	39	29	28	41	49	63	28
日	18	28	18	21	3	9	31	31	1	28	9	11	1/9
1943	52	40	50	50	37	37	36	41	40	64	52	43	36
日	5	24	31	8,27	2	10	26	21,22	14,15	2,4	2,3	11	26/7
1944	64	43	41	40	20	40	44	34	42	67	61	51	20
日	21,22	31	17	30	5	1	29	29	27	27	15	21	5/5
1945	56	41	47	52	31	35	43	53	42	32	66	43	31
日	15	26	5	7	15	7	24	31	18,19	2	4	17	15/5
1946	59	44	44	19	40	41	53	39	37	40	56	59	19
日	23	3	30	20	9	3	23	20	12	8	17	4,28	20/4
1947	57	48	41	40	35	53	50	37	39	52	46	52	35
日	28	23	28	3	18	5	3	16	27	15	3	31	18/5
1948	53	47	53	42	46	45	48	39	40	47	48	55	39
日	18	9	8,10	27	5	1	28	27	13	21	19	15	27/8
1949	43	43	42	50	42	62	35	31	27	51	63	57	27
日	8	16	18	8	10	2	30	1,31	2	6,14	20	31	2/9

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	54	51	50	38	42	37	48	50	55	52	61	48	37
1951	日	8,10	20	31	2	7	8	19	20	1	6	15	9	8/6
1952	日	52	45	43	54	30	36	43	34	33	44	50	49	30
1952	日	16	21	7	29	31	1,17	2	15	6	17	2	5	31/5
1953	日	49	46	35	37	36	34	43	38	44	54	43	53	34
1953	日	7,25	20	22	15	13	16	28,29	2	21	7	2	28	16/6
1953	日	47	47	43	(44)	24	33	44	31	38	50	45	54	24
1953	日	7	8	29	27	7	6,8	6	18	2,15	24	20	24	7/5
恒 日 年	值 期 份	39	31	29	19	20	33	34	29	22	30	31	40	19
		20	21	29	20	15,5	33	29	31	23	27,29	27	26	20/4
		1937	1938	1937	1946	1937	1936	1935	1942	1936	1936	1936	1936	1946
						1944	1953							
内 江														

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	日	48	46	40	44	34	51	49	53	56	55	47	53	34
1950	日	8	16	17	2	6	16	30	1,3	25	17	13	30	6/5
日	8,11	49	44	47	35	27	46	62	51	60	50	54	44	27
			20	7	15	14	7	20	22	2	3	21	9	14/5
1951*	日	49	35	32	45	34	40	52	41	43	50	53	49	32
日	4	18	18	3	5	1	26	17	25	22	14	18	18	18/3
1952*	日	40	42	26	34	35	39	53	39	51	49	47	26	26
日	18	13	19	12,14	13	7	23	12	25	21	3	27	19/3	19/3
1953*	日	36	40	47	42	22	27	47	40	45	52	49	53	22
日	11	6	7	2	7	6	4,5	18	14	21	18	24	24	7/5
極日	值	33	28	26	23	22	23	30	30	26	25	36	37	22
年	期	3	16	3	18	7	2	9	17	21	13	6,2	17	7/5
	份	1943	1938	1942	1941	1953	1941	1942	1942	1941	1939	1936	1937	1953
				1952								1941	1945	
樂 山(一) $\varphi=29^{\circ}30'N$ $\lambda=103^{\circ}45'E$ $H=387.0M$														
平均相对湿度(%)														
1936	—	—	—	—	—	—	—	—	—	—	—	76	79	—
1937	70	70	59	65	65	76	79	82	85	79	75	81	74	74
1938	87	77	77	74	67	77	80	81	85	81	85	79	79	79
1939	78	85	78	79	72	75	77	74	78	75	77	82	78	78
1940	80	74	77	64	73	63	79	84	85	81	81	81	77	77
1941	73	66	67	57	63	70	76	78	80	77	77	81	72	72
1942	78	74	70	69	72	74	74	73	78	79	79	77	75	75
1943	78	74	72	78	69	76	72	77	80	80	74	74	75	75
1944	82	75	67	71	66	75	71	66	72	92	87	86	76	76
1945	81	80	66	73	61	66	76	83	79	78	79	74	75	75
1946	76	66	67	56	63	70	75	73	78	77	80	81	72	72
平 均	78	74	70	69	67	72	76	77	80	80	79	80	75	75
最小相对湿度(%)														
1937*	32	26	24	23	23	39	39	44	48	35	37	21	21	21
日	8	27	14	16	14	28,29	28	3	17	16	25	18	18/12	18/12
1938*	59	27	34	36	26	43	51	43	47	42	47	34	26	26
日	29	16	1	30	22	25	9	4	9	3	6	1	22/5	22/5
1939*	35	41	38	33	27	30	29	39	36	33	37	34	27	27
日	9	12	10,27	6	6	8	12	20	11	14	30	22	6/5	6/5
1940*	35	35	30	26	34	24	34	47	43	26	40	39	24	24
日	25	23	13	24	6	24,26	19	1	29	24	17	10	24,26/6	24,26/6
1941*	34*	24	18	21	29	24	33	45	40	43	32	45	18	18
日	9	7,17	5	21	8	9	3	17	28	6	2	10	5/3	5/3
1942	33	35	30	31	41	32	34	36	37	41	45	38	30	30
日	7	2	17	2	3,15	21	11,15	14	29	27	21	10	17/3	17/3
1943	48	40	39	41	35	33	33	42	42	31	33	39	31	31
日	15	24	19	8	20	7	26	14	13	27	21	17	27/10	27/10
1944	52	37	33	29	27	37	39	32	23	55	40	48	23	23
日	8	12	23	27	6	1	7,10	11	17	7	17	26	17/9	17/9
1945	45	35	28	35	26	25	45	45	44	32	38	30	25	25
日	21	28	5	13	15	5	8,29	14	16,26	2	20	17	5/6	5/6
1946	34	29	32	23	25	29	34	37	36	38	45	39	23	23
日	4	2	23,28	5,22	8	10	9	15	26	14	16	1	5,22/4	5,22/4
極日	值	32	24	18	21	23	24	29	32	23	26	32	21	18
年	期	8	7,17	5	21	14	3	12	11	17	24	2	18	5/3
	份	1937	1941	1941	1941	1937	1940	1939	1944	1944	1940	1941	1937	1941
							1941							
樂 山(二) $\varphi=29^{\circ}30'N$ $\lambda=103^{\circ}45'E$ $H=387.0M$														
平均相对湿度(%)														
1947	79	80	72	83	80	85	88	86	84	88	84	85	83	83
1948	81	79	79	79	80	81	85	81	84	84	87	80	82	82
1949	82	77	75	78	67	84	81	83	83	84	81	—	—	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950		86	85	80	80	80	86	83	85	91	89	90	84	85
1951		86	81	81	85	74	85	89	86	89	89	39	87	85
1952		81	87	82	73	86	84	84	91	88	92	89	85	85
1953		85	83	84	82	80	81	86	83	89	89	87	86	85
平 均		83	83	80	80	80	84	86	85	88	89	88	85	84
最小相对湿度(%)														
1947		40	39	29	42	47	55	58	55	53	52	49	45	29
日		1	1	27	2	20	2	6	4	10	8	9	10	27/3
1948		50	36	39	41	39*	37*	47*	50*	45*	50*	47*	41*	36
日		17	21	6	29	31	7	21	12	2	12	17	1,12	21/2
1949*		34	35	40	43	32	46	48	40	46	49	50	(55)	32
日		31	1	20	20	24	6	1,30	14	25	6,17	4,7	4	24/5
1950		38	39	39	37	38	41	47	51	54	50	51	41	37
日		28	4	10	15	5	7	23	7,18	4,28	4	10,21	7,20	15/4
1951*		23	33	36	36	16	30	52	35	47	44	42	50	16
日		25	9	11	30	30	2	13,22	17	28	23	14	11,31	30/5
1952*		35	38	31	34	48	37	45	46	41	50	46	45	31
日		24	22	19	7,29	12	5	19	25	25	31	7	4	19/3
1953*		42	41	41	34	28	24	46	45	34	39	44	43	24
日		22	7	5	29	6	7	5	20	28	20,22	19	21	7/6
極 值		23	33	29	34	16	24	45	35	34	39	42	41	16
日 年		25	9	27	34	30	7	19	17	28	20,22	14	4*	30/5
		1951	1951	1947	1952	1951	1953	1952	1951	1953	1953	1951	1948	1951
					1953								1950	
重慶白市驛 $\varphi=29^{\circ}30'N$ $\lambda=106^{\circ}25'E$ $H=310.0M$														
平均相对湿度(%)														
1950		-	-	-	-	-	-	-	-	-	-	87	86	-
1951		86	83	81	87	76	81	80	81	79	86	87	88	83
1952		85	81	75	74	81	77	82	87	85	88	88	90	83
1953		85	83	81	77	75	74	81	72	84	87	84	88	81
平 均		85	82	79	79	77	77	81	80	83	87	86	89	82
最小相对湿度(%)														
1950		-	-	-	-	-	-	-	-	-	-	54	35	-
日		-	-	-	-	-	-	-	-	-	-	25	9	-
1951*		50	41	47	52	31	35	44	37	30	42	52	60	30
日		16	18	34	15	22	1	24	13	26	17	2	6,22	26/9
1952		45	47	38	41	29	31	45	43	43	52	48	57	29
日		7	20	20	16,28	13	16	21,29	2	21	7	2	4	13/5
1953		49	44	42	43	25	30	47	33	42	54	45	52	25
日		26	28	6	1	7	7	6	18	14	2	20	25	7/5
極 值		45	41	38	41	25	30	44	33	30	42	45	35	25
日 年		7	18	20	16,28	7	7	24	18	26	17	20	9	7/5
		1952	1951	1952	1952	1953	1953	1951	1953	1951	1951	1953	1950	1953
重慶沙坪壩 $\varphi=29^{\circ}30'N$ $\lambda=106^{\circ}33'E$ $H=261.3M$														
平均相对湿度(%)														
1940		-	-	-	72	76	72	80	75	83	85	84	83	-
1941		79	75	75	70	73	76	73	84	82	81	84	84	78
1942		77	74	67	72	75	83	70	68	74	83	87	84	76
1943		79	79	80	80	80	86	77	78	80	90	85	84	82
1944		71	79	79	78	74	84	77	65	83	92	88	83	80
1945		82	83	79	79	75	76	79	78	77	81	88	86	80
1946		85	81	78	70	76	82	79	75	77	81	87	81	79
1947		82	80	79	81	82	84	83	73	74	89	81	82	81
1948		87	81	81	80	84	82	80	75	80	85	84	89	82
1949		84	84	81	83	79	88	77	74	75	87	87	88	82

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	85	85	83	79	81	84	80	80	90	88	86	84	84
1951	84	81	81	87	76	78	79	77	77	86	86	86	82
1952	84	80	73	73	81	75	78	85	84	87	87	87	81
1953	85	82	83	79	75	74	80	68	81	89	86	86	81
平 均	82	80	78	78	78	81	78	75	80	86	86	85	81
最小相对湿度(%)													
1940	—	—	—	30	38	31	43	38	40	49	42	49	—
日	—	—	—	24	2	27	15	25	13	6	3	1	—
1941	40	37	24	31	34	38	37	54	41	38	45	57	24
日	9	2,18	18	11	23	1,6	7,11	16	23	5	3	5	18/3
1942	47	36	35	31	35	32	37	28	24	34	51	57	24
日	14	26	18	22	3	9	26	31	2	2	9	13	2/9
1943	44	35	43	37	41	40	39	38	43	51	60	47	35
日	10,13	25	11	12	2	10	26	16	13,14	2	3	11	25/2
1944	64	43	47	42	27	39	22	32	44	65	54	57	22
日	21,22	24	17	21	6	1	3*	16	26	30	26	19	3*
1945	57	43	46	51	28	28	44	41	27	31	65	50	27
日	16	26	28	2	4	7	9	31	19	2	6	17	19/9
1946	57	50	52	22	40	52	50	39	38	36	59	58	22
日	23	22	23,30	20	8	4	10,27	25	3*	9	3	2	20/4
1947	52	49	42	36	33	52	49	35	37	53	48	54	33
日	30	28	12	2	18	30	1	16	18	15	21	5	18/5
1948	51	49	50	46	50	45	46	40	44	49	49	66	40
日	19	9	11	27	5	8	29	26	13	20	10	3*	26/8
1949	52	42	50	48	47	62	41	30	23	50	62	55	23
日	14	15	17,18	14	12	16	30	31	2	7	20	13	2/9
1950	55	51	51	40	42	33	43	47	48	46	56	42	33
日	8	5	31	14	7	8	19	19,30	2	6	10	9	8/6
1951	47	42	45	49	31	35	38	36	34	45	51	52	31
日	28	18	17	21	22	1	4	15	6	17	2	22	22/5
1952	45	43	36	38	34	27	44	38	48	54	44	57	27
日	2	12	21	15	13	16	21,28	2	21	7	1	30	16/6
1953	52	45	44	41	21	30	45	33	40	55	50	51	21
日	12	12	29	25	7	7	6,13	19,29	15	2	20	25	7/5
恒 值 日 期 年 份	40 9	35 25	24 18	22 20	21 7	27 16	22 3*	28 31	23 2	31 2	42 3	42 9	21 7/5
1941	1943	1941	1946	1953	1952	1944	1942	1949	1945	1940	1950	1953	
峨眉山 $\varphi=29^{\circ}28'N$ $\lambda=103^{\circ}41'E$ $H=3137.0M$													
平均相对湿度(%)													
1939	—	—	—	94	79	83	83	84	87	82	86	86	—
1940	68	79	91	79	77	79	89	93	95	85	65	78	82
1941	73	77	71	77	74	76	90	85	90	82	82	73	79
1942	74	75	85	77	83	85	85	86	91	90	90	83	84
1943	82	88	81	88	83	86	84	82	85	92	87	72	84
1944	86	87	91	87	78	89	87	80	91	95	82	88	86
1945	77	95	82	93	71	77	84	92	87	91	87	82	85
1946	87	92	89	76	83	85	87	87	86	84	88	77	85
1947	72	86	87	87	82	83	90	91	92	94	82	78	85
1948	74	77	79	91	87	87	84	83	89	89	91	69	83
1949	74	83	75	88	82	92	90	89	94	95	92	79	86
1950	66	87	85	89	84	86	84	80	92	92	89	88	85
1951	74	79	81	94	77	87	88	89	91	85	85	73	84
1952	83	84	78	(79)	91	84	83	93	87	93	89	85	86
1953	82	74	85	89	84	84	91	90	93	94	80	83	86
平 均	77	83	83	85	81	84	87	87	90	90	85	79	84
最小相对湿度(%)													
1939	—	—	—	40	10	32	38	46	44	30	12	22	—
日	—	—	—	12	11	1	16	31	27	3,18	24	27	—
1940	6	10	22	26	22	31	49	51	58	10	52	10	10
日	7,8	24	12	29	28,31	3*	31	1	29	28	30	1	3*

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全	年
1941	日	9	10	5	10	10	23	34	33	15	7	7	5	5	
1942	日	2	5	9	29	19	5	28	30	24	24	17	2	9/3,2/12	
1943	日	6	9	12	11	8	13	18	35	43	10	12	11	6	
1943	日	9	6	23	5,6	13	9	22	14,15	6	24	29	13	9/1	
1943	日	7	25	6	18	22	5	17	15	23	23	15	5	5	
1943	日	25	16	20	8	18	5	23	28	13	28	24	6	5/6,6/12	
1944	日	7	26	18	11	6	19	30	24	49	42	10	21	6	
1944	日	3	26	12	30	5	11	3	3	6	31	10	4	5/5	
1945	日	9	21	11	46	16	10	23	52	43	57	28	27	9	
1945	日	17	26	27	2	4	4	24	1	15	6	27	19	17/1	
1946	日	31	58	29	10	15	32	29	44	13	10	23	16	10	
1946	日	12	4	30	20	11	10	9	29	27	23	2	17	20/4,23/10	
1947	日	11	23	36	5	14	19	46	35	35	36	25	12	5	
1947	日	8,9	8	23	17	17	21	24	9	16	31	3,28	6	17/4	
1948	日	21	20	11	37	14*	22*	24*	24*	30*	23*	40*	4*	4	
1948	日	20	18	9	11	5	30	1	19	8	17,18	4,18	6	6/12	
1949*	日	9	12	8	29	20	50	17	13	46	23	47	9	8	
1949	日	22	5	10	25	9	15	9	30	27	5	5	27	10/3	
1950	日	11	25	16	22	12	39	29	32	25	32	43	26	11	
1950	日	1,25	20	28	2	14	29	22	16	4	12	22	30	1,25/1	
1951*	日	21	20	14	29	11	24	26	38	45	12	19	8	8	
1951	日	31	1	17	18	21	29	1	3	29	9	11	27	27/12	
1952	日	17	25	20	(24)	52	32	35	31	29	26	20	16	16	
1952	日	19	13	23	14	20	14	8	18	20	31	29	22	22/12	
1953	日	25	16	19	37	27	29	49	44	40	46	26	23	16	
1953	日	1	11	23	6,27	13	14	24,25	8	22	20	24	25	11/2	
極日年	值期份	6	9	5	5	6	5	17	13	13	7	7	4	4	
1940	1942	3	6	9	17	5	5	23,9	30	27	24	17	6	6/12	
1942	1941	1942	1941	1947	1944	1943	1943	1943	1949	1946	1941	1941	1948	1948	
漢源															
$\varphi = 29^{\circ}21'N$ $\lambda = 102^{\circ}41'E$ $H = 793.5M$															
平均相对湿度(%)															
1944	—	—	—	—	—	—	—	—	—	—	77	67	59	—	
1945	59	57	55	62	62	68	75	80	77	73	62	66	66	66	
1946	57	54	53	55	68	66	73	70	70	75	69	58	64	64	
1947	60	58	61	65	64	71	76	78	72	76	67	66	68	68	
1948	65	61	60	63	70	69	77	73	76	75	76	64	69	69	
1949	62	61	61	65	67	73	76	81	77	80	71	—	—	—	
1950	—	—	—	—	—	—	—	71	—	—	—	—	—	—	
1951	60	56	56	68	59	74	80	75	73	72	72	67	68	68	
1952	61	60	59	63	71	72	68	79	81	78	65	63	68	68	
1953	62	62	63	64	66	72	80	73	80	77	68	65	69	69	
平均	61	58	58	63	66	70	76	75	76	75	68	64	67	67	
最小相对湿度(%)															
1944	—	—	—	—	—	—	—	—	—	—	47	39	29	—	
1945	—	—	—	—	—	—	—	—	—	—	16	26	24	—	
1945	33	31	22	29	19	26	42	50	47	41	35	35	19	19	
1946	16	16,21	9	14	15	4	2	18	16,29	2	20	7,17	15/5	15/5	
1946	28	30	27	21	32	32	37	41	40	40	37	35	21	21	
1947	21	18,21	20	21	7,29	10	26	21	4	8	29	3	21/4	21/4	
1947	39	31	26	30	24	33	42	49	44	43	41	36	24	24	
1948	3*	27	27	19	3*	22	25	24	16,17	30	3*	23	3*	3*	
1948	38	28	30	31	36	34	40	44	44	44	48	38	28	28	
1948	26	22	31	1,29	10	7	20	20	11	21,23	3	12	22/2	22/2	
1949	33	31	34	32	33	40	43	51	50	51	42	—	—	—	
1949	14	10	20	4	7	18	10	30	15,23	5,26	12	—	—	—	
1950	—	—	—	—	—	—	—	36	—	—	—	—	—	—	
1951	—	—	—	—	—	—	—	17	—	—	—	—	—	—	
1951	38	32	31	30*	22*	28*	36*	41*	36*	39*	41*	39	22	22	
1951	23,26	16	9	7,30	7	1	1	18	5	23	13	20	7/5	7/5	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952*	日	33	35	27	28	34	36	32	44	45	41	40	39	27
1953*	日	15	22	19	14	10	14	16	9	26	31	28	11, 24	19/3
1953*	日	36	35	32	23	25	38	41	37	39	45	33	36	23
		26	7	24	27	8	21	9	18, 26	1	22	26	14	27/4
恒 值	期	28	28	22	21	19	26	32	36	36	39	33	29	19
日 年	份	21	22	9	21	15	4	16	17	5	23	26	24	15/5
		1946	1948	1945	1946	1945	1945	1952	1950	1951	1951	1953	1944	1945
峨 眉 $\varphi = 29^{\circ}15'N$ $\lambda = 103^{\circ}30'E$ $H = 524.0 M$														
平均相对湿度(%)														
1942		-	78	76	-	-	72	71	71	75	79	80	81	-
1943		83	76	73	73	66	72	69	73	76	78	78	77	75
1944		88	78	70	73	67	74	74	69	80	85	76	81	76
1945		81	81	68	74	62	68	76	84	77	76	81	82	76
1946		86	77	79	71	78	78	76	75	80	78	79	79	78
1947		79	77	68	75	71	80	85	82	87	86	78	85	79
1948		81	81	81	79	87	82	85	82	86	86	88	84	84
1949		87	82	77	80	71	81	82	82	85	86	84	87	82
1950		82	84	78	76	76	82	81	81	88	82	83	75	81
1951		81	74	79	82	70	78	(85)	82	85	84	86	86	81
1952		80	82	77	69	81	78	79	87	83	89	87	86	82
1953		85	81	62	81	76	76	82	80	84	86	84	84	82
平 均		83	79	76	76	73	77	79	80	83	83	82	82	80
最小相对湿度(%)														
1942		-	40	36	-	-	39	29	39	45	49	50	49	-
日		-	17	28, 31	-	-	8	26	14	9	29	21	30	-
1943		47	28	35	41	33	29	39	37	46	45	48	39	28
日		24	9	19	23	6, 29	8	25	16	9, 12	27	9	17	9/2
1944		67	43	38	30	33	41	45	38	53	67	41	42	30
日		2	13	15	27	4, 11	8	7	17	21	4	26	17	27/4
1945		42	40	35	41	32	35	46	51	49	36	47	50	32
日		3	28	8	16	14, 16	6	29	2	16	2	3	17	14, 16/5
1946		56	45	51	38	42	48	49	47	51	54	52	40	38
日		29	4	23	19	7	10	25	14, 21	7	14	26	1	19/4
1947		45	44	34	36	46	54	61	55	67	66	48	63	34
日		29	27	3, 27	18	4*	2	13	31	7	9	9, 12	10, 19	3, 27/3
1948		57	55	47	49	65	55	61	61	60	70	65	54	47
日		18	23	10	29	6	7	1, 21	2	2, 19	21	18	15	10/3
1949		55	57	46	54	36	54	56	54	63	59	64	60	36
日		14	27	20	3	22	15	30	14	2	11	3*	26	22/5
1950		50	52	46	49	46	57	54	53	52	56	65	54	46
日		29	17	10	13	5	21	24	1	4	4	24	9, 27	10/3, 5/5
1951		59	48	50	55	37	27*	(45)*	40*	50*	47*	48*	56	27
日		23, 25	9, 23	11	11	30	1	1	17	12	13	14	25	1/6
1952*		(37)	39	32	35	45	48	43	(40)	40	48	49	44	32
日		24	10	19	16	28	2	16	24	25	15	3	14, 15	19/3
1953*		41	31	39	33	32	31	41	43	32	38	47	43	31
日		13	24	5	29	6	7	5	20	28	22	15	14	24/2/6
恒 值	期	37	28	32	30	32	27	29	37	32	36	41	39	27
日 年	份	24	9	19	27	3*	1	26	16	28	2	26	17	1/6
		1952	1943	1952	1944	1945	1951	1942	1943	1953	1945	1944	1943	1951
彭 水 $\varphi = 29^{\circ}15'N$ $\lambda = 108^{\circ}10'E$ $H = 284.5 M$														
平均相对湿度(%)														
1945		-	-	-	78	70	75	79	83	77	79	85	83	-
1946		80	74	76	69	76	81	78	76	80	76	85	78	77
1947		81	76	78	76	80	78	81	74	80	87	82	80	79
1948		82	83	80	80	88	85	79	77	78	83	77	83	81

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	76	80	78	82	80	85	76	75	78	84	-	85	-
1950	85	77	82	78	78	82	79	76	87	85	81	80	81
1951	76	77	77	83	77	74	82	76	78	85	82	82	79
1952	79	76	77	78	86	74	72	82	83	87	87	78	80
1953	82	81	81	77	76	77	79	74	77	88	83	83	80
平 均	81	78	79	77	80	79	79	76	80	84	82	81	80
最小相对湿度(%)													
1945	-	-	-	33	31	23	37	45	38	34	47	57	-
日	-	-	-	10	14,15	4	8	10	19	2	8	4	-
1946	42	39	41	22	36	48	45	44	46	41	52	51	22
日	21	18	6,30	19	31	3,4	24	19	29	8	2	2	19/4
1947	42	27	43	37	34	35	46	38	39	49	49	57	27
日	27	21	2	2	19	23	34	18	18	13	10,11	31	21/2
1948	47	50	47	42	47	32	47	44	42	44	42	57	32
日	28	24	24	27	5	2	29	25,26	13	19	9	20	2/6
1949	42	44	46	43	40	45	36	34	35	51	-	42	-
日	8	16	18	8	7	20	28	2,30	4	6,23	-	4	-
1950	61	45	48	41	36	42	36	35	46	51	42	47	35
日	8,12	20	1	8	6	9	30	2	12	6	15	16,24	2/8
1951	41	40	43	49	31	31 ⁴	36 ⁴	33 ⁴	34 ⁴	40 ⁴	45 ⁴	45 ⁴	31
日	26	17	7	8,12	22	30	2	15,19	26	11	2	17	22/5,30/6
1952	44	37	38	36	35	30	36	36	42	41	42	33	30
日	16	20	22	14,15	13	15	29	3,4	14	31	6	21	15/6
1953	49	37	40	30	30	29	43	28	34	33	39	49	28
日	28	8	7	3	6	7	26	19	2	1	20,21	10	19/8
極 值	41	27	38	22	30	23	36	28	34	33	39	33	22
日 年	26	21	22	19	6	4	4*	19	26,2	1	20,21	21	19/4
1951	1947	1952	1946	1953	1945	4*	1953	1951	1953	1953	1953	1952	1946
瀘 州 $\varphi=28^{\circ}58'N$ $\lambda=105^{\circ}25'E$ $H=246.0 M$													
平均相对湿度(%)													
1942	86	85	81	78	81	84	77	74	82	86	88	87	82
1943	88	84	83	83	81	89	85	87	86	92	90	88	86
1944	90	85	83	84	82	88	85	81	90	93	90	89	87
1945	86	83	77	78	72	75	85	86	83	86	89	84	82
1946	84	81	82	73	82	85	85	80	84	86	89	85	83
1947	86	83	80	88	86	90	86	84	85	92	88	95	87
1948	92	85	85	84	88	90	90	84	86	89	89	86	87
1949	85	82	81	84	83	92	86	85	85	90	89	87	86
1950	84	85	85	86	88	-	-	83	-	-	89	84	-
1951	85	86	85	88	78	86	85	83	82	87	86	87	85
1952	84	84	79	77	85	79	81	84	85	89	87	88	84
1953	86	83	84	79	78	80	84	75	84	88	85	87	83
平 均	87	84	82	81	81	85	84	83	85	89	88	87	85
最小相对湿度(%)													
1942	68	60	48	44	48	54	49	46	52	54	64	67	44
日	3*	6	18	26	20	14	16	4	3*	1	7	13	26/4
1943	65	51	52	51	52	49	54	60	54	65	72	58	49
日	17	23	19	12	12	6	25	16	15,22	2	28	4	6/6
1944	73	65	60	55	54	57	63	54	69	79	70	67	54
日	23	28	19	22	8	11	17	19	25,26	27	14	24	8/5,19/8
1945	63	45	45	53	23	34	30	61	52	57	67	58	23
日	23	28	10	16,28	1	9	9	12	23	21	27	29	1/5
1946	57	57	52	21	46	64	58	52	56	54	65	69	21
日	23	19,24	23	21	9	10,11	21	22	8	9	20	8,27	21/4
1947	62	53	51	45	51	55	60	50	45	71	65	73	45
日	10	22	28	2	19	30	28	12	27	9	2	6	2/4,27/9
1948	73	65	58	61	61	67	70	57	53	61	65	59	53
日	8	13,18	3*	1,3	5	8	21,24	28	13	9	18	2	13/9

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	日	57	54	54	60	51	68	59	58	59	62	63	63	51
	日	14	16	19	18	11	2	25	15	2	7	4	30	11/5
1950	日	59	59	54	52	58	-	-	52	-	-	55	62	-
	日	10	14	12	3	7	-	-	15	-	-	25	18	-
1951	日	58	61	53	61	43*	43*	55*	51*	40*	51*	55*	48*	40
	日	26	23	9	30	30	1	26	14	5	17	23	5	5/9
1952	日	49*	57*	39*	47	43	30*	42	46	44	59	48	62	30
	日	7	13	19	13	13	26	26	2	25	31	1	21	26/6
1953	日	62	46	49	42	26	39	51	38	38	51	50	61	26
	日	26	26	7	8	7	7	5,6	19,25	14	21	13	24	7/5
值	49	45	39	21	23	30	30	38	38	51	48	48	21	
期	7	26	19	21	1	26	9	19,25	14	17,21	1	5	21/4	
份	1952	1945	1952	1946	1945	1952	1945	1953	1953	1951	1952	1951	1946	
年										1953				
宣 賓														
$\varphi = 28^{\circ}49'N$ $\lambda = 104^{\circ}32'E$ $H = 291.4 M$														
平均相对湿度(%)														
1938	-	-	-	-	71	82	79	79	89	83	87	83	-	-
1939	79	85	82	84	77	82	83	78	78	77	92	83	81	-
1940	82	78	80	70	77	73	83	82	85	84	82	82	80	-
1941	86	94	84	69	74	78	81	83	84	82	82	83	82	-
1942	79	77	75	72	76	80	75	72	81	85	87	86	79	-
1943	84	82	77	76	65	79	-	-	-	-	80	81	-	-
1944	87	81	78	76	71	79	77	70	83	89	84	-	-	-
1950	-	-	-	-	-	-	-	-	-	-	84	82	-	-
1951	82	80	80	83	73	81	83	82	83	84	84	83	82	-
1952	79	83	79	75	81	81	80	85	84	89	86	83	82	-
1953	85	81	80	79	77	77	81	77	85	87	85	86	82	-
平 均	82	83	80	76	76	79	81	80	83	84	84	84	81	-
最小相对湿度(%)														
1938	-	-	-	-	32	50	43	37	53	46	58	45	-	-
	-	-	-	-	23	13	27	5	29	3	7	13	-	-
1939	45	43	44	42	31	45	49	41	32	36	49	56	31	-
	27	1	30	6	7	20	11	20,24	9	12	27	17	7/5	-
1940	46	44	40	30	42	33	50	55	55	50	53	53	30	-
	24	23	13	24	1	27	19	15	13	26	30	24	24/4	-
1941	48	52	35	21	36	30	43	45	43	43	48	45	21	-
	12	17	21	10	31	2	1	9	1,27	7	14	9	10/4	-
1942	48	46	40	38	44	41	36	36	43	44	62	56	36	-
	14,26	2	14	23	14,15	14	9	15	1,2	24	21	19	5/7,15/8	-
1943	52	46	47	41	31	30	-	-	-	-	47	47	-	-
	24	24	19,22	10,27	6,7	8	-	-	-	-	10	4	-	-
1944	63	44	42	42	29	39	45	37	51	63	57	-	-	-
	24	12	31	26,29	6	6	18	16,17	25	30	19	-	-	-
1950	-	-	-	-	-	-	-	-	-	-	53	45	-	-
	-	-	-	-	-	-	-	-	-	-	21	20	-	-
1951	43	41	42	42	34	37	38	44*	52*	42*	44*	43*	34	-
	26	23	18	11	31	1	1	17	4	23	23	6	31/5	-
1952*	46	46	32	38	40	43	40	48	49	55	50	49	32	-
	7,10	13,22	19	13,15	13	7	23	25	25	29	4	4	19/3	-
1953*	46	44	46	40	26	35	43	43	44	46	47	54	26	-
	6	12	9	1,2	6	7,8	5	18	28	22	19	18,29	6/5	-
值	43	41	32	21	26	30	36	36	32	36	44	43	21	
期	26	23	19	10	6	2,8	9	15	9	12	23	6	10/4	
份	1951	1951	1952	1941	1953	1941	1942	1942	1939	1939	1951	1951	1941	
年						1943								
西 陽														
$\varphi = 28^{\circ}48'N$ $\lambda = 108^{\circ}46'E$ $H = 630.0 M$														
平均相对湿度(%)														
1942	-	76	74	71	76	79	75	77	68	79	74	74	-	-
1943	65	67	71	70	79	74	73	79	75	80	75	71	73	-

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944	78	69	71	78	79	75	73	73	79	86	77	65	75
1945	68	73	73	75	69	76	80	83	75	72	82	75	75
1946	72	71	77	72	74	79	80	79	80	70	79	74	76
1947	76	70	71	71	78	75	81	77	77	80	73	71	75
1948	71	78	77	76	80	83	82	84	82	81	73	79	79
1949	70	77	77	78	76	83	79	77	77	77	77	80	77
1950	78	74	80	-	77	79	80	78	84	82	77	71	-
1951	76	75	76	80	74	73	79	73	72	76	74	68	75
1952	69	70	74	71	79	69	73	78	82	86	87	74	76
1953	81	84	82	79	81	80	83	79	80	88	84	86	82
平 均	73	73	75	75	77	77	78	78	78	80	78	74	76
最小相对湿度(%)													
1942	-	35	32	25	29	31	30	24	25	27	27	38	-
日	-	19,20	31	21	3	9	13	30	1	25	8	27	-
1943	29	11	35	31	33	24	38	44	35	35	33	27	11
日	11	23	30	9	19	7	27	1,14	23	6	12,23	12	23/2
1944	46	25	30	33	23	36	36	35	31	59	28	22	22
日	5	10	19	28	1	13	10	13	16	30	21	19	19/12
1945	32	33	31	33	25	23	36	49	35	26	32	37	23
日	16	25	9	10	15	5	20	2	17	11,12	7	17	5/6
1946	26	30	26	20	38	35	45	40	39	26	32	35	20
日	21	17	30	5	30	4	10,24	18	26	23	17	5	5/4
1947	34	24	28	24	31	34	45	38	31	38	23	29	23
日	28	19	12	15	19	6	14	20	17	15	11	28	11/11
1948	27	36	37	29	41	28	37	47	49	40	30	38	27
日	1	24	24	26	4	2	1	29	16,17	20	20	15	1/1
1949	28	33	41	23	15	46	43	25	32	43	31	49	15
日	14	16,17	2	26	1	19	28	31	1	27	15	4	1/5
1950	36	15	42	-	28	32	42	42	47	45	33	36	-
日	6	19	2	-	20	8	31	38	16,17	5	12	21	-
1951	28	29	36	35	26	30	43	35	28*	31*	34*	28*	26
日	27	18	7	8	8	1,28	1	19	25	24	1	26	8/5
1952*	27	31	36	26	37	30	38	41	43	39	35	32	26
日	19	20	22	16	13	16	6,21	4	14	3	3	21	16/4
1953*	30	36	33	34	31	39	48	42	41	36	34	42	30
日	7	19	7	25	8	7	36	11,18	24	1	21	25	7/1
極 值	26	11	26	20	15	23	30	24	25	26	23	22	11
日 期	21	23	30	5	1	5	13	30	1	38	11	19	23/2
年 份	1946	1943	1946	1946	1949	1945	1942	1942	1942	1945 1946	1947	1944	1943
雷 波 $\varphi = 28^{\circ}18'N$ $\lambda = 103^{\circ}36'E$ $H = 650.0 M$													
平均相对湿度(%)													
1942	68	73	72	69	76	80	77	78	81	79	82	78	76
1943	79	76	72	70	63	78	71	75	77	81	72	71	74
1946	77	66	70	63	74	78	80	74	79	84	81	79	75
1947	78	78	75	80	71	79	80	77	79	87	79	82	79
1948	79	76	78	75	80	80	83	-	80	85	90	84	-
1949	81	81	76	81	74	87	-	-	85	89	87	-	-
1952	-	-	-	-	-	-	75	84	81	86	81	78	-
1953	79	75	77	77	75	77	80	76	84	81	79	81	78
平 均	76	74	73	72	72	78	78	76	80	82	79	78	76
最小相对湿度(%)													
1942	26	15	16	24	40	43	38	46	41	31	41	37	15
日	31	1	10	21	2	4	10	5	18	7	24	30	1/2
1943	43	32	23	29	26	32	32	40	38	36	32	34	23
日	24	9	18	23	6	8	24	15	21	28	12	6	18/3
1946	37	28	32	17	31	38	45	42	42	39	42	33	17
日	20	21	22	7	7	11	25	21	27	15	23	3	7/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1947	日	39	40	41	30	25	44	42	45	41	47	43	40	25
1948	日	10	1	28, 30	18	18	22	24	16	16	8	12, 17	22	18/5
1948	日	36	40	31	37	40	40	36	-	44	52	58	52	-
1948	日	5	21	9	1	5	8	21	-	10	9, 17	18	10, 26	-
1949	日	43	43	28	38	31	47	-	-	52	46	57	-	-
1952*	日	14	15	19	10	10	2	-	-	13	6	4	-	-
1952*	日	-	-	-	-	-	-	26*	43*	35*	42*	46*	38*	-
1953*	日	-	-	-	-	-	-	7	18	25	28, 31	1	30	-
1953*	日	35	26	31	27	23	40	40	36	45	36	44	48	23
1953*	日	6	11	5, 6	24	8	13, 20	5	12	28	20	15	14	8/5
历年 日 年	期 份	26 31	15 1	16 10	17 7	23 8	32 8	26 7	36 12	35 25	31 7	32 12	33 3	15 1/2
		1942	1942	1942	1946	1953	1943	1952	1953	1952	1942	1943	1946	1942
西 昌														
$\varphi=27^{\circ}53'N$ $\lambda=102^{\circ}18'E$ $H=1582.8M$														
平均相对湿度(%)														
1939	日	-	-	40	54	64	78	78	73	82	70	59	68	-
1940	日	55	42	57	55	60	72	75	79	77	74	71	66	65
1941	日	49	49	53	61	67	78	79	79	80	74	69	64	67
1942	日	52	41	51	50	64	76	71	75	77	66	66	58	62
1943	日	57	54	48	41	52	76	72	76	79	75	65	66	63
1944	日	54	45	51	49	73	77	78	76	82	73	62	58	65
1945	日	43	49	42	40	64	67	74	79	74	72	66	58	61
1946	日	55	52	41	57	60	71	74	70	72	72	66	56	62
1947	日	45	46	58	68	58	77	76	71	72	76	66	56	64
1948	日	46	43	36	50	62	74	77	73	70	67	69	51	60
1949	日	45	38	33	51	63	69	75	74	67	69	51	41	56
1950	日	38	42	41	47	60	77	72	71	81	75	60	58	60
1951	日	43	36	44	41	48	74	79	78	78	72	66	60	60
1952	日	52	39	34	47	53	72	75	80	78	77	63	61	61
1953	日	54	53	48	45	62	74	76	71	76	68	64	61	63
平 均		49	45	46	50	60	74	75	75	76	72	65	58	62
最小相对湿度(%)														
1939	日	-	-	17	18	19	49	39	42	49	33	23	37	-
1940	日	-	-	28	24	7	20	21	29	14, 15	21	21	11	-
1940	日	18	14	17	17	26	32	41	54	44	40	31	31	14
1941	日	28	18, 19	10	21	9, 14	3	10	2, 16	28	2, 31	10	31	18, 19/2
1941	日	21	18	24	16	27	32	45	46	38	39	30	32	16
1942	日	18	6	9, 23	3, 4	14, 23	13	4	14	29	10	30	30	3, 4/4
1942	日	17	13	17	22	28	36	35	49	48	32	25	26	13
1943	日	30	12	13	13, 15	17	1, 2	15	5	17	3*	20	29	12/2
1943	日	15	22	22	15	12	27	33	36	38	34	33	28	12
1943	日	16, 19	17	1, 19	24	2	2	23	8	2	27	4*	31	2/5
1944	日	20	15	18	20	27	46	50	37	43	37	25	26	15
1944	日	4	13, 16	26, 31	23, 25	14	26	14	22	27	16, 25	27	14	13, 16/2
1945	日	13	12	13	13	24	20	42	47	43	32	29	25	12
1945	日	31	23	11	28	17	5	1	25	3*	30	24	15	23/2
1946	日	16	16	12	22	30	40	45	41	42	38	30	25	12
1946	日	1	25	10, 13	21	6	10	26	19	4	14	30	10	10, 13/3
1947	日	21	17	21	24	19	39	54	45	44	41	37	10	10
1947	日	10	16	13	28	17	22	4*	9, 30	17	9	11	12	12/12
1948	日	12	12	9	13	25	44	49	39	41	28	38	23	9
1948	日	31	4	5	23	14	7	8	19	25	25	23, 29	21, 30	5/3
1949	日	18	14	12	18	35	34	48	40	40	33	12	12	12
1949	日	29, 31	5*	8, 29	2	21	1, 5	28, 31	21	18	5	10	22, 23	5*
1950	日	10	9	10	17	24	37	41	40	53	37	29	26	9
1951	日	26	12	8	2	3	8	25	7	13, 16	17, 18	25, 26	28	12/2
1951	日	15	11	19	11*	6*	20*	50*	43*	40*	34*	31*	25*	6
1952*	日	11	3	9, 30	9	8	1	24	9, 18	28	9	13	31	8/5
1952*	日	18	15	12	10	18	31	40	42	38	35	23	21	10
1952*	日	3, 4	26, 27	2	10	9	15	17	25	13	31	30	23	10/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	17	19	16	16	16	36	43	34	35	29	26	22	16
		13	4	24	16	8	14	16	18	3	19	6,15	31	3*
1947	日	10	9	9	10	6	20	33	34	35	28	12	10	6
1950	日	26	12	5	10	8	5,1	23	18	3	25	10	12	8/5
	年份	1950	1950	1948	1952	1951	1945	1943	1953	1953	1948	1949	1947	1951
雲 南 昭 通 $\varphi = 27^{\circ}20'N$ $\lambda = 103^{\circ}45'E$ $H = 1960.0 M$														
平均相对湿度(%)														
1945	(70)	77	63	71	70	75	79	84	78	80	78	74	75	
1946	77	73	64	63	79	78	80	77	76	82	79	74	75	
1947	57	67	70	76	69	80	80	74	75	83	73	73	73	
1948	72	66	67	68	75	74	79	78	78	76	86	66	74	
1950	-	-	-	53	69	76	76	78	85	81	77	78	-	
1951	72	65	69	70	74	86	83	81	80	79	79	76	76	
1952	74	64	55	61	72	75	77	84	79	85	73	75	73	
1953	69	66	68	72	72	76	78	76	82	80	72	77	74	
平 均	70	68	65	69	73	78	79	79	78	81	77	74	74	
最小相对湿度(%)														
1945	(24)	22	21	17	19	21	34	48	36	38	27	21	17	
1946	24	28	11	16	15	5	21	29	27	19	22	14	16/4	
1946	26	21	3	13	25	35	42	42	32	37	22	15	3	
1947	1	23	16	7	30	3	19	6,17	29	1	25	9	16/3	
1947	5	8	17	19	10	34	44	39	28	36	26	16	5	
1948	10	4	19	2	2	22	2,14	26	18	31	14	8	10/1	
1948	27	18	10	19	22	27	27	45	38	33	44	17	10	
1950	22	18	3	10	5	6	22	2	25	3*	22	8,21	3/3	
1950	-	-	-	5	14	28	32	35	34	39	29	20	-	
1951	-	-	-	4	2	9	18	16	4	18	22	31	-	
1951	18	10	13	19	20	44	41	32	34	33	24	19	10	
1952	4	6	17	9	15	2	25	15	6	19	13	26	6/2	
1952	15	18	14	15	19	27	32	42	34	37	19	15	14	
1953	3	27	3*	14	9	14	4,5	4	26	20	30	26	3*	
1953	17	8	15	20	16	33	39	28	30	30	21	24	8	
1953	27	11	23	28	8	17	30	17	23	18	5	26	11/2	
1947	5	8	3	5	10	21	27	28	28	30	19	15	3	
1947	10	4,11	16	4	2	5	22	17	18	18	30	9,26	16/3	
1947	1947	1947	1946	1950	1947	1945	1948	1953	1947	1953	1952	1946	1946	
		1953										1952		
麗 江 $\varphi = 26^{\circ}57'N$ $\lambda = 100^{\circ}18'E$ $H = 2445.0 M$														
平均相对湿度(%)														
1943	48	46	49	41	48	69	70	82	84	59	52	43	58	
1944	46	38	40	41	64	78	80	77	86	56	43	42	58	
1945	34	40	45	38	62	72	77	86	78	72	49	44	58	
1946	42	37	44	62	66	77	80	82	82	85	64	44	64	
1947	45	47	56	62	58	78	88	86	85	82	64	53	67	
1948	55	61	55	55	69	73	87	85	85	81	73	57	70	
1949	62	60	63	65	72	78	86	88	84	77	-	-	-	
1950	-	-	-	-	-	-	-	-	79	77	62	48	-	
1951	56	47	51	59	59	80	84	81	80	75	66	60	67	
1952	46	48	51	54	56	79	80	88	83	82	64	54	65	
1953	47	50	54	48	63	73	80	76	84	66	58	61	63	
平 均	47	46	49	51	61	75	81	83	83	73	59	51	63	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小相对湿度(%)														
1943	日	5	14	16	15	14	26	28	44	38	25	13	10	5
1944	日	19	15	6,18	21	3	25	25	3	16,17	38	13,16	48	19/1
1945	日	6	11	17	18	22	39	40	28	45	20	12	13	6
1946	日	3	28,29	38	11,22	7	7	23	4	23	17	11	15	3/1
1947	日	10	9	13	17	19	24	34	55	37	24	15	10	9
1948	日	25,26	4,25	38	17	25	1	1	15	30	29	17	15	4,25/2
1949	日	8	7	13	24	26	41	47	47	48	43	20	10	7
1950	日	2	1	5,6	16	2	1	20	2	27	28	30	13	1/2
1951	日	16	18	25	26	15	38	52	51	48	37	27	14	14
1952	日	18	3	12	28	1,2	5	17	9	17	31	18	31	31/12
1953	日	19	22	15	21	33	32	45	43	53	38	31	18	15
1954	日	4	18	4	1	13,14	6,7	19	20	25	31	4	8	4/3
1955	日	27	33	17	27	35	40	55	57	52	38	-	-	-
1956	日	5	5,17	1,2	21	22	13	12	31	30	31	-	-	-
1957	日	-	-	-	-	-	-	-	-	38	35	26	11	-
1958	日	-	-	-	-	-	-	-	-	25	18	8,17	3	-
1959	日	21	20	18	24	14	24	51	31	38	26	(21)	18	14
1960	日	19	8	3	9,12	31	1	1	3	27	22	13	25	31/5
1961	日	9	19	14	17	19	27	30	53	38	33	15	14	9
1962	日	2	4	28	10	4	15	5	25	23	30	30	25,26	2/1
1963	日	12	14	15	15	17	27	32	31	41	21	16	15	12
1964	日	31	11,14	24	3	8	4,15	2	7	2	18	16	31	31/1
极 值	日期	5	7	13	15	14	24	28	28	37	20	12	10	5
日 份	1943	1946	1945	21,3	3,31	1	25	4	30	17	11	68	19/1	1943
年	1943	1946	1945	1943	1943	1945	1943	1944	1945	1944	1944	3年	1943	
大 理 $\varphi=25^{\circ}43'N$ $\lambda=100^{\circ}11'E$ $H=1960.0M$														
平均相对湿度(%)														
1940	日	51	43	59	48	67	78	80	81	82	72	74	69	67
1941	日	52	54	54	61	68	84	79	82	80	78	64	66	69
1942	日	51	45	54	58	65	82	80	80	81	71	73	59	67
1943	日	57	57	62	55	56	72	76	81	82	74	70	62	67
1944	日	60	50	51	59	78	83	85	81	87	77	66	61	70
1945	日	57	52	54	56	71	77	80	87	82	80	70	65	69
1946	日	62	56	55	71	71	78	81	91	78	82	68	54	70
1947	日	51	47	53	60	58	77	83	80	80	81	68	57	66
1948	日	57	63	54	58	70	70	81	79	81	79	70	61	69
1949	日	64	54	49	63	70	73	79	81	77	75	63	52	67
1950	日	56	49	49	46	58	74	76	81	79	83	53	57	63
1951	日	53	47	51	55	62	80	75	79	77	77	65	69	66
1952	日	56	51	51	56	58	77	77	82	80	82	68	59	66
1953	日	48	51	56	46	66	74	81	77	84	75	69	66	66
平 均		55	51	54	57	66	77	80	81	81	78	67	61	67
最小相对湿度(%)														
1940	日	10	6	21	24	35	41	52	44	48	40	35	29	6
1941	日	24,25	19	18	4,5	1,3	1	31	1	28	13	9	30	19/2
1942	日	19	17	26	28	36	50	50	52	43	37	30	30	17
1943	日	19	8	3	3	18,21	30	1	31	28	4,5	21	14	8/2
1944	日	15	20	25	23	36	34	51	53	51	33	34	16	15
1945	日	10	4,26	3	22	25,27	1	10	15,30	27	14,31	29	29	10/1
1946	日	23	29	33	32	28	43	47	52	51	40	27	20	20
1947	日	19	8	19	58	1,3	2	24	13	18	24	16	24	24/12
1948	日	24	22	17	34	48	58	61	49	60	42	33	20	17
1949	日	2	18	6	6	3	19	11	4	27	28	11	38	6/3
1950	日	16	26	21	31	38	46	53	62	53	49	41	38	15
1951	日	30	23	5	17	15	3	21,27	15	29	20	18,23	20	30/1
1952	日	18	25	24	37	42	49	46	50	40	40	23	15	15
1953	日	25	9	15	5	1,2	2	20	17	7	28	30	24	24/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1947	日	19	19	29	32	25	47	55	54	53	43	39	8	8
1948	日	18	15	5,10	9	2	4*	1,2	10,29	24	31	8	9	9/12
1949	日	20	26	25	29	35	39	44	49	49	42	40	21	20
1950	日	13,27	3	3*	2	15	4	19	20	14,21	25	28	21	13,27/1
1951	日	16	22	23	30	42	42	49	53	52	39	29	18	16
1952	日	4	4,25	1	2,21	22,23	14	10	1	15,22	31	19	22	4/1
1953	日	19	26	19	22	29	40	38	47	52	43	18	10	10
1954	日	7	16,18	28	7	4	5,6	24	8	3*	17	27	12	12/12
1955	日	10	17	27	21	18*	32*	47*	43*	39*	41*	20*	16*	10
1956	日	1	2,6	10	9	15	13	3	2	25,27	13,29	24	26	1/1
1957	日	15	16	16	16	28	33	41	51	44	44	28	14	14
1958	日	29	16	21	14	9,19	15	5,21	8	21	31	30	20,23	20,23/12
1959	日	14	12	25	20	21	32	50	40	44	29	9	14	9
1960	日	12	11	23	18	8	1	30	7	3	22	16	28	16/11
植 植	日 期	10	6	16	16	13	32	38	40	39	29	9	8	6
日 年	份	3*	19	21	14	15	13,1	24	7	25,27	22	16	9	19/2
		1940	1940	1952	1952	1951	1951	1950	1953	1951	1953	1953	1947	1940
		1951					1953							
需 益 $\varphi=25^{\circ}35'N$ $\lambda=103^{\circ}50'E$ $H=1884.3M$														
平均相对湿度(%)														
1951	日	70	54	62	53	66	78	83	81	81	81	77	78	72
1952	日	66	59	52	55	67	80	78	85	82	85	74	75	72
1953	日	67	67	61	62	72	76	79	77	82	80	75	75	73
平 均		68	60	58	57	68	78	80	81	82	82	75	76	72
最小相对湿度(%)														
1951	日	29	18	24	16	24	38	50	44	45*	34*	26*	23*	16
1952	日	8	1	26	12	8	29	30	8	26	14	13	25	12/4
1953	日	20	16	15	18	27	32	39	53	44	39	24	16	15
1954	日	13	13	2	14	4,10	14	16	12	2	31	30	23	2/3
1955	日	18	21	13	17	22	31	42	35	38	35	31	29	13
1956	日	11	4,12	24	4	8	14	17	13	24	29	16	29	24/3
植 植	日 期	18	16	13	16	22	31	39	35	38	34	24	16	13
日 年	份	11	13	24	12	8	14	16	13	24	14	30	23	24/3
		1953	1952	1953	1951	1953	1953	1952	1953	1953	1951	1952	1952	1953
保 山 $\varphi=25^{\circ}13'N$ $\lambda=99^{\circ}15'E$ $H=1693.0M$														
平均相对湿度(%)														
1950	日	-	-	-	52	60	73	81	85	83	85	71	71	-
1951	日	67	59	58	60	61	80	77	79	76	79	72	79	71
1952	日	64	59	60	63	66	79	81	82	78	83	72	65	71
1953	日	62	61	64	54	70	73	82	80	85	80	73	76	72
平 均		64	60	61	59	66	77	80	80	80	81	72	73	71
最小相对湿度(%)														
1950	日	-	-	-	20	27	40	53	61	56	46	35	35	-
1951	日	-	-	-	24	17	5	25	3	21	16	10	28	-
1952	日	27	31	28*	25*	21	52*	56*	44*	38	35*	27*	36*	21
1953	日	11	4,8	12	13	8	1,14	18	3	28	22	25	7	8/5
1954	日	21	24	19	16	31	44	47	53	38	39	28	21	16
1955	日	11,14	4	21,22	13	7,19	15	3	15	26	31	27	2	13/4
1956	日	21	27	24	20	22	31	47	44	43	25	28	38	20
1957	日	27	9	19	4,10	7	2	30	30	26	22	29	6	4,10/4
植 植	日 期	21	24	19	16	21	31	47	44	38	25	27	21	16
日 年	份	3*	4	21,22	13	8	2	3,30	3,30	28,26	22	25	2	13/4
		1952	1952	1952	1952	1951	1953	1952	1951	1951	1953	1951	1952	1952
		1953						1953	1953	1952				

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
騰 衝														
$\varphi=25^{\circ}07'N$ $\lambda=98^{\circ}29'E$ $H=1646.0\text{ M}$														
平均相对湿度(%)														
1951	72	69	73	77	76	94	94	93	88	88	80	83	82	
1952	75	70	70	75	80	89	90	89	86	89	81	75	81	
1953	72	69	74	66	83	84	89	84	87	85	80	78	79	
平 均	73	69	72	73	80	89	91	89	87	87	80	79	81	
最小相对湿度(%)														
1951	25	20	29	26*	30	56	51	56	44	35	19	32	19	
日	11	5	15	12	7	1,2	23	19	28	22	25	4,26	25/11	
1952	21	21	19	17	35	47	55	47	38	32	32	22	17	
日	2	4	21,22	14	7	14	19,29	29	20	31	1	26	14/4	
1953	20	20	29	17	34	42	48	43	46	31	31	24	17	
日	27	4	31	22	8	15	30	16	25	22	28	30,31	22/4	
極 值	20	20	19	17	30	42	48	43	38	31	19	22	17	
日 期	27	5,4	21,22	14,22	7	15	30	16	20	22	25	26	14,22/4	
年 份	1953	1951	1952	1952	1951	1953	1953	1953	1952	1953	1951	1952	1952	1952
		1953		1953									1953	
昆 明														
$\varphi=25^{\circ}02'N$ $\lambda=102^{\circ}43'E$ $H=1893.3\text{ M}$														
平均相对湿度(%)														
1930	65	58	66	58	73	77	74	77	77	80	82	70	71	
1931	66	56	55	53	60	69	78	78	81	79	71	79	69	
1932	78	73	61	59	61	81	86	85	81	82	77	71	75	
1933	63	53	54	60	69	78	81	76	78	78	75	67	69	
1934	67	70	62	64	65	79	83	79	76	75	73	66	72	
1935	60	68	55	56	66	76	71	76	75	75	70	62	68	
1936	65	61	56	57	67	73	73	78	71	70	76	64	68	
1937	57	64	49	58	67	75	74	82	77	73	72	76	69	
1938	70	68	71	67	-	-	-	-	-	-	-	-	-	
1946	61	61	42	52	62	70	76	73	73	77	68	63	65	
1947	53	50	58	63	53	72	80	80	81	78	66	65	67	
1948	57	55	52	60	69	83	86	76	76	77	79	68	70	
1949	68	63	58	62	71	75	79	79	78	80	80	-	-	
1950	69	75	65	62	68	75	76	80	79	78	69	71	72	
1951	68	54	55	48	63	76	81	81	81	80	74	80	70	
1952	66	60	56	58	65	80	80	82	78	82	75	72	71	
1953	69	66	58	51	68	77	80	78	81	80	76	76	72	
平 均	64	62	56	57	65	76	79	79	78	78	74	70	70	
最小相对湿度(%)														
1930	42	33	34	32	39	41	36	60	55	40	45	36	32	
1931	33	30	30	30	33	42	54	55	46	50	36	40	30	
1932	46	42	32	28	30	55	71	66	66	55	43	35	28	
1933	33	32	30	33	36	55	57	50	56	53	52	33	30	
1934	31	30	27	35	29	42	60	52	51	42	40	34	27	
日	21	21	24	30	18	5	21	13	14	30	29	3	24/3	
1935	30	29	28	28	35	50	37	46	45	45	40	32	28	
日	9	4	18	3	3,13	5*	30	26	17	31	1	5,19	28/3,3/4	
1936	30	35	28	30	28	40	40	52	29	28	38	34	28	
日	28	3*	13,21	3*	1	11	16	26	29	26	4	25	4*	
1937	27	30	25	28	28	42	47	53	50	38	39	36	25	
日	18	6	23	3*	6,22	16	5	31	2	27	26	24	23/3	
1938	32	29	36	32	-	-	-	-	-	-	-	-	-	
日	3	19	20	12	-	-	-	-	-	-	-	-	-	
1946	10	11	1	13	20	32	34	16	33	48	30	16	1	
日	31	4	16	30	9	14,16	18	18	27	15	29	31	16/3	

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1947 日	20 14,27	19 6,26	26 30	17 29	13 2	43 16	42 1	47 17	44 12	29 9	34 4,23	11 9	11 9/12
1948 日	17 12	12 18	11 8	17 10	31 22	48 7	33 20	17 20	36 19	32 17	41 13	24 21	11 8/3
1949 日	27 28	23 1,2	24 27	18 3	35 23	40 2	50 26	38 15	36 1	40 5	37 12	- -	- -
1950 日	29 30	30 28	21 28,30	18 25	27 10	27 9	31 23	39 14	41 14	39 13	23 29	21 28	18 25/4
1951 日	17 31	11 2	17 17	16 10	21 6,14	30 28	48 24	43 30	44 29	32 13	30 21	25 25	11 2/2
1952 日	16 13	16 10	14 2	21 15	25 12	28 14	46 8	47 23	41 20	40 31	24 30	17 23,24	14 2/3
1953 日	17 27	17 12	15 24	16 4	16 7	27 14	48 7,29	31 8	33 24	37 21	27 16	26 26,30	15 24/3
極 值 日 期 年 份	10 1946	11 1946	1 1946	13 1946	13 1947	27 1950	31 1950	16 1946	29 1936	28 1936	23 1950	11 1947	1 1946
昆明太華山 $\varphi=24^{\circ}57'N$ $\lambda=102^{\circ}37'E$ $H=2318.0\text{ M}$													
平均相对湿度(%)													
1938	-	-	-	-	84	87	92	89	90	87	83	77	-
1939	68	64	48	65	73	92	88	87	90	79	85	88	77
1940	61	56	66	60	77	84	91	89	89	82	85	79	77
1941	58	55	61	65	75	85	87	88	89	84	78	81	76
1942	71	51	58	64	69	84	-	-	-	-	-	-	-
1943	76	76	61	58	67	86	82	92	91	79	88	74	78
1944	75	63	59	58	78	90	91	83	92	86	73	81	77
1945	65	60	68	63	75	84	90	94	86	82	78	80	77
1946	72	75	51	68	78	85	89	87	85	93	81	71	78
1947	59	57	66	76	70	88	92	89	93	96	85	81	79
1948	79	74	71	74	82	89	94	90	83	86	91	83	83
1949	85	73	60	-	-	-	-	-	-	-	-	-	-
1953	-	-	58	55	79	88	89	86	92	89	83	79	-
平 均	68	64	61	65	75	87	89	89	89	85	83	80	78
最小相对湿度(%)													
1938	-	-	-	-	30	52	58	55	56	(33)	43	(30)	-
日	-	-	-	-	6	20	28	1	26	4	23	22	-
1939	(25)	27	21	22	26	56	50	47	49	(38)	40	(32)	21
日	7	1	24	25	2	17	13	31	1	29	7	7	24/3
1940	(25)	(20)	27	(25)	32	36	61	50	56	29	35	39	20
日	16	18	10	17	9	3	13	14	28	25	5	14	18/2
1941	20	22	24	24	31	38	42	52	48	30	23	36	20
日	17	26	1	2	13	5	4	12,14	29	4	18	3	17/1
1942	29	19	15	26	28	(42)	-	-	-	-	-	-	-
日	10,14	7,8	2	3	31	14	-	-	-	-	-	-	-
1943	25	32	22	27	25	47	49	58	53	34	28	27	22
日	19	14	31	4,24	1	8	29	16	19	29	16	23	31/3
1944	30	22	21	21	22	54	59	40	55	40	29	32	21
日	2	28	3	10	10	26	25,29	4	30	25	27	18	3/3,10/4
1945	23	20	22	22	25	45	62	66	50	43	38	34	20
日	30	24	4,5	18	8	6	22,27	31	22	21	15	23	24/2
1946	26	23	14	25	38	48	57	52	52	59	32	22	14
日	31	4	16	7,30	8	7	18	2	27	25	30	16	16/3
1947	21	23	19	30	28	57	61	64	68	69	54	40	19
日	10	3	23	28,29	1	16,24	1	30	12	26	23	9	23/3
1948	35	39	34	36	54	50	58	63	60	55	55	50	34
日	13	4	7	11	1	11	20	20	13	19	23	21,22	7/3
1949	45	32	27	-	-	-	-	-	-	-	-	-	-
日	23	27	28	-	-	-	-	-	-	-	-	-	-
1953	-	-	17	21	24	41	59	48	43	46	36	32	-
日	-	-	24	4	7	14	16	18	24	31	16	27	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
值 期	20	19	14	21	22	36	42	40	43	29	23	22	14	
日 期	17	7,8	16	10,4	10	3	4	4	24	25	18	16	16/3	
年 份	1941	1942	1946	1944 1953	1944	1940	1941	1944	1953	1940	1941	1946	1946	
玉 溪														
$\varphi=24^{\circ}20'N$ $\lambda=102^{\circ}34'E$ $H=1671.0M$														
平均相对湿度(%)														
1946	70	71	54	62	67	73	78	76	73	79	72	67	70	
1947	61	59	61	70	58	75	78	72	77	75	69	74	69	
1948	70	61	55	60	68	71	80	74	75	76	76	71	70	
1950	-	-	-	-	-	-	-	-	-	-	-	78	-	
1951	77	67	65	55	63	80	82	81	81	80	78	84	74	
1952	76	67	61	58	62	80	85	88	86	84	83	83	76	
1953	78	71	66	57	69	78	80	79	81	82	79	81	75	
平 均	72	66	60	60	65	76	81	78	79	79	76	77	72	
最小相对湿度(%)														
1946	30	36	13	20	28	43	43	48	37	47	32	22	13	
日	31	25	16	7	9	1	18	16,27	27	1	25	31	16/3	
1947	21	26	21	22	20	37	42	42	44	40	37	33	20	
日	16	6	5	28	1,7	1	1	17	30	10	4	9,11	1,7/5	
1948	30	18	16	19	34	36	39	43	42	36	46	29	16	
日	24	29	7	8,9	16,30	3	20	21	24	20,25	5	31	7/3	
1950	-	-	-	-	-	-	-	-	-	-	-	24	-	
日	-	-	-	-	-	-	-	-	-	-	-	29	-	
1951	32*	24*	26*	22*	24*	38*	53	40	49	34	41	46	22	
日	9	8	16	9,22	7,14	29	1	30	9	13	3*	25	9,22/4	
1952	41	32	22	22	31	38	35*	55*	49*	40*	38*	34*	22	
日	2,28	9	21	14	4,7	14	5	21	26	31	2	23	21,3,14/4	
1953*	33	21	18	20	19	38	48	38	34	41	35	32	18	
日	27	14	23,24	5,24	7	14	29	8	24	21	16	30	23,24/3	
值 期	21	18	13	19	19	36	35	38	34	34	32	22	13	
日 期	16	29	16	8,9	7	3	5	8	24	13	25	31	16/3	
年 份	1947	1948	1946	1948	1953	1948	1952	1953	1953	1951	1946	1946	1946	
蒙 自														
$\varphi=23^{\circ}30'N$ $\lambda=103^{\circ}30'E$ $H=1299.1M$														
平均相对湿度(%)														
1950	-	-	-	-	74	79	78	79	78	81	75	71	-	
1951	74	60	62	60	70	79	79	83	79	79	76	77	73	
1952	71	63	61	58	68	78	82	83	83	82	80	77	74	
1953	77	72	66	65	71	76	76	79	76	77	72	72	73	
平 均	74	65	63	61	70	78	79	82	79	79	76	75	73	
最小相对湿度(%)														
1950	-	-	-	-	38	50	58	52	59	61	32	22	-	
日	-	-	-	-	2	3	27	25	8	6	23	20	-	
1951	25	16	19	19	26	35*	43*	41*	34*	38*	30*	28*	16	
日	7	27	25	10	7	29	25	30	25	14	13	19	27/2	
1952*	20	10	12	12	25	42	45	45	50	38	35	30	10	
日	10,13	6	2	15	10	15	5	19	7	31	26	23	6/2	
1953*	20	24	10	18	21	43	38	42	32	42	35	32	10	
日	11	10	24	9	8	5	30	1,13	23	21	15	27	24/3	
值 期	20	10	10	12	21	35	38	41	32	38	30	22	10	
日 期	3*	6	24	15	8	29	30	30	23	14,31	13	20	6/2,24/3	
年 份	1952	1952	1953	1952	1953	1951	1953	1951	1953	1951	1951	1950	1952	
	1953								1952				1953	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
昌都地區		昌 都												
		$\varphi = 31^{\circ}11'N$ $\lambda = 96^{\circ}59'E$ $H = 3200.0 M$												
		平均相对湿度(%)												
1941	日	65	57	48	59	64	64	65	66	65	60	50	51	60
1942	日	48	47	48	50	53	76	67	58	62	50	51	59	56
1943	日	61	52	45	40	—	—	—	—	—	—	—	—	—
1951	日	—	—	—	51	54	70	80	72	72	66	60	56	—
1952	日	52	49	55	57	65	69	68	71	75	67	50	46	60
1953	日	52	48	48	55	51	61	66	62	67	59	45	48	55
平 均		54	50	50	55	58	68	67	64	67	59	49	51	58
		最小相对湿度(%)												
1941	日	19	21	9	18	24	18	23	24	17	16	11	10	9
1942	日	30	20	13	6	11	15	3	7	24	20	16	27	13/3
1943	日	15	14	15	20	18	25	21	15	24	20	12	18	12
1943	日	30	26	14	6	24	16	30	1,23	5	4,31	11	13,26	11/11
1943	日	13	11	12	16	—	—	—	—	—	—	—	—	—
1951	日	2	9	4	19	—	—	—	—	—	—	—	—	—
1951	日	—	—	—	16	16	20	33	22	22	15	16	16	—
1952	日	—	—	—	2,14	7	2	19	10	5	27	20	14	—
1952	日	9	13	19	17	22	23	22	26	16	10	11	11	9
1953	日	19	17	26	13	11	5	20,29	17	26	30	18,22	14	19/1
1953	日	14	11	12	11	14	19	17	21	18	17	10	12	10
1953	日	13	11	29	1	1,7	19	8	10,11	2	22	8	3	8/11
極 值	日 期	9	11	9	11	14	18	17	15	17	15	10	10	9
日 年	份	19	9,11	13	1	1,7	15	8	1,23	24	27	30	27	13/3,19/1
		1952	1943	1941	1953	1953	1941	1953	1942	1941	1951	1952	1941	1941
			1953									1953		1952
西 藏		拉 薩												
		$\varphi = 29^{\circ}48'N$ $\lambda = 91^{\circ}20'E$ $H = 3600.0 M$												
		平均相对湿度(%)												
1941	日	18	26	13	32	35	48	48	58	46	39	24	19	34
1942	日	18	10	18	25	27	39	50	52	53	31	19	16	30
1943	日	19	16	20	32	29	47	51	47	48	27	13	18	31
1944	日	21	15	20	31	25	34	45	44	53	27	17	10	29
1945	日	19	21	17	27	—	38	57	57	59	47	29	29	—
1946	日	21	26	21	30	36	39	53	41	45	49	28	15	34
1947	日	14	7	22	22	36	38	58	53	48	34	20	17	31
1948	日	12	13	19	30	41	39	54	56	58	54	26	17	35
1949	日	16	13	14	40	34	40	—	—	—	—	—	—	—
1951	日	—	—	—	—	—	—	—	—	—	—	54	38	—
1952	日	33	44	42	41	—	60	—	—	—	—	—	—	—
1953	日	35	34	34	39	45	54	67	62	62	42	34	38	46
平 均		18	16	19	29	33	41	51	50	50	37	21	16	32
		最小相对湿度(%)												
1941	日	0	0	0	3	8	4	17	27	11	11	0	0	0
1942	日	21	40	30	1	20	13	1,3	20	26	2,3	20	70	360
1942	日	0	0	0	0	7	11	12	13	12	6	0	0	0
1943	日	40	150	110	18	1,13	2,12	7	14	27	19,28	10	100	420
1943	日	0	0	0	0	6	20	19	14	13	5	0	0	0
1944	日	30	80	50	1	15	26	30	27	20	31	18	100	280
1944	日	0	0	0	0	0	14	11	10	16	2	0	0	0
1945	日	110	170	60	11	8	30	9	10	30	24	40	16	410
1945	日	0	0	0	0	—	16	16	25	27	4	0	0	0
1945	日	170	190	90	5	—	30	23	20	1,22	30	40	90	590

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1946	日	0	0	0	0	8	16	13	14	18	13	0	0	0
		10次	3次	7次	1	8	9	11	1	27	16	25, 28	15次	38次
1947	日	0	0	0	0	7	12	28	15	17	5	0	0	0
		18次	26次	6次	3	7	4, 8	17	4	16	20	7次	15次	73次
1948	日	0	0	0	6	9	14	17	15	25	9	0	0	0
		20次	13次	7次	10	3	7	17	4	30	23	3次	20次	63次
1949	日	0	0	0	7	8	16	-	-	-	-	-	-	0
		18次	16次	15次	3	9	7	-	-	-	-	-	-	49次
					*			*			*			
1951	日	-	-	-	-	-	-	-	-	-	-	15	15	-
		-	-	-	-	-	-	-	-	-	-	3次	3次	-
1952	日	10	6	12	10	-	16	-	-	-	-	-	-	-
		22	17	3次	3次	-	11	-	-	-	-	-	-	-
1953*	日	11	9	6	8	11	16	28	30	26	6	4	7	4
		8, 18	16	19	3, 17	24	13	5	31	3	30	16	9	16/11
通 值	期	0	0	0	0	0	4	11	10	11	2	0	0	0
日 年	份	122次	121次	69次	6次	8	13	9	10	26	24	23次	87次	429次
		9年	9年	9年	6年	1944	1941	1944	1944	1941	1944	8年	8年	9年

絶 对 湿 度

勝故壘

平均绝对湿度所取观测时间及资料来源编号总表

1

站 名	頁次	平均绝对湿度所取观测時間	資料来源编号
黑龍江			
瑋 理	1	1935-41.4 (2,6,10,14,18,22)	1935-40 (7) 1941(1-4) (8)
遜 克	1	1938-41.4 (2,6,10,14,18,22)	1938-40 (7) 1941(1-4) (8)
嫩 江	2	1939-45.7,49.9-50 (2,6,10,14,18,22) 1951 (3,6,9,12,14,18,21,24) 1952-53 (1-24)	1939-45.7,49.9-50 (61) 1951-53 (62)
克 山	3	1936-41.4,50 (2,6,10,14,18,22) 1949(11-12) (6,14,22) 1951-53 (3,6,9,12,14,18,21,24)	1936-40 (7) 1941(1-4) (8) 1949,11-50 (61) 1951-53 (62)
海 倫	4	1933-36 (5,13,21) 1952.7-53 (3,6,9,12,14,18,21,24)	1933-36 (11) 1952.7-53 (62)
齊齊哈爾	4	1930.5-31.9,31.12-32 (5,13,21) 34-35 " 1933,36 (6,14,22) 1939-41.4 (2,6,10,14,18,22,) 1951-53 (1-24)	1930.5-32,35 (10) 1933-34 (12) 1936 (4) 1939-40 (7) 1941(1-4) (8) 1951-53 (62)
富 錦	5	1935.11-41.4 (2,6,10,14,18,22) 1952(8-12) (3,6,9,12,14,18,21,24) 1953 (1-24)	1935(11-12) (9) 1936-40 (7) 1941(1-4) (8) 1952.8-53 (62)
佳 木 斯	6	1938-41.4,49(6-12) (2,6,10,14,18,22) 1951 (3,6,9,12,14,18,21,24) 1952-53 (1-24)	1938-40 (7) 1941(1-4) (8) 1949(6-12) (14) 1951-53 (62)
哈 爾 濱	7	1931-34 (5,13,21) 1936-41.4,49 (2,6,10,14,18,22) 1951-53 (1-24)	1931-33 (4) 1934 (12) 1936-40 (7) 1941(1-4) (8) 1949 (14) 1951-53 (62)
齊 山	8	1937-41.4 (2,6,10,14,18,22)	1937-40 (7) 1941(1-4) (8)
鷄 西	9	1949(1-2),49.5-50 (2,6,10,14,18,22) 1951-53 (3,6,9,12,14,18,21,24)	1949 (14) 1950-53 (62)
牡 丹 江	9	1937-41.4,49.4-50 (2,6,10,14,18,22) 1949(1-3) (—) 1951-53 (1-24)	1937-40 (7) 1941(1-4) (8) 1949(1-3) (14) 1949.4-50 (61) 1951-53 (62)
綏 芬 河	11	1936-41.4 (2,6,10,14,18,22) 1952.8-53 (3,6,9,12,14,18,21,24)	1936 (7) 1937-41,4 (8) 1952.8-53 (63)
東 宁	11	1937-41.4 (2,6,10,14,18,22.)	1937-40 (7) 1941(1-4) (8)
吉 林			
白 城	12	1951-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
洮 南	13	1928-36 (5,13,21)	1928 (10) 1929-36 (4)
長 春	13	1909-12 (3,7,11,15,19,23) 1913-41.4,49 (2,6,10,14,18,22) 1947.10-48.4 (3,6,9,12,14,18,21,24) 1951-53 (1-24)	1909-22 (5) 1923-32,35-36 (5)(6) 1933-34 (12) 1937-40 (7) 1941(1-4) (8) 1947.10-48.4,49 (14) 1951-53 (62) 1950-53 (62)
蛟 河	15	1950(1-2,9-12) (2,6,10,14,18,22) 1950(3-8) (6,14,22) 1951-53 (3,6,9,12,14,18,21,24)	1950-53 (62)
雙 遼	16	1925-36,6 (5,13,21) 1952.6-53 (3,6,9,12,14,18,21,24)	1925-36.6 (11) 1952.6-53 (62)
四 平	16	1934 (2,4,6,8,10,12,14,16,18,20,22,24) 1935-37 (2,6,10,14,18,21)	1934 (12) 1935 (6) 1936 (5)

平均绝对湿度所取观测时间及资料来源编号总表

站 名	頁次	平均绝对湿度所取观测時間	資料来源编号
延 吉	18	1938-44, 49.4-50.2, 8-12 (2, 6, 10, 14, 18, 22)	1937-44 (17)
		1950(3-7) (6, 14, 22)	1949(4-12) (14)
		1951 (3, 6, 9, 12, 14, 18, 21, 24)	1950-53 (62)
		1952-53 (1-24)	
		1937-41.4 (2, 6, 10, 14, 18, 22)	1937-40 (7)
通 化	19	1953 (1-24)	1941(1-4) (8)
			1953 (62)
		1939-41.4 (2, 6, 10, 14, 18, 22)	1939-40 (7)
		1951 (3, 6, 9, 12, 14, 18, 21, 24)	1941(1-4) (8)
遼 寧	19	1952-53 (1-24)	1951-53 (62)
開 原	19	1926-36 (5, 13, 21)	1926-36 (4)
		1951 (3, 6, 9, 12, 14, 18, 21, 24)	1951-52 (64)
撫 順	20	1952-53 (1-24)	1953 (62)
		1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
撫 陽	21	1905.5-07.6, 13-41.4, 49 (2, 6, 10, 14, 18, 22)	1905.5-06 (60)
		1907.7-12 (3, 7, 11, 15, 19, 23)	1907-23, 35 (5)
		1951-53 (1-24)	1924-32, 36-37 (5)(6)
			1933-34 (12)
			1938-40 (7)
			1941(1-4) (8)
			1949 (14)
			1951-53 (62)
錦 州	23	1939-41.4, 49(10-12) (2, 6, 10, 14, 18, 22)	1939-41.4 (8)
		1951-53 (1-24)	1949(10-12) (14)
鞍 山	24	1925-32, 34-36 (5, 13, 21)	1925-32, 35-36 (4)
		1933 (6, 14, 22)	1933-34 (12)
		1951 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
		1952-53 (1-24)	
營 口	24	1904.10-41.4, 49.9-50 (2, 6, 10, 14, 18, 22)	1904.10-05 (60)
		1949(5-8) (6, 14, 22)	1906-22 (11)
		1951 (3, 6, 9, 12, 14, 18, 21, 24)	1923-37 (5)(6)
		1952-53 (1-24)	1938-40 (7)
			1941(1-4) (8)
			1949.5-50 (61)
興 城	27	1949(11-12) (2, 6, 10, 14, 18, 22)	1951-53 (62)
		1951-52 (6, 14, 21)	1949(11-12) (14)
蓋 平	27	1953 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
		1914.4-19 (5, 13, 21)	1914.4-19 (10)
		1949(4-12), 50.4-51.2 (6, 14, 22)	1949.4-51.2 (61)
		1950(1-3) (2, 6, 10, 14, 18, 22)	
安 東	28	1951(3-12) (6, 14, 21)	1951.3-53 (62)
		1952-53 (3, 6, 9, 12, 14, 18, 21, 24)	
		1949(5-12) (2, 6, 10, 14, 18, 22)	1949(5-12) (14)
		1951 (3, 6, 9, 12, 14, 18, 21, 24)	1951.3-53 (62)
大 連	29	1952-53 (1-24)	
		1904.10-07, 13-40 (2, 6, 10, 14, 18, 22)	1904.10-06 (60)
		1908-12 (3, 7, 11, 15, 19, 23)	1907-22 (5)
		1951-53 (1-24)	1923-32, 35-37, 39-40 (5)(6)
			1933-34 (12)
			1938 (4)
旅 順	31	1906-22, 36-40 (5, 13, 21)	1951-53 (62)
		1923-35 (6, 14, 21)	1906-22, 36-40 (4)
			1923-33, 35 (6)
			1934 (12)
內 蒙 古 自 治 區			
滿 州 里	33	1935.12-41.4 (2, 6, 10, 14, 18, 22)	1935.12 (9)
海 拉 爾	33	1935-41.4, 50(3-12) (2, 6, 10, 14, 18, 22)	1936-40, 41(1-4) (7)(8)
		1951 (3, 6, 9, 12, 14, 18, 21, 24)	1935-40 (7)
		1952-53 (1-24)	1941(1-4) (8)
興 安	34	1935.12-41.4 (2, 6, 10, 14, 18, 22)	1950.3-53 (62)
博 克 圖	35		1935.12 (9)
		1951 (3, 6, 9, 12, 14, 18, 21, 24)	1936-40, 41(1-4) (7)(8)
		1952-53 (1-24)	1951-53 (62)

平均绝对湿度所取观测时间及资料来源编号总表

3

站 名	頁次	平均绝对湿度所取观测时间	资料来源编号
索 倫	36	1937-41.4 (2,6,10,14,18,22)	1937-40 (7)
烏蘭浩特	36	1949.10-50 (2,6,10,14,18,22)	1941(1-4) (8)
		1951 (3,6,9,12,14,18,21,24)	1949.10-50 (61)
		1952-53 (1-24)	1951-53 (62)
通 遼	37	1949.10-50 (2,6,10,14,18,22)	1949.10-50 (61)
		1951 (3,6,9,12,14,18,21,24)	1951-53 (62)
		1952-53 (1-24)	
開 魯	38	1939-41.4 (2,6,10,14,18,22)	1939-40 (7)
		1952.5-53 (3,6,9,12,14,18,21,24)	1941(1-4) (8)
			1952.5-53 (62)
赤 峰	38	1936-41.4, 49.10-50 (2,6,10,14,18,22)	1936-40 (7)
		1951 (3,6,9,12,14,18,21,24)	1941(1-4) (8)
		1952-53 (1-24)	1949.10-50 (61)
呼和浩特	39	1951-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
包 頭	40	1949(11-12) (6,14,21)	1949.11-53 (62)
		1950-53 (3,6,9,12,14,18,21,24)	
河 北			
園 場	41	1951-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
承 德	41	1937-41.4 (2,6,10,14,18,22)	1937-40, 1941(1-4) (7)(8)
		1951-53 (1-24)	1951-52 (64)
			1953 (62)
張 家 口	42	1947.4-48.11, 49.3-53 (3,6,9,12,14,18,21,24)	1947.4-53 (62)
		1948.12-49.2 (6,14,21)	
北 京	43	1875-84.9, 86(2-4) (7,13,21)	1875-84, 86, 95-99 (20)
		95-99 "	1915-36.8 (62)
		1915.5-24 (1-24)	1940-45 (21)
		25.3-26(1.5-9.11) "	1946-53 (62)
		27.8-28.3, 33-36.8 "	
		46-53 "	
		1929.7-32 (3,6,9,12,14,18,21,24)	
		1940-45 (2,6,10,14,18,22)	
昌 黎	46	1941(1-2), 42-45.4 (2,6,10,14,18,22)	1941, 45(1-4) (62)
		1941(3-12) (2,4,6,8,10,12,14,16,18,20,22,24)	1942-44 (22)
唐 山	46	1951-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
天 津	47	1904.10-34, 36 (6,14,22)	1904.10-06 (60)
		1938.6-40.7 (6,14,21)	1907-27 (5)(6)
		1941(6-10) (1-24)	1928-34, 36 (4)
		1946.2-53 (3,6,9,12,14,18,21,24)	1938(6-12), 49.10-53 (62)
			1939-41 (23)
			1946-49.9 (63)
塘 沽	49	1946 (6,14,21)	1946 (63)
		1947-53 (3,6,9,12,14,18,21,24)	1947-50 (62)
			1951-53 (64)
保 定(一)	50	1927-36.4 (2,6,10,14,18,22)	1927-28 (18)
		1936.5-37.3 (2,6,10,14,18,21)	1929-31 (1)
		1944-45 (1,5,9,13,17,21)	1932-37.3 (19)
		1946-47 (3,6,9,12,14,18,21,24)	1944-47 (61)
保 定(仁)	51	1951-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
石 家 莊	51	1949.9-50 (6,14,21)	1949.9-53 (62)
		1951-53 (3,6,9,12,14,18,21,24)	
山 西			
太 原	52	1947.6-48.1 (6,14,21)	1947.6-53 (62)
		1948.2-49.1, 49.6-53 (3,6,9,12,14,18,21,24)	
太 原(義)	53	1924-33 (2,6,10,14,18,22)	1924-25 (24)
		1934-37.4, 50.4-51 (6,14,21)	1926-37.4 (63)
		53(1-4.6-7.9) "	1950.4-51, 53 (62)
山 東			
烟 台	54	1907-36, 39-40 (6,14,22)	1907-22, 39-40 (5)
		1950.4-53 (1-24)	1923-27 (6)
			1928-36 (3)
			1950.5-53 (61)

站名	页次	平均绝对湿度所取观测时间	资料来源编号
惠民	55	1949(2-12) (一) 1950.5-53 (6,14,21)	1949 (25) 1950.5-51 (26) 1952-53 (64) 1941-45.5 (62) 1951-53 (64)
德州	56	1941(1-2),44-45.5 (2,6,10,14,18,22) 1941.3-43.4 (2,4,6,8,10,12,14,16,18,20,22,24) 1943(5-12),51-53 (1-24)	1949-51 (25) 1952-53 (64) 1941-43,45.1 (62) 1944(1-11) (63) 1945.2 (63)
莱阳	57	1949 (一) 1950-53 (6,14,21)	1949-51 (25) 1952-53 (64)
张店	57	1941(1-4,6.9),45(1-2) (2,6,10,14,18,22) 1941(5.8,11),42-43.4 (2,4,6,8,10,12,14,16,18,20,22,24) 1941(7.10),44.12 (一) 1943.5-44.11 (1-24)	1949-51 (25) 1952-53 (64) 1941-43,45.1 (62) 1944(1-11) (63) 1945.2 (63)
濰縣	58	1951-53 (1-24)	1951-53 (62)
濟南(一)	58	1948.11-49 (3,6,9,12,14,18,21,24)	1948.11-50 (25)
濟南(二)	59	1950-53 (1-24) 1919-20 (一) 1921-31 (2,6,10,14,18,22) 1932-34,1946 (3,6,9,12,15,18,21,24) 1935-37.9,47-48.6 (3,6,9,12,14,18,21,24) 1938.5-39 (7,10,13,16,19,22) 1940-45 (1.4,7,10,13,16,19,22)	1951-53 (62) 1948.11-50 (25) 1951-53 (62) 1919-48.6 (27) 1923-29 (6) 1937(1-3) (26) 1938(9-12) (25)
泰安	61	1932.8-37.11 (1-24)	1932.8-37.11 (62)
泰安(一)	62	1950.5-53 (6,14,21)	1950.5-51 (25) 1952 (64) 1953 (62)
泰安(二)	62	1933-37.3 (3,6,9,12,15,18,21,24)	1933 (25) 1934-37.3 (26) 1936-37.3 (63) 1937-45 (30) 1942.2-29.4 (6) 1934-36,46-51 (29) 1952-53 (62)
青島	63	1898.6-99 (8,14,20) 1900-01,29.5-33 (一) 1902-14.6,15(4-12) (7,14,21) 1916-29.4,38.2-45 (2,6,10,14,18,22) 1934-37.8,46-53 (1-24)	1934-37.3 (26) 1936-37.3 (63) 1937-45 (30) 1942.2-29.4 (6) 1934-36,46-51 (29) 1952-53 (62)
莒縣	67	1949 (一) 1950-53 (6,14,21)	1949-51 (25) 1952-53 (64)
滋陽	67	1941(1-2),41.6-43.4 (2,4,6,8,10,12,14,16,18,20,22,24) 1941(3-5),43(5-12) (1-24) 51-53 " " " " " "	1941-45.4 (62) 1951-53 (64)
臨沂	68	1944-45.4 (2,6,10,14,18,22) 1950.8-53 (6,14,21)	1950(8-12) (26) 1951-52 (25) 1953 (64)
河南			
安陽	69	1951-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
新鄉	69	1951-52 (3,6,9,12,14,18,21,24) 1953 (1-24)	1951-53 (62)
開封	70	1932.4-33.11 (一) 1934.2-37.5 (6,14,21) 1951-53 (1-24)	1932.4-33.11 (31) 1934-35 (63) 1936-37.5 (32) 1951-53 (62)
鄭州	71	1951-53 (1-24)	1951-53 (62)
洛陽	71	1951-53 (1-24)	1951-53 (62)
信陽	72	1951-53 (1-24)	1951-53 (62)
陝西			
榆林	72	1951 (6,14,21) 1952-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
延安	73	1951 (6,14,21) 1952-53 (3,6,9,12,14,18,21,24)	1951-53 (62)
武功	73	1935-37.9 (7,13,21) 1937(10-12) (6,9,14,21)	1935-37 (33)
西安	73	1932 (6,14,22) 1933-35,38(11-12) (3,6,9,12,15,18,21,24) 1936-38.10,39(1-5) (1-24) 42.2-49.4,50-53 " " " " " " 1939.6-40 (6,14,21)	1932-53 (62)

站名	頁次	平均绝对湿度所取观测時間	資料来源编号		
漢中	75	1941-42.1, 49(5-12) 1939-40, 48.12-49.8 1951.1 1951.2-53	(3, 6, 9, 12, 14, 18, 21, 24) (6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24) (1-24)	1939-40, 51-53 1948.12-49.8 (62)(63) (62)	
甘肅					
安西	76	1951-53	(3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (64)	
敦煌	77	1937.6-39 1940-45.4, 50-51.1 1951.2-53	(6, 9, 14, 21) (6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1937.6-45.4, 50-51.1 1951.2-53 (63) (62)	
酒泉	78	1945-51.2 1951.3-53	(6, 14, 21) (1-24)	1945-53 (62)	
張掖	79	1937.5-41.2, 4-8, 10 1951-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1937.5-41.10 1951-53 (63) (62)	
祁連山	79	1951-53	(3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)	
銀川	80	1950.3-51.11 1951.12-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1950 1951-53 (63) (62)	
武威	80	1940(5-12), 51(1-4) 1941-49.7, 51.5-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1940.5-41 1942-49, 51-53 (62) (62)	
中寧	82	1940-43, 45-48.6 48.12-49.3, 52.12-53	(3, 6, 9, 12, 14, 18, 21, 24) "	1940-43, 45-48.6 49(1-3), 52.12-53 "	(62) (62)
烏鞘嶺	83	1951-53	(3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)	
靖遠	83	1937(1-4), 37.11-38.3 37(5-10), 38.4-39.2, 4-12 1942-44.2, 50(9-12) 1951-53	(—) " (6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1937-39, 42-44.2, 50 1951-53 (63) (62)	
蘭州	84	1932.7-34.1 1934.2-53	(—) (1-24)	1932.7-50 1951-53 (63) (62)	
榆中	86	1940.5-48, 51(2-7) 1953(3-12)	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1940.5-48 1951(2-7), 53(3-12) (63) (62)	
西峰鎮	87	1937.5-39 1940-44.2, 44.10-49.6 50(12)	(—) (6, 14, 21) "	1937.5-49.6, 50(12) 1951-53 (63) (62)	
臨夏	89	1951-53 1949(3-10), 50(2-12)	(3, 6, 9, 12, 14, 18, 21, 24) (6, 14, 21)	1949(3-10), 50(2-12) 1951-53 (63) (62)	
華家嶺	89	1951-53	(3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)	
平涼	90	1937.2-38, 42-44.8	(3, 6, 9, 12, 14, 18, 21, 24) (6, 14, 21)	1951-53 1937.2-38 1942-44.8 (64) (65) (63)	
臨洮	91	1950-52.1 1952.2-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1950 1951-53 (63) (62)	
岷縣	91	1951-53	(6, 14, 21)	1951-53 (63)	
天水	92	1951-53 1935.9-36.10, 42, 50(1-8)	(3, 6, 9, 12, 14, 18, 21, 24) (6, 14, 21)	1951-53 1935.9-36.10, 42, 50(1-8) (62) (63)	
武都	93	1944-47.10, 50(3-12) 1951-53	(3, 6, 9, 12, 14, 18, 21, 24) (6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 1944-47.10, 50(3-12) 1951-53 (62) (63) (62)	
青海					
都蘭	94	1945-48.6	(3, 6, 9, 12, 14, 18, 21, 24)	1945-48.6 (62)	
西寧	94	36.12, 38, 40.11-41.2, 12 42.9-43.3, 9-12, 44(3-12) 45.5 1937, 39-40.10, 41(3-11) 42(1-8) 43(4-8) 45.6-53	(6, 14, 21) " " (3, 6, 9, 12, 14, 18, 21, 24) "	1936.12-53 (61)	
新疆維吾 爾自治區					
塔城	96	1943-45.6 1952.3-53	(1, 7, 13, 19) (6, 14, 21)	1943-45.6, 52.3-53 (61)	
奇台	96	1951.4-53	(3, 6, 9, 12, 14, 18, 21, 24)	1951.4-53 (62)	
伊寧	97	1951.8-53	(3, 6, 9, 12, 14, 18, 21, 24)	1951.8-53 (62)	
烏魯木齊	97	1951-53	(1-24)	1951-53 (62)	
哈密	98	1951.1 1951.2-53	(3, 6, 9, 12, 14, 18, 21, 24) (1-24)	1951-53 (62)	
焉耆	98	1951(5-6) 1951.7-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1951.5-53 (62)	
庫車	99	1951(1-6) 1951.7-53	(6, 14, 21) (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)	
喀什	99	1951-53	(3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)	

站 名	頁次	平均绝对湿度所取观测時間	資料来源编号
江 蘇			
新海連	100	1951-53 (1-24)	1951-53 (62)
徐州(農)	100	1933.6-34 (6,14,21)	1933.6-34 (63)
		1935-37.3, 49(4-12) (—)	1935-36 (35)
		1950-53 (3,6,9,12,15,18,21,24)	1937(1-3) (36)
			1949.4-51 (25)
			1952-53 (64)
徐州	101	1951-53 (1-24)	1951-53 (62)
淮陰	102	1950(5-6) (2,8,14,20)	1950.5-53 (62)
		1950(7-12) (3,6,9,12,15,18,21,24)	
		1951-52 (3,6,9,12,14,18,21,24)	
		1953 (1-24)	
東台	102	1930-36.11, 38-39 (—)	1930-36.11 (3)
		1952(9-12) (3,6,9,12,14,18,22,24)	1938-39 (65)
		1953 (1-24)	1952.9-53 (62)
鎮江	103	1931.3-35 (3,6,9,12,15,18,21,24)	1931.3-36 (35)
		1936-37.3, 47-48.10 (1-24)	1937(1-3), 46.9-48.10 (36)
		1937(4-7) (—)	1937(4-7) (63)
		1946(9-12) (3,6,9,12,14,18,21,24)	
南京	103	1928-37.10, 48(8-12) (1-24)	1928-37.1 (2)
		49-53 "	1937(2-10) (66)
		1946-48.7 (6,14,21)	1946-48.7, 49-53 (62)
			1948(8-12) (63)
南通	105	1949.5-50.6 (6,14,21)	1949.5-51.5 (63)
		1950.7-51.5 (3,6,9,12,14,18,21,24)	1952-53 (62)
		1952-53 (1-24)	
南通軍山	105	1917-33 (3,6,9,12,14,18,21,24)	1917-25 (37)
		1934-37 (6,14,21)	1926-29 (39)
			1930-37 (63)
常熟	106	1929.12-33, 35.7-37.3 (3,6,9,12,15,18,21,24)	1929.12-35.6 (63)
		1934-35.6 (6,14,21)	1935.7-37.3 (36)
上海	107	1944-50 (—)	1944-50 (61)
		1951-53 (1-24)	1951-53 (62)
浙 江			
杭州	107	1904.11-05, 06.7-18 (6,14,22)	1904.11-05 (60)
		1933, 42, 45.12-47 (—)	1906.7-18 (5)(6)
		1951-53 (1-24)	1933 (63)
			1942 (43)
			1945.12-47 (44)
海州	108	1951-53 (1-24)	1951-53 (62)
龍門	109	1951-53 (1-24)	1951-53 (62)
泉	109	1935-38, 42-47.11, 49 (—)	1951-53 (62)
		1948, 50-52 (6,14,21)	1935-38, 42-53 (61)
		1953 (3,6,9,12,14,18,21,24)	
温州	111	1950-53 (1-24)	1950 (61)
			1951-53 (62)
安 徽			
安慶	112	1951-53 (1-24)	1951-53 (62)
湖 北			
光化老河口	112	1951-53 (1-24)	1951-53 (62)
武漢	113	1905.2-12, 06.7-36, 39-40 (6,14,21)	1905 (60)
		1950-53 (1-24)	1906.7-28, 39-40 (5)
			1929-36 (3)
			1950-53 (62)
沙市	114	1905.2-19 (6,14,22)	1905.2-06 (60)
			1907-19 (5)
恩施	115	1951-53 (1-24)	1951-53 (62)
湖 南			
常德	115	1934(1-11), 35(1-3) (6,14,21)	1934-38.7 (46)
		1935.4-38.7 (3,6,9,12,15,18,21,24)	1951-53 (62)
		1951-53 (1-24)	

平均绝对湿度所取观测时间及资料来源编号总表。

7

站 名	頁次	平均绝对湿度所取观测時間	资料来源编号
長 沙	116	1932.8-38.7 1951-53	1932.8-35 (45) 1936-38.7 (46) 1951-53 (62)
芷 江	117	1951-53	1951-53 (62)
邵 陽	117	1951-53	1951-53 (62)
衡 陽	118	1932(8-9), 34-38.7 1932.10-33 1951-53	1932.8-33, 36-38 (46) 1934-35 (63) 1951-53 (62)
零 陵	119	1951-52 1953	1951-53 (62) 1951-53 (62)
江 西			
九 江	119	1951-53	1951-53 (62)
南 昌	120	1951-53	1951-53 (62)
玉 山	120	1951-52 1953	1951-53 (62) (3,6,9,12,14,18,21,24)
遂 川	121	1951-52 1953	1951-53 (62) (3,6,9,12,14,18,21,24)
贛 州	121	1951-52 1953	1951-53 (62) (3,6,9,12,14,18,21,24)
福 建			
浦 城	122	1935.12-42.6 1951.2-53	1935.12-37 (63) 1938-42.6 (48) 1951.2-53 (62)
武 夷 山	123	1951(1-3) 1951.4-53	1951-53 (62) (3,6,9,12,14,18,21,24)
建 陽	124	1940.10-42.6, 51-53	1940.10-42.6 (48) 1951-53 (62)
建 甌	124	1951-53	1951-53 (62)
福 安	125	1937.4-42.6	1937.4-42.6 (48)
南 平	125	1935.7-40, 51-52.7 1941-42.6 1952.8-53	1935.7-36.4 (63) 1936.5-42.6 (48) 1951-53 (62)
沙 縣	127	1939.3-42.6, 51-53.11	1939.3-42.6 (48) 1951-53.11 (62)
福 州	127	1936-38, 51-53 1939-41.3, 41.12-42.6	1936, 38-41.3 (48) 41.12-42.6 (47) 1937 (47) 1951-53 (62)
水 安	128	1938.10-48.11, 53(4-12) 1953(1-3)	1938.10-41 (48) 1942-48.11 (61) 1953 (62)
長 汀	130	1935.11-36.4 1936.5-42.6 1951-53	1935.11-36.4, 39(4.5) (63) 1936.5-39.3, 39.6-42.6 (48) 1951-53 (62)
龍 岩	131	1939.10-41, 52-53.4 1942(1-6), 53(5-12)	1939.10-42.6 (48) 1952(1-2) (64) 1952.3-53 (62)
厦 門	131	1951-53	1951-53 (62)
台 灣			
澎 佳 嶼	132	1910-39 1940	1910-38 (49) 1939-40 (5)
大 屯 山	134	1937-40.9	1937-40.9 (50)
基 隆 隆	134	1899.10-1901 1902-14, 17-38 1915-16.8	1899.10-1901 (52) 1902-06 (5) 1907-16 (6) 1917-38 (49)
松 山 北	136	1936.7-40.9	1936.7-40.9 (50)
台 北	136	1897-1940	1897-1938 (5)(6) (49) 1939-40 (5)
新 竹	139	1938-39 1940	1938 (49) 1939-40 (5)
宜 蘭	139	1936-39 1940	1936-38 (49) 1939-40 (5)
台 中	140	1897-1939 1940	1897-1938 (5)(6) (49) 1939-40 (5)

站 名	頁次	平均绝对湿度所取观测时间	资料来源编号
花 蓮	143	1911-39 (2,6,10,14,18,22) 1940 (6,14,22)	1911-38 (6)(49) 1939-40 (5)
澎 湖	145	1897-1939 (2,6,10,14,18,22) 1940 (6,14,22)	1897-1938 (6)(49) 1939-40 (5)
阿 里 山	148	1933(4-12) (—) 1934-39 (2,6,10,14,18,22) 1940 (6,14,22)	1933(4-12) (63) 1934.4-38 (6)(49) 1939-40 (5)
台 南	149	1897-1939 (2,6,10,14,18,22) 1940 (6,14,22)	1897-1938 (6)(49) 1939-40 (5)
台 东	152	1901-39 (2,6,10,14,18,22) 1940 (6,14,22)	1901-38 (6)(49) 1939-40 (5)
高 雄	155	1932-39 (2,6,10,14,18,22) 1940 (6,14,21)	1932-38 (49) 1939-40 (5)
恒 春	155	1897-1945.3,45(5-8) 45.10-46 (2,6,10,14,18,22)	1897-1938 (6)(49) 1939-46 (51)
廣 東			
曲 江	159	1951-53 (1-24)	1951-53 (62)
汕 頭	159	1951-53 (1-24)	1951-53 (62)
廣 州	160	1921-22.6,22.8-33 (—) 1951-53 (1-24)	1921-26 (53) 1927-29 (54) 1930-33 (63) 1951-53 (62)
香 港	160	1884-1941.4,41(7-10) (1-24)	1884-1932 (55) 1933-41 (63)
湛 江	164	1951-53 (1-24)	1951-53 (62)
廣 西			
桂 林	164	1949(1-6.8-10) (3,6,9,12,14,18,21,24) 1951-53 (1-24)	1949,51-53 (62)
百 色	165	1951-53 (1-24)	1951-53 (62)
梧 州	166	1951-53 (1-24)	1951-53 (62)
南 寧	166	1951-53 (1-24)	1951-53 (62)
桐 梓	167	1937(5-12),38(3-5.8) (3,6,9,12,14,18,21,24) 51-53 " " 1938(1-2.6-7.9-12) (6,14,21) 39-44.2,44.10-49.10 " " 50(4-12) "	1937-48.6 (62)(63) 1948.1-53 (62)
思 南	168	1941-42.3.6-10,42.12-13.8 (3,6,9,12,14,18,21,24) 44-45,46.4-49.10 " " 50(1-2),50.4-53 "	1941-45 (56) 1946.4-47.3.7.11,48.2 (63) 1947(4-6,9-10) (62) 47.12-49.10,50 "
湄 潭	169	1940.4-46 (1-24) 1947-53 (3,6,9,12,14,18,21,24)	1951-53 (64) 1940.4-50 (62)
遵 義	171	1946.6-48.4.9.12 (6.14.21) 49(1-10) " 1950.10-53 (3,6,9,12,14,18,21,24)	1951-53 (64) 1946.6-49.10 (62)(63) 1950.10-53 (62)
銅 仁	171	1946(1-2),47-49,1-2.4-10 (6,14,21) 1950.9-53 (3,6,9,12,14,18,21,24)	1946(1-2),47-48.3 (62)(63) 1948.4-49.10,50.9-53 (62)
畢 節	172	1937(3-5),37.8-38.2 (3,6,9,12,14,18,21,24) 38.5-40.6.8-10,40.12-49.10 " " 50(1-8,10-12)-53 "	1937-46 (62)(63) 1947-53 (62)
鎮 遠	174	1947-48.7 (1,3,6,7,9,12,13,14, 18,19,21,24) 1948.8-49.6.8-10 (6,14,21) 50-53 (3,6,9,12,14,18,21,24)	1947-53 (62)
威 寧	175	1944,51-53 (3,6,9,12,14,18,21,24) 1945-48.8,48.10-49.1 (6,14,21)	1944 (56) 1945-49.1 (62)(63) 1951-53 (62)
貴 陽	176	1935.11-36 (6,14,21) 1937-49,51-53 (1-24)	1935.11-49,51-53 (62)
安 順	177	1946-50 (6,14,21) 1951-53 (3,6,9,12,14,18,21,24)	1946-47 (62)(63) 1948-53 (62)
獨 山	178	1937.4-39.8,40(2-3) (3,6,9,12,14,18,21,24)	1937-41.2,41.9-43.2 (62)

平均绝对湿度所取观测时间及资料来源编号总表

站 名	頁次	平均绝对湿度所取观测時間	資料来源编号		
盤 縣	180	40.7-44.10, 50.10-53 (3, 6, 9, 12, 14, 18, 21, 24)	43.9-44, 46-53 (62)		
		1940(4-6), 46-49.10 (6, 14, 21)	1941(3-8), 43(3-8) (56)		
		50(4-8) "			
		1939.11-42.3, 42.10-43 (6, 14, 21)	1939.11-50 (62)(63)		
		44(2-7), 45.1, 46-48 "	1951-53 (62)		
羅 甸	181	49(5-9), 50(10-11) "			
		51.2-52.9 "			
		1952.10-53 (3, 6, 9, 12, 14, 18, 21, 24)			
		1946-48 (6, 14, 21)	1946-48 (62)		
		1951.2-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (64)		
興 仁	182	1947-49.10, 50(1-3.7-12) (6, 14, 21)	1947-50 (62)		
		1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (63)		
		四 川			
		松 潘	183	1940.4-49.6.8-10 (6, 14, 21)	1940.4-53 (62)
				50(1.4-5.7-9.12) 51.1 "	
1951-53 (3, 6, 9, 12, 14, 18, 21, 24)					
廣 元	184			1942-43, 44.7-47 (6, 14, 21)	1942-47 (62)
				48(5-7), 49(1-3, 5-10) "	1948-49 (63)
		1951.2-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (64)		
		平 武	185	1945.6-48.3, 49 (6, 14, 21)	1945.5-51 (62)
				50(6-12) "	1952-53 (64)
1948(4-12), 51.11-53 (3, 6, 9, 12, 14, 18, 21, 24)					
甘 孜	186			1951.1 (6, 9, 12, 14, 18)	1951-53.8 (62)
				1951(2-4) (3, 6, 9, 12, 14, 18, 21, 24)	1953(9-12) (64)
		1951.5-53 (1-24)			
		達 縣	187	1942-45.5, 45.8-49.10 (6, 14, 21)	1942-44.6, 48-53 (62)
				1950.2-51.4, 51.6-53 (3, 6, 9, 12, 14, 18, 21, 24)	1944.4.7-47 (63)
南 充	188			1945-46.11 (6, 14, 21)	1945 (63)
				1951.2-53 (1-24)	1946 (62)
					1951.2-53 (64)
		成都川大	188	1932.8-34, 36.8-42.2 (6, 15, 21)	1932.8-42.10 (57)
				42(4-5.9-10) "	
1935-36.7 (6, 14, 21)					
成 都 寧	189			1941-53 (1-24)	1941-53 (62)
				1937-42 (3, 6, 9, 12, 15, 18, 21, 24)	1937-53 (62)
		1943-53 (3, 6, 9, 12, 14, 18, 21, 24)			
		名 山 定	192	1942-49.10 (6, 14, 21)	1942-49.10 (62)
				1939(2-6), 40 (6, 14, 21)	1939.2-40, 44, 46 (62)
1944, 46, 49(1-10) (3, 6, 9, 12, 14, 18, 21, 24)	49, 51.11-53 "				
51.11-53 "					
雅 安	194			1943(1.3-7.9-12) (6, 14, 21)	1943-53 (62)
		44-51.1 "			
		1951.2-53 (3, 6, 9, 12, 14, 18, 21, 24)			
		北 碚	195	1936.1, 37.2-49, 50.3-53 (3, 6, 9, 12, 14, 18, 21, 24)	1936-53 (62)
				36.2-37.1 (6, 14, 21)	
1950(1-2) (1-24)					
內 江	197			1937-41 (3, 6, 9, 12, 15, 18, 21, 24)	1937-53 (62)
				1942-53 (3, 6, 9, 12, 14, 18, 21, 24)	
		樂 山(一)	198	1937-42.6 (3, 6, 9, 12, 15, 18, 21, 24)	1937-46 (58)
				1942.7-44.6 (6, 14, 21)	
				1944.7-46 (3, 6, 9, 12, 14, 18, 21, 24)	
樂 山(二)	199			1947-49.11, 50-53 (3, 6, 9, 12, 14, 18, 21, 24)	1947-49 (58)
					1950-53 (62)
		重慶白市驛	200	1950.11-53 (1-24)	1950.11-52 (62)
			1953 (64)		
		重慶沙坪壩	201	1946-47.6, 51-53 (3, 6, 9, 12, 14, 18, 21, 24)	1946-53 (62)
峨 嵋 山	202	1947.7-50 (1-24)			
		1940(6-10), 41(3-12) (3, 6, 9, 12, 15, 18, 21, 24)	1940.6-53 (62)		
		1942-45.1, 45.9-53 (3, 6, 9, 12, 14, 18, 21, 24)			
		1945(2-8) (6, 14, 21)			
		漢 源	203	1946-49.11, 50.8, 51(1-3) (6, 14, 21)	1946-53 (62)
1951.4-53 (3, 6, 9, 12, 14, 18, 21, 24)					
峨 嵋 山	204			1942(2-3), 42.6-51.7 (6, 14, 21)	1942.2-53 (62)
				1951.8-53 (3, 6, 9, 12, 14, 18, 21, 24)	
				彭 水	205
		1951-53 (3, 6, 9, 12, 14, 18, 21, 24)			
		瀘 州	206		
1951.5-53 (3, 6, 9, 12, 14, 18, 21, 24)					
宜 賓	207				
				1953 (3, 6, 9, 12, 14, 18, 21, 24)	1942 (58)
					1951-53 (62)

站 名	頁次	平均绝对湿度所取观测時間	資料来源编号
西 陽	208	1942.2-44.4, 46-50.3 (6, 14, 21) 50.5-51	1942.2-44.4, 46-53 (62)
西 昌	209	1952-53 (3, 6, 9, 12, 14, 18, 21, 24) 1951(1-3) (6, 14, 21) 1951.4-53 (1-24)	1951-53 (62)
雲 南			
昭 通	209	1945-47.5, 50(4-8, 10-12) (3, 6, 9, 12, 15, 18, 21, 24) 51(1-2)	1945-47.5, 50.4-53 (62)
麗 江	210	1950.9, 51.3-53 (1-24) 1943, 45.10-49.10, 50(9-11) (6, 14, 21)	1943, 45.10-50 (62)
大 理	211	1950.12-53 (3, 6, 9, 12, 14, 18, 21, 24) 1940-44.3, 48.8-53 (3, 6, 9, 12, 14, 18, 21, 24) 1944.4-48.7 (6, 14, 21)	1951-53 (64) 1940-50 (62) 1951-53 (64)
霽 益	213	1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (62)
保 山	213	1950.4-51.7 (3, 6, 9, 12, 14, 18, 21, 24) 1951.8-53 (1-24)	1950.4-53 (62)
騰 衝	214	1951-53 (3, 6, 9, 12, 14, 18, 21, 24)	1951-53 (64)
昆 明	214	1930-38.4 (6, 14, 21) 1946(1-5, 7-12) (3, 6, 9, 12, 14, 18, 21, 24) 1950-53 (1-24)	1930-38 (59) 1946, 50 (63) 1951-53 (64)
昆明太華山	215	1938.5-42.4, 46.3-47.4 (1-24) 1942(5-6) (2, 5, 8, 11, 13, 17, 20, 23) 1943-46.2, 47.5-48.6 (3, 6, 9, 12, 14, 18, 21, 24) 53(3-12)	1938.5-49 (62) 1953 (64)
玉 溪	217	1948.7-49.3 (6, 9, 14, 21) 1946-48 (6, 14, 21)	1946-48, 50.12-53 (62)
蒙 自	217	1950.12-53 (3, 6, 9, 12, 14, 18, 21, 24) 1950.5-51.5 (3, 6, 9, 12, 14, 18, 21, 24) 1951.6-53 (1-24)	1950.5-53 (62)
昌都地區			
昌 都	218	1941 (6, 14, 21) 1951.4-53 (3, 6, 9, 12, 14, 18, 21, 24)	1941, 51.4-53 (62)
西 藏			
拉 薩	219	1941-45.4, 45.6-49.6 (6, 14, 21) 1953 (3, 6, 9, 12, 14, 18, 21, 24)	1941-49.6 (63) 1953 (62)

資料来源一覽表

1. 前中央研究院气象研究所編印：气象年报
2. 前中央研究院气象研究所編印：气象月刊
3. 日本东亚研究所1942年編印：东亚气象資料第一篇
4. 日本东亚研究所1942年編印：东亚气象資料第五篇
5. 日本中央气象台編印：中央气象台年报
6. 日本中央气象台編印：中央气象台月报
7. 伪滿中央观象台編印：滿洲气象年报
8. 伪滿中央观象台編印：滿洲气象月报
9. 伪滿中央观象台編印：滿洲气象略表
10. 伪南滿洲鉄道株式会社地方部农务課1935年編印：滿州农业气象报告
11. 伪关东测候所編印：滿洲气象累年报告
12. 伪关东都督府观测所編印：滿洲气象报告
13. 伪关东厅观测所編印：滿洲气象表
14. 伪交通部东北区气象机构接收委員办事处編印：东北气象月报（1947—1948）
东北气象台編印：东北气象月报（1949）
15. 伪交通部东北区沈阳气象台編印：东北气象纪录简报。
16. 伪中央气象局編印：气象汇报。
17. 伪滿四平观象所編印：气象累年原簿
18. 前保定河北大学农科气象观测所編印：气象年报
19. 前河北省立农学院气象观测所編印：气象季刊
20. Главная Геофизическая обсерватория編印：Летоисписи Главной Физической обсерватории（1873—1914）
（俄国地球物理观象总台編印：物理观象总台年报）（1873—1914）
21. 伪华北观象台月表原簿
22. 昌黎气象年表原簿
23. 伪天津测候所气象要素逐日平均表
24. 伪山西省长公署統計处編印：山西省气象統計（1924—1925）
25. 伪山东省公署建設厅气象观测所編印：山东气象年报（1932—1934、1936—1942）
山东省气象观测所編印：山东气象年报（1949—1952）
26. 伪山东省建設厅气象测候所編印：山东气象月报（1933年—1937）
山东省气象观测所編印：山东气象月报
27. 山东省气象观测所編印：三十年来济南气象特刊
28. 伪青島观象台編印：青島观象台气象年报
29. 伪青島观象台編印：青島观象台气象月报（1934—1936、1946—1948）
青島观象台編印：青島观象台气象月报（1949—1951）

30. 伪青島市觀象台1948年編印：青島觀象台五十周年紀念特刊
31. 伪河南建設厅气象測候所編印：开封气象年报
32. 伪河南省政府建設厅开封气象測候所編印：河南气象月报
33. 前国立西北农林专科学校1938年編印：西北农林
34. 陝西通远坊气候ILCLiMa NELLO SHENS [CINA] (1921—1923)
35. 伪江苏省建設厅省会測候所編印：气象年刊
36. 伪江苏省建設厅省会測候所編印：气象月刊
37. 伪南通軍山气象台編印：气象年报
38. 苏北南通行政区专員公署生产建設处水利科南通測候所編印：气象月报(1949—1950)
39. 伪南通軍山气象台編印：气象报告輯要
40. Observatoire de zi-ka-wei編印：Bulletin des observations。(徐家汇觀象台編印：气象年报)
41. Observatoire de zi—ka—wei編印：Revne Mensuelle。(徐家汇觀象台編印：每月一覽)
42. Met. observations made at the zi—ka—wei observatory shanghai。

(徐家汇觀象台气象觀測紀錄)

43. 日伪建設部水利署南京一等气象測候所1943年編印：气象报告
44. 伪浙江省建設厅測候所編印：浙江气象通訊
45. 前湖南棉业試驗場气象組編印：气象年报
46. 前湖南棉业試驗場气象組編印：气象月刊
47. 伪福建省气象局編印：福建气象年报
48. 伪福建省气象局編印：福建气象月刊
49. 伪台湾总督府气象台1939年編印：台湾累年气象报告
50. 伪台湾总督府气象台編印：台湾气象报告
51. 伪台湾气象局恒春測候所1947年編印：恒春五十年的气象統計
52. 伪台湾总督府台北測候所編印：台湾气象表
53. 前国立第一中山大学农科学院附設觀測所編印：民国十五年来广州气候汇编
54. 前国立中山大学农科气象觀測所报告
55. Royal observatory, Hongkong編印：Monthly meteorological Bulletin。

(香港皇家觀象台編印：每月气象报告)

56. 伪貴州省政府建設厅气象所編印：貴州气象簡报
57. 前四川大学理学院物理實驗室編印：气象月刊(1932—1942)
58. 伪四川省气象測候所編印：四川气象月报
59. 伪云南省政府編印：最近十年昆明气象統計册
60. 各站气象表
61. 各台站气象資料
62. 各台站气象月总簿
63. 各台站气象月报表
64. 各台站气象年总簿
65. 各台站气象年总表
66. 各台站二十四小时統計表(抄写)

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
黑龍江 瑯 璚		$\varphi = 50^{\circ}15'N$ $\lambda = 127^{\circ}29'E$ $H = 130.7 M$ 平均绝对湿度(毫米)												
1935		0.70	1.30	1.70	2.90	5.70	10.20	13.70	13.10	8.40	4.70	1.40	0.60	5.40
1936		0.50	0.90	1.50	3.30	6.40	10.60	14.70	14.10	9.90	3.50	1.50	0.70	5.60
1937		0.50	0.90	1.20	3.00	6.20	11.30	14.00	12.30	7.40	3.70	1.50	0.60	5.20
1938		0.60	1.00	2.20	3.40	6.90	13.00	17.50	14.10	8.80	4.50	1.90	0.50	6.20
1939		0.50	1.20	2.40	3.90	6.80	12.20	16.10	13.30	8.30	3.10	1.60	0.90	5.90
1940		0.60	0.90	1.80	3.30	5.60	12.10	14.70	11.80	7.80	3.00	1.40	0.90	5.30
1941		0.50	0.80	1.30	3.10	—	—	—	—	—	—	—	—	—
平 均		0.57	1.03	1.80	3.30	6.27	11.57	15.12	13.12	8.37	3.75	1.55	0.70	5.60
		最大绝对湿度(毫米)												
1935		2.20	3.60	4.50	7.70	10.9	14.00	18.60	18.00	16.60	9.80	4.00	1.50	18.60
日		31	26	8	9	25	21	25	7	3	2	2	4	25/7
1936		1.70	1.40	2.80	5.60	10.40	15.90	19.20	22.80	18.60	8.60	3.00	1.80	22.80
日		20	8, 13	30	17	31	21	7	2	4	4	3	30	2/8
1937		1.00	2.90	3.80	6.60	9.60	18.40	24.10	22.70	13.00	9.20	3.80	1.50	24.10
日		16, 17	22	31	30	23	27	21	12	1	11	9	8	21/7
1938		1.40	2.10	4.60	6.50	16.80	17.80	24.30	23.20	14.30	11.10	4.10	1.40	24.30
日		18	19	24	18	30	11	25	2	5	9	7	31	25/7
1939		1.20	2.90	4.60	8.20	11.30	20.30	25.60	24.30	14.20	6.90	5.10	2.30	25.60
日		26, 28	22	30	21	31	21	15	9	1	4	6	25	15/7
1940		1.60	2.40	4.30	6.30	10.30	21.40	20.70	17.70	15.50	7.00	4.10	2.20	21.40
日		20	27	24	24	26	20	10	12, 18	7	5	1	6	20/6
1941		1.40	2.10	2.80	7.40	—	—	—	—	—	—	—	—	—
日		7	26	20	30	—	—	—	—	—	—	—	—	—
極 值 日 期 年 份		2.20	3.60	4.60	8.20	16.80	21.40	25.60	24.30	18.60	11.10	5.10	2.30	25.60
		31	26	24, 30	21	30	20	15	9	4	9	6	25	15/7
		1935	1935	1938	1939	1938	1940	1939	1939	1936	1938	1939	1939	1939
		最小绝对湿度(毫米)												
1935		0.20	0.30	0.50	0.80	2.40	6.50	9.60	6.00	4.00	1.30	0.40	0.20	0.20
日		1	7	19	10	5	25	6	29	14	21, 22	26, 29	5	6
1936		0.20	0.40	0.50	1.30	3.10	6.50	9.10	9.90	5.10	1.10	0.60	0.10	0.10
日		8	3	1	24	2	2	14	22	30	15	3	21	21/12
1937		0.20	0.20	0.20	0.70	3.40	5.20	7.10	5.80	2.30	1.50	0.50	0.10	0.10
日		12	28	3	21	3	2	14	25	28	20	30	26	26/12
1938		0.20	0.20	0.60	1.40	3.10	5.40	9.80	8.90	3.50	1.20	0.60	0.10	0.10
日		3	5	11	7	8	3	21	31	29	15	29	17	17/12
1939		0.20	0.30	0.80	1.00	3.30	7.00	10.00	4.80	2.60	1.30	0.50	0.30	0.20
日		3	3, 8	3	3	3, 9	12, 13	19	21	30	20	3	3	3
1940		0.10	0.20	0.60	1.30	2.40	6.40	9.50	7.20	2.60	0.80	0.30	0.30	0.10
日		6, 11	8	6, 9	9	8	4	31	22, 24	30	29	28	24	6, 11/1
1941		0.10	0.20	0.40	1.30	—	—	—	—	—	—	—	—	0.10
日		23	11, 14	17	1	—	—	—	—	—	—	—	—	23/1
極 值 日 期 年 份		0.10	0.20	0.20	0.70	2.40	5.20	7.10	4.80	2.30	0.80	0.30	0.10	0.10
		3	4	3	21	5, 8	2	14	21	28	29	28	3	6
		1940	4	1937	1937	1935	1937	1937	1939	1937	1940	1940	3	5
		1941				1940								
遜 克		$\varphi = 49^{\circ}15'N$ $\lambda = 128^{\circ}28'E$ $H = 90.0 M$ 平均绝对湿度(毫米)												
1938		0.60	0.90	2.30	3.80	6.90	11.80	16.60	13.50	8.20	4.10	1.70	0.50	5.90
1939		0.40	0.80	2.10	3.60	6.90	11.20	15.70	13.20	8.30	3.10	1.60	0.80	5.70
1940		0.60	0.70	1.70	3.70	5.80	10.50	14.60	11.70	8.10	3.20	1.50	0.80	5.20
1941		0.40	0.70	1.10	3.10	—	—	—	—	—	—	—	—	—
平 均		0.53	0.80	2.03	3.70	6.53	11.17	15.63	12.80	8.20	3.47	1.60	0.70	5.60

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1938	日	1.60	2.20	4.40	9.90	15.20	16.10	22.40	21.20	13.30	8.80	4.20	1.10	22.40
		18	16	31	29	30	26	25	2	4,6	9	1	1,3	25/7
1939	日	1.20	1.70	4.40	8.30	18.80	16.40	24.30	21.80	15.00	8.00	6.50	2.40	24.30
		28	34	30	21	30	29	18	3	1	4	6	29	18/7
1940	日	1.40	2.10	4.30	8.00	9.60	19.00	20.70	18.20	15.60	11.20	5.10	2.10	20.70
		29	19	25	23	27	30	1	8	6	5	1	6	1/7
1941	日	1.70	2.10	3.10	5.60	—	—	—	—	—	—	—	—	—
		7	5	20	30	—	—	—	—	—	—	—	—	—
值	期	1.70	2.20	4.40	9.90	18.80	19.00	24.30	21.80	15.60	11.20	6.50	2.40	24.30
日		7	16	31,30	29	30	30	18	3	6	5	6	29	18/7
年	份	1941	1938	1938	1938	1939	1940	1939	1939	1940	1940	1939	1939	1939
最小绝对湿度(毫米)														
1938	日	0.10	0.10	0.50	1.40	2.90	4.70	9.70	8.90	2.60	1.50	0.60	0.20	0.10
		25	6	8,11	7,8	10	3	20	20	29	31	27,28	64	25/1,6/2
1939	日	0.20	0.20	0.60	1.00	3.30	7.40	9.10	6.80	2.30	1.50	0.30	0.30	0.20
		34	3	14	34	9	2	21	26	30	17	22,23	34	44
1940	日	0.10	0.20	0.40	2.00	2.50	6.50	10.40	6.40	2.80	0.90	0.30	0.20	0.10
		34	9	1,6	9,14	8,13	1	15	25	29	21	34	19	34
1941	日	0.00	0.10	0.30	0.90	—	—	—	—	—	—	—	—	0.00
		24	34	3	1	—	—	—	—	—	—	—	—	24/1
值	期	0.00	0.10	0.30	0.90	2.50	4.70	9.10	6.40	2.30	0.90	0.30	0.20	0.00
日		24	6	3	1	8,13	3	21	25	30	21	54	74	24/1
年	份	1941	1938	1941	1941	1940	1938	1939	1940	1939	1940	1939	1938	1941
嫩 江 $\varphi=49^{\circ}10'N$ $\lambda=125^{\circ}13'E$ $H=222.3M$														
平均绝对湿度(毫米)														
1939		0.34	0.77	2.01	3.77	5.84	11.26	15.85	13.00	7.96	3.11	1.47	0.88	5.52
1940		0.50	0.70	1.80	3.14	5.19	10.07	14.01	10.61	7.58	2.85	1.24	0.70	4.87
1941		0.43	0.64	1.08	3.01	5.94	11.61	14.55	12.55	8.16	3.62	1.65	0.63	5.32
1942		0.46	0.54	1.82	3.05	4.96	10.02	13.84	11.64	7.15	3.81	1.48	0.63	4.95
1943		0.59	0.85	1.93	3.16	7.43	10.76	14.17	11.81	8.20	4.14	1.32	0.67	5.42
1944		0.46	0.76	2.06	3.41	5.45	10.03	14.81	11.23	9.08	3.48	1.09	0.49	5.20
1945		0.40	0.68	1.72	3.19	5.02	9.76	13.67	—	—	—	—	—	—
1949		—	—	—	—	—	—	—	—	7.80	4.20	1.70	0.60	—
1950		0.50	0.70	1.70	3.90	6.40	10.10	14.70	13.70	7.40	3.50	1.20	0.40	5.35
1951		0.39	0.61	1.63	3.71	6.21	8.83	14.29	14.15	7.94	4.31	2.04	0.93	5.42
1952		0.34	0.38	1.48	3.81	5.55	11.47	14.62	13.83	7.94	3.86	1.35	0.63	5.44
1953		0.57	0.89	1.78	2.96	6.07	12.67	15.15	12.32	6.51	3.88	1.31	0.61	5.39
平 均		0.46	0.68	1.73	3.39	5.90	10.68	14.60	12.48	7.79	3.66	1.42	0.66	5.29
最大绝对湿度(毫米)														
1939	日	1.30	2.10	4.30	8.50	10.90	16.30	25.90	23.50	12.90	5.80	5.10	2.50	25.90
		25	22	6,29	20	31	27	18	3	8	5	6	30	18/7
1940	日	1.50	1.90	4.60	5.80	7.90	17.60	19.60	17.10	14.10	6.60	4.30	1.70	19.60
		29	27	24	23	30	27	12	5,6	5	1	6	27/7	
1941	日	1.40	1.80	3.00	6.50	10.60	17.70	19.10	19.70	12.00	8.50	6.20	1.70	19.70
		7	18,27	20	30	22	16	15	7,10	10	3	10	7	7,10/8
1942	日	1.30	2.10	4.90	7.20	9.00	16.90	20.50	18.80	12.60	7.00	4.80	1.80	20.50
		21	26	23	29	22	21	14	20	11	16	12	4,5	14/7
1943	日	1.60	2.60	4.20	6.60	13.30	15.30	20.20	20.00	14.40	8.70	3.20	1.80	20.20
		17	27	26	27	29	29	18	15	17	7	1	12,13	18/7
1944	日	1.40	2.60	4.00	6.10	10.60	17.30	20.60	18.10	14.10	7.60	3.20	1.20	20.60
		22	29	26	27	27	28	30	5	2	7,17	1	2,3	30/7
1945	日	1.00	1.90	5.90	6.10	9.80	15.60	18.60	18.90	—	—	—	—	—
		19	8,9	31	25	31	30	26	11	—	—	—	—	—
1949	日	—	—	—	—	—	—	—	21.20	11.80	8.20	4.00	2.10	—
		—	—	—	—	—	—	—	5	1	17	6	1	—
1950	日	1.90	2.50	4.70	10.00	11.70	19.50	22.40	22.70	15.00	8.70	4.30	1.50	22.70
		17	23	30	30	24	30	31	3	8	6	3	12	3/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	1.58 26	1.59 20	4.23 25	7.42 26	12.67 27	13.31 30	22.63 26	21.93 10	11.72 5,6	11.68 6	5.38 20,21	2.56 12	22.63 26/7
1952	日	0.95 21	1.29 8	3.84 29	8.25 27,28	11.16 17	20.26 27	23.94 17	23.67 6	14.85 1	9.90 1	3.22 1	2.04 13	23.94 17/7
1953	日	1.94 24	3.04 26	4.48 22	5.27 24	12.59 21	19.96 30	20.16 24	23.65 7	12.23 24	10.60 17	4.36 30	2.06 12	23.65 7/8
極 值 日 期 年 份		1.95 21 1952	3.04 26 1953	5.90 31 1945	10.00 30 1950	13.30 29 1943	20.26 27 1952	25.90 18 1939	23.67 6 1952	15.00 8 1950	11.68 6 1951	6.20 10 1941	2.56 12 1951	25.90 18/7 1939
最小绝对湿度(毫米)														
1939	日	0.10 14	0.10 3,8	0.30 14	0.90 3,5	2.20 9	5.90 1	9.20 21	6.50 25	2.70 30	1.40 16	0.30 22	0.30 7	0.10 16
1940	日	0.10 7	0.10 6	0.30 13	1.60 13,16	2.30 9	5.40 4	8.20 29	5.50 25	2.40 28,30	0.90 20	0.20 21	0.10 13,14	0.10 10
1941	日	0.10 10	0.10 4	0.30 3	0.40 1	2.50 4	6.50 1	10.80 19,21	6.30 17,19	2.80 30	0.90 25,26	0.30 28	0.10 3	0.10 18
1942	日	0.10 6	0.10 10	0.30 7	1.30 7	1.90 3	4.60 1	8.20 22	5.60 26	3.20 28	0.90 28	0.40 25,26	0.10 25	0.10 17
1943	日	0.20 8	0.30 7	0.80 4	1.10 2,5	2.80 12	5.40 9	8.00 22	6.80 26,27	3.70 28	1.50 29	0.40 29	0.10 24	0.10 24/12
1944	日	0.10 4	0.10 4	0.30 17	1.30 18	1.90 2	5.40 22	6.00 1	6.20 22	3.10 30	1.20 24	0.20 6	0.10 3	0.10 11
1945	日	0.10 10	0.10 7	0.30 16	1.20 1,2	2.10 5	6.20 18	7.60 4	7.10 31	—	—	—	—	—
1949	日	—	—	—	—	—	—	—	5.40 29	4.10 28	1.30 30	0.40 5	0.10 21	—
1950	日	0.10 14	0.10 8	0.40 4	1.20 2,11	3.20 22	5.40 10	7.90 6	5.90 23	2.90 18,29	1.00 3	0.20 4	0.10 15	0.10 37
1951	日	0.05 3	0.10 17	0.18 2	1.06 9	2.58 15	3.26 1	8.09 29	8.38 22	4.89 22	1.70 30	0.32 26	0.09 27	0.05 3/1
1952	日	0.08 8	0.06 1,2	0.24 2,5	1.59 12	1.92 20	6.21 12	9.24 3	7.42 18	3.35 29	1.37 31	0.23 30	0.10 21	0.06 1,2/2
1953	日	0.11 3	0.15 18	0.39 10	0.98 10	1.62 10	7.54 11	8.72 3	6.08 31	3.13 30	1.03 28	0.34 27	0.09 22	0.09 22/12
極 值 日 期 年 份		0.05 3 1951	0.06 1,2 1952	0.10 3 1941	0.40 1 1941	1.62 10 1953	3.26 1 1951	6.00 1 1944	5.40 29 1949	2.40 28,30 1940	0.90 4 3	0.20 11 3	0.09 27,22 1951	0.05 3/1 1951
克 山 $\varphi = 48^{\circ}04'N$ $\lambda = 125^{\circ}52'E$ $H = 223.4 M$														
平均绝对湿度(毫米)														
1936		0.50	0.80	1.60	2.90	5.60	11.20	15.70	13.40	10.10	3.80	1.60	1.00	5.70
1937		0.60	1.10	1.40	3.40	5.20	11.00	14.70	13.30	7.80	4.00	1.70	0.60	5.40
1938		0.50	0.90	2.30	3.60	6.60	11.40	16.50	13.50	8.10	4.30	1.80	0.50	5.80
1939		0.50	1.00	2.30	3.80	5.80	10.70	16.70	13.00	7.70	3.00	1.60	1.10	5.60
1940		0.70	1.00	1.70	2.80	4.90	9.90	14.00	11.30	8.60	3.30	1.50	0.80	5.00
1941		0.60	0.80	1.30	3.40	—	—	—	—	—	—	—	—	—
1949		—	—	—	—	—	—	—	—	—	—	2.20	0.80	—
1950		0.60	0.90	1.90	3.80	6.60	10.50	16.30	13.90	7.30	3.40	1.40	0.60	5.60
1951		0.50	0.80	1.66	3.72	5.89	10.12	14.74	15.05	8.01	4.20	2.18	1.15	5.67
1952		0.47	0.49	1.56	3.87	5.71	11.79	15.23	14.30	8.09	3.88	1.43	0.66	5.62
1953		0.61	1.00	1.96	2.95	6.25	13.47	16.15	13.13	6.88	4.54	1.49	0.85	5.77
平 均		0.55	0.89	1.82	3.43	5.84	11.12	15.56	13.43	8.06	3.82	1.63	0.81	5.57
最大绝对湿度(毫米)														
1936	日	1.90 11	1.90 8	4.40 22	5.70 25	11.60 31	19.80 21	21.00 20	20.60 3	19.50 3	8.60 1	3.30 6,9	2.50 15	21.00 20/7
1937	日	2.10 4	3.60 22	3.70 30,31	8.70 30	8.60 8	17.40 26	22.60 21	26.10 12	15.70 1	9.80 11	5.80 5	2.30 8,9	26.10 12/8
1938	日	2.50 18	3.10 26	6.00 19	6.90 18,22	14.30 30	16.80 30	21.80 25	22.10 2	12.00 4,9	9.30 9	4.40 2	1.90 3	22.10 2/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939	日	1.50	2.60	4.50	7.50	9.50	15.90	25.30	21.90	13.60	9.00	7.00	3.00	25.30
1940	日	25	16	30	21	21, 30	23, 24	18	3	1	6	6	30	18/7
1941	日	1.40	2.30	4.50	6.20	7.80	17.90	19.90	17.40	15.00	8.50	4.30	2.20	19.90
1942	日	3次	28	28	23	27	30	11	12	1	4	1	6	11/7
1943	日	2.20	2.50	3.90	6.40	—	—	—	—	—	—	—	—	—
1944	日	7	18	20	30	—	—	—	—	—	—	—	—	—
1945	日	—	—	—	—	—	—	—	—	—	—	6.20	2.70	—
1946	日	—	—	—	—	—	—	—	—	—	—	3	1	—
1947	日	2.90	2.70	6.20	10.30	15.40	17.10	23.70	23.40	15.00	7.60	5.10	1.70	23.70
1948	日	17	21, 23	30	30	27	29	15	12	8	8	10	11	15/7
1949	日	1.74	1.91	5.00	8.78	11.94	18.02	22.40	23.85	14.09	11.88	6.19	3.52	23.85
1950	日	30	20	31	28	26	28	26	10	21	6	21	12	10/8
1951	日	1.22	1.31	4.13	8.16	10.22	18.93	22.98	22.79	16.32	10.95	3.76	2.57	22.98
1952	日	13	8	26	27, 28	17	29	18	6	5	1	3	13	18/7
1953	日	1.92	3.38	4.65	5.42	12.45	19.67	22.70	22.24	13.41	11.22	4.69	2.31	22.70
1954	日	24	27	6	28	21	23	9	8	9	17	30	16	9/7
極 值	日	2.90	3.60	6.20	10.30	15.40	19.80	25.30	26.10	19.50	11.88	7.00	3.52	26.10
日 期		17	22	30	30	27	21	18	12	3	6	6	12	12/8
年 份		1950	1937	1950	1950	1950	1936	1939	1937	1936	1951	1939	1951	1937
最小绝对湿度(毫米)														
1936	日	0.10	0.20	0.30	1.20	2.00	5.80	10.70	9.20	5.80	1.10	0.70	0.30	0.10
1937	日	4次	4次	1	9, 24	1	3	1	22	19	31	4次	4次	4次
1938	日	0.20	0.30	0.40	1.00	2.90	5.40	9.80	6.10	3.20	1.30	0.40	0.10	0.10
1939	日	6次	3次	3, 17	16	9, 14	1	14	28	27	20, 29	25, 30	26, 27	26, 27/12
1940	日	0.10	0.20	0.40	1.20	3.10	3.20	10.00	7.90	3.80	1.40	0.60	0.10	0.10
1941	日	22, 23	5次	6	7	5	3	21	31	30	15	3次	28	3次
1942	日	0.20	0.20	0.50	1.00	2.20	5.10	10.30	6.70	2.30	1.10	0.50	0.40	0.20
1943	日	3次	6	13, 14	3	9	1	25	25	29, 30	20	12, 13	14, 31	4次
1944	日	0.20	0.30	0.60	1.10	2.10	4.90	8.80	7.50	2.90	0.60	0.30	0.30	0.20
1945	日	3次	7	3次	15	8	1	13	4	27	20	21, 26	3次	3次
1946	日	0.20	0.20	0.30	0.80	—	—	—	—	—	—	—	—	—
1947	日	6次	4次	4次	1	—	—	—	—	—	—	—	—	—
1948	日	—	—	—	—	—	—	—	—	—	—	0.40	0.10	—
1949	日	—	—	—	—	—	—	—	—	—	—	16, 17	26, 27	—
1950	日	0.10	0.20	0.30	0.80	3.10	6.60	8.90	6.50	2.86	1.10	0.30	0.20	0.10
1951	日	3次	4次	9	11	13	21	24	22	17	23, 24	14	7次	3次
1952	日	0.09	0.14	0.20	0.89	1.97	4.59	8.26	8.57	5.11	1.64	0.38	0.16	0.09
1953	日	3, 6	24	3, 4	9	3	1, 2	8	21	20	25	27, 28	27, 28	3, 6/1
1954	日	0.11	0.08	0.37	1.35	2.89	6.76	9.16	8.83	3.58	1.39	0.29	0.14	0.08
1955	日	26	2	4	10	12	14	3	18	29	25	30	22	2/2
1956	日	0.16	0.20	0.69	1.54	2.06	8.77	10.64	6.48	3.37	1.39	0.51	0.25	0.16
1957	日	13	15	15	10	9, 10	6	3	31	18	29	20	26	13/1
極 值	日	0.09	0.08	0.20	0.80	1.97	3.20	8.26	6.10	2.30	0.60	0.29	0.10	0.08
日 期		3, 6	2	3, 4	1, 11	3	3	8	28	29, 30	20	30	5次	2/2
年 份		1951	1952	1951	1941	1951	1938	1951	1937	1939	1940	1952	3次	1952
海 倫 $\varphi=47^{\circ}26'N$ $\lambda=126^{\circ}58'E$ H=240.3 M														
平均绝对湿度(毫米)														
1933		0.70	0.80	1.60	3.10	6.00	10.80	14.50	13.10	8.50	4.60	1.80	1.00	5.50
1934		0.60	1.00	1.50	3.00	7.80	12.00	13.00	12.30	7.70	3.90	1.90	1.10	5.50
1935		0.70	1.40	1.70	2.90	6.60	9.30	13.80	12.60	8.10	5.50	1.70	0.60	5.40
1936		0.50	0.70	1.50	3.10	5.40	10.40	14.80	13.00	9.10	3.90	1.70	0.80	5.40
1937		—	—	—	—	—	—	15.31	14.41	8.31	4.43	1.57	0.71	—
1938		0.66	1.12	2.15	3.33	6.77	13.06	16.32	13.43	7.30	5.20	1.66	1.01	6.00
平 均		0.63	1.00	1.69	3.09	6.51	11.11	14.48	12.89	8.14	4.62	1.75	0.90	5.56
齊齊哈爾 $\varphi=47^{\circ}20'N$ $\lambda=123^{\circ}56'E$ H=147.0 M														
平均绝对湿度(毫米)														
1930		—	—	—	—	4.90	10.90	16.80	14.80	9.70	5.10	1.60	0.80	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1931		0.50	0.60	1.90	3.10	5.40	10.70	13.70	12.50	9.00	—	—	0.80	—
1932		1.10	1.10	1.60	3.30	5.60	11.30	16.10	12.60	9.00	4.70	2.00	1.10	5.79
1933		0.60	0.60	1.30	2.90	5.50	10.70	14.50	12.50	7.30	4.10	1.60	1.00	5.22
1934		0.60	1.10	1.50	2.50	7.50	11.90	13.50	12.80	8.30	3.80	1.70	1.10	5.52
1935		0.70	1.10	1.40	2.40	4.30	7.90	11.30	10.10	6.50	4.10	1.40	0.50	4.31
1936		0.40	0.60	1.30	2.40	4.30	7.50	11.70	10.30	7.10	2.60	1.30	0.90	4.20
1939		0.50	1.10	2.30	4.40	6.50	11.80	17.80	14.70	8.40	3.80	1.80	1.20	6.19
1940		0.70	1.00	1.90	3.30	5.70	10.90	14.80	12.10	8.60	3.40	1.60	0.90	5.41
1941		0.60	0.90	1.40	3.40	—	—	—	—	—	—	—	—	—
1951		0.57	0.94	1.76	3.98	6.20	10.67	15.13	14.57	8.13	4.57	2.28	1.23	5.84
1952		0.60	0.59	1.94	4.18	6.23	12.48	16.21	14.48	8.85	4.33	1.59	0.77	6.02
1953		0.75	1.16	2.05	3.31	6.91	13.77	16.53	13.74	7.33	4.97	1.70	1.03	6.10
平 均		0.65	0.93	1.71	3.27	5.87	10.89	14.76	12.79	7.95	4.04	1.70	0.97	5.46
最大绝对湿度(毫米)														
1933		1.50	1.50	3.60	6.80	12.20	17.60	21.30	20.00	12.20	8.00	3.50	2.10	21.30
日		6	6	31	6	26	30	10	3	1	4	1,9	2	10/7
1934		1.20	2.00	3.40	6.00	12.30	18.70	17.90	19.30	15.20	9.70	4.10	3.20	19.30
日		17	3x	12	19	29, 30	27	27	16, 18	5	8	3	6	16, 18/8
1939		1.20	2.90	4.30	7.90	12.20	16.60	25.50	21.20	14.70	12.70	6.00	2.80	25.50
日		25, 27	16	6	20	29	24	17	9	2	5	6	30	17/7
1940		1.70	2.20	4.40	6.60	9.80	20.60	22.30	19.90	15.30	7.60	6.20	2.00	22.30
日		30	24	28	22, 28	19	30	27	17	4	12	1	3	27/7
1941		2.00	2.40	3.50	6.30	—	—	—	—	—	—	—	—	—
日		17	18	20	30	—	—	—	—	—	—	—	—	—
1951		2.14	2.02	4.65	8.56	12.80	17.53	22.69	23.44	13.45	12.53	5.57	3.19	23.44
日		26	20	31	26	29	28	10	7	6	13	12	10/8	
1952		1.76	1.70	4.25	8.95	13.71	21.34	23.37	21.78	16.14	11.33	3.98	2.41	23.37
日		21	8	13	27	17	26	18	13	5	1	1	11	18/7
1953		2.61	3.72	6.10	5.92	12.20	20.49	23.65	22.46	13.24	11.72	5.04	2.39	23.65
日		24	24	22	3	21	19	9	4	9	17	30	12	9/7
值 期		2.61	3.72	6.10	8.95	13.71	21.34	25.50	23.44	16.14	12.70	6.20	3.20	25.50
日 期		24	24	22	27	17	26	17	10	5	5	1	6	17/7
年 份		1953	1953	1953	1952	1952	1952	1939	1951	1952	1939	1940	1934	1939
最小绝对湿度(毫米)														
1933		0.20	0.30	0.30	0.80	1.60	4.20	6.40	4.20	2.70	2.00	0.60	0.30	0.20
日		11, 12	25	7	17	14	17	28	13	27	29	22	16	11, 12/1
1934		0.30	0.20	0.60	0.90	1.40	6.50	5.90	6.40	3.20	0.60	0.40	0.30	0.20
日		11x	21	8, 9	20	14	3, 13	24	25	29	5	5x	27	21/2
1939		0.20	0.30	0.80	0.90	2.80	5.50	11.20	8.20	2.90	1.10	0.40	0.50	0.20
日		3x	4x	13, 14	3	9	1	25	25	29	20	12	10, 11	3x
1940		0.30	0.40	0.70	1.50	2.80	4.70	10.70	8.00	2.80	1.10	0.40	0.30	0.30
日		7x	3x	12, 13	13	3	4	20	25	28	29	21	13, 14	9x
1941		0.10	0.20	0.30	1.70	—	—	—	—	—	—	—	—	—
日		24	9, 11	2, 3	1	—	—	—	—	—	—	—	—	—
1951		0.08	0.38	0.27	1.31	2.11	5.00	7.40	8.58	5.34	1.96	0.47	0.21	0.08
日		2	3	3	9	4	1	28	31	7	25	26	29	2/1
1952		0.11	0.14	0.47	1.68	2.60	7.31	11.27	9.32	4.54	1.66	0.35	0.22	0.11
日		8	3	4	9	20	2	4	15	30	24	30	22	8/1
1953		0.19	0.36	0.93	1.27	1.78	8.64	11.43	6.00	3.48	1.84	0.70	0.40	0.19
日		13	1	25	10	3	3	31	31	18	30	27	21	13/1
值 期		0.08	0.14	0.27	0.80	1.40	4.20	5.90	4.20	2.70	0.60	0.35	0.21	0.08
日 期		2	3	3	17	14	17	24	13	27	5	30	29	2/1
年 份		1951	1952	1951	1933	1934	1933	1934	1933	1933	1934	1952	1951	1951
富 锦 $\varphi=47^{\circ}14'N$ $\lambda=131^{\circ}59'E$ $H=76.5M$														
平均绝对湿度(毫米)														
1935		—	—	—	—	—	—	—	—	—	—	2.00	0.90	—
1936		0.70	1.10	2.10	3.30	6.30	11.10	14.80	13.80	9.80	4.00	1.90	1.00	58.3
1937		0.70	1.10	1.60	3.90	6.30	11.80	15.10	14.20	9.10	4.70	2.10	0.90	5.96
1938		0.80	1.10	2.40	4.10	7.40	10.70	16.30	16.10	8.90	4.80	2.10	0.80	6.29

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939		0.70	1.20	2.50	4.20	6.70	11.00	16.70	14.50	9.60	4.00	2.00	1.20	6.19
1940		0.80	1.10	2.00	3.70	5.70	10.40	15.90	13.40	9.10	4.10	2.20	1.20	5.80
1941		0.60	1.00	1.40	3.70	—	—	—	—	—	—	—	—	—
1952		—	—	—	—	—	—	—	15.90	9.11	4.66	1.63	0.73	—
1953		0.65	1.03	2.24	4.02	7.37	13.22	16.10	14.00	8.64	4.64	1.66	1.21	6.23
平 均		0.73	1.11	2.14	3.87	6.63	11.37	15.82	14.33	9.19	4.37	1.99	1.05	6.05
最大绝对湿度(毫米)														
1936		1.70	2.10	4.70	6.30	14.20	17.50	20.20	19.40	17.10	8.80	3.90	3.00	20.20
日		21	9,10	23	18	28	16	26	3	4	3	14	31	26/7
1937		2.00	3.90	3.70	7.70	10.40	20.40	21.20	20.90	14.20	9.80	5.70	2.30	21.20
日		5	22	27	30	30	27	23	13	2	9,11	1	9	23/7
1938		2.10	2.60	5.00	6.80	15.20	16.50	21.50	20.30	13.90	10.00	4.80	2.10	21.50
日		18	19	19	26	30	25,26	24	16	6	7	7	1	24/7
1939		1.50	3.10	4.20	9.70	12.40	16.50	22.10	20.70	16.80	11.10	6.30	2.60	22.10
日		24,28	24	23,30	21	24	21	15,18	4	2	6	7	30	15,18/7
1940		1.60	2.00	4.70	6.40	9.50	18.50	21.20	19.80	15.70	9.70	7.00	2.70	21.20
日		29,30	28	29	24	15	30	12	1	6	6	1	7	12/7
1941		1.60	3.60	3.30	8.10	—	—	—	—	—	—	—	—	—
日		2	19	10	30	—	—	—	—	—	—	—	—	—
1952		—	—	—	—	—	—	—	22.40	14.75	9.61	4.31	3.09	—
日		—	—	—	—	—	—	—	7,9	1	15	4	14	—
1953		2.13	5.14	5.32	6.60	12.60	19.99	23.00	22.91	13.62	9.66	4.64	4.47	23.00
日		24	28	22	27	22	29	29	8	10	17	30	1	29/7
值	期	2.13	5.14	5.32	9.70	15.20	20.40	23.00	22.91	17.10	11.10	7.00	4.47	23.00
日		24	28	22	21	30	27	29	8	4	6	1	1	29/7
年	份	1953	1953	1953	1939	1938	1937	1953	1953	1936	1939	1940	1953	1953
最小绝对湿度(毫米)														
1936		0.20	0.40	0.70	1.40	2.20	6.30	8.60	9.10	6.10	1.50	0.80	0.30	0.20
日		3,4	28	1,7	5	1	7	7	28	20	17	20	21	3,4/1
1937		0.20	0.20	0.40	2.10	3.70	5.60	8.50	7.70	4.50	1.80	0.60	0.10	0.10
日		3次	13	8	17,21	2	9	5,14	28	28	20	9	26,27	26,27/12
1938		0.30	0.20	0.40	1.30	3.20	5.50	8.90	10.70	2.90	1.60	0.90	0.40	0.20
日		3次	8	10	8	4,9	3	21	15	30	31	30	3次	8/2
1939		0.30	0.40	0.80	0.70	3.60	6.00	4.20	7.60	3.20	1.10	0.60	0.50	0.30
日		4次	2	14	3	9	2	23	25	30	21	15	3,4	4次
1940		0.20	0.50	0.60	2.10	2.40	5.10	11.80	8.00	2.90	1.30	0.60	0.50	0.20
日		7	17	6	1	8,13	1	9	23	28	29	3次	3次	7/1
1941		0.20	0.20	0.50	1.30	—	—	—	—	—	—	—	—	—
日		4次	11,12	3次	1	—	—	—	—	—	—	—	—	—
1952		—	—	—	—	—	—	—	11.97	4.18	1.14	0.38	0.18	—
日		—	—	—	—	—	—	—	28	25	22	30	22	—
1953		0.15	0.26	0.63	2.06	2.55	9.15	11.24	6.86	4.05	1.39	0.58	0.44	0.15
日		12	18	11	11	10	11	2	21	29	30	27	27	12/1
值	期	0.15	0.20	0.40	0.70	2.20	5.10	4.20	6.86	2.90	1.10	0.38	0.10	0.10
日		12	4次	8,10	3	1	1	23	21	30,28	21	30	26,27	26,27/12
年	份	1953	3年	1937	1939	1936	1940	1939	1953	1938	1939	1952	1937	1937
佳木斯														
$\varphi = 46^{\circ}49'N$ $\lambda = 130^{\circ}20'E$ $H = 80.4 M$														
平均绝对湿度(毫米)														
1938		0.80	1.20	2.60	4.00	7.40	11.60	16.90	15.70	9.40	5.00	2.10	0.80	6.46
1939		0.60	1.20	2.50	4.50	6.70	11.60	17.60	14.70	9.70	4.20	2.10	1.20	6.38
1940		0.80	1.10	2.10	3.80	5.90	11.30	16.00	13.30	9.20	4.30	2.20	1.20	5.93
1941		0.70	1.00	1.60	3.70	—	—	—	—	—	—	—	—	—
1949		—	—	—	—	—	11.50	14.30	16.50	9.30	5.40	2.10	1.00	—
1951		0.56	0.93	1.96	4.09	6.25	11.09	15.29	16.01	8.71	4.70	2.47	1.43	6.12
1952		0.61	0.63	1.80	4.51	6.43	12.07	16.51	15.53	8.83	4.72	1.69	0.78	6.18
1953		0.77	1.26	2.26	3.74	7.25	13.13	16.56	13.74	8.15	4.89	1.71	1.25	6.23
平 均		0.69	1.05	2.20	4.11	6.66	11.80	16.48	14.83	9.00	4.64	2.05	1.11	6.22

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度 (毫米)														
1938	日	1.90	2.70	6.00	6.50	15.70	17.30	23.10	20.50	14.90	9.70	4.80	2.30	23.10
1939	日	19, 20	15	20	19, 22	30	27	28	6	6	10	2	1	28/7
1939	日	1.70	3.50	4.40	10.20	12.10	18.00	23.20	20.90	17.80	11.60	6.90	2.60	23.20
1940	日	28, 31	24	2, 9	21	30	21	18	3	2	6	7	30	18/7
1940	日	1.60	2.40	5.90	6.60	10.10	18.40	20.80	20.40	16.80	9.70	7.90	2.50	20.80
1941	日	30	29	29	24	26	30	12, 29	21	9	15	1	21	12, 29/7
1941	日	2.00	4.00	2.90	9.50	—	—	—	—	—	—	—	—	—
1951	日	17	19	3	10	—	—	—	—	—	—	—	—	—
1951	日	2.11	2.63	5.33	8.71	13.94	16.20	23.00	22.57	12.38	10.88	7.92	3.61	23.00
1951	日	27	20	31	28	30	18	26	6	7	7	14	7	26/7
1952	日	1.65	1.97	4.99	8.95	12.33	19.97	24.15	22.47	15.57	10.74	4.22	3.56	24.15
1952	日	22	8	29	28	30	29	18	13	6	2	4	14	18/7
1953	日	2.20	5.31	5.16	7.21	13.15	20.69	23.50	22.41	13.91	10.43	5.71	4.80	23.50
1953	日	24	28	22	28	31	17	29	9	9	17	30	1	29/7
極 值	日 期	2.20	5.31	6.00	10.20	15.70	20.69	24.15	22.57	17.80	11.60	7.92	4.80	24.15
年 份		24	28	20	21	30	17	18	6	2	6	14	1	18/7
		1953	1953	1938	1939	1938	1953	1952	1951	1939	1939	1951	1953	1952
最小绝对湿度 (毫米)														
1938	日	0.30	0.30	0.50	1.30	3.40	4.00	10.40	10.20	5.10	1.80	0.90	0.30	0.30
1939	日	2	3	10	8	5	3	22	13	30	31	3	3	7
1939	日	0.20	0.20	0.80	1.10	3.80	6.40	12.60	7.90	2.90	1.60	0.50	0.50	0.20
1940	日	8, 14	2, 3	14	4	9	2	23	25	30	21	13	3	4
1940	日	0.20	0.40	0.70	2.00	2.50	6.60	12.40	8.70	3.20	1.50	0.70	0.40	0.20
1941	日	8	2	13	6	2	5	21	25	28	29	3	15	8/1
1941	日	0.30	0.30	1.80	—	—	—	—	—	—	—	—	—	—
1951	日	11	4	1	—	—	—	—	—	—	—	—	—	—
1951	日	0.06	0.32	0.46	1.57	1.70	5.02	9.47	8.74	5.16	1.76	0.60	0.33	0.06
1951	日	7	19	3	10	5, 6	1	28	31	10	31	28	26	7/1
1952	日	0.12	0.17	0.51	1.81	2.72	6.02	9.95	9.32	4.01	1.52	0.50	0.24	0.12
1952	日	8	3	3	6	8, 12	14	4	17	30	31	30	21, 22	8/1
1953	日	0.17	0.34	0.75	1.90	2.34	8.39	11.49	5.65	3.98	1.47	0.63	0.54	0.17
1953	日	12	18	10	11	10	6	2	21	29	29	27	3	12/1
極 值	日 期	0.06	0.17	0.46	1.10	1.70	4.00	9.47	5.65	2.90	1.47	0.50	0.24	0.06
年 份		7	3	3	4	5, 6	3	28	21	30	29	13, 30	21, 22	7/1
		1951	1952	1951	1939	1951	1938	1951	1953	1939	1953	1939	1952	1951
哈爾濱 $\varphi = 45^{\circ}45'N$ $\lambda = 126^{\circ}38'E$ $H = 145.1 M$														
平均绝对湿度 (毫米)														
1931		0.80	0.80	2.60	4.20	6.40	11.10	12.90	14.40	9.70	4.80	2.50	1.10	5.90
1932		1.30	1.20	1.80	3.80	6.40	11.80	17.40	13.70	9.90	5.50	2.60	1.50	6.40
1933		0.80	0.90	1.70	3.60	6.20	10.80	16.20	14.10	8.70	4.60	2.10	1.30	5.90
1934		0.70	1.30	1.60	3.20	8.00	12.80	14.90	14.00	8.70	4.20	2.20	1.60	6.10
1936		0.60	0.90	2.10	3.80	6.30	11.80	15.50	13.70	10.10	4.60	2.10	1.20	6.10
1937		0.80	1.20	1.60	4.00	5.90	11.30	15.20	15.30	9.20	5.30	23.0	0.80	6.10
1938		0.80	1.30	2.80	4.10	7.30	12.00	17.00	15.40	9.10	5.50	2.30	0.90	6.50
1939		0.70	1.30	2.40	4.20	6.60	11.50	18.20	15.20	9.20	4.30	2.20	1.40	6.40
1940		0.70	1.20	2.10	3.50	6.00	11.80	16.60	13.40	9.70	4.40	2.60	1.20	6.10
1941		0.90	1.20	2.00	3.70	—	—	—	—	—	—	—	—	—
1949		1.30	1.20	1.80	3.90	7.20	11.20	15.30	16.40	9.30	5.20	2.60	1.00	6.40
1951		0.68	1.06	2.29	4.48	7.21	11.94	16.60	16.43	8.68	5.29	2.80	1.58	6.59
1952		0.80	0.67	2.09	4.71	6.61	12.51	16.94	15.29	9.33	5.28	1.92	0.79	6.41
1953		0.73	1.23	2.16	3.71	7.43	13.09	17.32	14.25	8.01	5.73	2.04	1.25	6.41
平 均		0.82	1.10	2.08	3.94	6.73	11.82	16.16	14.74	9.20	4.98	2.33	1.20	6.25
最大绝对湿度 (毫米)														
1934	日	1.70	2.70	3.90	6.70	13.20	25.30	20.50	19.20	16.20	10.40	5.90	20	25.30
1934	日	18	17	12	10	19	30	9	2	9	21	17	—	30/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1936	日	2.30	2.10	4.60	6.50	13.00	17.70	20.60	20.90	17.60	10.30	4.90	4.60	20.90
1937	日	11	13	26	14	31	16	20	4	2	2	9	16	4/8
1938	日	4.50	3.70	3.60	9.00	10.40	16.60	21.80	23.10	17.50	12.10	7.80	3.60	23.10
1939	日	4	28	28, 31	29	19	18	22	13	1	9	5	9	13/8
1940	日	3.40	3.80	6.90	8.80	15.30	17.20	21.50	21.10	14.10	12.00	5.60	2.80	21.50
1941	日	18	14	20	22	29	24, 25	26	9	4	2	2	3	26/7
1942	日	2.30	3.70	4.90	9.00	11.70	17.70	23.20	21.00	16.80	11.40	6.90	3.90	23.20
1943	日	25	23, 24	9	21	29	24	17	4	1	3	6	9	17/7
1944	日	1.50	2.50	5.10	7.60	11.40	18.50	22.50	20.90	16.70	9.90	9.80	3.60	22.50
1945	日	2	10	28	23	14	30	2	21	8	12	2	6	2/7
1946	日	3.10	3.10	4.90	6.60	—	—	—	—	—	—	—	—	—
1947	日	2	19, 25	20	17, 29	—	—	—	—	—	—	—	—	—
1948	日	2.84	3.52	5.47	8.46	14.36	17.36	22.85	23.80	12.45	13.06	8.54	4.39	23.80
1949	日	18	21	27	28	30	29	25	6	6	6	14	12	6/8
1950	日	2.55	1.98	6.16	10.06	12.05	18.23	24.80	22.62	15.97	13.08	5.91	3.34	24.80
1951	日	13	8	28	8	26	29	19	13	5	1	3	14	19/7
1952	日	2.67	5.13	5.98	10.28	12.85	19.84	24.04	22.02	15.57	11.68	5.97	3.75	24.04
1953	日	9	27	19	27	31	23	28	8	9	7	30	18	28/7
極 值	日	4.50	5.13	6.90	10.28	15.30	25.30	24.80	23.80	17.60	13.08	9.80	4.60	25.30
年 份	期	4	27	20	27	29	30	19	6	2	1	2	16	30/6
	份	1937	1953	1938	1953	1938	1934	1952	1951	1936	1952	1940	1936	1934
最小绝对湿度(毫米)														
1934	日	0.30	0.50	0.60	1.40	2.80	7.10	10.00	8.40	3.60	1.50	0.60	0.50	0.30
1935	日	13, 23	21	9	1	1	9	2	26	30	2, 3	28	31	13, 23/1
1936	日	0.10	0.20	0.40	2.20	2.20	5.50	9.90	7.60	6.50	1.80	0.80	0.50	0.10
1937	日	5	1	1, 2	30	1	2	1	12	17	17	28	31	5/1
1938	日	0.30	0.30	0.70	1.50	3.00	5.40	9.60	7.60	4.60	2.50	0.60	0.20	0.20
1939	日	5	13	5, 12	17	15	2	14	27	27	20	30	26, 27	26, 27/12
1940	日	0.30	0.30	1.00	1.60	2.90	4.80	11.10	8.00	6.10	2.00	1.00	0.30	0.30
1941	日	3	3	9	8	4	3	21	31	30	31	20	3	9
1942	日	0.10	0.30	0.80	1.00	3.60	7.20	12.80	7.80	3.50	1.30	0.80	0.60	0.10
1943	日	15	4	13	3	3, 8	1	21	26	29, 30	20	3	3, 11	15/1
1944	日	0.30	0.40	0.80	1.50	1.70	6.90	11.30	8.60	3.50	1.40	0.60	0.40	0.30
1945	日	3	4	9	5	13	5	17	25	28	20, 21	30	16	3
1946	日	0.20	0.30	0.60	1.70	—	—	—	—	—	—	—	—	—
1947	日	25	9	2	1, 3	—	—	—	—	—	—	—	—	—
1948	日	0.13	0.34	0.26	1.44	2.35	5.66	9.98	7.69	5.46	2.28	0.65	0.41	0.13
1949	日	4	24	3	9	4	1	29	31	10	25	28	29	4
1950	日	0.25	0.20	0.48	1.94	3.23	7.76	9.45	9.76	4.52	1.43	0.52	0.25	0.20
1951	日	26	3, 4	4, 5	1	21	14	3	17	26	31	30	22, 23	3, 4/2
1952	日	0.19	0.27	0.82	1.39	2.84	9.55	12.27	7.02	3.69	1.31	0.88	0.46	0.19
1953	日	13	1	11	10	10	4	5	21	18	30	27	31	13/1
極 值	日	0.10	0.20	0.26	1.00	1.70	4.80	9.45	7.02	3.50	1.30	0.52	0.20	0.10
年 份	期	5, 15	3	3	13	3	3	21	3	3	20	30	26, 27	5, 15/1
	份	1936	1936	1951	1939	1940	1938	1952	1953	1939	1939	1952	1937	1936
		1939	1952							1940				1939
密 山 $\varphi = 45^{\circ}33'N$ $\lambda = 131^{\circ}45'E$ $H = 134.4 M$														
平均绝对湿度(毫米)														
1937	日	0.90	1.40	2.10	4.10	6.20	11.60	15.80	15.50	9.80	4.80	2.20	0.80	6.30
1938	日	0.80	1.20	2.40	3.90	7.20	10.60	15.90	16.80	9.40	5.30	2.30	0.90	6.40
1939	日	0.70	1.30	2.60	4.50	6.60	10.80	17.20	14.30	9.90	4.20	2.20	1.20	6.30
1940	日	0.70	1.10	2.10	3.50	5.80	11.10	15.60	13.30	8.80	4.40	2.60	1.30	5.90
1941	日	0.80	1.20	1.90	3.60	—	—	—	—	—	—	—	—	—
平 均		0.78	1.25	2.30	4.00	6.45	11.03	16.13	14.98	9.48	4.68	2.33	1.05	6.23
最大绝对湿度(毫米)														
1937	日	3.70	5.00	4.80	8.30	10.70	19.60	23.90	23.30	15.40	10.10	7.10	3.00	23.90
1938	日	5	22	1	14	30	25	27	13	12	11	5	10	27/7
1939	日	2.40	4.20	5.20	6.80	14.50	15.20	24.80	23.10	15.60	12.50	4.80	2.60	24.80
1940	日	18	16	24	27	30	24	18	6	5	2	2, 6	4	18/7
1941	日	1.60	3.80	5.00	9.00	9.50	16.00	23.30	21.50	17.20	11.00	6.50	3.10	23.30
1942	日	28, 31	24	29	30	31	20	18	5	1	6	7	30	18/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937		0.80	1.10	1.80	4.20	6.00	11.40	15.20	15.00	9.10	5.20	2.20	0.90	6.10
1938		0.90	1.20	2.60	3.90	7.10	10.90	15.80	16.90	9.80	5.80	2.60	1.00	6.50
1939		0.80	1.20	2.30	4.40	7.10	12.60	18.00	14.40	9.90	4.30	2.50	1.50	6.60
1940		0.80	1.20	2.10	3.60	6.20	11.60	15.60	13.20	9.00	4.70	2.70	1.30	6.00
1941		0.90	1.20	2.00	3.50	—	—	—	—	—	—	—	—	—
1949		1.20	1.10	1.80	4.50	7.10	10.00	13.10	14.30	8.30	5.30	2.40	1.10	5.85
1950		0.80	1.10	2.50	4.40	7.80	11.90	17.00	15.40	8.40	4.20	2.00	0.90	6.20
1951		0.68	1.09	2.07	4.03	6.44	11.25	14.52	15.62	8.56	5.10	2.58	1.49	6.12
1952		0.80	0.69	2.26	4.47	6.04	11.82	15.84	14.87	9.18	5.40	2.19	0.90	6.21
1953		0.85	1.20	2.41	3.60	7.08	11.97	15.92	13.04	7.88	5.30	1.92	1.34	6.04
平 均		0.85	1.10	2.20	4.12	6.76	11.49	15.66	14.75	8.90	5.03	2.34	1.16	6.18
最大绝对湿度 (毫米)														
1937		4.40	4.70	3.90	8.20	10.90	16.10	21.90	22.30	15.40	10.40	6.30	3.20	22.30
日		5	22	1	29	30	25	26	13	2	2, 10	4	10	13/8
1938		2.40	3.80	5.10	7.30	13.00	16.10	20.40	22.00	14.40	13.20	7.30	3.00	22.00
日		18	16	24	22	31	28	16	9	6	9	3	3	9/8
1939		1.80	3.20	4.70	9.20	13.20	18.30	25.40	21.10	16.90	10.30	7.40	4.40	25.40
日		3x	24	9	30	31	30	22	9	1	6	7	9	22/7
1940		1.50	2.50	5.50	7.60	10.30	21.30	22.00	20.30	15.20	9.50	8.30	3.30	22.00
日		2	19	29	12	14	30	31	18	2	18	6	22	31/7
1941		2.50	3.70	4.70	6.40	—	—	—	—	—	—	—	—	—
日		18	19	10	30	—	—	—	—	—	—	—	—	—
1949		—	—	—	9.20	13.00	14.90	19.30	19.60	14.60	10.20	5.50	4.00	19.60
日		—	—	—	23	4	19	21	11	7	8	4, 6	1	11/8
1950		3.40	3.80	6.10	7.60	13.30	15.10	21.90	21.70	14.40	9.50	5.80	2.40	21.90
日		18	25	30	17	27	3x	27	1	1	4	3, 10	11	27/7
1951		2.44	3.67	5.18	9.27	13.63	18.07	22.28	21.47	13.10	10.47	7.36	3.96	22.28
日		27	21	31	28	30	29	26	4	4	7	14	12	26/7
1952		2.59	2.08	5.70	8.38	10.49	17.25	23.69	22.37	16.23	11.08	7.59	2.99	23.69
日		13	26	29	28	18	30	22	14	5	6	4	14	22/7
1953		2.15	4.75	5.91	9.53	12.40	17.06	21.93	19.71	15.71	10.43	5.55	5.81	21.93
日		10	28	24	28	31	27	28	8	10	7	30	1	28/7
值 期	4.40	4.75	6.10	9.53	13.63	21.30	25.40	22.37	16.90	13.20	8.30	5.81	25.40	
日 份	5	28	30	28	30	30	22	14	1	9	6	1	22/7	
年	1937	1953	1950	1953	1951	1940	1939	1952	1939	1938	1940	1953	1939	
最小绝对湿度 (毫米)														
1937		0.30	0.30	0.60	1.80	2.70	6.90	9.20	7.40	3.40	2.20	0.50	0.20	0.20
日		8x	3x	3x	17	1	11	5	27	27	30	14	3x	3x
1938		0.30	0.30	1.00	1.50	2.40	4.60	10.20	12.90	6.20	1.80	1.20	0.40	0.30
日		23	9	6, 9	8	4	3	4	27	26	31	11	4x	23/1, 9/2
1939		0.30	0.30	0.50	0.80	3.20	6.50	10.40	6.70	3.30	1.40	0.60	0.60	0.30
日		3x	4	14	3	8	1	2	26	30	21	13	14	4x
1940		0.30	0.50	0.80	1.60	2.20	6.50	10.30	8.70	2.90	1.00	0.80	0.40	0.30
日		18	8	26, 27	15	2	5	9	26	28	21	3x	26, 28	18/1
1941		0.20	0.30	0.50	1.40	—	—	—	—	—	—	—	—	—
日		26	9, 10	2	1	—	—	—	—	—	—	—	—	—
1949		—	—	—	2.00	3.60	6.60	8.70	6.60	3.50	1.80	0.60	0.20	—
日		—	—	—	15	3, 2	7	3, 28	27	26	30	19	26, 30	—
1950		0.10	0.20	0.60	2.20	4.30	7.60	11.80	6.50	3.80	1.50	0.40	0.30	0.10
日		5	14, 15	8, 9	11	13, 22	2	1	22	19, 22	25	15	28, 31	5/1
1951		0.11	0.40	0.24	1.57	1.61	4.82	8.72	8.30	5.30	2.11	0.54	0.45	0.11
日		4x	26	5	10	12	1	29	31	20	25	28	3x	4x
1952		0.20	0.22	0.47	2.12	2.52	7.02	9.52	9.75	4.49	1.70	0.66	0.34	0.20
日		26	3	5	14	7, 8	2	4	21	25	25	30	23	26/1
1953		0.24	0.39	0.90	1.36	2.70	7.79	12.04	6.51	3.90	1.47	0.66	0.50	0.24
日		13	3	12	12	2	8	11	30	19	30	23	31	13/1
值 期	0.10	0.20	0.24	0.80	1.61	4.60	8.70	6.50	2.90	1.00	0.40	0.20	0.10	
日 份	5	14, 15	5	3	12	3	3, 28	22	28	21	15	5x	5/1	
年	1950	1950	1951	1939	1951	1938	1949	1950	1940	1940	1950	1937	1950	
												1949		

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
綏芬河														
$\varphi = 44^{\circ}23'N$ $\lambda = 131^{\circ}09'E$ $H = 512.4 M$														
平均绝对湿度(毫米)														
1936		0.70	1.10	2.00	3.60	6.70	10.60	14.40	12.90	10.10	4.50	2.50	1.40	5.90
1937		1.10	1.30	1.70	3.50	6.00	10.80	15.30	15.40	8.30	4.30	2.00	1.00	5.90
1938		1.00	1.30	2.30	3.50	6.50	9.30	13.90	15.50	8.50	4.80	2.40	1.00	5.80
1939		0.90	1.30	2.30	4.10	5.70	9.90	16.00	13.20	9.30	4.00	2.40	1.50	5.90
1940		0.80	1.20	2.00	3.30	5.90	10.90	15.50	13.10	9.30	4.80	2.80	1.40	5.90
1941		0.90	1.20	1.90	3.40	—	—	—	—	—	—	—	—	—
1952		—	—	—	—	—	—	13.98	8.09	4.59	1.88	0.76	—	—
1953		0.77	1.07	2.07	3.21	6.47	10.73	14.62	12.23	7.40	4.67	1.73	1.28	5.52
平 均		0.88	1.21	2.06	3.54	6.21	10.37	14.95	13.72	8.82	4.51	2.31	1.26	5.82
最大绝对湿度(毫米)														
1936		2.00	2.00	4.10	6.30	10.80	16.80	22.60	18.20	17.20	9.50	5.70	4.30	22.60
B		12	8	13, 23	18	30	16	21	4	4	2	10	16	21/7
1937		4.20	3.50	3.60	7.60	11.00	17.80	21.50	23.30	14.40	9.30	5.50	3.30	23.30
B		5	23	2	20	20	25	26	13	1	2	6	9, 10	13/8
1938		2.90	3.60	4.30	5.60	13.30	13.70	19.00	19.70	13.60	11.00	6.10	2.90	19.70
B		18	16	24	27	31	11	11	7	5	2	3	4	7/8
1939		2.50	3.50	4.50	7.60	9.60	15.10	21.10	18.30	16.00	10.30	7.40	4.40	21.10
B		25	24	29	30	19	17	27	5	1	6	7	9	27/7
1940		1.50	2.60	4.70	6.40	10.30	18.30	21.40	20.90	15.00	10.80	9.70	4.30	21.40
B		2	24	29	13	26	30	1	21	2	5	6	7	1/7
1941		3.00	3.00	4.40	6.40	—	—	—	—	—	—	—	—	—
B		2	19, 27	18	29	—	—	—	—	—	—	—	—	—
1952		—	—	—	—	—	—	—	21.65	14.32	9.08	7.07	2.98	—
B		—	—	—	—	—	—	—	14	6	7	4	14	—
1953		2.69	4.00	5.50	8.36	11.24	16.56	19.73	21.20	14.46	10.75	4.88	4.97	21.20
B		10	28	24	28	31	26	29	8	10	7	30	1	8/8
極 值	日期	4.20	4.00	5.50	8.36	13.30	18.30	22.60	23.30	17.20	11.00	9.70	4.97	23.30
年	份	5	28	24	28	31	30	21	13	4	2	6	1	13/8
		1937	1953	1953	1953	1938	1940	1936	1937	1936	1938	1940	1953	1937
最小绝对湿度(毫米)														
1936		0.20	0.40	0.70	1.20	3.00	6.60	8.40	8.20	6.20	1.70	0.90	0.60	0.20
B		5, 6	1	2, 3	5	1	2	1	31	19	17	24	20, 21	5, 6/1
1937		0.50	0.60	0.80	1.60	2.90	5.30	10.70	7.30	3.60	1.70	0.60	0.20	0.20
B		3*	3*	12	17	2	12	15	27	27	17, 30	30	26, 27	26, 27/12
1938		0.40	0.30	0.90	1.50	2.20	4.20	7.70	11.10	4.90	1.50	1.20	0.40	0.30
B		5*	9	3*	12	3, 4	3	4, 5	1	30	31	3*	3*	9/2
1939		0.30	0.50	0.90	1.20	2.00	3.90	10.50	6.30	2.60	1.40	0.70	0.60	0.30
B		6	4*	14	6	9	1, 2	1	26	30	21	12, 13	4*	6/1
1940		0.30	0.60	0.90	1.50	1.70	5.50	10.30	8.00	3.20	1.40	0.60	0.60	0.30
B		8, 9	8, 9	6, 26	16	2	5	9	26	—	21	27	16, 24	8, 9/1
1941		0.30	0.40	0.60	1.40	—	—	—	—	—	—	—	—	—
B		25	11	2	2	—	—	—	—	—	—	—	—	—
1952		—	—	—	—	—	—	—	10.26	3.02	1.39	0.61	0.27	—
B		—	—	—	—	—	—	—	21	25	25	31	23	—
1953		0.23	0.42	0.59	1.30	2.51	6.86	9.65	6.61	3.85	1.22	0.68	0.58	0.23
B		13	3, 4	26	11	1	3	9	21	19	29	27	22	13/1
極 值	日期	0.20	0.30	0.59	1.20	1.70	3.90	7.70	6.30	2.60	1.22	0.60	0.20	0.20
年	份	5, 6	9	26	5, 6	2	1, 2	4, 5	26	30	29	30, 27	26, 27	4*
		1936	1938	1953	1936	1940	1939	1938	1939	1939	1953	1937	1937	1936
					1939							1940		1937
東 宁														
$\varphi = 44^{\circ}04'N$ $\lambda = 131^{\circ}07'E$ $H = 115.6 M$														
平均绝对湿度(毫米)														
1937		1.00	1.20	1.50	3.60	6.00	11.70	15.80	15.90	9.20	5.30	2.20	0.90	6.20
1938		0.90	1.20	2.40	3.70	7.00	11.00	16.70	18.90	10.40	6.10	2.40	0.90	6.80

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939		0.80	1.30	2.30	4.30	6.60	11.00	16.70	14.30	10.50	4.70	2.50	1.50	6.40
1940		0.80	1.20	2.00	3.60	6.00	11.30	15.30	13.40	8.60	4.70	2.70	1.30	5.90
1941		0.80	1.20	2.00	3.50	—	—	—	—	—	—	—	—	—
平 均		0.88	1.23	2.05	3.80	6.40	11.25	16.13	15.63	9.68	5.20	2.45	1.15	6.33
最大绝对湿度(毫米)														
1937		2.70	3.80	3.40	8.20	11.40	18.50	22.10	22.90	15.30	11.30	6.50	3.10	22.90
日		5	23	21, 22	20	31	24	26	12	2	2	1	9	12/8
1938		2.80	3.90	4.90	6.70	15.20	16.90	22.70	25.00	17.40	14.50	6.40	2.70	25.00
日		18	16	24	27	31	11	17, 24	10	5	2	3	4	10/8
1939		1.90	3.50	4.70	8.40	9.90	16.60	24.50	19.70	17.30	12.40	7.40	4.20	24.50
日		1, 18	24	29	21	19	20	19	24	1, 2	5	7	9	19/7
1940		1.70	2.70	3.80	6.40	10.10	17.40	20.40	19.80	15.60	10.20	10.30	3.50	20.40
日		2	24	29	24	27	23	29	4	2	5	6	7	29/7
1941		2.30	3.50	4.40	6.60	—	—	—	—	—	—	—	—	—
日		2	19	30	11	—	—	—	—	—	—	—	—	—
極日年	值期	2.80	3.90	4.90	8.40	15.20	18.50	24.50	25.00	17.40	14.50	10.30	4.20	25.00
年	份	18	16	24	21	31	24	19	10	5	2	6	9	10/8
		1938	1938	1938	1939	1938	1937	1939	1938	1938	1938	1940	1939	1938
最小绝对湿度(毫米)														
1937		0.50	0.50	0.70	1.50	2.90	6.10	11.30	8.10	3.70	2.40	0.60	0.30	0.30
日		27, 31	12, 13	50	17	2	11	1	27	27	17	30	30	30
1938		0.40	0.30	0.80	1.50	2.50	5.60	9.80	14.60	6.30	1.80	1.00	0.30	0.30
日		50	3, 9	8, 9	3	3, 4	3	4	31	18	31	24	28	30
1939		0.30	0.40	0.80	1.10	3.00	5.70	10.80	6.80	3.00	1.30	0.70	0.50	0.30
日		30	4, 5	14	3	9	1	1	26	30	21	13	10	30
1940		0.40	0.60	0.90	1.70	2.10	5.80	9.70	8.20	2.70	1.30	0.70	0.60	0.40
日		30	15	9	8	2	5	9	7	28	21	22	20	30
1941		0.30	0.40	0.70	1.40	—	—	—	—	—	—	—	—	0.30
日		40	11	2	1	—	—	—	—	—	—	—	—	40
極日年	值期	0.30	0.30	0.70	1.10	2.10	5.60	9.70	6.80	2.70	1.30	0.60	0.30	0.30
年	份	70	3, 9	60	3	2	3	9	26	28	21	30	40	130
		1939	1938	1937	1939	1940	1938	1940	1939	1940	1939	1937	1937	4年
		1941		1941							1940		1938	
吉 林 白 城														
φ- 45°38'N λ- 122°51'E H- 151.4 M														
平均绝对湿度(毫米)														
1951		0.64	0.95	2.04	4.19	6.28	10.62	14.23	14.16	7.21	4.27	2.20	1.41	5.68
1952		0.74	0.61	1.86	3.84	5.72	10.86	16.28	13.87	8.48	4.39	1.59	0.76	5.75
1953		0.76	1.05	1.86	3.18	7.25	13.12	17.15	14.44	7.38	5.73	2.04	1.21	6.26
平 均		0.71	0.87	1.92	3.74	6.42	11.53	15.89	14.16	7.69	4.80	1.94	1.13	5.90
最大绝对湿度(毫米)														
1951		2.09	2.69	5.12	7.93	13.63	17.22	23.06	23.54	14.26	10.82	5.62	3.66	23.54
日		27	20	30	26	29, 30	28	26	6	6	6	13	11, 12	6/8
1952		1.86	1.53	4.29	9.31	11.88	17.71	23.56	21.47	15.14	10.98	3.79	2.39	23.56
日		28	8	26	27	26	29	19	13	5	1	1	13	19/7
1953		1.94	3.07	4.61	7.67	12.05	19.69	25.31	22.41	12.59	11.78	4.93	2.51	25.31
日		23	27	22	27	21	18	9	6	9	16	29	12	9/7
極日年	值期	2.09	3.07	5.12	9.31	13.63	19.69	25.31	23.54	15.14	11.78	5.62	3.66	25.31
年	份	27	27	30	27	29, 30	18	9	6	5	16	13	11, 12	9/7
		1951	1953	1951	1952	1951	1953	1953	1951	1952	1953	1951	1951	1953
最小绝对湿度(毫米)														
1951		0.12	0.29	0.22	1.31	1.94	5.26	6.72	6.30	3.90	1.99	0.43	0.39	0.12
日		4	3, 4	3	9	4	1	28	31	8	30	30	26, 27	4/1
1952		0.21	0.18	0.34	1.54	2.28	6.55	8.33	9.35	4.14	1.63	0.52	0.29	0.18
日		25	4, 5	4	9	7	9	4	24	28	21	30	21, 23	4, 5/2
1953		0.17	0.30	0.73	0.97	2.35	7.82	12.40	7.51	3.31	2.19	0.75	0.52	0.17
日		14	1	3	11, 12	3	3	3	31	18	29	27	21	14/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 日 年	值 期 份	0.12 4 1951	0.18 4,5 1952	0.22 3 1951	0.97 11,12 1953	1.94 4 1951	5.26 1 1951	6.72 28 1951	6.30 31 1951	3.31 18 1953	1.63 21 1952	0.43 31 1951	0.29 21,23 1952	0.12 4/1 1951
洮 南														
$\varphi = 45^{\circ}20'N$ $\lambda = 122^{\circ}45'E$ $H = 151.0 M$														
平均絕對湿度(毫米)														
1928	1.00	1.30	1.90	3.50	4.90	10.20	15.10	17.60	9.10	4.30	1.90	1.00	6.00	
1929	0.80	1.20	1.70	2.80	5.50	8.40	14.20	13.60	6.80	3.60	1.80	1.00	5.10	
1930	1.00	1.50	2.10	2.90	4.80	9.80	15.20	14.60	8.90	4.10	1.80	1.10	5.70	
1931	0.80	0.80	2.00	3.00	5.70	10.30	13.60	13.80	9.00	4.40	2.30	1.20	5.60	
1932	1.20	1.20	1.80	3.60	5.90	10.30	17.70	13.90	9.60	5.30	2.00	1.20	6.10	
1933	0.80	0.90	1.70	2.90	5.20	10.80	15.10	13.40	8.70	4.70	2.40	1.60	5.70	
1934	0.90	1.70	2.00	3.00	7.40	11.70	15.30	13.40	8.60	4.40	2.60	1.90	6.10	
1935	1.30	2.10	2.30	4.40	6.40	10.30	14.30	14.20	9.00	5.10	2.30	1.00	6.10	
1936	0.70	1.10	2.30	3.70	5.50	10.40	15.50	12.70	8.70	4.30	2.30	1.40	5.70	
平 均	0.94	1.31	1.98	3.31	5.70	10.24	15.11	14.13	8.71	4.47	2.16	1.27	5.79	
長 春														
$\varphi = 43^{\circ}52'N$ $\lambda = 125^{\circ}20'E$ $H = 215.7 M$														
平均絕對湿度(毫米)														
1909	1.00	1.20	1.50	3.20	6.20	9.80	15.90	15.40	8.00	4.40	2.60	1.10	5.86	
1910	0.80	1.10	2.00	4.10	6.40	10.80	16.10	15.40	9.00	6.10	2.10	0.80	6.23	
1911	0.90	1.40	2.00	4.60	6.30	11.70	15.40	14.90	9.70	4.40	3.00	1.10	6.28	
1912	1.00	1.70	1.80	3.40	6.60	10.80	14.30	14.90	6.70	3.80	1.80	1.00	5.65	
1913	0.90	1.20	2.20	3.70	4.90	11.10	14.30	13.10	7.60	4.00	2.20	1.30	5.54	
1914	1.40	1.40	2.30	3.60	5.60	11.40	15.60	15.60	9.90	5.60	2.20	1.00	6.30	
1915	0.70	1.10	1.90	3.80	7.10	11.90	17.00	15.70	8.80	5.50	3.00	1.60	6.51	
1916	1.20	1.30	1.70	3.60	6.90	10.60	15.60	16.50	8.60	4.90	2.50	1.20	6.22	
1917	0.80	1.20	2.00	3.00	4.90	10.60	16.80	15.30	8.90	5.10	2.00	1.00	5.97	
1918	0.80	1.40	2.70	3.60	6.50	11.60	15.90	15.20	10.20	5.20	2.20	1.10	6.37	
1919	0.80	1.70	1.90	3.50	5.80	11.30	16.70	14.40	8.80	4.80	2.40	1.20	6.11	
1920	1.10	1.00	2.40	3.90	6.70	10.20	15.60	14.00	8.30	4.90	2.80	1.10	6.00	
1921	1.20	1.20	1.60	3.40	6.60	10.80	15.50	15.60	9.00	4.90	2.00	1.40	6.10	
1922	0.60	2.00	1.80	3.80	6.40	10.50	16.30	14.10	8.90	5.40	1.90	1.30	6.08	
1923	0.90	1.30	2.80	3.30	6.70	11.40	15.70	15.80	8.60	4.80	2.40	1.30	6.25	
1924	1.00	1.10	2.10	3.80	6.80	10.60	17.00	15.10	8.60	4.80	2.20	1.10	6.18	
1925	0.80	0.90	1.80	4.10	7.60	10.90	16.10	14.80	10.00	5.20	2.60	1.20	6.33	
1926	1.00	1.50	2.20	2.90	7.20	9.00	14.70	15.40	10.20	4.00	2.40	1.00	5.96	
1927	1.20	1.00	2.30	3.90	5.80	9.50	16.10	13.70	9.20	5.40	2.60	1.30	6.00	
1928	1.20	1.30	2.40	3.60	5.80	10.40	15.40	16.00	9.00	4.50	2.50	1.00	6.09	
1929	0.90	1.20	1.90	3.10	7.10	10.00	16.00	14.20	8.00	4.40	2.20	1.20	5.85	
1930	1.00	1.50	2.20	3.70	6.80	11.30	17.70	17.00	9.70	5.40	2.30	1.30	6.66	
1931	0.90	0.90	2.20	3.50	7.00	12.50	14.50	15.50	10.90	4.60	2.70	1.40	6.38	
1932	1.50	1.20	1.80	3.70	6.40	11.10	17.40	13.90	9.50	5.30	2.60	1.60	6.33	
1933	0.80	1.00	2.10	3.60	6.40	11.10	16.40	14.50	9.00	5.30	2.40	1.60	6.18	
1934	0.80	1.40	1.80	3.40	8.10	12.80	16.30	14.90	9.80	4.70	2.40	1.60	6.50	
1935	1.20	1.60	1.90	3.30	5.80	11.00	15.90	15.10	9.40	6.60	2.30	1.00	6.26	
1936	0.80	1.10	2.00	3.80	6.40	11.10	15.40	13.60	10.20	4.80	2.60	1.50	6.11	
1937	1.20	1.40	2.00	4.30	5.90	11.80	14.80	16.40	9.40	5.50	2.40	1.10	6.35	
1938	1.00	1.60	2.80	4.10	7.40	11.80	17.40	15.90	8.90	5.70	2.30	1.10	6.67	
1939	1.00	1.40	2.00	4.20	6.40	11.60	17.90	17.00	9.90	5.20	2.60	1.70	6.74	
1940	0.80	1.20	1.90	3.50	6.10	11.80	15.70	13.50	9.50	4.80	3.20	1.50	6.13	
1941	1.20	1.30	2.30	3.70	—	—	—	—	—	—	—	—	—	
1947	—	—	—	—	—	—	—	—	—	5.51	1.98	0.78	—	
1948	1.16	1.38	2.94	5.58	—	—	—	—	—	—	—	—	—	
1949	1.60	1.70	2.10	3.90	7.30	11.10	17.40	17.70	10.30	6.10	3.10	1.40	6.98	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951		0.84	1.14	2.32	3.83	6.81	11.97	15.87	16.66	8.30	5.44	3.12	1.80	6.51
1952		1.00	0.78	2.38	4.66	6.25	11.90	17.15	14.84	8.91	5.38	2.08	0.84	6.35
1953		0.77	1.12	2.12	3.39	7.62	12.82	17.55	14.51	8.26	5.81	2.28	1.39	6.47
平 均		0.98	1.28	2.08	3.69	6.52	11.13	16.09	15.17	9.11	5.08	2.44	1.25	6.24
最大绝对湿度(毫米)														
1923		3.42	3.00	6.30	8.00	11.80	16.30	21.50	22.50	13.90	10.80	5.80	4.60	22.50
日		20	9	26	28	23	17	24	7	5	18	18	20	7/8
1924		2.90	3.50	5.90	7.00	10.40	16.10	21.10	22.80	15.30	13.00	4.70	2.60	22.80
日		31	6	30	30	31	30	26	10	2	2	17	2,8	10/8
1925		1.70	2.40	4.30	8.80	14.50	14.80	22.70	20.40	15.50	9.30	5.60	4.00	22.70
日		9	16	22	24,25	25	9,23	27	2	5	7	1	9	27/7
1926		3.80	4.20	4.50	6.20	14.60	16.10	19.90	19.90	16.10	10.30	6.30	3.20	19.90
日		12	21	9	16	26	23	18,27	18	6	3	9	30	3,8
1927		4.20	3.30	6.20	10.10	9.70	18.40	24.40	24.70	16.70	14.90	6.10	4.10	24.70
日		6,7	14	30	29	30	26	25	7	7	26	20	14,21	7/8
1928		3.30	4.20	6.80	8.10	11.40	16.10	25.70	21.60	16.60	8.40	6.20	3.60	25.70
日		9	22	19	28	29	29,30	29	10	2	27	1	22	29/7
1929		4.40	3.70	5.80	8.10	12.20	17.20	21.40	20.00	13.00	9.20	4.30	4.40	21.40
日		13	27	21	25	19	27	20	10	27	2	14	6	20/7
1930		2.30	4.60	7.70	10.10	12.20	17.20	24.70	29.30	16.60	11.40	6.30	4.20	29.30
日		13	22	24	19	28,31	13	27	27	1,7	9	7	10	27/8
1931		3.20	2.00	5.00	9.10	12.70	17.20	18.80	23.10	20.10	12.20	6.00	4.40	23.10
日		22	27	21	27	27	30	30,31	17	10	3	4	6	17/8
1932		4.20	2.80	4.20	7.10	12.30	16.20	21.70	22.50	14.50	9.80	7.10	3.50	22.50
日		11	2,12	11	22	18	29	30	1	19	1	24	10	1/8
1933		2.80	3.50	5.30	7.70	11.50	17.00	23.30	21.20	14.90	12.40	6.20	4.90	23.30
日		7	6	19,31	30	29	29	14	5	2	4	1,25	3	14/7
1934		2.60	3.10	4.70	6.50	12.20	19.60	21.30	21.00	15.10	9.70	6.30	4.70	21.30
日		27	17	12	20	20	29,30	8	19	3	7	1	22	8/7
1935		3.30	4.40	5.20	9.80	10.70	13.90	20.10	20.50	15.50	10.90	6.60	3.30	20.50
日		10	27	18	25	26	23	28	16	5	2	3	27	16/8
1936		2.40	2.50	4.90	5.70	11.50	17.00	19.30	—	—	—	—	—	—
日		11	15	22	14,18	11	16	23	—	—	—	—	—	—
1937		5.00	3.90	5.70	10.80	10.30	18.00	20.00	23.80	17.70	11.80	7.40	3.70	23.80
日		4	28	1	13	24	28	26	10	1	10	3	9	10/8
1938		3.20	4.40	6.50	8.80	14.10	16.10	21.00	21.60	13.00	11.80	7.60	3.50	21.60
日		18	14	21	22	31	30	11,13	9	4	1,2	3	3,12	9/8
1939		2.70	4.40	5.70	9.20	12.00	19.40	21.90	21.80	17.70	11.60	8.30	4.10	21.90
日		25	23	1	21	29	24	29	10	2	11	7	8,9	29/7
1940		2.70	2.50	6.00	7.40	11.80	21.00	21.60	19.80	16.20	10.20	10.60	4.60	21.60
日		11	10	28	12	29	30	12	3	9	12	5	6	12/7
1941		4.20	3.30	5.90	7.70	—	—	—	—	—	—	—	—	—
日		2	19	19	29	—	—	—	—	—	—	—	—	—
1951		2.78	4.58	6.15	8.64	14.13	17.94	22.61	27.70	15.32	11.63	8.93	3.96	27.70
日		18	21	27	28	30	29	24	10	3	3	13,14	21	10/8
1952		2.75	2.50	6.20	8.75	12.37	17.37	22.81	21.59	14.89	11.57	7.88	4.19	22.81
日		13	8	28	8	30	30	20	13	5	1	3,4	14	20/7
1953		2.96	4.83	6.14	9.74	12.47	19.78	23.88	21.64	17.12	10.85	6.74	4.28	23.88
日		9	28	19	28	31	18	9	4	9	18	30	18	9/7
極 值		5.00	4.83	7.70	10.80	14.60	21.00	25.70	29.30	20.10	14.90	10.60	4.90	29.30
日 年		4	28	24	13	26	30	29	27	10	26	5	3	27/8
1937		1953	1930	1937	1926	1940	1928	1930	1931	1927	1940	1933	1930	
最小绝对湿度(毫米)														
1923		0.30	0.40	0.70	1.40	2.10	5.40	10.60	10.30	4.30	1.30	0.40	0.40	0.30
日		7,8	26	3,8	4	1	1	3	18	21	23	29	4,8	7,8
1924		0.30	0.40	0.70	1.30	2.10	4.20	11.20	9.00	4.10	1.10	0.50	0.40	0.30
日		3,8	4,8	1,2	6	2	10	22	29	13	28,29	30	3	3,8
1925		0.40	0.40	0.40	0.50	2.60	6.50	8.40	8.50	5.80	2.00	0.70	0.30	0.30
日		3,8	5,8	3,8	3	11	13,14	1	4	20	3,8	19	4,8	4,8
1926		0.30	0.30	0.90	0.90	3.00	4.10	6.70	9.80	3.40	1.40	0.80	0.40	0.30
日		19,20	15	25	2	7	1	6,7	22	26	25	29	4,8	3,8
1927		0.30	0.30	0.50	0.80	1.80	4.60	10.30	8.40	4.50	2.70	0.50	0.30	0.30
日		5,8	8	1	3	1,11	1	29	22	15	11	27	26	7,8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1928	日	0.20 4	0.40 3	0.90 25	1.50 19	2.10 26	5.00 10	9.10 17	8.50 26	2.80 25	1.20 29	0.60 24	0.30 28, 29	0.20 4/1
1929	日	0.30 6	0.30 1, 9	0.60 3	0.90 29	2.30 2	4.70 1	9.80 26	5.20 31	3.00 29	1.00 31	0.80 22	0.40 21	0.30 8
1930	日	0.30 4	0.50 5	0.50 5	1.60 1	2.90 3	5.50 1	12.30 2	11.60 11	5.00 23	2.30 31	0.80 12	0.40 16	0.30 4
1931	日	0.20 3	0.20 7	0.80 1, 17	1.20 10	3.30 10	8.50 10	9.20 13	7.10 24	5.90 29	1.40 26	0.60 18	0.50 3	0.20 4
1932	日	0.50 4	0.30 26	0.90 15	1.20 12	2.40 4	4.90 5	11.10 1	7.80 18	5.70 10	2.10 31	0.70 7	0.60 12, 22	0.30 26/2
1933	日	0.20 11	0.30 10, 11	0.40 2	1.70 18	1.60 4	6.40 6, 7	8.00 29	9.50 9	3.10 27	2.10 29	0.80 22	0.50 30, 31	0.20 11/1
1934	日	0.30 24	0.70 2	0.70 9	1.70 6	3.60 1	7.30 1	9.80 2	9.30 26	4.30 30	2.00 24, 25	0.60 28, 29	0.60 27	0.30 24/1
1935	日	0.50 5, 18	0.50 3	0.60 21	1.10 4	3.70 3	7.40 1	10.50 9	6.40 28	4.30 27	2.70 3	0.80 15, 16	0.40 5	0.40 5
1936	日	0.30 30, 31	0.40 1	0.70 1	1.90 8	3.10 6	5.00 2	9.70 1	—	—	—	—	—	—
1937	日	0.50 4	0.50 3	0.50 12	1.90 6, 17	2.30 2	6.40 1, 9	9.20 15	6.80 27	4.10 27	2.30 16, 30	0.90 3	0.20 26	0.20 26/12
1938	日	0.40 3	0.40 3	0.90 3	1.10 8	2.30 3	4.50 3	12.70 22	6.60 31	6.10 14	1.80 31	1.10 5	0.30 28	0.30 28/12
1939	日	0.30 3	0.30 4, 5	0.60 12	0.50 2, 4	2.90 8	5.90 4	14.20 3, 25	8.70 26	3.20 29	2.10 20	0.80 6	0.70 11, 14	0.30 5
1940	日	0.30 9	0.40 7	0.90 14, 16	1.50 15	2.20 4	6.90 5	9.30 17	8.80 22	3.30 27, 28	1.40 21	0.70 21	0.30 24	0.30 9/1, 24/12
1941	日	0.30 5	0.40 5	0.60 3	1.20 12, 29	—	—	—	—	—	—	—	—	—
1951	日	0.17 13	0.42 24, 25	0.27 3	1.25 —	1.92 4	5.00 1	8.25 11	7.62 31	4.97 25	2.12 25	0.55 27, 28	0.48 27	0.17 13/1
1952	日	0.25 26	0.18 4	0.48 4	1.21 9	2.09 7	7.85 4	7.37 4	10.01 20	3.90 28	1.69 31	0.56 30	0.21 23	0.18 4/2
1953	日	0.14 14	0.23 15	0.74 12	1.21 11	3.45 1	9.12 12	12.12 2	7.14 31	3.72 18	2.05 29	0.71 24	0.47 31	0.14 14/1
極日年	值期 份	0.14 14	0.18 4	0.27 3	0.50 3	1.60 4	4.10 1	6.70 6, 7	5.20 31	2.80 25	10.0 31	0.40 29	0.20 26	0.14 14/1
		1953	1952	1951	1925	1933	1926	1926	1929	1928	1929	1923	1937	1953
蛟 河 $\varphi=43^{\circ}42'N$ $\lambda=127^{\circ}19'E$ $H=275.1M$														
平均绝对湿度(毫米)														
1950		0.80	1.10	2.70	5.10	8.00	12.30	17.70	16.20	8.50	4.50	2.10	1.10	6.68
1951		0.80	1.28	2.40	4.32	7.08	12.27	15.63	16.02	8.69	5.78	3.14	1.67	6.59
1952		0.89	0.72	2.60	4.88	7.11	12.79	17.02	15.53	9.60	5.51	2.45	0.96	6.67
1953		0.80	1.36	3.01	3.85	7.56	11.85	16.45	13.88	8.18	5.51	2.05	1.30	6.32
平 均		0.82	1.12	2.68	4.54	7.44	12.30	16.70	15.41	8.74	5.33	2.44	1.26	6.57
最大绝对湿度(毫米)														
1950	日	4.10 17	4.50 25	6.80 30	8.40 22, 23	15.10 1	16.50 26	25.30 5	26.50 3	14.80 12	10.00 4	5.80 10	4.20 29	26.50 3/8
1951	日	2.81 31	4.38 21	6.30 27	9.60 28	13.02 30	20.45 18	21.82 22	21.61 7	13.20 7	11.85 8	8.32 14	4.50 12	21.82 22/7
1952	日	3.42 13	2.49 8, 9	5.81 28	8.48 29	11.24 31	19.70 30	22.67 21	21.25 8	17.00 5	11.28 1	8.40 4	3.94 14	22.67 21/7
1953	日	3.16 24	5.20 28	6.43 19	10.15 28	12.12 31	16.79 26	21.50 9	21.07 8	16.07 9	10.20 18	6.38 30	3.56 16	21.50 9/7
極日年	值期 份	4.10 17	5.20 28	6.80 30	10.15 28	15.10 1	20.45 18	25.30 5	26.50 3	17.00 5	11.85 8	8.40 4	4.50 12	26.50 3/8
		1950	1953	1950	1953	1950	1951	1950	1950	1952	1951	1952	1951	1950
最小绝对湿度(毫米)														
1950	日	0.10 7	0.20 5	0.50 7	2.20 11	4.00 16	8.20 21	12.40 8	6.40 22	3.70 3	1.80 21	0.50 3	0.30 3	0.10 7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	0.09	0.43	0.26	1.42	1.85	5.75	8.57	8.89	5.21	2.04	0.46	0.40	0.09
1952	日	0.13	0.12	0.51	2.36	1.23	7.98	10.05	11.24	4.61	2.09	0.67	0.21	0.12
1953	日	0.15	0.24	0.99	1.74	3.13	8.10	11.98	7.87	3.97	1.75	0.44	0.34	0.15
極日年	值期份	2	5	5	9	15	1	29	22	3	30	28	23	2/1
1951	1952	1951	1951	1951	1952	1951	1951	1950	1950	1953	1953	1952	1951	
雙 遼														
$\varphi = 43^{\circ}40'N$ $\lambda = 123^{\circ}29'E$ $H = 116.8 M$														
平均绝对湿度(毫米)														
1925	1.10	1.10	2.40	4.80	8.50	13.50	15.90	14.70	9.50	5.00	2.90	1.30	6.70	
1926	1.10	1.70	2.50	3.10	7.10	9.50	15.20	15.60	10.10	4.10	2.30	1.00	6.10	
1927	1.30	1.20	2.40	4.10	6.00	10.20	16.70	13.70	9.90	5.50	2.70	1.10	6.20	
1928	1.20	1.30	2.10	3.60	5.70	11.90	15.60	16.10	9.30	4.70	2.60	1.10	6.30	
1929	0.90	1.30	2.10	3.80	8.10	10.10	16.20	14.00	7.90	4.40	2.40	1.40	6.10	
1930	1.10	1.70	2.70	4.10	6.30	10.40	17.30	16.50	9.90	5.80	2.30	1.50	6.60	
1931	1.20	1.10	2.50	4.00	6.70	11.70	13.70	15.60	10.10	4.60	2.70	1.40	6.30	
1932	1.60	1.30	2.10	4.10	6.70	11.60	18.80	13.90	9.60	5.30	3.30	1.80	6.70	
1933	0.90	1.10	2.40	3.90	6.40	11.40	17.00	14.90	9.40	5.30	2.40	1.60	6.40	
1934	0.90	1.70	2.10	4.00	8.10	12.80	16.20	14.30	9.90	4.90	2.70	1.90	6.60	
1935	1.30	1.80	2.10	3.60	5.60	10.90	16.30	15.60	9.40	6.20	2.60	1.10	6.40	
1936	0.80	1.10	2.20	3.80	6.10	12.20	—	—	—	—	—	—	—	
1952	—	—	—	—	—	12.02	16.82	14.91	9.62	6.28	2.14	0.84	—	
1953	0.89	1.27	2.26	3.55	8.00	13.41	18.17	14.83	8.31	6.01	2.41	1.43	6.71	
平 均	1.12	1.38	2.31	3.89	6.93	11.45	16.42	14.98	9.44	5.15	2.61	1.39	6.43	
最大绝对湿度(毫米)														
※ 極日年	值期份	4.30	5.80	7.60	10.30	17.20	28.10	29.50	24.00	22.20	13.50	9.90	5.10	29.50
6, 11	15	29	26	18	8	13	13	13	7	20	6	13/7	13/7	
1927	1934	1921	1920	1929	1925	1933	1931	1934	1927	1920	1931	1933	1933	
1932	—	—	—	—	—	18.25	22.62	21.20	16.13	12.54	8.43	3.98	—	
1952	—	—	—	—	—	24	23	13	5	6	4	13	—	
1953	3.14	5.31	5.85	10.22	13.52	20.50	24.74	21.15	17.69	12.15	6.81	4.08	24.74	
9	27	19	28	21	30	9	8	9	17	30	15, 16	9/7	9/7	
極日年	值期份	4.30	5.80	7.60	10.30	17.20	28.10	29.50	24.00	22.20	13.50	9.90	5.10	29.50
6, 11	15	29	26	18	8	13	13	13	7	20	6	13/7	13/7	
1927, 32	1934	1921	1920	1929	1925	1933	1931	1934	1927	1920	1931	1933	1933	
最小绝对湿度(毫米)														
※ 極日年	值期份	0.10	0.20	0.40	0.70	1.10	3.60	8.00	5.00	2.10	0.20	0.20	0.10	0.10
24	11	25	2	8	5	21	31	24	10	5	30	24, 1, 30, 12	1925	
1925	1925	1929	1927	1930	1927	1923	1929	1928	1922	1923	1925	1925	1925	
1952	—	—	—	—	—	5.47	8.01	10.27	4.95	1.98	0.46	0.20	—	
1953	0.26	0.37	0.73	1.30	3.13	7.84	12.95	7.68	4.05	1.92	0.88	0.65	0.26	
15	1	12	11	3	2	16	31	18	30	24	2	15/1	15/1	
極日年	值期份	0.10	0.20	0.40	0.70	1.10	3.60	8.00	5.00	2.10	0.20	0.20	0.10	0.10
24	11	25	2	8	5	21	31	24	10	5	30	24, 1, 30, 12	1925	
1925	1925	1929	1927	1930	1927	1923	1929	1928	1922	1923	1925	1925	1925	
四 平														
$\varphi = 43^{\circ}11'N$ $\lambda = 124^{\circ}20'E$ $H = 162.8 M$														
平均绝对湿度(毫米)														
1934	0.80	1.50	1.90	3.50	8.40	13.60	16.40	15.00	9.80	4.80	2.70	1.80	6.70	
1935	1.30	1.70	2.10	3.60	5.60	11.30	17.10	16.60	10.30	6.60	2.50	1.10	6.60	
1936	0.70	1.10	2.00	4.20	6.10	11.60	16.00	14.70	10.70	5.20	2.70	1.40	6.40	
1937	1.10	1.30	1.90	4.30	6.40	11.40	15.40	17.40	9.90	5.80	2.60	0.90	6.50	
1938	0.90	1.40	2.70	4.30	7.40	12.20	18.00	16.30	9.40	6.60	2.40	1.10	6.90	

※ 1920—35年16年的最大和最小绝对湿度,因原始纪录无历年值,故出累年极值

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939	1.00	1.30	2.10	4.20	6.60	11.20	18.80	16.20	9.70	5.10	2.80	1.60	6.70
1940	0.70	1.00	1.90	3.30	6.00	11.30	16.00	14.20	9.50	5.00	3.40	1.60	6.20
1941	1.28	1.39	2.48	3.69	7.08	12.51	15.21	14.88	9.24	5.39	3.07	1.60	6.49
1942	0.98	0.96	2.64	4.05	6.25	9.57	15.89	14.27	7.99	5.18	2.73	1.32	5.99
1943	1.00	1.47	2.39	4.46	8.63	11.02	14.66	15.87	9.50	5.42	2.50	1.67	6.55
1944	1.17	1.19	2.89	3.98	6.70	10.70	16.47	13.82	10.80	4.90	2.51	0.89	6.33
1949	—	—	—	3.80	7.20	11.70	16.80	17.10	10.30	6.70	3.30	1.50	—
1950	1.30	1.70	3.30	6.00	8.60	13.10	19.00	17.80	9.70	5.60	2.50	1.30	7.49
1951	0.96	1.28	2.60	4.21	7.51	12.57	15.99	16.88	8.51	6.08	3.50	2.12	6.85
1952	1.13	0.88	2.68	5.25	7.23	12.68	17.08	15.13	9.43	6.20	2.42	1.04	6.76
1953	0.99	1.29	2.39	3.59	7.98	13.52	18.47	15.17	9.04	6.44	2.66	1.67	6.93
平 均	1.02	1.30	2.40	4.18	7.10	11.88	16.70	15.61	9.57	5.62	2.73	1.41	6.63
最大绝对湿度(毫米)													
1934	2.60	3.00	4.60	7.90	13.40	19.60	22.30	20.90	15.70	10.30	7.10	4.50	22.30
日	27	17	12	20	20	29	10	1, 19	3	13	5	3x	10/7
1935	3.70	4.30	6.20	9.30	11.10	15.00	23.40	21.70	16.70	10.80	7.00	3.60	23.40
日	10	27	18	25	26	27	28	16	2	2	3	27	28/7
1936	2.70	3.30	4.40	6.50	11.40	18.00	20.70	—	—	—	—	—	—
日	11	15	22	18	31	16	23	—	—	—	—	—	—
1937	4.40	3.40	5.10	9.90	10.40	17.30	21.30	22.90	17.70	11.60	8.30	3.50	22.90
日	5	28	1	13	24	28	26	12	1	10	3	9	12/8
1938	3.00	4.00	6.80	9.00	14.40	17.40	22.30	22.10	14.30	12.90	7.60	3.70	22.30
日	18	28	23	22	30, 31	30	20	9	4	2	2	3, 12	20/7
1939	3.10	3.90	5.50	8.00	11.60	17.20	22.90	21.80	17.70	11.40	8.60	4.30	22.90
日	24, 25	23	9	14	19	23	25	23	2	11, 14	7	9	25/7
1940	2.70	2.50	5.50	6.80	12.30	17.80	21.40	20.80	16.20	10.10	10.40	4.60	21.40
日	11	10	28	12	29	23	12	1	7	14	2	6	12/7
1941	4.50	3.70	6.70	7.40	13.10	17.70	18.90	20.00	15.90	10.70	7.40	4.80	20.00
日	2	19	19	28	31	30	31	4	1	10	18	19, 21	4/8
1942	2.40	3.60	5.80	11.70	11.00	15.60	22.20	20.30	13.50	10.10	8.60	3.60	22.20
日	25	26	13	26	25	30	16	6	7, 8	5	12	20	16/7
1943	3.50	4.30	5.20	9.80	12.50	14.80	21.00	23.40	15.20	10.70	9.20	4.60	23.40
日	20	27	31	27	6	12	20	16	18	15	3	14	16/8
1944	3.30	3.00	5.20	9.50	11.50	15.10	24.40	23.80	16.60	10.30	8.60	1.90	24.40
日	29	29	26	27	30	27	23	4	3	7	1	11	23/7
1950	5.10	4.50	7.90	12.20	13.00	19.40	26.50	24.70	18.70	10.80	7.30	4.00	26.50
日	17	24	6	30	14	27	27	11	11	3	3	13	27/7
1951	2.82	4.75	6.08	8.70	13.70	17.00	23.36	23.30	13.69	12.57	8.99	4.25	23.36
日	18	21	27	28	30	25	24	9	3	6	14	22	24/7
1952	3.39	2.94	6.71	10.47	12.85	19.70	22.45	20.72	15.17	11.42	8.50	3.99	22.45
日	13	8	28	8	31	30	19	13	5	5	3, 4	14	19/7
1953	3.32	4.96	6.26	10.39	12.97	19.63	25.45	21.08	17.24	11.99	7.47	4.14	25.45
日	9	28	19	28	31	30	9	8	10	4	4	18	9/7
極 值	5.10	4.96	7.90	12.20	14.40	19.70	26.50	24.70	18.70	12.90	10.40	4.80	26.50
日 年	17	28	6	30	30, 31	30	27	11	11	2	2	19, 21	27/7
1950	1953	1950	1950	1938	1952	1950	1950	1950	1938	1940	1941	1950	
最小绝对湿度(毫米)													
1934	0.30	2.50	0.50	1.40	3.30	8.40	10.20	9.40	4.30	2.10	0.60	0.50	0.30
日	9x	2	9	4	1	1	1	26	30	24	27, 28	27	9x
1935	0.40	0.40	0.90	1.40	3.10	5.40	12.30	7.70	4.50	2.70	0.80	0.40	0.40
日	4, 5	3x	13	4	15	25	2	29	28	5	15, 25	5x	10x
1936	0.30	0.30	0.40	2.20	2.90	6.10	11.40	—	—	—	—	—	—
日	4x	1, 4	1	9	5, 6	1	4	—	—	—	—	—	—
1937	0.50	0.50	0.40	1.70	2.80	6.20	10.60	7.60	4.50	2.10	0.80	0.30	0.30
日	3x	3x	11	17	2	1	5	27	27	16	19	26, 27	26, 27/12
1938	0.30	0.40	0.60	1.60	2.80	5.10	12.50	7.20	6.40	2.00	0.80	0.40	0.30
日	26, 29	1, 2	3x	8	3	3	21	31	25	31	9, 24	3x	26, 29/1
1939	0.30	0.20	0.70	1.00	2.90	6.00	13.20	9.20	3.20	1.60	0.80	0.60	0.20
日	5, 8	4	12	2	7	2, 5	3	26	30	20, 21	25, 26	14	4/2
1940	0.30	0.40	0.70	1.10	1.70	6.90	9.80	8.70	2.70	1.60	1.00	2.40	0.30
日	6x	3x	11	8	3	5, 9	17	26	28	21	21	24	6x
1941	0.30	0.30	0.50	1.40	1.70	6.80	11.10	8.40	4.60	1.70	0.70	0.60	0.30
日	3x	12	3	22	4, 5	25	16	20	19	26	27, 28	4x	0.30

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942	日	0.50	0.40	0.40	1.40	2.80	3.90	10.00	6.20	3.30	1.20	1.00	0.30	0.30
1943	日	16, 17 4次	2	14	31	2	5	25	24	17	7, 26	27	27/12	
1943	日	0.30	0.40	0.90	1.90	4.60	7.10	8.10	9.20	5.00	1.10	0.80	0.60	0.30
		12	7	20	2	12	9	22	30	22, 23	25, 26	11	10, 15	12/1
1944	日	0.50	0.50	1.50	1.30	2.40	6.60	7.00	8.40	4.00	2.10	0.80	0.50	0.50
		1	5次	2	13	2	21, 22	1	20	29	19	25, 26	15, 16	8次
1950	日	0.20	0.50	0.80	3.00	5.10	8.20	14.30	7.40	4.10	2.30	0.60	0.30	0.20
		5, 6	12	8	6, 11	16	20	5	22	20	24	14	31	5, 6/1
1951	日	0.24	0.35	0.32	1.94	2.16	7.44	9.68	8.06	5.14	2.64	0.62	0.55	0.24
		1	24	3	9	4, 5	1	4	31	9, 10	26	26	27	1/1
1952	日	0.27	0.15	0.59	2.06	3.28	5.92	8.93	10.45	4.60	2.20	0.79	0.44	0.15
		25	1	4	9	7	4	4	17	28	24	30	23	1/2
1953	日	0.29	0.35	0.80	1.17	3.23	8.55	13.10	8.51	4.58	2.92	1.02	0.78	0.29
		15	15	12	10	1	10	1	31	19	29, 30	27	2	15/1
極日年	值期份	0.20	0.15	0.32	1.00	1.70	3.90	7.00	6.20	2.70	1.10	0.60	0.30	0.15
		5, 6	1	3	2	3次	2	1	25	28	25, 26	3次	4次	1/2
		1950	1952	1951	1939	1940	1942	1944	1942	1940	1943	1934	3年	1952
						1941						1950		
延 吉														
φ= 42°54'N λ= 129°31'E H= 172.9 M														
平均绝对湿度(毫米)														
1937		1.20	1.60	2.40	3.80	5.60	10.70	14.70	15.90	9.30	4.90	2.50	1.00	6.10
1938		0.90	1.40	2.70	4.00	7.10	10.10	15.80	17.40	9.90	6.30	2.80	1.30	6.60
1939		1.10	1.40	2.40	4.00	6.40	10.70	17.20	15.50	10.60	4.90	2.60	1.50	6.50
1940		0.80	1.00	2.00	3.40	5.70	11.20	14.50	13.30	9.20	5.20	3.30	1.60	5.90
1941		1.10	1.10	2.10	3.60	—	—	—	—	—	—	—	—	—
1953		1.00	1.37	2.79	3.94	7.71	11.14	15.98	14.50	8.62	5.73	2.20	1.67	6.39
平 均		1.00	1.35	2.46	3.83	6.50	10.77	15.64	15.32	9.52	5.41	2.68	1.41	6.30
最大绝对湿度(毫米)														
1937	日	3.70	3.80	4.70	7.30	10.60	14.70	20.50	21.60	16.20	10.70	6.90	2.70	21.60
		5	23	2	14	31	25	31	3	2	2	5	10	3/8
1938	日	2.50	4.10	5.40	7.30	16.80	14.00	21.20	21.80	16.30	12.40	7.50	3.80	21.80
		18	16	23	21	31	24	17, 24	7, 10	1	2	3	3	7, 10/8
1939	日	3.10	3.30	4.30	7.00	11.70	15.70	23.80	20.20	19.50	11.50	6.50	3.60	23.80
		29	24	22	30	19	19	20	10	1	5	7	9	20/7
1940	日	2.20	3.10	4.40	5.70	10.30	17.30	21.00	19.60	14.40	10.00	10.00	4.40	21.00
		4	13	29	24	12	23	31	1	2	2	6	22	31/7
1941	日	2.40	3.50	4.70	6.70	—	—	—	—	—	—	—	—	—
		17	19	20	29	—	—	—	—	—	—	—	—	—
1953	日	2.48	4.47	6.43	9.97	11.83	16.74	21.76	21.60	15.87	11.48	6.02	4.50	21.76
		20	28	24	28	29	25	28	7	10	6	3	1	28/7
極日年	值期份	3.70	4.47	6.43	9.97	16.80	17.30	23.80	21.80	19.50	12.40	10.00	4.50	23.80
		5	28	24	28	31	23	20	7, 10	1	2	6	1	20/7
		1937	1953	1953	1953	1938	1940	1939	1938	1939	1938	1940	1953	1939
最小绝对湿度(毫米)														
1937	日	0.40	0.40	0.80	1.30	2.60	5.70	8.10	7.30	3.30	1.80	0.80	0.40	0.40
		29	4, 13	11	17	2	2	5	27	27	30	19, 28	7次	10次
1938	日	0.30	0.40	0.60	1.50	2.50	5.00	9.50	13.10	6.10	1.90	1.10	0.40	0.30
		23	7, 9	7	3次	4	4	1	27	26	31	7	28	23/1
1939	日	0.50	0.40	0.40	0.40	2.70	6.00	11.00	8.40	3.00	1.70	0.60	0.50	0.40
		4次	4, 5	14	3	8	1	1	26	30	21	13	12, 14	4次
1940	日	0.40	0.40	0.70	1.60	1.70	6.10	9.70	8.40	3.50	1.70	0.90	0.60	0.40
		1, 9	11	11	16	3	5	9	7	28	21	21	8, 20	3次
1941	日	0.30	0.40	0.50	1.00	—	—	—	—	—	—	—	—	0.30
		25	4次	3	1	—	—	—	—	—	—	—	—	25/1
1953	日	0.34	0.44	1.05	1.42	3.77	7.55	10.86	8.51	3.90	1.69	0.73	0.67	0.34
		13	2, 3	14	12	1	4	1	22, 30	19	30, 31	28	22	13/1
極日年	值期份	0.30	0.40	0.40	0.40	1.70	5.00	8.10	7.30	3.00	1.69	0.60	0.40	0.30
		23, 25	11次	14	3-	3	4	5	27	30	30, 31	13	8次	23, 25/1
		1938	5年	1939	1939	1940	1938	1937	1937	1939	1953	1939	1937	1938
		1941											1938	1941

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
通 化														
$\phi = 41^{\circ}44'N$ $\lambda = 125^{\circ}55'E$ $H = 412.8 M$														
平均绝对湿度(毫米)														
1939		1.20	1.50	2.70	4.50	7.10	11.30	17.50	16.50	10.50	5.80	3.20	1.60	6.95
1940		0.80	1.30	2.40	3.80	6.50	11.80	16.10	14.20	10.00	6.10	3.90	1.70	6.55
1941		1.10	1.40	2.60	3.90	—	—	—	—	—	—	—	—	—
1951		0.96	1.40	2.51	3.99	6.38	11.28	15.86	16.88	8.92	6.39	3.47	2.08	6.68
1952		1.12	0.93	3.01	4.98	7.52	11.63	16.18	15.19	9.52	5.69	3.03	1.15	6.66
1953		0.92	1.39	2.96	4.18	7.57	12.42	17.10	14.53	8.81	6.17	2.44	1.42	6.66
平 均		1.00	1.30	2.72	4.29	7.01	11.69	16.55	15.46	9.55	6.03	3.21	1.59	6.70
最大绝对湿度(毫米)														
1939		4.00	3.80	4.80	9.10	13.00	16.10	21.10	20.60	18.30	13.40	8.00	4.40	21.10
日		30	24	2	21	19	23	26	7	6	11	7	9	26/7
1940		3.50	3.90	5.30	7.60	12.50	17.20	22.00	20.10	16.80	10.40	10.70	5.00	22.00
日		11	24	29	13	29	30	11	2	9	18	5	6	11/7
1941		4.20	4.00	6.80	7.10	—	—	—	—	—	—	—	—	—
日		2	27	20	17	—	—	—	—	—	—	—	—	—
1951		3.66	4.63	6.23	9.07	12.73	18.61	20.17	21.86	13.54	11.25	8.05	4.67	21.86
日		18	21	27	28	30	30	19	13	7	7, 8	14	12	13/8
1952		3.92	2.95	5.80	10.54	12.03	17.96	20.98	21.70	16.05	10.78	8.28	4.27	21.70
日		27	9, 26	29	9	29	30	18	11	6	8	10	14	11/8
1953		4.30	4.92	6.09	10.19	12.32	17.78	21.97	21.14	15.31	10.35	6.54	5.81	21.97
日		9	28	19	28	29	28	9	19	9	4	4	1	9/7
極 值		4.30	4.92	6.80	10.54	13.00	18.61	22.00	21.86	18.30	13.40	10.70	5.81	22.00
日 年		9	28	20	9	19	30	11	13	6	11	5	1	11/7
1953		1953	1953	1941	1952	1939	1951	1940	1951	1939	1939	1940	1953	1940
最小绝对湿度(毫米)														
1939		0.30	0.20	0.70	1.00	2.00	5.60	12.40	10.90	3.20	2.20	1.00	0.40	0.20
日		4, 8	5, 8	13, 14	5	8	2	4	26	29	20, 21	3, 8	11, 12	6, 8/2
1940		0.20	0.30	0.60	1.60	1.90	6.60	10.50	8.60	3.80	2.80	1.30	0.30	0.20
日		10	7	15	8, 14	3	5	17	27	28	25	21, 26	25, 26	10/1
1941		0.20	0.30	0.50	1.20	—	—	—	—	—	—	—	—	—
日		25	1, 8	3, 8	18	—	—	—	—	—	—	—	—	—
1951		0.18	0.41	0.21	1.53	1.56	5.96	7.97	8.31	6.01	2.39	0.51	0.25	0.18
日		13	19	4	9	13	1	28	31	25	27	22	29	13/1
1952		0.21	0.10	0.59	2.22	3.23	6.37	9.99	10.76	4.63	2.07	0.99	0.42	0.10
日		12	3	5	1	7	4	4	2	26	25	30	26	3/2
1953		0.21	0.30	1.06	1.63	2.92	8.66	11.94	9.47	4.68	2.75	0.72	0.36	0.21
日		13	2	26	13	2	13	2	11	30	31	28	21	13/1
極 值		0.18	0.10	0.21	1.00	1.56	5.60	7.97	8.31	3.20	2.07	0.51	0.25	0.10
日 年		13	3	4	5	13	2	28	31	29	25	22	29	3/2
1951		1951	1952	1951	1939	1951	1939	1951	1951	1939	1952	1951	1951	1952
遼 寧 開 原														
$\phi = 42^{\circ}36'N$ $\lambda = 124^{\circ}04'E$ $H = 93.0 M$														
平均绝对湿度(毫米)														
1926		1.20	1.80	2.20	2.70	7.20	9.30	15.80	17.00	10.60	4.60	2.70	1.20	6.40
1927		1.40	1.50	3.00	4.50	6.50	10.30	17.90	15.00	11.00	6.10	3.40	1.60	6.90
1928		1.30	1.50	2.90	3.80	6.70	11.20	16.50	16.60	9.50	5.20	3.10	1.20	6.60
1929		1.10	1.40	2.40	3.30	7.60	11.40	17.20	15.10	8.80	5.10	2.80	1.60	6.50
1930		1.10	2.00	3.20	4.30	7.30	10.10	17.40	16.50	9.80	5.80	2.40	1.70	6.80
1931		1.30	1.10	2.30	3.90	7.40	12.60	14.30	16.60	10.50	5.10	3.30	1.70	6.70
1932		1.70	1.30	2.20	4.40	7.30	12.80	18.90	15.90	11.40	6.40	3.40	2.00	7.30
1933		0.80	1.10	2.50	3.80	7.50	12.10	18.30	16.40	11.10	6.80	2.70	1.80	7.10
1934		0.70	1.50	1.70	4.40	10.00	14.50	17.70	15.90	10.80	5.20	2.80	1.60	7.20
1935		1.50	1.70	2.50	4.10	6.20	11.80	17.20	16.60	9.80	7.00	2.70	1.10	6.80
1936		0.70	1.00	1.80	4.60	8.30	14.20	18.00	16.90	12.40	6.40	3.20	1.60	7.40

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均		1.16	1.45	2.43	3.98	7.45	11.85	17.20	16.23	10.52	5.79	2.95	1.55	6.88
阜 新 $\varphi=42^{\circ}10'N$ $\lambda=121^{\circ}38'E$ $H=167.5M$ 平均绝对湿度(毫米)														
1951		0.78	1.19	2.45	3.85	7.85	12.28	16.54	16.81	8.15	6.09	3.58	2.09	6.81
1952		1.30	1.18	3.15	5.24	8.27	12.63	17.88	15.52	9.99	5.99	2.47	1.10	7.06
1953		0.97	1.33	2.39	3.50	8.26	14.20	19.00	15.91	9.13	6.90	2.75	1.60	7.16
平 均		1.02	1.23	2.66	4.20	8.13	13.04	17.81	16.08	9.09	6.33	2.93	1.60	7.01
最大绝对湿度(毫米)														
1951		2.92	4.35	5.70	8.68	14.46	20.14	23.47	25.05	15.08	14.23	9.60	4.96	25.05
日		18	21	26	27	29	28	24	6	6	6	13, 14	11	6/8
1952		3.02	3.50	7.80	10.77	14.24	19.51	24.34	24.13	18.25	13.50	9.39	4.15	24.34
日		20	8	28	8	17	29	21	13	5	1	4	13	21/7
1953		3.15	5.20	6.66	10.52	13.39	21.48	24.59	22.17	17.65	13.08	7.70	4.06	24.59
日		9	27	19	28	20	29	28	8	9	16	4	18	28/7
極 值	日期	3.15	5.20	7.80	10.77	14.46	21.48	24.59	25.05	18.25	14.23	9.60	4.96	25.05
年	份	9	27	28	8	29	29	28	6	5	6	13, 14	11	6/8
1953		1953	1953	1952	1952	1951	1953	1953	1951	1952	1951	1951	1951	1951
最小绝对湿度(毫米)														
1951		0.23	0.32	0.23	1.44	2.50	6.40	9.35	6.91	5.04	2.50	0.70	0.50	0.23
日		1	2	1, 2	20, 21	4	4	28	31	16	25	26	27	3*
1952		0.46	0.33	0.82	2.26	3.05	6.61	8.86	10.30	4.49	2.06	0.71	0.41	0.33
日		25	16	4	13	7	5	1	26	28	21	30	26	16/2
1953		0.33	0.39	0.83	1.38	2.81	9.00	13.22	6.73	4.14	2.19	1.06	0.51	0.33
日		3	1, 2	25	13, 14	1	5	1	31	18	30	19	2	3/1
極 值	日期	0.23	0.32	0.23	1.38	2.50	6.40	8.86	6.73	4.14	2.06	0.70	0.41	0.23
年	份	1	2	1, 2	13, 14	4	4	1	31	18	21	26	26	3*
1951		1951	1951	1951	1953	1951	1951	1952	1953	1953	1952	1951	1952	1951
撫 順 $\varphi=41^{\circ}50'N$ $\lambda=124^{\circ}07'E$ $H=79.8M$ 平均绝对湿度(毫米)														
1951		1.15	1.61	2.81	4.42	7.89	12.78	17.00	17.99	9.15	6.99	3.96	2.44	7.35
1952		1.46	1.25	3.40	5.64	8.09	12.40	17.36	16.26	10.53	6.56	3.14	1.45	7.30
1953		1.27	1.81	3.26	4.33	8.62	14.21	19.02	15.86	9.67	7.18	3.24	2.00	7.54
平 均		1.29	1.56	3.16	4.80	8.20	13.13	17.79	16.70	9.78	6.91	3.45	1.96	7.40
最大绝对湿度(毫米)														
1951		3.41	4.97	5.91	9.46	14.55	20.68	21.99	24.91	13.34	13.90	9.25	4.48	24.91
日		18	21	27	28	24	30	25	13	7	7	14	7	13/8
1952		3.77	3.34	7.50	10.61	12.75	17.85	22.63	21.64	17.09	12.16	9.50	3.91	22.63
日		13	26	28	8, 9	29	30	24	11	2	8	4	29	24/7
1953		5.05	5.20	6.74	11.79	13.26	19.87	24.26	23.14	16.43	13.96	8.00	7.41	24.26
日		9	28	19	28	28	29	9	19	9	4	4	1	9/7
極 值	日期	5.05	5.20	7.50	11.79	14.55	20.68	24.26	24.91	17.09	13.96	9.50	7.41	24.91
年	份	9	28	28	28	24	30	9	13	2	4	4	1	13/8
1953		1953	1953	1952	1953	1951	1951	1953	1951	1952	1953	1952	1953	1951
最小绝对湿度(毫米)														
1951		0.34	0.59	0.44	2.11	2.97	6.71	11.00	8.41	6.18	2.76	0.92	0.45	0.34
日		13	3	2	22	4	1	28	31	9	27	28	29	13/1
1952		0.40	0.16	0.67	2.27	2.88	7.16	9.64	11.34	5.48	2.57	0.89	0.62	0.16
日		25	2	4	14	7	4	4	20	29	22	30	2	2/2
1953		0.47	0.52	1.11	2.02	3.41	9.44	14.18	9.83	4.36	2.98	1.40	0.79	0.47
日		16	1	12	14	1	5	2	31	18	29, 30	22, 28	21	16/1
極 值	日期	0.34	0.16	0.44	2.02	2.88	6.71	9.64	8.41	4.36	2.57	0.89	0.45	0.16
年	份	13	2	2	14	7	1	4	31	18	22	30	29	2/2
1951		1951	1952	1951	1953	1952	1951	1952	1951	1953	1952	1952	1951	1952

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
潞 陽 $\varphi = 41^{\circ}47'N$ $\lambda = 123^{\circ}24'E$ $H = 43.0 M$ 平均绝对湿度(毫米)													
1905	—	—	—	—	8.20	12.60	16.90	15.50	10.30	6.50	3.00	2.00	—
1906	1.20	1.40	2.90	4.70	6.90	12.40	17.30	14.50	8.80	6.30	2.20	2.00	6.72
1907	1.70	1.10	2.10	4.30	8.20	11.70	15.90	19.50	10.80	7.00	2.60	1.60	7.21
1908	1.10	1.50	2.50	4.10	7.70	13.20	17.10	17.70	11.80	7.20	2.70	1.90	7.38
1909	1.30	1.40	2.20	4.30	7.50	11.30	17.40	16.80	9.80	5.20	3.10	1.30	6.80
1910	0.90	1.20	1.80	4.20	6.20	11.40	15.60	15.70	9.00	6.10	2.00	0.80	6.24
1911	0.90	1.20	2.00	4.70	6.90	11.70	16.30	16.80	11.50	5.40	3.40	1.40	6.85
1912	1.00	2.00	2.00	4.20	7.90	12.00	16.40	16.90	8.30	5.00	2.50	1.10	6.61
1913	1.10	1.30	2.10	4.70	6.20	11.50	14.80	13.70	8.80	4.50	2.60	1.40	6.06
1914	1.40	1.40	3.10	4.60	7.60	12.90	18.90	18.00	11.90	7.80	3.00	1.30	7.66
1915	1.00	1.50	2.50	4.60	8.30	12.40	18.10	16.50	9.90	7.00	3.70	2.10	7.30
1916	1.50	1.50	1.80	4.10	7.20	11.50	16.80	17.20	9.30	5.70	3.30	1.50	6.78
1917	0.90	1.20	2.30	3.40	5.70	11.50	17.10	16.40	9.90	5.90	2.40	1.20	6.49
1918	1.10	1.60	3.20	4.10	7.50	11.80	16.70	17.60	11.70	6.80	3.00	1.40	7.21
1919	1.10	1.80	2.60	3.60	6.90	13.10	18.80	16.40	10.50	6.40	3.00	1.30	7.13
1920	1.20	1.20	2.90	4.60	8.00	11.50	17.70	15.90	9.60	5.90	3.40	1.50	6.95
1921	1.30	1.20	1.70	4.20	8.10	11.00	16.00	16.80	10.30	5.90	2.50	1.80	6.73
1922	0.70	2.40	2.20	4.60	7.10	10.30	17.00	15.60	9.70	5.90	2.10	1.40	6.58
1923	0.90	1.00	2.90	3.70	6.50	11.20	15.60	16.80	9.20	5.60	3.00	1.70	6.51
1924	1.40	1.30	2.30	4.20	6.50	11.60	18.30	16.60	10.40	5.60	2.50	1.50	6.85
1925	1.20	1.30	2.20	4.60	7.90	11.60	15.70	15.40	10.50	5.90	3.20	1.50	6.75
1926	1.30	1.90	2.40	3.10	7.70	9.30	15.10	17.10	10.40	4.80	3.00	1.30	6.45
1927	1.50	1.60	3.10	4.80	7.10	10.70	18.00	15.50	10.40	6.20	3.50	1.70	7.01
1928	1.60	1.80	2.80	4.40	7.30	11.60	17.50	17.90	10.50	5.80	3.00	1.40	7.13
1929	1.40	1.70	2.30	3.90	8.20	11.70	18.60	16.00	10.10	6.00	3.00	1.90	7.07
1930	1.40	2.30	3.40	5.10	7.60	12.60	19.00	17.40	11.00	6.50	2.70	1.90	7.58
1931	1.50	1.30	2.50	4.00	7.60	12.70	15.50	18.70	11.60	6.10	3.60	1.80	7.24
1932	1.90	1.50	2.60	4.70	7.50	12.10	18.40	15.80	11.10	6.20	3.30	1.90	7.25
1933	1.00	1.30	2.50	4.60	8.20	12.60	18.40	16.70	10.90	6.50	3.00	2.00	7.31
1934	1.00	1.80	2.10	4.20	9.40	14.60	17.50	15.60	10.50	5.50	3.20	2.20	7.30
1935	1.60	2.00	2.50	4.20	7.30	12.50	18.10	16.10	9.70	7.00	3.10	1.30	7.12
1936	0.90	1.30	2.10	4.90	7.70	13.00	17.60	16.10	12.70	6.90	3.60	2.00	7.40
1937	1.70	2.00	2.80	5.30	7.50	11.60	16.80	18.70	11.10	7.20	3.40	1.30	7.45
1938	1.20	1.80	3.50	6.00	8.70	13.90	20.20	18.60	10.80	8.10	3.20	1.60	8.13
1939	1.40	1.70	2.70	5.30	8.00	12.70	20.00	19.00	11.50	6.80	3.80	2.00	7.91
1940	1.10	1.50	2.60	4.50	7.60	13.10	18.10	16.00	11.00	6.50	4.00	2.10	7.34
1941	1.70	2.00	3.10	4.40	—	—	—	—	—	—	—	—	—
1949	1.70	2.00	2.60	5.00	8.90	13.70	19.20	19.00	11.10	7.30	3.70	1.70	7.99
1951	1.06	1.43	2.73	4.90	9.79	14.24	19.24	19.20	10.01	7.72	4.25	2.53	8.09
1952	1.52	1.28	3.45	6.34	9.90	14.15	18.43	17.27	11.36	7.37	3.13	1.21	7.95
1953	1.06	1.51	3.10	4.61	9.11	14.79	19.94	16.59	10.24	7.61	3.18	1.96	7.81
平 均	1.25	1.54	2.54	4.50	7.69	12.24	17.52	16.87	10.45	6.34	3.07	1.63	7.14
最大绝对湿度(毫米)													
1923	3.30	3.30	7.80	8.90	11.60	18.70	21.50	26.70	14.90	11.10	8.00	4.60	26.70
日	20	9	26	29	24	18	27	7	1	1	6	7, 20	7/8
1924	3.40	3.70	6.50	10.10	12.10	17.10	23.90	23.60	18.10	13.40	7.00	3.70	23.90
日	11	6	31	19	25	28	16	10	2	3	18	2	16/7
1925	3.30	3.60	4.80	9.40	14.20	17.20	21.70	20.00	16.70	10.30	6.60	4.50	21.70
日	12	16	21	22	25	27	23	23	6	11	10	9	23/7
1926	3.90	4.70	4.50	6.20	12.80	16.80	23.40	22.20	15.10	10.90	7.20	3.70	23.40
日	12	9	13	23	20	23	24	8	6	3	9	5	24/7
1927	4.30	4.30	7.50	9.90	11.70	16.70	26.10	21.40	18.60	13.60	8.00	4.50	26.10
日	6, 7	24	28	29	30	28	25	9	1	6	2	5	25/7
1928	3.80	4.30	6.10	10.30	13.00	18.40	22.30	27.70	18.00	10.90	6.90	3.90	27.70
日	24	22	17, 19	28	30	30	10	14	8	6	1	22	14/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1929	日	4.60	4.40	4.60	8.70	11.40	17.70	23.90	21.90	14.60	12.30	5.90	4.70	23.90
1930	日	13	22	21	26	15	27	30	12	23	4	14	11	30/7
1931	日	3.00	5.40	6.80	11.40	14.20	16.60	22.30	24.30	18.10	11.20	7.30	4.70	24.30
1932	日	21	22	23	19	29	27	5	8	3	9	8	7	8/8
1933	日	3.70	2.90	5.20	8.10	11.60	18.10	23.00	25.80	18.40	13.60	7.30	5.60	25.80
1934	日	22	12	15	27	26	30	31	12	1	4	8	6	12/8
1935	日	4.80	4.40	4.90	8.40	11.90	17.10	23.30	22.70	15.00	11.40	7.60	4.60	23.30
1936	日	5	2	11	22	17	16	30	1,4	20	1	3	3	30/7
1937	日	2.40	3.70	5.50	10.00	13.30	18.40	24.40	23.10	17.80	12.80	6.90	5.00	24.40
1938	日	7	27	31	30	17	30	14	5	2	3	25	2,3	14/7
1939	日	2.90	4.10	4.90	8.30	13.90	20.20	23.40	21.80	16.80	11.70	8.10	4.70	23.40
1940	日	18	20	23	23	25	29	10	1	5	9	5	17	10/7
1941	日	3.80	4.20	5.60	11.60	13.50	17.60	24.90	22.50	15.50	11.90	8.30	3.60	24.90
1942	日	8,9	27	24	25	23	26	28	18	2	3	2	27	28/7
1943	日	3.80	3.80	4.60	7.40	12.90	19.00	23.90	—	—	—	—	—	—
1944	日	11	15	12	27	11	15	23	—	—	—	—	—	—
1945	日	3.70	5.10	7.40	13.80	16.20	18.40	27.40	26.20	15.60	14.80	9.00	4.60	27.40
1946	日	18	28	22	30	28	28	27	8	5	9	3	8	27/7
1947	日	3.80	4.50	5.60	9.80	13.00	18.70	29.40	25.30	18.60	15.00	9.60	4.60	29.40
1948	日	29	23	30	20	30	24	28	27	1	30	7	9,21	28/7
1949	日	3.30	4.00	6.40	8.30	13.60	19.00	29.40	23.50	22.30	13.40	10.90	5.20	29.40
1950	日	11	19	29	12	29	30	9	21	9	13	1	6	9/7
1951	日	4.50	4.20	7.00	7.30	—	—	—	—	—	—	—	—	—
1952	日	2	19,25	19	10	—	—	—	—	—	—	—	—	—
1953	日	3.43	4.62	6.37	9.71	17.17	20.71	28.18	27.29	15.48	17.80	9.72	4.93	28.18
1954	日	18	21	27	27	29	29	23	9	3	8	14	10	23/7
1955	日	4.03	4.10	7.64	12.83	16.02	21.89	24.63	25.23	19.48	14.11	10.67	4.56	25.23
1956	日	13	26	28	8	6	30	18	13	2	8	4	14	13/8
1957	日	4.03	5.15	7.32	12.19	14.09	20.73	25.62	25.92	18.38	14.06	8.65	5.89	25.92
1958	日	9	28	19	28	31	29,30	9	19	9	4	4	1	19/8
極 值	日	4.80	5.40	7.80	13.80	17.17	21.89	29.40	27.70	22.30	17.80	10.90	5.89	29.40
日 期	份	5	22	26	30	29	30	28,9	14	9	8	1	1	28, 9/7
年 份		1932	1930	1923	1938	1951	1952	1939	1928	1940	1951	1940	1953	1939
								1940						1940
最小絕對濕度(毫米)														
1923	日	0.20	0.10	0.40	1.40	3.10	5.80	9.80	11.10	4.10	1.70	0.40	0.50	0.10
1924	日	1,2	22	4x	4	2	1	1,13	29	20	23	30	3x	22/2
1925	日	0.40	0.60	0.80	1.00	2.40	5.40	12.10	8.40	4.70	1.60	0.90	0.70	0.40
1926	日	7,27	12,23	3x	3	2	9	21	27	18,24	19	22	5	7,27/1
1927	日	0.60	0.40	0.40	1.40	3.90	5.60	8.50	9.40	5.30	2.30	0.90	0.40	0.40
1928	日	28	17,18	4	4	6	14	2	4	19	21	14	29,30	5x
1929	日	0.50	0.40	1.00	1.20	2.50	5.00	6.50	8.50	4.70	2.00	1.20	0.40	0.40
1930	日	31	15	25	4	6	3	6	29	27	28	14	24	15/22,4/2
1931	日	0.40	0.70	1.00	1.70	2.90	4.70	10.80	9.30	6.00	2.60	1.10	0.40	0.40
1932	日	16	26	15	2	10	1	26	22	19	11	28	28	16/1,28/12
1933	日	0.50	0.60	1.10	1.90	3.50	5.70	12.60	9.70	3.20	1.50	0.80	0.70	0.50
1934	日	11,13	7,8	12,21	19	12	1	17	26	24	30	9	19	11,13/1
1935	日	0.50	0.50	0.80	1.40	5.10	5.20	13.90	6.60	5.00	1.90	1.00	0.70	0.50
1936	日	22	1	2,31	1	2	8	27	31	30	31	21	18,19	22/1,1/2
1937	日	0.40	0.80	0.90	2.30	3.30	6.40	12.90	11.60	6.20	3.00	0.90	0.70	0.40
1938	日	4,5	9	5	1	2	2	11	27	22,29	31	30	2,3	4,5/1
1939	日	0.40	0.40	1.20	1.60	3.80	8.20	11.00	9.30	4.60	2.20	0.70	0.60	0.40
1940	日	9,10	7	7	7,10	10	4	13,25	24	29	27	18	13	3x
1941	日	0.70	0.50	1.00	1.70	3.70	6.60	9.70	10.30	6.20	2.30	0.80	0.80	0.50
1942	日	7,8	23	14,16	9	3	25	2	19	10	31	25	12	23/2
1943	日	0.40	0.50	0.60	1.90	2.40	7.00	10.90	12.40	5.00	2.90	0.80	0.50	0.40
1944	日	11,13	18,26	5x	15	4	1	29	14	27	23	5	31	11,13/1
1945	日	0.40	0.80	0.80	2.00	4.70	9.90	12.30	9.20	5.60	2.10	0.80	0.70	0.40
1946	日	4x	3	7,8	1	1	3	1	31	30	25	30	1	4x
1947	日	0.60	0.60	1.30	1.50	3.70	7.30	13.10	5.50	4.60	2.90	0.80	0.40	0.40
1948	日	4	5	4,10	10	2	1	2	29	13	29	16	29,30	29,30/12
1949	日	0.40	0.60	0.80	2.40	3.40	8.10	9.30	—	—	—	—	—	—
1950	日	4x	4x	1	9	16	1	1	—	—	—	—	—	—
1951	日	0.40	0.60	1.00	2.10	3.70	9.10	14.70	9.00	7.50	3.10	1.30	0.50	0.40
1952	日	26	2	6,7	8	3,4	3	3	31	21	31	20	27,28	26/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939	日	0.40	0.60	0.90	1.10	2.90	5.60	14.00	11.50	4.20	2.50	0.80	0.70	0.40
1940	日	5, 8	4	12, 13	3	8	2	3	12	29	30	30	14	5, 8/1
1941	日	0.50	0.60	1.00	2.20	2.50	8.10	9.00	10.40	4.00	2.80	1.50	0.80	0.50
1941	日	3, 9	7, 27	14	8, 24	3	5	17	26	28	8, 21	21	24, 25	3, 9/1
1941	日	0.50	0.70	0.80	1.70	—	—	—	—	—	—	—	—	—
1951	日	13, 24	3x	3	23	—	—	—	—	—	—	—	—	—
1951	日	0.24	0.51	0.32	2.16	4.42	7.55	12.09	8.54	6.77	3.29	0.98	0.62	0.24
1952	日	12	3	2	20	13	1	28	31	19	25	26	28	12/1
1952	日	0.51	0.24	1.01	3.19	5.81	7.10	10.89	11.59	5.84	2.94	0.71	0.41	0.24
1953	日	30	2	4	9	24	4	4	31	29	22	30	31	2/2
1953	日	0.40	0.42	0.91	1.86	4.65	9.96	14.34	9.51	5.51	2.81	1.31	0.95	0.40
1953	日	15, 16	1	12	11	1	1	2	22, 31	18	31	19	2	15, 16/1
極日年	值期份	0.20	0.10	0.32	1.00	2.40	4.70	6.50	5.50	3.20	1.50	0.40	0.40	0.10
		1, 2	22	2	3	2, 4	1	6	29	24	30	30	6x	22/2
		1923	1923	1951	1924	1924	1927	1926	1935	1928	1928	1923	4x	1923
<p>錦 州 $\varphi = 41^{\circ}07'N$ $\lambda = 121^{\circ}07'E$ $H = 21.8 M$</p> <p>平均 绝对湿度 (毫米)</p>														
1939	日	1.50	1.60	2.60	5.10	7.20	11.40	19.10	17.20	9.80	6.60	3.40	1.80	7.28
1940	日	1.00	1.40	2.40	3.90	6.80	11.60	16.20	14.90	10.30	5.80	3.60	2.00	6.66
1941	日	1.60	1.80	2.80	3.70	—	—	—	—	—	—	—	—	—
1949	日	—	—	—	—	—	—	—	—	—	6.90	3.80	1.80	—
1951	日	1.27	1.77	3.00	4.13	8.23	12.21	16.69	17.93	8.97	7.00	4.02	2.31	7.29
1952	日	1.59	1.29	3.00	5.02	7.99	12.86	17.96	16.39	11.52	6.85	3.04	1.42	7.41
1953	日	1.23	1.75	2.95	4.32	8.47	14.64	20.02	16.68	10.16	7.58	3.05	1.97	7.74
平 均		1.32	1.56	2.79	4.49	7.74	12.54	17.99	16.62	10.15	6.77	3.42	1.90	7.28
<p>最大 绝对湿度 (毫米)</p>														
1939	日	3.60	3.80	5.30	10.00	12.50	16.80	23.60	23.10	18.60	14.70	10.70	4.00	23.60
1940	日	24	23	3x	20	28	23	30	14	1	14	7	6	30/7
1940	日	3.60	4.00	7.50	7.90	12.80	16.90	22.20	21.50	16.80	13.10	12.40	5.60	22.20
1941	日	1	18	28	28	11	28	16	21	2	14	2	21	16/7
1941	日	4.20	4.00	6.50	8.40	—	—	—	—	—	—	—	—	—
1941	日	2	19, 25	19	27	—	—	—	—	—	—	—	—	—
1951	日	4.03	4.77	6.43	9.39	14.76	17.87	24.46	25.68	16.61	14.81	10.37	5.63	25.68
1951	日	27	21	13	27	28	27	24	8	6	3	14	11, 21	8/8
1952	日	3.70	3.97	6.56	9.43	12.93	18.91	24.36	23.89	20.91	14.32	11.30	4.59	24.36
1952	日	31	8	28	28	26	13	30	13	2	1	4	13	30/7
1953	日	3.53	5.57	7.27	12.68	13.22	21.07	25.71	24.73	19.21	14.49	8.19	4.54	25.71
1953	日	9	27	19	28	31	29	25	19	8	16	4	18	25/7
極日年	值期份	4.20	5.57	7.50	12.68	14.76	21.07	25.71	25.68	20.91	14.81	12.40	5.63	25.71
		2	27	28	28	28	29	25	8	2	3	2	11, 21	25/7
		1941	1953	1940	1953	1951	1953	1953	1951	1952	1951	1940	1951	1953
<p>最小 绝对湿度 (毫米)</p>														
1939	日	0.60	0.60	0.80	1.40	2.60	4.40	14.40	9.40	3.60	1.80	0.90	0.60	0.60
1940	日	3x	3x	18	3	8	2	24	29	29	29	3x	17	7x
1940	日	0.40	0.30	0.40	0.90	1.80	5.40	6.80	7.50	4.10	1.70	1.10	0.80	0.30
1941	日	3x	27	14	8	3	6	17	24	27, 28	24, 25	25	16, 24	27/2
1941	日	0.50	0.50	0.70	0.90	—	—	—	—	—	—	—	—	—
1941	日	19, 31	12	3	12	—	—	—	—	—	—	—	—	—
1951	日	0.36	0.63	0.39	1.01	2.32	6.52	7.82	5.70	3.95	2.42	0.97	0.78	0.36
1951	日	1	2	2	20	13	4	4	31	12	24	25	29	1/1
1952	日	0.57	0.39	0.71	1.44	2.14	6.32	9.49	8.90	4.56	2.23	0.89	0.50	0.39
1952	日	17	15	4	20, 21	7	5	4, 5	16	16	22	30	31	15/2
1953	日	0.45	0.58	0.62	1.66	3.00	8.61	13.97	7.60	4.19	2.31	0.99	0.62	0.45
1953	日	1	15	25	11	1	9	1	31	18	30	18	20	1/1
極日年	值期份	0.36	0.30	0.39	0.90	1.80	4.40	6.80	5.70	3.60	1.70	0.89	0.50	0.30
		1	27	2	8, 12	3	2	17	31	29	24, 25	30	31	27/2
		1951	1940	1951	1940	1940	1939	1940	1951	1939	1940	1952	1952	1940

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
鞍 山														
$\varphi=41^{\circ}05'N$ $\lambda=122^{\circ}50'E$ $H=15.3M$														
平均绝对湿度(毫米)														
1925		1.50	1.50	2.30	4.50	8.00	12.00	15.80	15.70	10.50	6.20	3.90	1.90	6.98
1926		1.70	2.20	2.40	3.10	8.00	9.40	15.00	17.70	10.60	4.90	3.50	1.60	6.68
1927		1.90	1.70	3.40	4.60	6.70	9.80	18.00	15.40	10.20	6.00	3.60	1.90	6.93
1928		1.70	2.10	2.90	4.30	6.90	10.40	15.70	16.30	9.60	5.30	3.40	1.60	6.68
1929		1.40	1.70	2.10	3.80	7.40	10.40	17.80	16.40	9.30	5.50	3.20	1.90	6.74
1930		1.50	2.50	3.70	4.80	7.20	10.30	18.10	16.50	9.90	6.10	2.80	2.10	7.13
1931		1.70	1.40	2.90	4.00	6.90	11.70	14.70	16.70	10.30	5.20	3.50	1.80	6.73
1932		2.00	1.40	2.40	4.00	6.70	11.50	17.60	15.10	10.80	6.10	3.50	2.20	6.94
1933		1.10	1.50	2.60	4.10	7.50	12.00	17.60	16.30	10.70	6.20	3.20	2.00	7.07
1934		1.10	2.00	2.30	4.10	8.20	12.80	17.00	15.90	10.10	5.50	3.20	2.40	7.05
1935		1.70	2.10	2.70	3.80	5.70	11.60	17.30	16.00	9.60	6.70	3.40	1.40	6.83
1936		1.00	1.30	2.20	4.50	6.60	11.30	15.80	15.60	11.10	6.10	3.40	2.10	6.75
1951		1.22	1.52	2.62	4.30	8.44	12.34	16.31	18.00	9.29	7.06	3.91	2.36	7.28
1952		1.73	1.43	3.39	5.91	8.26	12.02	18.06	16.92	11.34	7.35	3.56	1.34	7.61
1953		1.14	1.73	3.43	4.95	8.94	14.97	20.31	17.04	10.40	7.78	3.48	2.35	8.04
平 均		1.49	1.74	2.76	4.32	7.43	11.50	17.01	16.37	10.25	6.13	3.44	1.93	7.03
最大绝对湿度(毫米)														
1933		2.80	3.00	5.90	9.50	13.10	17.40	22.60	23.30	17.60	12.90	7.40	5.80	23.30
日		7	6	25	30	16	30	22	4	3	4	4	8	4/8
1934		3.20	4.40	4.90	7.70	12.20	18.70	22.70	21.40	15.20	11.90	7.30	5.30	22.70
日		27	17	18	20	20	28	10	8	3	13	6	22	10/7
1951		3.69	4.99	5.81	9.35	14.84	17.65	22.01	25.29	16.97	14.60	9.11	4.64	25.29
日		18	21	27	27	23	26	25	9	1	7	14	24	9/8
1952		4.20	4.21	7.44	12.23	13.14	19.67	24.31	22.39	19.34	19.89	9.95	4.50	24.31
日		13	26	28	8	29	30	5, 13	2	6	4	14	30/7	
1953		4.24	6.22	7.70	12.52	16.55	22.12	26.26	24.63	18.62	15.10	8.86	6.39	26.26
日		9	27	19	28	25	29	29	19	10	4	4	1	29/7
極 值	日期	4.24	6.22	7.70	12.52	16.55	22.12	26.26	25.29	19.34	19.89	9.95	6.39	26.26
日 年		9	27	19	28	25	29	29	9	2	6	4	1	29/7
		1953	1953	1953	1953	1953	1953	1953	1951	1952	1952	1952	1953	1953
最小绝对湿度(毫米)														
1933		0.40	0.70	0.80	2.00	2.90	6.10	10.80	12.70	4.90	2.50	1.40	0.60	0.40
日		11, 12	3*	6	21	5	1	30	10	28	23	6, 21	30	11, 12/1
1934		0.50	1.00	0.60	2.00	4.00	7.70	12.40	9.00	4.60	2.00	0.80	1.00	0.50
日		3*	19, 24	27	4	1	2	2	26	21	24	28	1	3*
1951		0.20	0.54	0.29	1.73	2.86	6.13	8.08	7.71	6.08	2.61	0.66	0.66	0.20
日		1	3	2	20, 22	5	1	11	31	11	27	26	29	1/1
1952		0.58	0.23	0.95	2.66	2.71	6.90	9.54	12.13	5.46	3.01	0.73	0.53	0.23
日		25	4	5	22	7	6	4	16	28	12	30	3*	4/2
1953		0.36	0.34	1.03	1.97	4.16	9.87	14.13	10.42	5.70	2.83	1.01	0.81	0.34
日		16, 29	2	25	11	14	12	3	31	19	31	18	21	2/2
極 值	日期	0.20	0.23	0.29	1.73	2.71	6.10	8.08	7.71	4.60	2.00	0.66	0.53	0.20
日 年		1	4	2	20, 22	7	1	11	31	21	24	26	3*	1/1
		1951	1952	1951	1951	1952	1933	1951	1951	1934	1934	1951	1953	1951
營 口														
$\varphi=40^{\circ}40'N$ $\lambda=122^{\circ}14'E$ $H=2.4M$														
平均绝对湿度(毫米)														
1904		-	-	-	-	-	-	-	-	-	5.90	3.50	2.00	-
1905		2.60	1.40	2.60	4.40	7.90	12.30	17.10	16.30	11.00	6.80	3.60	2.40	7.40
1906		1.50	1.50	3.00	5.10	7.60	13.10	18.00	15.60	10.00	7.10	2.70	2.50	7.30
1907		2.00	1.30	2.40	4.50	7.90	11.70	16.20	18.20	11.40	7.80	3.00	1.90	7.40
1908		1.50	1.70	2.40	4.70	7.20	13.30	18.20	17.20	12.10	7.70	3.50	2.60	7.70
1909		1.50	1.60	2.30	5.00	7.70	11.80	18.10	18.30	12.30	6.80	4.20	1.80	7.60
1910		1.50	1.80	2.40	4.80	7.70	13.10	17.30	17.30	10.60	7.70	2.90	1.30	7.40
1911		1.50	2.00	3.00	5.60	7.50	12.00	16.40	17.10	14.50	6.20	3.90	1.80	7.60
1912		1.40	2.50	2.60	4.60	7.90	12.50	17.60	17.70	9.10	5.60	2.80	1.40	7.10
1913		1.50	1.80	2.50	5.10	6.50	12.10	15.70	15.10	9.60	5.70	3.50	1.70	6.70

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1914	1.90	1.80	3.30	4.30	7.10	12.40	19.00	17.60	12.10	8.10	3.40	1.60	7.70
1915	1.30	1.80	2.60	4.70	7.90	12.70	17.80	16.90	10.20	7.40	4.30	2.70	7.50
1916	2.20	2.20	2.30	4.80	7.70	11.70	17.00	17.20	10.10	6.50	4.00	1.90	7.30
1917	1.20	1.50	2.60	4.00	6.30	12.30	18.00	16.50	10.60	6.00	3.00	1.50	7.00
1918	1.30	1.90	3.50	4.30	7.70	11.80	16.30	17.00	11.20	7.10	3.30	1.90	7.30
1919	1.30	2.20	3.10	4.30	7.80	13.10	18.40	17.90	10.70	6.60	3.50	1.80	7.60
1920	1.60	1.60	3.50	5.10	8.50	11.70	18.40	16.10	10.20	6.70	4.10	1.90	7.50
1921	1.80	1.60	2.50	4.70	8.50	11.30	16.10	17.40	10.60	6.00	2.80	2.10	7.10
1922	1.00	2.60	2.60	4.80	7.80	11.20	17.40	17.10	10.80	6.90	2.60	1.80	7.20
1923	1.30	1.40	3.60	4.70	7.70	11.80	17.20	18.40	10.00	6.20	3.40	2.00	7.30
1924	1.60	1.30	2.30	4.80	7.60	12.50	18.60	17.00	10.80	6.80	2.90	2.00	7.40
1925	1.50	1.70	2.90	5.20	8.70	12.80	16.50	16.50	11.10	6.60	4.00	1.80	7.40
1926	1.50	2.30	2.60	3.70	8.80	11.00	16.60	18.60	11.80	5.60	3.70	1.40	7.30
1927	1.70	1.70	3.20	4.80	7.10	11.00	19.20	16.70	11.80	7.10	4.20	1.80	7.50
1928	1.60	1.80	2.80	4.90	7.70	11.60	16.50	17.10	10.80	6.10	3.70	1.50	7.20
1929	1.40	1.70	2.30	4.10	8.40	12.80	19.60	17.80	10.60	6.50	3.50	2.00	7.60
1930	1.50	2.40	3.60	5.20	8.00	12.20	20.10	18.70	11.90	7.40	2.90	2.20	8.00
1931	1.80	1.50	2.90	4.40	8.10	12.70	16.50	16.90	11.40	6.00	3.90	1.80	7.30
1932	2.00	1.50	2.20	4.50	7.50	12.20	18.10	16.10	11.60	6.70	3.60	2.10	7.30
1933	1.10	1.50	2.40	4.50	7.90	12.40	17.60	16.80	11.90	6.80	3.40	2.10	7.40
1934	1.10	2.00	2.40	4.30	8.50	13.00	17.70	16.50	10.90	6.10	3.40	2.50	7.40
1935	1.90	2.20	2.90	4.30	6.80	12.00	18.00	17.00	10.60	7.60	3.50	1.50	7.30
1936	1.10	1.40	2.30	4.90	7.70	12.10	16.70	16.20	12.00	6.70	3.70	2.20	7.20
1937	1.70	1.90	2.90	5.00	7.70	11.90	17.60	19.10	11.80	7.50	3.90	1.50	7.70
1938	1.30	2.00	3.50	5.00	8.20	12.80	18.80	17.70	10.80	8.30	3.40	1.80	7.80
1939	1.60	1.70	2.90	5.40	7.60	11.40	19.10	18.20	11.60	7.10	4.10	2.30	7.80
1940	1.20	1.70	3.00	4.70	7.70	12.20	17.40	15.70	11.60	7.00	4.10	2.20	7.40
1941	1.90	2.00	3.20	4.40	—	—	—	—	—	—	—	—	—
1949	—	—	—	—	9.20	13.40	18.90	18.50	12.50	8.30	4.40	2.10	—
1950	1.80	2.20	3.60	6.40	9.20	13.20	18.70	19.50	11.40	7.40	3.10	1.80	8.20
1951	1.32	1.65	2.97	4.71	9.11	13.18	17.81	19.59	10.93	8.42	4.50	2.91	8.09
1952	1.75	1.44	3.49	6.13	9.13	12.61	18.19	17.19	11.52	7.61	3.54	1.54	7.85
1953	1.27	1.89	3.41	5.22	9.30	14.70	20.26	17.42	11.11	8.35	3.67	2.40	8.25
平 均	1.54	1.79	2.83	4.79	7.89	12.30	17.75	17.28	11.13	6.91	3.53	1.95	7.48
最大绝对湿度(毫米)													
1904	—	—	—	—	—	—	—	—	—	13.00	8.50	6.10	—
B	—	—	—	—	—	—	—	—	—	13	12	6	—
1905	5.00	4.20	5.50	8.50	14.30	17.50	28.60	23.90	19.10	11.70	9.50	6.00	28.60
B	22	26	28	30	31	26	16	1	1	11	12	6	16/7
1923	5.20	4.20	9.10	9.40	12.60	16.20	23.60	24.50	17.60	11.40	9.20	5.30	24.50
B	20	9	26	29	23	28	27	3	1	19	6	7	3/8
1924	4.80	4.30	5.60	9.30	12.50	18.40	23.20	25.50	17.80	14.70	7.00	4.60	25.50
B	12	6	30	30	23	30	28	6, 10	8, 11	3	17	8, 17	6, 10/8
1925	3.60	4.10	7.00	12.00	14.00	18.40	22.60	21.60	16.40	12.00	8.60	5.30	22.60
B	9	17	31	26	25	26	19	23	6, 28	11	2	9	19/7
1926	4.80	5.70	5.20	7.10	13.90	19.20	22.70	23.60	18.70	14.40	8.50	4.70	23.60
B	12	9	13	30	27	24	11	9, 26	1	4	9	5	9, 26/8
1927	4.90	4.10	6.80	11.10	13.10	18.50	26.50	23.50	20.40	14.80	9.90	5.40	26.50
B	6	3x	30	29	30	29	26	4	1	7	2, 3	5	26/7
1928	3.80	4.20	5.60	9.80	14.80	17.30	21.60	23.80	18.10	12.40	8.40	4.30	23.80
B	24	22	24	28	31	25	15	13	1	3	5	9	13/8
1929	4.70	5.10	5.60	7.90	11.70	18.80	23.80	23.60	17.30	11.90	6.70	5.50	23.80
B	13	22	21	25	17	27	28	1	23	4	5	11	28/7
1930	3.90	5.60	8.40	11.80	13.10	18.40	24.30	24.60	20.10	14.80	8.60	5.80	24.60
B	22	22	25	19	29	27	12	8	8	7	8	7	8/8
1931	4.90	3.30	5.80	9.10	16.40	18.20	20.80	23.60	17.10	12.60	8.70	6.00	23.60
B	4	1, 13	21	28	31	30	30, 31	13	1, 8	4	8	6	13/8
1932	5.40	4.20	4.40	7.70	12.40	15.70	22.70	23.50	15.20	11.00	9.30	5.20	23.50
B	5	1	9	27	18	28	29	4	17, 19	1	2	18	4/8
1933	2.80	4.40	5.00	9.80	12.90	17.40	25.50	22.40	18.90	14.90	7.90	6.10	25.50
B	5, 6	23	19	30	14	30	11	5	1	3	4	2	11/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1934	日	2.90	4.20	4.90	8.10	12.70	19.10	23.30	21.80	16.70	12.30	8.20	5.40	23.30
1935	日	18	17	18	23	20	27, 30	10	3	4	13	5, 17	22	10/7
1935	日	4.50	4.80	6.00	9.40	12.20	18.00	24.70	23.20	17.30	12.40	9.80	3.90	24.70
		10	27	18	24	26	25	28	15	5	2	2	4	28/7
1936	日	3.50	3.50	4.50	7.30	11.80	16.40	20.90	-	-	-	-	-	-
1938	日	11	15	21	26	30	17, 24	23, 30	-	-	-	-	-	-
1938	日	4.20	4.80	6.60	9.50	14.30	16.60	22.60	23.20	18.30	14.50	10.00	5.00	23.20
1939	日	30	28	21	21	31	30	20, 27	5	6	1	5	3	5/8
1939	日	3.90	3.80	5.90	10.30	11.80	17.80	24.60	23.10	19.30	14.60	10.40	4.90	24.60
1940	日	29	23	30	15	28	23	21	11	1	10	7	9	21/7
1940	日	4.40	4.80	6.10	8.50	12.60	17.50	23.50	23.10	17.70	13.50	12.70	5.90	23.50
1941	日	11	19	8	12	28, 29	30	12	21	6, 7	5	5	6	12/7
1941	日	4.80	4.50	6.90	7.90	-	-	-	-	-	-	-	-	-
		2	19	19	16	-	-	-	-	-	-	-	-	-
1949	日	-	-	-	-	13.10	16.90	24.40	23.50	19.20	14.00	8.70	7.70	-
1950	日	-	-	-	-	11, 18	18	22	3	4	7	4	1	-
1950	日	5.20	4.70	6.70	10.90	14.40	18.50	26.00	26.70	19.10	15.30	8.30	4.90	26.70
1951	日	16, 17	24	26	30	15	26	28	5	8	7	10	13	5/8
1951	日	3.53	5.41	5.69	9.35	15.51	18.32	23.96	26.28	17.35	16.32	10.04	5.67	26.28
1952	日	18	21	27	27	28	27	27	4	4	7	14	10	4/8
1952	日	4.20	4.18	6.97	11.50	13.38	19.62	23.94	23.68	18.82	14.91	9.96	4.76	23.94
1953	日	9	8	8	29	30	23	13	1	8	3	14	23/7	
1953	日	4.34	5.85	8.29	11.66	15.33	20.32	25.50	24.68	19.60	15.85	9.54	6.91	25.50
		9	27	19	28	18	29	9	16	8	4	4	1	9/7
極 偏	日 期	5.40	5.85	9.10	12.00	16.40	20.32	28.60	26.70	20.40	16.32	12.70	7.70	28.60
年 份		5	27	26	26	31	29	16	5	1	7	5	1	16/7
		1932	1953	1923	1925	1931	1953	1905	1950	1927	1951	1940	1949	1905
最小绝对湿度(毫米)														
1904	日	-	-	-	-	-	-	-	-	-	1.80	1.10	0.70	-
1905	日	-	-	-	-	-	-	-	-	-	21	28	11, 12	-
1905	日	0.90	0.60	0.80	1.50	1.60	5.00	12.20	12.10	2.80	1.70	1.00	0.60	0.60
1923	日	4次	3次	14	17	7	2	21	8	29	26, 27	4	21	4次
1923	日	0.30	0.30	0.80	2.10	3.20	6.20	9.40	11.50	4.10	1.50	0.40	0.40	0.30
1924	日	1	23	4, 12	8	1	1	1	22	21	23	24	28	1/1, 23/2
1924	日	0.30	0.30	0.50	0.40	2.10	6.00	12.70	7.00	4.70	1.50	0.60	0.80	0.30
1925	日	7, 26	3次	4, 23	4	2	22	23	28	13	19	24	5, 10	5次
1925	日	0.70	0.60	0.70	1.00	3.50	7.10	10.20	10.00	5.30	1.70	1.20	0.40	0.40
		3, 30	18	4	2	7	10	2	30	19	23	28	29	29/12
1926	日	0.30	0.10	0.80	1.10	3.30	4.40	6.20	10.80	4.10	1.90	1.30	0.40	0.10
1927	日	19	14, 15	17, 24	4	6	26	8	26, 29	27	25	14	7, 8	14, 15/2
1927	日	0.40	0.60	0.90	1.40	2.80	3.40	12.40	10.60	6.20	2.50	1.00	0.60	0.40
1928	日	3次	3次	1, 14	2	12	4	4	22	17	12	28	4次	3次
1928	日	0.40	0.50	0.90	1.30	3.60	5.50	10.10	11.70	2.90	1.80	1.00	0.70	0.40
1929	日	3次	7	25	1	15	1	1	26	24	29	3次	3次	3次
1929	日	0.40	0.40	0.40	1.80	3.80	9.40	14.90	5.30	4.20	1.80	1.30	0.60	0.40
1930	日	1, 22	1	1	1	5	8	24	31	30	31	21	21	4次
1930	日	0.50	0.50	0.90	2.40	3.80	6.70	13.10	10.20	6.00	3.60	1.30	0.80	0.50
		4, 6	8	6	3次	22	7	2	31	22	30	3次	30	3次
1931	日	0.40	0.40	1.10	1.60	3.80	7.70	11.60	8.60	4.30	1.60	0.60	0.60	0.40
1932	日	9, 10	6, 7	7	4, 10	10	4	24	24	28	25	18	12, 13	4次
1932	日	0.60	0.60	0.70	1.70	4.00	7.50	10.10	9.50	7.40	2.70	1.00	0.70	0.60
1933	日	7, 8	16, 18	13, 14	5, 9	10	25	1	18	10	17	5	12	4次
1933	日	0.30	0.60	0.60	2.00	3.20	7.00	9.80	12.70	4.30	2.40	1.20	0.70	0.30
1934	日	11	2, 3	6	11	5	2	29	12	27	23	4次	30, 31	11/1
1934	日	0.50	1.00	0.70	1.90	3.60	7.40	12.60	10.20	4.50	2.00	0.70	0.90	0.50
1935	日	24, 25	3, 23	8, 28	13	1	6	2	26	22	25	28, 29	1, 14	24, 25/1
1935	日	0.70	0.50	1.20	1.80	3.30	7.10	11.40	6.40	4.30	3.10	1.10	0.40	0.50
		16	6	5	11	2	2	3	29	13	29	22, 23	29	6/2
1936	日	0.50	0.50	0.80	2.80	3.70	7.40	10.00	-	-	-	-	-	-
1938	日	6次	1	1	9	6	1	4	-	-	-	-	-	-
1938	日	0.50	0.80	0.70	2.30	3.10	7.70	14.20	7.60	5.20	2.90	1.40	0.70	0.50
1939	日	8次	3次	6	8	7	3	4, 8	31	10	14, 15	4次	28	8次
1939	日	0.50	0.50	0.70	2.00	2.90	4.50	14.20	10.60	4.40	2.20	0.70	0.80	0.50
		8, 16	4	18	3次	8	2	2	29	29	20, 29	27	14	3次

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1940	日	0.50	0.60	0.90	1.60	2.60	7.40	8.30	9.90	4.10	2.30	1.30	0.70	0.50
1941	日	30	6, 7	14	8	3	6	18	6, 25	28	21	21, 24	16	30/1
1941	日	0.60	0.60	0.80	1.60	—	—	—	—	—	—	—	—	—
1941	日	24, 31	10	4	6	—	—	—	—	—	—	—	—	—
1949	日	—	—	—	—	3.90	8.70	14.50	9.40	6.40	2.90	1.10	0.30	—
1949	日	—	—	—	—	13	4	11	26	25	29, 30	17	29	—
1950	日	0.20	0.90	0.90	2.90	4.60	7.80	11.60	8.40	5.20	3.10	0.60	0.50	0.20
1950	日	6	4, 27	10, 11	6	13	21	10	23	19	30	14	31	6/1
1951	日	0.32	0.44	0.48	2.29	3.69	7.90	8.35	9.19	6.91	3.59	0.94	0.73	0.32
1951	日	1	2	2	2	5	4	11	31	13	27	25	27	1/1
1952	日	0.51	0.36	1.08	2.55	4.46	6.54	9.84	11.30	5.34	2.50	0.86	0.55	0.36
1952	日	25	2	3	21	9	6	4	1	28	25	30	23	2/2
1953	日	0.48	0.45	1.06	1.94	4.30	9.76	14.25	10.26	5.15	3.26	1.42	1.00	0.45
1953	日	30	1, 2	25	11	1	3	1	31	24	31	19	21	1, 2/2
極日年	值期份	0.20	0.10	0.40	0.40	1.60	3.40	6.20	5.30	2.80	1.50	0.40	0.30	0.10
極日年	值期份	6	14, 15	1	4	7	4	8	31	29	23, 19	24	29	14, 15/2
極日年	值期份	1950	1926	1929	1924	1905	1927	1926	1929	1905	1923	1923	1949	1926
興 城 $\varphi = 40^{\circ}36'N$ $\lambda = 120^{\circ}34'E$ $H = 10.0 M$														
平均绝对湿度(毫米)														
1949	日	—	—	—	—	—	—	—	—	—	—	4.20	2.10	—
1951	日	1.28	1.79	3.04	5.19	10.12	14.21	18.20	19.04	10.77	8.25	4.29	2.66	8.20
1952	日	1.82	1.48	3.19	5.07	8.30	13.23	19.64	17.43	12.91	6.91	3.17	1.34	7.87
1953	日	1.22	1.79	3.05	4.31	9.06	14.93	20.38	17.09	11.10	8.21	3.13	1.94	8.02
平 均	日	1.44	1.52	3.09	4.86	9.16	14.14	19.41	17.85	11.59	7.79	3.53	1.98	8.03
最大绝对湿度(毫米)														
1951	日	3.34	5.03	6.30	9.22	18.67	27.34	24.56	27.60	18.89	18.82	10.27	6.31	27.60
1951	日	17	21	26	27	28	29	23	13	6	7	13	11	13/8
1952	日	4.03	3.92	7.47	9.25	14.95	19.95	27.24	26.04	23.52	15.27	10.73	4.54	27.24
1952	日	13	8	28	28	26	29, 30	30	13	15	7	4	13	30/7
1953	日	3.13	4.95	6.61	10.03	13.78	19.97	26.55	24.39	19.26	14.94	8.17	4.64	26.55
1953	日	23	27	24	28	31	30	25	16	10	15	4	1	25/7
極日年	值期份	4.03	5.03	7.47	10.03	18.67	27.34	27.24	27.60	23.52	18.82	10.73	6.31	27.60
極日年	值期份	13	21	28	28	28	29	30	13	15	7	4	11	13/8
極日年	值期份	1952	1951	1952	1953	1951	1951	1952	1951	1952	1951	1952	1951	1951
最小绝对湿度(毫米)														
1951	日	0.23	0.51	0.45	2.34	4.71	8.76	10.00	9.41	6.63	3.02	0.90	0.75	0.23
1951	日	1	2	2	2	9	4	9	31	30	26	25	29	1/1
1952	日	0.65	0.48	0.66	1.72	3.09	5.15	11.44	9.82	4.16	2.16	0.53	0.35	0.35
1952	日	24, 25	15, 16	23	21	8	4	4	16	28	24, 25	30	31	31/12
1953	日	0.35	0.50	0.33	1.96	3.11	10.89	15.99	7.69	5.25	2.22	1.17	0.55	0.33
1953	日	1	2	25	13	1	1	7	31	24	30	10	2	25/3
極日年	值期份	0.23	0.48	0.33	1.72	3.09	5.15	10.00	7.69	4.16	2.16	0.53	0.35	0.23
極日年	值期份	1	15, 16	25	21	8	4	9	31	28	24, 25	30	31	1/1
極日年	值期份	1951	1952	1953	1952	1952	1952	1951	1953	1952	1952	1952	1952	1951
蓋平熊岳 $\varphi = 40^{\circ}13'N$ $\lambda = 122^{\circ}11'E$ $H = 22.2 M$														
平均绝对湿度(毫米)														
1914	日	—	—	—	*	4.90	7.10	12.50	18.70	17.90	12.60	7.90	3.60	1.90
1915	日	1.70	2.20	2.30	3.90	6.70	11.30	17.60	16.70	10.20	7.50	4.50	2.80	7.30
1916	日	2.30	2.30	2.50	4.60	7.50	11.30	16.00	17.00	10.10	6.70	4.10	2.00	7.20
1917	日	1.30	1.50	2.80	4.00	5.80	11.50	16.90	16.20	10.50	6.10	2.90	4.50	6.70
1918	日	1.20	1.60	2.90	3.80	6.50	9.50	13.00	12.40	9.70	6.00	2.90	1.50	5.90
1919	日	1.10	1.80	2.70	2.60	6.30	13.40	17.80	15.40	9.50	5.80	4.30	2.00	6.90
	日				*				*			*		

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949		—	—	—	5.50	8.90	13.70	19.10	18.30	11.90	7.80	4.70	2.50	—
1950		2.10	2.40	3.70	6.60	9.20	13.30	19.30	19.50	11.10	7.80	3.40	2.10	8.40
1951		1.38	1.79	3.08	4.99	9.18	12.95	17.99	19.74	11.31	8.69	4.53	3.03	8.23
1952		1.96	1.60	3.55	5.74	8.36	11.64	18.14	16.85	11.54	7.44	3.81	1.58	7.68
1953		1.30	1.89	3.37	4.82	8.83	14.16	19.73	17.35	11.16	8.32	3.54	2.30	8.06
平 均		1.69	1.92	3.43	5.54	8.89	13.01	18.79	18.36	11.28	8.06	3.85	2.25	8.09
最大绝对湿度(毫米)														
1949		—	—	—	8.90	13.20	16.40	26.20	22.90	19.90	13.10	8.90	7.10	—
日		—	—	—	20	21	24, 30	21	25	4	4	11	1	—
1950		5.90	5.40	7.80	—	—	—	—	—	—	—	—	—	—
日		16, 17	24	6	—	—	—	—	—	—	—	—	—	—
1951		—	—	6.56	9.56	15.65	18.56	24.36	27.27	18.18	16.21	10.88	5.75	27.27
日		—	—	27	27	23	26	27	8	4	3	14	21	8/8
1952		4.40	4.33	7.38	10.58	13.83	19.90	24.05	23.60	19.94	13.52	9.98	5.19	24.05
日		27	26	28	8	29	30	30	13	6	7	10	14	30/7
1953		4.18	5.89	7.31	12.66	13.90	20.32	25.40	24.37	20.18	14.64	9.53	7.41	25.40
日		9	28	19	28	28	27	17	19	8	2	4	1	17/7
極日	值	5.90	5.89	7.80	12.66	15.65	20.32	26.20	27.27	20.18	16.21	10.88	7.41	27.27
年	期	16, 17	28	6	28	23	27	21	8	8	3	14	1	8/8
	份	1950	1953	1950	1953	1951	1953	1949	1951	1953	1951	1951	1953	1951
最小绝对湿度(毫米)														
1949		—	—	—	2.20	4.50	10.90	14.90	9.30	6.00	2.80	1.20	0.40	—
日		—	—	—	2	3	1	11	27	25	30	27	3*	—
1950		0.40	0.90	0.80	—	—	—	—	—	—	—	—	—	—
日		6	27	11	—	—	—	—	—	—	—	—	—	—
1951		—	—	0.38	2.64	3.80	8.93	12.53	10.07	7.01	3.95	0.76	0.82	—
日		—	—	3	2	5	1	11	31	13	26	26	27	—
1952		0.64	0.37	0.86	2.08	3.23	6.39	9.09	11.88	5.52	2.77	0.85	0.59	0.37
日		17	1, 2	1	21	7	20	4	20	26	22	30	24	1, 2/2
1953		0.44	0.52	0.98	2.20	4.50	9.57	13.95	12.20	5.99	2.99	1.26	0.95	0.44
日		15, 16	1	25	11	14	7	1	31	19	31	19	3, 21	15, 16/1
極日	值	0.40	0.37	0.38	2.08	3.23	6.39	9.09	9.30	5.52	2.77	0.76	0.40	0.37
年	期	6	1, 2	3	21	7	20	4	27	26	22	26	3*	1, 2/2
	份	1950	1952	1951	1952	1952	1952	1952	1949	1952	1952	1951	1949	1952
安 東														
$\varphi = 40^{\circ}05'N$ $\lambda = 124^{\circ}07'E$ $H = 58.9 M$														
平均绝对湿度(毫米)														
1949		—	—	—	—	9.80	14.10	19.00	19.00	10.40	7.80	4.10	2.10	—
1951		1.49	2.07	3.31	5.24	9.49	13.07	18.62	19.85	10.92	8.54	4.49	3.03	8.34
1952		1.73	1.48	3.62	6.37	10.46	14.16	19.04	18.10	11.97	7.68	3.91	1.51	8.34
1953		1.31	1.93	3.62	5.33	9.43	14.42	19.88	17.42	11.54	8.76	3.15	2.09	8.24
平 均		1.51	1.83	3.52	5.65	9.79	13.88	19.18	18.46	11.48	8.33	3.85	2.21	8.31
最大绝对湿度(毫米)														
1951		4.12	5.89	6.67	11.33	16.13	18.39	24.53	25.32	17.94	15.78	9.37	5.93	25.32
日		31	21	17	28	27	29	8	19	3	9	3	12	19/8
1952		4.07	4.01	6.30	11.88	16.33	21.62	25.94	24.15	19.23	15.16	10.98	5.08	25.94
日		13	26	29	30	14	30	18	10	2	8	10	14	18/7
1953		4.55	5.77	6.91	10.83	14.47	19.56	24.59	24.54	18.67	16.65	8.81	7.48	24.59
日		9	28	19	28	28	26	15	20	9	4	4	1	15/7
極日	值	4.55	5.89	6.91	11.88	16.33	21.62	25.94	25.32	19.23	16.65	10.98	7.48	25.94
年	期	9	21	19	30	14	30	18	19	2	4	10	1	18/7
	份	1953	1951	1953	1952	1952	1952	1952	1951	1952	1953	1952	1953	1952
最小绝对湿度(毫米)														
1951		0.23	0.66	0.43	2.75	3.80	7.77	12.17	9.96	6.02	3.03	0.97	0.81	0.23
日		13	3	3	2	5	8	29	31	19	26	26	29	13/1
1952		0.50	0.28	0.86	3.01	4.91	8.24	12.50	11.37	5.72	2.38	0.74	0.68	0.28
日		31	3	3	1	23	4, 5	4	20	29	25	6	2, 3	3/2

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	0.48 13	0.51 2	1.01 12, 13	1.72 11	3.52 15	9.72 1	14.31 1	11.18 30	4.79 19	3.34 31	1.00 14	0.82 2	0.48 13/1
恒 值 日 期 年 份		0.23 13 1951	0.28 3 1952	0.43 3 1951	1.72 11 1953	3.52 15 1953	7.77 8 1951	12.17 29 1951	9.96 31 1951	4.79 19 1953	2.38 25 1952	0.74 6 1952	0.68 2, 3 1952	0.23 13/1 1951
大 連 $\varphi=38^{\circ}54'N$ $\lambda=121^{\circ}38'E$ $H=95.6M$														
平均绝对湿度(毫米)														
1904	日	—	—	—	—	—	—	—	—	—	6.70	4.10	2.80	—
1905	日	3.20	1.90	3.30	4.70	7.70	11.80	17.10	16.70	12.20	8.00	4.40	3.20	7.85
1906	日	2.20	2.10	3.40	5.00	7.80	13.10	17.90	17.50	11.30	8.20	3.50	3.30	7.94
1907	日	2.90	2.00	3.10	5.30	8.00	12.00	16.90	19.30	12.40	8.90	4.00	2.40	8.10
1908	日	2.10	2.10	2.70	4.50	7.70	13.50	17.60	18.70	13.40	8.60	4.10	2.80	8.15
1909	日	2.00	2.10	2.60	4.80	7.20	11.60	18.60	19.20	12.80	7.50	5.00	2.60	8.00
1910	日	2.00	2.30	2.90	4.80	7.40	12.30	17.50	18.20	11.30	8.50	4.30	2.10	7.80
1911	日	2.40	2.60	3.40	5.30	7.60	12.50	17.10	18.40	14.90	6.90	4.60	2.60	8.19
1912	日	1.90	3.20	3.40	4.80	7.60	12.60	17.40	19.40	10.20	6.70	3.50	2.40	7.76
1913	日	2.30	2.30	2.80	5.10	6.40	12.00	15.50	16.50	15.30	6.50	4.40	2.50	7.63
1914	日	2.80	2.80	3.90	4.90	7.40	12.90	20.10	19.50	13.40	9.10	4.50	2.30	8.63
1915	日	2.20	2.20	2.90	4.60	7.50	11.70	17.50	16.70	10.20	8.30	5.00	3.30	7.68
1916	日	2.80	2.60	2.60	5.00	7.30	11.70	16.90	18.30	11.90	7.50	4.90	2.50	7.83
1917	日	1.60	2.00	3.00	4.20	6.80	12.70	17.70	18.00	12.40	7.30	4.20	2.20	7.68
1918	日	1.90	2.40	3.60	4.90	8.10	12.00	17.80	18.40	11.90	7.40	4.00	2.40	7.90
1919	日	1.90	2.70	3.50	4.60	7.60	12.50	18.30	18.40	12.10	7.60	5.00	2.40	8.05
1920	日	2.30	2.00	3.70	4.90	7.90	12.20	19.30	17.50	12.10	8.90	5.10	2.40	8.19
1921	日	2.20	2.30	2.90	4.90	8.10	11.50	17.20	17.70	12.40	7.40	3.60	3.00	7.77
1922	日	1.50	3.30	3.20	5.60	7.90	11.70	18.00	19.00	12.90	8.30	3.50	3.50	8.20
1923	日	1.90	1.90	4.10	5.10	7.80	12.00	17.90	20.30	11.30	7.10	4.60	2.90	8.08
1924	日	2.40	2.00	2.90	5.40	7.30	12.00	18.30	17.90	12.40	7.70	3.60	2.20	7.84
1925	日	1.90	2.00	2.80	5.00	8.90	12.70	16.70	17.30	12.40	8.00	5.00	2.50	7.93
1926	日	2.20	2.90	3.00	4.10	9.00	11.00	16.60	18.60	12.20	6.70	5.40	2.20	7.83
1927	日	2.50	2.20	3.70	5.30	7.30	11.70	18.90	17.20	12.80	8.00	5.10	2.70	8.12
1928	日	2.30	2.40	3.10	4.90	7.70	12.10	16.60	17.50	11.40	7.20	4.50	2.40	7.68
1929	日	2.00	2.20	2.80	4.30	8.10	12.50	19.10	17.80	11.60	7.30	3.90	2.70	7.86
1930	日	1.80	2.80	3.90	5.10	8.00	10.80	19.40	18.50	11.50	7.80	3.60	2.60	7.98
1931	日	2.20	1.80	3.20	4.30	7.50	12.40	15.90	18.60	12.60	6.70	5.00	2.70	7.74
1932	日	2.50	1.90	2.70	4.70	7.40	12.50	18.60	16.90	12.40	6.80	4.30	2.70	7.78
1933	日	1.60	2.10	2.70	4.90	7.80	13.40	18.90	17.30	12.10	7.00	4.20	2.70	7.89
1934	日	1.50	2.30	2.70	4.50	8.50	12.40	19.10	18.30	12.40	7.00	4.20	3.20	8.01
1935	日	2.30	2.70	3.40	4.60	6.90	11.50	17.90	18.50	12.20	9.00	4.20	2.10	7.94
1936	日	1.40	1.70	2.40	4.80	7.70	12.70	17.30	17.00	13.30	7.40	4.50	2.60	7.73
1937	日	2.20	2.30	3.40	4.90	7.40	12.90	18.50	19.90	13.70	8.70	5.00	2.30	8.43
1938	日	1.70	2.30	3.00	5.10	8.20	12.80	19.40	18.00	10.70	9.10	3.90	2.80	8.08
1939	日	2.30	2.40	3.70	5.60	7.70	11.40	18.80	18.80	12.30	8.40	4.90	2.80	8.26
1940	日	1.60	2.20	3.20	4.60	7.80	12.00	18.10	16.10	12.10	8.90	5.20	3.20	7.92
1951	日	2.16	2.57	3.61	4.83	9.43	12.39	17.90	19.81	11.51	9.39	5.18	3.73	8.54
1952	日	2.47	2.07	3.48	5.74	8.60	11.87	18.64	17.81	12.64	8.26	4.99	2.27	8.24
1953	日	1.76	2.30	3.68	4.87	8.75	14.12	20.14	18.55	12.56	9.76	4.18	2.78	8.62
平 均		2.13	2.31	3.19	4.89	7.79	12.24	17.98	18.16	12.29	7.89	4.44	2.67	8.00
最大绝对湿度(毫米)														
1904	日	—	—	—	—	—	—	—	—	—	13.90	10.40	6.80	—
1905	日	5.60	4.20	6.10	7.90	13.10	16.80	22.20	21.90	20.00	14.50	11.00	7.80	22.20
1906	日	4.90	4.50	6.20	8.80	12.70	16.80	22.90	22.10	17.70	14.50	8.20	8.00	22.90
1923	日	6.20	4.10	7.40	8.70	13.90	15.80	24.00	27.50	20.40	13.50	10.40	7.00	27.50
平 均		2.13	2.31	3.19	4.89	7.79	12.24	17.98	18.16	12.29	7.89	4.44	2.67	8.00

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1924	日	5.40	4.90	6.20	9.30	12.00	17.70	21.40	23.00	20.50	16.70	9.90	4.50	23.00
	日	13	6	30	30	31	29	21	11	6	2	18	3	11/8
1925	日	4.60	4.50	5.50	8.70	13.10	18.30	20.30	22.10	17.10	13.90	9.30	6.00	22.10
	日	10	16, 17	31	21	25	28	31	23	28, 29	18	17	9	23/8
1926	日	5.20	5.50	6.30	8.10	13.10	16.70	21.70	23.70	18.50	15.30	10.10	6.80	23.70
	日	11	13	13	18	24, 26	25	29	9	11	4	5	1	9/8
1927	日	5.80	4.80	6.70	9.50	12.30	16.70	25.30	23.00	20.60	15.60	11.30	7.00	25.30
	日	6	24	31	27	30	30	26	8	1	7	3	5	26/7
1928	日	4.50	5.40	5.80	9.50	12.90	17.50	21.20	23.20	20.20	13.70	11.70	4.80	23.20
	日	25	22	31	29, 30	30	29	15	24	7	2	6	3*	24/8
1929	日	5.40	5.80	6.20	8.00	10.90	18.50	23.30	23.20	17.10	13.70	8.20	8.30	23.30
	日	13	22	23	27	3*	30	26	19	23	1, 4	5	1	26/7
1930	日	3.90	6.30	8.30	9.70	12.90	16.50	22.50	23.30	20.00	12.60	9.10	6.10	23.30
	日	1	22	26	19	6	30	23	2	5, 6	8	18	17	2/8
1931	日	6.20	4.50	6.20	8.80	11.10	17.20	20.60	24.10	17.60	14.60	9.10	8.40	24.10
	日	4	1	21	28	23	27	31	13	8	6	8	6	13/8
1932	日	6.00	5.00	5.50	7.90	12.90	17.50	23.00	23.40	16.40	12.60	10.00	7.30	23.40
	日	5	1	11	30	19	28	30	5	22	6	2	18	5/8
1933	日	4.10	5.00	5.10	9.20	13.10	17.70	23.90	22.60	19.20	15.20	8.10	6.60	23.90
	日	9	7	26	30	29	24	15	6	8	4	9	3, 7	15/7
1934	日	3.50	4.50	5.70	8.40	13.60	19.10	24.30	23.50	18.20	12.80	9.40	7.00	24.30
	日	9	21	19	23	31	29	9	19	4	3*	6	7	9/7
1935	日	4.90	5.90	6.70	10.80	13.80	16.80	24.30	23.90	19.10	15.20	11.30	6.60	24.30
	日	11	27	18	24	24	27	27	1	3	11	1	6	27/7
1936	日	3.70	4.40	5.20	7.50	11.90	16.80	22.50	—	—	—	—	—	—
	日	11	15	16	21	31	14, 17	26	—	—	—	—	—	—
1938	日	3.70	5.90	6.40	9.90	14.00	16.50	—	—	—	—	—	—	—
	日	17	28	21	22	31	30	—	—	—	—	—	—	—
1951	日	4.76	6.45	6.59	10.44	15.32	17.40	23.92	25.34	17.63	15.88	11.67	6.81	25.34
	日	29	21	27	28	28	29	27	11	4	17	14	25	11/8
1952	日	5.43	4.55	6.27	10.93	12.55	19.42	26.09	23.95	19.95	15.14	12.02	5.81	26.09
	日	27	29	21	28	29	30	30	14	17	7	10	14	30/7
1953	日	5.46	6.77	6.73	11.86	13.14	18.25	27.35	26.12	20.61	16.03	9.69	8.29	27.35
	日	9	28	19	28	29	27	29	18	9	6	4	1	29/7
極 值	日	6.20	6.77	8.30	11.86	15.32	19.42	27.35	27.50	20.61	16.70	12.02	8.40	27.50
期 份	日	20, 4	28	26	28	28	30	29	12	9	2	10	6	12/8
年	日	1923, 31	1953	1930	1953	1951	1952	1953	1923	1953	1924	1952	1931	1923
最小绝对湿度(毫米)														
1904	日	—	—	—	—	—	—	—	—	—	2.60	1.10	0.90	—
	日	—	—	—	—	—	—	—	—	—	29	22, 29	11	—
1905	日	0.90	0.40	1.10	2.50	3.20	5.90	10.00	10.10	3.80	2.20	1.50	1.20	0.40
	日	30	8	14	22	8	9	20	8	28	27	15	31	8/2
1906	日	0.70	0.60	0.80	1.80	3.80	5.50	10.80	10.20	3.60	3.80	1.10	1.30	0.60
	日	17	10	3	4	10	10	14	8	25	1	29	24	10/2
1923	日	0.60	0.70	1.10	2.10	3.70	6.30	10.80	13.70	4.40	2.40	1.20	1.00	0.60
	日	3*	23	12	2	1	2	1	27	21	23	30	27, 28	3*
1924	日	0.60	0.80	1.10	0.80	3.00	4.00	11.70	7.80	5.60	1.90	1.40	0.90	0.60
	日	27	22, 27	1	3	18	10	22	27	11	19	24	29	27/1
1925	日	0.90	0.60	0.60	1.20	4.90	5.50	10.10	10.90	6.60	2.50	1.50	0.90	0.60
	日	27, 30	24, 26	4, 5	3	18	14	3	7	20	21	29	29	4*
1926	日	0.70	0.70	1.10	1.70	2.90	5.30	8.00	10.00	4.20	2.70	1.60	1.00	0.70
	日	23	15	25	20	6	4	7	30	28	31	17	4*	23/1, 15/2
1927	日	0.70	0.80	1.40	1.70	2.80	5.10	12.20	11.70	5.40	3.30	1.00	0.70	0.70
	日	20, 21	26, 27	13, 14	2	11	18	7	3	19	29	29	26	3*
1928	日	0.70	0.80	1.20	2.20	3.20	5.10	9.70	10.70	2.90	2.00	1.50	1.00	0.70
	日	5	7	21	5	17, 18	2	18	21	24	29, 30	3*	3*	5/1
1929	日	0.70	0.70	0.80	1.50	4.50	7.90	14.70	8.40	4.90	2.10	1.50	0.90	0.70
	日	22	1	3	1	4	17	4	31	29	31	20, 21	19, 27	22/1, 1/2
1930	日	0.70	0.80	1.10	1.20	3.20	5.60	12.40	12.30	5.50	3.10	1.40	0.70	0.70
	日	3, 4	6, 9	6	13	2	2	1	27	22	10	30	30	3*
1931	日	0.40	0.50	0.70	1.70	3.80	7.60	12.30	11.60	4.70	1.80	1.30	1.00	0.40
	日	9	7	16	11	1, 10	11	26	28	28	26	18	17	9/1
1932	日	0.90	0.80	1.00	1.60	3.30	7.30	13.20	9.20	7.30	3.10	1.30	1.00	0.80
	日	3*	16	13	10	8	25	1	20	2	17	26	22	16/2
1933	日	0.60	0.70	1.10	1.80	2.40	5.30	12.10	11.90	3.50	2.00	1.10	1.20	0.60
	日	3*	12	4, 5	15	2	2	26	21	27	29	30	30	3*
1934	日	0.70	1.00	0.80	1.50	3.80	6.00	14.80	11.80	5.80	2.00	1.00	1.00	0.70
	日	3*	18, 23	8	1	13	5	2	26	21	24	27	23	3*

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1935	日	0.90	0.60	1.20	1.10	3.10	6.20	11.40	9.10	5.60	2.30	1.00	0.60	0.60
1936	日	5,17	7	20	11	1	4	1	29	13	30	23	8,29	3x
1938	日	0.60	0.50	0.60	2.00	3.50	6.50	9.70	—	—	—	—	—	—
1951	日	5x	1	25	20	6	4	3	—	—	—	—	—	—
1952	日	0.60	0.90	1.00	2.20	3.40	6.90	—	—	—	—	—	—	—
1953	日	12,26	8	7	4	9	15	—	—	—	—	—	—	—
1951	日	0.54	0.76	0.88	1.54	3.21	6.06	11.74	8.79	6.32	3.36	1.52	1.34	0.54
1952	日	1	2	2	20	5	9	29	31	26	24	22	27	1/1
1952	日	0.81	0.57	0.93	1.95	2.93	5.31	9.89	9.89	4.99	2.88	1.28	0.67	0.57
1953	日	11,17	16	3	21	7	6	4	20	28	22	30	15	16/2
1953	日	0.56	0.84	1.13	1.81	3.13	8.93	12.31	10.98	4.52	4.21	1.39	0.89	0.56
1953	日	1	15	26	16	15	6	1	28	19	31	17	2	1/1
極 值	日 期	0.40	0.40	0.60	0.80	2.40	4.00	8.00	7.80	2.90	1.80	1.00	0.60	0.40
日 年	份	9	8	3x	3	2	10	7	27	24	26	3x	8,29	8/2,9/1
		1931	1905	1925	1924	1933	1924	1926	1924	1928	1931	3年	1935	1905
				1936										1931
旅 順 $\varphi = 38^{\circ}48'N$ $\lambda = 121^{\circ}13'E$ $H = 16.1 M$ 平均绝对湿度(毫米)														
1906		2.30	2.10	3.50	6.10	9.60	14.90	19.20	18.60	12.40	9.20	4.20	3.60	8.80
1907		3.10	2.00	3.30	5.90	8.90	13.80	18.40	21.10	15.50	10.60	4.80	2.70	9.20
1908		2.30	2.20	3.00	5.10	8.50	13.80	17.90	19.50	14.00	9.60	4.50	3.20	8.60
1909		2.30	2.40	3.00	5.20	7.90	11.70	18.00	18.60	13.00	8.30	5.20	2.60	8.20
1910		2.10	2.20	3.00	5.00	7.90	13.00	18.40	19.30	12.20	9.50	4.60	2.20	8.30
1911		2.40	2.80	3.30	5.40	7.90	13.20	16.90	18.50	15.30	7.30	5.00	2.70	8.40
1912		1.90	3.20	3.30	4.80	8.10	13.80	18.80	20.40	11.40	7.90	3.90	2.50	8.30
1913		2.30	2.40	3.00	5.60	7.70	12.40	16.70	17.20	12.40	7.40	5.20	2.70	7.90
1914		2.90	2.90	4.00	5.00	8.20	14.10	20.10	19.70	13.60	9.30	4.70	2.60	8.90
1915		2.40	2.30	3.00	4.90	7.70	12.30	18.40	18.00	11.90	9.40	5.40	3.70	8.30
1916		2.90	2.70	2.70	4.90	7.40	11.50	16.80	17.90	12.00	8.40	5.40	2.80	7.90
1917		1.70	2.10	3.20	4.00	6.60	12.10	18.00	18.60	11.90	7.30	4.20	2.30	7.70
1918		2.00	2.50	3.60	4.50	7.90	12.00	17.40	19.20	12.80	8.50	4.10	2.70	8.10
1919		2.00	2.80	3.50	4.90	7.70	12.50	18.60	17.50	12.20	7.40	5.00	2.50	8.00
1920		2.40	2.10	3.80	5.00	8.20	12.10	18.90	17.10	11.70	8.60	5.20	2.70	8.10
1921		2.60	2.50	3.20	5.30	8.10	11.80	17.60	17.70	11.90	7.70	3.70	3.10	7.90
1922		1.70	3.50	3.30	5.60	8.00	12.00	17.90	19.00	13.10	8.60	3.80	2.60	8.30
1923		2.00	2.10	4.10	5.00	8.00	11.90	18.00	20.40	11.40	7.20	4.70	3.10	8.20
1924		2.50	2.20	3.20	5.70	7.20	12.30	18.40	17.60	12.30	7.70	3.70	2.50	7.90
1925		2.10	2.10	3.00	4.90	8.60	12.70	16.60	16.90	12.30	7.80	5.00	2.70	7.90
1926		2.30	2.90	3.10	4.70	9.10	11.10	16.50	18.70	12.30	6.60	5.50	2.30	7.90
1927		2.50	2.20	3.60	5.30	7.10	11.80	19.00	16.90	13.00	8.00	5.70	3.00	8.20
1928		2.50	2.40	3.10	5.10	8.00	12.60	17.50	18.20	11.80	7.10	4.70	2.50	8.00
1929		1.90	2.30	2.90	4.50	8.20	12.50	19.30	18.30	11.90	7.50	3.90	2.80	8.00
1930		2.10	3.10	4.10	5.50	8.30	11.30	19.30	18.90	11.90	8.20	3.60	2.70	8.20
1931		2.20	1.90	3.40	4.50	7.60	12.60	15.70	18.40	13.20	7.00	5.00	2.80	7.90
1932		2.60	1.90	2.70	5.00	8.30	13.60	19.60	19.80	14.80	7.30	4.70	2.80	8.60
1933		1.80	2.40	2.90	5.10	7.90	13.10	18.70	17.50	13.20	8.30	4.50	3.00	8.20
1934		1.80	2.50	3.00	4.70	8.50	12.50	19.00	17.80	12.90	8.20	5.00	3.60	8.30
1935		2.50	2.90	3.70	5.30	7.10	11.70	18.40	18.60	12.40	9.50	4.80	2.30	8.30
1936		1.70	2.00	2.80	4.90	7.60	12.50	17.20	17.70	13.10	7.90	5.10	2.70	7.90
1937		2.50	2.60	3.60	5.20	7.90	14.30	19.90	20.30	13.60	8.90	5.00	2.50	8.90
1938		1.90	2.50	3.90	5.20	8.50	13.40	20.00	18.30	11.30	9.40	4.20	2.80	8.50
1939		2.50	2.60	3.80	5.30	8.20	11.90	19.40	19.70	13.00	8.80	5.20	3.00	8.60
1940		1.90	2.40	3.60	5.10	8.30	12.70	18.70	16.30	12.20	8.90	5.60	3.40	8.30
平 均		2.25	2.45	3.32	5.09	8.02	12.61	18.26	18.52	12.68	8.27	4.71	2.79	8.25
最大绝对湿度(毫米)														
1923	日	5.80	4.40	7.00	8.50	13.90	16.00	24.30	26.30	20.60	12.40	10.70	7.30	26.30
1924	日	20	17	25,26	29	23	24	30	3	5	19,28	6	6	3/8
1924	日	4.80	4.90	5.90	10.30	11.60	17.80	21.80	22.50	19.80	16.40	9.90	5.40	22.50
1924	日	13	6	30	14	31	27,29	11	6	6	2	18	3	6/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	—	—	1.50	2.90	4.90	8.80	11.70	11.50	5.30	3.00	1.10	0.40	—	—
1951	0.35	0.45	1.45	3.44	4.40	7.59	10.78	10.55	5.83	3.65	1.80	1.03	4.28	—
1952	0.46	0.40	1.55	3.59	4.91	9.40	12.37	11.06	6.75	3.00	1.23	0.47	4.60	—
1953	0.43	0.71	1.71	2.63	5.38	11.21	12.69	10.70	5.46	3.70	1.32	0.70	4.72	—
平 均	0.40	0.63	1.49	3.08	4.92	9.03	12.34	10.93	6.35	3.31	1.42	0.64	4.55	—
最大绝对湿度(毫米)														
1935	日	1.60	2.90	3.60	5.60	8.60	12.30	15.80	16.60	12.00	7.70	4.60	1.30	16.60
		31	24	30	26	21	24	13	15	14	25	2	27	15/8
1936	日	0.90	1.80	3.60	4.60	7.50	13.40	16.00	15.40	10.80	5.90	3.30	1.40	16.00
		10, 27	6	31	21	31	23	28	5	1	8	6	27	28/7
1937	日	2.00	3.30	2.40	8.10	8.50	18.30	18.20	18.10	13.70	5.90	4.10	1.60	18.30
		4	21, 22	29, 30	23	23	26	20	11	1	8, 11	5	8	26/6
1938	日	1.70	2.70	5.60	5.70	10.50	15.70	18.40	16.10	9.60	8.40	3.90	1.30	18.40
		18	28	22	21	30	29	24	1	3	9	1	31	24/7
1939	日	1.10	2.10	3.70	7.70	12.40	25.70	19.10	18.90	10.40	7.30	4.20	2.60	25.70
		23	23	6	20	31	13	17	9	1	3	6	30	13/6
1940	日	1.60	1.50	3.80	6.10	9.50	15.70	16.90	15.70	12.30	5.70	4.00	1.90	16.90
		1	23	24, 25	21	10	28, 29	9	20	1	3	1	1	9/7
1941	日	2.20	1.80	3.90	5.70	—	—	—	—	—	—	—	—	—
		6	25	19	30	—	—	—	—	—	—	—	—	—
1950	日	—	—	4.50	4.80	9.40	13.30	17.50	18.50	10.00	5.90	4.00	1.90	—
		—	—	30	12	31	13	15	15	7	7	2	10	—
1951	日	1.48	1.20	4.30	5.82	8.30	13.41	16.92	15.69	10.44	9.11	4.21	2.78	16.92
		17	19	25	19	24	28	25	2	6	6	20	11	25/7
1952	日	1.17	1.25	4.70	7.26	10.94	14.65	17.33	17.10	11.85	6.91	3.50	2.24	17.33
		22	8	13	27	17	27	15	11	4	4	1, 27	13	15/7
1953	日	1.46	2.95	4.50	4.52	9.65	17.05	18.18	20.73	10.29	9.02	3.42	2.30	20.73
		23	27	22	2	29	18	23	7	8	6	30	15	7/8
極 值	日 期	2.20	3.30	5.60	8.10	12.40	25.70	19.10	20.73	13.70	9.11	4.60	2.78	25.70
日 年	份	6	21, 22	22	23	31	13	17	7	1	6	2	11	13/6
		1941	1937	1938	1937	1939	1939	1939	1953	1937	1951	1935	1951	1939
最小绝对湿度(毫米)														
1935	日	0.20	0.20	0.60	0.70	2.60	4.10	6.70	4.80	2.80	1.20	0.30	0.10	0.10
		3, 15	5	4	6	1	4	20	27	12, 13	31	31	10	10/12
1936	日	0.10	0.10	0.20	0.90	2.00	3.90	6.40	5.80	4.10	1.00	0.30	0.20	0.10
		31	3	1	23	3	27	1	21	25	16	27	18	41
1937	日	0.10	0.10	0.20	1.00	2.00	3.80	7.80	5.80	3.00	1.20	0.30	0.10	0.10
		61	3	7, 12	25	1	4	10	26	20	29	30	51	121
1938	日	0.10	0.10	0.40	0.90	1.90	2.80	7.80	5.50	3.80	1.20	0.30	0.10	0.10
		91	51	8, 10	3	3	2	20	31	29	31	24	61	201
1939	日	0.10	0.10	0.40	0.80	1.90	4.50	9.20	6.90	2.50	1.10	0.20	0.20	0.10
		41	41	31	3	8, 9	1	31	28	29	8	30	10, 11	81
1940	日	0.10	0.10	0.30	1.10	1.90	4.10	8.40	5.50	2.50	0.80	0.30	0.30	0.10
		31	51	12, 13	8	4	5	31	21	27	17	26	31	81
1941	日	0.10	0.10	0.20	0.90	—	—	—	—	—	—	—	—	—
		41	9, 11	1, 2	6	—	—	—	—	—	—	—	—	—
1950	日	—	—	0.20	0.80	2.00	3.30	7.40	5.80	2.10	1.20	0.10	0.00	0.00
		—	—	9	11	12	20	31	31	17	20	14	31	31/12
1951	日	0.03	0.11	0.15	1.35	1.87	3.74	4.92	6.35	3.23	1.60	0.39	0.16	0.03
		1, 2	17	2	7, 8	4	4	28	31	7	27	31	28	1, 2/1
1952	日	0.10	0.08	0.18	1.49	2.37	4.60	7.05	6.78	3.56	1.08	0.21	0.10	0.08
		31	1	6	9	19	5	3	24	27	21	30	21, 22	1/2
1953	日	0.09	0.14	0.35	0.97	1.54	6.68	7.62	5.10	2.20	1.02	0.28	0.21	0.09
		14	14	2	10	2, 3	6	5	21	18	30	19	3	14/1
極 值	日 期	0.03	0.08	0.15	0.70	1.54	2.80	4.92	4.80	2.10	0.80	0.10	0.00	0.00
日 年	份	1, 2	1	2	6, 2, 3	2, 3	2	28	27	17	17	14	31	31/12
		1951	1952	1951	1931	1953	1938	1951	1935	1950	1940	1950	1950	1950
興 安														
$\varphi = 48^{\circ}50'N$ $\lambda = 121^{\circ}40'E$ $H = 981.4 M$														
平均绝对湿度(毫米)														
1935	—	—	—	—	—	—	—	—	—	—	—	—	0.50	—
1936	0.30	0.50	1.20	2.70	4.30	7.40	11.30	9.90	6.60	2.80	1.30	0.90	4.10	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937		0.60	0.90	1.00	2.50	4.00	7.80	10.60	10.10	5.80	2.70	1.40	0.60	4.00
1938		0.60	0.90	1.80	2.60	4.50	8.70	12.30	10.20	6.10	3.20	1.50	0.60	4.42
1939		0.50	0.80	1.50	3.20	4.50	8.80	12.90	11.40	6.00	3.00	1.50	1.10	4.60
1940		0.40	0.80	1.60	2.80	4.30	7.80	11.40	8.70	6.20	2.60	1.50	0.80	4.08
1941		0.50	0.60	1.00	2.50	—	—	—	—	—	—	—	—	—
平 均		0.48	0.76	1.42	2.76	4.32	8.10	11.70	10.06	6.14	2.86	1.44	0.80	4.24
最大绝对湿度(毫米)														
1936		1.60	1.20	2.80	4.50	7.60	11.20	16.50	15.80	14.10	5.80	2.50	1.50	16.50
日		10	6	26	21	31	23	20	7	3	8	4	29	20/7
1937		1.40	3.60	2.20	5.90	6.90	13.30	16.80	17.70	11.00	6.10	2.90	2.10	17.70
日		4	22	30, 31	23, 30	23	29	21	12	1	8, 9	4	8	12/8
1938		1.70	2.30	3.90	4.80	9.90	12.80	16.90	18.10	9.30	6.60	3.40	1.70	18.10
日		17	28	23, 24	10	30	30	9	1	8	9	1	2	1/8
1939		1.20	1.70	2.80	6.50	10.10	12.90	19.80	18.60	11.80	6.40	4.40	3.10	19.80
日		24, 29	30	9	20	31	21	17	3	1	3	5	30	17/7
1940		1.00	1.80	3.80	5.50	7.60	15.40	16.30	14.30	11.60	5.80	4.10	1.70	16.30
日		1, 2	23	24	22	20	30	10	20	7	3	11	6	10/7
1941		1.50	1.60	3.30	4.50	—	—	—	—	—	—	—	—	—
日		17	18	17	30	—	—	—	—	—	—	—	—	—
極 值	日期	1.70	3.60	3.90	6.50	10.10	15.40	19.80	18.60	14.10	6.60	4.40	3.10	19.80
日 年	份	17	22	23, 24	20	31	30	17	3	3	9	5	30	17/7
1938	1937	1938	1939	1939	1939	1940	1939	1939	1936	1938	1939	1939	1939	1939
最小绝对湿度(毫米)														
1936		0.10	0.20	0.30	1.20	1.90	4.80	6.40	5.30	4.50	1.10	0.40	0.40	0.10
日		50	40	1	7, 8	2	1	7	22	15, 26	17	16	12, 19	50
1937		0.30	0.30	0.40	0.70	1.90	3.60	5.60	4.90	2.30	1.20	0.40	0.10	0.10
日		100	11, 27	7, 17	16	3	1	17	27	21	30	30	20, 26	20, 26/12
1938		0.20	0.20	0.70	0.80	1.10	2.30	6.60	4.50	2.90	1.20	0.60	0.20	0.20
日		12, 22	6	70	3	3	3	21	31	30	31	20, 21	40	70
1939		0.10	0.20	0.50	0.90	1.40	3.60	7.40	5.70	2.10	1.50	0.60	0.40	0.10
日		15	4	13	2, 3	9	1	23	28	29	20	30	10, 11	15/1
1940		0.20	0.30	0.60	1.10	1.90	3.40	6.80	5.70	2.20	1.10	0.50	0.20	0.20
日		7, 8	60	14	7	10	5	31	24	28	19	21, 26	31	30
1941		0.10	0.10	0.30	0.80	—	—	—	—	—	—	—	—	0.10
日		40	30	30	1	—	—	—	—	—	—	—	—	70
極 值	日期	0.10	0.10	0.30	0.70	1.10	2.30	5.60	4.50	2.10	1.10	0.40	0.10	0.10
日 年	份	100	30	40	16	3	3	17	31	29	17, 19	16, 30	20, 26	150
3年	1941	1936	1937	1938	1938	1937	1938	1939	1936	1936	1936	1937	1937	4年
			1941							1940	1937			
博克圖 $\varphi = 48^{\circ}46'N$ $\lambda = 120^{\circ}55'E$ $H = 738.7 M$														
平均绝对湿度(毫米)														
1951		0.58	0.79	1.45	2.83	4.07	7.71	11.33	10.99	5.27	3.27	1.82	1.32	4.32
1952		0.65	0.54	1.59	3.18	4.56	9.54	12.67	11.08	6.25	2.97	1.31	0.59	4.58
1953		0.64	0.95	1.73	2.75	5.02	10.66	12.50	10.50	5.00	3.29	1.38	0.99	4.62
平 均		0.62	0.76	1.59	2.92	4.55	9.30	12.17	10.86	5.65	3.18	1.50	0.97	4.51
最大绝对湿度(毫米)														
1951		2.46	1.67	3.93	4.86	8.48	13.96	16.52	16.27	10.14	7.46	4.14	2.89	16.52
日		30	20	24	25	28	17	26	11	6	6	2, 3	2	26/7
1952		1.41	1.32	3.88	7.46	8.46	17.36	17.55	16.85	10.51	7.41	3.67	1.67	17.55
日		21	8	25	27	17	26	15	11	1	1	3	11	15/7
1953		1.82	3.90	4.65	4.34	9.12	16.55	17.40	21.35	10.16	7.99	3.82	2.05	21.35
日		23	27	22	24	21	19	24	7	9	17	2	23	7/8
極 值	日期	2.46	3.90	4.65	7.46	9.12	17.36	17.55	21.35	10.51	7.99	4.14	2.89	21.35
日 年	份	30	27	22	27	21	26	15	7	1	17	2, 3	2	7/8
1951	1953	1953	1952	1953	1952	1952	1953	1952	1953	1952	1953	1951	1951	1953
最小绝对湿度(毫米)														
1951		0.09	0.30	0.25	0.57	0.83	3.86	5.61	6.41	3.30	1.46	0.38	0.34	0.09
日		2	22	2	8	5	4	29	31	8	25	22	28	2/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	0.19	0.15	0.41	1.18	1.74	5.04	7.88	6.91	3.27	1.09	0.33	0.15	0.15
1953	日	31	2	7	6, 13	20	9	31	15	28	21	30	22	2/22, 12
1953	日	0.22	0.31	0.59	1.10	1.06	6.01	8.00	4.62	1.94	1.05	0.63	0.44	0.22
	日	1, 13	14	25	11	9	2	6	21	17	30	19	20	1, 13/1
極日	值	0.09	0.15	0.25	0.57	0.83	3.86	5.61	4.62	1.94	1.05	0.33	0.15	0.09
年	期	2	2	2	6	5	4	29	21	17	30	30	22	2/1
	份	1951	1952	1951	1951	1951	1951	1951	1953	1953	1953	1952	1952	1951
索 倫 $\varphi = 46^{\circ}36'N$ $\lambda = 121^{\circ}14'E$ $H = 546.5 M$ 平均绝对湿度(毫米)														
1937	日	0.08	1.00	1.10	2.50	4.50	9.40	12.00	10.90	6.90	3.40	1.50	0.70	4.56
1938	日	0.70	1.10	1.70	2.70	4.50	9.70	13.90	11.90	7.20	4.20	1.90	0.80	5.06
1939	日	0.80	1.10	1.60	3.50	4.80	10.00	15.50	13.00	6.90	3.40	1.80	1.30	5.31
1940	日	0.60	1.00	1.80	2.70	4.40	9.00	12.70	9.80	6.90	3.00	1.70	1.10	4.56
1941	日	0.80	1.00	1.50	2.70	—	—	—	—	—	—	—	—	—
平 均		0.73	1.05	1.55	2.85	4.65	9.53	13.53	11.40	6.98	3.50	1.73	0.98	4.87
最大绝对湿度(毫米)														
1937	日	1.80	2.50	2.50	7.00	8.00	15.60	17.70	19.20	14.10	7.60	3.10	2.40	19.20
1938	日	4	22	27	23, 30	24	29	20	8	1	9	3	8	8/8
1938	日	1.80	2.50	4.50	5.40	11.70	15.60	20.00	18.30	11.10	8.50	4.00	2.30	20.00
1939	日	18	14	21	17, 26	27	29	24	2	5	9	5	3	24/7
1939	日	1.70	2.60	3.40	7.30	11.80	14.80	21.90	20.60	12.30	7.50	4.10	2.80	21.90
1940	日	28	17, 23	5	20	29	19	14	3	1	5	6	30	14/7
1940	日	1.70	2.60	3.80	6.60	8.30	18.00	19.10	16.50	12.80	5.60	4.40	2.10	19.10
1941	日	12	23	22	30	11	30	27	12	7	3	2	3	27/7
1941	日	2.10	2.80	4.00	7.10	—	—	—	—	—	—	—	—	—
1941	日	17	18	19	30	—	—	—	—	—	—	—	—	—
極日	值	2.10	2.80	4.50	7.30	11.80	18.00	21.90	20.60	14.10	8.50	4.40	2.80	21.90
年	期	17	18	21	20	29	30	14	3	1	9	2	30	14/7
	份	1941	1941	1938	1939	1939	1940	1939	1939	1937	1938	1940	1939	1939
最小绝对湿度(毫米)														
1937	日	0.30	0.30	0.50	0.40	1.50	4.30	8.10	4.20	3.60	1.40	0.50	0.20	0.20
1938	日	25	3	11, 18	9	2	1	11	26	3	3	30	25, 26	25, 26/12
1938	日	0.30	0.30	0.60	1.20	1.70	2.50	7.90	5.20	3.90	1.60	1.00	0.30	0.30
1939	日	6	6	5	3, 8	3	3	22	31	30	13, 30	10, 20	27	8
1939	日	0.20	0.30	0.50	0.50	1.80	3.70	10.60	5.90	2.80	1.20	0.70	0.60	0.20
1940	日	8, 15	4	3	22	9	1	21	28	29	21	3	3	8, 15/1
1940	日	0.30	0.30	0.80	0.80	1.20	4.00	7.90	5.70	2.20	1.20	0.50	0.50	0.30
1941	日	7, 18	4	3	7	3	5	17	21	27, 29	20	21	13	3
1941	日	0.20	0.30	0.40	1.20	—	—	—	—	—	—	—	—	0.20
1941	日	24	9	3	3	—	—	—	—	—	—	—	—	24/1
極日	值	0.20	0.30	0.40	0.40	1.20	2.50	7.90	4.20	2.20	1.20	0.50	0.20	0.20
年	期	3	7	3	9	3	3	22, 17	26	27, 29	21, 20	30, 21	25, 26	5
	份	1939	5年	1941	1937	1940	1938	1938	1937	1940	1939	1937	1937	3年
		1941						1940			1940	1940		
烏蘭浩特 $\varphi = 46^{\circ}13'N$ $\lambda = 122^{\circ}03'E$ $H = 273.4 M$ 平均绝对湿度(毫米)														
1949	日	—	—	—	—	—	—	—	—	—	5.10	2.00	0.90	—
1950	日	0.90	1.20	1.90	3.80	7.00	10.80	15.40	14.30	7.30	3.70	1.30	0.70	5.69
1951	日	0.54	0.70	1.47	3.91	5.89	9.43	13.58	12.36	6.92	4.35	2.16	1.42	5.25
1952	日	0.70	0.58	1.74	3.82	5.70	10.54	15.39	12.82	7.72	3.90	1.66	0.82	5.45
1953	日	0.86	1.16	2.00	3.20	6.47	12.06	15.42	13.24	6.25	4.65	1.75	1.20	5.69
平 均		0.75	0.91	1.78	3.68	6.27	10.71	14.95	13.26	7.05	4.15	1.72	1.04	5.52
最大绝对湿度(毫米)														
1949	日	—	—	—	—	—	—	—	—	—	10.30	5.60	2.60	—
1949	日	—	—	—	—	—	—	—	—	—	16	5	1	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	2.30	2.70	6.50	10.00	12.60	15.90	22.30	22.20	15.90	8.90	5.30	2.10	22.30
1951	日	14	18	30	28	29	26	11	16	12	4, 5	3	10	11/7
1951	日	1.69	1.50	4.49	8.48	12.38	15.27	20.48	20.08	14.06	10.33	6.09	2.97	20.48
1952	日	31	16	16	26, 27	29	28	26	10	6	6	13	1	26/7
1952	日	1.62	1.67	3.83	10.14	14.91	18.29	22.49	20.76	12.95	9.00	3.91	2.06	22.49
1952	日	21	26	28	27	5	30	19	7	5	1	1	13	19/7
1953	日	2.12	3.80	4.46	8.15	11.91	18.44	21.77	23.16	11.62	10.36	4.07	2.33	23.16
1953	日	23	27	6	27	30	17	9	4	9	17	2	23	4/8
極日	值	2.30	3.80	6.50	10.14	14.91	18.44	22.49	23.16	15.80	10.36	6.09	2.97	23.16
年	期	14	27	30	27	5	17	19	4	12	17	13	1	4/8
份		1950	1953	1950	1952	1952	1953	1952	1953	1950	1953	1951	1951	1953
最小 绝对湿度 (毫米)														
1949	日	—	—	—	—	—	—	—	—	—	1.60	0.60	0.20	—
1950	日	0.20	0.60	0.50	1.00	3.60	6.70	10.30	6.40	3.30	1.60	0.20	0.30	0.20
1951	日	5, 6	8, 9	8, 9	11	16	20	7	22	19, 20	24, 26	14	5, 6	3, 4
1951	日	0.10	0.26	0.19	1.20	1.89	5.09	7.49	6.78	4.51	1.94	0.39	0.41	0.10
1952	日	12	2, 3	2	9	5	1	28	31	27	27	25, 26	27	12/1
1952	日	0.22	0.19	0.39	1.44	1.78	5.40	8.77	8.28	4.00	1.51	0.55	0.32	0.19
1953	日	8, 25	2, 4	5	9	20	4	3	15, 23	28	21	30	22, 23	2, 4/2
1953	日	0.25	0.41	0.88	1.13	2.05	6.93	10.91	5.70	2.27	1.61	0.83	0.52	0.25
1953	日	14	1	26	11	3	3	11	31	18	30	20	3	14/1
極日	值	0.10	0.19	0.19	1.00	1.78	5.09	7.49	5.70	2.27	1.51	0.20	0.20	0.10
年	期	12	2, 4	2	11	20	1	28	31	18	21	14	28	12/1
份		1951	1952	1951	1950	1952	1951	1951	1953	1953	1952	1950	1949	1951
通 遼 $\varphi = 43^{\circ}40'N$ $\lambda = 122^{\circ}15'E$ $H = 178.2 M$														
平均 绝对湿度 (毫米)														
1949	日	—	—	—	—	—	—	—	—	—	6.20	3.02	(1.10)	—
1950	日	1.10	1.50	3.00	5.20	8.20	12.20	17.60	17.10	8.50	4.80	2.00	0.90	6.84
1951	日	0.71	1.04	2.27	3.85	6.87	11.09	14.80	15.04	7.03	4.93	2.81	1.57	6.00
1952	日	0.84	0.65	2.00	4.20	6.24	11.22	15.95	13.83	8.68	5.07	1.81	0.81	5.94
1953	日	0.82	1.12	2.01	3.34	7.52	13.13	17.32	14.78	7.62	5.95	2.31	1.35	6.44
平 均		0.87	1.08	2.32	4.15	7.21	11.91	16.42	15.19	7.96	5.19	2.23	1.16	6.31
最大 绝对湿度 (毫米)														
1949	日	—	—	—	—	—	—	—	—	—	11.40	6.58	(6.70)	—
1950	日	3.30	3.80	7.60	12.00	14.30	21.60	23.70	26.90	16.60	10.70	8.60	2.90	26.90
1951	日	15	21, 22	30	30	30	27	27, 28	10	7	2	3	11	10/8
1951	日	2.33	3.66	5.57	7.88	14.73	18.06	22.94	24.28	14.27	13.19	8.40	4.64	24.28
1952	日	18	21	25	27	29	28	25	6	6	6	13	11	6/8
1952	日	2.04	1.65	5.47	8.96	13.96	16.79	21.78	21.89	15.18	12.43	5.85	3.60	21.89
1953	日	18	8	28	8	17	28	21	13	5	1	1	13	13/8
1953	日	1.94	4.87	5.51	9.40	12.66	19.09	25.81	20.51	15.30	12.54	5.62	4.13	25.81
1953	日	24	27	19	27	30	30	9	8	9	17	30	15	9/7
極日	值	3.30	4.87	7.60	12.00	14.73	21.60	25.81	26.90	16.60	13.19	8.60	6.70	26.90
年	期	15	27	30	30	29	27	9	10	7	6	3	1	10/8
份		1950	1953	1950	1950	1951	1950	1953	1950	1950	1951	1950	1949	1950
最小 绝对湿度 (毫米)														
1949	日	—	—	—	—	—	—	—	—	—	2.20	1.25	(0.10)	0.10
1950	日	0.10	0.30	0.40	1.70	4.30	5.50	11.90	6.70	3.60	1.30	0.40	0.10	0.10
1951	日	2, 5	1, 4	10	11	18	20	1	21	20	24	13	17, 31	4, 4
1951	日	0.17	0.31	0.26	1.87	2.26	3.85	7.87	5.58	4.10	2.15	0.38	0.42	0.17
1952	日	1	3, 4	2	20	4	1	28	31	7	27, 28	26	25, 26	1/1
1952	日	0.29	0.22	0.43	1.53	2.38	4.84	8.64	9.93	4.58	1.72	0.52	0.30	0.22
1953	日	17	15	4	3	7	4	5	17, 20	28	22	30	18	15/2
1953	日	0.25	0.36	0.59	1.30	3.11	8.03	12.24	6.99	3.46	2.30	0.93	0.63	0.25
1953	日	15	15	11	11	1	4, 5	16	31	18	31	10	2	15/1
極日	值	0.10	0.22	0.26	1.30	2.26	3.85	7.87	5.58	3.46	1.30	0.38	0.10	0.10
年	期	2, 5	15	2	11	4	1	28	31	18	24	26	5, 6	7, 8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
年 份		1950	1952	1951	1953	1951	1951	1951	1951	1953	1950	1951	1949 1950	1949 1950
開 魯 $\varphi = 43^{\circ}36'N$ $\lambda = 121^{\circ}12'E$ $H = 265.9 M$														
平均绝对湿度(毫米)														
1939		1.00	1.40	1.90	4.30	5.80	11.20	18.30	18.00	8.30	4.60	2.30	1.60	6.56
1940		0.90	1.20	2.20	3.60	6.30	12.20	16.40	14.10	9.50	5.10	2.50	1.40	6.28
1941		1.10	1.50	2.40	3.70	—	—	—	—	—	—	—	—	—
1952		—	—	—	—	6.23	11.17	15.79	13.07	8.24	4.11	1.57	0.75	—
1953		0.91	1.16	1.94	3.02	6.88	12.52	16.28	14.08	6.96	5.30	2.00	1.21	6.02
平 均		0.94	1.25	2.01	3.64	6.33	11.90	16.99	15.39	8.25	5.00	2.27	1.40	6.29
最大绝对湿度(毫米)														
1939		2.00	3.60	4.30	9.20	12.50	16.40	30.60	25.00	14.40	10.50	7.40	3.20	30.60
日		26	23	5	11	29	23	16	9	1	11	6	5.27	16/7
1940		2.00	3.00	4.60	7.00	16.00	19.00	23.70	21.20	15.60	12.40	10.20	3.10	23.70
日		1,3	18	28	22	14	21	27	17	1	12	2	6	27/7
1941		3.10	3.80	7.10	7.60	—	—	—	—	—	—	—	—	—
日		17	18	19	30	—	—	—	—	—	—	—	—	—
1952		—	—	—	—	12.33	17.02	21.72	20.52	14.71	9.84	5.00	2.30	—
日		—	—	—	—	2	28	23	13	4	1	1	13	—
1953		2.41	4.69	4.60	10.24	12.22	18.88	22.78	20.71	13.00	11.40	4.93	3.20	22.78
日		23	27	18	27	20	18	9	8	10	16	3	15	9/7
極 值	日期	3.10	4.69	7.10	10.24	16.00	19.00	30.60	25.00	15.60	12.40	10.20	3.20	30.60
年 份		1941	1953	1941	1953	1940	1940	1939	1939	1940	1940	1940	1939	1939
最小绝对湿度(毫米)														
1939		0.50	0.40	0.40	0.70	1.60	5.40	13.00	7.30	3.90	1.80	0.70	0.50	0.40
日		3*	1	12	3	7	2	21	28	29	29	27	14	1/2,12/3
1940		0.40	0.50	0.80	1.60	2.20	6.90	11.10	8.50	3.10	1.90	1.00	0.60	0.40
日		6	1,6	14	3*	3	16	17	6	27	21	21,27	24	6/1
1941		0.40	0.50	0.70	1.50	—	—	—	—	—	—	—	—	—
日		23,24	7	3,4	3	—	—	—	—	—	—	—	—	—
1952		—	—	—	—	2.39	4.75	7.99	8.54	4.01	1.30	0.32	0.30	0.30
日		—	—	—	—	7	4	3	17	28	21	30	18	18/12
1953		0.31	0.44	0.67	1.05	2.07	6.58	9.64	6.60	2.92	1.75	0.79	0.50	0.31
日		15	23	7	11	3	3	17	21	18	30	10,13	2	15/1
極 值	日期	0.31	0.40	0.40	0.70	1.60	4.75	7.99	6.60	2.92	1.30	0.32	0.30	0.30
年 份		1953	1939	1939	1939	1939	1952	1952	1953	1953	1952	1952	1952	1952
赤 峰 $\varphi = 42^{\circ}16'N$ $\lambda = 118^{\circ}54'E$ $H = 565.0 M$														
平均绝对湿度(毫米)														
1936		0.70	1.10	1.50	2.70	4.80	8.60	11.70	10.80	7.70	3.40	1.70	1.00	4.70
1937		0.90	1.00	1.50	3.20	4.70	9.50	11.20	13.80	8.40	4.00	1.90	1.00	5.10
1938		0.80	1.00	2.30	3.00	5.70	9.40	14.40	13.80	7.50	5.30	1.80	1.00	5.50
1939		1.00	1.20	1.90	3.50	5.30	9.70	16.20	14.60	7.20	4.60	2.10	1.20	5.70
1940		0.90	1.00	1.00	2.50	4.80	9.40	12.20	12.10	8.10	3.90	2.40	1.70	5.10
1941		1.40	1.40	1.80	2.80	—	—	—	—	—	—	—	—	—
1949		—	—	—	—	—	—	—	—	—	5.50	2.50	1.20	—
1950		1.30	1.30	2.40	4.90	7.70	10.90	14.90	14.80	7.40	4.50	1.90	1.20	6.10
1951		0.89	1.28	1.96	2.84	6.09	10.21	13.19	12.43	5.95	5.00	2.66	1.61	5.34
1952		1.05	0.89	2.27	3.54	5.77	9.10	14.56	12.39	8.22	4.37	2.05	1.09	5.44
1953		0.96	1.20	2.18	3.07	6.75	11.82	14.75	14.19	7.55	5.08	2.21	1.28	5.92
平 均		0.94	1.11	1.89	3.25	5.73	9.85	13.68	13.21	7.56	4.46	2.08	1.23	5.43
最大绝对湿度(毫米)														
1936		1.60	2.70	4.00	5.40	10.30	16.20	18.10	19.20	13.60	9.20	4.80	3.30	19.20
日		10	14	31	26,28	31	16	20	9	2	1	6	15	9/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937	日	3.10	2.40	3.20	7.10	7.90	14.40	17.40	21.10	15.70	8.80	5.20	2.80	21.10
1938	日	4	9, 24	27	19	26	28	23	11	1	9	5	8	11/8
1939	日	2.20	3.00	5.60	8.10	15.40	15.00	18.90	19.50	12.20	11.30	3.60	2.90	19.50
1939	日	17	15	28	21	30	29	26	8	5	1	2	11	8/8
1939	日	2.00	3.10	3.90	8.30	12.40	14.90	19.60	21.00	13.60	9.90	6.30	2.60	21.00
1939	日	29	17	9	20	29	17	11, 16	4	1	10	7	9	4/8
1940	日	2.60	2.00	5.10	5.30	9.60	16.80	18.80	17.90	15.30	8.10	7.40	3.40	18.80
1940	日	1	18	28	30	15, 28	29	9	13	2	12	2	6, 21	9/7
1941	日	2.80	3.30	4.30	6.00	—	—	—	—	—	—	—	—	—
1941	日	4, 17	20	19	27	—	—	—	—	—	—	—	—	—
1949	日	—	—	—	—	—	—	—	—	—	11.20	6.40	3.60	—
1949	日	—	—	—	—	—	—	—	—	—	6	3	2	—
1950	日	4.20	2.80	6.30	11.10	13.40	15.50	19.50	21.40	13.30	9.40	6.80	3.10	21.40
1950	日	17	24, 25	23, 24	30	14	27, 28	30	3	7	14	3	10	3/8
1951	日	2.12	4.00	4.46	6.52	13.39	17.17	19.35	20.14	12.00	10.17	6.84	2.99	20.14
1951	日	27	21	26	27	28	30	24	14	6	6	13	9	14/8
1952	日	2.42	2.68	5.88	7.89	10.88	16.71	22.02	17.89	15.14	9.11	5.53	2.73	22.02
1952	日	28	25	28	27	17	28	23	13	10	20	4	13, 14	23/7
1953	日	2.56	4.53	4.64	8.78	12.48	17.40	19.77	19.15	14.33	10.83	6.04	2.89	19.77
1953	日	9	27	19	27	21	29	9	19	9	18	4	8	9/7
極日	值	4.20	4.53	6.30	11.10	15.40	17.40	22.02	21.40	15.70	11.30	7.40	3.60	22.02
年	期	17	27	23, 24	30	30	29	23	3	1	1	2	2	23/7
	份	1950	1953	1950	1950	1938	1953	1952	1950	1937	1938	1940	1949	1952
最小绝对湿度(毫米)														
1936	日	0.30	0.30	0.40	0.70	1.30	3.30	7.70	5.80	3.60	1.40	0.40	0.50	0.30
1936	日	17	1	7	20	3	1	3	12	24	31	15	4	17/1, 1/2
1937	日	0.40	0.50	0.50	1.00	1.80	5.10	6.40	5.60	3.30	1.40	0.60	0.30	0.30
1937	日	5	5	15	3	2	9	4	27	26	3	19	25	25/12
1938	日	0.30	0.40	0.70	1.10	1.80	5.80	10.60	5.90	3.20	1.60	0.60	0.50	0.30
1938	日	26	1, 6	3	11	3, 4	2	4	31	10	30	9, 24	20, 27	26/1
1939	日	0.50	0.40	0.40	0.70	1.00	3.40	12.90	6.20	2.30	1.10	0.70	0.50	0.40
1939	日	5	6	15	2	7	2	2	28	19	20	3	14	6/2, 15/3
1940	日	0.40	0.40	0.60	0.90	1.00	4.40	5.30	6.70	3.80	1.20	0.80	0.80	0.40
1940	日	3	3	3	8	3	5	16	24	28	24	8	3	6
1941	日	0.50	0.60	0.60	0.40	—	—	—	—	—	—	—	—	—
1941	日	23, 24	3	3, 10	4	—	—	—	—	—	—	—	—	—
1949	日	—	—	—	—	—	—	—	—	—	1.60	0.70	0.30	—
1949	日	—	—	—	—	—	—	—	—	—	29	14	29	—
1950	日	0.40	0.40	0.60	2.00	4.00	4.90	11.40	6.00	3.50	1.60	0.40	0.30	0.30
1950	日	4	5	8	24	9	20	31	23	28	24	30	31	31/12
1951	日	0.25	0.37	0.21	0.95	2.10	4.94	7.67	5.66	3.53	1.50	0.53	0.32	0.21
1951	日	3	2	2	20	1	8	4	31	26, 27	25	25, 26	29	2/3
1952	日	0.35	0.25	0.47	1.51	2.05	3.10	6.29	6.58	3.90	1.88	0.80	0.39	0.25
1952	日	12	2	3	21	8	4	1	15	28	24, 25	5, 6	31	2/2
1953	日	0.28	0.41	0.62	1.38	2.52	5.08	9.09	6.59	2.93	2.26	0.88	0.50	0.28
1953	日	16	6	25	11	22	3	16	31	28	31	19	3	16/1
極日	值	0.25	0.25	0.21	0.40	1.00	3.10	5.30	5.60	2.30	1.10	0.40	0.30	0.21
年	期	3	2	2	4	7, 3	4	16	27	19	20	15, 30	3	2/3
	份	1951	1952	1951	1941	1939	1952	1940	1937	1939	1939	1936	3年	1951
						1940						1950		
呼和浩特 $\varphi = 40^{\circ}49'N$ $\lambda = 111^{\circ}41'E$ $H = 1062.2 M$														
平均绝对湿度(毫米)														
1951		1.02	1.85	2.61	3.07	7.12	8.78	12.33	12.69	6.91	5.93	2.93	1.43	5.56
1952		0.99	1.01	2.63	4.35	7.06	8.46	14.01	11.72	8.29	4.19	2.76	0.98	5.54
1953		0.89	1.31	2.61	2.70	5.70	9.30	12.77	13.21	7.63	5.54	2.78	1.30	5.48
平 均		0.97	1.39	2.62	3.37	6.63	8.85	13.04	12.54	7.61	5.22	2.82	1.24	5.53

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1951	日	4.39	5.33	6.15	7.79	13.46	16.33	17.93	19.29	13.16	11.42	6.40	2.90	19.29
	日	30	1	25	4	29	28	26	4	5	14	12	11	4/8
1952	日	2.58	3.58	5.82	8.34	11.62	16.70	19.94	18.72	15.33	10.84	5.60	3.67	19.94
	日	27	25	17	16	17	28	28	12	4	6	10	13	28/7
1953	日	2.50	4.58	6.01	6.78	11.73	15.98	16.80	19.99	13.95	9.96	6.75	2.82	19.99
	日	10	27	18	27	20	30	28	18	1	17	3,4	13	18/8
極日	值	4.39	5.33	6.15	8.34	13.46	16.70	19.94	19.99	15.33	11.42	6.75	3.67	19.99
年	期	30	1	25	16	29	28	28	18	4	14	3,4	13	18/8
	份	1951	1951	1951	1952	1951	1952	1952	1953	1952	1951	1953	1952	1953
最小绝对湿度(毫米)														
1951	日	0.15	0.20	0.35	0.73	1.78	3.21	5.32	5.47	3.65	1.76	0.48	0.53	0.15
	日	14	5,6	3	7	1	8	6	24	26	26	25	28	14/1
1952	日	0.21	0.21	0.35	1.61	3.72	3.85	7.08	7.05	3.95	1.79	0.61	0.33	0.21
	日	31	1	1	14	24	10	1,2	24	16	25	30	1	31/1,1/2
1953	日	0.29	0.34	0.86	0.75	2.36	4.61	8.69	7.44	4.45	2.50	0.74	0.49	0.29
	日	13,16	15	14	10	12	7,8	31	31	28	11	18,30	30	13,16/1
極日	值	0.15	0.20	0.35	0.73	1.78	3.21	5.32	5.47	3.65	1.76	0.48	0.33	0.15
年	期	14	5,6	3,1	7	1	8	6	24	26	26	25	1	14/1
	份	1951	1951	1951	1951	1951	1951	1951	1951	1951	1951	1951	1952	1951
				1952										
包 頭 $\varphi=40^{\circ}36'N$ $\lambda=109^{\circ}50'E$ $H=1016.0M$														
平均绝对湿度(毫米)														
1949		—	—	—	—	—	—	—	—	—	—	2.23	1.14	—
1950		1.52	1.62	2.57	4.19	6.52	10.17	13.54	12.76	7.31	4.64	2.13	1.16	5.68
1951		1.07	1.86	2.24	3.28	7.37	9.80	12.73	13.01	7.05	6.21	3.13	1.56	5.78
1952		1.13	1.12	2.53	4.57	7.71	9.05	13.99	11.91	8.29	4.08	2.95	1.22	5.71
1953		1.07	1.36	2.58	2.71	5.37	9.05	12.27	13.72	7.75	5.59	3.03	1.44	5.50
平 均		1.20	1.49	2.48	3.69	6.74	9.52	13.13	12.85	7.60	5.13	2.81	1.35	5.67
最大绝对湿度(毫米)														
1949	日	—	—	—	—	—	—	—	—	—	—	6.55	2.99	—
	日	—	—	—	—	—	—	—	—	—	—	10	2	—
1950	日	3.81	3.49	6.29	10.03	13.57	14.81	18.13	20.89	12.71	9.13	7.45	2.61	20.89
	日	16	24	24	14	31	29	29	5	16	6	2	5	5/8
1951	日	3.53	4.80	5.99	8.67	12.80	16.67	19.62	21.71	14.36	11.94	6.30	3.42	21.71
	日	7	20	25	26	12	20	23	5	4,5	5	3,12	10	5/8
1952	日	2.55	3.68	5.19	10.60	12.06	16.29	21.50	17.82	15.79	8.94	5.21	3.01	21.50
	日	26	25	12	26	1	28	27	12	3	6	15	13	27/7
1953	日	2.52	3.80	5.47	7.36	12.64	15.76	16.91	19.20	14.88	10.93	6.71	3.22	19.20
	日	9	27	31	27	20	30	13	18	1	16	7	31	18/8
極日	值	3.81	4.80	6.29	10.60	13.57	16.67	21.50	21.71	15.79	11.94	7.45	3.42	21.71
年	期	16	20	24	26	31	20	27	5	3	5	2	10	5/8
	份	1950	1951	1950	1952	1950	1951	1952	1951	1952	1951	1950	1951	1951
最小绝对湿度(毫米)														
1949	日	—	—	—	—	—	—	—	—	—	—	0.32	0.27	0.27
	日	—	—	—	—	—	—	—	—	—	—	13,17	4	4/12
1950	日	0.34	0.55	0.57	1.01	2.07	6.01	8.06	6.51	2.92	2.02	0.52	0.56	0.34
	日	1	15	10	8	4	8	5	25	27	27	29	30	1/1
1951	日	0.32	0.35	0.50	1.16	1.82	4.41	6.82	6.56	3.65	1.75	0.39	0.69	0.32
	日	12	6	2	2	15	7	4	19	29	25	25	28	12/1
1952	日	0.47	0.31	0.48	1.35	4.40	4.54	7.13	7.00	3.94	1.69	0.82	0.51	0.31
	日	31	16	22	14	27	1	1,2	24	30	24	30	1,2	16/2
1953	日	0.40	0.45	1.02	0.76	1.53	4.05	7.34	8.33	4.01	3.04	0.89	0.61	0.40
	日	14,16	14	6,7	9,10	12	日	10	8,9	27	19	30	2,3	14,16/1
極日	值	0.32	0.31	0.48	0.76	1.53	4.05	6.82	6.51	2.92	1.69	0.32	0.27	0.27
年	期	12	16	22	9,10	12	8	4	25	27	24	13,17	4	4/12
	份	1951	1952	1952	1953	1953	1953	1951	1950	1950	1952	1949	1949	1949

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
河 北 围 场		$\varphi=41^{\circ}57'N$ $\lambda=117^{\circ}33'E$ $H=850.1M$												
		平均绝对湿度(毫米)												
1951		1.08	1.45	2.14	3.14	7.14	11.40	13.65	11.84	6.62	6.12	2.95	1.95	5.79
1952		1.30	1.15	2.60	4.11	6.37	8.90	14.51	12.27	8.37	4.40	2.34	1.04	5.61
1953		0.97	1.32	2.45	3.15	6.73	10.92	14.27	13.59	7.42	5.07	2.47	1.39	5.81
平 均		1.12	1.31	2.40	3.47	6.75	10.41	14.14	12.57	7.47	5.20	2.59	1.46	5.74
		最大绝对湿度(毫米)												
1951		2.62	3.66	5.01	7.03	14.14	17.58	19.19	20.31	11.49	13.88	7.20	4.13	20.31
日		29	20	25	27	29	18	24	5	5	7	13	11	5/8
1952		3.00	2.71	5.62	8.91	12.38	15.80	22.16	18.70	14.19	8.57	5.68	2.21	22.16
日		27	25	28	8	17	28	21	13	2	6	3	13, 14	21/7
1953		2.52	4.86	4.61	8.68	12.79	18.38	20.14	19.00	13.88	9.71	6.18	2.93	20.14
日		23	27	6	27	21	18	8	19	9	18	4	15	8/7
極日	值	3.00	4.86	5.62	8.91	14.14	18.38	22.16	20.31	14.19	13.88	7.20	4.13	22.16
年	期	27	27	28	8	29	18	21	5	2	7	13	11	21/7
份		1952	1953	1952	1952	1951	1953	1952	1951	1952	1951	1951	1951	1952
		最小绝对湿度(毫米)												
1951		0.27	0.54	0.28	1.14	2.78	5.04	8.50	5.54	3.77	2.06	0.71	0.52	0.27
日		12	28	2	20	1	4	30	29	29	23	21, 22	29	12/1
1952		0.46	0.37	0.63	1.99	3.20	3.11	7.00	7.42	3.81	2.00	0.73	0.37	0.37
日		25	2	4	15	7	4, 5	1	16	29	24, 25	30	2	2/2, 2/12
1953		0.33	0.43	0.91	1.69	3.23	5.22	8.67	6.58	3.28	1.96	0.91	0.49	0.33
日		16	16	3, 25	9, 10	22	8	16	31	28	10, 11	19	2	16/1
極日	值	0.27	0.37	0.28	1.14	2.78	3.11	7.00	5.54	3.28	1.96	0.71	0.37	0.27
年	期	12	2	2	20	1	4, 5	1	29	28	10, 11	22, 21	2	12/1
份		1951	1952	1951	1951	1951	1952	1952	1951	1953	1953	1951	1952	1951
承 德		$\varphi=40^{\circ}58'N$ $\lambda=117^{\circ}50'E$ $H=370.9M$												
		平均绝对湿度(毫米)												
1937		1.20	1.80	2.40	3.90	5.80	11.20	14.50	16.80	10.80	6.50	2.70	1.10	6.56
1938		1.00	1.40	2.90	4.20	7.70	12.00	18.40	16.80	9.50	7.60	2.90	1.40	7.15
1939		1.40	1.70	2.70	4.50	7.00	10.00	17.90	16.20	9.20	6.80	3.10	1.60	6.84
1940		1.30	1.50	2.70	3.90	7.40	12.90	17.50	15.10	12.50	7.60	3.60	2.00	7.33
1941		1.50	1.60	2.40	4.10	—	—	—	—	—	—	—	—	—
1951		1.10	1.55	2.13	2.87	7.57	11.80	15.40	15.33	7.79	6.82	3.40	1.74	6.46
1952		1.14	1.24	2.73	4.34	7.58	10.03	17.07	14.49	9.90	5.15	2.76	1.15	6.47
1953		1.09	1.55	2.85	3.69	8.44	13.14	16.87	15.83	9.76	6.39	2.90	1.60	7.01
平 均		1.18	1.53	2.63	3.91	7.36	11.58	16.81	15.79	9.92	6.69	3.05	1.51	6.83
		最大绝对湿度(毫米)												
1937		3.00	3.50	6.60	8.70	11.40	17.00	20.40	22.90	16.70	12.60	5.90	3.10	22.90
日		4	21	1	20	23	27	24	9	1	10	4	9, 16	9/8
1938		2.50	4.00	5.70	8.40	17.80	17.00	22.60	23.50	16.10	13.90	9.20	2.80	23.50
日		17	28	28	21	31	29	27	3	3	3	4	4x	3/8
1939		3.20	4.30	5.00	8.60	13.20	15.80	22.10	20.70	14.40	15.90	8.60	2.60	22.10
日		30	23	9	13	19	19	29	4	1	11	6	3x	29/7
1940		3.00	3.20	8.10	7.60	13.80	19.20	25.50	21.00	19.70	14.70	12.80	4.10	25.50
日		1	23	28	28	28	17	12	17	7	11	2	6	12/7
1941		2.90	3.70	5.10	8.90	—	—	—	—	—	—	—	—	—
日		8	27	26	30	—	—	—	—	—	—	—	—	—
1951		2.31	4.32	5.57	7.13	15.16	19.72	21.88	23.03	14.01	13.78	8.48	4.24	23.03
日		28	21	26	27	28	28	23	6	5, 6	6	13	24, 25	6/8
1952		2.62	3.24	6.97	10.48	13.64	18.35	23.43	22.20	16.76	9.91	7.22	2.46	23.43
日		28	25	28	7	17	28	24	13	10	9	3	13	24/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	2.71 27	5.37 27	6.06 17	10.43 28	13.88 21	20.23 18	24.16 9	22.59 13	17.64 1	12.30 16	7.35 4	3.62 8	24.16 9/7
極日	值	3.20	5.37	8.10	10.48	17.80	20.23	25.50	23.50	19.70	15.90	12.80	4.24	25.50
年	期	30	27	28	7	31	18	12	3	7	11	2	24, 25	12/7
	份	1939	1953	1940	1952	1938	1953	1940	1938	1940	1939	1940	1951	1940
最小绝对湿度(毫米)														
1937	日	0.70	1.00	0.80	1.20	2.70	6.50	8.30	6.60	4.30	2.30	0.80	0.60	0.60
		9, 25	5x	16	7	1, 3	3	4	27	26	29	23	7x	7x
1938	日	0.40	0.60	0.60	1.90	3.10	6.40	12.80	7.80	4.70	3.00	0.90	0.60	0.40
		25	9, 20	6	11	3	2	2	31	9	15	11	4x	25/1
1939	日	0.50	0.50	0.70	1.10	2.00	3.10	12.70	7.60	4.40	1.60	0.90	0.80	0.50
		5	1	12	2	8	2	2	31	19	19	25	10, 17	5/1, 1/2
1940	日	0.50	0.60	0.70	1.30	3.00	7.00	8.40	9.00	6.40	2.50	1.20	0.80	0.50
		4x	3	14	13	3	6	19	24	28	25	24, 25	31	4x
1941	日	0.50	0.60	0.60	1.20	—	—	—	—	—	—	—	—	—
		11	3x	3	13	—	—	—	—	—	—	—	—	—
1951	日	0.35	0.52	0.33	1.18	2.71	4.51	9.26	5.78	4.45	2.14	0.52	0.66	0.33
		12	28	2	22	5	8	11	31	24	25	22	28	2/3
1952	日	0.49	0.44	0.61	1.62	3.23	3.80	8.87	9.27	4.23	1.67	0.73	0.44	0.44
		25	2, 17	3	17	7	5	2	16	16	24	5	31	3x
1953	日	0.42	0.46	0.89	1.34	3.65	6.37	10.50	8.38	4.49	2.74	0.92	0.62	0.42
		1	16	25	10	12	8	27	31	24	11	17	1, 2	1/1
極日	值	0.35	0.44	0.33	1.10	2.00	3.10	8.30	5.78	4.23	1.60	0.52	0.44	0.33
年	期	12	2, 17	2	2	8	2	4	31	16	19	22	31	2/3
	份	1951	1952	1951	1939	1939	1939	1937	1951	1952	1939	1951	1952	1951
張家口 $\varphi=40^{\circ}50'N$ $\lambda=115^{\circ}11'E$ $H=759.6M$														
平均绝对湿度(毫米)														
1947	—	—	—	—	3.02	5.61	8.99	12.01	12.76	8.48	4.53	1.86	1.40	—
1948	1.47	1.82	2.73	4.54	5.70	9.04	15.25	14.47	8.81	4.22	2.03	1.76	5.99	—
1949	1.52	1.95	1.77	3.46	5.95	9.88	15.12	13.58	9.58	5.24	2.78	1.37	6.02	—
1950	1.51	1.62	2.58	4.86	7.44	10.24	15.15	14.06	8.41	4.64	2.03	1.23	6.15	—
1951	1.07	1.70	2.09	2.50	6.31	7.21	11.32	12.73	5.86	5.77	2.88	1.64	5.09	—
1952	1.22	1.23	2.53	3.74	4.85	8.10	15.10	12.20	8.81	3.94	2.56	1.15	5.45	—
1953	1.06	1.32	2.31	2.55	6.38	10.30	14.53	14.02	7.83	5.30	2.63	1.40	5.80	—
平 均	1.31	1.61	2.34	3.61	6.11	9.13	14.41	13.51	8.22	4.85	2.49	1.43	5.75	—
最大绝对湿度(毫米)														
1947	—	—	—	—	5.87	13.93	16.14	18.87	18.29	14.28	8.72	4.53	3.09	—
日	—	—	—	—	19	15	26	28	13	13	5	3	26	—
1948	3.77	3.72	7.12	9.25	10.51	15.98	23.12	22.48	15.05	10.06	4.57	4.03	23.12	—
日	12	15	31	18	22	11	24	5	1	1	23	8	24/7	—
1949	3.32	4.17	4.37	8.72	12.81	16.24	19.66	19.78	16.32	11.60	6.48	4.23	19.78	—
日	29	23	16	17	30	29	22	7	5	3	3	2	7/8	—
1950	3.49	4.18	6.86	9.80	13.85	15.67	19.68	20.82	15.29	10.57	7.11	2.33	20.82	—
日	16	24	30	30	14	30	17	12	13	14	2	6	12/8	—
1951	1.96	3.80	4.73	6.18	13.25	15.17	19.96	21.40	11.53	10.43	6.41	3.16	21.40	—
日	6	20	25	27	24	30	25, 26	15	5	11	13	11	15/8	—
1952	3.07	2.88	6.26	9.13	11.34	17.13	21.65	17.58	15.25	8.67	5.58	2.25	21.65	—
日	21	28	17	6	17	28	28	8	10	6	1	18	28/7	—
1953	2.97	4.69	6.13	6.92	12.85	17.11	18.99	21.21	14.37	10.11	6.64	3.23	21.21	—
日	9	27	21	27	21	18	8	13	9	18	4	6	13/8	—
極日	值	3.77	4.69	7.12	9.80	13.93	17.13	23.12	22.48	16.32	11.60	7.11	4.23	23.12
年	期	12	27	31	30	15	28	24	5	5	3	2	2	24/7
	份	1948	1953	1948	1950	1947	1952	1948	1948	1949	1949	1950	1949	1948
最小绝对湿度(毫米)														
1947	—	—	—	—	1.07	2.35	2.51	6.16	6.94	3.46	1.75	0.51	0.45	—
日	—	—	—	—	3	19	9	30	30	29	28	12	17	—
1948	0.47	0.82	0.54	1.78	2.06	2.60	6.12	8.59	4.01	1.00	0.55	0.60	0.47	—
日	25	2	23	22	3	14	1	30	8	27	25	28	25/1	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	日	0.60	0.94	0.62	0.71	1.47	2.61	7.28	6.08	3.13	1.01	0.65	0.44	0.44
	5		4	21	4	13	3	29	26	26	29	23	5	5/12
1950	日	0.67	0.63	0.76	1.24	2.20	4.51	11.17	6.33	2.64	2.03	0.69	0.47	0.47
	23	20	7	7	5	21	23	22	27	23	25	26		26/12
1951	日	0.34	0.54	0.49	0.98	1.68	3.78	4.50	4.26	2.84	1.67	0.51	0.76	0.34
	14	28	1	12	4	3	3,4	31	26	25	22	14, 28		14/1
1952	日	0.42	0.32	0.57	1.05	1.85	3.16	8.62	7.88	3.46	1.29	0.69	0.40	0.32
	30	2	11	17	27	9	2	26	28	25	5	31		2/2
1953	日	0.34	0.32	0.64	0.86	1.88	4.31	6.27	7.11	3.47	2.02	0.70	0.50	0.32
	1	15	25	10	12	8	10	9	23	11	10	5		15/2
值	0.34	0.32	0.49	0.71	1.47	2.51	4.50	4.26	2.64	1.00	0.51	0.40	0.32	
期	14, 1	2, 15	1	4	13	9	3, 4	31	27	27	12, 22	31	2, 15/2	
日	1951	1952	1951	1949	1949	1947	1951	1951	1950	1948	1947	1952	1952	
份	1953	1953									1951		1953	
北 京														
$\varphi = 39^{\circ}57'N$ $\lambda = 116^{\circ}19'E$ $H = 52.3 M$														
平均绝对湿度(毫米)														
1875	1.70	1.90	3.90	4.00	7.80	12.70	19.30	19.40	12.20	5.50	2.70	1.80	7.74	
1876	1.30	2.00	2.50	5.30	7.10	11.30	20.90	19.60	10.30	7.20	2.90	2.10	7.71	
1877	1.80	2.10	3.30	6.00	9.60	11.50	14.60	16.20	10.50	4.90	2.70	1.60	7.07	
1878	1.10	1.80	2.50	5.10	7.00	14.60	17.50	19.20	14.00	7.40	3.40	1.80	7.95	
1879	1.60	2.00	2.50	5.10	7.50	12.00	19.40	18.40	12.30	6.40	3.70	2.20	7.76	
1880	1.60	2.70	4.20	5.40	8.00	13.80	17.80	15.50	10.50	5.70	2.50	1.30	7.42	
1881	1.50	1.50	2.30	4.30	8.40	13.10	17.70	18.00	12.30	6.60	3.80	1.70	7.60	
1882	1.80	2.00	2.90	5.30	7.40	12.40	18.10	16.10	11.70	8.00	3.10	1.60	7.53	
1883	1.50	2.50	3.40	5.60	8.00	11.30	17.50	16.90	10.20	8.40	3.40	1.80	7.54	
1884	1.90	1.70	3.10	4.70	7.40	11.80	17.50	16.50	13.50	—	—	—	—	
1886	—	0.90	2.90	6.30	—	—	—	—	—	—	—	—	—	
1895	1.10	1.80	3.10	6.60	8.90	14.40	17.00	16.10	9.80	6.80	2.80	2.00	7.53	
1896	1.30	1.30	2.10	6.00	6.60	12.00	17.30	16.30	11.00	6.10	5.90	1.70	7.30	
1897	1.50	1.20	3.20	5.50	7.50	12.80	17.60	17.80	9.60	5.40	3.70	1.10	7.24	
1898	1.50	2.10	2.40	5.40	9.60	12.10	16.40	15.00	10.20	5.70	3.90	2.00	7.19	
1899	1.70	2.50	3.80	6.50	10.00	12.70	16.10	13.90	9.30	6.30	2.90	1.90	7.30	
1915	—	—	—	—	10.68	13.67	20.00	19.00	12.60	9.88	4.58	2.80	—	
1916	2.21	2.26	3.01	5.57	8.42	13.78	17.88	17.37	11.80	7.04	4.38	1.82	7.96	
1917	1.12	1.50	2.70	8.69	6.80	15.10	19.48	18.35	12.17	7.45	3.41	—	—	
1918	1.68	1.87	3.58	4.97	8.32	12.70	17.13	17.32	9.50	5.29	3.14	1.85	7.28	
1919	1.91	2.33	3.27	3.88	7.92	12.03	19.45	17.69	10.98	6.78	3.18	1.82	7.60	
1920	1.86	2.09	3.50	5.25	8.49	11.97	18.83	15.67	11.50	8.29	4.40	2.49	7.86	
1921	2.03	2.27	3.06	4.50	7.89	11.34	15.68	15.96	10.73	7.04	3.00	1.98	7.12	
1922	1.40	2.27	2.39	4.91	7.16	11.12	18.48	19.21	11.48	6.35	3.33	1.72	7.49	
1923	1.21	1.61	3.93	4.93	6.99	10.78	16.79	18.21	10.95	5.37	2.96	1.82	7.13	
1924	1.64	1.83	2.53	5.22	9.23	12.13	19.15	18.87	13.33	8.02	4.19	2.23	8.20	
1925	—	—	2.82	6.28	10.81	16.04	19.81	18.97	14.15	10.15	6.18	3.33	—	
1926	2.90	—	—	—	15.71	16.23	18.21	21.00	15.01	—	5.58	—	—	
1927	—	—	—	—	—	—	—	17.79	11.11	—	3.59	2.09	—	
1928	—	2.28	3.11	—	—	—	—	—	—	—	—	—	—	
1929	—	—	—	—	—	—	18.29	—	—	—	—	—	—	
1930	1.95	2.45	4.06	6.19	12.70	12.25	19.58	18.37	10.54	6.68	2.89	2.11	8.31	
1931	1.77	1.67	3.32	4.96	8.78	12.36	16.14	18.42	11.25	5.56	3.47	2.13	7.49	
1932	1.87	1.61	2.01	4.46	8.52	13.80	19.04	16.83	12.57	5.59	3.07	1.91	7.61	
1933	1.16	1.63	2.76	5.24	7.72	14.24	18.98	16.86	11.69	6.62	3.02	2.52	7.70	
1934	1.22	1.91	2.14	4.84	9.04	12.51	19.16	16.36	11.50	6.49	2.88	2.25	7.53	
1935	1.61	1.88	3.22	4.05	7.00	11.14	16.31	16.97	10.23	6.92	3.84	1.15	7.03	
1936	1.01	0.97	2.03	3.90	7.06	11.82	15.36	15.70	—	—	—	—	—	
1940	2.02	2.31	3.87	4.96	8.44	13.20	18.35	16.45	12.56	7.23	4.21	2.65	8.02	
1941	2.00	2.05	2.98	4.26	7.01	13.88	17.82	16.13	10.52	5.77	3.88	2.36	7.39	
1942	1.38	1.37	3.46	4.60	7.48	10.54	18.79	17.22	10.83	6.25	3.16	1.54	7.22	
1943	1.30	1.73	3.05	5.78	9.64	11.07	16.57	20.27	11.41	6.82	4.01	2.04	7.81	

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944	1.88	1.64	2.75	5.81	7.93	11.64	19.59	16.92	11.42	5.73	2.99	1.02	7.44
1945	1.13	1.63	2.99	6.03	7.41	13.24	18.43	19.78	14.67	7.97	5.11	2.02	8.37
1946	1.69	2.19	3.60	6.40	9.29	14.13	20.40	19.64	13.16	8.21	4.71	1.57	8.75
1947	1.67	1.73	2.37	4.67	8.27	13.10	18.39	17.31	11.60	6.14	2.66	1.53	7.45
1948	1.74	2.44	4.02	6.80	8.29	13.49	19.46	19.07	12.17	6.38	3.22	2.69	8.31
1949	2.07	3.00	3.20	5.36	9.32	15.06	19.27	18.91	13.22	7.94	4.34	2.19	8.66
1950	2.03	2.45	4.15	8.01	10.87	14.41	20.13	19.88	12.13	7.80	3.52	1.90	8.94
1951	1.71	2.36	3.23	3.98	9.84	13.02	18.02	18.27	9.32	8.16	4.45	2.51	7.91
1952	1.62	1.84	3.42	5.50	8.99	10.81	19.33	17.32	12.47	6.45	4.01	1.74	7.79
1953	1.45	2.08	3.73	4.44	9.48	14.19	20.35	18.14	11.47	7.79	4.01	1.96	8.26
平 均	1.62	2.00	3.14	5.28	8.42	12.63	18.21	17.57	11.40	6.69	3.56	1.91	7.70
最大绝对湿度(毫米)													
1875	3.60	5.30	8.10	7.50	14.50	18.90	26.70	28.70	18.80	10.50	6.00	3.50	28.70
日	16	9	14	21	27	13	27	12	4	20	2	10, 11	12/8
1876	2.60	4.10	5.10	13.30	13.80	17.30	25.60	25.10	16.40	12.90	5.80	4.20	25.60
日	7	17	11	30	15	20	13	31	9	4	1	15	13/7
1877	3.80	3.90	7.10	12.10	13.90	18.50	22.90	24.00	18.80	10.50	7.00	3.90	24.00
日	23	21	19	29	29	24	21	8	6	3	1	16	8/8
1878	3.00	4.70	5.50	9.70	13.80	19.00	26.30	25.80	20.80	17.20	7.80	3.70	26.30
日	25	23	28	29	30	18	26	6	3	2	2	3, 4	26/7
1879	3.40	5.20	6.10	10.60	15.60	21.00	26.50	24.60	16.20	11.70	6.80	4.30	26.50
日	21	27	29	29	24	27	27	13	7	21	6	12	27/7
1880	2.60	4.00	8.20	13.60	14.60	19.30	22.40	24.40	16.50	12.00	5.80	3.50	24.40
日	4x	4x	12	26	27	30	27	3	1	2	13	3	3/8
1881	3.70	3.70	5.40	11.10	14.70	21.30	24.30	25.10	21.10	14.70	9.00	3.90	25.10
日	17	22	31	27	17	18	12	20	11	2	5	10	20/8
1882	3.90	3.60	6.40	10.60	13.50	19.00	25.70	25.10	17.70	14.20	7.30	4.90	25.70
日	22	27, 28	29, 31	19, 27	15	22	29	21	2	8	13	3	29/7
1883	2.90	4.50	7.00	11.80	14.60	17.00	23.80	25.10	18.20	15.20	9.50	3.30	25.10
日	12	13, 14	24	29	23	24	28	28	5	6	9	10	28/8
1930	—	—	7.73	12.76	30.27	19.20	26.53	27.37	22.56	11.60	6.62	4.19	—
日	—	—	23	18	29	1	10	19	7	7	7	10	—
1931	3.85	3.94	7.09	9.30	18.52	17.84	21.76	25.98	19.28	14.63	6.65	5.82	25.98
日	3	1	15	27	31	28	30	17	1	5	2	6	17/8
1932	3.74	3.63	4.02	9.69	15.66	18.96	24.80	26.22	18.24	9.86	7.13	5.52	26.22
日	5	1	31	30	29	28	30	3	18	16	2	4	3/8
1933	2.63	3.55	6.70	11.38	14.32	20.89	29.52	26.06	20.28	13.51	5.17	5.05	29.52
日	31	6	23	23	28	24	13	5	3	3	13	8	13/7
1934	3.27	4.51	5.17	10.48	15.65	22.39	26.84	22.95	19.21	11.52	6.05	4.60	26.84
日	31	20	30	21	19	28	10	1	5	7	12	21	10/7
1935	3.92	5.62	6.03	8.03	12.96	17.93	27.38	22.94	18.96	13.41	10.83	4.78	27.38
日	3	26	7	25	23	25	28	15	3	24	1	7	28/7
1936	2.32	3.33	5.14	8.12	13.00	19.97	24.02	21.58	—	—	—	—	—
日	10	16	27	26	13	16	20	8	—	—	—	—	—
1940	4.00	4.30	7.70	9.10	14.70	21.00	25.20	23.70	19.50	12.70	12.60	4.70	25.20
日	1	13	28	21	9	28	12	3	4	11	3	6	12/7
1941	4.60	5.20	9.00	9.30	11.70	20.10	23.80	24.60	17.30	12.20	9.10	4.30	24.60
日	14	24	25	30	21	28	4	15	2	11	17	20	15/8
1942	3.30	3.50	7.00	12.60	13.90	17.80	28.90	32.40	18.20	14.40	7.90	4.30	32.40
日	20	1	23	25	25	21	21	11	3	5	13	16	11/8
1943	2.90	6.60	6.60	12.10	14.10	17.40	22.20	26.40	16.80	12.10	11.40	4.40	26.40
日	21	28	26	25	24	30	26	15	17	16	3	1	15/8
1944	4.00	3.00	6.80	11.60	16.70	18.10	27.50	30.90	18.40	11.90	7.80	2.30	30.90
日	23	4	27	26	30	29	31	5	2	7	1	4	5/8
1945	2.70	3.70	6.80	15.30	12.60	19.20	23.10	26.10	20.30	12.90	9.10	4.00	26.10
日	31	26	29	28	31	22	25	12	6	7	9	7	12/8
1946	3.90	4.60	7.40	13.00	18.53	22.73	29.84	27.25	22.00	16.97	9.14	3.72	29.84
日	2	23	31	28	30	24	22	9	1	1	5	7	22/7
1947	3.52	3.54	4.87	10.23	15.28	19.54	25.38	23.48	17.67	11.99	7.28	3.98	25.38
日	16	12	19	16	27	30	9	15	7	4	8	26	9/7
1948	3.36	4.50	7.41	11.31	15.58	20.75	24.89	26.23	18.48	13.65	8.44	4.64	26.23
日	30	20	31	7	31	29	15	4	10	1	4	4	4/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	日	5.34	6.36	7.36	11.85	15.34	21.91	26.42	25.85	20.21	15.98	8.66	6.21	26.42
	日	31	24	29	26	17	30	20	10	4	6	3	2	20/7
1950	日	4.60	5.72	9.31	14.38	18.65	19.65	25.96	27.29	20.61	14.76	9.34	4.34	27.29
	日	17	24	31	30	14	29	28	12, 14	14	14	3	12	12, 14/8
1951	日	3.11	5.25	7.34	9.32	18.43	20.24	27.43	27.35	16.99	15.49	9.13	4.43	27.43
	日	31	21	26	27	31	1	23	5	5	6	12	24	23/7
1952	日	3.43	3.88	8.86	11.11	15.48	19.53	25.84	25.36	18.91	14.25	8.64	4.03	25.84
	日	13	7	28	8	17	27, 28	24	13	10	5	3	13	24/7
1953	日	2.88	5.56	7.64	10.93	15.38	22.22	28.21	25.91	20.22	13.39	8.88	3.77	28.21
	日	26	27	19	28	21	21	8	19	1	16	4	15	8/7
值	日	5.34	6.60	9.31	15.30	30.27	22.73	29.84	32.40	22.56	17.20	12.60	6.21	32.40
期	日	31	28	31	28	29	24	22	11	7	2	3	2	11/8
年	日	1949	1943	1950	1945	1930	1946	1946	1942	1930	1878	1940	1949	1942
最小绝对湿度(毫米)														
1875	日	0.70	0.70	1.30	1.30	2.40	4.50	12.20	8.40	5.40	1.30	0.80	0.60	0.60
	日	18, 19	6, 16	21	23	6	4	1	20	23	30	23	17, 18	17, 18/12
1876	日	0.50	0.80	0.70	1.20	2.00	5.40	12.30	12.10	2.30	3.30	0.90	0.60	0.50
	日	27	26	27	8, 9	21, 24	3, 21	3	26	27	8	17	9, 18	27/1
1877	日	0.50	0.30	1.40	1.70	2.90	4.10	7.00	7.70	3.50	1.30	0.80	0.60	0.30
	日	12	17, 18	13	2	1	5	12	30	25	22, 23	28	23	17, 18/2
1878	日	0.40	0.50	0.70	0.60	2.10	7.10	9.50	7.90	6.00	2.30	1.00	0.40	0.40
	日	5	4	1, 29	3	3	10	10	23	13	28	9	25	6
1879	日	0.40	0.80	0.40	1.00	2.40	6.80	13.20	9.30	5.40	2.10	0.80	0.60	0.40
	日	23, 30	12	13	24	11	10	8	20	29	22	30	6	3
1880	日	0.60	1.20	1.30	1.20	1.80	5.70	13.30	8.40	2.30	1.10	0.70	0.40	0.40
	日	10	22	1	10	6	6	25	13	22	22	25	8	8/12
1881	日	0.50	0.30	0.50	1.00	2.70	3.90	7.80	9.50	4.50	0.50	0.70	0.50	0.30
	日	10, 29	5	15	10, 20	19	2	6	27	18	28	7	24	5/2
1882	日	0.60	0.70	0.70	1.00	1.20	4.80	10.70	7.40	4.70	1.80	0.40	0.40	0.40
	日	14	21	16	29	4	10	6	2	23	31	24	27	24/11, 27/12
1883	日	0.40	0.70	1.10	1.70	2.10	2.30	8.90	8.90	3.50	1.40	0.90	0.80	0.40
	日	16	4	14	13, 15	4	1	4	4	21	31	4	23	16/1
1930	日	—	—	1.19	1.89	2.93	6.26	9.78	10.98	4.39	2.05	0.88	0.69	—
	日	—	—	30	11	1	4	5	29	22	31	9	22	—
1931	日	0.35	0.45	0.91	2.17	3.88	5.28	10.10	10.83	3.70	1.50	0.49	0.53	0.35
	日	25	7	1	10	6	11	20	26	28	27	18	12	25/1
1932	日	0.53	0.64	0.57	1.73	3.53	8.25	13.69	8.15	7.48	2.41	0.96	0.44	0.44
	日	6	17	7	5	2, 1	6	4	19	28	17	6	11	11/12
1933	日	0.30	0.40	0.22	2.08	2.00	7.83	11.75	8.72	3.76	1.94	0.92	0.77	0.22
	日	11	2	6	11	2	1	31	20	26	22	5, 11	31	6/3
1934	日	0.43	0.71	0.33	1.77	4.49	5.33	12.05	7.10	6.46	1.83	0.58	0.58	0.33
	日	21	8	15	11	20	6	18	31	17	25	27	2	15/3
1935	日	0.22	0.36	0.81	0.91	2.65	5.17	8.21	7.32	2.97	2.39	0.42	0.23	0.22
	日	22	10	19	11	1	5	2	29	12	16	15	29	22/1
1936	日	0.25	0.68	0.37	0.96	2.59	4.28	6.70	6.73	—	—	—	—	—
	日	18	9	17	1	6	2	2	13	—	—	—	—	—
1940	日	0.70	0.70	1.10	2.00	3.00	7.20	6.70	8.30	7.20	2.30	1.20	1.00	0.70
	日	26, 30	2	14	4	3	9	19	25	15	24	25	17	3
1941	日	0.60	0.80	0.70	0.90	3.00	7.80	10.20	6.10	6.50	1.40	0.50	0.50	0.50
	日	11, 23	12	3	5	2	25	23	27	6	26	27	27	27/11, 12
1942	日	0.40	0.40	1.10	1.40	1.90	4.40	9.70	7.50	4.40	1.30	1.00	0.40	0.40
	日	4	12	7, 26	5, 16	3	5	5	28	24	23	27	22, 25	4
1943	日	0.40	0.50	1.20	1.50	5.50	4.70	12.20	9.90	5.30	2.50	0.90	0.80	0.40
	日	10	5, 6	19	7	16	3	12	30	29	25	17	7	10/1
1944	日	0.60	0.50	0.70	2.40	2.70	6.90	10.20	7.70	3.80	1.70	0.70	0.60	0.50
	日	4	14, 15	9	1	4	6	1	19	30	28	30	8	14, 15/2
1945	日	0.50	0.50	0.30	2.00	3.10	6.90	13.00	9.20	7.00	3.30	1.00	0.60	0.30
	日	27	2	5	3	2	1	31	29	30	31	29	17, 27	5/3
1946	日	0.50	0.40	0.50	2.00	3.87	6.00	12.47	12.04	3.39	3.04	0.98	0.30	0.30
	日	15	1	7	13	18	9	7	24	18	26	28	8	8/12
1947	日	0.59	0.64	0.51	1.40	3.90	5.31	12.00	10.23	3.57	2.73	0.66	0.37	0.37
	日	26	20	14	4	20	1	12	21	28	28	26	17	17/12
1948	日	0.43	0.68	0.85	3.07	2.94	6.53	9.77	11.58	5.98	1.58	0.96	1.25	0.43
	日	25	3	4	9	3	15	1	30	29	25	25	23	25/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	日	0.79	0.73	1.41	1.45	3.07	6.60	10.14	9.57	4.62	1.78	1.06	0.51	0.51
	日	5	5	24	4	12	2	28	26	25	29	17	5	5/12
1950	日	0.40	0.99	0.75	2.71	3.84	7.05	14.04	9.77	4.91	3.22	0.71	0.76	0.40
	日	3	4	11	7	5	9	7	22	27	26	27	30	3/1
1951	日	0.45	0.56	0.43	1.27	2.72	5.14	9.40	6.89	4.01	2.66	0.64	0.89	0.43
	日	20	28	1	10	16	8	28	31	25	25	25	13	1/3
1952	日	0.59	0.50	0.85	1.61	4.22	4.26	8.65	10.78	5.16	2.18	1.23	0.48	0.48
	日	31	2	3	17	7	3	2	24	28	24	5.8	1	1/12
1953	日	0.52	0.58	1.13	1.13	2.47	5.01	14.22	11.04	4.24	2.90	1.13	0.74	0.52
	日	16	15	25	10	22	8	31	31	30	11	18	2	16/1
極日	值	0.22	0.30	0.22	0.60	1.20	2.30	6.70	6.10	2.30	0.50	0.40	0.23	0.22
年	期	22	37	6	3	4	1	2, 19	27	27, 22	28	24	29	6/3, 22/1
	份	1935	1877	1933	1878	1882	1883	1936	1941	1876	1881	1882	1935	1933
			1881					1940		1880				1935
昌 黎 $\varphi=39^{\circ}41'N$ $\lambda=119^{\circ}09'E$ $H=16.1M$														
平均绝对湿度(毫米)														
1941		2.07	2.16	3.49	4.54	8.08	14.62	17.94	17.05	11.00	6.36	4.49	2.65	7.87
1942		1.44	1.42	3.38	4.99	7.49	11.81	18.46	16.48	11.12	6.52	3.57	1.65	7.36
1943		1.46	2.07	2.88	5.18	8.68	11.23	15.57	18.55	10.95	7.03	3.77	1.94	7.44
1944		2.20	1.80	2.80	4.50	7.30	11.20	19.50	16.00	11.30	6.30	3.20	1.00	7.26
1945		1.40	1.81	3.13	4.49	—	—	—	—	—	—	—	—	—
平 均		1.79	1.86	3.14	4.80	7.89	12.22	17.87	17.02	11.09	6.55	3.76	1.81	7.48
最大绝对湿度(毫米)														
1941	日	6.80	4.50	8.80	11.70	12.80	21.00	24.70	26.60	19.20	13.30	10.60	5.60	26.60
	日	15	20, 25	19	29	24	29	3	15	2	10	18	21	15/8
1942	日	3.50	4.40	6.70	10.60	12.90	19.30	27.80	24.70	17.60	15.20	10.50	3.70	27.80
	日	31	1	23	26	23	29	19	11	11	3	12	15	19/7
1943	日	4.10	4.50	6.20	11.60	14.60	16.80	21.40	25.50	18.80	12.80	10.70	5.10	25.50
	日	21	27	21, 22	30	25	30	31	20	16	8	3	19	20/8
1944	日	4.00	4.10	5.00	9.00	13.00	16.10	27.40	25.80	18.90	13.20	9.20	2.80	27.40
	日	29	29	26	27	31	21	22	6	9	6	1	11	22/7
1945	日	3.50	4.20	6.50	9.80	—	—	—	—	—	—	—	—	—
	日	31	26	29	17, 18	—	—	—	—	—	—	—	—	—
極日	值	6.80	4.50	8.80	11.70	14.60	21.00	27.80	26.60	19.20	15.20	10.70	5.60	27.80
年	期	15	37	19	29	25	29	19	15	2	3	3	21	19/7
	份	1941	1941	1941	1941	1943	1941	1942	1941	1941	1942	1943	1941	1942
			1943											
最小绝对湿度(毫米)														
1941	日	0.40	0.60	0.60	0.90	3.70	9.10	12.80	8.50	5.10	1.80	0.70	0.70	0.40
	日	37	6	3	5	11, 12	1	9	20, 27	30	26	37	27	37
1942	日	0.60	0.40	0.60	1.10	2.70	4.50	9.80	6.60	5.40	0.90	0.60	0.50	0.40
	日	47	9, 12	2	5	2	1	5	25	12	23	28	25	9, 12/2
1943	日	0.40	0.60	1.00	1.40	3.40	4.80	7.00	8.20	3.80	1.80	0.50	0.40	0.40
	日	10, 11	11	19	7	16	3	13	30	28	31	11	7	37
1944	日	0.70	0.30	1.00	1.80	2.60	6.30	8.40	7.20	3.00	2.20	0.70	0.40	0.30
	日	5	15	6	1	2	8	1	19	30	23	1, 30	37	15/2
1945	日	0.40	0.30	0.50	1.40	—	—	—	—	—	—	—	—	0.30
	日	5	2	16, 22	4	—	—	—	—	—	—	—	—	2/2
極日	值	0.40	0.30	0.50	0.90	2.60	4.50	7.00	6.60	3.00	0.90	0.50	0.40	0.30
年	期	67	15, 2	16, 22	5	2	1	13	25	30	23	11	47	15, 2/2
	份	37	1944	1945	1941	1944	1942	1943	1942	1944	1942	1943	1943	1944
			1945										1944	1945
唐 山 $\varphi=39^{\circ}40'N$ $\lambda=118^{\circ}07'E$ $H=57.0M$														
平均绝对湿度(毫米)														
1951		1.56	2.36	3.02	3.89	8.74	11.48	17.48	18.37	9.60	8.08	4.58	2.65	7.65
1952		1.87	1.85	3.36	5.45	8.40	15.51	19.22	16.98	12.92	6.89	3.93	1.61	8.17
1953		1.45	2.01	3.75	4.50	9.34	14.26	20.99	18.24	12.44	8.94	4.13	2.27	8.53

月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
年													
平 均	1.63	2.07	3.38	4.61	8.83	13.75	19.23	17.86	11.65	7.97	4.21	2.18	8.12
最大绝对湿度(毫米)													
1951 日	3.81 26	5.25 21	5.78 25	8.85 27	19.78 23	18.47 30	25.04 27	26.16 13	15.87 6	14.46 6	9.41 13	5.24 25	26.16 13/8
1952 日	3.31 12	4.05 8	6.56 14	10.68 5	13.25 6,25	20.70 29	24.73 24	24.98 13	20.48 5	11.80 5	8.83 3	4.49 13	24.98 13/8
1953 日	3.69 27	6.43 27	7.70 19	12.73 27	15.53 20	20.13 17	27.69 9	26.78 19	19.94 8	14.45 16	9.27 4	4.36 1	27.69 9/7
極 值 日 期	3.81 26	6.43 27	7.70 19	12.73 27	19.78 23	20.70 29	27.69 9	26.78 19	20.48 5	14.46 6	9.41 13	5.24 25	27.69 9/7
年 份	1951	1953	1953	1953	1951	1952	1953	1953	1952	1951	1951	1951	1953
最小绝对湿度(毫米)													
1951 日	0.41 20	0.93 28	0.62 2	1.08 22	2.18 13	3.98 8	9.17 16	6.80 31	3.86 26	2.55 24	0.89 22	1.07 28	0.41 20/1
1952 日	0.49 30	0.61 2	0.88 10	1.42 12	3.44 7	4.48 5	10.06 2	11.66 17	3.79 28	2.42 15	0.97 30	0.33 31	0.33 31/12
1953 日	0.23 1	0.50 21	1.16 25	0.88 10	3.25 14	6.70 3	16.56 1	10.40 22	5.03 24	2.78 30	1.38 18	0.64 2	0.23 1/1
極 值 日 期	0.23 1	0.50 21	0.62 2	0.88 10	2.18 13	3.98 8	9.17 16	6.80 31	3.79 28	2.42 15	0.89 22	0.33 31	0.23 1/1
年 份	1953	1953	1951	1953	1951	1951	1951	1951	1952	1952	1951	1952	1953
天 津													
φ= 39°06'N λ= 117°23'E H= 2.9 M													
平均绝对湿度(毫米)													
1904	—	—	—	—	—	—	—	—	—	7.40	3.70	2.60	—
1905	2.50	1.60	3.20	5.40	7.50	14.10	16.80	17.10	11.40	6.40	3.10	2.30	7.62
1906	2.10	2.20	2.90	4.90	8.00	12.90	17.90	16.10	10.80	7.30	3.00	2.30	7.53
1907	2.50	1.70	3.10	6.00	7.50	11.90	17.30	20.10	14.10	9.80	3.90	2.30	8.35
1908	2.10	2.40	3.20	5.40	8.50	14.30	19.40	20.00	12.80	8.90	4.50	2.80	8.69
1909	2.20	1.80	2.90	5.50	7.90	13.20	19.70	18.70	12.80	7.00	4.20	1.80	8.14
1910	1.90	1.70	3.10	5.60	8.70	13.80	19.10	19.50	12.00	8.80	3.80	1.80	8.32
1911	2.10	2.60	4.10	6.50	9.70	13.30	17.60	18.50	15.10	7.60	4.50	2.20	8.65
1912	1.80	2.90	3.40	5.30	8.50	14.70	19.30	18.90	11.70	7.20	3.50	2.30	8.29
1913	2.30	2.10	3.70	7.10	8.30	14.40	17.70	18.30	12.90	7.40	4.30	2.10	8.38
1914	2.30	3.30	4.60	5.70	9.10	12.80	20.00	18.50	12.90	9.40	4.40	2.30	8.78
1915	2.00	2.30	3.40	5.10	9.00	12.80	19.60	19.00	11.30	8.10	4.30	2.70	8.30
1916	2.30	2.10	2.50	5.10	7.90	13.60	17.10	17.80	12.10	6.80	4.70	2.20	7.85
1917	1.40	1.70	2.90	4.40	6.90	13.40	19.10	18.70	12.90	8.00	4.30	1.90	7.97
1918	1.90	2.70	4.50	6.50	9.80	14.00	18.30	18.30	11.60	6.80	3.80	2.30	8.38
1919	2.00	2.90	4.30	4.90	8.90	13.70	19.60	18.80	11.80	7.10	4.20	2.30	8.38
1920	2.10	2.30	4.00	6.00	9.80	13.40	20.10	16.00	11.20	8.40	4.40	2.60	8.36
1921	2.10	2.20	3.10	5.00	9.40	14.00	18.60	18.50	12.10	7.50	3.00	2.50	8.17
1922	1.80	3.10	3.20	5.70	8.20	12.80	19.00	19.30	12.30	6.90	3.40	2.20	8.16
1923	1.50	1.70	4.40	5.60	8.20	12.40	18.30	19.50	12.00	6.30	3.60	1.90	7.95
1924	1.80	1.80	2.80	5.30	8.10	14.10	19.70	18.90	13.00	6.80	3.20	2.40	8.16
1925	2.00	1.90	3.40	5.70	9.70	15.20	18.90	18.60	13.00	8.50	4.90	2.10	8.66
1926	2.10	2.50	3.80	5.70	10.40	13.30	18.70	20.10	12.60	6.80	5.10	1.90	8.58
1927	2.40	2.60	4.30	6.30	7.60	12.50	20.10	18.10	12.60	7.20	4.60	2.30	8.38
1928	2.30	2.30	3.30	5.70	8.20	12.80	18.30	17.50	11.80	6.30	3.90	2.40	7.90
1929	2.00	2.20	3.10	5.00	8.50	11.70	19.30	18.20	12.10	7.30	3.20	2.90	7.96
1930	2.10	3.40	4.30	6.00	9.30	11.60	19.60	19.10	12.10	7.50	3.30	2.60	8.41
1931	2.10	1.90	3.60	5.30	8.90	12.70	15.80	18.70	12.10	5.70	4.40	2.60	7.82
1932	2.30	1.70	2.30	4.80	8.40	13.50	19.00	17.50	12.80	5.60	3.30	2.10	7.78
1933	1.40	2.10	3.10	5.60	8.30	14.20	18.40	17.40	12.30	6.90	3.60	2.90	8.02
1934	1.50	2.40	2.60	4.80	9.30	12.70	19.00	17.30	12.60	7.60	3.60	3.20	8.05
1936	1.40	2.20	2.40	4.70	7.70	13.00	18.00	18.20	13.40	7.20	3.30	2.20	7.81
1938	—	—	—	—	—	15.71	21.43	19.68	12.25	10.02	4.29	2.58	—
1939	—	—	4.45	6.39	10.07	14.58	21.78	20.00	12.43	9.31	4.94	2.95	—
1940	2.22	2.77	5.18	6.45	10.20	14.75	19.90	—	—	—	—	—	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941		—	—	—	—	—	15.97	20.04	17.75	12.36	7.59	—	—	—
1946		—	3.01	4.27	7.62	10.34	14.47	20.69	20.30	14.75	9.62	5.70	2.22	—
1947		2.30	2.17	3.26	7.10	10.39	14.83	20.78	19.98	13.27	6.94	3.66	2.03	8.89
1948		2.17	3.02	4.85	9.34	9.89	15.27	21.25	20.40	14.33	7.51	4.17	3.32	9.63
1949		2.34	3.24	3.63	5.66	9.44	15.39	20.45	19.91	14.90	10.35	5.44	2.88	9.47
1950		2.54	2.69	4.85	9.09	10.54	14.36	20.40	20.92	12.80	8.74	3.97	2.26	9.43
1951		1.74	2.47	3.39	4.33	9.71	12.88	18.88	19.29	10.26	8.88	4.95	2.75	8.29
1952		1.89	1.93	3.31	5.96	9.22	12.21	20.04	17.65	13.61	7.38	4.58	1.94	8.31
1953		1.66	2.27	4.25	4.75	9.43	15.01	21.98	19.20	13.60	9.60	4.68	2.70	9.09
平 均		2.02	2.32	3.50	5.71	8.81	13.49	19.03	18.65	12.55	7.59	4.02	2.38	8.34
最大绝对湿度(毫米)														
1904		—	—	—	—	—	—	—	—	14.30	9.30	5.20	—	—
日		—	—	—	—	—	—	—	—	1	13	9	—	—
1905		4.80	2.90	7.60	10.20	16.20	24.10	23.50	21.50	18.70	12.30	8.00	7.40	24.10
日		22	22	28	14	31	19	7	18	1, 13	12	11	6	19/6
1906		4.30	3.80	5.40	10.40	13.30	18.40	23.00	22.10	16.20	13.20	8.30	5.30	23.00
日		8	14	11	15	14	27	25	23	2	15	13	16	25/7
1923		3.70	3.30	9.00	9.50	13.20	20.10	25.50	26.70	20.10	12.40	7.50	4.00	26.70
日		14	11, 18	23	16	18	28	27	3	1	19	5, 6	4	3/8
1924		3.40	4.70	7.20	12.00	14.30	19.80	24.80	27.90	18.40	14.00	9.00	3.70	27.90
日		24	2	30	29	22	27	19, 27	9	6	2	18	8, 18	9/8
1925		3.80	3.60	7.70	11.40	16.80	23.30	26.20	26.40	22.10	14.50	9.30	4.70	26.40
日		13, 21	15	21	23	24	25	30	13	5	12	9	26	13/8
1926		4.60	5.70	9.10	9.70	18.10	24.30	30.70	26.80	19.00	13.60	10.00	4.50	30.70
日		11, 29	8	31	15	27	25	17	18	6	4	6	1	17/7
1927		5.30	5.10	8.30	13.40	14.80	20.80	29.60	26.30	21.50	19.00	10.80	5.10	29.60
日		6	14	30	29	25	27	24	13	1	7	3	4	24/7
1928		4.70	4.40	8.10	12.90	15.40	21.30	24.30	23.40	20.80	11.50	7.30	4.40	24.30
日		9	3x	31	25	22	26	10	23	5	2	5	8	10/7
1929		4.40	4.50	6.30	9.30	14.10	17.40	—	—	—	—	—	—	—
日		13	21	23	6	31	10	—	—	—	—	—	—	—
1946		—	5.30	10.62	12.94	19.95	23.86	26.42	27.36	21.88	17.48	11.59	5.27	—
日		—	23	31	30	30	23	30	8	1	1	6	4	—
1947		4.36	4.59	6.00	15.74	19.33	21.71	27.06	26.35	19.33	11.63	8.49	4.78	27.06
日		16	28	18	16	12	29	23	11	14	4	3	24	23/7
1948		4.32	5.75	9.54	14.18	16.60	21.50	26.68	26.58	23.20	15.50	8.87	5.95	26.68
日		11	12	29	7	31	24	25	10	11	10	22	13	25/7
1949		6.61	6.42	7.84	12.00	(14.93)	22.05	28.61	27.56	21.61	18.72	10.10	7.01	28.61
日		30	26	29	26	31	30	20	4	6	7	4	20/7	—
1950		5.28	5.55	12.54	16.17	17.83	19.59	26.06	27.82	21.85	15.08	10.24	4.83	27.82
日		17	24	31	30	12	30	17	13	15	14	2	12	13/8
1951		3.52	5.30	6.69	9.79	18.91	19.62	26.69	28.13	16.99	16.37	10.07	5.19	28.13
日		27	21	25	27	31	30	23	13	5	5	13	1	13/8
1952		3.36	4.14	6.78	11.79	14.99	20.70	26.45	25.05	21.57	13.14	10.19	3.98	26.45
日		12	29	14	30	17	29	24	13	6	4	4	13	24/7
1953		3.29	6.54	7.66	11.04	16.47	21.24	29.69	25.65	20.65	16.93	9.28	5.18	29.69
日		27	27	19	27	20	21	8	16	10	5	4	1	8/7
值 日 年	份	6.61	6.54	12.54	16.17	19.95	24.30	30.70	28.13	23.20	19.00	11.59	7.40	30.70
		30	27	31	30	30	25	17	13	11	7	6	6	17/7
		1949	1953	1950	1950	1946	1926	1926	1951	1948	1927	1946	1905	1926
最小绝对湿度(毫米)														
1904		—	—	—	—	—	—	—	—	—	2.20	0.90	0.90	—
1日		—	—	—	—	—	—	—	—	—	21	30	29	—
1905		0.80	0.00	0.50	2.60	3.00	7.70	12.20	11.00	3.70	1.30	0.70	0.60	0.00
日		28, 29	5	3	7	2	8	1	21	29	29	5	3x	5/2
1906		0.60	0.70	0.70	1.50	4.00	5.50	10.90	8.50	4.60	3.10	1.00	0.70	0.60
日		19	8	5	2	16	5	16	28	25	17	21	21	19/1
1923		0.40	0.60	0.70	3.10	4.10	7.40	9.80	12.70	5.50	1.70	0.70	0.40	0.40
日		3x	3, 25	8, 9	4	24	4	1	23	26	23	30	28	4x
1924		0.30	0.40	0.80	1.10	2.60	8.20	13.00	5.00	7.20	2.00	0.80	0.80	0.30
日		7	21	12	2	11	18	22	27	18, 20	7	30	9, 11	7/1
1925		0.90	0.60	0.80	1.10	3.80	9.80	8.20	12.00	6.70	4.10	0.90	0.50	0.50
日		3	17	1	4, 5	19	14	18	5, 27	22	30	28	28	28/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1926	日	0.20 18	0.20 15	0.90 15	2.20 8,9	2.20 6	6.10 2	8.40 3	9.30 26	3.20 27	1.90 28	1.20 25	0.50 7	0.20 18/1,15/2
1927	日	0.50 21	0.60 25, 26	0.90 4	1.90 1	3.10 21	5.60 16	10.70 1	11.30 17	6.10 17	2.10 29	0.90 11	0.60 18	0.50 21/1
1928	日	0.30 10, 11	0.40 7	1.10 2, 25	2.10 8	2.20 16	6.10 3	12.80 7	9.20 27	3.20 24	2.20 9	1.80 3x	0.80 15, 18	0.30 10, 11/1
1929	日	0.60 28	0.40 1, 2	0.80 1	2.20 12, 4	4.90 8	7.10 18	—	—	—	—	—	—	—
1946	日	—	0.73 16	1.21 7	3.35 13	5.24 8	7.22 11	13.31 5	12.99 24	5.52 18	4.24 26	0.88 28	0.79 9	—
1947	日	0.81 25	0.76 15	0.99 8	2.67 4	5.61 8	4.99 1	15.27 11	11.19 31	5.55 30	2.37 5	1.05 26	0.63 18	0.63 18/12
1948	日	0.59 26	1.17 3	1.27 3	4.37 28	4.69 3	7.17 15	12.63 1	14.19 19	8.25 29	2.36 25	1.06 27	1.13 22	0.59 26/1
1949	日	0.48 5	1.29 4	1.41 22	1.78 4	2.61 13	7.79 2	11.29 28	10.85 26	7.47 26	2.61 29	1.85 16	0.92 5	0.48 5/1
1950	日	0.94 6	1.12 4	0.71 11	3.86 6	5.77 4	7.96 9	14.19 10	12.19 22	5.21 27	4.08 23	0.76 29	0.76 29	0.71 11/3
1951	日	0.57 21	0.87 10	0.58 1	1.60 20	3.43 13	5.41 8	13.44 5	7.76 31	4.20 26	3.07 26	1.01 25	1.00 14	0.57 21/1
1952	日	0.60 24	0.56 22	0.77 23	2.21 14, 15	5.02 7	5.02 3	12.38 2	12.03 26	4.96 28	3.15 24, 25	1.42 30	0.49 31	0.49 31/12
1953	日	0.51 1	0.54 15	1.04 25	1.40 10, 11	3.63 12	6.67 3	17.18 3	11.95 22	6.81 24	4.19 30	1.53 22	1.02 4	0.51 1/1
極 日 年	值 期 份	0.20 18	0.00 5	0.50 3	1.10 3x	2.20 6, 16	4.99 1	8.20 18	5.00 27	3.20 27, 24	1.30 29	0.70 5, 30	0.40 28	0.00 5/2
		1926	1905	1905	1924	1926	1947	1925	1924	1926	1905	1905	1923	1905
塘 沽 $\varphi = 38^{\circ}58'N$ $\lambda = 117^{\circ}49'E$ $H = 4.7M$														
平均绝对湿度(毫米)														
1946		2.70	3.33	4.29	6.83	10.77	16.37	22.17	21.32	15.35	10.33	6.10	2.63	10.18
1947		2.49	2.20	3.39	6.96	10.23	15.84	21.98	20.79	13.78	7.66	4.15	2.30	9.31
1948		2.28	3.17	4.79	8.26	9.69	15.72	21.19	20.74	15.12	8.38	4.73	3.76	9.82
1949		2.64	3.38	4.14	6.25	10.30	15.29	19.98	19.81	14.52	9.45	5.63	3.11	9.54
1950		2.91	3.03	4.91	8.04	10.79	15.22	21.28	21.27	13.03	9.49	4.67	2.73	9.78
1951		2.04	2.78	3.89	5.14	10.94	13.58	19.05	19.92	11.11	9.51	5.31	3.21	8.87
1952		2.58	2.35	3.94	6.78	10.12	13.36	20.44	18.04	14.19	7.95	5.14	2.29	8.93
1953		2.10	2.63	4.65	5.79	10.08	16.17	22.35	19.77	14.04	10.36	5.02	3.06	9.67
平 均		2.47	2.86	4.25	6.76	10.37	15.19	21.06	20.21	13.89	9.14	5.09	2.89	9.51
最大绝对湿度(毫米)														
1946	日	4.60 23	5.70 23, 24	7.90 28	12.30 30	18.90 30	24.50 24	30.15 18	29.76 9	22.43 1	18.12 1	11.98 5	4.41 4	30.15 18/7
1947	日	4.67 16	4.23 28	6.96 26	13.98 16	18.98 26	23.19 29	30.15 23	26.82 10	20.48 10	12.31 3	9.55 9	4.58 26	30.15 23/7
1948	日	4.38 11	5.24 12	9.80 29	13.64 17	15.93 31	23.34 9	26.51 25	28.80 10	25.25 10	16.83 10	9.26 22	6.92 13	28.80 10/8
1949	日	5.75 29	5.93 23	7.87 27	15.61 23	16.04 17	21.61 21	27.98 21	26.73 4	21.22 6	16.81 4	10.42 7	7.58 2	27.98 21/7
1950	日	5.02 17	5.85 24	10.04 30	13.32 30	16.88 29	22.20 26	26.45 28	28.48 12	22.19 14	16.73 2	11.28 2	4.98 12	28.48 12/8
1951	日	4.32 27	5.14 21	7.30 25	9.54 27	17.64 31	21.08 28	25.79 27	28.36 15	18.96 5	16.57 5	10.15 14	5.49 11	28.36 15/8
1952	日	4.09 16	4.03 10	7.15 26	12.69 30	16.76 17	20.55 29	25.40 30	25.42 13	21.73 6	14.86 4	10.91 4	4.69 13	25.42 13/8
1953	日	3.67 27	6.83 27	7.93 23	12.84 28	15.23 20	21.30 20	29.22 9	26.71 19	20.98 8	17.73 5	9.74 4	5.44 1	29.22 9/7
極 日 年	值 期 份	5.75 29	6.83 27	10.04 30	15.61 23	18.98 26	24.50 24	30.15 18, 23	29.76 9	25.25 10	18.12 1	11.98 5	7.58 2	30.15 18, 23/7
		1949	1953	1950	1949	1947	1946	1946, 47	1946	1948	1946	1946	1949	1946, 47

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)														
1946	日	0.80	0.90	1.30	2.50	4.40	8.11	13.95	14.63	5.14	4.23	1.26	0.79	0.79
	日	9	1	3	13	18	10	2	27	18	26	28	8	8/12
1947	日	0.81	0.78	1.04	2.49	4.92	7.80	15.27	13.60	6.39	2.94	0.85	0.49	0.49
	日	25	15	2	4	8	1	13	3	30	28	13	18	18/12
1948	日	0.62	0.93	0.78	3.12	3.49	8.52	7.75	13.36	8.71	2.72	1.17	1.26	0.62
	日	26	2	4	22	3	15	1	20	29	30	28	23	26/1
1949	日	0.88	1.10	1.09	1.68	2.71	5.90	11.65	9.49	5.64	2.63	2.06	1.01	0.88
	日	4	5	18	4	13	15	27	26	25	29	13	5	4/1
1950	日	1.21	1.41	1.20	2.87	4.67	7.59	15.65	12.21	4.78	4.69	1.39	1.18	1.18
	日	23	4,3	11	7	9	9,20	7	25	28	27	29	23	23/12
1951	日	0.53	0.99	0.71	1.47	4.46	5.50	13.31	7.89	4.61	2.85	1.33	1.31	0.53
	日	20	28	1	20	1	8	5	20	30	24	25	14	20/1
1952	日	1.06	0.69	0.88	2.27	4.36	5.47	14.30	11.39	4.48	3.13	1.48	0.59	0.59
	日	6	17	3	17	9	4	5	18	28	25	30	31	31/12
1953	日	0.76	0.54	1.48	1.34	3.82	6.62	16.82	11.09	6.80	3.94	1.61	0.83	0.54
	日	17	17	25	2	12	3	18	22	24	30	18	2	17/2
極日	值期	0.53	0.54	0.71	1.34	2.71	5.47	7.75	7.89	4.48	2.63	0.85	0.49	0.49
年	份	20	17	1	2	13	4	1	20	28	29	13	18	18/12
		1951	1953	1951	1953	1949	1952	1948	1951	1952	1949	1947	1947	1947
保 定(-) $\varphi = 36^{\circ}53'N$ $\lambda = 115^{\circ}28'E$ $H = 19.3 M$														
平均绝对湿度(毫米)														
1927		2.18	2.61	4.23	6.53	7.09	13.70	19.50	18.60	12.11	6.40	4.55	2.15	8.30
1928		1.67	2.36	3.53	5.45	7.67	11.76	18.39	17.96	12.00	6.41	3.65	2.32	7.76
1929		1.95	2.13	3.25	4.40	7.98	12.39	19.10	18.50	11.63	6.42	2.80	2.37	7.74
1930		1.95	3.12	4.02	6.02	9.51	10.96	19.00	19.24	11.27	6.87	3.33	2.55	8.15
1931		2.15	1.97	3.19	4.88	8.94	12.88	17.28	19.27	11.73	5.94	4.12	2.76	7.93
1932		2.32	1.92	2.48	3.95	8.84	13.57	19.74	19.38	13.47	5.75	3.44	2.61	8.12
1933		1.82	2.27	3.32	5.52	9.97	16.11	19.69	17.92	12.81	7.19	3.54	3.38	8.63
1934		1.86	2.82	3.41	7.98	10.39	11.70	19.23	16.86	11.77	6.95	3.21	3.09	8.27
1935		2.38	2.42	3.59	4.61	6.51	10.26	16.92	17.92	11.33	6.49	4.39	1.63	7.37
1936		1.27	2.14	2.26	4.70	7.53	11.50	15.49	16.22	10.89	5.44	2.57	1.90	6.83
1937		1.74	2.40	3.19	—	—	—	—	—	—	—	—	—	—
1944		2.34	2.00	3.06	5.91	7.89	11.58	20.55	17.78	12.53	7.50	3.85	1.49	8.04
1945		1.38	1.84	3.60	7.08	9.75	15.67	18.16	19.81	15.13	8.85	6.20	2.40	9.16
1946		1.85	2.14	3.58	5.95	8.14	11.40	19.13	19.01	12.91	8.46	4.76	1.69	8.25
1947		1.78	1.68	2.42	4.24	8.45	13.67	17.84	17.70	11.91	6.18	—	—	—
平 均		1.93	2.29	3.35	5.61	8.48	12.58	18.63	18.34	12.28	6.82	3.88	2.33	8.04
最大绝对湿度(毫米)														
1934	日	4.05	4.68	6.32	22.59	23.43	19.64	26.62	23.97	18.70	12.46	5.93	5.30	26.62
	日	5	21	30	21	2	28	8	18	6	11	11	22	8/7
1935	日	3.96	4.84	6.93	8.85	11.44	16.30	25.87	23.79	—	—	—	—	—
	日	24	25	28	25	25	24	26	13	—	—	—	—	—
1944	日	4.30	3.70	6.10	11.80	14.90	18.40	27.20	26.30	18.60	12.10	9.20	3.50	27.20
	日	8	12	27	29	31	28	22	4,5	8	7	1	4	22/7
1945	日	2.90	4.20	7.50	15.20	19.10	26.90	—	—	—	—	—	—	—
	日	31	21,26	29,30	28	30	10	—	—	—	—	—	—	—
極日	值期	4.30	4.84	7.50	22.59	23.43	26.90	27.20	26.30	18.70	12.46	9.20	5.30	27.20
年	份	8	25	29,30	21	2	10	22	4,5	6	11	1	22	22/7
		1944	1935	1945	1934	1934	1945	1944	1944	1934	1934	1944	1934	1944
最小绝对湿度(毫米)														
1934	日	0.83	1.30	1.38	2.08	4.76	5.54	12.50	8.87	6.71	2.24	1.21	1.31	0.83
	日	21	3	13	9	20	5	23	31	24	31	30	3	21/1
1935	日	1.30	0.79	1.80	1.95	2.66	5.37	8.73	10.73	—	—	—	—	—
	日	9,17	17	19	11	1	5	2	26	—	—	—	—	—
1944	日	0.70	0.60	0.60	2.90	2.40	6.70	10.10	11.40	5.80	3.60	1.70	0.60	0.60
	日	5	19,20	5	11	2	11	2	9,11	30	28	12	26	4
1945	日	0.60	0.50	0.60	2.50	3.70	8.70	—	—	—	—	—	—	0.50
	日	14,15	1	5	6	4	2	—	—	—	—	—	—	1/2

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 日 年	值 期 份	0.60 14, 15 1945	0.50 1 1945	0.60 5 1944 1945	1.95 11 1935	2.40 2 1944	5.37 5 1935	8.73 2 1935	8.87 31 1934	5.80 30 1944	2.24 31 1934	1.21 30 1934	0.60 26 1944	0.50 1/2 1945
保 定(二) $\varphi=38^{\circ}50'N$ $\lambda=115^{\circ}34'E$ $H=19.2^m$														
平均绝对湿度(毫米)														
1951		1.85	2.56	3.63	5.42	11.27	13.03	17.05	19.09	9.84	8.67	5.24	2.70	8.36
1952		1.63	1.95	3.50	6.08	9.26	10.52	19.63	16.78	12.75	6.42	4.45	2.10	7.92
1953		1.32	2.19	3.57	4.29	9.50	13.72	20.13	18.27	12.43	8.25	4.63	2.51	8.40
平 均		1.60	2.23	3.57	5.26	10.01	12.42	18.94	18.05	11.67	7.78	4.77	2.44	8.23
最大绝对湿度(毫米)														
1951		3.90	5.32	8.08	12.20	22.17	20.79	24.04	27.73	15.02	14.52	10.03	4.34	27.73
日		29	21	25	30	31	2	26	10	1	4	13	1	10/8
1952		3.42	4.74	7.01	11.93	14.35	21.73	26.30	23.82	19.84	11.32	8.67	4.12	26.30
日		1	8	28	8	17	27	19	13	1	5	11	13	19/7
1953		3.58	6.51	7.18	11.89	14.64	20.31	26.32	25.24	19.97	13.29	8.71	6.02	26.32
日		10	27	19	27	21	18	9	9	1	15	4	1	9/7
極 日 年	值 期 份	3.90 29 1951	6.51 27 1953	8.08 25 1951	12.20 30 1951	22.17 31 1951	21.73 27 1952	26.32 9 1953	27.73 10 1951	19.97 1 1953	14.52 4 1951	10.03 13 1951	6.02 1 1953	27.73 10/8 1951
最小绝对湿度(毫米)														
1951		0.36	0.99	0.92	1.84	3.65	5.25	10.71	9.43	4.61	3.68	1.61	0.89	0.36
日		12	16	1	20	16	7	28	31	30	24	22	13, 14	12/1
1952		0.56	0.58	0.73	1.61	4.97	2.75	10.68	11.70	4.90	2.59	1.54	0.44	0.44
日		30	2, 22	3	14	8	3	3	25	28	25	5	31	31/12
1953		0.45	0.64	0.90	0.91	3.49	6.19	15.11	11.64	5.55	4.57	1.57	1.26	0.45
日		1	14	25	10	12	3	14	31	30	12	18	20	1/1
極 日 年	值 期 份	0.36 12 1951	0.58 2, 22 1952	0.73 3 1952	0.91 10 1953	3.49 12 1953	2.75 3 1952	10.68 3 1952	9.43 31 1951	4.61 30 1951	2.59 25 1952	1.54 5 1952	0.44 31 1952	0.36 12/1 1951
石 家 庄 $\varphi=38^{\circ}02'N$ $\lambda=114^{\circ}28'E$ $H=83.8 M$														
平均绝对湿度(毫米)														
1949		—	—	—	—	—	—	—	—	13.21	7.46	4.37	2.33	—
1950		2.30	2.49	3.83	7.36	9.96	13.48	20.30	19.65	11.27	7.98	4.06	2.01	8.72
1951		2.00	2.86	3.12	4.15	9.92	12.62	17.88	19.67	10.23	8.56	5.07	2.79	8.24
1952		1.74	2.40	4.06	6.38	9.38	10.44	20.28	16.74	12.61	6.58	4.93	2.66	8.18
1953		1.67	2.79	4.15	4.65	10.11	14.38	21.63	18.86	12.96	8.54	5.04	2.84	8.97
平 均		1.93	2.64	3.79	5.64	9.84	12.73	20.02	18.73	11.77	7.92	4.78	2.58	8.53
最大绝对湿度(毫米)														
1949		—	—	—	—	—	—	—	—	19.48	14.52	9.05	5.75	—
日		—	—	—	—	—	—	—	—	4	1	7	3	—
1950		4.82	5.11	8.40	17.48	18.60	18.77	27.45	27.23	18.74	14.13	10.36	4.04	27.45
日		17	24	25	30	13	30, 27	17	6	6	14	3	4, 15	17/7
1951		3.55	4.69	6.72	9.70	17.25	19.87	26.48	27.07	16.53	14.55	9.04	5.40	27.07
日		29	21	27	27	30	27, 28	26	13	5	5	13	3	13/8
1952		3.68	4.45	7.57	14.39	15.28	20.03	25.34	24.87	19.80	11.29	9.09	4.44	25.34
日		28	29	29	30	3	27	20	13	10	20	4	14	20/7
1953		3.27	7.15	7.68	11.42	17.54	22.86	28.54	25.74	20.79	12.85	9.48	5.19	28.54
日		22	27	6	30	11	28	9	16	8	18	4	1	9/7
極 日 年	值 期 份	4.82 17 1950	7.15 27 1953	8.40 25 1950	17.49 30 1950	18.60 13 1950	22.86 28 1953	28.54 9 1953	27.23 6 1950	20.79 8 1950	14.55 5 1951	10.36 3 1950	5.75 3 1949	28.54 9/7 1953
最小绝对湿度(毫米)														
1949		—	—	—	—	—	—	—	—	4.49	2.24	1.11	0.79	—
日		—	—	—	—	—	—	—	—	26	29	24	5	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	1.02	1.02	0.76	1.84	2.23	6.74	15.71	12.00	4.40	3.93	1.35	0.89	0.76
	日	2, 23	4	7	8	4	8	9	28	28	26	29	23	7/3
1951	日	0.46	1.24	0.82	1.18	2.15	4.50	10.78	9.07	3.98	2.97	0.95	0.94	0.46
	日	12	28	1	12, 13	16	7	5	31	30	24	25	14, 13	12/1
1952	日	0.88	0.77	1.08	1.34	3.47	4.77	12.15	9.77	5.51	2.92	1.99	0.82	0.77
	日	24	2, 18	3	14	27	3	2	25	25	25	19	31	2, 18/2
1953	日	0.77	0.83	1.15	1.83	3.04	7.28	15.21	13.33	6.92	4.84	2.14	1.43	0.77
	日	1, 15	15	25	11	12	13	16	28	28	24	18	22, 23	1, 15/1
極 日	值	0.46	0.77	0.76	1.18	2.15	4.50	10.78	9.07	3.98	2.24	0.95	0.79	0.46
年	期 份	1951	1952	1950	1951	1951	1951	1951	1951	1951	1949	1951	1949	1951
太 原														
平均绝对湿度(毫米)														
1947	—	—	—	—	—	—	9.54	11.90	13.49	9.48	5.42	3.00	1.77	—
1948	1.66	2.33	3.96	5.31	5.98	9.53	13.70	13.64	10.46	5.26	3.06	2.67	6.46	—
1949	1.85	—	—	—	—	11.77	16.97	14.73	11.00	6.35	2.45	1.90	—	—
1950	2.14	2.30	3.36	5.63	8.13	11.63	16.27	15.14	9.07	6.17	3.09	1.57	7.04	—
1951	1.41	2.36	2.57	3.57	7.64	10.66	14.13	15.61	9.22	7.37	3.99	2.11	6.72	—
1952	1.47	1.78	3.66	5.33	8.28	9.43	16.49	13.12	10.34	5.10	3.93	1.62	6.71	—
1953	1.35	1.99	3.09	3.46	7.73	11.72	15.95	15.99	9.14	6.39	4.05	2.03	6.91	—
平 均	1.61	2.15	3.33	4.66	7.55	10.59	15.31	14.70	9.65	6.06	3.62	2.00	6.77	—
最大绝对湿度(毫米)														
1947	—	—	—	—	—	14.86	18.30	20.39	13.54	9.52	8.48	3.37	—	—
日	—	—	—	—	—	19	2	18	21	2	6	6	—	—
1948	3.36	4.38	7.69	9.02	10.25	15.52	20.40	17.84	14.94	10.85	6.13	4.52	20.40	—
日	21	28	30	7	16	28	21	1	10	21	8, 11	21/7	—	—
1949	4.46	—	—	—	—	18.34	22.56	21.16	16.52	11.48	7.65	4.45	—	—
日	22	—	—	—	—	30	22	3	4	4	11	3	—	—
1950	4.76	4.81	7.89	10.56	13.77	18.68	21.98	23.14	15.22	10.63	7.75	3.19	23.14	—
日	17	24	30	30	28	27	16	6	7	14	3	4	6/8	—
1951	3.43	4.65	5.81	7.57	14.17	16.56	21.46	22.66	14.65	12.31	7.56	4.32	22.66	—
日	8	22	25	27	27	14	31	14	5	14	11	3	14/8	—
1952	2.81	4.03	7.09	9.89	13.99	17.68	21.73	19.63	16.13	8.20	7.68	3.50	21.73	—
日	28	29	30	30	1	28	21	12	10	6	11	13	21/7	—
1953	3.17	4.49	6.28	9.52	12.84	18.08	20.29	22.69	15.20	10.60	7.89	3.62	22.69	—
日	9	28	21, 22	27	20	17	5	15	1	18	7	1	15/8	—
極 日	值	4.76	4.81	7.89	10.56	14.17	18.68	22.56	23.14	16.52	12.31	8.48	4.52	23.14
年	期 份	1950	1950	1950	1950	1951	1950	1949	1950	1949	1951	1947	1948	1950
最小绝对湿度(毫米)														
1947	—	—	—	—	—	3.22	6.13	6.64	3.67	2.54	0.98	0.51	—	—
日	—	—	—	—	—	1	10	31	28	28	29	18	—	—
1948	0.72	1.01	0.75	2.46	2.09	3.31	5.56	8.61	6.17	1.81	0.90	0.98	0.72	—
日	26, 27	5	3	2	10	15	1	30	28	25	28	29	26, 27/1	—
1949	0.71	—	—	—	—	5.24	9.44	6.84	4.57	1.84	1.20	0.64	—	—
日	8	—	—	—	—	15	28	29	26	29	17	6	—	—
1950	0.72	0.71	0.66	1.68	2.75	7.13	9.98	8.33	3.46	3.00	0.77	0.61	0.61	—
日	3, 22	4	7	4	5	8	6	26	28	23	27	31	31/12	—
1951	0.40	0.72	0.69	1.30	2.1	6.04	5.58	8.42	3.82	2.41	0.81	0.91	0.40	—
日	12, 21	6, 11	1	10	1	11	6	31	29	26	25	13, 14	12, 21/1	—
1952	0.55	0.55	0.96	1.21	4.38	4.46	10.68	7.47	4.78	2.41	2.06	0.57	0.55	—
日	25	4	3	14	18	10	9	24	30	14	18, 19	2	25/1, 4/2	—
1953	0.49	0.58	1.24	0.96	2.21	6.59	10.57	10.84	4.84	3.39	1.30	0.82	0.49	—
日	17	18	4	13	12	10	11	22	28	9	18	10	17/1	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日 年	值期 份	0.40 12, 21 1951	0.55 4 1952	0.66 7 1950	0.96 13 1953	2.09 10 1948	3.22 1 1947	5.56 1 1948	6.64 31 1947	3.46 28 1950	1.81 25 1948	0.77 27 1950	0.51 18 1947	0.40 12, 21/1 1951
太 原(農)														

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
山 東 烟 台 $\varphi = 37^{\circ}32'N$ $\lambda = 121^{\circ}23'E$ $H = 45.6 M$ 平均绝对湿度(毫米)													
1907	3.50	2.70	3.70	5.80	9.50	13.10	16.80	19.30	13.70	9.20	5.00	3.10	8.78
1908	2.80	2.60	3.40	5.30	8.90	15.40	18.90	19.00	13.00	9.70	5.00	3.50	8.96
1909	2.80	2.40	3.20	5.50	7.80	12.00	18.80	19.50	13.20	8.30	6.00	3.00	8.54
1910	2.80	2.60	3.80	6.50	10.10	14.10	19.00	19.60	12.30	10.10	6.40	3.00	9.19
1911	3.20	3.30	4.00	6.30	9.30	13.70	18.10	19.00	15.40	8.50	5.90	3.40	9.18
1912	2.80	3.70	4.10	6.10	8.30	14.10	18.40	19.60	12.40	9.10	4.90	3.20	8.89
1913	3.00	3.00	3.40	6.30	8.10	13.70	17.70	18.50	13.40	9.10	6.10	3.40	8.81
1914	3.30	3.90	4.70	6.00	10.10	14.50	21.50	20.70	15.70	9.50	5.40	3.20	9.88
1915	2.90	2.60	3.30	5.30	8.70	13.10	18.80	17.50	11.40	9.50	5.70	4.00	8.57
1916	3.50	3.20	3.20	5.80	8.00	12.70	16.80	19.10	13.00	8.50	6.00	3.30	8.59
1917	2.10	2.60	3.20	4.90	7.30	13.00	18.90	19.00	13.40	7.60	4.50	2.90	8.28
1918	2.30	3.00	4.20	5.50	8.90	12.80	17.90	19.10	12.10	7.90	4.60	3.00	8.44
1919	2.90	3.10	4.20	4.90	9.70	13.80	18.50	18.90	13.00	7.60	5.30	3.10	8.75
1920	3.00	2.80	4.20	5.50	8.70	12.20	19.30	18.30	13.50	8.90	5.90	3.40	8.81
1921	2.50	2.80	3.50	5.70	8.80	12.20	17.80	19.00	13.30	8.80	4.40	3.50	8.53
1922	2.30	3.90	3.90	6.40	9.20	12.70	18.70	20.40	13.80	10.00	5.00	3.50	9.15
1923	2.60	2.70	4.60	5.90	8.40	12.40	17.80	21.30	13.10	8.20	5.00	3.30	8.78
1924	2.80	2.90	3.70	6.50	8.30	12.90	18.70	19.60	14.00	7.90	4.40	3.20	8.74
1925	2.80	2.80	3.60	5.70	9.70	14.40	17.30	18.10	14.20	9.20	5.80	3.30	8.91
1926	2.90	3.30	3.70	5.20	9.80	12.30	17.20	19.90	13.10	7.60	6.00	3.20	8.68
1927	3.00	3.10	4.30	6.20	8.30	12.20	19.80	18.50	13.80	8.70	6.20	3.70	8.98
1928	3.30	3.10	3.90	5.90	8.50	12.80	17.40	18.90	12.80	7.70	5.20	3.50	8.58
1929	3.00	3.00	3.80	5.30	9.90	13.70	19.40	18.60	11.60	8.10	4.50	4.00	8.74
1930	2.70	3.70	4.80	6.30	8.90	11.90	20.60	19.80	12.60	8.80	4.50	3.50	9.01
1931	2.90	2.70	3.80	5.10	8.60	13.90	16.20	20.10	12.60	7.10	5.80	3.70	8.54
1932	3.30	2.80	3.30	5.50	8.20	13.30	19.30	18.40	13.40	6.80	4.90	3.60	8.57
1933	2.50	2.90	3.40	5.80	9.20	13.80	19.50	18.00	12.50	7.70	4.60	3.70	8.63
1934	2.50	2.80	3.20	5.20	8.90	12.70	19.40	18.90	13.00	7.60	4.80	4.00	8.58
1935	3.10	3.20	4.00	5.40	7.80	11.80	19.50	19.30	12.10	8.40	5.40	2.90	8.58
1936	2.20	2.70	2.90	5.30	8.30	12.70	16.90	17.90	13.50	7.40	4.70	3.10	8.13
1939	2.90	3.00	4.20	5.90	8.80	11.80	19.30	20.10	13.10	8.90	5.60	3.10	8.89
1940	2.47	2.87	3.63	5.63	8.13	12.77	19.30	17.87	13.00	8.80	5.97	3.77	8.68
1950	—	—	—	6.64	8.85	13.28	19.39	20.37	12.76	8.78	5.57	3.55	—
1951	2.83	3.06	3.80	5.12	9.88	13.98	19.03	21.08	12.74	11.01	6.46	4.12	9.43
1952	3.06	2.65	4.06	6.72	9.30	12.27	19.37	18.33	13.72	8.21	6.18	2.96	8.90
1953	2.30	2.92	4.02	5.30	9.01	14.16	20.07	19.76	13.21	10.07	5.27	3.32	9.12
平 均	2.82	2.98	3.79	5.71	8.84	13.11	18.63	19.17	13.16	8.59	5.35	3.38	8.79
最大绝对湿度(毫米)													
1923	6.20	4.70	9.40	9.70	14.30	18.00	23.50	25.50	20.20	15.00	10.70	7.40	25.50
日	20	12	25, 26	29	23	29	28	16	6	19	5, 6	7	16/8
1924	5.30	5.30	6.80	12.90	13.70	17.90	22.40	25.30	23.80	16.20	10.50	5.60	25.30
日	14	6	30	11	22	15	10, 21	26	4	3	19	25	26/8
1925	4.50	4.90	6.30	11.10	14.10	19.80	21.70	22.80	21.40	13.30	8.80	7.00	22.80
日	10	5	22	20	26	22	21	21	27	4	1	14	21/8
1926	5.00	5.70	6.60	8.50	16.70	16.90	23.00	24.50	19.90	15.20	10.20	6.90	24.50
日	29	9	13	8	26	25	26	25	26	4	7	1	25/8
1927	5.80	5.00	7.10	12.00	12.30	17.30	24.60	23.30	21.80	16.20	12.30	8.00	24.60
日	5, 6	19	30	29	26	30	24	9	11	7	3	13	24/7
1928	5.40	6.30	7.50	11.70	13.20	19.10	23.10	22.50	20.20	12.80	11.60	5.90	23.10
日	25, 26	28	1	30	7	25	25	9	8	1	6	22	25/7
1929	6.00	7.10	7.90	8.80	15.20	19.40	—	—	—	—	—	—	—
日	10	16	23	27	20	30	—	—	—	—	—	—	—
1950	—	—	—	12.32	16.77	17.46	25.01	30.48	21.14	15.59	10.20	6.71	30.48
日	—	—	—	30	17	26	17	17	15	15	3	12	17/8
1951	4.72	7.32	7.49	11.39	15.79	22.07	27.40	27.85	18.67	17.65	13.68	7.46	27.85
日	4, 11	21	31	26, 27	25	20	26	5	5, 28	4	14	25	5/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	4.97	5.72	7.03	11.01	13.95	21.75	27.62	25.08	20.62	14.40	13.42	5.72	27.62
		27	11	15	5,8	27	28	30	14	11	1	11	14	30/7
1953	日	5.49	6.83	8.63	12.71	15.00	19.43	27.73	26.93	19.41	16.40	10.29	9.69	27.73
		9	28	19	28	27	24	8	16	10	3	30	1	8/7
極 值	值	6.20	7.32	9.40	12.90	16.77	22.07	27.73	30.48	23.80	17.65	13.68	9.69	30.48
日 年	期 份	20	21	25,26	11	17	20	8	17	4	4	14	1	17/8
		1923	1951	1923	1924	1950	1951	1953	1950	1924	1951	1951	1953	1950
最小绝对湿度(毫米)														
1923	日	1.10	1.00	1.50	2.80	4.00	6.30	11.40	18.30	7.10	4.00	2.00	1.20	1.00
		3	27	9	6,19	2,25	5	10	26	30	26	30	1	27/2
1924	日	0.70	1.40	1.80	3.10	4.90	7.80	14.50	10.60	7.40	3.90	2.40	1.50	0.70
		8,9	24	2	3,27	2,3	15	5	28	12	24	25	9	8,9/1
1925	日	1.70	1.50	1.20	2.20	2.40	8.90	13.20	13.00	7.90	4.60	3.20	1.30	1.20
		28	22	5	5,6	8	15	2	6	8,19	21	29	31	5/3
1926	日	1.60	1.50	2.00	2.40	3.60	6.50	9.50	12.80	7.10	2.90	2.90	1.80	1.50
		4	10	26	21	6	1	1	29	28	10	26	9	10/2
1927	日	1.40	1.80	2.00	2.90	5.30	6.50	14.90	12.40	7.10	3.40	2.70	1.50	1.40
		21,23	8,13	14	21	7,19	16,17	1	13	21	30	22	30	21,23/1
1928	日	1.50	1.70	2.20	3.00	3.40	6.60	12.40	8.80	4.30	3.60	2.90	2.10	1.50
		11	7,8	21	6	17	2	1	30	26	29	30	16,19	11/1
1929	日	1.90	1.70	1.70	1.90	5.40	6.90	-	-	-	-	-	-	-
		4,8	9	4,12	14	4	1	-	-	-	-	-	-	-
1950	日	-	-	-	2.03	3.68	6.07	10.32	11.00	3.79	4.12	2.29	1.92	-
		-	-	-	8	5	21	10	23	29	28	15	24,30	-
1951	日	1.09	1.53	1.14	1.78	3.18	8.02	13.30	10.55	7.88	4.37	2.32	2.33	1.09
		20	3	2	21	7	4	4	31	20	25	26	13	20/1
1952	日	1.71	1.07	1.57	2.76	4.04	5.12	11.86	11.05	6.68	3.98	2.56	1.42	1.07
		15,16	22	23	13	25	6	4	4	29	17	19	28	22/2
1953	日	1.16	1.11	1.69	1.53	2.71	7.63	11.74	13.21	7.13	5.39	2.13	1.56	1.11
		8	18	14	14	14	2	1	31	29	31	23	23	18/2
極 值	值	0.70	1.00	1.14	1.53	2.40	5.12	9.50	8.80	3.79	2.90	2.00	1.20	0.70
日 年	期 份	8,9	27	2	14	8	6	1	30	29	10	30	1	8,9/1
		1924	1923	1951	1953	1925	1952	1926	1928	1950	1926	1923	1923	1924
惠 民 $\varphi = 37^{\circ}30'N$ $\lambda = 117^{\circ}29'E$ $H = 15.5 M$														
平均绝对湿度(毫米)														
1949	日	-	4.60	3.71	6.25	10.18	15.07	19.34	19.24	13.50	7.86	4.34	3.49	-
1950	日	-	-	-	-	10.30	13.23	20.51	20.19	11.31	6.87	4.81	2.53	-
1951	日	2.18	2.63	3.57	5.22	10.16	13.25	19.49	21.01	11.88	9.38	5.02	3.30	8.92
1952	日	2.36	2.30	3.75	6.89	9.34	12.88	19.43	15.02	14.20	(8.20)	5.67	2.72	8.56
1953	日	2.07	3.02	4.39	5.16	9.88	14.60	22.15	20.43	12.89	9.18	5.24	3.04	9.34
平 均		2.20	2.65	3.90	5.76	9.79	13.58	20.36	18.82	12.99	8.92	5.31	3.02	8.94
最大绝对湿度(毫米)														
1949	日	-	8.60	6.22	13.44	18.67	23.60	25.79	23.80	19.10	14.12	7.45	6.70	-
		-	19	8	23	8	4	22	14	6	3	11	2	-
1950	日	-	-	-	-	21.20	19.95	28.31	26.99	16.86	15.20	12.15	5.15	-
		-	-	-	-	15	29	27	11	14	14	1	7	-
1951	日	4.02	5.04	7.43	9.59	16.46	22.06	25.78	30.37	19.27	16.59	10.10	6.43	30.37
		17	20	26	26	29	20	23	5	2	9	14	1	5/8
1952	日	4.23	4.95	7.05	13.89	15.68	23.02	28.15	23.00	23.48	(20.36)	11.74	4.67	28.15
		27	11	21	30	2	27	28	13	13	8	10	14	28/7
1953	日	4.55	8.02	8.66	15.43	17.59	24.20	28.49	28.94	19.73	13.50	9.36	5.49	28.94
		9	27	1	27	20	18	29	16	5	14	4	1	16/8
極 值	值	4.55	8.60	8.66	15.43	21.20	24.20	28.49	30.37	23.48	20.36	12.15	6.70	30.37
日 年	期 份	9	19	1	27	15	18	29	5	13	8	1	2	5/8
		1953	1949	1953	1953	1950	1953	1953	1951	1952	1952	1950	1949	1951
最小绝对湿度(毫米)														
1949	日	-	2.80	1.60	2.17	5.12	10.09	11.71	12.44	6.53	3.15	2.04	1.90	-
		-	5	26	6	13	10	28	30	26	30	16	5	-
1950	日	-	-	-	-	3.48	6.19	14.01	10.61	5.01	4.39	1.37	1.03	-
		-	-	-	-	5	14	9	27	28	30	29	9	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	0.46	0.98	0.90	2.00	4.42	6.04	14.47	10.06	4.72	3.75	1.08	1.65	0.46
	12	28	1	21	16	8	5	31	30	26	25	8	12/1	
1952	日	0.91	0.76	1.21	2.79	3.95	7.23	12.21	9.00	6.23	(2.72)	2.59	0.73	0.73
	24	22	3	14	8	3	4	26	26	15	19	2	2/12	
1953	日	0.60	0.88	1.43	1.70	3.66	7.51	16.43	12.74	7.36	4.94	2.18	1.68	0.60
	17	15	25	12	13	1	1	28	30	11	18	30	17/1	
極 值	0.46	0.76	0.90	1.70	3.48	6.04	11.71	9.00	4.72	2.72	1.08	0.73	0.46	
日 期	12	22	1	12	5	8	28	26	30	15	25	2	12/1	
年 份	1951	1952	1951	1953	1950	1951	1949	1952	1951	1952	1951	1952	1951	
德 州 $\varphi = 37^{\circ}29'N$ $\lambda = 116^{\circ}22'E$ $H = 22.7 M$														
平均绝对湿度(毫米)														
1941	2.95	3.03	3.43	4.62	7.32	13.82	16.19	16.58	10.12	6.19	5.06	3.26	7.71	
1942	1.75	1.88	4.03	5.42	8.75	11.32	20.15	18.20	11.56	7.07	3.87	2.14	8.01	
1943	1.75	2.39	3.43	6.40	11.48	13.07	16.10	19.07	12.58	8.09	5.05	2.82	8.52	
1944	2.70	2.50	3.00	5.60	8.30	11.70	21.60	18.00	12.30	7.80	4.00	1.70	8.27	
1945	1.72	2.17	4.08	7.05	9.52	-	-	-	-	-	-	-	-	
1951	2.41	3.09	4.07	5.62	11.09	12.47	18.07	19.87	11.23	9.75	5.58	3.28	8.88	
1952	2.30	2.53	4.04	6.74	9.02	11.28	19.80	16.68	13.67	7.05	5.73	2.93	8.48	
1953	2.14	3.20	4.50	4.80	9.73	14.61	21.78	19.95	13.24	9.52	5.58	3.24	9.36	
平 均	2.29	2.66	3.79	5.60	9.38	12.61	19.10	18.34	12.10	7.92	4.98	2.77	8.46	
最大绝对湿度(毫米)														
1941	6.40	5.70	7.50	9.90	13.30	19.20	23.00	25.30	20.50	13.50	11.20	5.80	25.30	
日	6	20	20	19	23	17,18	5	12	2	11	16	2	12/8	
1942	4.00	5.10	7.90	14.20	15.60	19.20	27.90	26.20	18.70	14.40	11.80	5.00	27.90	
日	31	28	24	25	29	10	16	3	5	5	12	1	16/7	
1943	5.30	8.90	7.70	13.00	18.80	24.10	22.00	25.40	18.70	12.60	12.60	5.70	25.40	
日	21	28	18	25	31	9	31	10	1	14	1	17	10/8	
1944	4.50	5.70	5.70	11.50	13.20	21.30	28.90	25.60	19.70	12.40	10.50	3.30	28.90	
日	24	11	16	30	31	28	21	3	2	7	1	4,5	21/7	
1945	4.40	5.30	8.70	14.20	16.60	-	-	-	-	-	-	-	-	
日	30	26	28	26	31	-	-	-	-	-	-	-	-	
1951	5.09	5.55	8.34	10.36	17.98	21.82	24.91	27.58	17.21	15.96	11.62	6.25	27.58	
日	29	21	26	27	23	20	26	5	11	4	13	24	5/8	
1952	4.56	4.93	8.34	12.09	14.75	22.70	30.65	22.89	21.34	12.45	10.61	5.10	30.65	
日	31	11	14	27	2	27	29	12	7	20	10	13	29/7	
1953	4.36	7.99	8.66	13.20	17.26	24.47	27.71	27.55	18.94	15.01	10.15	6.01	27.71	
日	27	27	19	27	20	18	27	16	2	7	4	1	27/7	
極 值	6.40	8.90	8.70	14.20	18.80	24.47	30.65	27.58	21.34	15.96	12.60	6.25	30.65	
日 期	6	28	28	25,26	31	18	29	5	7	4	1	24	29/7	
年 份	1941	1943	1945	1942,45	1943	1953	1952	1951	1952	1951	1943	1951	1952	
最小绝对湿度(毫米)														
1941	0.90	1.00	0.90	1.40	3.30	7.20	10.70	5.10	6.20	2.00	0.70	0.90	0.70	
日	19	21,22	3	13	3	1	23	24	14	34	27	27	27/11	
1942	0.50	0.50	1.20	1.60	3.20	5.50	10.30	9.10	6.00	1.30	1.20	0.70	0.50	
日	17	11	2	5,20	44	15	1	27	24,26	23	27	25	17/1,11/2	
1943	0.50	0.70	1.10	1.50	5.10	6.20	10.30	12.40	5.90	3.90	0.90	0.70	0.50	
日	11,12	7	19	7	27	13	23	28	28	25	20	3	11,12/1	
1944	0.70	0.60	0.60	2.50	2.90	6.50	12.40	11.80	5.90	3.50	1.70	0.80	0.60	
日	6	15	5	9	2	10,27	3	19	13	29	8,12	16,26	15/2,5/3	
1945	0.50	0.50	1.20	2.30	4.10	-	-	-	-	-	-	-	0.50	
日	27	8	6	6	3	-	-	-	-	-	-	-	27/1,8/2	
1951	0.65	1.31	1.06	2.51	5.14	5.23	11.59	9.41	4.66	3.85	1.01	1.13	0.65	
日	12	10	1	13	19	8	16	31	30	26	22	14	12/1	
1952	0.56	0.80	0.85	1.21	4.09	3.55	12.80	9.60	5.61	2.52	2.22	0.57	0.56	
日	24	22	3	14	29	3	4	25	28	15	19	31	24/1	
1953	0.72	0.73	1.17	1.50	3.18	6.68	15.53	13.19	7.15	5.10	2.06	1.71	0.72	
日	1	15	25	12	13	2	8	28	13	22	18	30	1/1	
極 值	0.50	0.50	0.60	1.21	2.90	3.55	10.30	5.10	4.66	1.30	0.70	0.57	0.50	
日 期	44	11,8	5	14	2	3	1,23	24	30	23	27	31	64	
年 份	3年	1942,45	1944	1952	1944	1952	1942,43	1941	1951	1942	1941	1952	3年	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
萊 陽 $\varphi=36^{\circ}57'N$ $\lambda=120^{\circ}42'E$ $H=57.7 M$														
平均絕對湿度(毫米)														
1949		3.42	3.84	4.31	6.80	10.68	14.69	20.44	19.63	14.35	8.81	5.12	3.93	9.67
1950		3.71	3.44	5.10	8.57	10.78	15.33	21.62	21.11	12.18	8.72	5.12	3.29	9.91
1951		2.76	3.15	4.06	4.98	10.48	13.45	19.29	21.49	12.64	9.87	5.37	3.61	9.26
1952		2.92	2.47	3.84	6.61	9.18	12.73	20.76	18.47	14.36	7.80	6.17	3.05	9.03
1953		2.35	3.30	4.48	6.04	10.42	15.89	21.76	21.02	12.86	9.30	5.46	3.36	9.69
平 均		3.03	3.24	4.36	6.60	10.31	14.42	20.77	20.34	13.28	8.90	5.45	3.45	9.51
最大絕對湿度(毫米)														
1949		9.03	9.07	8.20	13.41	20.32	20.02	33.02	25.48	26.64	15.45	13.52	6.57	33.02
日		31	20	29	23	11	29	25	15	4	7	6	3	25/7
1950		7.26	6.76	10.38	14.46	20.02	21.93	21.81	39.58	25.54	15.58	10.05	6.25	39.58
日		16	25	30	29	14	26	20	21	17	15	3	12	21/8
1951		6.14	6.26	10.92	12.21	15.48	20.79	26.98	29.31	19.49	22.17	13.10	7.84	29.31
日		26	21	9	28	28	12	22	6	4	3	14	25	6/8
1952		5.44	6.27	7.83	11.34	15.04	21.70	29.04	26.56	21.30	14.74	12.97	5.87	29.04
日		27	9	15	7	28	30	29	14	11	14	10	13	29/7
1953		5.80	8.45	9.31	15.24	18.43	22.44	31.00	28.19	18.82	14.86	11.11	7.82	31.00
日		9	28	24	28	27	19	8	23	2	6	30	1	8/7
極 值	9.03	9.07	10.92	15.24	20.32	22.44	33.02	39.58	26.64	22.17	13.52	7.84	39.58	
日 年	31	20	9	28	11	19	25	21	4	3	6	25	21/8	
	1949	1949	1951	1953	1949	1953	1949	1950	1949	1951	1949	1951	1950	
最小絕對湿度(毫米)														
1949		0.63	1.28	0.67	3.16	5.49	9.78	15.49	11.86	8.19	3.81	2.36	1.99	0.63
日		11	7	19	7	7	10	28	26	29	31	18	25	11/1
1950		1.55	1.37	1.99	2.82	6.28	9.24	15.43	10.15	5.53	4.51	2.16	1.69	1.37
日		4	4	12	9	5	20	8	23	29	24	28	25	4/2
1951		0.85	0.70	1.43	1.79	5.26	6.22	13.64	13.16	6.68	4.02	1.81	1.94	0.70
日		14	19	3	22	1	9	6	31	19	27	26	14	19/2
1952		1.22	0.43	1.54	2.81	3.70	5.26	13.95	12.37	6.27	4.10	3.58	1.30	0.43
日		21	27	4	2	8	5	4	19	29	11	19	3	27/2
1953		0.98	1.16	2.27	2.72	4.37	10.66	15.88	12.93	5.99	5.47	2.87	1.83	0.98
日		13	22	27	12	14	1	1	28	30	9	20	21	13/1
極 值	0.63	0.43	0.67	1.79	3.70	5.26	13.64	10.15	5.53	3.81	1.81	1.30	0.43	
日 年	11	27	19	22	8	5	6	23	29	31	26	3	27/2	
	1949	1952	1949	1951	1952	1952	1951	1950	1950	1949	1951	1952	1952	
張 店 $\varphi=36^{\circ}48'N$ $\lambda=118^{\circ}03'E$ $H=42.7 M$														
平均絕對湿度(毫米)														
1941		2.99	2.68	3.62	5.03	8.35	13.64	16.75	16.78	10.77	6.60	5.31	-	-
1942		1.82	2.38	4.52	5.54	7.92	11.07	18.96	18.47	11.97	7.06	4.21	2.32	8.02
1943		1.74	2.47	3.62	6.33	10.06	13.43	18.30	19.50	13.53	7.91	5.08	2.86	8.74
1944		2.71	2.40	3.07	5.89	8.79	12.68	20.11	18.03	12.18	7.46	4.31	1.70	8.28
1945		1.70	2.40	-	-	-	-	-	-	-	-	-	-	-
平 均		2.09	2.42	3.74	5.92	8.92	12.39	19.12	18.67	12.56	7.48	4.53	2.29	8.35
最大絕對湿度(毫米)														
1941		6.40	6.10	7.30	9.50	14.80	19.90	-	23.00	21.00	-	9.60	-	-
日		2	20	14	19	21	15	-	9	3	-	18	-	-
1942		4.40	7.60	10.10	15.40	12.80	18.30	28.00	28.90	20.00	14.60	11.60	4.80	28.90
日		31	28	12	25	26	13	16	5	5	5,6	13	15,17	5/8
1943		5.10	9.10	8.90	14.60	15.10	19.40	24.10	25.30	23.70	11.70	11.60	6.50	25.30
日		21	28	18	29	24	18	10	9	18	11	1	21	9/8
1944		6.30	4.40	7.80	10.40	14.20	22.00	27.30	26.40	18.90	13.80	10.50	-	-
日		24	11,12	27	26	30	29	22	4	24	18	2	-	-
1945		4.20	-	-	-	-	-	-	-	-	-	-	-	-
日		23	-	-	-	-	-	-	-	-	-	-	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日 年	值 期 份	6.40 2 1941	9.10 28 1943	10.10 12 1942	15.40 25 1942	15.10 24 1943	22.00 29 1944	28.00 16 1942	28.90 5 1942	23.70 18 1943	14.60 5,6 1942	11.60 13,1 1942	6.50 21 1943	28.90 5/8 1942
最小絕對湿度(毫米)														
1941	日	0.70 25	1.00 12	0.70 3	1.70 5	4.30 13	8.70 1	- -	8.30 24	7.30 13	- -	1.40 28	- -	- -
1942	日	0.80 11,17	0.50 14	1.20 3	1.60 5	2.20 3	4.20 1	8.80 6	9.20 27	7.00 27	1.50 23	1.00 27	0.50 26	0.50 14/2,26/12
1943	日	0.50 4x	0.90 10,19	1.60 24	2.10 8	4.50 27	7.60 3	10.20 23	12.70 30	7.50 29	3.70 26	1.10 20,21	1.10 28	0.50 4x
1944	日	1.10 5,6	0.90 15	0.80 6	3.10 12	3.60 4	6.70 9	10.30 3	10.70 23	6.40 30	3.10 30	1.80 8	- -	- -
1945	日	0.60 27	-	-	-	-	-	-	-	-	-	-	-	-
極日 年	值 期 份	0.50 4x 1943	0.50 14 1942	0.70 3 1941	1.60 5 1942	2.20 3 1942	4.20 1 1942	8.80 6 1942	8.30 24 1941	6.40 30 1944	1.50 23 1942	1.00 27 1942	0.50 26 1942	0.50 6x 1942 1943
濰 縣 $\varphi=36^{\circ}42'N$ $\lambda=119^{\circ}07'E$ H= 37.8 ^m														
平均絕對湿度(毫米)														
1951		2.54	3.10	3.90	5.35	11.23	13.76	18.79	21.49	12.49	10.02	5.91	3.64	9.35
1952		2.88	2.69	4.41	8.02	10.00	12.88	21.58	18.22	13.91	7.88	6.26	2.90	9.30
1953		2.21	3.38	4.28	5.36	10.34	15.79	21.75	21.38	12.42	8.91	5.50	3.07	9.53
平 均		2.54	3.06	4.20	6.24	10.52	14.14	20.71	20.36	12.94	8.94	5.89	3.20	9.39
最大絕對湿度(毫米)														
1951	日	4.51 6	6.34 12	8.24 27	10.56 28	17.35 28	22.81 20	27.96 27	29.46 6	17.86 14	15.10 12	12.58 14	7.43 25	29.46 6/8
1952	日	5.06 27	6.06 11	8.57 21	15.76 27	17.28 27	24.86 28	30.53 29	25.88 14	20.42 11	13.87 20	12.57 10	5.17 13	30.53 29/7
1953	日	4.48 11	7.54 28	8.52 24	15.06 28	17.69 27	24.23 19	28.50 8	29.61 12	18.37 2	13.61 6	10.86 4	8.32 1	29.61 12/8
極日 年	值 期 份	5.06 27 1952	7.54 28 1953	8.57 21 1952	15.76 27 1952	17.69 27 1953	24.86 28 1952	30.53 29 1952	29.61 12 1953	20.42 11 1952	15.10 12 1951	12.58 14 1951	8.32 1 1953	30.53 29/7 1952
最小絕對湿度(毫米)														
1951	日	0.87 11	1.22 7	1.29 1	2.61 21	5.52 19	7.43 4	12.84 17	10.26 31	5.67 30	3.70 26	1.87 26	1.47 14,15	0.87 11/1
1952	日	1.22 25	0.96 19	1.31 3	3.20 15	5.04 25	5.44 6	15.29 8	12.78 19	7.01 29	4.09 16	3.36 19	1.02 5	0.96 19/2
1953	日	0.73 17	1.02 17	1.88 29	1.24 12	3.95 13	7.95 1	14.57 1	13.51 30	7.24 26	4.23 9	1.84 19	1.39 23	0.73 17/1
極日 年	值 期 份	0.73 17 1953	0.96 19 1952	1.29 1 1951	1.24 12 1953	3.95 13 1953	5.44 6 1952	12.84 17 1951	10.26 31 1951	5.67 30 1951	3.70 26 1951	1.84 19 1953	1.02 5 1952	0.73 17/1 1953
濟 南(一) $\varphi=36^{\circ}41'N$ $\lambda=116^{\circ}58'E$ H= 54.0 M														
平均絕對湿度(毫米)														
1948		-	-	-	-	-	-	-	-	-	-	4.71	4.00	-
1949		2.86	3.91	4.41	6.11	9.65	13.76	20.88	20.07	14.86	8.59	5.21	3.71	9.50
1950		3.11	3.14	5.11	8.24	10.76	13.43	20.65	20.06	12.81	9.40	5.14	3.10	9.58
1951		2.61	3.23	4.17	5.69	11.53	13.12	19.18	21.00	12.71	10.35	5.80	3.63	9.42
1952		2.72	2.73	4.41	7.90	10.14	13.01	21.02	17.85	14.53	8.03	6.42	3.10	9.32
1953		2.51	3.64	5.00	6.26	11.45	16.18	22.80	20.98	12.94	9.11	5.41	3.41	9.97
平 均		2.76	3.33	4.62	6.84	10.71	13.90	20.91	19.99	13.57	9.10	5.60	3.39	9.56

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1948	日	—	—	—	—	—	—	—	—	—	—	9.42	7.24	—
		—	—	—	—	—	—	—	—	—	—	23	13	—
1949	日	7.96	8.65	7.94	14.03	16.30	18.83	27.88	26.59	22.81	15.60	9.34	8.73	27.88
		31	2	9	26	10	29	21	13	6	4	5	2	21/7
1950	日	5.79	5.45	10.91	13.57	18.56	20.14	26.00	27.15	20.07	15.73	11.66	6.04	27.15
		1	22	6	30	14	27	18	6	15	15	1	11	6/8
1951	日	4.89	6.10	8.65	10.98	18.30	24.45	25.83	28.72	20.33	18.15	12.78	6.71	28.72
		29	20	26	28	28	20	24	9	2	4	13	21	9/8
1952	日	5.14	5.91	7.97	16.03	15.89	23.12	30.08	25.43	21.64	14.40	12.03	5.60	30.08
		27	11	29	27	2	30	29	12	9	20	10	30	29/7
1953	日	5.99	8.70	10.57	15.61	17.56	24.33	27.66	29.75	19.45	13.79	9.86	7.59	29.75
		9	26	19	28	17	18	17	12	2	15	4	1	12/8
極日	值	7.96	8.70	10.91	16.03	18.56	24.45	30.08	29.75	22.81	18.15	12.78	8.73	30.08
年	期	31	26	6	27	14	20	29	12	6	4	13	2	29/7
	份	1949	1953	1950	1952	1950	1951	1952	1953	1949	1951	1951	1949	1952
最小绝对湿度(毫米)														
1948	日	—	—	—	—	—	—	—	—	—	—	1.23	1.17	—
		—	—	—	—	—	—	—	—	—	—	29	28	—
1949	日	1.02	1.34	1.85	1.53	2.98	9.02	11.92	12.51	7.50	2.62	1.46	1.19	1.02
		7	14	7	4	13	16	28	31	26	29	17	5	7/1
1950	日	1.07	1.35	1.33	2.98	4.51	6.89	12.24	11.17	4.86	4.98	1.44	1.19	1.07
		22	4	11	7	5	10	10	28	28	27	27	23	22/1
1951	日	0.68	1.21	1.27	2.57	4.94	5.64	13.24	11.73	6.14	3.42	1.72	1.56	0.68
		12	11	1	11	2	8	21	31	30	26	25	14	12/1
1952	日	1.18	0.90	1.08	2.99	4.24	5.61	13.71	11.76	6.66	3.25	3.18	1.18	0.90
		24	17	3	14	7, 8	3	4	17	26	16	19	4	17/2
1953	日	0.64	1.24	0.98	2.35	4.37	9.01	16.27	12.07	7.14	4.75	1.95	1.73	0.64
		17	15	25, 26	11	13	3	1	27	14	12	22	31	17/1
極日	值	0.64	0.90	0.98	1.53	2.98	5.61	11.92	11.17	4.86	2.62	1.23	1.17	0.64
年	期	17	17	25, 26	4	13	3	28	28	26	29	29	28	17/1
	份	1953	1952	1953	1949	1949	1952	1949	1950	1950	1949	1948	1948	1953
濟 南(二) $\varphi = 36^{\circ}40'N$ $\lambda = 117^{\circ}02'E$ $H = 53.9^*M$														
平均绝对湿度(毫米)														
1919		2.85	2.92	4.31	5.10	8.90	12.80	18.10	16.49	10.94	5.56	3.58	2.22	7.81
1920		2.00	2.79	3.81	5.05	7.90	11.60	18.13	16.55	12.40	8.30	5.10	2.96	8.05
1921		2.36	2.49	3.41	5.93	8.80	12.42	19.00	19.05	13.79	8.50	4.30	3.25	8.61
1922		2.35	4.11	4.05	7.45	9.86	14.42	18.84	20.50	11.96	6.82	3.96	2.41	8.89
1923		1.96	2.67	5.47	7.00	10.22	12.57	17.72	19.60	11.69	6.75	4.26	2.41	8.53
1924		2.20	2.30	3.40	6.30	9.50	13.50	20.00	18.90	11.90	7.40	3.80	2.50	8.48
1925		2.00	1.70	3.00	5.40	9.70	14.20	18.50	17.60	12.10	7.50	5.50	2.30	8.29
1926		2.50	3.30	4.00	5.80	10.70	11.80	17.40	19.80	12.50	7.40	6.10	2.60	8.66
1927		2.85	3.15	4.80	7.40	8.70	12.10	18.80	16.50	11.80	7.60	5.30	3.00	8.50
1928		2.60	2.70	4.00	6.90	8.70	13.40	17.30	17.62	11.50	6.40	4.40	3.50	8.25
1929		2.60	2.90	3.80	5.50	9.10	12.10	18.90	18.00	10.80	7.00	3.80	3.30	8.15
1930		2.40	4.00	4.80	6.30	9.50	11.50	20.10	20.00	12.40	8.50	4.20	3.30	8.92
1931		2.70	2.90	4.30	5.70	9.70	13.40	17.20	19.40	12.50	6.90	5.50	3.40	8.63
1932		3.76	2.95	3.13	5.62	9.76	13.61	19.26	18.10	12.62	5.95	3.87	2.50	8.43
1933		1.98	2.83	3.45	6.59	9.61	13.59	19.43	18.01	12.90	7.26	4.39	3.76	8.65
1934		1.77	2.56	3.13	5.30	9.35	12.39	18.96	19.08	13.15	7.59	4.24	3.88	8.45
1935		2.85	2.86	3.95	5.66	7.98	11.61	18.48	19.36	11.47	7.82	5.47	2.24	8.31
1936		1.75	2.54	2.37	6.04	8.83	13.74	18.12	17.05	12.57	6.42	3.45	2.71	7.97
1937		2.43	3.11	4.12	6.52	8.22	12.68	19.06	20.87	13.39	—	—	—	—
1938		—	—	—	—	9.61	14.88	20.50	18.18	11.96	10.39	4.68	3.79	—
1939		2.47	3.30	3.98	5.00	8.78	11.05	20.05	21.00	13.87	8.76	5.02	2.54	8.82
1940		2.48	3.30	4.06	5.08	8.39	13.25	20.05	17.43	11.52	7.41	5.17	3.54	8.47
1941		2.97	2.86	3.55	4.99	8.30	13.05	16.83	17.44	11.04	6.82	5.43	3.54	8.07
1942		1.93	2.27	4.52	5.59	8.18	11.35	19.00	18.04	11.19	7.10	4.27	2.45	7.99
1943		2.04	2.65	3.72	6.08	11.31	12.32	17.62	19.54	12.89	7.62	5.22	2.97	8.67

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944		2.90	2.56	2.98	5.33	7.70	11.86	19.57	16.91	11.42	7.09	4.19	1.77	7.86
1945		2.09	2.66	3.96	6.01	7.45	11.90	18.02	19.06	13.88	7.67	6.25	2.78	8.48
1946		2.83	3.20	4.50	6.60	8.84	12.50	18.68	18.83	12.74	7.60	5.69	2.35	8.70
1947		2.89	2.28	3.24	5.76	8.94	13.19	20.23	20.15	13.34	7.43	5.05	3.08	8.80
1948		2.72	4.05	4.81	7.82	8.44	13.80	-	-	-	-	-	-	-
平 均		2.45	2.84	3.84	5.91	9.06	12.64	18.68	18.52	12.25	7.30	4.72	2.86	8.42
最大绝对湿度(毫米)														
1923	日	4.50	5.00	11.50	13.70	17.00	19.90	25.30	25.50	21.70	13.40	10.00	5.20	25.50
	日	14, 21	14	26	9	23	28	28	5	1	29	5	6, 7	5/8
1924	日	5.10	6.10	6.90	12.20	15.10	19.60	23.70	24.50	18.90	16.60	8.90	4.60	24.50
	日	13	6	30	29	30	28, 29	21	13	4	3	18	4	13/8
1925	日	4.70	3.40	6.40	11.20	15.50	22.90	23.20	22.50	17.40	11.50	9.40	5.90	23.20
	日	14	17	31	24	25	26	23	1	6	7	17	27	23/7
1926	日	5.70	6.80	9.50	10.40	17.90	18.00	23.80	26.10	19.20	14.90	11.10	5.60	26.10
	日	29	9	31	1	27	10	27	1	6	4	11	5	1/8
1927	日	5.70	5.00	8.60	12.60	15.10	19.90	27.70	22.50	19.30	14.70	8.70	6.10	27.70
	日	6, 7	15	31	18	26	15	26	1	1	8	3	13	26/7
1928	日	5.20	5.40	8.30	12.90	18.80	19.70	23.20	21.40	19.60	12.30	7.60	5.70	23.20
	日	26	29	20	29	6	28	14	13	8	4	6	22	14/7
1929	日	5.50	6.90	8.20	11.60	13.80	18.70	-	-	-	-	-	-	-
	日	13	22	23	30	14	13	-	-	-	-	-	-	-
1932	日	8.12	6.87	7.86	12.13	17.58	20.12	27.30	27.44	17.75	12.63	7.39	4.94	27.44
	日	1	21	22	17	23	20	26	5	10	16	2	3	5/8
1933	日	4.85	5.30	5.88	11.95	16.89	21.24	28.20	25.26	19.21	15.44	8.64	7.20	28.20
	日	9	27	17	30	13	25	14	11	4	5	25	8	14/7
1934	日	4.01	6.09	6.22	11.90	22.58	21.60	27.12	26.69	20.60	13.62	7.90	7.54	27.12
	日	31	21	23	23	16	30	15	8	2	11	12	16	15/7
1935	日	5.46	6.29	8.94	10.70	15.40	18.38	24.88	26.01	21.89	13.62	12.13	6.90	26.01
	日	10	26	19	25	25	21	31	11	11	24	2	7	11/8
1936	日	3.69	4.44	6.03	14.42	15.57	20.95	25.58	23.37	22.88	10.78	8.35	6.89	25.58
	日	29	22	28	21	14	11	10	10	4	1	6	15	10/7
1937	日	5.13	5.85	7.81	-	-	-	-	-	-	-	-	-	-
	日	5	18	22	-	-	-	-	-	-	-	-	-	-
1938	日	-	-	-	-	-	-	-	-	20.63	17.51	9.07	6.32	-
	日	-	-	-	-	-	-	-	-	1	5	3	16	-
1939	日	4.93	6.53	9.03	11.53	16.59	22.63	24.53	24.69	21.19	13.17	16.88	6.49	24.69
	日	24	24	30	20	29	22	4	10	13	15	7	9	10/8
1940	日	7.22	7.16	13.14	12.27	23.17	28.09	34.84	32.16	25.07	19.24	15.43	6.60	34.84
	日	12	18	31	19	28	30	12	4	1	19	4	21	12/7
1941	日	6.53	5.52	7.83	10.12	13.53	19.77	23.73	26.67	20.59	15.36	11.13	7.05	26.67
	日	2	19	20	20	24	30	5	12	2	11	17	23	12/8
1942	日	4.19	4.78	9.58	15.90	13.24	19.01	26.64	27.91	17.70	14.07	11.88	5.37	27.91
	日	31	26	11	25	26	19	16	5	6	5	13	17	5/8
1943	日	5.60	9.69	8.44	11.38	15.73	20.19	22.45	24.45	20.19	10.59	11.29	6.87	24.45
	日	21	28	18	26	18	2	10	10	1	16	3	22	10/8
1944	日	5.95	5.58	6.23	10.03	11.14	23.99	25.27	24.39	18.67	13.14	10.38	4.11	25.27
	日	24	12	27	27	31	29	8	7	24	18	1	5	8/7
1945	日	4.47	5.83	7.99	13.72	16.87	19.95	26.50	-	-	-	-	-	-
	日	31	21	31	26	31	17	27	-	-	-	-	-	-
1946	日	5.01	5.50	8.88	13.09	14.32	23.18	24.79	-	-	12.76	9.90	5.21	-
	日	27	23	31	30	6	23	17	-	-	6	10	16	-
極 值 日 年	期 份	8.12 1	9.6 28	13.14 31	15.90 25	23.17 28	28.09 30	34.84 12	32.16 4	25.07 1	19.24 19	16.88 7	7.54 16	34.84 12/7
		1932	1943	1940	1942	1940	1940	1940	1940	1940	1940	1939	1934	1940
最小绝对湿度(毫米)														
1923	日	0.50	1.00	1.50	3.30	3.30	7.40	10.70	12.80	5.60	2.50	0.90	0.60	0.50
	日	2, 3	6	3	12	1	4	2	25	27	23	29, 30	28	2, 3/1
1924	日	0.70	0.70	1.10	1.70	5.10	8.10	15.60	9.10	6.90	3.30	1.30	0.80	0.70
	日	26	22, 23	13	3, 4	2	11, 12	4	27, 28	18	23	30	9, 11	3
1925	日	0.90	0.60	0.60	2.00	4.80	6.40	12.10	12.00	5.50	3.60	2.40	0.50	0.50
	日	30, 31	21	1, 2	4	20	15	19	7	23	20	22	28	28/12
1926	日	0.80	0.90	1.20	2.30	4.50	6.50	9.40	10.90	5.70	2.50	2.30	0.60	0.60
	日	2, 3	1	14	12	7	14	1	31	27	29	25	8	8/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1927	日	0.70 21	1.20 7	1.80 15	3.50 3	4.30 3	7.30 7	11.50 3	11.20 18	6.50 19	2.60 28	1.90 28	1.00 28	0.70 21/1
1928	日	0.60 11	0.50 7	1.60 12	2.80 3	3.00 16	5.20 4	12.00 20	10.90 29	3.10 24	3.60 8,18	1.50 16	1.60 19	0.50 7/2
1929	日	0.60 6	0.70 2	0.90 13	2.40 9	5.30 8	7.60 30	—	—	—	—	—	—	—
1932	日	1.05 7	1.16 20	0.93 14	1.96 7	3.82 21	5.35 6	10.04 1	6.97 22	7.37 29	2.60 18	1.28 6	1.00 12	0.93 14/3
1933	日	0.47 12	1.08 24	1.03 5	2.18 15	3.91 2	5.44 1	12.94 18	10.79 20	6.39 27	2.43 22	1.45 6	1.24 24	0.47 12/1
1934	日	0.84 20	1.12 15	1.03 15	1.43 13	3.91 1	4.74 5	10.91 19	12.30 28	5.72 25	2.71 24	1.45 6	1.47 3	0.84 20/1
1935	日	1.15 16	0.93 6	1.70 21	1.87 11	2.80 1	3.44 4	6.43 2	13.35 30	4.98 27	2.88 19	2.04 16	0.62 29	0.62 29/12
1936	日	0.44 17	0.85 29	0.82 1	1.72 2	4.55 5	4.72 4	11.24 3	10.53 28	6.10 30	2.11 27	1.12 22	0.74 6	0.44 17/1
1937	日	0.79 10	0.86 14	0.87 16	—	—	—	—	—	—	—	—	—	—
1938	日	—	—	—	—	—	—	—	—	4.26 23	5.00 30	1.76 24	1.23 5	—
1939	日	0.55 5	0.78 7	0.73 12	0.81 3	1.44 1	1.82 3	8.85 5	6.00 30	3.75 22	1.94 24	1.34 25	1.62 10	0.55 5/1
1940	日	0.72 26	0.88 2	1.85 1	1.77 3	3.10 4	6.36 7	7.99 19	10.99 25	7.10 20	2.23 25	1.89 24	1.24 7	0.72 26/1
1941	日	0.58 29	1.12 13	0.70 3	1.40 21	4.53 10	7.17 1	11.57 18	8.60 25	7.08 13	1.37 27	1.23 27	1.08 29	0.58 29/1
1942	日	0.83 9	0.63 12	1.24 14	1.20 5	2.99 12	5.27 1	10.76 5	9.01 27	6.18 27	1.35 23	1.31 27	0.80 25	0.63 12/2
1943	日	0.61 11	1.04 7	1.29 2	1.63 8	6.25 4	6.27 4	10.16 23	12.71 30	6.03 19	3.05 25	1.04 21	0.97 8	0.61 11/1
1944	日	1.00 6	1.12 15	1.09 10	2.36 2	3.35 2	4.42 20	11.38 5	11.16 19	5.46 14	2.75 29	1.80 21	0.93 16	0.93 16/12
1945	日	0.85 26	0.71 3	1.11 6	1.98 5	2.82 3	6.24 2	12.59 18	—	—	3.52 31	1.91 30	1.01 17	—
1946	日	0.78 16	0.74 2	1.64 4	1.87 15	4.77 3	6.11 11	11.08 5	—	—	—	—	0.96 8	—
極 值	0.44	0.50	0.60	0.81	1.44	1.82	6.43	6.00	3.10	1.35	0.90	0.50	0.44	
日 期	17	7	1.2	3	1	3	2	30	24	23	29,30	28	17/1	
年 份	1936	1928	1925	1939	1939	1939	1935	1939	1928	1942	1923	1925	1936	
泰 山 $\varphi=36^{\circ}16'N$ $\lambda=117^{\circ}12'E$ $H=1541.0M$														
平均 绝对湿度 (毫米)														
1932	—	—	—	—	—	—	—	12.10	8.24	3.28	1.70	1.15	—	—
1933	0.93	1.63	2.12	4.00	5.99	9.78	14.49	11.97	8.07	4.31	2.41	2.12	5.65	—
1934	0.98	1.47	2.02	3.47	6.07	8.72	13.68	12.76	8.56	3.85	1.61	1.86	5.42	—
1935	1.02	1.57	2.06	3.33	4.57	7.54	13.33	12.77	7.28	4.23	2.99	1.38	5.17	—
1936	1.15	1.50	1.26	3.87	5.67	8.96	11.24	10.51	7.19	3.42	1.73	1.51	4.83	—
1937	1.28	1.94	2.61	3.54	5.12	9.25	12.81	14.59	8.48	5.14	2.61	—	—	—
平 均	1.02	1.54	1.87	3.67	5.58	8.75	13.19	12.00	7.78	3.95	2.19	1.72	5.27	—
最大 绝对湿度 (毫米)														
1932	—	—	—	—	—	—	—	19.03	12.29	7.34	5.51	3.83	—	—
1933	—	—	—	—	—	—	—	5	12	1	5	27	—	—
1933	3.79	4.47	5.79	10.81	12.38	16.29	19.66	17.43	14.13	10.90	5.76	4.65	19.66	—
1934	10	27	19	30	26	28	14	7	23	5	22	3	14/7	—
1934	2.76	4.09	7.14	8.80	13.08	18.00	20.10	19.18	14.09	8.15	5.52	4.28	20.10	—
1935	30	21	25	23	16	26	15	2	29,30	11	6	16	15/7	—
1935	4.90	4.11	7.12	8.78	11.54	13.99	18.47	17.97	16.01	9.67	9.08	4.54	18.47	—
1936	12	27	17	25	10	22	17	1	11	1	2	7	17/7	—
1936	2.57	4.46	3.96	11.88	10.56	15.60	17.47	17.52	16.11	7.94	6.88	5.06	17.52	—
1937	10	16	16	21	31	24	10	10	5	23	3	16	10/8	—
1937	3.81	4.42	5.85	9.69	11.62	14.44	18.24	17.66	16.81	9.77	7.69	—	18.24	—
日	2	19	23	20	19	29	23	1	1	10	17	—	23/7	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日 年	值 期 份	4.90 12 1935	4.47 27 1933	7.14 25 1934	11.88 21 1936	13.08 16 1934	18.00 26 1924	20.10 15 1934	19.18 2 1934	16.81 1 1937	10.90 5 1933	9.08 2 1935	5.06 16 1936	20.10 15/7 1934
最小絕對湿度(毫米)														
1932	日	-	-	-	-	-	-	-	3.71 22	2.83 15	1.10 17	0.00 34	0.06 21	0.00 34
1933	日	0.15 1,12	0.29 2	0.45 10	0.43 18	0.85 3	2.97 1	6.57 27	3.31 30	1.44 26	0.42 1	0.11 27,28	0.44 31	0.11 27,28,41
1934	日	0.26 10	0.24 15	0.51 29	0.02 27	1.71 22	2.15 5	4.12 20	2.48 14	2.31 5	0.41 24	0.00 18,19	0.00 34	0.00 54
1935	日	0.00 34	0.30 5	0.29 13	0.31 11	0.39 1	1.86 3	3.92 7	4.25 12	2.22 13	0.26 17	0.05 10	0.06 23	0.00 34
1936	日	0.19 23	0.13 4	0.00 23	0.27 2	1.24 4	2.31 1	4.07 2	3.19 19	2.45 21	0.35 17	0.31 18	0.26 6	0.00 23/3
1937	日	0.01 12	0.00 23	0.00 34	0.00 28	1.83 3	2.88 2	4.84 4	6.86 28	2.21 2	1.23 12	0.44 19	-	0.00 54
極日 年	值 期 份	0.00 34 1935	0.00 23 1937	0.00 44 1936	0.00 28 1937	0.39 1 1935	1.86 3 1935	3.92 7 1935	2.48 14 1934	1.44 26 1933	0.26 17 1935	0.00 54 1932	0.00 34 1934	0.00 174 54
泰 安(-) $\varphi=36^{\circ}13'N$ $\lambda=117^{\circ}10'E$ $H=129.4M$														
平均絕對湿度(毫米)														
1950	日	-	-	-	-	11.99	15.58	22.74	21.32	14.26	10.54	5.99	3.52	-
1951	日	2.84	3.38	4.13	5.45	10.93	13.26	18.90	20.50	12.21	9.77	5.49	3.45	9.19
1952	日	2.42	2.59	4.03	7.43	9.64	11.90	20.83	17.20	13.55	7.57	6.77	3.30	8.94
1953	日	2.60	3.90	4.92	6.13	11.34	15.87	23.16	21.53	11.65	9.02	5.60	3.53	9.94
平 均		2.62	3.29	4.36	6.34	10.64	13.68	20.96	19.74	12.47	8.79	5.95	3.43	9.36
最大絕對湿度(毫米)														
1950	日	-	-	-	-	19.96	23.38	37.62	28.50	21.85	16.97	12.68	7.42	37.62
1951	日	6.01	6.32	8.22	10.88	18.16	23.27	25.43	26.61	20.21	15.55	11.87	6.66	26.61
1952	日	4.88	5.31	7.68	15.30	16.13	22.02	27.97	23.70	20.91	14.39	11.97	5.81	27.97
1953	日	5.69	8.62	9.38	15.19	17.44	24.24	28.93	29.94	18.44	14.92	10.65	6.77	29.94
極日 年	值 期 份	6.01 31 1951	8.62 28 1953	9.38 19 1953	15.30 29 1952	19.96 13 1950	24.24 18 1953	37.62 5 1950	29.94 12 1953	21.85 16 1950	16.97 12 1950	12.68 1 1950	7.42 12 1950	37.62 5/7 1950
最小絕對湿度(毫米)														
1950	日	-	-	-	-	3.01	8.01	14.79	12.25	5.55	5.33	1.75	1.67	-
1951	日	0.67	1.50	1.03	2.08	4.22	5.43	13.67	10.48	4.86	3.14	1.11	1.19	0.67
1952	日	0.58	0.88	1.17	2.25	4.19	4.82	16.08	11.50	6.96	3.07	3.66	0.99	0.58
1953	日	0.24	1.18	2.01	1.36	3.42	8.36	15.75	12.16	6.40	3.89	2.26	1.62	0.56
極日 年	值 期 份	0.56 17 1953	0.88 18 1952	1.03 1 1951	1.36 11 1953	3.01 22 1950	4.82 3 1952	13.67 5 1951	10.48 31 1951	4.86 30 1951	3.07 15 1952	1.11 25 1951	0.99 2 1952	0.56 17/1 1953
泰 安(二) $\varphi=36^{\circ}13'N$ $\lambda=117^{\circ}07'E$ $H=160.5M$														
平均絕對湿度(毫米)														
1933	日	2.45	3.67	4.37	7.76	10.90	15.62	21.22	20.11	12.37	7.15	4.19	3.61	9.45
1934	日	1.79	2.78	3.04	5.26	9.38	12.37	18.58	18.94	13.03	7.06	3.78	3.71	8.31
1935	日	2.71	2.78	3.75	5.58	7.68	10.93	18.14	17.97	10.51	7.67	5.34	2.27	7.94
1936	日	1.79	2.39	2.11	4.18	8.82	13.27	17.30	15.43	11.83	6.27	3.18	2.61	7.43

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937	2.61	3.26	4.19	-	-	-	-	-	-	-	-	-	-
平 均	2.19	2.91	3.32	5.70	9.20	13.05	18.81	18.11	11.94	7.04	4.12	3.05	8.28
青 島 $\varphi = 36^{\circ}04'N$ $\lambda = 120^{\circ}19'E$ $H = 77.0 M$ 平均绝对湿度(毫米)													
1898	-	-	-	-	-	16.30	20.40	20.70	14.97	10.43	6.65	4.20	-
1899	3.50	4.40	5.00	7.00	11.70	15.60	19.40	19.40	13.50	7.80	5.20	4.40	9.74
1900	2.40	3.50	4.20	7.30	10.80	13.80	19.70	20.60	14.30	9.20	5.70	4.20	9.64
1901	3.40	2.60	4.40	7.10	9.60	14.60	19.70	20.00	14.20	9.90	6.10	3.80	9.62
1902	3.90	3.80	5.70	7.20	9.50	14.10	17.70	18.40	13.40	10.50	7.10	4.30	9.63
1903	3.70	3.90	5.30	7.20	10.10	13.00	18.40	20.70	14.50	8.50	5.20	3.90	9.53
1904	3.10	4.40	4.60	7.00	9.60	14.60	19.00	20.20	13.80	8.90	5.70	4.00	9.58
1905	4.60	3.20	4.70	6.30	9.50	13.50	18.80	18.50	15.80	10.90	5.60	4.30	9.64
1906	3.30	3.30	4.50	6.20	9.20	14.40	19.30	18.60	12.90	9.00	4.30	4.00	9.08
1907	4.00	3.00	4.30	7.30	9.00	13.80	17.50	19.90	13.40	9.80	5.20	3.40	9.22
1908	3.10	2.90	4.00	5.60	8.40	13.50	18.80	19.00	14.50	10.40	6.20	3.90	9.19
1909	3.00	3.00	3.60	6.70	8.80	13.90	20.10	21.00	14.60	8.90	6.30	3.30	9.43
1910	2.90	2.70	3.80	6.20	8.80	13.10	18.50	20.00	12.20	9.10	6.00	2.80	8.84
1911	3.00	3.40	4.40	6.30	9.60	13.60	18.00	19.60	16.00	7.70	5.30	3.30	9.18
1912	2.40	3.80	4.60	6.50	9.50	14.60	19.70	20.90	11.80	8.60	4.40	3.10	9.16
1913	3.00	2.80	3.40	6.10	8.20	13.70	17.70	19.20	14.30	8.60	6.10	3.10	8.85
1914	3.20	3.80	5.50	6.60	10.90	15.80	-	-	-	-	-	-	-
1915	-	-	-	6.10	10.00	15.10	20.10	18.70	14.60	11.50	6.10	4.60	-
1916	3.40	3.10	3.50	6.30	9.10	13.60	17.90	19.20	14.40	9.70	6.80	3.80	9.23
1917	2.20	2.60	3.80	5.80	9.00	13.50	19.40	19.60	14.50	8.50	4.60	2.50	8.83
1918	2.20	3.00	4.50	6.10	9.00	13.30	18.10	20.00	13.00	9.10	5.30	3.40	8.92
1919	3.10	3.50	4.70	6.30	9.80	14.80	19.60	19.00	13.10	8.50	5.40	3.10	9.24
1920	3.00	2.80	4.50	6.40	9.40	14.20	20.50	19.50	14.00	9.80	6.60	3.50	9.52
1921	2.80	3.10	4.00	6.20	9.30	13.00	19.10	19.50	13.10	8.50	5.00	3.60	8.93
1922	2.60	4.30	4.60	7.40	9.70	14.00	19.50	21.00	14.40	9.50	4.60	3.20	9.57
1923	2.60	2.80	5.10	6.40	9.60	13.60	18.70	21.70	12.70	7.90	5.30	3.20	9.13
1924	3.00	2.90	3.70	7.00	8.80	13.40	19.50	19.30	14.90	8.60	4.60	3.30	9.08
1925	2.50	2.60	3.00	5.60	10.00	13.90	18.20	18.60	13.30	8.90	5.80	3.00	8.86
1926	2.90	3.40	3.90	5.90	10.10	13.40	17.80	21.10	14.40	8.40	6.40	3.20	9.24
1927	3.10	3.10	3.40	6.80	9.40	13.80	20.80	18.20	12.50	9.00	6.10	3.80	9.17
1928	3.20	3.10	4.40	6.60	9.90	14.20	19.20	19.30	13.80	8.70	6.10	3.40	9.33
1929	2.80	3.10	4.20	6.20	10.10	15.50	21.00	20.00	12.20	8.10	4.10	3.80	9.31
1930	2.10	3.80	5.20	7.20	10.50	13.30	21.10	20.70	13.00	9.10	4.50	3.60	9.51
1931	3.00	2.90	4.20	5.50	9.20	13.80	17.00	20.30	13.50	7.50	6.00	3.60	8.88
1932	3.30	2.40	3.60	6.20	9.10	14.40	20.20	18.60	13.50	7.20	5.40	3.40	8.94
1933	2.30	3.10	3.80	6.50	9.70	14.40	21.30	19.00	13.90	8.40	5.40	3.90	9.31
1934	2.24	2.94	3.65	5.87	10.34	13.93	21.01	21.07	14.42	8.04	5.20	4.39	9.43
1935	3.24	3.53	4.86	7.34	10.36	15.17	21.14	19.22	12.55	10.69	6.19	2.48	9.73
1936	1.80	2.44	3.05	6.44	9.91	14.61	18.97	18.80	14.70	8.50	4.90	3.20	8.94
1937	3.00	3.40	4.50	6.50	9.20	14.00	19.40	21.20	-	-	-	-	-
1938	-	2.90	4.80	6.70	10.90	14.20	20.50	19.80	12.10	10.80	5.10	3.50	-
1939	3.20	3.40	5.00	6.40	9.50	13.30	20.10	20.20	13.80	10.10	6.10	3.40	9.54
1940	2.70	3.50	4.30	6.30	9.50	14.40	20.00	18.40	12.60	9.50	6.40	4.50	9.34
1941	3.50	3.30	4.50	6.20	10.00	15.50	18.20	18.50	12.20	9.20	6.60	4.60	9.36
1942	2.50	2.80	5.00	6.50	9.20	14.00	20.90	20.00	14.30	9.00	5.90	3.50	9.47
1943	2.50	3.20	4.60	6.50	10.70	14.50	19.20	20.70	13.30	9.50	5.80	3.90	9.53
1944	3.10	2.90	4.10	6.30	9.50	14.60	21.00	19.40	14.60	8.60	5.80	2.00	9.33
1945	2.20	2.70	4.40	6.80	8.80	14.70	19.10	21.60	15.80	9.20	6.90	3.30	9.63
1946	3.25	3.90	4.39	6.66	9.61	15.47	20.43	20.63	13.99	9.69	6.71	2.80	9.79
1947	3.07	2.58	4.07	6.56	9.84	13.78	19.84	20.88	14.13	7.52	5.88	3.51	9.31
1948	3.12	3.93	4.84	7.19	8.77	14.23	19.64	21.66	14.97	9.82	5.65	4.99	9.90
1949	3.38	4.17	4.83	6.52	10.61	14.95	19.48	20.01	15.33	9.24	5.65	4.08	9.85
1950	3.98	3.80	5.32	7.73	10.50	14.85	20.31	20.63	13.44	9.80	5.84	3.59	9.98

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951		3.05	3.50	4.47	5.82	10.68	14.46	19.67	21.23	13.52	11.39	6.06	4.35	9.85
1952		3.19	3.01	4.37	6.97	10.42	13.90	20.64	19.47	15.72	9.28	6.99	3.25	9.77
1953		2.73	3.68	4.85	6.67	10.65	16.08	21.96	22.63	14.56	11.31	6.30	3.94	10.45
平 均		2.98	3.25	4.35	6.53	9.68	14.16	19.47	19.91	13.87	9.09	5.71	3.59	9.38
最大绝对湿度(毫米)														
1898	日	—	—	—	—	—	22.00	26.10	26.70	22.10	16.10	11.50	7.10	—
		—	—	—	—	—	29	21	15	10	22	13	2	—
1899	日	5.80	7.20	7.80	10.20	15.90	22.40	23.90	24.80	18.20	17.80	10.30	8.50	24.80
		12	27	29	30	31	30	—	—	—	—	—	—	-/8
1900	日	4.90	5.90	8.40	11.30	17.40	18.50	26.00	25.30	21.80	16.90	12.70	8.10	26.00
1901	日	7.30	4.70	8.10	11.70	13.10	20.60	24.20	29.10	18.50	18.20	11.50	7.60	29.10
		—	—	—	—	—	—	—	15	—	—	—	—	15/8
1902	日	6.30	7.60	10.50	12.50	12.70	18.40	23.40	23.90	22.10	15.30	14.00	9.70	23.90
		14	24	19	27	21	23	30	27	29	11,22	13	3	27/8
1903	日	7.90	6.70	7.10	11.30	16.80	16.70	25.40	24.80	23.40	15.00	11.00	8.10	25.40
		23	25	3	5	30	20	17	—	1	25	16	14	17/7
1904	日	5.80	7.10	7.60	10.70	12.30	20.00	23.70	23.90	19.30	14.70	13.40	9.30	23.90
		12	27	4	24,27	21	29	25	11	1	13,14	12	9	11/8
1905	日	6.90	5.50	7.10	9.60	13.10	17.30	23.30	25.20	24.40	17.50	11.70	10.80	25.20
		19	23	26	30	24	25,29	31	4	14	11	1	6	4/8
1906	日	5.90	5.90	8.60	10.20	13.80	22.10	26.10	23.70	18.60	16.70	8.30	8.60	26.10
		6	15	19	21	15	30	14	25	1	15	14	16	14/7
1907	日	7.40	5.50	7.50	13.60	14.60	17.40	21.30	25.60	18.80	15.30	11.50	6.80	25.60
		16	26	8	20	21	29	30	17	16	19	2	24	17/8
1908	日	6.40	7.00	10.50	9.20	12.70	17.60	24.80	25.10	22.10	15.80	11.90	7.70	25.10
		12	27	29	23	22	29	31	6	5	24	3	6	6/8
1909	日	5.40	7.10	5.90	11.80	14.20	19.90	25.40	26.30	20.30	15.70	14.40	7.50	26.30
		2,9	18	30	26	31	28	26	29	23	17	3	7	29/8
1910	日	6.40	5.70	7.80	9.70	13.60	17.00	23.30	25.20	19.00	13.00	11.60	6.60	25.20
		8	28	26	26	31	25	22	25	10	22	1	18	25/8
1911	日	6.80	5.40	7.00	12.10	14.70	17.00	22.30	23.30	23.00	13.00	10.50	6.30	23.30
		—	—	—	—	—	—	—	—	—	—	—	—	-/8
1912	日	3.70	7.90	7.70	14.10	14.50	17.70	25.90	27.20	22.30	16.80	12.80	6.80	27.20
		21	27	27	21	23	23,24	28,31	1	1	5	3	6	1/8
1913	日	6.10	5.80	6.90	9.10	13.40	17.90	23.50	28.60	19.10	15.90	13.50	6.40	28.60
		8	21	31	24	12	30	30	13	18	1	5	11	13/8
1914	日	7.10	7.30	15.40	12.70	19.20	21.50	—	—	—	—	—	—	—
		13	17	18	—	—	—	—	—	—	—	—	—	—
1915	日	—	—	6.50	10.60	18.50	21.70	27.80	28.10	20.40	21.10	13.30	8.60	—
		—	—	—	—	—	—	—	—	—	4	—	—	—
1916	日	8.10	6.60	6.30	11.70	13.30	18.90	20.90	23.80	23.40	16.90	12.40	8.20	23.80
		21	23	26	29	18	28	28	15	18	11	24	7	15/8
1917	日	5.30	5.40	6.30	8.90	13.50	20.50	23.40	24.90	23.70	14.30	9.30	6.40	24.90
		17	16	21	18	20	27	2	11	3	7	25	2	11/8
1918	日	4.30	6.20	7.40	10.60	14.00	22.20	23.80	24.10	19.80	14.80	11.90	6.50	24.10
		31	25	23	22	30	29	29	27	5	16	1	10,11	27/8
1919	日	6.70	6.00	9.30	10.30	15.80	19.10	23.70	26.00	21.70	14.40	12.00	7.00	26.00
		8	26	24	15	30	30	26	24	8	2	4,5	2,6	24/8
1920	日	6.20	4.80	8.50	9.60	13.40	18.10	25.10	26.00	23.30	14.40	14.90	8.40	26.00
		27	-1	21	30	30	1,8	31	2	2	3,11	3,7	2	2/8
1921	日	5.30	6.00	7.90	10.90	13.60	16.80	23.70	25.60	21.40	13.90	10.10	10.00	25.60
		—	—	—	—	—	—	—	—	—	—	—	—	-/8
1922	日	5.80	7.50	7.40	13.30	13.70	17.10	26.30	25.50	22.90	14.60	11.10	6.80	26.30
		—	—	—	—	—	—	—	—	—	—	—	—	-/7
1923	日	6.50	5.40	9.50	10.80	13.70	19.40	24.40	25.10	20.60	14.20	13.40	8.70	25.10
		20	—	27	30	22,24	29	29	8	5,6	19	6	7	8/8
1924	日	6.30	6.70	6.60	12.00	12.80	18.10	22.80	27.70	23.40	17.60	12.20	5.70	27.70
		13	6	31	14	31	30	20	25	6	3	19	3	25/8
1925	日	5.00	5.10	7.00	9.50	14.00	19.50	22.10	23.40	17.80	15.30	9.90	7.80	23.40
		13	16	22	20	26	23	16	23	27	28	10	14	23/8
1926	日	6.30	6.00	7.70	9.40	13.60	18.20	23.30	25.60	21.80	16.20	10.80	7.50	25.60
		12	13	13	16	26	26	30	12	6	4	9	1	12/8
1927	日	7.50	5.10	7.10	11.70	13.20	19.20	25.30	23.70	21.10	16.00	12.10	9.90	25.30
		6	14,15	30	30	31	28	25,28	1	2	5,8	3	13	25,28/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1928		7.50 26	6.90 28	7.10 2	11.40 8	14.70 30	18.10 30	23.10 24	23.90 8	21.20 1	15.00 28	13.70 6	6.60 22	23.90 8/8
1929		7.80 13	6.70 22	8.40 23	10.80 27	14.20 31	20.10 —	25.00 —	25.40 —	17.30 —	15.20 —	8.10 —	10.20 —	25.40 —/8
1930		4.40 —	7.00 —	8.70 —	13.20 —	14.20 —	17.60 —	24.90 —	25.50 —	21.70 —	13.82 —	9.82 —	7.90 —	25.50 —/8
1931		3.90 —	5.70 —	8.10 —	10.50 —	13.50 —	19.20 —	21.90 —	24.60 —	19.00 —	18.00 —	10.00 —	9.30 —	24.60 —/8
1932		6.30 —	5.80 —	7.20 —	10.40 —	14.40 —	17.40 —	24.40 —	25.90 —	19.50 —	14.20 —	12.70 —	7.50 —	25.90 —/8
1933		6.00 —	5.60 —	6.80 —	11.10 —	15.70 —	21.10 —	34.00 15	23.70 —	22.20 —	16.30 —	10.30 —	7.10 —	34.00 15/7
1934		4.31 28	5.75 21	7.57 25	9.90 24	14.80 31	21.60 30	25.21 12	26.59 4	21.34 4	12.89 23	11.50 5	8.82 17	26.59 4/8
1935		6.65 10	6.82 26	8.06 30	12.13 25	15.27 31	21.53 8	25.90 16	24.78 20	21.40 11	16.32 11	14.53 1	9.65 6	25.90 16/7
1936		4.34 11	4.92 15	7.07 28	11.82 21	15.00 15	21.35 1	23.65 25	26.40 —	23.80 —	14.00 —	11.20 —	9.30 —	26.40 —/8
1937		7.60 —	6.00 —	7.50 —	10.90 —	13.70 —	18.20 —	24.10 —	24.80 —	—	—	—	—	—
1938		—	6.40 —	7.10 —	11.70 —	18.60 —	18.80 —	24.30 —	23.90 —	18.90 —	18.80 —	12.60 —	8.90 —	—
1939		5.90 —	5.30 —	8.60 —	11.70 —	13.80 —	20.90 —	23.10 —	23.80 —	21.10 —	17.30 —	14.80 —	7.00 —	23.80 —
1940		6.80 —	6.30 —	9.00 —	10.30 —	15.00 —	19.30 —	23.70 —	24.60 —	19.50 —	17.10 —	16.80 —	9.00 —	24.60 —
1941		7.70 —	6.00 —	8.30 —	10.80 —	15.40 —	21.80 —	22.00 —	25.10 —	20.30 —	18.10 —	14.20 —	9.30 —	25.10 —
1942		6.00 —	6.80 —	9.80 —	12.30 —	14.20 —	18.40 —	24.60 —	26.50 —	23.20 —	15.70 —	14.00 —	8.20 —	26.50 —
1943		5.50 —	7.10 —	9.10 —	10.50 —	16.90 —	18.90 —	23.90 —	27.10 —	20.90 —	14.50 —	13.40 —	8.70 —	27.10 —
1944		6.00 —	6.10 —	7.10 —	10.10 —	13.70 —	21.40 —	26.90 —	26.20 —	20.50 —	14.30 —	14.80 —	4.70 —	26.90 —
1945		4.60 —	6.10 —	7.80 —	11.40 —	13.80 —	17.90 —	22.20 —	26.50 —	22.80 —	14.40 —	11.00 —	8.50 —	26.50 —
1946		6.40 2	7.50 24	7.60 30	11.60 30	15.80 31	21.00 27,28	26.00 15	26.50 1	25.80 2	19.60 2	12.10 25	5.00 5	26.50 1/8
1947		7.40 4	5.50 28	7.83 29	10.62 19	14.32 27	19.04 30	27.49 21	25.36 13	22.41 4	12.08 5	13.05 6	8.31 8	27.49 21/7
1948		5.86 21	6.69 20	7.99 10	10.67 30	13.39 31	19.60 27	25.81 31	28.59 2	25.44 1	17.65 11	12.16 23	9.60 17	28.59 2/8
1949		6.83 31	7.11 24	7.52 31	13.26 27	15.64 24	20.89 30	26.37 21	24.10 25	23.26 15	17.33 2	11.09 6	7.65 2	26.37 21/7
1950		8.33 16	6.81 8	8.97 25	12.15 30	15.52 13	19.64 26	25.07 25	26.81 10	19.51 16	17.89 15	11.23 3	6.18 13	26.81 10/8
1951		5.98 31	6.77 21	7.69 27	12.69 28	15.73 31	19.99 19	26.78 24	26.81 11	19.49 5	18.89 19	12.82 14	8.88 25	26.81 11/8
1952		5.90 27	6.48 11	7.38 15	12.28 30	15.54 28	21.52 28	27.76 28	25.79 12	22.26 11	17.02 21	13.99 11	6.41 14	27.76 28/7
1953		5.80 9	7.85 28	8.39 19	14.09 28	14.94 27	24.84 19	28.67 25	28.36 23	20.55 2	17.27 4	11.17 30	10.74 1	28.67 25/5
極 值	日 期	8.33 16	7.90 27	15.40 18	14.10 21	19.20 —	24.84 19	34.00 15	29.10 15	25.80 2	21.10 4	16.80 5	10.80 6	34.00 15/7
年 份		1950	1912	1914	1912	1914	1953	1933	1901	1946	1915	1940	1905	1933
最小绝对湿度(毫米)														
1898		—	—	—	—	—	12.20	15.10	11.90	8.30	4.30	2.20	2.20	—
1899		—	—	—	—	—	11.12	27	31	20	26	26	16	—
1899		2.20 14	2.80 11	2.70 25	2.40 5	5.70 5	8.50 —	12.50 —	12.50 —	5.50 —	3.00 —	2.00 —	1.90 —	1.90 —/12
1900		1.20 6	1.50 10	2.00 19	3.70 9	5.50 4,5	7.90 4	15.80 9	13.80 20	5.80 19	3.80 30	2.50 16	1.80 16	1.20 6/1
1901		1.60 —	1.20 —	1.70 —	2.20 —	4.60 —	11.10 —	16.50 —	9.90 —	7.70 —	3.70 —	1.90 —	1.20 —	1.20 —
1902		1.40 23	1.20 1	2.30 9	2.30 2	5.00 12	6.10 1	7.20 9	12.40 31	5.20 24	4.10 24	3.60 5	1.50 8	1.20 1/2
1903		1.70 9,29	2.00 1	2.70 14	3.90 11	4.00 1	8.80 12	12.40 5	11.30 —	9.40 24	3.30 19	2.10 8	1.60 3	1.60 3/2
1904		1.30 6	2.40 10	2.30 19	3.50 9	4.40 4,5	9.30 4	13.90 9	14.80 20	5.30 19	3.60 30	2.30 16	1.80 16	1.30 6/1
1905		1.50 30	1.60 5	1.60 5	2.80 22	3.70 2	8.00 3	11.80 21	14.60 6	7.80 28	3.60 31	1.90 29	1.30 21	1.30 21/12
1906		1.20 20	1.00 1	1.30 15	2.50 3	4.70 17,21	10.80 3	9.00 11	10.70 28	5.80 25	3.60 17	1.80 20	0.90 21	0.90 21/12
1907		1.50 10,30	1.20 13,21	1.70 13,15	3.20 1	2.20 10	7.30 14	11.20 3	7.90 30	7.60 29	4.30 23	1.50 25	1.10 22	1.10 22/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1908	日	1.20	1.50	1.50	1.80	3.00	4.10	13.40	10.40	6.70	5.60	2.60	1.50	1.20
	日	20	5	7	8	12	7	5	31	20	1,27	28	18,31	20/1
1909	日	1.30	1.10	1.50	2.60	4.00	7.10	13.80	12.60	9.00	4.30	1.90	0.60	0.60
	日	1,20	19	24	15	19	9	6	31	25	14,30	24	25	25/12
1910	日	0.80	0.60	1.40	1.90	2.90	5.70	9.60	15.60	6.00	3.80	1.60	1.50	0.60
	日	30	1	15	4	1	5	1	13	26	9	16	22	1/2
1911	日	1.30	1.90	2.50	3.20	3.50	8.10	14.10	14.20	8.20	4.00	1.30	1.30	1.30
	日	-	-	-	-	-	-	-	-	-	-	-	-	3x
1912	日	0.80	1.20	2.40	2.50	4.80	7.20	13.60	14.60	5.50	3.40	1.50	0.90	0.80
	日	2	6	11,12	3	4	4	2	20	14	16	9	24	2/1
1913	日	1.20	1.00	1.10	1.10	4.00	8.40	11.50	10.70	8.00	3.80	2.20	1.20	1.00
	日	25,29	9	6	8	31	1	4	24	20	20	29	3	9/2
1914	日	1.30	1.80	2.20	2.70	4.60	6.50	-	-	-	-	-	-	-
	日	2	7	13	-	-	-	-	-	-	-	-	-	-
1915	日	0.70	-	2.10	1.30	3.80	11.00	10.50	12.10	7.60	3.80	2.10	1.60	-
1916	日	0.70	1.00	1.30	2.40	2.50	7.10	14.10	10.10	6.10	3.50	1.60	0.80	0.70
	日	24	11	5	14	7	8	16	19	27	25	28	26	24/1
1917	日	0.60	0.90	1.10	2.30	5.40	6.90	13.40	10.40	7.30	3.60	2.00	0.80	0.60
	日	8	9	1,23	9	9	1	6	17	29	31	11	31	8/1
1918	日	1.20	1.40	1.80	2.80	3.40	6.80	12.10	10.70	5.00	4.50	2.50	1.10	1.10
	日	17,21	10,21	20	20	3	10	22	29	29	18	10	27	27/12
1919	日	1.00	0.80	1.10	2.80	3.20	6.90	13.30	7.20	7.20	3.10	1.10	1.40	0.80
	日	19,21	2	26	22	3	5	11	18	16	20	18	1,5	2/2
1920	日	0.80	1.10	1.70	3.00	4.70	6.10	15.30	10.20	6.00	5.10	2.20	0.90	0.80
	日	8	2	11	6	4	5	7	18	25	5	12	19	8/1
1921	日	1.50	1.10	1.20	1.70	3.20	7.70	12.20	9.30	9.80	3.90	1.80	1.30	1.10
1922	日	1.00	1.50	1.20	2.70	4.80	7.30	10.60	9.80	5.30	3.30	0.80	1.20	0.80
	日	-	-	-	-	-	-	-	-	-	-	26	-	26/11
1923	日	0.90	1.00	1.20	3.10	4.20	7.40	12.60	17.00	5.70	3.20	0.90	0.50	0.50
	日	3	26,27	3	12	9,25	1	1	24	27	25	30	30	30/12
1924	日	1.00	0.80	1.10	2.40	4.00	7.00	16.90	7.40	8.30	3.50	1.30	1.00	0.80
	日	7,8	24	13	2	2	12	3	28	19	28	23	9	24/2
1925	日	1.30	0.90	1.10	1.90	5.40	6.60	13.00	12.10	6.00	3.90	1.80	1.00	0.90
	日	3x	23	1,4	4	21	15	19	7	20	20	28	7,29	23/2
1926	日	0.80	0.80	1.40	2.40	3.10	6.30	9.80	13.60	8.00	2.60	2.10	1.00	0.80
	日	21	24	26	9	6	1	7	30	28	29	25	8	21/124/2
1927	日	1.10	1.20	1.90	2.40	5.00	7.60	16.50	11.70	7.00	3.00	1.60	1.20	1.10
	日	22	8	14,15	3,4	3	1	1	18	19	29	29	30	22/1
1928	日	0.90	1.10	1.40	2.60	2.80	5.80	12.10	11.30	5.00	3.60	2.20	1.40	0.90
	日	11,12	8	21,22	21	16	1	18	30	24	8	16	4	11,12/1
1929	日	1.30	0.80	1.10	2.80	6.80	10.50	15.40	11.20	5.50	4.00	1.70	1.20	0.80
	日	29	10	2	1	4	2	-	-	-	-	-	-	10/2
1930	日	0.80	1.20	1.90	2.70	3.90	6.80	12.60	11.50	5.10	3.80	1.50	0.60	0.60
1931	日	0.80	0.90	0.80	1.20	4.00	7.20	12.70	12.90	4.30	2.10	2.10	0.80	0.80
1932	日	0.60	1.00	0.70	2.30	4.50	10.70	14.00	10.50	9.20	2.60	1.40	0.70	0.60
1933	日	0.60	1.20	1.00	2.70	4.40	5.50	13.10	12.10	5.70	2.50	2.60	1.30	0.60
1934	日	0.82	1.23	1.15	1.94	4.51	5.77	15.97	10.05	6.86	2.76	1.40	1.19	0.82
1935	日	1.05	1.41	1.83	3.52	4.82	8.24	13.89	8.97	5.57	3.92	2.92	0.52	0.52
	日	17	16	1	11	1	10	1	30	13	16	23	22	22/12
1936	日	0.37	0.71	0.51	2.18	4.83	7.16	12.32	13.60	5.90	3.50	1.50	0.70	0.37
	日	17,18	29	1	15	1	3	3	-	-	-	-	-	17,18/1
1937	日	0.90	0.90	1.10	2.20	3.90	7.70	10.70	15.20	-	-	-	-	-
1938	日	-	0.70	1.20	3.20	4.80	8.00	15.20	14.40	5.80	3.80	2.30	0.90	-
1939	日	0.80	1.20	1.30	2.20	3.50	4.60	14.80	12.80	7.10	3.10	1.20	1.50	0.80
1940	日	1.60	1.10	1.40	2.10	4.10	7.00	14.40	10.00	5.50	2.80	2.40	2.00	1.10
1941	日	1.10	1.10	1.00	1.90	4.80	12.30	13.10	9.40	5.50	1.90	1.30	1.40	1.00
1942	日	0.90	0.90	1.30	2.00	3.40	5.20	15.30	9.10	7.40	1.90	1.80	0.70	0.70
1943	日	0.60	1.20	2.00	2.40	6.20	8.50	14.40	9.70	6.50	4.40	1.40	0.80	0.60
1944	日	1.20	1.30	1.00	3.40	4.40	6.30	9.60	13.30	6.20	3.40	2.20	1.00	1.00
1945	日	1.20	0.90	1.80	2.30	3.80	8.60	15.50	13.70	11.40	3.90	2.20	0.80	0.80
1946	日	1.00	1.50	1.40	2.10	3.60	8.50	12.70	10.80	4.40	3.60	1.70	0.90	0.90
	日	16,17	27	4x	13	11	10	5	25,26	18	28	30	8,9	8,9/12
1947	日	0.80	1.10	1.07	2.64	4.82	3.77	15.05	10.95	5.91	3.55	1.88	1.13	0.80
	日	26	15	3	4	1	2	14	5	30	23	19	19	26/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948	日	0.97 26	1.65 26	0.99 25	3.76 22	3.51 25	7.92 3	11.85 3	14.78 22	7.98 17	4.24 30	1.79 29	2.13 22	0.97 26/1
1949	日	1.21 8	1.97 7	2.02 3	2.21 5	3.35 13	9.27 1	12.54 28	9.65 26	7.46 25	2.76 30	1.59 18	0.92 7	0.92 7/12
1950	日	1.66 24	1.79 26	1.60 20	2.69 7	3.31 5	6.12 20	14.83 9	10.96 23	5.14 28	4.34 23	2.08 15	1.78 9	1.60 20/3
1951	日	1.05 21	1.61 3	1.33 1	2.08 22	3.80 5	6.70 4	13.15 9	9.42 31	6.06 25	3.59 27	1.74 26	1.53 15	1.05 21/1
1952	日	1.42 25	0.84 18	1.59 3	2.99 12	4.04 8	5.71 6	15.00 3	14.47 19	6.69 29	3.72 11	2.81 20	1.14 5	0.84 18/2
1953	日	1.14 15	1.24 15	1.36 25	2.38 11	4.65 13	11.51 1	15.74 1	14.36 30	6.48 30	6.03 21	2.32 19	2.17 23	1.14 15/1
極日 年	值 期 份	0.37 17,18 1936	0.60 1 1910	0.51 1 1936	1.10 8 1913	2.20 10 1907	3.77 2 1947	7.20 9 1902	7.20 18 1919	4.30 29 1931	1.90 26,24 1941	0.80 26 1922	0.50 30 1923	0.37 17,18/1 1936
莒 縣 $\varphi=35^{\circ}36'N$ $\lambda=118^{\circ}52'E$ $H=86.4M$														
平均绝对湿度(毫米)														
1949	(2.78)	3.69	4.10	5.60	9.53	13.64	18.19	18.27	14.09	8.40	5.02	4.17	8.96	
1950	3.33	3.38	4.79	7.14	9.71	13.28	20.41	20.13	13.02	9.51	5.35	3.23	9.44	
1951	2.76	3.32	4.52	5.57	11.59	14.35	21.05	22.36	13.24	10.45	5.75	3.62	9.88	
1952	2.91	2.95	4.54	7.53	10.43	13.91	21.44	19.08	15.51	8.72	6.82	3.13	9.75	
1953	2.33	3.88	4.74	6.82	11.49	17.19	23.33	22.34	12.85	9.76	5.99	3.66	10.37	
平 均	2.82	3.44	4.54	6.53	10.55	14.47	20.88	20.44	13.74	9.37	5.79	3.56	9.68	
最大绝对湿度(毫米)														
1949	—	6.30	7.52	10.72	15.44	16.99	23.48	22.24	20.86	13.48	7.84	7.68	—	
日	—	24	31	26	31	30	22	13	15	3	11	3	—	
1950	6.39	5.15	9.12	11.36	17.48	19.49	25.47	25.83	18.50	17.24	11.35	5.75	25.83	
日	1	25	6	30	16	19	17	10	11	15	3	13	10/8	
1951	5.10	6.51	8.93	10.04	17.85	28.26	30.25	30.72	19.69	21.96	12.93	8.00	30.72	
日	31	21	9	26	24	20	26	12	4	8	14	25	12/8	
1952	5.47	6.46	12.47	13.11	17.22	23.37	28.78	26.01	22.18	16.09	13.39	6.57	28.78	
日	28	11	15	30	23	28	30	13	11	20	10	14	30/7	
1953	6.22	9.10	11.09	17.21	18.31	26.01	30.08	30.77	18.19	14.75	11.09	7.62	30.77	
日	10	28	24	28	21	19	14	12	1	19	4	1	12/8	
極日 年	值 期 份	6.39 1 1950	9.10 28 1953	12.47 15 1952	17.21 28 1953	18.31 21 1953	28.26 20 1951	30.25 26 1951	30.77 12 1953	22.18 11 1952	21.96 8 1951	13.39 10 1952	8.00 25 1951	30.77 12/8 1953
最小绝对湿度(毫米)														
1949	—	2.13	1.69	1.97	4.98	11.33	12.18	12.13	9.43	3.01	2.10	2.00	—	
日	—	7	18	5	14	9	28	19	25	30	17	5	—	
1950	2.00	2.09	1.95	3.03	4.39	7.40	13.86	13.77	4.95	4.36	1.78	1.02	1.02	
日	23	26	11	7	5	8	1	24	28	27	25	17	17/12	
1951	0.63	1.28	0.56	3.01	6.40	4.58	15.02	14.58	6.61	2.50	1.74	1.15	0.56	
日	21	26	1	13	19	21	5	27	30	24	26	15	1/3	
1952	1.18	0.85	1.53	3.72	5.99	6.70	15.58	13.39	7.54	4.13	3.72	0.75	0.75	
日	7	19	3	17	8	3	13	5	26	16	19	3	3/12	
1953	0.31	1.27	1.38	1.54	4.88	7.92	16.19	14.09	7.64	5.57	2.90	1.66	0.31	
日	7	21	7	12	15	2	1	30	30	9	19	30	7/1	
極日 年	值 期 份	0.31 7 1953	0.85 19 1952	0.56 1 1951	1.54 12 1953	4.39 5 1950	4.58 21 1951	12.18 28 1949	12.13 19 1949	4.95 28 1950	2.50 24 1951	1.74 26 1951	0.75 3 1952	0.31 7/1 1953
滋 陽 $\varphi=35^{\circ}35'N$ $\lambda=116^{\circ}55'E$ $H=52.0M$														
平均绝对湿度(毫米)														
1941	3.38	3.18	5.23	7.67	9.84	14.38	18.15	18.36	13.77	10.35	7.56	4.00	9.66	
1942	2.15	3.01	5.61	7.14	10.60	13.93	21.79	19.59	12.87	8.76	5.06	2.76	9.44	
1943	2.04	2.68	4.35	6.91	10.84	12.91	17.92	19.73	13.28	8.12	5.30	3.07	8.93	
1944	3.20	2.80	3.50	7.20	9.70	13.50	20.80	18.20	12.90	8.20	5.20	2.20	8.95	
1945	2.33	2.98	4.74	7.34	—	—	—	—	—	—	—	—	—	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951		3.05	3.68	4.52	6.43	12.51	14.61	19.77	21.36	14.16	10.74	6.04	3.54	10.03
1952		2.77	3.09	4.73	8.50	10.53	12.54	21.53	18.33	14.61	7.83	6.91	3.60	9.58
1953		2.68	4.03	4.92	6.25	11.21	15.82	23.36	22.13	12.59	9.41	5.79	3.89	10.17
平 均		2.75	3.21	4.69	7.16	10.75	13.96	20.47	19.67	13.45	9.06	5.98	3.29	9.54
最大绝对湿度(毫米)														
1941	日	7.60	6.40	13.40	23.80	17.10	21.00	24.70	24.50	26.20	16.40	11.90	8.60	26.20
	2	20	19	20	1	13	10	3	2	11	11	23	2/9	
1942	日	5.70	6.30	10.90	17.50	19.70	21.70	28.20	29.80	23.30	17.40	12.10	5.90	29.80
	25	22	24	25	15	19	26	7	6	3	13	15,17	7/8	
1943	日	5.20	9.30	10.00	12.20	17.20	20.20	23.30	25.10	19.80	12.30	12.60	8.00	25.10
	21	28	18	27	11	2	10	4	17,23	14	4	22	4/8	
1944	日	6.00	5.90	9.00	12.50	15.50	22.70	26.00	27.00	19.00	14.10	11.70	4.70	27.00
	23	12	27	30	27	29	9,24	6	25	17	2	11	6/8	
1945	日	4.50	6.00	10.50	15.10	-	-	-	-	-	-	-	-	-
	31	28	28	29	-	-	-	-	-	-	-	-	-	-
1951	日	5.65	7.60	9.52	10.93	20.56	25.89	26.31	29.10	20.71	20.54	12.99	7.12	29.10
	31	20	27	28	23	30	24	6	27	4	14	24	6/8	
1952	日	5.26	5.80	9.18	15.85	18.85	23.23	29.41	28.01	22.04	14.38	12.98	6.11	29.41
	27	11	31	30	2	27	29	12	11	20	10	13	29/7	
1953	日	5.63	8.59	9.94	15.54	17.72	24.83	29.03	31.48	18.10	14.82	10.95	7.93	31.48
	31	28	24	28	10	18	27	12	2	14	4	1	12/8	
極日年	值期份	7.60	9.30	13.40	23.80	20.56	25.89	29.41	31.48	26.20	20.54	12.99	8.60	31.48
	2	28	19	20	23	30	29	12	2	4	14	23	12/8	
1941	1943	1941	1941	1951	1951	1952	1953	1941	1951	1951	1941	1953		
最小绝对湿度(毫米)														
1941	日	0.50	0.80	1.30	2.10	4.90	7.20	11.90	10.60	8.10	3.20	1.10	1.30	0.50
	29	13	3	5	11	1	18	20	13	26,31	28	29,31	29/1	
1942	日	0.50	0.90	1.90	2.00	4.10	7.20	12.00	7.90	7.40	1.80	1.30	0.70	0.60
	7,15	12	3,14	5	3	14	1	27	27	22,23	27	25	7,15/1	
1943	日	0.20	0.80	1.90	2.30	5.10	6.00	9.20	11.40	5.90	4.20	1.40	1.00	0.20
	11	7	2,19	7	27	4	24	30	19	25,26	20	4,8	11/1	
1944	日	1.00	1.10	1.20	3.50	4.70	8.40	11.40	9.00	7.20	3.40	2.20	1.10	1.00
	5	24	8	2	4	9	2	19	15	29	9	4,8	5/1	
1945	日	0.70	0.80	0.90	3.40	-	-	-	-	-	-	-	-	-
	17	3	9	19	-	-	-	-	-	-	-	-	-	-
1951	日	0.94	1.38	1.39	2.72	6.49	6.72	14.48	10.70	6.80	3.53	1.25	1.21	0.94
	13	11	1	14	16	9	4	31	30	24	25	14	13/1	
1952	日	0.42	1.28	1.16	2.68	3.92	5.68	15.70	11.93	2.38	2.76	3.69	1.03	0.42
	24	2	3	17	8	11	4	16,17	26	15	19	2	24/1	
1953	日	0.87	1.27	1.84	1.29	3.42	7.44	15.42	11.59	5.96	5.19	2.26	1.93	0.87
	17	17	25	11	13	2	1	29	14	11,12	19	4	17/1	
極日年	值期份	0.20	0.80	0.90	1.29	3.42	5.68	9.20	7.90	2.38	1.80	1.10	0.70	0.20
	11	3,8	9	11	13	11	24	27	26	22,23	28	25	11/1	
1943	3,8	1945	1953	1953	1952	1943	1942	1952	1942	1941	1942	1943		
臨 沂 $\varphi = 35^{\circ}09'N$ $\lambda = 118^{\circ}18'E$ $H = 54.6 M$														
平均绝对湿度(毫米)														
1950		-	-	-	-	-	-	-	19.43	12.11	8.94	4.79	2.80	-
1951		2.26	3.05	3.92	5.75	11.63	13.63	20.72	22.69	13.42	9.89	5.44	3.24	9.64
1952		2.41	3.00	4.50	6.92	10.45	12.94	21.07	18.74	14.52	8.04	6.48	3.26	9.36
1953		2.55	3.90	4.42	5.86	10.43	16.02	22.32	21.88	12.01	8.75	5.40	3.42	9.75
平 均		2.41	3.32	4.28	6.18	10.84	14.20	21.37	21.10	13.32	8.89	5.77	3.31	9.58
最大绝对湿度(毫米)														
1950	日	-	-	-	-	-	-	-	24.99	19.05	17.50	11.90	5.60	-
	1	-	-	-	-	-	-	-	18	22	15	3	12	-
1951	日	6.13	6.81	8.26	12.93	19.18	26.67	30.04	30.67	26.52	16.34	12.48	8.38	30.67
	31	21	27	20	24	20	25	7	4	19	14	25	7/8	
1952	日	5.60	7.60	9.11	14.13	15.94	24.21	29.38	26.15	21.62	19.54	12.57	6.10	29.38
	27	10	28	27	23	28	29	14	11	7	11	14	29/7	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	5.40	10.38	9.32	14.75	17.24	25.58	28.88	29.00	17.07	15.10	10.66	7.23	29.00
		9	28	24	28	21	18	14	12	2	19	4	1	12/8
極	值	6.13	10.38	9.32	14.75	19.18	26.67	30.04	30.67	26.52	19.54	12.57	8.38	30.67
日	期	31	28	24	28	24	20	25	7	4	7	11	25	7/8
年	份	1951	1953	1953	1953	1951	1951	1951	1951	1951	1952	1952	1951	1951
最小绝对湿度(毫米)														
1950	日	-	-	-	-	-	-	-	11.91	5.75	4.58	1.05	0.48	-
		-	-	-	-	-	-	-	27	28	27	30	24	-
1951	日	0.12	0.19	0.79	2.25	4.24	5.24	14.56	13.02	6.89	3.49	1.15	0.66	0.12
		13	11	1	15	11	8	5	31	19	26	26	15	13/1
1952	日	0.41	0.66	1.41	1.95	4.78	5.92	15.90	13.64	7.41	2.90	3.41	(0.28)	0.28
		25	4	22	17	29	3	4	2	25	15	19	2	2/12
1953	日	0.87	1.62	1.29	0.96	2.59	6.59	15.50	11.74	7.40	3.60	1.83	1.41	0.87
		18	18	26	11	13	2	1	30	26	9	22	10	18/1
極	值	0.12	0.19	0.79	0.96	2.59	5.24	14.56	11.74	5.75	2.90	1.05	0.28	0.12
日	期	13	11	1	11	13	8	5	30	28	15	30	2	13/1
年	份	1951	1951	1951	1953	1953	1951	1951	1953	1950	1952	1950	1952	1951
河 南 安 陽 $\varphi=36^{\circ}08'N$ $\lambda=114^{\circ}21'E$ $H=74.8M$														
平均绝对湿度(毫米)														
1951		2.41	3.48	3.80	5.22	10.99	13.22	19.27	20.08	12.02	9.63	5.79	3.46	9.11
1952		2.31	2.63	4.90	7.67	10.31	11.12	20.64	17.54	13.87	7.31	5.55	3.06	8.91
1953		1.96	3.18	4.60	5.25	9.98	14.88	22.08	19.53	12.59	8.39	5.54	3.13	9.26
平 均		2.23	3.10	4.43	6.05	10.43	13.07	20.66	19.05	12.83	8.44	5.63	3.22	9.09
最大绝对湿度(毫米)														
1951	日	4.41	7.28	8.91	10.23	18.57	21.88	27.01	28.58	18.81	14.79	9.91	5.66	28.58
		31	17	26	27	23	30	26	8	4	10	13	24	8/8
1952	日	4.08	4.89	9.56	15.16	17.57	21.74	29.46	26.15	19.99	12.43	10.34	5.23	29.46
		31	29	29	30	17	27	30	13	8	9	4	13	30/7
1953	日	4.25	7.17	8.57	15.11	15.56	25.70	28.80	27.87	19.21	13.58	10.91	6.25	28.80
		10	26	19	27	21	19	27	16	1	15	4	1	27/7
極	值	4.41	7.28	9.56	15.16	18.57	25.70	29.46	28.58	19.99	14.79	10.91	6.25	29.46
日	期	31	17	29	30	23	19	30	8	8	10	4	1	30/7
年	份	1951	1951	1952	1952	1951	1953	1952	1951	1952	1951	1953	1953	1952
最小绝对湿度(毫米)														
1951	日	0.69	1.05	1.31	2.01	4.28	5.56	13.36	11.06	5.07	4.77	1.81	1.17	0.69
		12	5	2	3	16	7	4	31	30	24	22	14	12/1
1952	日	1.06	0.96	1.31	1.94	4.41	4.21	14.20	9.12	6.80	3.11	2.22	1.02	0.96
		24	19	3	14	8	4	2	25	25	15	5	3	19/2
1953	日	0.48	0.77	1.34	1.07	2.96	6.62	14.68	12.48	6.13	4.38	2.54	1.53	0.48
		6	15	25	12	13	2	1	27	12	23	19	23	6/1
極	值	0.48	0.77	1.31	1.07	2.96	4.21	13.36	9.12	5.07	3.11	1.81	1.02	0.48
日	期	6	15	2,3	12	13	4	4	25	30	15	22	3	6/1
年	份	1953	1953	1951	1953	1953	1952	1951	1952	1951	1952	1951	1952	1953
新 鄉 $\varphi=35^{\circ}21'N$ $\lambda=113^{\circ}50'E$ $H=72.0M$														
平均绝对湿度(毫米)														
1951		2.91	3.79	3.73	5.68	11.45	13.61	19.20	19.97	12.46	10.26	5.93	3.40	9.37
1952		2.46	2.71	5.12	8.01	10.32	11.70	20.56	16.47	14.18	7.45	5.95	3.20	9.01
1953		2.32	3.63	5.44	6.26	10.54	15.76	22.70	19.98	12.66	9.06	6.05	3.42	9.82
平 均		2.56	3.38	4.76	6.65	10.77	13.69	20.82	18.81	13.10	8.92	5.98	3.34	9.40

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1951	日	5.67	6.79	8.32	11.47	18.42	21.83	26.63	28.15	19.64	17.78	10.25	5.72	28.15
	日	29	17	26	28	15	30	26	8	10	4	13	24	8/8
1952	日	4.12	4.80	9.82	14.42	17.12	22.23	27.38	24.66	20.50	12.66	10.42	5.46	27.38
	日	31	26	29	30	18	28	29	13	8	20	10	13	29/7
1953	日	5.66	8.02	9.16	14.99	17.03	25.67	30.37	29.42	19.49	13.20	11.03	6.45	30.37
	日	10	27	11	27	22	18	9	11	2	18	4	1	9/7
極 值	日期	5.67	8.02	9.82	14.99	18.42	25.67	30.37	29.42	20.50	17.78	11.03	6.45	30.37
日 年	年份	29	27	29	27	15	18	9	11	8	4	4	1	9/7
1951	1953	1952	1953	1951	1953	1953	1953	1953	1952	1951	1953	1953	1953	1953
最小绝对湿度(毫米)														
1951	日	0.79	1.95	1.06	1.62	4.54	4.97	12.75	8.32	5.71	4.01	1.78	0.85	0.79
	日	13	5	2	13	17	7,8	4	21	27	24	25	29	13/1
1952	日	1.04	0.78	1.07	2.07	3.75	5.65	14.38	9.53	7.45	2.92	2.35	1.39	0.78
	日	7	22	3	14	8	4	31	25	25	25	5	31	22/2
1953	日	0.75	1.14	1.46	1.50	2.52	5.49	16.99	12.75	6.42	4.96	2.18	1.86	0.75
	日	1	15	25	11	13	2	1	28	12	1	22	23	1/1
極 值	日期	0.75	0.78	1.06	1.50	2.52	4.97	12.75	8.32	5.71	2.92	1.78	0.85	0.75
日 年	年份	1	22	2	11	13	7,8	4	21	27	25	25	29	1/1
1953	1952	1951	1953	1953	1951	1951	1951	1951	1951	1952	1951	1951	1951	1953
開 封 $\varphi = 34^{\circ}50'N$ $\lambda = 114^{\circ}20'E$ $H = 75.0 M$														
平均绝对湿度(毫米)														
1932	—	—	—	5.80	11.90	14.89	22.65	21.03	15.32	7.85	3.92	—	—	—
1933	—	—	4.32	7.99	8.39	16.40	21.84	20.04	15.18	8.87	5.05	—	—	—
1934	—	4.63	3.96	7.39	12.37	14.65	20.69	19.70	14.89	8.17	4.30	5.72	—	—
1935	3.58	3.81	5.19	7.57	9.37	12.84	20.84	21.81	14.70	10.55	6.59	3.77	10.05	—
1936	3.04	3.70	4.13	7.97	11.34	15.34	19.12	17.72	13.89	7.28	4.18	3.51	9.27	—
1937	3.28	4.22	5.29	8.32	12.65	—	—	—	—	—	—	—	—	—
1951	2.96	3.96	5.01	6.83	12.45	13.80	19.53	20.32	13.36	10.03	6.16	3.75	9.85	—
1952	3.30	3.25	5.46	8.59	11.93	12.94	21.21	17.21	14.93	8.26	6.51	3.78	9.78	—
1953	3.00	3.94	5.86	6.85	10.62	15.45	23.23	20.94	13.19	9.51	6.45	3.85	10.24	—
平 均	3.18	3.73	5.13	7.56	11.14	14.07	20.79	19.60	14.01	9.13	5.98	3.73	9.84	—
最大绝对湿度(毫米)														
1934	—	7.50	8.01	13.57	19.38	25.12	26.35	27.29	23.21	13.87	9.23	8.80	—	—
	日	—	17	19	23	30	29	13	1	29	13	5	16	—
1935	6.53	7.39	9.13	12.26	16.03	19.56	28.71	27.52	23.24	16.58	12.29	7.45	28.71	—
	日	10	25	11	26	24	22	29	12	11	2	1	7	29/7
1936	5.21	5.77	8.23	17.11	17.82	24.59	27.64	24.62	23.98	12.16	9.51	6.43	27.64	—
	日	27	15	28	20	17	17	10	10	5	9	2	15	10/7
1937	5.20	7.44	11.48	16.07	19.95	—	—	—	—	—	—	—	—	—
	日	2	19	22	10	12	—	—	—	—	—	—	—	—
1951	6.00	7.60	10.61	11.74	19.18	22.80	30.17	29.18	20.34	15.84	11.39	6.76	30.17	—
	日	29	19	26	28	23	30	25	6	6	4	13	24	25/7
1952	5.43	5.62	9.00	16.07	19.88	25.03	26.05	25.74	21.62	13.25	12.61	6.08	26.05	—
	日	31	26	31	30	28	29	29,30	12	10	20	11	12,13	29,30/7
1953	8.04	8.27	9.84	16.52	18.78	25.52	30.33	32.28	19.81	13.91	11.42	7.08	32.28	—
	日	10	27	19	27	20	28	13	12	2	18	4	1	12/8
極 值	日期	8.04	8.27	11.48	17.11	19.95	25.52	30.33	32.28	23.98	16.58	12.61	8.80	32.28
日 年	年份	10	27	22	20	12	28	13	12	5	2	11	16	12/8
1953	1953	1937	1936	1937	1953	1953	1953	1953	1936	1935	1952	1934	1953	1953
最小绝对湿度(毫米)														
1934	—	2.30	1.30	2.41	6.45	6.29	12.81	12.42	8.58	2.69	1.61	2.42	—	—
	日	—	5	6	4	22	2	19	26	22	25	1	5	—
1935	1.76	1.31	0.48	3.54	3.30	4.16	13.50	16.58	8.48	5.85	3.77	1.79	0.48	—
	日	15	11	19	30	6	2	5	24	28	30	16	29	19/3
1936	1.24	1.72	2.27	3.53	5.18	7.84	9.54	11.76	7.27	3.09	1.41	1.78	1.24	—
	日	18	6	17	2	4	1	15	28	29	17	27	7	18/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937	日	1.46	2.19	1.90	1.46	5.52	—	—	—	—	—	—	—	—
1951	日	1.06	1.76	1.69	2.47	7.40	5.45	12.89	10.26	4.35	3.93	2.05	1.65	1.06
	日	12	9	1	22	18	7,8	4	21	30	24	22	14	12/1
1952	日	1.84	1.25	2.24	2.83	4.52	4.89	15.48	10.85	7.95	3.82	3.42	1.72	1.25
	日	24	19	3	14	8	21	31	25	25	16	30	2,3	19/2
1953	日	1.18	1.71	1.87	1.70	3.22	6.33	15.11	14.11	7.73	6.00	3.39	1.94	1.18
	日	17	15	7	11	13	1	1	28	12,13	23	19	23	17/1
極日年	值期份	1.06	1.25	0.48	1.46	3.22	4.16	9.54	10.26	4.35	2.69	1.41	1.65	0.48
	日	12	19	19	11	13	2	15	21	30	25	27	14	19/3
	日	1951	1952	1935	1937	1953	1935	1936	1951	1951	1934	1936	1951	1935
鄭 州 $\varphi=34^{\circ}45'N$ $\lambda=113^{\circ}35'E$ $H=80.6M$														
平均绝对湿度(毫米)														
1951	日	3.19	4.00	4.69	6.52	12.27	14.18	19.37	20.13	11.90	9.69	5.96	3.50	9.62
1952	日	2.74	3.06	5.22	8.12	10.78	11.16	20.07	15.78	14.33	7.38	6.19	3.36	9.02
1953	日	2.71	3.89	5.97	6.85	10.57	15.77	23.04	20.61	12.64	8.98	6.34	3.60	10.08
平 均		2.88	3.65	5.29	7.16	11.21	13.70	20.83	18.84	12.96	8.68	6.16	3.49	9.57
最大绝对湿度(毫米)														
1951	日	6.08	7.02	8.99	11.86	18.92	24.04	26.97	28.68	19.04	15.02	11.25	6.09	28.68
	日	29	21	25	28	28	29	25	8	4	6	3	25	8/8
1952	日	4.60	5.28	8.98	15.88	17.68	22.69	26.41	24.87	21.85	13.12	11.92	6.00	26.41
	日	13	29	29	30	18	28	30	12	10	20	10	21	30/7
1953	日	7.33	8.16	3.53	17.35	18.49	25.04	31.29	32.50	19.03	15.98	10.71	7.02	32.50
	日	10	27	24	27	20	18	29	12	2	6	3,4	1	12/8
極日年	值期份	7.33	8.16	8.99	17.35	18.92	25.04	31.29	32.50	21.85	15.98	11.92	7.02	32.50
	日	10	27	25	27	28	18	29	12	10	6	10	1	12/8
	日	1953	1953	1951	1953	1951	1953	1953	1953	1952	1953	1952	1953	1953
最小绝对湿度(毫米)														
1951	日	1.27	1.96	1.73	2.22	5.93	6.16	11.93	9.79	3.98	4.35	1.50	1.23	1.23
	日	13	5	1	13	1	8	4	21	30	24	25	15	15/12
1952	日	1.14	1.18	1.26	2.18	2.64	4.03	13.89	7.80	7.08	2.92	2.51	1.12	1.12
	日	7,14	22	3	14	8	1	31	26	26	14	5	2	2/12
1953	日	1.08	1.63	1.93	2.21	3.59	6.52	17.36	12.29	6.88	4.94	2.96	1.31	1.08
	日	28	15	25	11	13	2	2	27	30	20	18	25	28/1
極日年	值期份	1.08	1.18	1.26	2.18	2.64	4.03	11.93	7.80	3.98	2.92	1.50	1.12	1.08
	日	28	22	3	14	8	1	4	26	30	14	25	2	28/1
	日	1953	1952	1952	1952	1952	1952	1951	1952	1951	1952	1951	1952	1953
洛 陽 $\varphi=34^{\circ}40'N$ $\lambda=112^{\circ}30'E$ $H=136.0M$														
平均绝对湿度(毫米)														
1951	日	2.86	3.89	3.93	6.40	12.45	14.32	19.78	20.40	12.54	10.55	6.49	3.75	9.78
1952	日	2.85	3.33	5.79	8.95	12.10	12.37	20.66	16.74	15.25	8.07	6.74	3.64	9.71
1953	日	2.65	3.85	5.74	6.85	10.16	14.39	21.60	20.31	11.56	8.79	6.10	3.63	9.64
平 均		2.79	3.69	5.15	7.40	11.57	13.69	20.68	19.15	13.12	9.14	6.44	3.67	9.71
最大绝对湿度(毫米)														
1951	日	5.62	7.40	8.26	11.85	19.17	22.53	26.44	28.57	19.80	16.43	10.99	6.87	28.57
	日	29	22	26	27	23	30	24	14	11	15	3	1	14/8
1952	日	4.69	5.55	10.22	16.05	18.48	24.54	26.13	25.21	21.68	13.02	11.54	6.13	26.13
	日	31	29	28	30	18	28	31	12	10	1	4	13,14	31/7
1953	日	5.56	8.00	8.99	16.70	17.75	24.43	27.25	30.07	18.47	13.48	9.73	6.06	30.07
	日	6,7	27	24	27	21	18	19	12	2	18	4	12	12/8
極日年	值期份	5.62	8.00	10.22	16.70	19.17	24.54	27.25	30.07	21.68	16.43	11.54	6.87	30.07
	日	29	27	28	27	23	28	19	12	10	15	4	1	12/8
	日	1951	1953	1952	1953	1951	1952	1953	1953	1952	1951	1952	1951	1953

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)														
1951		0.78	1.37	1.33	2.79	5.86	6.02	13.26	11.22	4.68	5.90	2.09	1.71	0.78
■		13	5	28	11	1	8	4	16	30	27	23	15	13/1
1952		1.47	1.37	1.42	2.26	5.75	5.67	14.53	9.08	8.80	3.97	3.62	1.52	1.37
■		7	18	3	14	8	1	31	24	26	10	5	2	18/2
1953		0.53	1.78	2.02	2.82	2.80	6.03	15.59	12.61	4.15	5.59	2.80	1.81	0.53
■		7	15	25	20	13	11	8	28, 29	28	2	18	6	7/1
極日年	值期份	0.53	1.37	1.33	2.26	2.80	5.67	13.26	9.08	4.15	3.97	2.09	1.52	0.53
		7	5, 18	28	14	13	1	4	24	28	10	23	2	7/1
		1953	1951	1952	1953	1952	1951	1952	1953	1952	1951	1952	1953	1953
信 陽 $\varphi=32^{\circ}10'N$ $\lambda=114^{\circ}05'E$ $H=78.4M$														
平均绝对湿度(毫米)														
1951		3.65	4.68	5.84	8.74	14.06	17.48	20.89	21.69	14.80	11.90	7.34	5.34	11.37
1952		4.38	4.24	6.32	10.72	14.53	17.91	23.14	19.61	16.81	10.34	8.41	4.51	11.74
1953		4.16	5.20	6.91	8.60	12.74	17.54	23.56	22.49	14.36	11.16	7.41	4.95	11.59
平 均		4.06	4.71	6.36	9.35	13.78	17.64	22.53	21.26	15.32	11.13	7.72	4.93	11.57
最大绝对湿度(毫米)														
1951		6.53	10.47	10.63	13.25	20.73	24.71	25.93	28.31	24.89	18.72	14.30	9.95	28.31
■		30	22	10	24	28	30	22	7	6	17	13	24, 25	7/8
1952		6.93	8.10	11.06	19.37	20.72	24.40	29.01	29.47	25.23	14.35	15.57	7.53	29.47
■		27	11	31	27	16	28	30	11	11	1	10	31	11/8
1953		8.14	11.62	12.95	18.00	20.20	25.80	30.31	30.46	20.96	15.84	11.27	8.20	30.46
■		10	11	24	27	20	26	18	12	2	16	8	20	12/8
極日年	值期份	8.14	11.62	12.95	19.37	20.73	25.80	30.31	30.46	25.23	18.72	15.57	9.95	30.46
		10	11	24	27	28	26	18	12	11	17	10	24, 25	12/8
		1953	1953	1953	1952	1951	1953	1953	1953	1952	1951	1952	1951	1953
最小绝对湿度(毫米)														
1951		1.27	2.01	2.23	4.00	8.55	11.26	14.50	11.83	6.91	5.53	2.87	2.57	1.27
■		14	5	1	11	19	4	5	21	30	24	23	31	14/1
1952		2.34	2.07	3.79	4.81	7.07	10.98	16.88	13.75	8.49	4.88	4.70	2.30	2.07
■		1	18	24	14	29	1	3	19	26	11	30	2	18/2
1953		1.42	2.49	3.49	3.18	3.71	7.64	18.87	15.34	8.05	6.12	3.67	3.36	1.42
■		18	18	26	11	13	11	21	29	29	20	19	10	18/1
極日年	值期份	1.27	2.01	2.23	3.18	3.71	7.64	14.50	11.83	6.91	4.88	2.87	2.30	1.27
		14	5	1	11	13	11	5	21	30	11	23	2	14/1
		1951	1951	1951	1953	1953	1953	1951	1951	1951	1952	1951	1952	1951
陝 西 榆 林 $\varphi=38^{\circ}15'N$ $\lambda=109^{\circ}25'E$ $H=1094.2M$														
平均绝对湿度(毫米)														
1951		1.29	2.43	2.53	3.43	6.90	9.27	11.80	13.69	8.41	7.28	3.87	2.00	6.08
1952		1.50	1.69	3.16	5.32	8.17	8.72	14.41	11.24	9.42	4.84	3.84	1.58	6.16
1953		1.39	1.89	3.39	3.73	6.54	9.85	13.51	14.87	8.16	6.44	4.11	1.87	6.31
平 均		1.39	2.00	3.03	4.16	7.20	9.28	13.24	13.27	8.66	6.19	3.94	1.82	6.18
最大绝对湿度(毫米)														
1951		3.72	4.66	6.00	8.80	12.92	14.65	17.63	20.70	13.96	12.47	6.80	3.53	20.70
■		7	20	24	26	14	20	29	13	4	10	12	11	13/8
1952		2.94	3.49	6.70	10.34	14.65	15.89	33.94	17.79	19.66	9.09	7.83	3.30	33.94
■		26	13	29	26	2	28	14	12	1	6, 7	10	12	14/7
1953		5.45	5.44	6.69	7.10	12.21	15.77	20.43	20.83	15.40	10.11	8.21	2.99	20.83
■		9	26, 27	21, 31	30	10	29, 30	13	18	1	17	8	13	18/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日 年	值 期 份	5.45 9 1953	5.44 26,27 1953	6.70 29 1952	10.34 26 1952	14.65 2 1952	15.89 28 1952	33.94 14 1952	20.83 18 1953	19.66 1 1952	12.47 10 1951	8.21 8 1953	3.53 11 1951	33.94 14/7 1952
最小绝对湿度(毫米)														
1951 日	0.38 21	0.76 6	0.42 1	1.02 22	3.21 19	4.07 7	6.41 6	8.35 20	3.99 30	2.17 25	0.69 22	1.07 7	0.38 21/1	
1952 日	0.60 15	0.51 17	0.82 3	1.90 14	4.87 18	4.18 3	7.43 8	6.54 28	3.91 30	2.66 14	1.48 30	0.56 3	0.51 17/2	
1953 日	0.42 17	0.61 15	1.22 7	1.27 11	2.13 12	5.00 24	8.20 10	7.52 31	4.11 12	3.34 19	1.35 18	0.71 23	0.42 17/1	
極日 年	值 期 份	0.38 21 1951	0.51 17 1952	0.42 1 1951	1.02 22 1951	2.13 12 1953	4.07 7 1951	6.41 6 1951	6.54 28 1952	3.91 30 1952	2.17 25 1951	0.69 22 1951	0.56 3 1952	0.38 21/1 1951
延 安														

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1936		2.43	3.53	3.83	7.19	9.31	12.46	14.09	15.02	11.76	6.66	3.38	2.85	7.71
1937		2.44	3.48	3.48	6.67	8.97	12.92	16.99	18.88	12.49	9.16	4.88	3.05	8.62
1938		2.46	2.73	5.75	8.50	10.08	13.38	16.65	15.74	12.57	10.24	5.62	3.45	8.93
1939		2.69	4.75	5.26	6.76	9.24	11.95	16.83	16.13	12.04	8.27	5.17	3.07	8.51
1940		3.11	3.94	4.94	5.95	9.79	12.40	16.82	16.38	13.35	9.26	5.28	3.84	8.76
1941		2.71	3.39	4.63	6.94	9.13	10.44	16.52	16.43	12.56	8.88	5.61	3.97	8.43
1942		2.49	2.83	6.03	7.42	10.62	12.32	16.35	15.85	12.03	9.14	4.55	2.81	8.54
1943		2.13	3.13	5.65	7.39	11.17	13.83	17.29	17.74	13.42	9.28	5.50	3.12	9.14
1944		3.13	2.92	3.95	7.60	9.89	13.25	16.80	16.05	11.22	9.05	5.44	2.51	8.48
1945		2.55	3.33	4.95	8.61	8.43	11.64	16.50	16.75	14.84	8.76	7.36	3.29	8.92
1946		3.42	3.86	5.51	8.68	11.51	13.78	17.65	16.98	13.87	9.86	6.10	2.85	9.51
1947		3.29	3.15	4.64	7.59	11.20	13.28	15.92	17.50	12.98	8.44	6.06	3.44	8.96
1948		3.01	4.35	6.33	9.20	10.34	13.73	15.84	16.08	13.09	8.59	5.29	4.02	9.16
1949		3.15	4.41	5.76	8.11	12.11	17.27	19.36	18.08	14.06	10.22	6.41	3.71	10.22
1950		3.60	3.63	5.66	9.11	12.06	12.52	16.60	16.99	13.47	9.64	6.06	3.45	9.40
1951		2.93	3.93	4.70	7.52	11.60	12.53	19.50	19.84	13.49	10.87	6.50	3.87	9.77
1952		3.03	3.66	5.54	9.07	12.75	14.17	19.96	16.44	14.79	8.54	6.47	3.28	9.81
1953		2.82	4.17	6.03	8.04	12.28	15.34	19.64	19.74	12.78	9.62	6.01	3.76	10.02
平 均		2.88	3.62	5.13	7.75	10.52	13.10	17.22	17.14	13.12	9.03	5.61	3.43	9.05
最大绝对湿度(毫米)														
1932		6.80	6.99	9.83	11.37	15.31	24.84	25.03	26.08	18.75	13.26	9.42	6.47	26.08
日		29	21	26	30	16	14	29	12	11	15	10	4	12/8
1933		4.96	6.07	8.26	12.43	16.39	21.54	24.65	23.77	18.68	15.43	8.15	7.25	24.65
日		6	16	22	23	16	16	27	17	8	4	1	3	27/7
1934		4.60	6.42	10.95	17.98	22.07	19.24	24.95	21.63	20.30	12.97	7.57	5.92	24.95
日		7	27	23	26	31	26	6	22	15	12	11	30	6/7
1935		4.98	6.53	9.85	12.53	15.94	18.49	22.29	22.29	20.26	14.72	12.10	5.78	22.29
日		1	24	11	24	22	28	25	8	11	4	2	7	25/7, 8/8
1936		4.79	5.15	7.77	13.20	17.28	18.79	23.04	20.72	17.73	11.75	7.27	4.70	23.04
日		15	15	31	21	17	29	13	1	1	2	2	1	13/7
1937		3.94	6.19	7.42	12.65	16.47	19.05	22.00	24.66	17.55	15.09	8.87	5.12	24.66
日		1	20	23	20	18	13	24	8	5	10	1	3	8/8
1938		4.32	5.25	9.60	14.38	20.27	20.57	21.90	21.11	17.00	15.96	9.17	5.23	21.90
日		20	28	24, 25	20	30	10	20	26	4	4	2	3	20/7
1939		5.12	7.15	9.28	11.62	17.87	19.10	22.42	22.61	18.62	16.80	9.15	5.03	22.61
日		31	24	30	25	29	23	28	23	5	16	6	8	23/8
1940		5.00	6.77	9.82	9.60	14.39	19.87	25.12	22.02	17.05	13.01	12.88	5.99	25.12
日		14	18	27	25	13	29	10	20	3	8	3	5	10/7
1941		4.38	5.92	9.25	11.90	14.84	15.78	24.28	21.17	18.14	13.85	10.64	6.39	24.28
日		3	27	20	20	29	9	5	14	6	11	17	8	5/7
1942		3.97	5.87	9.58	13.76	15.86	18.13	23.05	22.89	17.98	16.04	10.31	4.64	23.05
日		28	25	28	23	9	3	13	1	14	5	12	17	13/7
1943		4.13	6.74	9.64	13.07	16.30	21.00	22.92	22.89	19.40	13.80	12.28	5.44	22.92
日		31	27	31	27	12	29	18	11	1	6	4	1	18/7
1944		5.21	5.24	8.70	11.24	18.34	20.44	21.50	22.59	18.43	12.59	8.81	4.80	22.59
日		24	23	26	25	31	28	8	1	25	5	1	11	1/8
1945		4.26	5.76	8.68	14.56	13.16	16.93	22.72	24.41	18.99	12.97	10.32	5.23	24.41
日		31	26	30	28	19	9	15	16	7	7	10	13	16/8
1946		5.24	6.25	10.00	14.54	17.45	22.09	24.28	23.26	19.99	17.02	10.46	4.55	24.28
日		25	25	31	3	30	23	26	7	1	1	5	4	26/7
1947		4.68	5.62	10.06	14.11	16.75	19.53	24.40	25.50	19.49	11.65	10.69	5.79	25.50
日		11	10	29	19	25	25	27	16	4	4	6	8	16/8
1948		5.32	7.97	10.55	16.01	15.96	22.93	22.92	22.83	17.49	13.25	8.48	6.47	22.93
日		11	26	31	30	5	26, 27	24	9	10	10	4	6	26, 27/6
1949		5.72	7.63	10.64	12.86	23.94	24.19	25.84	24.09	20.24	14.93	11.65	7.53	25.84
日		31	22	31	22	26	30	2	2	4	6	10	2	2/7
1950		5.39	6.26	9.69	15.94	18.93	17.84	24.50	25.13	19.17	13.40	11.83	5.57	25.13
日		27	9	31	30	13	20	18	14	1	13	1	13	14/8
1951		5.05	6.91	8.62	13.11	19.38	19.80	29.96	28.23	20.55	17.09	12.51	7.06	29.96
日		27	21	31	24	11	30	25	15	11	16	3	3	25/7
1952		4.59	5.83	9.28	17.45	18.23	23.75	25.43	22.61	20.66	13.37	11.00	5.82	25.43
日		27	11	29	16	2	25	31	12	16	4	11	1	31/7

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 日	5.08 9	7.43 27	9.52 24	15.90 27	18.25 8	23.82 25	26.38 13	25.97 15	18.64 1	13.48 17	9.26 8	5.27 1	26.38 13/7
極 值 日 期 年 份	6.80 29 1932	7.97 26 1948	10.95 23 1934	17.98 26 1934	23.94 26 1949	24.84 14 1932	29.96 25 1951	28.23 15 1951	20.66 16 1952	17.09 16 1951	12.88 3 1940	7.53 2 1949	29.96 25/7 1951
最小绝对湿度(毫米)													
1932 日	1.03 7	1.84 27,28	0.95 14	2.84 17	4.99 23	10.11 1	12.28 5	12.13 31	6.60 27	3.66 17	2.34 16	1.29 20	0.95 14/3
1933 日	1.10 12	1.05 24	1.09 15	4.99 20	3.14 2	6.45 1	8.43 1	10.13 22	8.27 19	3.67 22,23	2.13 7	2.00 24	1.05 24/2
1934 日	1.24 25	1.90 8	1.93 4	4.25 1	5.62 9	4.42 13	9.90 14	12.70 4	9.00 21	2.54 31	2.19 28	2.67 7	1.24 25/1
1935 日	1.18 22	1.72 5	2.52 4	2.56 27	3.73 6	3.81 2	10.00 1	12.70 14	7.07 13	5.24 17	3.47 15	1.00 30	1.00 30/12
1936 日	0.27 17	1.44 29	1.38 2	1.86 3	3.27 3	4.98 1	8.02 24	10.12 12	5.38 25	3.48 17	1.01 26	0.58 6	0.27 17/1
1937 日	0.73 20	1.27 27	0.93 25	2.64 4	2.14 2	4.80 2	10.20 5	11.11 31	5.83 18	4.14 16	1.44 23	0.69 18	0.69 18/12
1938 日	0.80 7	0.54 16	2.49 8	3.88 14	3.61 16	8.10 16	10.45 5	8.24 27	8.79 25	4.93 30	2.23 29	1.09 30	0.54 16/2
1939 日	0.57 5	2.07 5	1.35 24	1.93 3	2.99 14	5.28 10	9.14 5	9.54 30	7.01 27	3.52 31	1.13 29	2.03 18	0.57 5/1
1940 日	1.19 30	1.59 8	2.28 10	2.62 13	4.26 5	6.34 4	9.01 19	11.42 24	9.37 12	3.75 25	2.68 7	1.80 17	1.19 30/1
1941 日	0.51 24	1.36 10	1.57 3	2.05 5	4.58 22	5.92 2	8.82 1	9.36 31	7.61 24	2.67 26	2.87 28	1.45 13	0.51 24/1
1942 日	1.08 17	0.72 13	2.52 3	2.66 4	3.85 3	7.17 9	8.89 1	9.41 31	7.02 21	2.72 23	1.42 27	0.65 27	0.65 27/12
1943 日	0.35 11	0.86 6	3.07 24	1.57 7	4.23 5	7.54 3	10.94 15	12.09 27	8.12 28	5.88 2	1.09 18	0.79 3	0.35 11/1
1944 日	0.98 6	0.86 20	0.42 5	2.96 1	3.90 4	7.86 19	10.45 6	9.28 13	5.80 15	4.46 28	2.46 8	1.12 6	0.42 5/3
1945 日	1.10 25	1.20 8	1.61 5	3.48 6	4.07 14	4.81 2	10.90 31	11.56 2	9.93 10	4.56 2	3.48 30	0.71 17	0.71 17/12
1946 日	1.40 9	2.17 12	2.45 20	2.91 17	5.29 2	7.18 1	12.08 23	11.54 21	7.97 18	5.05 2,3	2.32 30	1.07 28	1.07 28/12
1947 日	1.51 28	0.56 20	0.41 8	1.65 19	6.63 28	8.13 6	7.50 14	8.24 3	7.99 29	5.21 10	2.80 23	1.20 19	0.41 8/3
1948 日	1.00 26	1.90 9	3.93 4	4.90 3	4.72 3	7.48 17,18	9.08 15	11.29 20	7.66 9	5.22 27	1.57 28	1.76 14	1.00 26/1
1949 日	1.35 8	1.36 4	2.91 6	3.29 5	6.22 13	10.82 15	13.79 30	10.80 17,18	8.83 26	5.32 30	3.22 13	1.90 7	1.35 8/1
1950 日	2.02 22	1.69 17	1.69 11	3.88 7	4.00 20	6.54 9	10.84 7	7.84 17	6.12 28	5.93 30	2.97 30	1.68 23	1.68 23/12
1951 日	1.08 21	1.76 28	1.91 1	3.03 13	6.00 1	5.33 8	13.82 5	11.60 18	7.18 30	4.78 26	1.09 23	1.78 14	1.08 21/1
1952 日	1.67 8	1.55 4	2.41 2	3.33 14	5.82 29	8.59 8	15.70 23	11.02 24	6.59 26	4.37 31	3.41 21	1.39 2	1.39 2/12
1953 日	0.89 17	1.48 17	2.80 7	2.56 11	5.64 14	5.50 11	14.68 9	13.96 29	7.04 29	5.67 20,30	2.53 18	2.08 27	0.89 17/1
極 值 日 期 年 份	0.27 17 1936	0.54 16 1938	0.41 8 1947	1.57 7 1943	2.14 2 1937	3.81 2 1935	7.50 14 1947	7.84 17 1950	5.38 25 1936	2.54 31 1934	1.01 26 1936	0.58 6 1936	0.27 17/1 1936
漢 中 $\varphi = 33^{\circ}05'N$ $\lambda = 107^{\circ}10'E$ $H = 510.1 M$													
平均绝对湿度(毫米)													
1939	4.58	5.89	8.33	9.35	13.07	16.14	18.98	18.25	14.29	10.73	7.23	5.13	11.00
1940	4.54	5.41	6.53	8.00	11.59	14.37	19.49	18.72	14.81	11.52	7.45	5.54	10.66
1948	—	—	—	—	—	—	—	—	—	—	—	5.39	—
1949	4.00	5.13	6.35	8.72	12.82	15.16	20.24	18.09	—	—	—	—	—
1951	4.22	4.63	4.53	8.61	13.36	15.79	19.18	20.19	14.62	11.88	7.57	5.11	10.81

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952		4.17	4.26	5.84	10.05	13.79	16.40	21.20	17.13	15.39	10.19	7.98	4.64	10.92
1953		4.35	5.24	7.20	9.27	13.32	16.30	20.65	20.47	14.40	10.94	7.40	5.11	11.22
平 均		4.37	5.09	6.49	9.06	13.03	15.80	19.90	18.95	14.70	11.05	7.53	5.11	10.92
最大绝对湿度(毫米)														
1939		6.36	8.09	8.96	15.15	18.59	21.61	23.99	22.92	21.41	14.78	11.03	8.60	23.99
日		25	24	31	26	17	23	3	1	2	13	5	8	3/7
1940		7.12	8.28	10.09	13.53	16.87	21.89	25.52	24.23	18.79	15.47	15.06	8.53	25.52
日		14	18	28	25	29	30	12	20	3	9	3	6	12/7
1948		-	-	-	-	-	-	-	-	-	-	-	8.22	-
日		-	-	-	-	-	-	-	-	-	-	-	3	-
1949		6.91	8.37	9.49	14.75	17.17	20.58	24.20	24.82	-	-	-	-	-
日		31	21	29	26	31	30	19	2	-	-	-	-	-
1951		6.37	7.32	8.90	12.18	19.55	22.22	23.47	26.58	20.62	17.25	12.08	7.31	26.58
日		31	20	26	26	31	23	26	5	1	16	4	3	5/9
1952		6.56	7.37	10.03	15.85	18.65	22.47	27.12	25.23	20.56	14.86	11.82	8.19	27.12
日		28	12	29	10	2	28	29	1	2	8	11.12	1	29/7
1953		6.67	7.81	11.48	16.54	17.84	24.94	27.79	25.80	18.92	14.58	11.28	7.34	27.79
日		10	28	24	27	30	21	17	14	9	2	6	1	17/7
極 值	日期	7.12	8.37	11.48	16.54	19.55	24.94	27.79	26.58	21.41	17.25	15.06	8.60	27.79
年	年份	14	21	24	27	31	21	17	5	2	16	3	8	17/7
		1940	1949	1953	1953	1951	1951	1953	1951	1939	1951	1940	1939	1953
最小绝对湿度(毫米)														
1939		3.04	4.07	4.93	4.50	6.73	9.74	13.44	13.83	8.62	5.66	3.09	3.42	3.04
日		5	8	25	5	24	11	5	16	27	31	28	28	5/1
1940		1.81	3.09	3.73	3.30	5.94	8.16	13.37	13.45	11.45	3.84	4.12	3.34	1.81
日		24	2	2	2	5	5	22	25	10	24	30	23	24/1
1948		-	-	-	-	-	-	-	-	-	-	-	2.34	-
日		-	-	-	-	-	-	-	-	-	-	-	13	-
1949		1.70	2.46	2.63	3.24	8.38	8.44	10.58	11.42	-	-	-	-	1.70
日		7	6	5	2	6	15	29	24	-	-	-	-	7/1
1951		2.01	1.94	1.85	4.63	8.01	9.74	14.82	13.32	9.48	6.82	3.08	3.21	1.85
日		21	28	6	11	1	17	5	17	23	23	21	14	6/3
1952		1.73	1.57	2.83	3.91	8.90	8.55	14.87	12.22	6.94	5.08	4.98	1.91	1.57
日		6	18	18	11	29	8	7	24	25	10	14	27	18/2
1953		2.32	2.89	3.90	4.45	6.90	8.42	13.77	14.90	9.34	5.97	3.05	2.85	2.32
日		11,18	20	27	5	13	11	21	20	28	19	18	27	11,18/1
極 值	日期	1.70	1.57	1.85	3.24	5.94	8.16	10.58	11.42	6.94	3.84	3.05	1.91	1.57
年	年份	7	18	6	2	5	5	29	24	25	24	18	27	18/2
		1949	1952	1951	1949	1940	1940	1949	1949	1952	1940	1953	1952	1952
甘 肅 安 西 $\varphi = 40^{\circ}30'N$ $\lambda = 95^{\circ}55'E$ $H = 1182.0 M$														
平均绝对湿度(毫米)														
1951		0.85	1.35	1.69	2.03	4.39	7.58	9.84	9.11	5.64	3.91	2.49	1.85	4.23
1952		1.46	1.70	2.08	3.41	5.72	6.98	10.44	7.79	5.65	3.11	2.11	1.19	4.30
1953		1.18	1.98	2.40	2.79	4.52	6.53	7.46	10.04	5.83	3.56	2.41	1.57	4.19
平 均		1.16	1.68	2.06	2.74	4.88	7.03	9.25	8.98	5.71	3.53	2.34	1.54	4.24
最大绝对湿度(毫米)														
1951		2.25	3.77	3.96	6.56	10.44	13.20	15.94	16.79	9.05	6.56	5.08	3.48	16.79
日		4	20	16	18	26	21	28	25	20	1	13	5	25/8
1952		4.60	3.38	4.56	6.07	13.62	12.22	16.78	13.70	12.10	6.86	3.70	2.41	16.78
日		25	24	26	27	21	24	24	2	8	3	1	12	24/7
1953		2.30	5.04	5.77	6.63	15.64	12.29	10.96	16.42	10.05	7.93	4.33	2.61	16.42
日		3	27	4	26	27	27,28	27	13	5	2	29	30	13/8
極 值	日期	4.60	5.04	5.77	6.63	15.64	13.20	16.78	16.79	12.10	7.93	5.08	3.48	16.79
年	年份	25	27	4	26	27	21	24	25	8	2	13	5	25/8
		1952	1953	1953	1953	1953	1951	1952	1951	1952	1953	1951	1951	1951

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)														
1951	日	0.20	0.35	0.39	0.82	0.53	3.18	4.04	4.78	2.91	1.88	0.40	0.75	0.20
	日	21	12	1	27	17	2	3	31	6	22	22	31	21/1
1952	日	0.31	0.37	1.04	1.35	2.26	3.19	4.34	2.84	2.26	1.54	0.64	0.51	0.31
	日	7	18	3	12	29	5	5	24	30	20	29, 30	2	7/1
1953	日	0.51	0.82	0.98	0.93	1.21	2.69	4.49	4.71	2.52	1.32	1.02	0.71	0.51
	日	18	6	21	12	13	7	9	31	30	28	17	1, 2	18/1
極日年	值期份	0.20	0.35	0.39	0.82	0.53	2.69	4.04	2.84	2.26	1.32	0.40	0.51	0.20
	1951	1951	1951	1951	1951	1951	1953	1951	1952	1952	1953	1951	1952	1951
敦 煌 $\varphi = 40^{\circ}08'N$ $\lambda = 94^{\circ}47'E$ $H = 1100.0 M$														
平均绝对湿度(毫米)														
1937		-	-	-	-	-	9.09	8.81	10.58	6.10	3.74	2.37	1.84	-
1938		1.55	3.03	3.06	4.48	6.65	8.12	10.84	10.53	6.80	4.54	3.16	2.15	5.41
1939		1.91	2.46	3.38	3.60	7.12	8.80	11.60	11.79	7.29	4.44	3.06	2.17	5.64
1940		2.20	2.89	3.60	3.95	5.76	8.08	9.77	9.74	6.95	4.84	3.19	2.41	5.28
1941		2.31	3.07	3.91	4.58	7.19	8.07	9.86	9.84	7.64	4.96	2.88	2.37	5.56
1942		2.07	2.08	3.35	4.42	6.57	8.88	10.22	11.64	7.26	5.24	3.05	2.31	5.59
1943		1.94	2.56	3.71	4.53	5.48	7.88	11.55	10.36	7.03	4.20	2.90	2.37	5.38
1944		2.12	2.43	3.29	4.40	6.28	9.83	11.19	9.89	6.87	5.02	3.53	1.45	5.53
1945		1.80	2.64	3.54	5.83	-	-	-	-	-	-	-	-	-
1950		2.94	3.32	3.91	4.07	7.80	10.83	10.89	9.65	7.10	4.15	2.85	1.99	5.79
1951		1.82	2.29	2.64	-	6.60	9.53	9.59	8.26	6.82	5.96	3.19	2.29	-
1952		1.96	2.26	3.02	4.61	6.05	8.04	11.27	9.04	6.94	4.04	2.95	1.56	5.15
1953		1.55	2.31	3.18	3.70	5.16	7.95	8.99	10.71	6.63	4.21	2.92	1.75	4.92
平 均		2.06	2.64	3.44	4.23	6.41	8.65	10.62	10.32	7.05	4.56	3.05	2.05	5.43
最大绝对湿度(毫米)														
1940	日	3.61	6.24	5.63	9.06	11.43	15.09	15.84	12.67	11.44	7.68	5.02	3.65	15.84
	日	15	19	19	29	28	24	2	31	17	1	2	14	2/7
1941	日	3.75	5.05	7.05	7.68	14.04	13.33	15.20	16.25	11.74	9.59	4.59	3.76	16.25
	日	31	26	2	29	11	22	31	2	6	5	6	10	2/8
1942	日	5.82	4.26	5.71	8.10	10.57	18.51	15.09	16.34	12.92	9.96	4.98	3.81	18.51
	日	28	24	10	30	21	19	20	8	1	5	5	8	19/6
1943	日	3.92	4.90	5.93	8.66	9.69	11.39	18.24	16.64	10.96	6.56	6.47	3.89	18.24
	日	22	27	24	27	29	19	20	11	4	12	25	18	20/7
1944	日	3.82	5.54	5.53	7.39	10.07	14.04	15.23	14.66	10.58	9.84	5.27	3.03	15.23
	日	26	20	20	30	28	28	17	4	6	5	11	2	17/7
1945	日	4.45	4.98	5.62	11.59	-	-	-	-	-	-	-	-	-
	日	27	17	18	25	-	-	-	-	-	-	-	-	-
1950	日	4.54	7.45	8.44	8.46	12.79	18.31	14.27	16.21	10.76	6.39	4.49	3.74	18.31
	日	27	27	5	26	29	27	15	8	5	5	7	11	27/6
1951	日	4.16	4.74	4.24	6.70	12.87	15.80	15.42	12.49	10.86	13.99	6.56	3.31	15.80
	日	26	18	19	30	23	21	8	29	2	7	2	10	21/6
1952	日	3.93	5.27	4.93	8.56	9.22	12.89	17.44	14.57	11.43	9.00	5.12	2.61	17.44
	日	25	11	13	29	15	23	26	1	8	4	1	18	26/7
1953	日	3.86	5.31	5.37	6.34	8.50	13.00	14.31	16.33	12.76	8.39	4.46	2.58	16.33
	日	27	27	20	26, 27	8	28	31	5	4	1	5	5	5/8
極日年	值期份	5.82	7.45	8.44	11.59	14.04	18.51	18.24	16.64	12.92	13.99	6.56	3.89	18.51
	1942	1950	1950	1945	1941	1942	1943	1943	1942	1951	1951	1943	1942	1942
最小绝对湿度(毫米)														
1940	日	0.58	0.81	2.05	1.11	2.87	1.80	3.60	4.89	3.86	2.51	1.21	1.12	0.58
	日	28	5	4	13	3	4	4	31	22	23	29	23	28/1
1941	日	0.50	0.80	1.57	1.83	3.73	5.36	6.43	6.53	4.01	2.05	1.03	0.82	0.50
	日	28	13	10	3	12	4	16	18	20	25	23	27	28/1
1942	日	0.75	0.60	1.36	2.04	3.00	4.49	5.89	6.53	3.50	2.15	1.12	0.79	0.60
	日	5	2	6	15	2	7	14	30	25	31	21	29	2/2
1943	日	0.51	0.67	1.64	1.72	2.33	4.42	6.97	3.98	3.36	2.17	1.13	0.69	0.51
	日	12	6	26	7	4	29	31	6	28	30	23	27	12/1
1944	日	0.55	0.30	2.07	2.24	2.83	5.84	8.72	5.90	3.96	2.68	1.44	0.38	0.30
	日	6	4	8	2	14	5	6	27	27	27	31	18, 21	4/2

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1945	日	0.59	0.76	1.13	2.02	—	—	—	—	—	—	—	—	—
	日	9	7	22	3	—	—	—	—	—	—	—	—	—
1950	日	0.99	0.79	1.45	1.57	3.42	4.93	7.58	5.82	3.20	2.51	1.08	0.47	0.47
	日	2	15,17	7	4	1	1	30	31	29	28	30	20	20/12
1951	日	0.61	0.56	0.68	1.70	2.76	4.45	5.85	5.09	4.34	3.16	0.57	1.25	0.56
	日	12	28	1	11	1	2	1,2	16,17	28,29	25	21	25	28/2
1952	日	0.73	0.58	1.35	2.05	2.88	4.93	6.64	4.93	3.77	1.94	0.79	0.58	0.58
	日	6	18	2	11	6	16	5	25	30	20	30	2	18/2,2/12
1953	日	0.52	0.94	1.60	1.35	2.09	3.33	5.91	4.77	3.46	2.11	1.23	0.94	0.52
	日	1	1	10,11	12	13	6,7	9,16	30,31	28	25	18	2	1/1
按日	值	0.50	0.30	0.68	1.11	2.09	1.80	3.60	3.98	3.20	1.94	0.57	0.38	0.30
按年	期	28	4	1	13	13	4	4	6	29	20	21	18,21	4/2
	份	1941	1944	1951	1940	1953	1940	1940	1943	1950	1952	1951	1944	1944
酒 泉 $\varphi=39^{\circ}40'N$ $\lambda=98^{\circ}43'E$ $H=1469.3M$														
平均绝对湿度(毫米)														
1945	日	1.33	1.45	2.41	4.47	5.26	7.63	8.58	10.09	6.71	4.26	2.36	1.46	4.67
1946	日	1.44	2.02	2.09	4.35	5.79	7.51	10.59	9.82	6.04	3.97	2.00	1.47	4.76
1947	日	1.57	1.46	2.29	4.97	6.76	7.63	9.35	9.18	7.68	4.69	2.98	1.73	5.02
1948	日	1.76	1.93	3.78	4.40	5.44	8.20	10.19	9.51	7.15	3.83	1.86	1.65	4.98
1949	日	1.56	1.69	2.20	3.65	5.91	7.80	10.82	8.48	5.78	4.37	2.01	1.40	4.64
1950	日	1.79	1.63	2.39	2.70	5.08	7.10	9.45	8.17	5.94	3.57	1.81	1.22	4.24
1951	日	1.15	1.41	1.67	2.10	4.70	8.80	9.94	7.79	5.73	4.53	2.46	1.64	4.33
1952	日	1.51	1.65	2.52	3.74	6.35	7.58	10.88	8.43	6.27	3.11	2.25	1.34	4.64
1953	日	1.28	1.89	2.52	3.51	4.67	7.65	9.01	11.19	6.42	3.63	2.70	1.81	4.69
平 均		1.49	1.68	2.43	3.77	5.55	7.77	9.87	9.18	6.41	4.00	2.27	1.52	4.66
最大绝对湿度(毫米)														
1945	日	2.36	3.29	4.75	7.67	9.28	13.54	14.93	15.41	11.12	7.15	4.31	2.46	15.41
	日	26	25	27	26	30	5	19	20	2	14	6	12	20,8
1946	日	2.87	3.67	4.15	8.27	9.61	12.00	16.96	17.20	11.62	7.29	3.67	3.04	17.20
	日	22	20	25	20	28	22	26	4	6	8	4	31	4/8
1947	日	2.93	3.06	4.73	9.13	13.21	12.78	14.63	13.92	13.04	8.76	5.62	4.02	14.63
	日	2	24	29	20	10	27	13	28	9	1	2	2	13/7
1948	日	3.54	3.77	6.64	7.62	10.45	14.14	17.00	16.23	13.47	10.12	4.48	3.02	17.00
	日	5	23	30	29	26	25	26	26	6	1	2	7	26/7
1949	日	3.60	3.76	3.78	5.77	10.16	14.94	16.95	15.56	11.64	8.65	4.33	2.87	16.95
	日	21	21	27	27	26	30	24	7	12	2	4	30	24/7
1950	日	3.14	4.24	4.44	5.30	10.00	12.99	17.78	14.25	10.84	7.27	4.47	2.46	17.78
	日	12	23	24	29	30	30	27	8	2	5	1	4	27/7
1951	日	2.20	3.01	3.43	5.51	5.74	14.10	18.30	13.07	11.20	8.21	4.66	3.37	18.30
	日	5	20	6	17	8	24	7	12	1	13	10	9	7/7
1952	日	3.31	3.56	4.43	7.83	10.95	12.83	16.95	15.16	11.91	5.77	4.46	2.97	16.95
	日	25	26	6	30	14	21	20	4	8	6	3	11	20/7
1953	日	2.80	4.31	4.86	6.74	8.96	13.52	13.56	16.21	11.24	7.84	4.58	3.26	16.21
	日	9	27	9	27	30	20	16	17	5	3	22	11	17/8
按日	值	3.60	4.31	6.64	9.13	13.21	14.94	18.30	17.20	13.47	10.12	5.62	4.02	18.30
按年	期	21	27	30	20	10	30	7	4	6	1	2	2	7/7
	份	1949	1953	1948	1947	1947	1949	1951	1946	1948	1948	1947	1947	1951
最小绝对湿度(毫米)														
1945	日	0.50	0.54	1.11	2.13	3.28	4.06	5.18	6.62	2.96	1.36	1.01	0.79	0.50
	日	15	8	4	2	2	26	25	30	31	3	3	28	15/1
1946	日	0.57	0.89	0.73	1.50	2.76	5.01	6.45	4.72	3.28	1.67	0.69	0.67	0.57
	日	3	1	5	1	7	7,11	6	26	18	25	26	5	3/1
1947	日	0.62	0.41	0.62	1.87	3.13	4.31	4.84	6.05	3.89	2.84	1.27	0.64	0.41
	日	25	12	8	8	30	1	25	22	12	29	23	19	12/2
1948	日	0.68	1.01	0.99	2.32	2.28	3.90	6.28	4.29	3.72	1.30	0.53	0.76	0.53
	日	25	6	4	11	9	11	31	17	18	27	28	2	28/11
1949	日	0.62	0.85	0.85	1.30	2.56	4.92	5.74	4.35	3.08	1.45	0.80	0.68	0.62
	日	8	4	2	1	8	14,15	12	23	27	31	22	7	8/1
1950	日	1.03	0.62	0.82	1.18	1.71	4.45	5.44	4.87	2.80	1.45	0.63	0.57	0.57
	日	3,22	17	13	4	1	10	5	19	29	8	26	24	24/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	0.41 11	0.49 27	0.70 27	0.61 2	1.42 1	5.18 2	6.21 31	3.37 20,21	2.42 6	2.16 23	0.68 22	0.77 13	0.41 11/1
1952	日	0.62 7	0.24 18	1.09 17	1.12 12	2.75 6	3.49 16	4.79 7	3.78 26	2.44 30	1.21 20	0.78 29	0.50 14	0.24 18/2
1953	日	0.52 17,18	0.45 8	0.99 12	1.10 12	2.00 14	2.72 7	5.35 7	4.45 31	3.14 30	1.38 28	0.91 17,18	0.98 3	0.45 8/2
極 日 年	值 期 份	0.41 11 1951	0.24 18 1952	0.62 8 1947	0.61 2 1951	1.42 1 1951	2.72 7 1953	4.79 7 1952	3.37 20,21 1951	2.42 6 1951	1.21 20 1952	0.53 28 1948	0.50 14 1952	0.24 18/2 1952
張 掖														

月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
年													
最大绝对湿度(毫米)													
1951	2.51	2.56	3.37	4.06	8.53	11.89	11.53	14.24	11.10	12.26	4.12	4.16	14.24
日	13	19	13	8	31	10	20	28	5	7	13	1	28/8
1952	4.09	3.80	4.54	5.97	9.40	17.11	12.87	13.36	10.59	7.39	4.67	3.04	17.11
日	25	10	31	16	15	24	27	4	9	31	5	10	24/6
1953	2.86	3.79	3.99	5.57	6.77	9.47	12.72	13.19	9.32	7.28	5.15	3.27	13.19
日	1	21	9	27	31	16,17	16	28	4	3,4	9	10	28/8
極日	4.09	3.80	4.54	5.97	9.40	17.11	12.87	14.24	11.10	12.26	5.15	4.16	17.11
年	25	10	31	16	15	24	27	28	5	7	9	1	24/6
值期	1952	1952	1952	1952	1952	1952	1952	1951	1951	1951	1953	1951	1952
最小绝对湿度(毫米)													
1951	0.07	0.07	0.18	0.31	1.20	3.32	4.63	3.81	1.56	0.97	0.34	0.93	0.07
日	28	11,18	29	10	1	3	2	16	11,12	22	23	13	38
1952	0.59	0.49	1.36	1.84	3.19	4.19	5.63	3.78	3.10	1.27	0.67	0.54	0.49
日	6	17,18	18	12	6	16	6	26	25,26	22	30	1	17,18/2
1953	0.62	0.70	0.85	1.16	2.01	2.84	4.41	5.08	2.88	1.31	1.14	0.96	0.62
日	17	8	1	10	13	7	9,10	19	30	26	17	23	17/1
極日	0.07	0.07	0.18	0.31	1.20	2.84	4.41	3.78	1.56	0.97	0.34	0.54	0.07
年	28	11,18	29	10	1	7	9,10	26	11,12	22	23	1	38
值期	1951	1951	1951	1951	1951	1953	1953	1952	1951	1951	1951	1952	1951
銀 川													
$\varphi=38^{\circ}25'N$ $\lambda=106^{\circ}16'N$ $H=1101.3M$													
平均绝对湿度(毫米)													
1950	-	-	3.93	5.26	7.49	10.47	14.32	13.08	9.60	6.01	2.91	1.95	-
1951	1.75	2.34	2.86	3.78	7.19	9.83	12.92	14.44	9.49	7.76	3.57	2.14	6.51
1952	1.65	1.54	3.44	5.52	8.82	9.99	14.26	12.15	9.41	4.88	3.62	1.51	6.40
1953	1.38	1.79	3.26	3.63	5.78	8.42	12.19	14.12	9.24	6.29	3.83	2.02	5.00
平 均	1.59	1.89	3.19	4.31	7.26	9.41	13.12	13.57	9.38	6.31	3.67	1.89	6.30
最大绝对湿度(毫米)													
1950	-	-	8.91	9.11	13.26	15.28	20.72	18.32	15.54	9.46	8.72	3.63	20.72
日	-	-	26	14	28	18	28	4	16	10	2	21	28/7
1951	4.13	4.25	6.06	8.45	12.51	15.66	19.12	21.55	14.61	12.82	7.74	3.70	21.55
日	3	21	16	25	27	22	25	14	4	8	1	10	14/8
1952	2.92	3.01	7.74	14.65	14.90	16.21	21.30	21.70	17.54	10.81	6.97	2.93	21.70
日	26	10	28	26	16	26	26	11	3	5	12	12	11/8
1953	3.23	4.37	6.60	8.52	12.53	15.84	17.23	18.96	16.73	10.46	7.64	3.22	18.96
日	3	28	20	26	20	29	12	17	1	16,17	7	12	17/8
極日	4.13	4.37	8.91	14.65	14.90	16.21	21.30	21.70	17.54	12.82	8.72	3.70	21.70
年	3	28	26	26	16	26	26	11	3	8	2	10	11/8
值期	1951	1953	1950	1952	1952	1952	1952	1952	1952	1951	1950	1951	1952
最小绝对湿度(毫米)													
1950	-	-	1.01	2.08	2.37	5.94	6.07	7.60	3.99	3.05	1.16	0.78	-
日	-	-	6	16	1	8	5	31	28	11	28	24	-
1951	0.39	0.71	0.90	1.31	3.30	5.05	7.20	9.17	4.97	3.40	0.62	0.91	0.39
日	13	11	1	10	19	8	5	19	30	26	21	15	13/1
1952	0.67	0.47	0.88	2.05	3.40	5.52	6.09	7.42	4.60	2.17	1.15	0.59	0.47
日	7	17	2	12	21	12	6	26,27	26	25	5	3	17/2
1953	0.49	0.68	1.16	1.09	1.54	4.02	6.25	8.22	4.56	2.45	1.15	0.81	0.49
日	17	17	7	10	12	12,13	8	9	30	22	17	17	17/1
極日	0.39	0.47	0.88	1.09	1.54	4.02	6.07	7.42	3.99	2.17	0.62	0.59	0.39
年	13	17	2	10	12	12,13	5	26,27	28	25	21	3	13/1
值期	1951	1952	1952	1953	1953	1953	1950	1952	1950	1952	1951	1952	1951
武 威													
$\varphi=38^{\circ}05'N$ $\lambda=102^{\circ}55'N$ $H=1475.0M$													
平均绝对湿度(毫米)													
1940	-	-	-	-	7.00	9.18	12.74	12.45	8.86	6.25	3.49	2.53	-
1941	1.71	2.67	3.73	5.13	7.04	9.16	12.08	11.62	9.19	5.86	3.57	2.44	6.18

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942		1.65	2.16	2.90	3.06	(5.96)	8.47	(9.99)	11.12	7.99	5.98	(2.76)	1.93	5.33
1943		1.43	1.80	3.22	4.27	5.29	8.35	—	—	—	—	2.53	1.84	—
1944		1.51	1.52	2.22	(3.93)	4.65	8.33	10.26	9.90	7.19	4.95	2.87	1.24	4.88
1945		1.34	1.56	2.75	4.92	5.10	7.60	8.64	(10.64)	8.50	4.68	3.13	1.80	5.06
1946		1.85	2.21	2.46	4.86	7.30	7.97	(10.85)	10.08	7.26	(4.26)	2.11	1.47	5.22
1947		1.57	1.53	2.24	(3.98)	6.16	7.71	9.85	9.48	8.89	5.81	3.19	1.88	5.19
1948		1.63	2.15	4.18	5.16	5.49	9.05	10.83	11.19	9.34	4.34	2.37	2.11	5.65
1949		1.53	2.14	2.52	3.29	5.48	9.06	11.55	—	—	—	—	—	—
1951		1.02	1.39	1.83	2.58	4.77	9.07	10.36	10.43	7.41	5.05	3.12	2.00	4.92
1952		1.63	1.70	2.85	3.87	6.67	7.69	12.10	9.52	7.91	3.97	2.94	1.37	5.19
1953		1.20	1.65	2.58	3.87	4.59	7.74	9.62	11.85	8.27	5.23	3.20	1.96	5.15
平 均		1.51	1.85	2.77	4.14	5.77	8.28	10.46	10.58	8.20	5.01	2.93	1.82	5.28
最大绝对湿度(毫米)														
1940		—	—	—	—	11.44	14.96	22.19	18.62	14.25	10.24	7.25	9.78	—
1941		—	—	—	—	27	25	6	10	20	12	2	14	—
1942		4.13	5.77	8.19	12.62	13.96	17.12	17.22	17.93	14.69	14.86	8.93	4.91	17.93
1943		9	4	17	17	16	14	6	12	5	8	14	5	12/8
1944		4.50	6.71	6.20	6.15	11.47	13.18	16.90	18.59	11.97	17.39	5.66	4.38	18.59
1945		29	11	7	10,11	27	20	16	19,20	3	3	27	8	19,20/8
1946		4.25	6.31	5.92	9.53	9.56	14.22	—	—	—	—	5.45	4.03	—
1947		1	3	29	26	17	25,26	—	—	—	—	2	20	—
1948		3.16	3.54	5.07	8.03	8.76	14.09	14.94	15.40	11.44	9.50	6.16	2.44	15.40
1949		29	7	25	25	24,25	27,28	17,18	24	24	1	11	27	24/8
1945		3.14	3.58	5.65	8.34	9.85	11.80	15.24	15.44	13.42	8.08	4.91	4.17	15.44
1946		27	22	29	17	20	9	21,22	20	23	3	14	18	20/8
1947		5.50	5.81	5.53	9.60	11.98	16.24	19.84	16.36	13.27	8.79	5.60	3.78	19.84
1948		26	3	26	29	28	3	21,22	13	13	10,11	24	11	21,22/7
1949		3.72	5.28	5.24	11.59	12.91	14.44	17.59	16.05	13.12	10.45	6.72	4.38	17.59
1951		31	7	18	30	17	16	29	28	9	1	1	1	29/7
1952		4.11	4.83	10.27	9.01	16.00	15.66	15.95	15.90	13.32	10.73	4.33	4.43	16.00
1953		9	13	31	16	15	25	27	22	1	3	16	12	15/5
1940		4.14	4.17	4.59	7.09	14.98	17.48	25.89	—	—	—	—	—	25.89
1941		29	9	29	17	29	30	23	—	—	—	—	—	23/7
1951		3.32	3.18	3.92	6.04	10.86	13.53	14.83	17.66	13.34	9.08	5.79	4.19	17.66
1952		6	21	30	25	26	24	26	14	3	9	9	9	14/8
1953		3.23	4.71	5.94	7.95	12.79	14.91	16.94	14.70	12.62	7.07	5.39	2.87	16.94
1940		24	10	29	30	15	26	23,24	9	9,10	5	12	10	23,24/7
1941		3.45	3.82	4.96	7.40	8.42	13.94	15.71	17.97	12.67	8.99	5.64	5.60	17.97
1942		23	13	27	26	31	20	12	17	3,4	3	8	11	17/8
極 值	日期	5.50	6.71	10.27	12.62	16.00	17.48	25.89	18.62	14.69	17.39	8.93	9.78	25.89
年	份	1946	1942	1948	1941	1948	1949	1949	1940	1941	1942	1941	1940	1949
最小绝对湿度(毫米)														
1940		—	—	—	—	3.69	4.41	8.45	6.08	3.64	3.92	1.15	0.42	—
1941		—	—	—	—	3	4	24	20	7	27	29	17	—
1942		0.11	0.37	1.30	1.03	3.77	5.26	7.80	5.74	5.44	1.46	0.97	0.66	0.11
1943		20	14	11	6	6	13	26	17	24	26	21	27	20/1
1944		0.58	0.64	0.70	0.30	1.50	4.23	5.00	5.33	4.24	1.49	1.27	0.54	0.30
1945		9	11,14	15	7	25	6	5	31	30	27	27	25	7/4
1946		0.15	0.27	1.34	0.85	1.38	2.48	—	—	—	—	0.76	0.58	—
1947		10	7	22	7	3	4	—	—	—	—	17	4	—
1948		0.59	0.20	0.40	0.69	1.71	4.21	4.66	3.65	2.88	1.43	1.01	0.31	0.20
1949		6	24	17,18	4,5	8	10	1	12	13	28	30	20	24/2
1945		0.48	0.18	1.14	1.98	1.32	3.19	2.45	5.21	4.27	2.16	1.50	0.45	0.18
1946		15	12,13	4	3,4	3	1	21	14	29	18	27	17	12,13/2
1947		0.43	0.75	0.52	1.15	2.61	3.00	3.99	4.41	3.22	0.47	0.41	0.33	0.33
1948		3	22	12	18	2	2	7	26	17	30	28	14	14/12
1949		0.46	0.27	0.49	0.57	1.95	3.88	4.11	4.47	3.09	2.66	0.33	0.44	0.27
1951		26	22	9	4	9	18	7	23	16	30	10	19	22/2
1952		0.29	0.41	0.93	2.01	2.06	3.90	7.02	5.01	5.34	1.84	0.68	0.85	0.29
1953		25	24	3	17	2	9	19	18	28	28	15	25,31	25/1
1940		0.47	0.71	0.12	0.81	1.62	3.49	4.49	—	—	—	—	—	—
1941		17	13	2	4	4	5	12	—	—	—	—	—	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	0.25	0.32	0.35	1.07	1.21	4.36	5.49	5.00	2.97	1.70	0.51	0.88	0.25
1952	日	13	27	1	3	19	1	1	22	16	17	21	15.16	13/1
1953	日	0.58	0.26	1.29	1.54	2.25	4.65	6.96	4.86	3.79	2.23	0.84	0.21	0.21
1953	日	7	18	3	2	28	16	7	26	30	24	30	29	29/12
1953	日	0.41	0.58	0.88	1.15	1.92	3.20	5.26	7.11	3.65	2.36	1.12	0.53	0.41
1953	日	17	10	6	12	22	1	2	9	29	28,29	18	5	17/1
極日	值期	0.11	0.18	0.12	0.30	1.21	2.48	2.45	3.65	2.88	0.47	0.33	0.21	0.11
年	份	20	12,13	2	7	19	4	21	12	13	30	10	29	20/1
		1941	1945	1949	1942	1951	1943	1945	1944	1944	1946	1947	1952	1941
中 宁 $\varphi = 37^{\circ}30'N$ $\lambda = 105^{\circ}36'E$ $H = 1186.0 M$														
平均绝对湿度(毫米)														
1940	日	1.46	1.94	3.61	3.11	6.44	9.64	13.19	13.08	10.71	6.19	3.29	2.13	6.23
1941	日	1.33	2.00	3.10	4.32	6.62	9.63	13.71	11.25	8.57	5.77	3.38	1.98	5.97
1942	日	1.41	1.54	3.43	3.96	7.67	10.04	13.19	12.98	9.13	6.87	3.00	1.71	6.24
1943	日	1.19	1.39	3.80	5.19	7.51	10.79	14.72	13.86	9.19	5.23	2.90	1.81	6.47
1945	日	1.38	1.71	2.94	5.72	6.69	9.89	12.54	13.80	11.08	6.05	3.91	1.82	6.46
1946	日	1.45	2.04	2.84	4.92	6.44	10.12	14.02	12.61	9.04	5.55	3.16	1.65	6.15
1947	日	1.72	1.57	2.47	4.69	7.77	9.67	11.67	12.33	10.68	6.45	3.48	1.88	6.20
1948	日	1.62	2.02	4.43	5.69	6.29	10.58	-	-	-	-	-	2.16	-
1949	日	1.73	2.19	3.04	-	-	-	-	-	-	-	-	-	-
1952	日	-	-	-	-	-	-	-	-	-	-	-	1.48	-
1953	日	1.41	1.85	3.22	4.16	6.13	9.59	12.47	13.88	9.83	6.63	3.97	2.10	6.27
平 均		1.42	1.76	3.18	4.51	6.91	9.92	13.19	12.97	9.78	6.09	3.39	1.89	6.25
最大绝对湿度(毫米)														
1940	日	3.49	4.29	6.04	6.78	13.08	18.20	19.50	19.08	14.45	10.94	9.45	4.03	19.50
1941	日	10	28	29	30	13	29	9	17	16	10	2	2	9/7
1941	日	3.48	4.49	6.73	9.31	14.41	14.20	20.49	18.61	14.34	10.52	7.62	3.66	20.49
1942	日	4	24	25	23	31	20	12	2	6	10	9	1	12/7
1942	日	4.18	4.24	6.55	11.16	14.44	17.63	20.06	20.27	14.73	13.17	8.33	3.11	20.27
1943	日	31	24	27	24	25	21	23	6	3	5	10	1	6/8
1943	日	2.84	4.48	6.67	11.66	14.20	17.84	-	-	14.45	8.10	8.66	3.31	-
1945	日	31	27	25	25	31	26	-	-	21	12	2	2	-
1945	日	2.64	3.98	6.1	10.47	11.59	16.98	17.34	19.46	15.58	10.21	7.47	3.71	19.46
1946	日	27	20	29	27	15	8	4	20	1	17	11	22	20/8
1946	日	2.64	3.76	6.36	9.69	12.07	16.01	19.61	19.39	14.02	9.71	6.54	2.95	19.61
1947	日	1	27	27	28	29	21	18	8	11	10	3	12	18/7
1947	日	3.17	3.34	5.47	8.93	12.43	13.63	17.38	18.36	6.23	10.42	7.85	4.23	18.36
1948	日	20	11	30	29	21	27	2	29	11	5	5	3	29/8
1948	日	2.87	5.11	7.93	11.44	10.55	15.88	-	-	-	-	-	3.86	-
1949	日	10	26	21	22	30	26	-	-	-	-	-	7	-
1949	日	3.92	4.79	5.18	-	-	-	-	-	-	-	-	-	-
1952	日	24	21	13,29	-	-	-	-	-	-	-	-	-	-
1952	日	-	-	-	-	-	-	-	-	-	-	-	3.26	-
1953	日	-	-	-	-	-	-	-	-	-	-	-	12	-
1953	日	3.27	4.87	5.81	7.92	12.00	15.77	18.49	20.28	14.39	9.86	7.40	3.23	20.28
1953	日	3	28	26	16	20	20,21	12	18	1	3	7	12	18/8
極日	值期	4.18	5.11	7.93	11.66	14.44	18.20	20.49	20.28	16.23	13.17	9.45	4.23	20.49
年	份	31	26	21	25	25	29	12	18	11	5	2	3	12/7
		1942	1948	1948	1943	1942	1940	1941	1953	1947	1942	1940	1947	1941
最小绝对湿度(毫米)														
1940	日	0.65	0.47	1.68	1.14	2.09	3.41	6.54	9.00	5.92	1.76	1.31	0.97	0.47
1941	日	26,29	6	14	14	4	3	19	31	29	24	6.12	30	6/2
1941	日	0.42	0.48	1.19	0.58	2.83	5.20	7.65	5.88	4.15	1.69	1.13	0.67	0.42
1942	日	30,31	1	3	5	3	13	16	28	2	26	19	27	30,31/1
1942	日	0.58	0.57	1.13	1.31	1.88	4.09	8.07	6.21	4.54	1.86	1.11	0.68	0.57
1943	日	21	10	1	5	2	6	25	28	26	23	27	26	10/2
1943	日	0.32	0.32	1.61	0.93	2.17	4.37	-	-	5.25	1.91	0.95	0.96	0.32
1945	日	11	7	11	6,7	3	2	-	-	10	28	17	6	11/1,7/2
1945	日	0.55	0.58	1.08	2.32	3.18	5.11	5.98	8.46	6.37	2.25	1.87	0.61	0.55
1945	日	19	7	15	5,18	5	1	23	3	30	30	30	17	19/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1946	日	0.52 8	1.03 1	0.73 8	2.19 22	2.14 1	4.67 1	5.89 6	6.08 26	3.71 18	2.11 31	1.01 29	0.80 20	0.52 8/1
1947	日	0.70 26	0.41 20	0.72 2	1.78 1	3.16 28	5.96 1	6.35 8	8.76 17,31	5.78 16	3.07 12	1.64 23,24	0.70 19	0.41 20/2
1948	日	0.52 25	0.74 10	1.49 4	2.42 20	2.74 11	5.07 1	—	—	—	—	—	0.86 13	—
1949	日	0.68 3	0.76 4	0.96 5	—	—	—	—	—	—	—	—	—	—
1952	日	—	—	—	—	—	—	—	—	—	—	—	0.66 14	—
1953	日	0.45 17	0.73 18	1.06 11,12	1.09 11,12	1.70 13	4.73 2	7.76 8,9	8.84 20	5.82 7	3.49 29	1.30 17	1.05 9	0.45 17/1
恒 值 日 期	份	0.32 11	0.32 7	0.72 2	0.58 5	1.70 13	3.41 3	5.98 23	5.88 28	3.71 18	1.69 26	0.95 17	0.61 17	0.32 11/1,7/2
1943		1943	1943	1947	1941	1953	1940	1945	1941	1946	1941	1943	1945	1943
烏 鞘 嶺 $\varphi=37^{\circ}11'N$ $\lambda=103^{\circ}05'E$ $H=3039.1M$														
平均绝对湿度(毫米)														
1951	日	0.88	1.12	1.31	2.51	3.72	6.44	7.24	7.62	5.13	3.67	2.20	1.43	3.61
1952	日	1.19	1.25	2.11	3.08	4.78	5.38	7.79	6.08	5.18	2.58	1.79	0.96	3.51
1953	日	0.98	1.31	2.03	2.91	3.41	5.12	6.77	7.78	5.31	3.57	2.12	1.28	3.55
平 均		1.02	1.23	1.82	2.83	3.97	5.65	7.27	7.16	5.21	3.27	2.04	1.22	3.56
最大绝对湿度(毫米)														
1951	日	2.04 23	2.25 22	3.33 30	4.78 25	6.62 28	10.91 22	10.97 7	11.85 28	9.15 7	6.18 3	4.15 3	3.55 9	11.85 28/8
1952	日	2.81 8	2.45 11	3.58 7	5.77 30	8.16 14	9.50 25	13.10 28	11.02 4	9.58 8	4.19 6	3.70 12	1.80 5	13.10 28/7
1953	日	2.24 2	2.77 28	3.49 20	4.65 25	6.18 30	8.57 18	10.24 15	11.10 31	8.39 7	6.66 4	4.51 9	2.09 2	11.10 31/8
恒 值 日 年	期 份	2.81 8	2.77 28	3.58 7	5.77 30	8.16 14	10.91 22	13.10 28	11.85 28	9.58 8	6.66 4	4.51 9	3.55 9	13.10 28/7
1952		1953	1952	1952	1952	1951	1952	1951	1952	1953	1953	1951	1952	1952
最小绝对湿度(毫米)														
1951	日	0.08 13	0.00 19	0.13 11	0.99 3	1.78 1	4.09 9	4.16 16	4.25 23	2.70 25	1.00 23	0.45 21	0.13 23	0.00 19/2
1952	日	0.37 7	0.33 18	0.86 1	1.12 12	2.29 29	3.20 7,8	4.34 14	2.78 26	2.38 25	0.91 30,31	0.52 29	0.37 1	0.33 18/2
1953	日	0.54 14	0.50 8	0.93 12	1.20 4	1.26 13	1.85 8	4.42 2	4.55 19	2.39 30	1.29 26	0.80 18	0.68 16	0.50 8/2
恒 值 日 年	期 份	0.08 13	0.00 19	0.13 11	0.99 3	1.26 13	1.85 8	4.16 16	2.78 26	2.38 25	0.91 30,31	0.45 21	0.13 23	0.00 19/2
1951		1951	1951	1951	1951	1953	1953	1951	1952	1952	1952	1951	1951	1951
靖 遠 $\varphi=36^{\circ}36'N$ $\lambda=104^{\circ}39'E$ $H=1405.0M$														
平均绝对湿度(毫米)														
1937	日	2.29	3.28	2.94	5.14	6.47	11.34	14.91	15.71	10.97	7.83	3.77	2.67	7.28
1938	日	2.54	3.13	4.93	7.73	9.52	13.66	19.10	18.32	10.42	8.01	4.82	2.47	8.72
1939	日	2.13	(2.74)	—	7.86	11.04	15.33	18.22	13.24	9.65	7.14	3.99	2.45	—
1942	日	2.58	3.11	5.79	7.06	10.22	12.94	15.40	15.34	11.49	8.96	4.26	2.64	8.32
1943	日	2.16	1.94	3.91	5.31	7.41	10.00	13.21	12.77	9.56	6.22	3.49	2.42	6.53
1944	日	2.26	2.15	—	—	—	—	—	—	—	—	—	—	—
1950	日	—	—	—	—	—	—	—	—	9.20	6.20	2.74	1.03	—
1951	日	1.12	2.21	2.41	4.04	7.01	9.94	12.12	12.09	8.82	7.14	3.52	1.94	6.03
1952	日	1.46	1.78	3.86	5.82	8.83	10.15	13.89	10.67	10.02	5.47	3.84	1.22	6.42
1953	日	1.30	2.10	4.12	4.96	6.03	9.01	12.01	13.11	9.30	6.58	3.83	2.13	6.21
平 均		1.29	2.03	3.46	4.94	7.29	9.70	12.67	11.96	9.38	6.40	3.73	1.76	6.22

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1942	7.75	7.03	11.37	13.87	16.54	20.06	25.75	30.19	18.08	17.90	9.99	4.75	30.19	
日	25	28	28	23	14	20	28	19	10	6	11	7	19/8	
1943	4.36	4.24	6.38	9.32	28.97	14.50	18.41	17.02	13.95	8.82	7.77	5.67	28.97	
日	31	27	24	26	31	26	24	17	20	9	2	21	31/5	
1944	3.90	4.49	-	-	-	-	-	-	-	-	-	-	-	
日	17	26	-	-	-	-	-	-	-	-	-	-	-	
1950	-	-	-	-	-	-	-	-	14.24	8.66	7.03	2.30	-	
日	-	-	-	-	-	-	-	-	1	6	1	5	-	
1951	3.66	4.39	5.32	7.14	11.84	14.53	16.76	18.46	14.95	11.16	8.24	3.73	18.46	
日	31	7,19	23	26	22	14	9	14	5	12	2	11	14/8	
1952	3.04	4.03	6.56	11.31	13.27	16.52	19.44	15.89	15.55	12.49	6.86	3.11	19.44	
日	25	5	24	30	16	27	21	5	9	4	12	12	21/7	
1953	3.21	4.43	6.65	8.71	11.13	14.68	18.36	17.92	13.33	9.81	7.91	3.09	18.36	
日	3	28	20	16	20	20,21	16,17	17	1	3	7	12	16,17/7	
極日	3.66	4.43	6.65	11.31	13.27	16.52	19.44	18.46	15.55	12.49	8.24	3.73	19.44	
年	31	28	20	30	16	27	21	14	9	4	2	11	21/7	
1951	1951	1953	1953	1952	1952	1952	1952	1951	1952	1952	1951	1951	1952	
最小绝对湿度(毫米)														
1942	0.80	1.13	2.74	3.14	5.33	6.62	10.22	8.25	5.29	3.38	1.52	0.73	0.73	
日	7	13	2	5	19	9	13	27	23	24	16	28	28/12	
1943	0.66	0.90	0.54	1.58	2.90	3.39	8.96	8.56	5.89	3.22	0.97	0.63	0.90	
日	11	5	1	7	18	5	1	28	30	29	21	26	5/2	
1944	0.65	0.85	-	-	-	-	-	-	-	-	-	-	-	
日	5	5	-	-	-	-	-	-	-	-	-	-	-	
1950	-	-	-	-	-	-	-	-	4.59	2.19	0.66	0.27	-	
日	-	-	-	-	-	-	-	-	28	29	29	18	-	
1951	0.22	0.18	0.17	1.38	3.03	5.99	6.80	6.75	4.67	3.56	0.29	0.88	0.17	
日	27	28	2	11	18	3	13	17	30	24	21	31	2/3	
1952	0.54	0.42	1.52	2.15	4.20	5.51	9.62	5.49	4.95	2.71	1.07	0.53	0.42	
日	8	18	9	11	28	7,8	7	26	25	31	30	16	18/2	
1953	0.36	0.56	2.12	1.80	3.00	4.32	6.73	8.30	6.07	3.62	1.40	1.20	0.36	
日	17	8	3	5	13	7	7	20	28	29	30	23	17/1	
極日	0.22	0.18	0.17	1.38	3.00	4.32	6.73	5.49	4.59	2.19	0.29	0.27	0.17	
年	27	28	2	11	13	7	7	26	28	29	21	18	2/3	
1951	1951	1951	1951	1951	1953	1953	1953	1952	1950	1950	1951	1950	1951	
蘭 州 $\varphi=36^{\circ}03'N$ $\lambda=103^{\circ}57'E$ $H=1519.2M$														
平均绝对湿度(毫米)														
1932	-	-	-	-	-	-	10.98	12.73	9.99	5.65	3.05	2.34	-	
1933	2.02	2.77	3.50	5.15	6.51	10.09	13.36	12.74	9.24	6.32	3.54	2.68	6.49	
1934	1.80	2.46	2.28	4.28	8.57	8.31	13.13	12.91	10.11	6.16	2.93	2.37	6.28	
1935	1.90	2.76	3.35	5.75	6.86	9.17	11.63	12.73	9.28	8.04	-	-	-	
1936	1.28	1.64	2.57	4.54	5.67	8.54	11.94	11.39	8.32	5.08	2.81	1.79	5.46	
1937	1.64	2.15	1.91	4.11	6.60	9.86	11.59	12.43	8.56	5.74	2.30	1.57	5.71	
1938	1.53	1.69	3.07	3.87	5.00	8.48	10.54	12.35	8.85	6.06	3.37	2.04	5.57	
1939	1.48	2.04	2.52	3.96	5.87	8.29	11.47	11.13	8.26	5.18	2.91	1.74	5.40	
1940	1.40	2.13	3.95	2.89	5.74	7.01	10.44	11.91	9.95	6.35	3.47	2.04	5.61	
1941	1.60	2.16	2.69	4.00	5.54	7.29	11.24	10.59	9.01	5.48	3.25	2.04	5.41	
1942	1.52	1.80	3.23	3.98	6.58	9.45	11.25	11.67	8.92	7.58	3.17	2.01	5.93	
1943	1.50	1.89	4.08	5.55	7.23	10.15	12.76	12.44	9.81	6.41	2.88	1.67	6.36	
1944	1.77	1.74	2.54	4.41	6.14	9.39	11.36	10.71	8.85	6.61	3.23	1.38	5.68	
1945	1.64	1.98	3.28	5.31	5.13	7.71	10.31	11.85	10.38	5.85	3.90	1.81	5.76	
1946	1.47	2.05	2.91	5.06	7.35	9.41	12.77	12.28	9.32	6.21	3.19	1.74	6.15	
1947	2.02	1.76	2.60	4.85	7.28	9.45	11.58	11.08	10.12	6.65	4.02	2.12	6.13	
1948	1.71	2.36	4.27	6.43	6.81	10.19	11.26	11.72	10.35	5.80	3.40	2.32	6.39	
1949	1.69	2.49	3.45	4.78	7.05	10.45	13.12	11.97	10.00	7.01	3.24	1.85	6.43	
1950	1.95	2.13	4.35	4.51	6.65	9.45	11.72	11.40	9.95	6.51	3.05	1.32	6.08	
1951	1.33	2.27	2.52	3.84	6.33	9.90	11.74	12.74	9.28	6.92	3.68	2.13	6.06	

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	1.59	1.97	3.46	4.66	7.64	8.47	12.21	9.29	8.84	5.04	3.27	1.42	5.66
1953	1.40	1.87	3.45	4.32	5.01	7.86	10.49	11.92	8.93	6.48	3.52	2.31	5.63
平 均	1.62	2.07	3.13	4.53	6.44	8.99	11.71	11.73	9.35	6.17	3.26	1.92	5.91
最大绝对湿度(毫米)													
1932	-	-	-	-	-	-	15.79	16.13	13.41	8.90	5.01	3.64	-
1933	4.42	4.29	7.15	7.56	12.35	15.41	17.56	18.50	12.20	12.56	5.13	4.80	18.60
1934	3.77	4.78	6.40	8.41	12.63	15.10	19.66	18.32	17.98	11.39	5.22	4.14	19.66
1935	3.77	4.94	7.19	8.88	10.86	14.69	21.94	19.74	13.98	11.66	-	-	21.94
1936	3.36	3.26	4.92	7.97	11.53	16.52	20.82	16.25	13.96	9.13	6.97	3.54	20.82
1937	2.51	3.77	2.67	6.77	9.15	12.67	13.74	15.20	12.12	8.97	4.10	2.17	15.20
1938	2.65	3.12	5.62	7.44	12.24	12.97	15.62	16.49	12.60	10.16	5.20	3.72	16.49
1939	2.52	4.00	4.13	8.94	12.64	12.51	18.86	15.99	13.49	8.08	4.84	2.89	18.86
1940	2.37	4.82	6.62	6.05	9.88	11.94	16.68	15.42	12.92	10.42	8.16	4.00	16.68
1941	2.06	3.02	4.27	6.76	7.80	10.49	14.09	12.41	12.78	8.91	4.93	2.84	14.09
1942	2.20	3.10	5.03	8.16	10.88	12.54	13.40	15.03	11.03	11.60	4.83	2.81	15.03
1943	2.53	3.69	5.90	8.65	10.03	13.26	15.90	14.97	13.63	9.10	6.30	1.92	15.90
1944	2.82	2.65	5.31	6.29	8.94	11.89	13.90	13.01	10.92	9.63	4.68	2.03	13.98
1945	2.48	4.02	4.29	8.19	8.63	10.35	13.98	15.65	12.31	7.34	5.27	3.19	15.65
1946	1.74	3.44	5.15	8.21	9.23	13.61	16.19	14.76	12.47	9.10	5.99	2.45	16.19
1947	2.66	2.83	4.38	8.61	10.01	13.90	15.61	14.49	12.93	8.99	5.98	3.20	15.61
1948	2.59	3.27	6.10	8.67	9.03	13.94	14.29	14.24	13.00	8.49	4.34	3.36	14.29
1949	2.92	3.38	5.29	6.47	10.36	12.53	16.42	15.18	12.00	10.98	5.10	2.89	16.42
1950	3.56	2.28	6.72	7.36	10.60	12.55	14.42	13.93	12.25	8.61	5.59	2.01	14.42
1951	3.07	4.56	5.62	6.95	14.12	15.07	16.08	20.34	15.35	11.32	6.71	4.51	20.34
1952	3.32	3.62	6.66	10.00	12.44	14.66	16.43	13.19	14.53	9.11	6.17	2.73	16.43
1953	2.67	4.06	6.20	7.75	9.97	15.94	16.47	16.32	12.95	9.65	6.83	3.94	16.47
极 值	4.42	4.94	7.19	10.00	14.12	16.52	21.94	20.34	17.98	12.56	8.16	4.80	21.94
日 期	31	21	26	30	26	30	27	14	4	1	2	21	27/7
年 份	1933	1935	1935	1952	1951	1936	1935	1951	1934	1933	1940	1933	1935
最小绝对湿度(毫米)													
1932	-	-	-	-	-	-	7.11	7.78	4.87	2.80	1.79	1.07	-
1933	0.79	1.21	1.89	2.87	2.46	6.81	7.91	6.15	5.90	3.19	2.48	1.50	0.79
1934	0.86	1.22	1.10	1.55	4.05	4.35	6.07	8.88	5.32	2.54	1.32	1.45	0.86
1935	0.88	1.23	1.29	3.09	3.14	3.24	7.02	8.41	3.62	4.91	-	-	-
1936	0.53	0.70	0.53	1.49	2.43	3.80	5.66	6.55	4.20	2.59	0.23	0.49	0.23
平 均	1.62	2.07	3.13	4.53	6.44	8.99	11.71	11.73	9.35	6.17	3.26	1.92	5.91

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全 年	
1937	1.19	1.32	1.18	2.40	3.53	8.12	8.07	8.52	5.97	2.56	1.18	1.05	1.05	
日	17	27	10	1	1	23	4	31	18	29	18	18	18/12	
1938	0.92	0.84	1.16	1.53	1.99	3.68	5.65	7.14	4.16	2.58	1.46	1.02	0.84	
日	8,9	18	29	8	7	4	9	30	10	29	30	29	18/2	
1939	0.75	0.92	1.21	0.81	2.01	3.63	5.28	6.18	3.71	1.97	1.01	0.94	0.75	
日	12	6	23	14	18	12	6	18	8	30	26	30	12/1	
1940	0.67	0.81	1.51	0.96	1.95	1.87	3.95	7.98	6.10	2.59	1.37	0.88	0.67	
日	25	6	12	28	21	4	18	1	30	26	15	30	25/1	
1941	1.12	1.12	1.82	1.80	3.34	4.41	6.90	7.66	7.24	2.44	2.15	1.45	1.12	
日	23	13	14	6	3	5	1	30	30	25	20	26	23/12 3/2	
1942	1.11	0.97	1.57	2.23	3.22	5.54	7.99	8.70	7.05	3.62	1.99	1.14	0.97	
日	8	11	2	6	2	8	9	31	22	23	13	26	11/2	
1943	0.95	0.88	2.79	2.19	5.48	7.15	9.46	9.64	6.85	4.36	1.38	1.31	0.88	
日	11	6	22	6	27	4	17	29	30	29	18	30	6/2	
1944	1.11	1.13	1.48	2.42	3.70	5.72	8.23	8.35	5.90	4.08	1.89	0.85	0.85	
日	6	4	5	3	4	11	2	9	16	27	30	15	15/12	
1945	1.05	1.00	1.72	2.15	3.46	4.11	5.74	7.06	7.48	4.26	2.18	1.35	1.00	
日	15	7	5	3	22	1	1	1	30	30	30	17	7/2	
1946	1.20	1.55	1.55	3.26	4.16	5.38	9.84	9.90	6.54	3.33	1.45	1.41	1.20	
日	17	8	5	3	1	1	9	28	17	25	27	8	17/1	
1947	1.54	0.97	1.50	2.74	5.66	6.85	8.08	9.34	7.63	5.40	2.68	1.02	0.97	
日	26	16	8	2	28	1	8	22	28	12	23	18	16/2	
1948	1.19	1.61	2.23	4.75	3.77	7.04	8.16	9.50	8.19	3.67	1.89	1.77	1.19	
日	25	7	5	2	11	1	1	18	28	28	14	14	25/1	
1949	1.14	1.72	1.81	2.53	4.34	8.33	9.56	8.77	7.20	4.97	1.84	1.25	1.14	
日	8	13	6	2	7	18	8	24	24	29	21	26	8/1	
1950	1.30	1.17	2.08	2.38	4.06	7.02	8.41	9.29	7.27	4.64	1.71	0.91	0.91	
日	6	17	11	7	4	7	5	8	28	29	30	23	23/12	
1951	0.55	0.84	0.64	1.40	2.76	4.96	7.00	7.88	4.90	3.87	0.93	1.19	0.55	
日	28	28	1	11	19	3	14	23	16	17	21	20	28/1	
1952	0.73	0.86	1.26	1.10	1.10	3.53	5.94	3.42	4.33	2.49	1.28	0.72	0.72	
日	7	18	18	13	31	8	15	28	30	29	19	15	15/12	
1953	0.71	0.80	1.24	1.52	2.32	3.02	4.56	5.13	4.96	3.53	1.43	1.46	0.71	
日	16	9	13	4	14	8	7	2	29	29	18	24	16/1	
恒 日 年	值 21 1936	期 18 1936	份 2 1936	0.53 14 1939	0.70 31 1952	0.53 4 1940	0.81 18 1952	0.87 4 1940	3.42 28 1952	3.62 12 1935	1.97 30 1939	0.23 26 1936	0.49 31 1936	0.23 26/11 1936

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944	日	3.97	8.43	6.51	8.41	-	16.78	17.04	14.04	11.73	9.49	5.18	2.46	-
	日	3	29	25	25	-	26	27	7	25	5	7	28	-
1945	日	3.98	4.08	5.25	9.58	9.77	10.80	14.30	14.52	13.04	7.74	5.51	4.73	14.52
	日	30	27	31	27	17	9	8	21	2	10	10	13	21/8
1946	日	6.06	7.05	5.74	9.32	12.73	13.93	18.63	17.80	14.26	9.68	8.10	3.91	18.63
	日	22,23	21	7	28	28	22	26	8	20	9	22	12	26/7
1947	日	3.86	5.03	8.82	10.41	12.81	17.40	26.01	19.92	20.08	9.06	7.69	5.48	26.01
	日	24	5	27	22	27	29	23	10	19	1	4	7	23/7
1948	日	4.09	6.03	6.74	9.11	10.10	14.44	14.36	17.30	12.93	11.18	-	6.24	17.30
	日	17	17	30	20	21	5	12	8	12	9	-	16	8/8
1951	日	-	6.76	5.26	7.14	11.81	14.13	15.32	-	-	-	-	-	-
	日	-	19	16	25	9	13	25	-	-	-	-	-	-
1953	日	-	-	5.43	6.54	10.16	14.32	14.67	16.77	11.85	9.21	6.56	3.63	-
	日	-	-	2	16,17	20	20	27	17	1	4,5	9	31	-
極日	值	6.06	8.43	8.82	10.41	12.81	17.40	26.01	19.92	20.08	11.18	8.10	6.24	26.01
年	期	22,23	29	27	22	27	29	23	10	19	9	22	16	23/7
	份	1946	1944	1947	1947	1947	1947	1947	1947	1947	1948	1946	1948	1947
最小绝对湿度(毫米)														
1940	日	-	-	-	-	2.00	1.50	4.00	5.86	5.00	1.30	-	1.24	-
	日	-	-	-	-	21	4	18	27	30	15	-	27	-
1941	日	0.25	0.49	1.10	1.30	2.10	3.26	4.15	4.25	4.00	1.84	1.45	1.00	0.25
	日	23	17	10	3	3	10	28	30	23	22	23	22	23/1
1942	日	0.81	0.75	1.26	1.50	2.72	2.51	4.90	5.15	4.38	2.79	2.00	0.75	0.75
	日	7	14	31	3	3	12	5	15	29	23	23	3	14/23/12
1943	日	0.62	0.55	-	1.55	3.44	5.46	6.66	2.19	2.04	1.97	0.86	0.97	-
	日	11	7	-	6	5	6	16	8	20	4	18	27	-
1944	日	0.33	0.46	0.16	2.03	-	2.68	2.72	4.52	3.66	3.44	1.39	0.55	0.16
	日	6	4	5	10	-	11	7	3	15	20	30	15	5/3
1945	日	0.42	0.46	1.50	3.21	3.34	3.07	5.86	6.24	5.26	1.77	1.94	1.20	0.42
	日	15	7,8	5	3,4	3	7	30	1	8	29	29	26	15/1
1946	日	1.06	0.77	1.52	2.35	3.88	4.60	8.26	7.84	5.31	3.04	0.81	0.43	0.43
	日	9	7	3	2	1	1	8	2	28	30	30	7	7/12
1947	日	1.11	0.40	0.25	2.82	5.33	6.00	8.21	7.26	5.95	3.69	1.47	0.34	0.25
	日	26	16	24	11	29	11	8	17	17	30	24	19	24/3
1948	日	0.30	0.16	2.25	2.90	3.24	3.35	6.73	6.76	4.97	2.56	-	0.57	0.16
	日	25	25	2	1	10	17	1	18	28	28	-	8	25/2
1951	日	-	0.70	0.70	1.44	2.37	5.50	6.70	-	-	-	-	-	-
	日	-	28	1	12	19	4	24	-	-	-	-	-	-
1953	日	-	-	0.67	1.52	2.21	2.77	6.34	7.44	4.29	2.56	1.09	0.96	-
	日	-	-	11	7	13,14	6,7	8	2	30	23	18	23	-
極日	值	0.25	0.16	0.16	1.30	2.00	1.50	2.72	2.19	2.04	1.30	0.81	0.34	0.16
年	期	23	25	5	3	21	4	7	8	20	15	30	19	5/3, 25/2
	份	1941	1948	1944	1941	1940	1940	1944	1943	1943	1940	1946	1947	1944 1948
西峰鎮 $\varphi=35^{\circ}42'N$ $\lambda=107^{\circ}44'E$ $H=1440.0M$														
平均绝对湿度(毫米)														
1937	日	-	-	-	-	10.13	14.01	16.18	18.34	11.62	7.15	4.42	4.35	-
1938	日	2.83	3.91	5.12	7.62	13.45	12.32	17.68	15.16	9.91	8.07	4.80	3.59	8.71
1939	日	3.21	3.90	4.87	6.58	9.64	14.24	16.66	17.29	11.66	8.25	4.80	3.60	8.73
1940	日	3.52	3.91	5.24	6.25	8.41	11.63	15.05	14.22	10.93	8.09	4.80	3.63	7.97
1941	日	3.00	3.60	5.42	7.17	9.13	11.36	15.29	14.27	10.69	7.91	4.88	3.95	8.06
1942	日	3.13	3.49	5.76	6.50	10.53	13.60	17.40	16.38	12.27	9.00	5.48	3.09	8.89
1943	日	2.58	3.68	5.04	7.03	9.41	11.98	14.88	15.21	10.89	7.64	4.92	3.66	8.08
1944	日	3.01	3.66	-	-	-	-	-	-	-	7.21	4.00	1.97	-
1945	日	2.17	2.55	3.76	6.04	9.09	13.75	14.72	15.40	11.35	7.24	5.89	2.89	7.90
1946	日	2.79	3.21	4.30	7.71	9.22	12.93	15.40	15.24	11.55	8.32	5.33	2.68	8.22
1947	日	2.75	2.84	4.32	6.82	9.83	11.63	14.70	13.75	10.33	6.64	5.27	2.90	7.65
1948	日	2.34	3.12	4.81	7.60	7.94	11.79	14.30	13.40	10.95	6.88	4.12	3.09	7.53
1949	日	2.19	3.28	4.30	6.25	9.86	11.94	-	-	-	-	-	-	-
1950	日	-	-	-	-	-	-	-	-	-	-	-	2.36	-
1951	日	2.23	2.78	3.95	5.59	8.81	11.26	13.45	14.25	10.04	7.94	4.57	3.00	7.32

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952		2.46	2.74	4.35	5.91	8.85	9.78	15.43	11.61	9.82	5.09	4.35	1.57	6.83
1953		1.41	2.17	3.25	4.07	6.20	9.55	13.29	14.26	9.03	6.94	4.37	2.25	6.40
平 均		2.65	3.22	4.63	6.53	9.27	11.99	15.25	14.65	10.72	7.54	4.89	3.07	7.87
最大绝对湿度(毫米)														
1940		8.39	8.92	15.26	13.49	14.53	25.08	27.11	25.68	15.84	14.22	11.29	6.03	27.11
■		7	3,8	13	26	29	28	14	3	10	18	1	12	14/7
1941		5.41	5.72	10.07	15.50	21.48	20.88	33.75	24.41	19.52	15.94	10.16	5.96	33.75
■		22	8	26	20	18	27	5	4	24	11	2	23	5/7
1942		6.17	9.80	11.91	16.37	24.83	29.85	27.42	24.88	20.92	15.89	12.23	6.77	29.85
■		28	13	31	21	15	25	21	31	6	27	4	14	25/6
1943		5.71	6.78	8.37	11.81	14.20	16.30	19.69	20.93	14.82	10.77	9.25	6.67	20.93
■		22	27	19	24	23	21	30	12	21	11	4	21	12/8
1944		5.23	7.19	-	-	-	-	-	-	-	10.73	6.34	3.23	-
■		13	26	-	-	-	-	-	-	-	4	25	10	-
1945		3.72	5.57	6.93	10.88	14.37	18.52	18.64	21.98	14.49	10.66	9.48	4.94	21.98
■		31	25	26	27	16	22	2	10	24	7	9	12	10/8
1946		4.40	4.65	6.35	12.02	12.28	17.50	18.94	21.06	15.58	12.87	10.31	4.81	21.06
■		23	23	24	26	29	20	17	7	30	24	2	3	7/8
1947		4.71	4.96	8.97	11.27	14.70	16.37	18.62	18.33	14.57	9.53	9.77	5.15	18.62
■		31	10	31	18	19	30	29	1	12	7	4	6	29/7
1948		4.10	6.92	9.35	13.46	10.55	15.23	18.84	16.57	14.55	13.35	7.73	5.51	18.84
■		8	21	31	2	29	27	12	7	7	9	4	5	12/7
1949		4.57	5.13	5.81	10.35	17.05	17.17	-	-	-	-	-	-	-
■		29	22	28	26	24	30	-	-	-	-	-	-	-
1950		-	-	-	-	-	-	-	-	-	-	-	3.97	-
■		-	-	-	-	-	-	-	-	-	-	-	12	-
1951		4.18	4.70	6.79	8.38	12.82	16.93	18.11	18.71	14.03	14.28	7.82	6.31	18.71
■		4	19	25	26	12	23	12	7	1	16	2,3	19	7/8
1952		6.31	5.00	8.63	10.97	12.66	15.84	20.78	15.89	14.09	8.55	7.50	3.29	20.78
■		26	13	15	30	1	28	25	11,12	9,10	6	10	12	25/7
1953		3.13	4.11	6.26	8.70	11.67	14.91	19.18	18.09	14.59	10.04	7.21	3.46	19.18
■		25	12	20	26	21,29	22	12	17	1	16	8	19,20	12/7
極 值	8.39	9.80	15.26	16.37	24.83	29.85	33.75	25.68	20.92	15.94	12.23	6.77	33.75	
日 期	7	13	13	21	15	25	5	3	6	11	4	14	5/7	
年 份	1940	1942	1940	1942	1942	1942	1941	1940	1942	1941	1942	1942	1941	
最小绝对湿度(毫米)														
1940		1.10	0.67	1.89	2.94	4.41	5.39	7.11	8.52	6.26	3.13	2.09	2.09	0.67
■		23,25	9	18	15	15,25	4	22	24	29	24	29	29	9/2
1941		0.97	0.65	2.09	2.55	5.34	4.18	9.45	5.01	6.73	2.80	2.19	1.43	0.65
■		24	14	5	5	2	23	29	14	24	26	21,24	27	14/2
1942		1.18	1.05	2.07	1.61	3.83	7.79	11.79	8.47	2.26	3.34	1.17	0.39	0.39
■		15	11	30	5	19	8	28	28	23	24	28	10	10/12
1943		0.37	0.90	2.56	1.75	4.57	6.71	11.05	10.30	5.90	4.71	1.35	1.18	0.37
■		11	6	8	7	1	3	17	28	30	29	18	30	11/1
1944		0.15	0.75	-	-	-	-	-	-	-	3.96	1.85	0.91	0.15
■		23	4	-	-	-	-	-	-	-	28	30	15	23/1
1945		1.10	0.85	1.68	3.35	4.05	9.19	10.81	10.82	8.47	3.95	2.80	1.15	0.85
■		19	8	5	2	1	1	23	31	30	2	30	17	8/2
1946		1.31	1.98	2.53	4.48	5.45	8.53	10.15	11.26	7.47	4.45	2.23	1.57	1.31
■		3	11	2	17	3	1	9	29	18	3	29	28	3/1
1947		1.16	1.08	1.46	3.76	6.44	8.22	11.17	9.58	6.18	4.61	2.32	0.81	0.81
■		26	20	3	2	3	3	20	31	28	11	24	18	18/12
1948		0.31	0.89	2.19	4.83	4.99	7.90	9.61	8.07	8.47	4.16	2.02	1.19	0.31
■		26	10	1	9	7	13	1	19	30	29	28	3	26/1
1949		0.53	1.21	2.00	2.62	5.68	7.92	-	-	-	-	-	-	-
■		8	9	5	3	13	16	-	-	-	-	-	-	-
1950		-	-	-	-	-	-	-	-	-	-	-	0.80	-
■		-	-	-	-	-	-	-	-	-	-	-	17	-
1951		0.55	1.01	0.95	3.15	4.89	6.42	9.42	9.46	5.55	4.03	1.41	1.34	0.55
■		12	28	1	13	18	8	3	22	30	26	21	31	12/1
1952		0.82	0.60	2.38	2.81	4.13	4.82	10.87	7.56	4.18	2.24	1.52	0.63	0.60
■		7	18	2	13	28	7,8	7,8	24	25	30	30	2	18/2
1953		0.42	0.39	0.45	0.80	0.84	3.11	6.42	6.82	5.22	3.49	1.07	1.28	0.39
■		16,17	17	12	11	13	11	9	20	30	30	18	23	17/2

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日年	值期份	0.15 23 1944	0.39 17 1953	0.45 12 1953	0.80 11 1953	0.84 13 1953	3.11 11 1953	6.42 9 1953	5.01 14 1941	2.26 23 1942	2.24 30 1952	1.07 18 1953	0.39 10 1942	0.15 23/1 1944
隨 夏 $\varphi=35^{\circ}37'N$ $\lambda=103^{\circ}11'E$ $H=1900.0M$ 平均绝对湿度(毫米)														
1949	—	—	4.01	5.63	8.95	11.73	13.53	13.01	10.95	7.92	—	—	—	—
1950	—	2.52	5.65	6.76	12.77	12.96	12.10	10.47	8.98	6.25	3.16	1.50	—	—
1951	1.56	2.48	3.00	4.39	9.78	13.14	14.14	14.39	10.23	7.56	3.58	2.09	7.20	7.20
1952	1.64	2.11	3.63	5.50	8.44	9.80	12.76	9.92	9.53	5.25	3.65	1.64	6.16	6.16
1953	1.64	2.15	4.09	4.71	6.53	9.09	11.59	12.59	9.25	6.73	4.02	2.17	6.21	6.21
平 均		1.61	2.25	3.57	4.87	8.25	10.68	12.83	12.30	9.67	6.51	3.75	1.97	6.52
最大绝对湿度(毫米)														
1949	—	—	7.47	13.41	16.76	19.13	24.15	21.31	18.41	14.04	—	—	—	—
1950	—	—	28	25	23	19	25	9	1	3	—	—	—	—
1951	—	7.91	10.01	13.04	28.75	23.54	21.46	15.19	14.26	9.71	6.86	2.99	28.75	28.75
1952	—	24	21	14	13	25	5	15	15	5	2	31	13/5	13/5
1953	4.64	5.14	5.51	7.33	19.09	23.02	24.20	25.47	17.82	16.88	6.40	4.28	25.47	25.47
1951	28	18	24	25	14	30	23	3	3	8	2	12	3/8	3/8
1952	3.00	3.66	6.00	9.76	11.98	14.98	17.39	14.21	14.49	8.67	5.95	2.91	17.39	17.39
1953	16	23	28	26	13	25	26,28	4	8	6	12	6	26,28/7	26,28/7
1953	2.70	4.46	6.72	6.95	11.03	14.06	17.03	17.98	14.39	10.37	6.69	3.38	17.98	17.98
極日年	值期份	4.64 28 1951	7.91 24 1950	10.01 21 1950	13.41 25 1949	28.75 13 1950	23.54 25 1950	24.20 23 1951	25.47 3 1951	18.41 1 1949	16.88 8 1951	6.86 2 1950	4.28 12 1951	28.75 13/5 1950
最小绝对湿度(毫米)														
1949	—	—	1.54	2.56	4.18	6.51	7.54	7.13	5.89	3.81	—	—	—	—
1950	—	—	6	2	1	23	29	5	28	26	—	—	—	—
1951	—	0.22	1.90	1.30	5.17	5.88	7.50	6.47	4.64	3.94	1.15	0.55	0.22	0.22
1952	—	17	12	5	4	8	10	22	11	30	30	18	17/2	17/2
1953	0.53	1.04	0.97	2.06	4.52	7.52	7.29	8.46	4.84	3.04	1.20	1.20	0.53	0.53
1951	7	28	1	14	2	1	5	1	29	22	22	20	7/1	7/1
1952	0.75	1.02	1.81	2.52	5.21	6.26	8.14	5.82	5.17	2.96	1.82	0.82	0.75	0.75
1953	7	18	19	13	4	3	14	27	26	11	30	31	7/1	7/1
1953	0.77	1.00	1.93	2.14	3.56	3.44	7.69	8.26	6.16	3.59	2.08	1.15	0.77	0.77
極日年	值期份	0.53 7 1951	0.22 17 1950	0.97 1 1951	1.30 5 1950	3.56 12 1953	3.44 6 1953	7.29 5 1951	5.82 27 1952	4.64 11 1950	2.96 11 1952	1.15 30 1950	0.55 18 1950	0.22 17/2 1950
華家嶺 $\varphi=35^{\circ}25'N$ $\lambda=104^{\circ}50'E$ $H=2407.4M$ 平均绝对湿度(毫米)														
1951	1.39	2.00	1.99	3.38	4.86	7.37	9.36	9.52	7.04	5.62	3.02	1.79	4.78	4.78
1952	1.45	1.94	3.25	4.56	7.19	7.94	11.12	8.62	7.60	4.67	3.68	1.29	5.28	5.28
1953	1.39	1.91	2.91	3.43	4.71	6.95	9.32	10.33	6.84	5.08	2.95	1.68	4.79	4.79
平 均		1.41	1.95	2.72	3.79	5.59	7.42	9.93	9.49	7.16	5.12	3.22	1.59	4.95
最大绝对湿度(毫米)														
1951	3.73	4.03	4.29	6.31	9.11	12.35	13.63	14.10	11.36	9.35	6.06	3.36	14.10	14.10
1952	6	19	10	26	11	22	25	14	3	6	3	2	14/8	14/8
1953	2.73	3.58	6.02	9.24	10.11	11.83	14.65	12.19	11.72	7.81	6.41	2.52	14.65	14.65
1951	25	11	16	30	10	25	21	11	9	4	10	13	21/7	21/7
1953	2.48	3.69	5.78	6.66	8.79	11.46	13.79	13.44	10.80	7.70	5.67	2.73	13.79	13.79
極日年	值期份	3.73 6 1951	4.03 19 1951	4.29 16 1952	6.31 30 1952	9.11 10 1952	12.35 22 1951	13.63 21 1952	14.10 14 1951	11.72 9 1952	9.35 6 1951	6.41 10 1952	3.36 2 1951	14.65 21/7 1952

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)														
1951	日	0.18	0.29	0.31	0.34	1.41	2.93	5.21	3.96	2.43	1.87	0.24	0.75	0.18
	日	26	18	10	11	18	27	1	8	16	31	22	15	26/1
1952	日	0.51	0.57	1.21	1.65	2.91	3.51	6.54	4.37	3.86	2.15	1.14	0.53	0.51
	日	7	18	19	14	28	8	15,16	27	27	23,24	30	14	7/1
1953	日	0.50	0.62	0.64	1.13	1.34	2.20	4.92	5.18	3.99	2.13	1.14	0.72	0.50
	日	17	5	12	4	13	10	20	20	27	22	18	16	17/1
極日年	值期份	0.18	0.29	0.31	0.34	1.34	2.20	4.92	3.96	2.43	1.87	0.24	0.53	0.18
	日	26	18	10	11	13	10	20	8	16	31	22	14	26/1
1951	1951	1951	1951	1951	1953	1953	1953	1951	1951	1951	1951	1951	1952	1951
平 凉														
$\varphi = 35^{\circ}25'N$ $\lambda = 106^{\circ}24'E$ $H = 1400.0 M$														
平均绝对湿度(毫米)														
1937		-	4.32	5.28	6.54	7.69	12.42	14.74	16.75	10.82	7.22	3.87	1.83	-
1938		2.67	3.17	4.19	6.20	7.10	10.58	14.10	14.20	9.31	7.38	4.29	3.22	7.20
1942		2.44	2.91	5.14	8.23	11.08	12.98	15.78	13.80	10.51	8.68	4.93	2.69	8.26
1943		2.00	2.94	4.41	6.39	9.21	13.37	16.19	16.05	12.26	8.40	4.74	2.40	8.20
1944		2.52	2.53	3.34	7.24	8.99	12.47	16.06	12.16	-	-	-	-	-
平 均		2.37	3.01	4.58	6.94	9.13	12.31	15.36	14.68	10.69	8.15	4.65	2.77	7.89
最大绝对湿度(毫米)														
1942	日	5.84	6.49	9.07	18.66	23.72	19.91	21.88	22.19	18.25	15.83	9.84	5.65	23.72
	日	13	21	25	29	14	30	20	7	13	15	3	13	14/5
1943	日	4.48	6.24	7.76	12.24	14.74	24.18	29.11	24.98	26.00	15.89	10.72	5.71	29.11
	日	28	27	30	24	3	6	24	15	19	31	5	12	24/7
1944	日	4.34	5.25	12.49	15.93	21.62	22.37	27.22	20.84	-	-	-	-	-
	日	16	27	30	29	11	14	13	2	-	-	-	-	-
極日年	值期份	5.84	6.49	12.49	18.66	23.72	24.18	29.11	24.98	26.00	15.89	10.72	5.71	29.11
	日	13	21	30	29	14	6	24	15	19	31	5	12	24/7
1942	1942	1942	1944	1942	1942	1943	1943	1943	1943	1943	1943	1943	1943	1943
最小绝对湿度(毫米)														
1942	日	0.21	0.38	1.05	2.35	5.87	6.66	10.46	6.50	5.49	3.14	1.78	0.71	0.21
	日	14,16	14	10	4	19	8	28	29	24	27	25	25	14/16/1
1943	日	0.16	0.66	2.57	1.87	4.25	6.88	10.19	8.99	8.09	4.36	1.46	1.13	0.16
	日	15	7	8	8	5	4	17	27	11	21	18	7	15/1
1944	日	1.23	1.20	1.04	2.97	3.29	7.26	9.79	7.24	-	-	-	-	-
	日	6	5	9	3	3	10	5	10	-	-	-	-	-
極日年	值期份	0.16	0.38	1.04	1.87	3.29	6.66	9.79	6.50	5.49	3.14	1.46	0.71	0.16
	日	15	14	9	8	3	8	5	28	29	24	18	25	15/1
1943	1942	1944	1943	1944	1942	1944	1944	1942	1942	1942	1942	1943	1942	1943
平 凉(農)														
$\varphi = 35^{\circ}25'N$ $\lambda = 106^{\circ}38'E$ $H = 1400.0 M$														
平均绝对湿度(毫米)														
1950		2.49	2.42	4.23	5.36	7.28	9.64	12.76	12.52	9.79	6.67	3.46	2.09	6.56
1951		1.80	2.59	3.17	4.75	7.63	9.46	12.60	12.61	9.38	7.74	4.42	2.60	6.56
1952		1.93	2.66	4.29	6.57	9.08	9.66	15.10	11.65	9.63	5.22	4.31	1.86	6.83
1953		1.65	2.35	3.53	4.61	6.89	9.81	13.46	13.84	9.28	7.06	4.35	2.52	6.61
平 均		1.97	2.51	3.81	5.32	7.72	9.64	13.48	12.66	9.52	6.67	4.14	2.27	6.64
最大绝对湿度(毫米)														
1950	日	4.25	4.42	6.60	10.09	12.67	13.42	18.56	16.76	18.82	10.36	8.81	3.85	18.82
	日	21	7	26	30	27	5	18	4	7	13	1	26	7/9
1951	日	3.81	4.86	5.46	8.29	12.80	15.63	16.54	17.12	14.61	12.17	8.24	4.51	17.12
	日	6	19	24,25	25	12	22	12	28	1	16	2	11	28/8
1952	日	2.92	4.64	8.62	13.64	12.59	15.73	19.98	15.83	14.48	9.42	7.44	3.37	19.98
	日	18,25	13	15	18	25	28	23	11	9	7	3	12	23/7
1953	日	3.57	3.90	6.62	8.28	13.83	16.34	18.26	18.36	14.88	10.81	7.38	3.95	18.36
	日	24	14	20,21	26	29	23	17	18	1	16	8	19	18/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 日 年	值 期 份	4.25 21 1950	4.86 19 1951	8.62 15 1952	13.64 18 1952	13.83 29 1953	16.34 23 1953	19.98 23 1952	18.36 18 1953	18.82 7 1950	12.17 16 1951	8.81 1 1950	4.51 11 1951	19.98 23/7 1952
最小绝对湿度(毫米)														
1950	1.26	0.75	2.13	1.76	2.80	4.79	7.26	7.80	4.84	3.16	1.39	0.75	0.75	
1951	0.51	0.88	1.11	2.04	3.21	5.48	8.78	6.22	5.53	3.64	0.96	1.38	0.51	17/2,23/12
1952	0.95	0.99	2.08	1.77	2.42	3.73	9.73	6.40	4.43	1.87	1.55	0.46	0.46	20/1
1953	0.67	1.07	1.09	1.59	1.92	3.98	7.46	7.72	5.44	3.15	1.44	1.42	0.67	14/12
平 均	16.17	21	11	4	13	11	9	20	28	30	18	8	16.17/1	
極 日 年	值 期 份	0.51 20 1951	0.75 17 1950	1.09 11 1953	1.59 4 1953	1.92 13 1953	3.73 3 1952	7.26 22 1950	6.22 16 1951	4.43 30 1952	1.87 29,30 1952	0.96 21 1951	0.46 14 1952	0.46 14/12 1952
臨 洮 $\varphi=35^{\circ}23'N$ $\lambda=103^{\circ}51'E$ $H=1877.0M$														
平均绝对湿度(毫米)														
1950	2.63	2.81	4.94	5.18	8.40	10.43	12.39	11.34	10.01	6.99	4.23	2.40	6.81	
1951	2.47	3.22	4.19	5.24	7.71	10.70	12.23	13.48	9.74	7.05	4.26	2.56	6.90	
1952	2.19	2.47	3.97	5.61	8.61	9.80	12.49	9.74	9.16	5.60	4.07	1.81	6.29	
1953	1.59	2.34	3.85	4.28	6.11	8.61	10.99	11.86	8.54	6.20	3.64	2.42	5.87	
平 均	2.22	2.71	4.24	5.08	7.71	9.89	12.03	11.61	9.36	6.46	4.05	2.30	6.47	
最大绝对湿度(毫米)														
1950	4.74	4.86	6.72	8.10	13.73	14.77	16.35	15.83	14.12	11.12	7.27	4.15	16.35	
1951	4.57	6.57	8.87	8.73	13.69	16.93	12.84	20.20	16.52	10.77	6.93	4.42	20.20	25/7
1952	4.45	3.99	6.16	10.06	11.90	13.34	16.30	14.31	14.18	8.25	6.46	4.79	16.30	14/8
1953	3.17	4.30	6.18	6.76	10.14	14.56	18.48	16.33	13.18	9.15	6.47	3.47	18.48	28/7
平 均	2.23	13	25	17	19	20	16	18	1	2	8	26	16/7	
極 日 年	值 期 份	4.74 16 1950	6.57 19 1951	8.87 16 1951	10.06 30 1952	13.73 25 1950	16.93 22 1951	18.48 16 1953	20.20 14 1951	16.52 5 1951	11.12 13 1950	7.27 1 1950	4.79 10 1952	20.20 14/8 1951
最小绝对湿度(毫米)														
1950	1.06	0.58	2.17	2.02	3.14	6.25	8.33	4.01	5.76	4.58	1.55	0.66	0.58	
1951	0.96	0.94	1.33	1.98	4.31	6.40	5.83	8.77	3.94	3.75	1.91	1.19	0.94	17/2
1952	0.94	1.23	1.62	1.93	4.08	5.96	8.19	6.05	5.04	3.00	2.56	0.99	0.94	17/2
1953	0.41	1.09	1.61	1.90	2.75	2.99	7.73	6.27	5.23	3.40	1.68	1.32	0.41	7/1
平 均	5	20	12	5	15	11	2	20	30	19,30	25	23	5/1	
極 日 年	值 期 份	0.41 5 1953	0.58 17 1950	1.33 2 1951	1.90 5 1953	2.75 15 1953	2.99 11 1953	5.83 2 1951	4.01 29 1950	3.94 13 1951	3.00 30 1952	1.55 30 1950	0.66 17 1950	0.41 5/1 1953
岷 縣 $\varphi=34^{\circ}30'N$ $\lambda=104^{\circ}05'E$ $H=2246.0M$														
平均绝对湿度(毫米)														
1951	1.72	2.44	2.88	4.48	6.48	8.93	10.30	11.30	8.23	5.86	3.83	2.24	5.72	
1952	1.95	2.66	3.88	5.39	7.83	9.01	11.61	9.37	8.55	5.63	4.23	1.81	5.99	
1953	1.83	2.49	4.15	4.95	6.55	8.82	10.91	11.71	8.36	6.32	3.93	2.26	6.02	
平 均	1.83	2.53	3.64	4.94	6.95	8.92	10.94	10.79	8.38	5.94	4.00	2.10	5.91	
最大绝对湿度(毫米)														
1951	3.38	4.57	8.44	7.19	9.84	13.47	14.35	15.49	12.88	9.05	7.04	3.50	15.49	
平 均	30	2	25	25	14	22	25	13	5	10	2	9	13/8	

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	3.41	4.24	6.37	9.54	10.06	14.14	16.47	14.79	12.66	8.05	7.38	3.73	16.47
1953	日	28	12	16	26	15	25	26	4	9	8	9	1	26/7
1953	日	3.54	4.60	6.70	7.04	9.53	13.55	15.17	15.16	12.94	9.77	7.25	3.86	15.17
1953	日	1	15	25	27	28	20	17	25	1	4	7	5	17/7
極日	值	3.54	4.60	8.44	9.54	10.06	14.14	16.47	15.49	12.94	9.77	7.38	3.86	16.47
極日	期	1	15	25	26	15	25	26	13	1	4	9	5	26/7
極日	年	1953	1953	1951	1952	1952	1952	1952	1951	1953	1953	1952	1953	1952
最小绝对湿度(毫米)														
1951	日	0.80	1.03	1.04	2.29	3.32	5.92	6.72	7.42	4.01	2.75	1.42	1.20	0.80
1952	日	28	17	1	10	18	3	2	1	29	22	21	26	28/1
1952	日	0.81	1.13	1.80	2.45	4.16	5.80	7.50	5.50	4.51	3.11	2.03	0.73	0.73
1953	日	7	18	18	13	28	7	15	28	27	31	20	31	31/12
1953	日	0.81	0.80	2.23	2.20	3.56	3.44	7.70	8.24	5.29	3.15	1.86	1.40	0.80
1953	日	6	8	2,3	11	6	6	23	20	28	31	18	23	8/2
極日	值	0.80	0.80	1.04	2.20	3.32	3.44	6.72	5.50	4.01	2.75	1.42	0.73	0.73
極日	期	28	8	1	11	18	6	2	28	29	22	21	31	31/12
極日	年	1951	1953	1951	1953	1951	1953	1951	1952	1951	1951	1951	1952	1952
天 水 $\varphi = 34^{\circ}29'N$ $\lambda = 106^{\circ}01'E$ $H = 1096.1 M$														
平均绝对湿度(毫米)														
1935	日	-	-	-	-	-	-	-	-	11.56	8.50	4.70	2.53	-
1936	日	2.04	2.90	3.21	5.23	6.99	10.51	13.17	12.79	9.81	6.44	-	-	-
1942	日	2.57	2.67	4.79	5.53	7.98	9.35	12.26	11.72	10.05	7.97	4.61	2.35	6.82
1950	日	3.18	3.11	4.82	6.06	8.26	10.17	13.14	12.75	-	-	-	-	-
1951	日	2.19	2.89	3.60	5.33	8.50	10.90	13.92	13.83	10.86	8.61	5.11	3.17	7.41
1952	日	2.44	3.03	4.48	6.79	9.87	11.82	16.17	12.64	11.52	7.00	5.52	2.39	7.81
1953	日	2.33	3.27	4.72	5.80	8.51	11.43	14.89	14.82	10.54	7.88	5.15	3.14	7.71
平 均		2.38	2.97	4.40	5.86	8.72	10.88	14.31	13.25	10.74	7.87	5.10	2.76	7.44
最大绝对湿度(毫米)														
1935	日	-	-	-	-	-	-	-	-	19.99	12.02	8.77	4.26	-
1936	日	-	-	-	-	-	-	-	-	2	10	3	5	-
1936	日	3.98	5.96	5.37	9.02	11.00	15.73	17.98	16.42	14.30	9.28	-	-	-
1942	日	12	4	30	27	17	30	9	11	4	3	-	-	-
1942	日	5.05	4.81	7.85	8.58	11.48	13.29	16.79	16.40	14.31	14.17	9.83	4.13	16.79
1950	日	2	23	21	30	25	15	18	6	7	5	12	3	18/7
1950	日	5.03	7.81	8.92	11.04	13.45	15.33	16.50	17.07	-	-	-	-	-
1951	日	25	26	2	3	27	26	11	5	-	-	-	-	-
1951	日	4.29	5.44	6.41	8.54	13.36	17.81	18.27	18.20	14.71	13.24	9.15	5.16	18.27
1951	日	4	20	20	26	14	23	9	6	1	9	3	8	9/7
1952	日	3.79	4.99	7.98	12.24	14.58	18.19	22.74	17.19	16.33	10.87	9.65	4.41	22.74
1952	日	12	11	15	30	1	28	8	12	10	4	10	13	8/7
1953	日	4.02	6.06	8.91	10.55	15.03	16.83	19.78	17.93	15.28	11.03	7.81	5.36	19.78
1953	日	24	27	23	27	20	21	17	21,22	2	16	3	13	17/7
極日	值	5.05	7.81	8.92	12.24	15.03	18.19	22.74	18.20	19.99	14.17	9.83	5.36	22.74
極日	期	2	26	2	30	20	28	8	6	2	5	12	13	8/7
極日	年	1942	1950	1950	1952	1953	1952	1952	1951	1935	1942	1942	1953	1952
最小绝对湿度(毫米)														
1935	日	-	-	-	-	-	-	-	-	6.79	5.59	2.85	1.33	-
1936	日	-	-	-	-	-	-	-	-	13	29	4	21	-
1936	日	1.05	1.30	0.99	1.42	3.07	5.99	8.79	9.06	5.15	3.80	-	-	-
1942	日	2	9	2	3	3	1	26	19	26	30	-	-	-
1942	日	0.63	1.03	2.02	1.96	3.64	4.28	6.86	5.53	6.78	2.68	1.61	0.43	0.43
1950	日	10	10	2	4	2	8	6	25	23	23	27	26	26/12
1950	日	1.56	1.04	1.77	2.54	3.35	4.49	8.20	8.87	-	-	-	-	-
1951	日	22	15	7	5	21	7	23	7	-	-	-	-	-
1951	日	0.88	1.00	0.97	2.02	3.85	5.28	8.71	8.24	7.01	4.62	1.46	1.82	0.88
1951	日	21	28	1	12	18	8	2	17	28	23,24	21	14	21/1
1952	日	1.20	1.12	1.90	2.88	4.53	5.87	9.71	7.81	5.60	3.90	2.64	1.02	1.02
1952	日	7	18	23	11	28,29	8	14	31	26	11	20	2	2/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	0.67 17	1.45 17	1.51 11	2.40 4	2.81 12	5.04 5	10.26 4	8.58 20	7.02 30	4.80 30	2.30 17,18	2.02 26,27	0.67 17/1
極日	值期	0.63 10	1.00 28	0.97 1	1.42 3	2.81 12	4.28 8	6.86 6	5.53 25	5.15 26	2.68 23	1.46 21	0.43 26	0.43 26/12
年	份	1942	1951	1951	1936	1953	1942	1942	1942	1936	1942	1951	1942	1942
武 都 $\varphi = 33^{\circ}23'N$ $\lambda = 104^{\circ}41'E$ $H = 1090.0 M$ 平均绝对湿度(毫米)														
1944	日	4.32	4.81	6.41	9.36	11.35	12.84	17.09	15.62	14.66	10.54	6.98	3.83	9.82
1945	日	4.13	4.60	6.64	10.03	10.40	13.47	19.09	17.53	14.54	10.02	8.63	4.74	10.32
1946	日	4.68	5.68	6.42	10.58	13.29	16.75	19.06	19.05	15.15	10.96	7.71	5.01	11.20
1947	日	4.79	5.07	7.33	9.56	14.13	15.49	16.61	16.85	14.86	9.63	-	-	-
1950	日	-	-	7.97	9.89	12.73	14.24	17.04	17.66	14.03	10.52	6.85	4.41	-
1951	日	4.46	5.27	6.20	8.44	10.74	14.06	16.39	17.21	14.00	11.50	7.11	4.97	10.03
1952	日	4.46	5.30	6.77	10.09	13.26	15.19	18.53	15.39	13.61	9.17	7.37	3.70	10.24
1953	日	3.84	4.73	6.52	7.92	10.50	12.88	16.40	16.33	12.38	9.60	6.39	4.16	9.30
平 均		4.32	5.07	6.49	9.40	11.59	14.20	17.76	16.86	14.06	10.30	7.37	4.40	10.15
最大绝对湿度(毫米)														
1944	日	5.55	7.71	13.47	16.66	19.21	20.46	23.59	22.88	21.32	15.16	11.01	5.75	23.59
1945	日	22	27	30	25	29	24	11	19	25	7	1	24	11/7
1946	日	6.80	8.34	12.36	16.03	16.52	18.72	26.50	23.37	17.87	13.83	12.72	6.77	26.50
1947	日	23	26	31	16	18	30	6	10	21	13	8	21	6/7
1946	日	7.27	8.89	9.95	16.32	20.57	22.65	28.21	26.20	22.94	14.88	10.98	6.47	28.21
1947	日	25	22	31	29	9	22	21	22	7	1	2	1	21/7
1947	日	6.62	7.81	12.23	14.45	22.78	23.26	22.06	20.45	19.68	12.86	-	-	-
1950	日	4	28	19	20	28	7	27	27	27	8	-	-	-
1950	日	-	-	11.30	15.58	18.01	18.22	22.74	23.17	20.84	13.85	10.65	6.50	-
1951	日	-	-	31	15	17	30	15	18	2	13	1	28	-
1951	日	7.94	7.90	9.75	11.43	15.59	20.39	22.01	22.64	22.85	16.45	11.37	7.10	22.85
1952	日	1	19	19	9	14	23	18	29	1	10	1	10	1/9
1952	日	7.57	8.52	10.49	16.21	18.18	21.79	23.91	21.11	20.18	13.12	11.20	6.24	23.91
1953	日	28	13	15	30	1	28	23	1	8	2	12	1	23/7
1953	日	5.82	6.91	9.21	12.31	15.25	18.88	20.50	19.83	16.63	13.72	9.65	5.51	20.50
1953	日	2	27	23	27	28	21	17	18	1,2	6	8,9	1	17/7
極日	值期	7.94	8.89	13.47	16.66	22.78	23.26	28.21	26.20	22.94	16.45	12.72	7.10	28.21
年	份	1	22	30	25	28	7	21	22	7	10	8	10	21/7
		1951	1946	1944	1944	1947	1947	1946	1946	1946	1951	1945	1951	1946
最小绝对湿度(毫米)														
1944	日	1.74	2.41	2.72	5.74	7.03	7.86	7.00	9.78	10.60	6.97	3.76	1.96	1.74
1945	日	5	5	12	12	21	10	7	10	30	28,29	30	8	5/1
1945	日	2.75	2.62	3.05	5.87	7.40	6.52	13.36	13.10	10.32	6.62	4.27	2.77	2.62
1946	日	15	4	5	7	7	22	31	2	10	1	29	17	4/2
1946	日	2.90	2.99	3.58	4.45	7.63	10.75	12.65	12.49	10.75	6.96	3.76	3.49	2.90
1947	日	3	2	20	14	2	1	10	2	27	30	28	4	3/1
1947	日	2.99	3.26	4.20	5.03	8.93	9.82	11.93	12.96	10.37	7.57	-	-	-
1947	日	8	13	9	1	6	29	20	20	30	31	-	-	-
1950	日	-	-	4.38	5.00	7.09	8.77	11.67	12.20	8.44	7.62	3.77	2.57	-
1950	日	-	-	12	6	2	8	5	22	28	9	29	18	-
1951	日	2.59	2.83	2.22	5.70	7.12	9.29	11.45	12.02	9.10	7.01	2.99	3.55	2.22
1952	日	21	28	2	19	18	3	2	17	29	23	22	14	2/3
1952	日	2.32	2.71	3.87	4.83	9.59	10.64	12.86	10.92	8.15	5.22	4.03	2.42	2.32
1953	日	7	18	19	11	3	9	17	28	25	10	20	1	7/1
1953	日	2.28	2.68	3.62	4.02	5.69	6.43	11.21	11.47	7.74	5.14	3.67	2.65	2.28
1953	日	11	5	1	11	13	7	4	20	27	30	18	23	11/1
極日	值期	1.74	2.41	2.22	4.02	5.69	6.43	7.00	9.78	7.74	5.14	2.99	1.96	1.74
年	份	5	5	2	11	13	7	7	10	27	30	22	8	5/1
		1944	1944	1951	1953	1953	1953	1944	1944	1953	1953	1951	1944	1944

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937	日	3.67	3.68	3.84	6.76	7.46	9.42	12.28	12.50	10.38	7.04	4.20	3.21	12.50
	日	3	11	20	23	29	25	9	20	10	4	1	7	20/8
1938	日	2.30	2.53	4.86	5.09	8.75	10.19	11.55	14.03	11.40	12.57	3.99	3.94	14.03
	日	16	2	25	8	30	15	29	7	4	1	18	9	7/8
1939	日	2.54	3.44	3.89	6.58	12.70	12.87	14.29	14.90	15.06	8.45	4.39	4.66	15.06
	日	14	16	3	20	29	27	23	26	3	31	5	7	3/9
1940	日	2.09	3.74	5.06	4.85	7.99	10.11	14.25	13.08	11.47	8.29	6.19	3.00	14.25
	日	6,8	26	16	26	25	26	8	11	12	9	3	7	8/7
1941	日	2.40	3.36	5.13	6.81	7.79	9.57	13.84	13.39	11.48	7.36	4.57	2.82	13.84
	日	4	22	29	21	26	24	13	13	5	21	9	8	13/7
1942	日	(4.48)	4.05	4.52	6.98	9.43	11.56	14.04	12.76	9.53	9.88	3.92	3.06	14.04
	日	15	23	21	23,24	28	19,20	20	2	14	6	4	2	20/7
1943	日	2.30	3.62	4.50	7.29	7.51	11.21	15.01	13.70	10.03	6.68	7.46	4.34	15.01
	日	31	15	21	26	24	27	24	17,18	22	11	3	28	24/7
1944	日	—	—	5.09	7.52	9.27	15.23	15.78	13.21	11.52	8.46	6.18	2.78	—
	日	—	—	25	11	7	29	18	19	24	13	27	4	—
1945	日	—	—	—	—	8.65	12.80	12.27	13.22	12.04	6.57	4.91	3.03	—
	日	—	—	—	—	30	8	8	10	9	10	2	1	—
1946	日	2.25	3.32	5.15	7.96	7.96	12.46	13.85	14.28	10.21	7.79	4.55	2.33	14.28
	日	9	22	24	3,4	7,8	22	18	16	12	10	5	19	16/8
1947	日	2.64	2.43	4.35	7.39	9.36	15.99	12.87	13.94	11.83	7.03	6.36	2.72	15.99
	日	6	9	27	29	22	6	27	5	26	2,4	20	27	6/6
1948	日	3.14	2.90	5.51	8.27	7.96	11.40	12.20	13.47	12.59	8.78	4.41	3.06	13.47
	日	1	14	30	6	30	26	28	9	12	2	1	7	9/8
1949	日	2.56	3.06	4.18	7.88	13.23	14.26	19.60	14.24	—	10.50	4.68	4.89	19.60
	日	30	7	12	23	18	27	18	11	—	8	2	30	18/7
1950	日	3.04	2.33	7.74	(5.50)	10.23	10.47	13.00	13.53	10.77	8.27	5.23	2.03	13.53
	日	15,16	27	31	14	16	24	27	3	2	1	2	1	3/8
1951	日	3.24	3.24	4.35	6.66	9.78	12.95	13.90	15.30	11.75	11.43	7.73	3.76	15.30
	日	1	2	23,24	25	31	26	25,26	14	5	15	10	17	14/8
1952	日	2.39	3.21	6.16	8.17	12.19	12.79	14.10	12.40	10.45	6.90	4.84	2.10	14.10
	日	27	26	24	30	16	26	27	6	8	6	13	6	27/7
1953	日	2.41	3.32	5.98	5.53	7.85	11.35	14.50	15.13	11.33	8.38	5.57	3.49	15.13
	日	24	12,14	27	16	20,21	17	17	25	1	4	7	11,12	25/8
極日	值	4.48	4.05	7.74	8.27	13.23	15.99	19.60	15.30	15.06	12.57	7.73	4.89	19.60
年	期	15	23	31	6	18	6	18	14	3	1	10	30	18/7
	份	1942	1942	1950	1948	1949	1947	1949	1951	1939	1938	1951	1949	1949
最小绝对湿度(毫米)														
1936	日	—	—	—	—	—	—	—	—	—	—	—	0.49	—
	日	—	—	—	—	—	—	—	—	—	—	—	4	—
1937	日	0.33	0.10	0.31	0.62	1.13	2.94	4.02	5.72	4.44	2.04	0.97	0.50	0.10
	日	25	28	8	13	5	18	27	31	26	16	24	19	28/2
1938	日	0.40	0.39	0.50	1.55	1.45	3.03	5.38	6.88	5.21	2.29	1.45	0.74	0.39
	日	25	22	16	16	8	4	19	27	19	30	29	3	22/2
1939	日	0.76	0.76	0.63	0.88	2.56	5.77	5.94	7.64	1.32	1.99	0.93	0.69	0.63
	日	12	5	21	5	11	3	7	19	27	2	28	29	21/3
1940	日	0.48	0.61	0.05	0.39	1.73	1.70	5.38	7.00	5.43	3.14	0.80	0.53	0.05
	日	25	23	6	19	7	5	26	1	30	27	24	29	6/3
1941	日	0.30	0.00	0.03	1.23	2.27	2.83	5.99	5.83	4.34	1.93	0.39	0.74	0.00
	日	21	24,25	18	5,6	23	10	1,2	30	23	27	4	28	24,25/2
1942	日	(0.31)	0.60	0.73	0.75	1.11	1.35	4.78	5.49	3.55	1.40	1.10	0.56	0.31
	日	16	5	28	2	18	8	6	31	30	31	15	9	16/1
1943	日	0.56	0.28	0.00	0.60	1.17	3.16	5.33	3.96	3.70	1.30	0.57	(0.47)	0.00
	日	22	7,27	16	8	27	9	9	9	12	15	30	30	16/3
1944	日	—	—	0.05	0.83	1.91	3.83	4.03	1.18	3.54	2.14	0.96	0.53	—
	日	—	—	6	13	3	2	13	13	23	29	13	15	—
1945	日	—	—	—	—	1.66	3.10	3.61	1.88	4.40	1.20	1.18	0.32	—
	日	—	—	—	—	24	2	31	17	13	20	12	19	—
1946	日	0.12	0.38	0.00	0.28	1.46	2.00	5.62	1.82	1.24	2.31	0.73	0.00	0.00
	日	26	6	2	20	22	1	9	12	8,9	27	30	8	2/3,8/12
1947	日	0.46	0.00	0.00	1.01	3.72	3.23	4.29	5.42	2.17	3.39	0.86	0.00	0.00
	日	29	28	5	2	11	19	7	14	15	30,31	28	7	7
1948	日	0.00	0.09	0.00	2.18	1.52	3.58	4.11	5.27	5.46	2.91	0.81	0.25	0.00
	日	19	23	2	27	11	1	20	6	7	28	16	13	19/1,2/3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	日	0.54 29	0.00 21	0.00 7,8	0.75 5	3.41 1	4.27 18	5.71 8	5.30 31	- -	2.64 11	1.09 26,27	0.46 27	0.00 3
1950	日	0.48 5,6	0.31 5	0.00 6	(1.03) 26	0.89 4	3.32 8	4.71 11	5.71 22	4.17 12	2.61 30	0.93 19	0.20 7	0.00 6/3
1951	日	0.34 7	0.69 16	0.36 4	1.02 11	1.13 18	5.26 1	7.14 20	6.25 23	4.11 29	2.25 22,23	0.45 24	0.72 25	0.34 7/1
1952	日	0.33 5,7	0.67 18,19	1.02 22	1.60 13	2.72 28	4.15 9	6.01 16	3.56 29	2.90 29	1.72 29	1.32 20	0.70 31	0.33 5,7/1
1953	日	0.64 13,14	0.49 9	1.24 13	1.87 6	2.30 15	2.58 6	4.91 7	6.07 9	5.37 28	2.58 22	1.72 29	1.07 19	0.49 9/2
極日 年	值 期 份	0.00 19	0.00 4	0.00 11	0.28 20	0.89 4	1.35 8	3.61 31	1.18 13	1.24 8,9	1.20 20	0.39 4	0.00 8,7	0.00 18
		1948	3年	6年	1946	1950	1942	1945	1944	1946	1945	1941	1946	7年 1947
新疆维吾尔自治区 塔 城 $\varphi=45^{\circ}45'N$ $\lambda=82^{\circ}50'E$ $H=400.0M$														
平均绝对湿度(毫米)														
1943	日	1.31	1.63	4.09	5.68	6.11	8.30	10.40	12.44	7.61	4.26	2.20	1.43	5.46
1944	日	1.45	1.71	3.43	4.30	5.88	9.25	11.00	7.99	6.32	3.39	2.06	0.82	4.80
1945	日	1.34	1.11	2.43	5.20	6.18	6.26	-	-	-	-	-	-	-
1952	日	-	-	2.86	5.15	7.08	9.76	11.94	10.00	7.28	3.86	2.03	1.49	-
1953	日	1.56	2.44	3.53	4.23	7.44	10.49	11.79	10.38	(7.44)	5.01	2.26	1.74	5.69
平 均		1.44	1.93	3.68	4.74	6.48	9.35	11.06	10.27	7.12	4.22	2.17	1.33	5.32
最大绝对湿度(毫米)														
1943	日	3.23	5.18	6.50	11.40	11.60	15.90	19.60	23.20	14.90	13.00	5.20	4.70	23.20
1944	日	3.15	3.83	8.80	10.00	12.60	18.20	18.00	17.70	19.00	7.50	8.00	2.30	19.00
1945	日	2.60	3.80	6.00	10.20	10.60	13.20	-	-	-	-	-	-	-
1952	日	-	-	6.50	9.82	11.84	14.38	20.97	17.80	13.10	7.20	5.30	3.90	-
1953	日	4.50	6.10	5.80	9.30	11.40	14.70	18.81	17.94	(15.91)	9.37	4.95	3.89	18.81
極日 年	值 期 份	4.50 8	6.10 25	8.80 23	11.40 26	12.60 10	18.20 7	20.97 14	23.20 13	19.00 12	13.00 2	8.00 22	4.70 14	23.20 13/8
		1953	1953	1944	1943	1944	1944	1952	1943	1944	1943	1944	1943	1943
最小绝对湿度(毫米)														
1943	日	0.15 18	0.15 4,5	1.50 1,6	1.90 9	2.20 22	4.00 4	4.10 30	6.10 31	3.10 28	1.60 24	0.90 16,18	0.40 23	0.15 3
1944	日	0.35 3	0.35 2	1.00 4	1.10 10	1.00 30	1.00 2	5.10 3	3.00 27	1.90 29	0.50 31	0.40 30,31	0.10 16	0.10 16/12
1945	日	0.50 12	0.30 20	0.40 5	1.70 30	1.10 1	2.50 11	-	-	-	-	-	-	-
1952	日	-	-	0.10 2	2.21 8	2.53 5	2.89 13	4.10 1	5.50 21	2.40 30	1.40 19,20	0.10 4	0.20 13	0.10 5
1953	日	0.30 10,11	0.50 6	0.60 1	0.80 11	2.70 21	5.40 17	6.13 8	3.68 28	(3.91) 28	2.81 29	0.38 15	0.49 15,26	0.30 10,11/1
極日 年	值 期 份	0.15 18	0.15 4,5	0.10 2	0.80 11	1.00 30	1.00 2	4.10 1,30	3.00 27	1.90 29	0.50 31	0.10 4	0.10 16	0.10 6
		1943	1943	1952	1953	1944	1944	1943	1944	1944	1944	1952	1944	1944 1952
奇 台 $\varphi=44^{\circ}03'N$ $\lambda=89^{\circ}27'E$ $H=612.0M$														
平均绝对湿度(毫米)														
1951		-	-	-	3.48	6.31	9.18	9.85	7.30	6.34	6.00	(2.88)	1.94	-
1952		(1.24)	1.06	(2.70)	5.34	6.18	8.05	10.05	8.99	6.96	3.86	2.01	0.78	4.77
1953		0.78	1.51	2.88	4.76	6.08	9.07	9.97	9.17	5.49	4.82	2.33	1.19	4.84

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均		1.01	1.29	2.79	5.05	6.13	8.56	10.01	9.08	6.23	4.34	2.17	0.99	4.81
最大绝对湿度(毫米)														
1951	日	-	-	-	7.28	12.18	13.39	16.13	13.02	10.46	9.11	6.20	4.84	16.13
	日	-	-	-	24	10	25	27	12	25	7	17	9	27/7
1952	日	4.15	2.92	5.83	8.59	10.65	11.95	14.08	15.41	11.37	7.77	5.25	2.56	15.41
	日	19	26	27	20,21	21	24	25	3	28	4	9	11,12	3/8
1953	日	2.94	4.97	5.35	8.36	9.91	13.53	15.53	14.97	10.45	7.75	4.96	2.70	15.53
	日	8	26	27	25	25	12	30	12	5	21	25	7	30/7
極日	值	4.15	4.97	5.83	8.59	12.18	13.53	16.13	15.41	11.37	9.11	6.20	4.84	16.13
年	期	19	26	27	20,21	10	12	27	3	28	7	17	9	27/7
	份	1952	1953	1952	1952	1951	1953	1951	1952	1952	1951	1951	1951	1951
最小绝对湿度(毫米)														
1951	日	-	-	-	2.11	2.69	5.78	5.22	3.60	2.14	3.34	0.57	0.50	-
	日	-	-	-	25	14	16	5	15,16	6	17	21	30	-
1952	日	0.28	0.13	0.35	1.47	2.33	3.84	6.08	4.50	2.29	1.80	0.06	0.07	0.06
	日	13	17	1,2	10	27	3	20,21	22,23	30	21	30	1,2	30/11
1953	日	0.03	0.08	0.33	2.32	2.50	4.69	5.33	4.12	2.99	2.19	0.25	0.19	0.03
	日	29	1	1	10	12	9	8	29,30	30	30	30	2	29/1
極日	值	0.03	0.08	0.33	1.47	2.33	3.84	5.22	3.60	2.14	1.80	0.06	0.07	0.03
年	期	29	1	1	10	27	3	5	15,16	6	21	30	1,2	29/1
	份	1953	1953	1953	1952	1952	1952	1951	1951	1951	1952	1952	1952	1953
伊 宁 $\varphi=43^{\circ}55'N$ $\lambda=81^{\circ}17'E$ $H=670.0M$														
平均绝对湿度(毫米)														
1951	日	-	-	-	-	-	-	-	9.91	8.52	7.37	4.06	3.32	-
1952	日	2.35	2.91	4.68	6.81	8.91	10.96	12.55	11.51	8.44	4.87	2.96	1.61	6.55
1953	日	1.94	2.99	4.95	5.72	8.81	12.18	10.96	12.31	8.38	5.56	3.25	2.30	6.61
平 均		2.15	2.95	4.82	6.27	8.86	11.57	11.76	11.91	8.41	5.22	3.11	1.96	6.58
最大绝对湿度(毫米)														
1951	日	-	-	-	-	-	-	-	15.47	12.72	11.60	7.59	5.71	-
	日	-	-	-	-	-	-	-	3	16	1	9	9	-
1952	日	4.48	4.96	8.06	11.61	13.47	16.20	21.05	18.33	13.94	9.73	7.10	4.00	21.05
	日	22	25	25	16	28	19	14	1	2	2	5	11	14/7
1953	日	3.87	5.67	8.69	10.11	15.18	15.68	16.47	20.80	15.37	9.65	6.46	4.51	20.80
	日	2	26,27	14	30	31	23	9	4	4	13	24	6	4/8
極日	值	4.48	5.67	8.69	11.61	15.18	16.20	21.05	20.80	15.37	11.60	7.59	5.71	21.05
年	期	22	26,27	14	16	31	19	14	4	4	1	9	9	14/7
	份	1952	1953	1953	1952	1953	1952	1952	1953	1953	1951	1951	1951	1952
最小绝对湿度(毫米)														
1951	日	-	-	-	-	-	-	-	5.09	4.61	2.74	0.68	0.78	-
	日	-	-	-	-	-	-	-	22	19,20	20	21	31	-
1952	日	0.58	0.96	2.40	2.74	5.24	7.14	5.54	6.20	4.63	1.95	0.17	0.19	0.17
	日	5	17	1	10	2	28	29	10	25	21	30	1	30/11
1953	日	0.61	0.72	1.57	2.95	3.76	7.39	5.26	7.88	4.79	2.46	0.60	0.69	0.60
	日	29	1	20	10	20,21	29	29	21	30	29	11	16,17	11/11
極日	值	0.58	0.72	1.57	2.74	3.76	7.14	5.26	5.09	4.61	1.95	0.17	0.19	0.17
年	期	5	1	20	10	20,21	28	29	22	19,20	21	30	1	30/11
	份	1952	1953	1953	1952	1953	1952	1953	1951	1951	1952	1952	1952	1952
烏魯木齊 $\varphi=43^{\circ}47'N$ $\lambda=87^{\circ}37'E$ $H=902.7M$														
平均绝对湿度(毫米)														
1951	日	0.90	1.02	2.27	3.27	6.17	8.79	9.94	7.74	6.98	6.46	2.94	2.06	4.88
1952	日	1.31	1.23	2.77	5.45	6.12	8.58	10.08	8.44	6.94	3.65	2.01	0.96	4.80
1953	日	1.14	2.06	3.42	4.51	6.21	8.93	10.12	9.52	5.84	4.93	2.30	1.41	5.03
平 均		1.12	1.44	2.82	4.41	6.17	8.77	10.05	8.57	6.59	5.01	2.42	1.48	4.90

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)													
1951 日	2.56	3.17	5.11	7.18	11.77	13.35	14.31	12.24	10.72	10.35	6.22	4.53	14.31
1952 日	2.29	18	28	30	24	25	21	8	24	8	17	23	21/7
1953 日	3.14	3.44	5.90	9.92	10.17	12.30	14.12	16.01	10.86	8.41	5.25	3.44	16.01
1953 日	27	25	27	19	22	4.5	14	3	3	4	2	11	3/8
1953 日	3.43	6.05	6.21	7.62	9.88	13.72	15.69	14.70	9.70	7.74	4.21	2.76	15.69
1953 日	8	26	26	25	24	12	26	3	6	5	2	7	26/7
极 日 年	3.43	6.05	6.21	9.92	11.77	13.72	15.69	16.01	10.86	10.35	6.22	4.53	16.01
值 期 份	8	26	26	19	24	12	26	3	3	8	17	23	3/8
1953	1953	1953	1953	1952	1951	1953	1953	1952	1952	1951	1951	1951	1952
最小绝对湿度(毫米)													
1951 日	0.18	0.04	0.16	0.81	2.17	5.73	7.10	3.76	3.00	3.42	0.55	0.80	0.04
1952 日	9	27	1	28	17	16	3	22	5	20	21	18,24	27/2
1952 日	0.27	0.25	0.61	1.29	2.77	4.11	6.15	4.58	2.92	1.53	0.11	0.09	0.09
1953 日	6	18	14	10	6	3	30	12	30	20	30	1	1/12
1953 日	0.32	0.46	0.75	1.33	1.56	3.91	6.19	4.25	3.07	2.34	0.38	0.36	0.32
1953 日	12	2	1	11	12	10	9	31	16	31	29,30	2	12/1
极 日 年	0.18	0.04	0.16	0.81	1.56	3.91	6.15	3.76	2.92	1.53	0.11	0.09	0.04
值 期 份	9	27	1	28	12	10	30	22	30	20	30	1	27/2
1951	1951	1951	1951	1951	1953	1953	1952	1951	1952	1952	1952	1952	1951
哈 密 $\varphi=42^{\circ}50'N$ $\lambda=93^{\circ}27'E$ $H=770.0M$													
平均绝对湿度(毫米)													
1951	1.32	2.08	2.38	1.83	4.30	6.32	8.10	8.00	6.20	5.11	2.80	2.14	4.22
1952	1.90	2.03	2.45	4.20	4.97	7.50	8.95	7.31	5.92	3.48	2.25	0.89	4.32
1953	1.11	2.57	2.96	2.97	4.65	7.31	8.03	8.13	4.87	4.09	2.08	1.28	4.17
平 均	1.44	2.23	2.60	3.00	4.64	7.04	8.36	7.81	5.66	4.23	2.38	1.44	4.24
最大绝对湿度(毫米)													
1951 日	3.96	7.01	5.60	5.23	9.96	12.82	13.81	13.79	11.74	7.82	5.80	3.47	13.81
1952 日	28	16	18	17	12	15	8	29	3	4	17	7,10	8/7
1952 日	5.95	5.25	5.00	7.88	10.53	14.44	15.31	12.96	11.59	7.09	4.73	2.10	15.31
1953 日	28	10	27	21	31	30	15	10	9	5	1	12	15/7
1953 日	2.75	6.17	4.99	5.79	8.49	13.40	13.46	12.46	9.41	8.21	3.60	2.65	13.46
1953 日	28	27	30	26	26	14	27	10	5	5	3	4	27/7
极 日 年	5.95	7.01	5.60	7.88	10.53	14.44	15.31	13.79	11.74	8.21	5.80	3.47	15.31
值 期 份	28	16	18	21	31	30	15	29	3	5	17	7,10	15/7
1952	1952	1951	1951	1952	1952	1952	1952	1951	1951	1953	1951	1951	1952
最小绝对湿度(毫米)													
1951 日	0.16	0.16	0.09	0.55	1.58	3.04	4.26	3.29	2.58	2.79	0.66	1.27	0.09
1952 日	10	28	1	5	7	2	3	18	6	17	21	27	1/3
1952 日	0.65	0.68	0.83	1.44	1.95	3.28	4.28	3.33	2.42	1.61	0.35	0.13	0.13
1953 日	6	18	18	12	23	3	5	24	30	13	29	1	1/12
1953 日	0.37	0.58	1.45	0.99	1.36	3.84	3.87	3.82	2.44	1.35	0.71	0.46	0.37
1953 日	15	1	10	10	11,12	9	8	31	24	29	30	20	15/1
极 日 年	0.16	0.16	0.09	0.55	1.36	3.04	3.87	3.29	2.42	1.35	0.35	0.13	0.09
值 期 份	10	28	1	5	11,12	2	8	18	30	29	29	1	1/3
1951	1951	1951	1951	1951	1953	1951	1953	1951	1952	1953	1952	1952	1951
焉 耆 $\varphi=42^{\circ}03'N$ $\lambda=86^{\circ}34'E$ $H=1058.0M$													
平均绝对湿度(毫米)													
1951	-	-	-	-	5.72	8.50	10.64	9.55	8.11	6.18	3.21	2.21	-
1952	1.63	1.94	3.02	5.61	6.39	8.86	11.84	10.90	9.00	4.13	2.70	1.30	5.61
1953	1.28	2.37	3.48	4.88	6.59	9.85	10.55	10.61	8.41	4.79	2.98	1.67	5.62
平 均	1.46	2.16	3.25	5.25	6.49	9.36	11.20	10.76	8.71	4.46	2.84	1.49	5.62

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1951	日	-	-	-	-	10.57	11.49	17.70	15.40	15.34	10.99	6.34	4.16	-
	值	-	-	-	-	30	26	21	3	3	5	1	2	-
1952	日	3.02	3.52	5.61	9.37	10.22	13.47	18.33	20.48	16.17	8.83	4.91	2.45	20.48
	值	27	2,12	24	24	12	21	17	1	2	1	2	10	1/8
1953	日	2.65	4.29	5.65	7.96	11.54	14.28	16.34	15.85	14.73	9.32	4.88	2.47	16.34
	值	28	22	25	30	31	26	13	8	5	1	25	27	13/7
極日	值	3.02	4.29	5.65	9.37	11.54	14.28	18.33	20.48	16.17	10.99	6.34	4.16	20.48
年	期	27	22	25	24	31	26	17	1	2	5	1	2	1/8
	份	1952	1953	1953	1952	1953	1953	1952	1952	1952	1951	1951	1951	1952
最小绝对湿度(毫米)														
1951	日	-	-	-	-	2.12	4.41	4.35	4.79	4.32	2.55	0.88	1.07	-
	值	-	-	-	-	1	29	5	19	18	22	21	24	-
1952	日	0.78	0.61	1.45	1.70	3.86	5.41	6.21	6.77	5.31	1.58	0.63	0.48	0.48
	值	16	18	1	9	6	20	1,2	18	24	18	30	2	2/12
1953	日	0.58	0.82	1.20	1.94	2.54	5.70	5.63	4.69	4.97	2.44	0.94	0.72	0.58
	值	14	2	20	11	27	15,16	9	17	7	31	29	21	14/1
極日	值	0.58	0.61	1.20	1.70	2.12	4.41	4.35	4.69	4.32	1.58	0.63	0.48	0.48
年	期	14	18	20	9	1	29	5	17	18	18	30	2	2/12
	份	1953	1952	1953	1952	1951	1951	1951	1953	1951	1952	1952	1952	1952
庫 車 $\varphi=41^{\circ}45'N$ $\lambda=83^{\circ}04'E$ $H=1100.0M$														
平均绝对湿度(毫米)														
1951		1.53	2.13	2.63	3.33	5.41	7.21	8.07	7.80	6.31	5.61	3.83	2.48	4.70
1952		2.19	2.51	3.52	4.78	5.29	7.91	9.29	8.28	7.47	(3.87)	2.89	(1.42)	4.95
1953		(1.59)	2.52	3.79	5.89	6.58	9.55	8.71	9.82	8.61	4.62	3.36	2.05	5.59
平 均		1.77	2.39	3.31	4.67	5.76	8.22	8.69	8.63	7.46	4.70	3.36	1.98	5.08
最大绝对湿度(毫米)														
1951	日	2.66	4.11	5.20	6.16	8.93	10.95	12.44	12.73	9.78	9.50	6.34	3.68	12.73
	值	19	18	31	16	23	13	12	11	1	13	9	9	11/8
1952	日	4.05	3.92	5.89	8.58	8.84	11.72	14.72	13.21	11.56	7.84	4.89	2.47	14.72
	值	22	13	28	22	11	21	24	5	4	2	6	25	24/7
1953	日	3.57	4.50	6.61	9.76	9.90	14.08	13.80	15.10	13.53	9.56	4.73	2.83	15.10
	值	27	23	28	30	31	23	4	3	6	12	8	3	3/8
極日	值	4.05	4.50	6.61	9.76	9.90	14.08	14.72	15.10	13.53	9.56	6.34	3.68	15.10
年	期	22	23	28	30	31	23	24	3	6	12	9	9	3/8
	份	1952	1953	1953	1953	1953	1953	1952	1953	1953	1953	1951	1951	1953
最小绝对湿度(毫米)														
1951	日	0.75	0.70	0.85	1.68	2.30	4.01	5.53	3.83	2.36	2.72	1.05	1.61	0.70
	值	22	28	1	9	2	12	4	19	19	19	21	16	28/2
1952	日	1.22	1.09	1.64	1.16	1.87	3.43	1.08	2.96	3.57	1.47	1.63	0.71	0.71
	值	10	17	16	9	1	8	15	10	21	18	29	3	3/12
1953	日	0.82	1.05	1.36	2.40	3.39	5.32	4.87	5.44	5.04	2.01	1.66	0.98	0.82
	值	17	28	20	11	18,27	16	7,8	16,17	16,22	16,17	30	22	17/1
極日	值	0.75	0.70	0.85	1.16	1.87	3.43	1.08	2.96	2.36	1.47	1.05	0.71	0.70
年	期	22	28	1	9	1	8	15	10	19	18	21	3	28/2
	份	1951	1951	1951	1952	1952	1952	1952	1952	1951	1952	1951	1952	1951
喀 什 $\varphi=39^{\circ}24'N$ $\lambda=76^{\circ}08'E$ $H=1306.0M$														
平均绝对湿度(毫米)														
1951		1.87	2.45	3.20	4.43	7.80	9.60	10.27	11.49	9.93	7.24	3.86	2.90	6.25
1952		2.21	3.25	4.65	6.16	7.34	9.10	12.16	13.18	10.08	5.47	3.63	1.99	6.60
1953		1.84	2.82	4.28	6.39	9.07	10.37	12.10	11.65	10.67	5.15	3.82	(2.82)	6.75
平 均		1.97	2.84	4.04	5.66	8.07	9.69	11.51	12.11	10.23	5.95	3.77	2.57	6.53

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1951		4.32	4.56	5.62	7.50	13.73	16.21	16.10	17.86	15.13	12.96	7.02	4.53	17.86
日		28	7	25	17	23	28	30	7	3	13	1	20	7/8
1952		4.32	5.50	8.65	11.34	11.24	16.65	18.79	21.26	15.16	10.95	6.04	3.13	21.26
日		25	28	26	18	29	21	18	1	14,15	5	1	12,13	1/8
1953		3.65	5.15	6.49	10.31	14.54	15.14	18.67	16.42	15.36	11.25	5.25	3.92	18.67
日		28	26	29	30	27	23	9	7	6	1	1	1	9/7
極日	值	4.32	5.50	8.65	11.34	14.54	16.65	18.79	21.26	15.36	12.96	7.02	4.53	21.26
年	期	28,25	28	26	18	27	21	18	1	6	13	1	20	1/8
	份	1951	1952	1952	1952	1953	1952	1952	1952	1953	1951	1951	1951	1952
最小绝对湿度(毫米)														
1951		0.80	1.01	1.27	2.16	2.67	4.81	6.82	5.76	6.44	3.03	1.76	1.70	0.80
日		22	2	1	15	1	13	22	28	26	16	24	30	22/1
1952		0.92	1.06	2.36	2.58	2.39	4.05	6.59	8.87	4.36	2.11	2.09	1.04	0.92
日		8	19	1	9	14,15	5	1	23,24	22	18	20	4	8/1
1953		1.03	1.48	1.69	2.66	6.20	7.10	6.07	6.54	6.54	1.72	1.75	1.61	1.03
日		5	1,2	19	15	3	1	15,16	17	21	28	10	17	5/1
極日	值	0.80	1.01	1.27	2.16	2.39	4.05	6.07	5.76	4.36	1.72	1.75	1.04	0.80
年	期	22	2	1	15	14,15	5	15,16	28	22	28	10	4	22/1
	份	1951	1951	1951	1951	1952	1952	1953	1951	1952	1953	1953	1952	1951
江 蘇 新海連 $\varphi=34^{\circ}35'N$ $\lambda=119^{\circ}15'E$ $H=4.0M$														
平均绝对湿度(毫米)														
1951		3.55	4.09	5.17	7.19	12.18	14.07	20.52	21.98	13.80	11.00	6.62	4.51	10.39
1952		3.54	3.58	5.17	8.12	11.31	14.22	21.46	19.36	15.87	9.40	7.92	3.79	10.31
1953		3.15	4.47	5.46	6.82	11.31	16.56	23.41	23.18	13.67	10.60	6.78	4.40	10.82
平 均		3.41	4.05	5.27	7.38	11.60	14.95	21.80	21.51	14.45	10.33	7.11	4.23	10.51
最大绝对湿度(毫米)														
1951		6.87	7.59	9.50	13.47	22.90	24.46	29.38	29.28	20.35	19.28	13.57	9.52	29.38
日		31	21	17	26	23	20	23	6	7	6	14	25	23/7
1952		5.52	6.94	9.24	15.94	16.66	24.86	28.20	25.43	23.02	17.35	14.02	7.11	28.20
日		3	11	31	28	21	29	31	13,14	11	21	11	14	31/7
1953		6.63	9.32	10.89	16.14	20.56	26.32	28.47	30.25	20.38	17.24	12.74	9.66	30.25
日		11	28	24	28	21	19	28	13	2	19	4	1	13/8
極日	值	6.87	9.32	10.89	16.14	22.90	26.32	29.38	30.25	23.02	19.28	14.02	9.66	30.25
年	期	31	28	24	28	23	19	23	13	11	6	11	1	13/8
	份	1951	1953	1953	1953	1951	1953	1951	1953	1952	1951	1952	1953	1953
最小绝对湿度(毫米)														
1951		0.97	1.93	1.63	2.75	5.50	5.95	14.92	12.62	5.32	3.33	1.89	1.37	0.97
日		13	28	1	14	6	8	6	18	30	26	25,26	14	13/1
1952		1.22	1.50	2.22	3.33	5.14	5.80	14.49	12.00	8.25	4.40	4.62	1.36	1.22
日		24	17	22	14	25	4	6	19	25	11	19	2	24/1
1953		1.17	1.27	2.49	1.88	2.94	6.52	15.86	14.45	6.87	4.61	2.70	2.03	1.17
日		17	17	25	11	13	2	1	27	26	9	19	3	17/1
極日	值	0.97	1.27	1.63	1.88	2.94	5.80	14.49	12.00	5.32	3.33	1.89	1.36	0.97
年	期	13	17	1	11	13	4	6	19	30	26	25,26	2	13/1
	份	1951	1953	1951	1953	1953	1952	1952	1952	1951	1951	1951	1952	1951
徐 州(農) $\varphi=34^{\circ}19'N$ $\lambda=117^{\circ}22'E$ $H=34.3M$														
平均绝对湿度(毫米)														
1933		-	-	-	-	-	15.18	19.72	21.77	16.99	9.80	5.74	4.70	-
1934		2.61	3.64	4.49	7.32	12.70	16.60	23.40	21.43	14.79	8.49	5.02	4.85	10.45
1935		3.75	4.00	5.04	8.32	9.90	12.89	19.18	18.33	10.78	9.42	6.25	3.18	9.25

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1936	2.40	3.30	2.78	7.35	9.90	14.27	18.84	17.72	12.52	6.48	3.87	3.34	8.56
1937	3.03	3.93	4.98	-	-	-	-	-	-	-	-	-	-
1949	-	-	-	8.13	12.17	14.81	21.16	20.91	16.47	10.07	6.61	4.89	-
1950	4.28	4.15	6.35	9.55	11.80	14.79	21.61	20.89	14.12	10.38	5.80	3.64	10.61
1951	3.44	4.00	5.11	6.98	12.28	14.60	20.60	21.90	13.36	10.68	6.40	4.35	10.31
1952	3.36	3.43	5.17	8.44	11.89	14.37	21.94	18.96	15.61	8.91	7.44	3.91	10.29
1953	3.31	4.54	5.63	7.42	11.74	16.50	24.02	23.48	13.21	9.92	6.26	4.26	10.86
平 均	3.31	3.87	4.94	7.91	11.46	14.86	21.37	20.39	13.48	9.18	5.86	3.93	10.05
最大绝对湿度(毫米)													
1934	3.97	7.14	8.51	11.25	21.37	26.62	30.69	28.70	22.02	13.79	9.70	7.59	30.69
日	9	17	25	22	28	27	10	9	29	13	12	16	10/7
1935	6.34	7.09	9.35	15.45	17.53	21.68	-	-	-	-	-	-	-
日	11	26	15	26	25	18	-	-	-	-	-	-	-
1937	5.58	6.26	9.48	-	-	-	-	-	-	-	-	-	-
日	5	26	23	-	-	-	-	-	-	-	-	-	-
1949	-	-	-	-	-	18.93	27.80	26.81	25.33	15.20	11.18	8.52	-
日	-	-	-	-	-	27	23	13	15	7	7	1	-
1950	6.82	7.17	10.65	14.53	18.98	22.96	28.25	25.87	26.87	20.13	11.25	6.37	28.25
日	1	25	6	30	13	19	18	7	7	15	11	12	18/7
1951	6.31	7.48	9.69	12.20	18.44	22.95	27.64	31.18	20.00	17.34	13.05	8.54	31.18
日	31	20	26	28	24	20	24	9	5	19	14	22	9/8
1952	4.89	6.21	10.96	15.63	18.21	27.37	28.24	24.92	23.04	15.99	13.33	6.76	28.24
日	27	11	31	27	23	29	31	1	11	20	11	14	31/7
1953	7.67	9.49	11.97	18.73	19.24	23.58	29.22	31.47	20.31	15.53	11.89	8.29	31.47
日	10	28	24	28	21	29	28	13	2	19	4	20	13/8
极 值	7.67	9.49	11.97	18.73	21.37	27.37	30.69	31.47	26.87	20.13	13.33	8.54	31.47
日 年	10	28	24	28	28	29	10	13	7	15	11	22	13/8
1953	1953	1953	1953	1953	1934	1952	1934	1953	1950	1950	1952	1951	1953
最小绝对湿度(毫米)													
1934	1.41	1.09	2.04	4.03	6.16	8.89	17.12	13.40	8.01	3.05	2.37	2.39	1.09
日	20	4	4	1	1	5	22	31	22	24	19	1	4/2
1935	1.75	1.58	2.26	4.21	3.08	4.28	-	-	-	-	-	-	-
日	17	11	2	1	1	4	-	-	-	-	-	-	-
1937	0.59	1.21	1.37	-	-	-	-	-	-	-	-	-	0.59
日	11	8	25	-	-	-	-	-	-	-	-	-	11/1
1949	-	-	-	-	-	8.62	11.85	14.19	10.46	2.98	2.50	1.56	-
日	-	-	-	-	-	15	28	27	27	29	16	5	-
1950	1.90	2.23	1.66	3.88	5.07	8.19	13.82	12.55	6.36	5.13	2.12	2.03	1.66
日	23	13	11	6	20	9	7	28	29	27	30	23	11/3
1951	1.39	1.88	1.76	2.95	5.68	5.94	15.54	13.40	5.88	4.70	2.18	2.16	1.39
日	12	3	1	14	2	8	11	20	30	25	23	16	12/1
1952	1.66	1.46	2.57	2.78	5.08	5.11	16.42	11.99	7.86	3.88	4.10	1.50	1.46
日	25	19	3	14	29	3	5	19	26	15	19	2	19/2
1953	1.30	1.96	2.41	2.63	2.95	7.19	16.12	14.20	8.03	6.10	2.96	2.34	1.30
日	17,18	18	26	11	13	2	1	29	14	10	19	26	17,18/1
极 值	0.59	1.09	1.37	2.63	2.95	4.28	11.85	11.99	5.88	2.98	2.12	1.50	0.59
日 年	11	4	25	11	13	4	28	19	30	29	30	2	11/1
1937	1934	1937	1953	1953	1935	1949	1952	1951	1949	1950	1952		1937
徐 州 $\varphi=34^{\circ}15'N$ $\lambda=117^{\circ}15'E$ $H=45.0M$													
平均绝对湿度(毫米)													
1951	3.40	4.06	5.10	7.20	12.33	14.46	20.54	22.14	13.88	10.83	6.28	4.51	10.39
1952	3.58	3.60	5.36	8.90	12.31	15.11	21.76	18.76	15.65	9.03	7.40	3.86	10.44
1953	3.30	4.48	5.37	7.02	11.13	15.86	23.69	22.89	12.82	9.66	6.10	4.10	10.54
平 均	3.43	4.05	5.28	7.71	11.92	15.14	22.00	21.26	14.12	9.84	6.59	4.16	10.46
最大绝对湿度(毫米)													
1951	6.47	8.33	12.20	14.41	18.39	24.24	28.45	29.83	20.22	17.32	13.05	9.30	29.83
日	31	20	25	28	22	19	24	7	6	19	14	21	7/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	6.77	6.41	10.97	17.09	18.16	29.02	28.88	26.72	23.69	15.78	13.71	6.87	29.02
	日	27	11	31	27	23	29	27	1	11	20	11	14	29/6
1953	日	7.32	9.80	11.30	17.53	18.98	24.85	29.17	30.94	18.88	15.48	12.41	7.88	30.94
	日	10	28	24	28	21	18	14	13	2,3	19	4	20	13/8
極日	值	7.32	9.80	12.20	17.53	18.98	29.02	29.17	30.94	23.69	17.32	13.71	9.30	30.94
年	期	10	28	25	28	21	29	14	13	11	19	11	21	13/8
	份	1953	1953	1951	1953	1953	1952	1953	1953	1952	1951	1952	1951	1953
最小绝对湿度(毫米)														
1951	日	1.04	1.68	1.72	3.17	6.47	6.72	15.09	11.96	6.72	3.91	2.37	1.76	1.04
	日	13	3	1	17	6	8	11,12	20	30	26	23	14	13/1
1952	日	1.46	1.41	2.20	3.62	4.89	8.43	16.65	11.85	8.79	3.99	3.73	1.43	1.41
	日	24	2	3	14	8	3,4	6	19	26	15	19	2	2/2
1953	日	1.12	1.74	1.92	2.27	3.42	6.67	15.76	11.82	6.99	5.28	2.66	2.02	1.12
	日	17	17	26	11	13	2	1	28	14	10	19	26	17/1
極日	值	1.04	1.41	1.72	2.27	3.42	6.67	15.09	11.82	6.72	3.91	2.37	1.43	1.04
年	期	13	2	1	11	13	2	11,12	28	30	26	23	2	13/1
	份	1951	1952	1951	1953	1953	1953	1951	1953	1951	1951	1951	1952	1951
淮 陰 $\varphi=33^{\circ}35'N$ $\lambda=119^{\circ}02'E$ $H=18.2M$														
平均绝对湿度(毫米)														
1950		-	-	-	-	13.21	17.18	24.71	23.40	15.67	12.33	7.09	4.22	-
1951		4.03	4.63	5.65	8.13	13.18	15.95	21.80	23.03	15.24	11.77	7.31	5.25	11.33
1952		4.20	4.07	5.81	9.51	12.83	16.55	22.69	20.53	17.20	10.34	8.83	4.34	11.41
1953		3.63	5.05	6.14	8.00	12.95	17.76	25.34	24.00	15.04	11.26	7.34	4.91	11.79
平 均		3.95	4.58	5.87	8.55	12.99	16.75	23.28	22.52	15.83	11.12	7.83	4.83	11.51
最大绝对湿度(毫米)														
1951	日	8.14	8.58	10.22	13.86	20.04	26.86	29.46	30.83	21.43	19.21	19.09	10.86	30.83
	日	31	22	25	26	14	20	24	6	7	19	14	21	6/8
1952	日	6.62	7.83	10.65	18.31	16.83	26.38	28.00	27.89	25.08	17.36	15.48	9.40	28.00
	日	27	11	31	27	2	29	31	1	11	20	11	1	31/7
1953	日	7.18	10.61	12.83	18.44	22.31	26.35	30.23	31.07	26.23	18.09	13.16	10.58	31.07
	日	9	11	24	28	21	19	13	12	2	19	4	1	12/8
極日	值	8.14	10.61	12.83	18.44	22.31	26.86	30.23	31.07	26.23	19.21	19.09	10.86	31.07
年	期	31	11	24	28	21	20	13	12	2	19	14	21	12/8
	份	1951	1953	1953	1953	1953	1951	1953	1953	1953	1951	1951	1951	1953
最小绝对湿度(毫米)														
1951	日	1.35	2.56	1.81	4.10	6.64	7.96	15.54	14.68	8.71	4.87	2.87	2.04	1.35
	日	13	28	1	11	19	8	11	19	30	26	26	14	13/1
1952	日	1.85	1.74	3.30	4.75	7.01	7.20	17.22	15.59	8.97	5.97	5.40	1.73	1.73
	日	24,25	19	11	14	30	4	5,6	20	25	11	17	2	2/12
1953	日	1.23	1.71	2.82	2.57	4.60	6.88	16.67	15.46	8.67	6.87	3.16	2.44	1.23
	日	17	18	28	11	13	2,3	1	31	14	9	19	10	17/1
極日	值	1.23	1.71	1.81	2.57	4.60	6.88	15.54	14.68	8.67	4.87	2.87	1.73	1.23
年	期	17	18	1	11	13	2,3	11	19	14	26	26	2	17/1
	份	1953	1953	1951	1953	1953	1953	1951	1951	1953	1951	1951	1952	1953
東 台 $\varphi=32^{\circ}51'N$ $\lambda=120^{\circ}19'E$ $H=5.8M$														
平均绝对湿度(毫米)														
1930		3.30	4.80	6.60	9.10	12.80	16.00	22.60	22.20	14.80	10.70	6.50	4.90	11.39
1931		4.50	4.60	6.40	7.60	11.50	16.10	20.10	-	14.80	10.30	2.80	5.20	-
1932		4.50	4.10	5.50	8.80	12.90	18.10	24.10	21.40	15.70	10.40	7.30	5.00	11.48
1933		3.50	5.00	5.60	8.70	13.70	18.30	23.90	23.90	19.30	11.60	8.10	6.20	12.32
1934		3.00	3.90	5.00	7.60	11.90	15.70	22.50	22.90	16.40	9.60	6.60	5.80	10.91
1935		4.60	5.50	6.80	8.90	12.70	16.20	23.00	22.40	14.40	12.20	8.30	3.70	11.56
1936		3.10	3.90	4.50	9.20	11.90	17.50	21.80	21.80	16.90	10.20	6.20	-	-
1938		3.40	4.13	5.76	8.33	13.47	15.41	21.08	20.81	14.80	12.55	6.62	5.19	10.96
1939		4.37	4.70	6.20	7.99	11.11	15.13	21.24	20.75	15.20	11.12	7.58	4.06	10.79

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	—	—	—	—	—	—	—	—	17.53	10.62	9.41	4.55	—
1953	3.79	5.26	6.33	7.90	12.95	17.86	24.78	23.67	16.17	11.99	8.02	5.80	12.04
平 均	3.81	4.67	5.97	8.42	12.69	16.59	22.90	22.25	15.85	11.27	7.38	5.08	11.41
最大绝对湿度(毫米)													
1938	7.02	7.79	9.26	13.92	22.32	22.35	26.09	25.84	24.63	20.20	12.40	8.47	26.09
日	17	28	1	30	31	4	20	25	2	9	5	12	20/7
1939	7.81	6.76	9.86	14.50	15.71	24.65	26.65	24.52	21.90	18.43	16.62	6.88	26.65
日	17	24,28	30	29	23	23	6	17	7	14	7	22	6/7
1952	—	—	—	—	—	—	—	—	27.13	17.65	15.63	11.07	—
日	—	—	—	—	—	—	—	—	11	20	11	1	—
1953	7.41	11.13	13.11	19.17	21.40	26.13	29.25	28.79	25.18	16.97	14.00	13.44	29.25
日	11	11	10	28	21	20	14	7	2	19	4	1	14/7
極 值	7.81	11.13	13.11	19.17	22.32	26.13	29.25	28.79	27.13	20.20	16.62	13.44	29.25
日 年	17	11	10	28	31	20	14	7	11	9	7	1	14/7
	1939	1953	1953	1953	1938	1953	1953	1953	1952	1938	1939	1953	1953
最小绝对湿度(毫米)													
1938	1.37	1.41	2.31	2.99	4.90	7.50	14.94	15.50	8.34	5.38	2.45	1.43	1.37
日	7	9	11	14	9	3	4	15	10	21	12	29	7/1
1939	1.70	2.12	3.15	2.87	4.56	5.63	15.14	14.86	6.05	3.95	1.40	2.09	1.40
日	5	8	13	4	3	4	30	31	23	31	26	13	16/11
1952	—	—	—	—	—	—	—	—	10.24	5.65	6.86	1.55	—
日	—	—	—	—	—	—	—	—	26	11	17	2,3	—
1953	1.30	2.05	3.50	3.12	5.52	11.01	15.78	15.17	9.94	7.84	3.47	2.93	1.30
日	17	18	25	12	13	8	1	29	27	25	19	11	17/1
極 值	1.30	1.41	2.31	2.87	4.56	5.63	14.94	14.86	6.05	3.95	1.40	1.43	1.30
日 年	17	9	11	4	3	4	4	31	23	31	26	29	17/1
	1953	1938	1938	1939	1939	1939	1938	1939	1939	1939	1939	1938	1953
鎮 江 $\varphi=32^{\circ}13'N$ $\lambda=119^{\circ}27'E$ $H=43.9M$													
平均绝对湿度(毫米)													
1931	—	—	6.96	8.58	12.82	17.49	21.05	23.45	16.74	10.42	8.65	5.46	—
1932	4.74	4.18	5.17	9.14	13.66	17.94	23.41	22.41	15.65	8.86	6.50	4.78	11.37
1933	3.46	4.83	5.60	9.31	13.63	17.69	23.61	22.78	17.87	10.92	7.38	6.14	11.94
1934	3.35	4.23	5.32	8.27	13.84	16.89	23.63	23.67	17.45	10.48	6.95	6.03	11.68
1935	4.60	5.16	6.94	8.86	11.00	15.78	21.55	21.88	15.52	12.34	7.85	4.03	11.29
1936	3.48	4.13	4.30	9.02	12.00	18.36	21.29	20.87	16.06	9.41	6.23	4.61	10.81
1937	4.55	4.96	6.45	9.44	13.75	15.82	22.30	—	—	—	—	—	—
1946	—	—	—	—	—	—	—	—	18.74	12.18	8.78	3.59	—
1947	4.92	3.81	5.90	8.44	13.16	16.41	23.73	24.59	17.85	9.65	7.67	5.07	11.77
1948	3.89	5.26	6.74	10.11	12.84	18.00	23.16	24.73	18.43	12.16	—	—	—
平 均	4.09	4.39	5.54	8.84	12.88	17.18	22.87	22.70	16.73	10.28	7.10	5.11	11.48
南 京 $\varphi=32^{\circ}03'N$ $\lambda=118^{\circ}47'E$ $H=61.5M$													
平均绝对湿度(毫米)													
1928	4.39	4.83	7.18	10.44	12.79	15.74	21.24	19.54	15.38	8.59	7.13	5.25	11.04
1929	4.12	4.45	5.56	8.11	12.47	16.24	21.14	21.42	13.61	9.87	5.53	4.91	10.62
1930	3.38	5.50	7.01	10.26	14.04	17.59	23.37	22.02	15.35	10.18	5.91	5.20	11.65
1931	4.33	4.58	6.58	8.44	12.48	16.53	20.49	22.71	15.66	9.85	8.12	5.20	11.25
1932	4.61	4.02	5.06	8.69	13.22	16.82	21.27	21.13	14.82	7.90	6.09	4.52	10.70
1933	3.34	4.65	5.29	8.90	13.20	18.10	22.75	21.11	16.63	10.25	6.95	5.85	11.42
1934	3.01	4.10	5.26	8.09	12.99	18.13	23.41	21.35	16.44	9.80	6.56	5.89	11.25
1935	4.52	5.05	6.94	9.58	11.34	15.51	21.47	21.68	14.32	12.62	8.22	4.11	11.28
1936	3.60	4.25	4.42	9.30	12.38	18.68	21.39	20.92	15.69	9.19	6.26	4.69	10.90
1937	4.47	5.02	6.71	9.50	13.00	16.30	22.45	22.77	17.17	11.80	—	—	—
1946	4.59	5.12	6.92	10.97	13.48	19.46	22.28	23.54	18.62	11.17	8.31	4.52	12.42
1947	4.97	3.79	5.66	7.98	12.84	16.25	23.49	23.62	—	8.88	7.18	4.89	—
1948	3.70	—	6.62	9.98	12.90	17.72	22.98	23.73	18.00	—	6.32	6.09	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949		4.04	5.49	6.40	9.20	14.18	16.93	21.93	22.00	18.50	11.30	7.92	5.66	11.96
1950		5.17	4.51	6.72	9.32	12.87	16.60	22.65	21.13	15.98	12.83	7.26	3.94	11.58
1951		4.11	5.00	5.71	8.82	13.37	16.52	21.35	22.50	15.41	12.27	7.49	5.54	11.51
1952		4.39	4.43	5.89	9.57	13.73	17.98	22.26	21.36	17.73	10.35	9.36	4.30	11.78
1953		3.72	5.52	6.58	8.22	13.21	18.60	25.29	23.64	16.07	11.98	8.15	5.70	12.22
平 均		4.09	4.77	6.10	9.21	13.05	17.30	22.15	21.74	16.01	10.54	7.28	5.02	11.44
最大绝对湿度(毫米)														
1928		10.13	16.03	15.64	18.00	19.20	23.69	27.39	24.37	24.66	14.48	15.59	9.10	27.39
日		-	-	-	-	-	-	-	-	-	-	-	-	-7
1929		8.22	10.00	13.12	14.32	18.14	23.40	25.89	26.50	20.92	17.63	10.87	13.19	26.50
日		13	22	24	30	22	17	16	29	24	6	5	13	29/8
1930		6.42	12.05	13.68	19.16	20.79	25.96	28.51	28.98	22.99	15.65	12.67	9.42	28.98
日		1	21	27	23	31	27	24	15	7	1	8	19	15/8
1931		8.59	10.34	13.48	18.79	19.93	24.61	26.37	26.90	21.26	19.18	13.52	11.14	26.90
日		3	3	25	26	21	26	11	3	2	7	13	8	3/8
1932		7.50	7.73	10.56	14.13	22.96	23.32	26.37	26.22	19.71	14.38	13.78	9.97	26.37
日		30	2	6	5	17	22	6	14	21	2	24	3	6/7
1933		7.99	8.38	13.52	17.12	21.00	25.45	28.41	26.25	24.02	19.30	11.28	9.88	28.41
日		10	23	20	30	14.18	24	14	7	2	5	23	8	14/7
1934		6.54	7.51	11.50	13.01	20.58	27.93	29.74	28.13	22.81	17.93	11.21	8.90	29.74
日		30	17	25	22	7	26	24	11	4	1	5	30	24/7
1935		10.02	8.49	13.41	17.74	19.90	22.86	27.37	25.77	23.50	17.75	16.42	8.55	27.37
日		13	28	19	27	25	28	16	23	12	12	2	7	16/7
1936		5.78	7.43	10.91	18.41	19.39	26.88	27.46	26.71	26.59	14.14	13.80	11.13	27.46
日		28	17	28	21	18	28	1	13	5	5	3	16	1/7
1937		8.05	9.51	12.36	18.53	22.36	23.08	27.86	26.60	26.45	18.61	-	-	-
日		4	5	23	20	19	29	11	6	6	11	-	-	-
1948		-	-	-	-	-	-	-	-	-	19.16	11.42	10.13	-
日		-	-	-	-	-	-	-	-	-	24	5	20	-
1949		9.33	9.28	12.94	17.60	22.28	22.21	28.42	32.26	26.71	18.38	12.88	9.78	28.42
日		30	24	9	27	27	21	21	10	16	8	8	1	21/7
1950		9.72	9.37	12.63	16.34	20.57	24.35	28.66	26.39	21.82	22.67	13.16	7.21	28.66
日		16	8	6	16	17	27	17	20	1	15	3	7	17/7
1951		8.43	11.50	9.57	15.42	20.96	25.70	28.86	29.12	23.24	19.62	14.95	11.09	29.12
日		5	22	10	26	20.29	20	23	9	1	19	14	25	9/8
1952		7.86	8.18	11.31	18.19	21.32	25.54	28.06	26.77	27.89	17.34	15.38	10.91	28.06
日		28	12	15	28	2	30	30	1	11	20	11	1	30/7
1953		7.56	11.18	12.44	18.27	22.08	28.17	31.79	29.53	25.61	17.46	13.86	12.80	31.79
日		11	11	10	28	21	21	17	12	2	19	4	1	17/7
按 日	值	10.13	16.03	15.64	19.16	22.96	28.17	31.79	29.53	27.89	22.67	16.42	13.19	31.79
年 份	期	-	-	-	23	17	21	17	12	11	15	2	13	17/7
	份	1928	1928	1928	1930	1932	1953	1953	1953	1952	1950	1935	1929	1953
最小绝对湿度(毫米)														
1928		1.36	1.85	3.95	5.78	6.41	8.62	13.89	11.34	5.76	3.95	3.48	1.95	1.36
日		-	-	-	-	-	-	-	-	-	-	-	-	-1
1929		1.99	1.55	1.81	3.33	5.62	6.50	15.76	14.23	8.35	4.79	1.86	1.63	1.55
日		6	3	11	10	4	11	31	1	16	27	17	22	3/2
1930		1.51	2.21	3.65	4.89	9.34	9.68	16.35	15.93	7.69	4.33	1.90	1.75	1.51
日		5	11	15	2	24	5	17	29	23	2	20	24	5/1
1931		0.86	1.97	2.51	3.20	5.83	6.89	15.33	15.87	7.10	4.04	3.02	1.32	0.86
日		10	6	1	5	15	11	15	28	29	26	5	12	10/1
1932		1.47	1.44	1.56	3.79	6.53	11.04	14.88	13.51	9.47	4.45	1.93	0.98	0.98
日		7	28	15	6	7	4	3	20	30	17	28	12	12/12
1933		1.29	2.20	2.26	4.31	4.62	11.18	16.35	14.07	8.38	4.15	3.06	1.90	1.29
日		26,27	2,3	7	1	3	6	5	22	28	25	7	20	26,27/1
1934		0.61	1.76	1.81	3.58	5.30	8.47	15.25	15.25	8.55	4.21	2.79	2.32	0.61
日		20	5	4	2	2	5	30	6	22	25	28	4	20/1
1935		1.48	1.86	3.26	4.30	4.87	5.68	13.60	12.45	6.20	6.43	3.29	1.33	1.33
日		17	11	5	1	2	3	1	31	13	19	18	13	13/12
1936		0.77	1.61	1.58	2.46	6.78	9.74	14.33	13.90	7.96	4.49	1.38	1.54	0.77
日		17	29	1	3	1	1	4	29	26	26	27	6	17/1
1937		1.05	1.99	3.16	3.98	6.10	9.34	15.79	16.86	10.51	4.75	-	-	-
日		12	14	25	3	8	2	15	20	18	16	-	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948	日	-	-	-	-	-	-	-	-	-	6.10	1.87	2.81	-
1949	日	1.51	2.25	3.55	3.52	6.39	13.04	11.95	12.21	9.68	3.98	2.71	1.92	1.51
1950	日	8	15	7	5	14	17	28	28	26	30	17	5	8/1
1951	日	1.70	2.25	1.97	3.83	5.64	8.45	16.50	13.16	7.90	6.33	2.64	1.96	1.70
1952	日	23	4	11	8	10	9	1	29	20	28	15	16	23/1
1951	日	1.20	2.63	2.02	3.82	7.46	9.58	15.64	14.74	7.85	4.95	2.39	1.69	1.20
1952	日	13	7	1	23	18	4	8	20	30	27	26	15	13/1
1952	日	1.74	1.73	2.94	3.48	7.73	11.01	16.20	15.60	7.76	5.46	6.81	1.48	1.48
1953	日	25	18	23	18	9	21	3	18	26	11	20	3	3/12
1953	日	1.14	1.82	3.01	3.20	5.74	9.49	17.45	15.02	9.32	7.68	2.76	2.49	1.14
極 值	日 期	0.61	1.44	1.56	2.46	4.62	5.68	11.95	11.34	5.76	3.95	1.38	0.98	0.61
年 份		20	28	15	3	3	3	28	-	-	-	27	12	20/1
		1934	1932	1932	1936	1933	1935	1949	1928	1928	1928	1936	1932	1934
南 通 $\varphi=32^{\circ}01'N$ $\lambda=120^{\circ}54'E$ $H=11.4M$														
平均绝对湿度(毫米)														
1949	-	-	-	-	14.41	16.73	22.40	22.22	18.46	11.38	8.63	6.12	-	-
1950	5.86	5.00	7.00	9.56	13.07	17.21	23.23	22.16	17.18	13.33	7.91	4.60	12.18	-
1951	4.79	5.33	6.31	8.91	13.39	-	-	-	-	-	-	-	-	-
1952	4.94	4.89	6.11	9.47	13.16	18.15	22.58	22.65	18.48	11.45	10.11	4.89	12.24	-
1953	4.19	5.74	7.02	8.40	13.55	19.15	25.31	24.31	16.71	12.69	8.79	6.33	12.68	-
平 均	5.00	5.21	6.71	9.14	13.26	18.17	23.71	23.04	17.46	12.49	8.94	5.27	12.37	-
南通軍山 $\varphi=31^{\circ}57'N$ $\lambda=120^{\circ}56'E$ $H=110.4M$														
平均绝对湿度(毫米)														
1917	2.97	3.71	5.04	7.48	10.26	17.64	21.64	21.47	17.91	10.35	5.92	3.37	10.65	-
1918	2.66	4.53	5.66	8.67	11.46	16.81	20.80	21.28	15.34	10.45	7.32	5.71	10.89	-
1919	4.47	4.69	6.95	8.95	12.88	18.24	21.02	21.07	14.70	9.37	6.94	4.42	11.14	-
1920	3.66	4.23	6.05	8.22	11.35	16.45	22.59	21.67	18.13	11.49	8.59	5.79	11.52	-
1921	4.41	4.37	5.48	8.39	11.93	15.64	21.94	21.83	15.26	9.95	6.44	5.16	10.90	-
1922	4.16	5.61	6.04	9.35	12.67	17.05	21.98	22.22	16.78	11.12	6.35	4.10	11.45	-
1923	3.70	4.11	6.72	8.53	12.50	16.23	20.84	22.50	14.71	9.60	7.38	4.66	10.96	-
1924	4.39	4.66	4.83	9.48	12.14	16.11	22.17	20.93	16.26	10.63	5.76	4.57	10.99	-
1925	3.85	3.73	5.54	7.09	12.54	17.53	21.10	20.99	15.21	10.16	8.29	4.18	10.85	-
1926	4.07	4.56	5.59	7.66	13.25	15.10	22.60	22.92	17.82	9.58	8.01	4.92	11.34	-
1927	4.28	4.41	5.54	8.52	10.79	16.38	23.72	22.66	14.62	10.62	7.74	5.35	11.22	-
1928	4.51	4.53	5.93	9.09	12.17	15.85	22.06	20.56	16.62	9.27	7.61	5.45	11.14	-
1929	4.49	4.26	5.52	7.99	12.44	17.52	22.59	22.54	13.74	10.03	6.23	5.76	11.09	-
1930	3.44	5.40	6.84	10.21	13.30	18.14	24.46	22.98	15.30	10.71	6.30	5.39	11.87	-
1931	4.59	4.37	6.28	7.76	11.79	17.08	21.04	22.53	15.89	9.95	8.85	5.33	11.29	-
1932	4.68	3.88	4.68	8.81	12.49	16.88	23.48	21.43	14.78	9.17	6.57	4.98	10.99	-
1933	3.59	4.65	5.27	8.42	12.59	17.13	22.77	22.11	17.02	10.58	7.09	5.93	11.43	-
1934	3.06	3.85	4.78	7.61	12.76	16.51	24.42	23.02	16.85	9.78	6.69	6.15	11.29	-
1935	4.52	5.11	6.73	9.04	11.39	15.92	22.52	22.21	14.82	12.39	8.40	4.32	11.45	-
1936	3.53	4.19	4.37	8.97	11.69	18.61	21.90	21.63	16.78	10.78	7.26	5.04	11.23	-
1937	4.83	4.96	6.43	9.27	12.42	15.80	22.50	22.83	17.78	12.01	8.14	4.87	11.82	-
平 均	3.99	4.47	5.73	8.55	12.13	16.79	22.29	21.97	16.02	10.38	7.23	5.02	11.21	-
最大绝对湿度(毫米)														
1917	5.30	7.50	8.70	11.80	17.30	27.80	28.30	29.20	28.00	16.10	11.90	8.80	29.20	-
日	17	17	13	18	31	25	4	12	4	16	1	2	12/8	-
1918	5.10	9.20	10.10	15.20	18.50	26.90	25.70	25.80	24.50	16.80	16.00	9.50	26.90	-
日	11	25	24	25	30	27	7	28	6	21	1	1	27/6	-
1919	9.20	8.40	12.60	16.40	22.10	24.50	26.40	26.70	26.60	15.40	14.40	9.80	26.70	-
日	8	27	23	29	29	10	17	4	8	4	4	3	4/8	-
1920	9.40	7.90	9.40	12.60	17.30	23.30	28.30	29.20	25.00	20.00	16.40	12.00	29.20	-
日	31	1	20,22	20	20	11	30	6	13	3	8,9	2	6/8	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1921	日	8.70	11.40	14.30	17.00	20.40	23.60	30.30	26.60	24.70	16.70	11.60	10.80	30.30
		1	28	19	23	4	23	28	3	17	16	20	16	28/7
1922	日	7.30	12.50	10.10	15.10	18.10	25.30	28.50	27.70	22.60	16.80	14.00	7.90	28.50
		8	10	19	26	18	30	19	16	12	1	6	3	19/7
1923	日	10.00	7.70	13.00	16.10	21.30	25.20	26.60	27.80	23.40	15.70	14.20	9.80	27.80
		21	15	27	30	26	28	24	2	2	30	6	6,7	2/8
1924	日	8.60	11.40	9.20	16.80	18.80	23.10	27.20	25.60	25.70	20.70	12.50	8.20	27.20
		14	6	31	14	23	25,26	24,26	9,21	8	3	19	4	24,26/7
1925	日	7.80	6.30	9.60	13.10	19.90	25.90	28.80	27.90	20.00	17.30	14.30	9.90	28.80
		13	5,17	22	20	13	27	23	10	4,11	1	9	15	23/7
1929	日	10.40	9.20	13.50	-	-	-	-	-	-	-	-	-	-
		13	22	24	-	-	-	-	-	-	-	-	-	-
1934	日	6.40	7.40	11.30	12.90	18.80	27.40	29.00	29.20	25.00	17.80	11.40	10.10	29.20
		9	21	11	22	7	28	10	10	4	1	5	30	10/8
1935	日	9.40	8.30	11.80	16.80	18.80	23.20	29.50	28.30	23.60	18.30	-	-	-
		12	27	16,17	27	26	28	15	20	11	5	-	-	-
1936	日	6.40	8.30	9.00	-	-	-	-	-	-	-	-	-	-
		29	16	28	-	-	-	-	-	-	-	-	-	-
極 值	日 期	10.40	12.50	14.30	17.00	22.10	27.80	30.30	29.20	28.00	20.70	16.40	12.00	30.30
年 份		1929	1922	1921	1921	1919	1917	1921	3年	4	3	8,9	2	28/7
		1929	1922	1921	1921	1919	1917	1921	3年	1917	1924	1920	1920	1921
最小绝对湿度(毫米)														
1917	日	0.90	1.60	1.70	2.40	4.40	8.80	14.80	11.80	8.30	3.40	2.00	0.80	0.80
		8	12,13	4	24	1	6	7	16	29	29	11	27	27/12
1918	日	0.80	1.60	2.80	2.70	5.20	8.80	14.30	14.10	4.80	5.30	2.70	2.30	0.60
		7	22	30	14	5	3	5	30	30	13	19	28,30	7/1
1919	日	1.30	1.70	3.00	2.50	3.20	13.60	13.80	12.40	5.50	3.20	0.90	1.20	0.90
		2	4	10	10	2	4	29	31	17	23	25	29	25/11
1920	日	0.90	1.80	2.30	3.70	6.40	5.70	16.90	12.50	10.00	3.90	7.90	1.80	0.90
		14	3	4	5,6	8	6	11	17	28	24	12,20	25	14/1
1921	日	1.90	1.40	1.50	2.20	5.80	10.70	14.50	16.00	6.90	5.40	2.30	1.70	1.40
		15	18	10	18	27	5	1	27	25	12,29	8	29	18/2
1922	日	1.40	2.10	1.50	3.80	5.30	7.10	15.30	12.70	8.70	2.30	1.30	1.50	1.30
		20,21	27	20	11	12	10	6	26	19	10	26	15	26/11
1923	日	0.80	1.90	2.70	2.90	7.20	7.20	13.80	17.60	4.40	3.80	1.50	1.00	0.80
		4	26	9	12	9	1	1	24	27	15	14	24	4/1
1924	日	1.60	1.60	2.50	3.20	4.10	8.50	18.00	14.50	9.30	2.40	1.20	0.90	0.90
		26	23	14	3	29	12	12,16	31	27	28	30	9	9/12
1925	日	1.40	0.70	1.50	1.70	5.80	7.30	15.10	15.00	9.50	4.20	2.50	1.00	0.70
		30	22	2	13	20	15	1	31	28	21	28	29	22/2
1929	日	2.20	1.30	0.80	-	-	-	-	-	-	-	-	-	-
		4	2,4	13	-	-	-	-	-	-	-	-	-	-
1934	日	0.90	1.50	1.60	2.30	5.30	6.40	13.40	16.50	8.70	2.80	2.60	2.40	0.90
		26	14	4	1	2	5	3	31	22	25	28	1,3	26/1
1935	日	1.80	2.50	3.00	2.70	3.70	5.60	15.20	16.90	6.10	4.60	-	-	-
		16,17	11	4	2	1	4	1	31	13	17	-	-	-
1936	日	0.50	1.90	1.70	-	-	-	-	-	-	-	-	-	0.50
		18	29	9	-	-	-	-	-	-	-	-	-	18/1
極 值	日 期	0.50	0.70	0.80	1.70	3.20	5.60	13.40	11.80	4.40	2.30	0.90	0.80	0.50
年 份		1936	1925	1929	1925	1919	1935	1934	1917	1923	1922	1919	1917	1936
常 熟 $\varphi=31^{\circ}31'N$ $\lambda=120^{\circ}40'E$ $H=90.8M$														
平均绝对湿度(毫米)														
1929		-	-	-	-	-	-	-	-	-	-	-	6.38	-
1930		3.75	5.88	7.56	10.75	13.86	17.82	23.58	22.33	16.02	11.18	6.78	5.70	12.10
1931		4.78	4.75	6.74	8.34	12.17	17.14	20.94	22.20	16.70	10.68	9.03	5.64	11.59
1932		5.82	4.22	5.66	9.64	14.09	17.62	22.77	21.66	15.24	9.51	6.92	5.06	11.52
1933		3.76	4.84	5.43	8.80	12.84	17.36	22.28	21.86	17.60	10.54	7.01	5.29	11.47
1934		3.08	4.01	5.00	7.59	12.78	16.47	24.68	21.82	16.52	9.25	6.24	5.79	11.10
1935		4.85	5.45	7.22	9.71	11.68	16.09	21.90	22.22	15.81	13.19	9.16	4.70	11.83

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1936		3.79	4.29	4.55	9.33	12.04	18.64	21.76	21.69	16.34	10.13	6.93	5.09	11.22
1937		4.93	5.12	6.61	-	-	-	-	-	-	-	-	-	-
平 均		4.26	4.78	6.02	9.17	12.78	17.31	22.56	21.97	16.32	10.64	7.44	5.32	11.55
上 海 $\varphi=31^{\circ}12'N$ $\lambda=121^{\circ}26'E$ $H=7.0M$ 平均绝对湿度(毫米)														
1944		5.52	4.97	6.50	9.64	13.87	18.70	24.68	23.15	19.16	12.86	9.97	3.80	12.74
1945		4.23	4.66	6.45	9.85	13.60	18.14	25.56	25.10	21.36	13.01	11.55	5.74	13.27
1946		5.48	5.90	7.60	10.85	13.44	19.51	22.23	22.69	19.14	11.45	9.05	5.04	12.70
1947		5.54	4.00	5.72	8.44	12.86	16.67	23.98	24.21	18.55	10.70	8.54	5.50	12.06
1948		4.47	5.72	7.13	10.24	11.50	18.19	23.02	24.55	20.09	12.94	7.78	7.82	12.79
1949		4.20	5.49	6.30	9.18	14.30	16.57	21.96	21.81	18.88	11.99	8.80	6.48	12.16
1950		5.80	5.13	7.08	9.60	13.27	17.19	23.14	22.08	17.50	13.19	8.57	4.76	12.28
1951		5.17	5.80	6.29	9.01	13.22	16.63	21.71	23.67	16.57	13.64	8.84	6.72	12.27
1952		5.27	5.30	6.40	9.58	13.79	18.46	22.59	23.49	19.24	11.51	10.42	5.26	12.61
1953		4.39	5.99	6.99	8.58	13.47	19.55	24.75	24.06	17.26	13.25	9.47	6.77	12.88
平 均		5.01	5.30	6.65	9.50	13.33	17.96	23.36	23.48	18.78	12.45	9.39	5.79	12.58
最大绝对湿度(毫米)														
1951	日	11.84	10.77	10.49	15.68	19.85	26.29	27.32	27.13	25.52	23.49	15.68	13.14	27.32
	时	6	21	31	27	29,30	21	21	25	4	19	11	2,15	21/7
1952	日	9.08	9.40	11.59	19.18	21.57	27.01	28.49	27.93	27.60	19.21	16.21	14.09	28.49
	时	22	25	18	28	3,17	30	31	2	11	21	11	1	31/7
1953	日	9.06	12.68	14.07	17.50	20.92	26.37	30.00	29.36	27.17	18.67	15.63	16.64	30.00
	时	11	12	10	28	31	27	27	7	3	19	8	1	27/7
極日	值	11.84	12.68	14.07	19.18	21.57	27.01	30.00	29.36	27.60	23.49	16.21	16.64	30.00
年	期	6	12	10	28	3,17	30	27	7	11	19	11	1	27/7
份	份	1951	1953	1953	1952	1952	1952	1953	1953	1952	1951	1952	1953	1953
最小绝对湿度(毫米)														
1951	日	1.38	2.87	1.91	4.24	6.62	9.04	15.63	20.10	9.83	6.41	3.41	1.99	1.38
	时	21	6	2	12	22	4	9	30	16	26	26	15	21/1
1952	日	2.56	2.16	3.63	3.84	8.64	10.45	17.39	19.18	8.11	5.50	7.04	1.90	1.90
	时	7	18	23	13	8,16	12	3	20	26	11	17	3	3/12
1953	日	1.34	2.59	3.75	3.69	6.02	12.47	16.81	16.88	10.91	8.55	3.73	3.36	1.34
	时	18	21	3	22	13	8	1	28	30	11	19	11	18/1
極日	值	1.34	2.16	1.91	3.69	6.02	9.04	15.63	16.88	8.11	5.50	3.41	1.90	1.34
年	期	18	18	2	22	13	4	9	28	26	11	26	3	18/1
份	份	1953	1952	1951	1953	1953	1951	1951	1953	1952	1952	1951	1952	1953
浙 江 杭 州 $\varphi=30^{\circ}15'N$ $\lambda=120^{\circ}10'E$ $H=11.6M$ 平均绝对湿度(毫米)														
1904		-	-	-	-	-	-	-	-	-	-	7.40	5.10	-
1905		6.50	4.50	6.60	9.50	14.20	18.60	23.50	21.40	19.50	12.20	7.80	6.80	12.59
1906		-	-	-	-	-	-	22.70	22.50	18.50	11.50	7.50	5.50	-
1907		5.20	4.80	6.80	9.90	13.00	16.80	20.20	21.80	17.00	14.00	9.00	5.40	11.99
1908		5.60	5.20	6.60	9.60	13.50	18.70	23.10	20.80	17.20	13.10	7.90	6.30	12.30
1909		5.20	5.30	6.30	10.10	12.50	18.10	21.90	21.20	19.70	13.20	8.40	5.40	12.28
1910		5.20	4.70	6.80	9.70	12.90	19.60	22.90	21.70	17.00	11.50	8.40	4.80	12.10
1911		4.90	5.40	7.50	10.50	13.60	18.50	21.40	22.60	18.70	11.10	8.00	5.90	12.34
1912		4.60	6.10	6.80	10.70	13.80	18.90	22.70	21.30	16.00	11.30	7.30	5.40	12.08
1913		5.10	5.40	6.40	10.40	13.10	19.00	22.30	22.10	16.40	11.60	9.10	5.30	12.18
1914		5.50	6.70	8.40	11.30	14.30	18.80	22.70	21.10	17.50	13.30	9.00	5.90	12.88
1915		5.10	6.00	6.70	10.30	13.50	19.70	21.80	22.80	17.20	14.70	9.70	6.20	12.81
1916		5.70	6.00	6.50	11.10	14.00	19.10	21.50	20.90	18.60	11.60	8.50	5.40	9.41
1917		3.60	5.00	6.30	9.70	12.20	20.00	22.10	22.40	19.80	11.80	6.90	4.30	12.01
1918		3.20	5.40	7.00	10.40	13.30	18.40	21.70	22.00	16.60	11.70	8.50	6.80	12.08

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1933		4.56	5.67	6.82	10.71	16.13	20.20	24.79	22.91	19.15	12.40	8.96	6.92	13.27
1942		5.05	5.65	9.43	11.50	15.21	19.04	24.27	23.82	20.14	13.51	8.89	5.31	13.49
1945		—	—	—	—	—	—	—	—	—	—	—	6.54	—
1946		5.49	6.32	7.41	12.36	14.14	20.66	23.24	25.37	20.21	12.63	10.53	5.17	13.63
1947		5.77	4.58	7.83	11.06	15.78	18.20	24.73	23.24	13.22	11.43	9.41	6.04	12.61
1951		5.04	5.88	6.79	9.85	14.38	18.03	21.90	23.21	17.37	13.62	8.85	6.84	12.65
1952		5.33	5.44	7.03	10.75	15.15	19.16	23.16	23.20	19.33	11.93	10.54	5.20	13.02
1953		4.84	6.59	7.76	9.51	14.47	19.79	23.98	23.26	17.47	13.66	9.49	6.80	13.14
平 均		5.07	5.53	7.09	10.45	13.96	18.96	22.69	22.36	17.90	12.51	8.76	5.81	12.59
最大绝对湿度(毫米)														
1904	日	—	—	—	—	—	—	—	—	—	—	15.10	9.70	—
1905	日	10.80	7.70	12.60	16.70	22.40	26.10	29.50	26.30	27.20	18.10	12.80	12.40	29.50
1933	日	17	24	30	30	16	27	23	30	13	13	12	6	23/7
1933	日	10.77	10.15	16.31	21.84	26.10	27.94	30.02	33.41	24.84	22.48	12.97	11.70	33.41
1934	日	10	23	20	30	18	26	16	11	24	5	1	8	11/8
1934	日	6.92	8.11	14.24	17.33	21.50	28.76	28.70	28.83	24.23	22.63	12.82	10.73	28.83
1935	日	29	18	24	22	31	27	2	10	7	1	17	14	10/8
1935	日	10.97	9.58	17.95	18.86	20.60	25.02	30.62	26.69	25.99	19.68	15.93	10.57	30.62
1951	日	13	21	26	27	11	28	14	4	11	10	3	7	14/7
1951	日	11.26	11.24	11.86	16.57	22.52	27.41	27.34	29.63	27.65	21.89	15.89	13.50	29.63
1952	日	6	22	10	27	29	21	30	28	4	19	5	22	28/8
1952	日	8.74	9.01	13.68	18.30	21.98	28.31	28.76	28.91	27.70	19.54	16.84	12.04	28.91
1953	日	22	12	18	28	2	29	30	1	11	21	11	1	1/8
1953	日	9.01	14.26	15.49	18.88	22.93	28.59	29.42	28.40	26.28	18.52	14.84	15.39	29.42
極 日	年	11	12	10	28	21	21	17	11	2	19	30	1	17/7
極 日	年	11.26	14.26	17.95	21.84	26.10	28.76	30.62	33.41	27.70	22.63	16.84	15.39	33.41
極 日	年	6	12	26	30	18	27	14	11	11	1	11	1	11/8
極 日	年	1951	1953	1935	1933	1933	1934	1935	1933	1952	1934	1952	1953	1933
最小绝对湿度(毫米)														
1904	日	—	—	—	—	—	—	—	—	—	—	3.50	2.40	—
1905	日	2.70	2.90	3.60	5.00	8.10	12.00	16.10	16.30	11.90	6.50	4.20	2.80	2.70
1933	日	1	9.10	9	4	26	20	1	21	21	21	6	22	1/1
1933	日	2.43	3.28	3.85	5.68	5.14	13.74	18.77	16.05	10.94	5.07	2.61	3.15	2.43
1934	日	27	3	11	1	3	7	5	23	29	24	9	23	27/1
1934	日	2.41	2.66	3.49	3.56	6.56	9.73	18.44	16.40	9.56	4.31	3.75	2.64	2.41
1935	日	27	4	16	2	14	5	6	24	22	26	2	5	27/1
1935	日	2.12	2.67	4.20	4.89	6.29	7.05	15.78	17.22	7.48	7.61	4.85	2.06	2.06
1951	日	18	11	4	30	2	3	1	30	27	29	20	14	14/12
1951	日	1.49	3.06	2.47	4.77	7.36	11.23	16.50	17.05	11.48	6.96	3.10	2.35	1.49
1952	日	21	6	1	23	19	4	9	19	20	27	26	5	21/1
1952	日	2.59	2.29	4.26	5.17	10.59	11.29	17.79	17.30	9.11	6.52	7.52	2.01	2.01
1953	日	7	19	11	14	8	9	3	17	26	11	2	3	3/12
1953	日	1.96	2.54	4.30	4.26	6.18	13.25	18.74	17.60	11.87	9.20	3.42	3.20	1.96
極 日	年	18	18	29	12	15	7	24	28	27	5	19	11	18/1
極 日	年	1.49	2.29	2.47	3.56	5.14	7.05	15.78	16.05	7.48	4.31	2.61	2.01	1.49
極 日	年	21	19	1	2	3	3	1	23	27	26	9	3	21/1
極 日	年	1951	1952	1951	1934	1933	1935	1935	1933	1935	1934	1933	1952	1951
衢 州 $\varphi=28^{\circ}58'N$ $\lambda=118^{\circ}53'E$ $H=80.0M$														
平均绝对湿度(毫米)														
1951		5.96	6.60	7.57	10.91	15.13	18.56	21.86	21.66	17.55	13.43	9.55	7.27	13.00
1952		5.74	5.78	7.85	11.60	16.38	18.58	22.86	21.53	18.78	11.96	10.46	5.29	13.07
1953		5.18	6.95	8.47	9.62	14.70	19.85	22.66	21.81	17.00	13.58	9.92	7.43	13.10
平 均		5.63	6.44	7.96	10.71	15.40	19.00	22.46	21.67	17.78	12.99	9.98	6.66	13.06
最大绝对湿度(毫米)														
1951	日	12.21	14.23	14.77	20.13	22.06	26.85	27.81	26.95	24.61	20.58	16.03	14.35	27.81
極 日	年	6	23	11	27	29	20	18	4	8,9	20	15	21	18/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	10.01	10.30	16.71	19.28	21.55	25.52	26.68	27.45	25.95	19.72	14.47	12.78	27.45
1953	日	29	12	18	30	10	27	30	2	12	21	14	1	2/8
1953	日	10.93	14.13	15.93	18.68	22.82	27.22	27.61	26.96	24.12	18.94	15.59	15.69	27.61
	日	11	12	10	29	21	28	22	19	3	19	5	2	22/7
極日	值	12.21	14.23	16.71	20.13	22.82	27.22	27.81	27.45	25.95	20.58	16.03	15.69	27.81
年	期	6	23	18	27	21	28	18	2	12	20	15	2	18/7
	份	1951	1951	1952	1951	1953	1953	1951	1952	1952	1951	1951	1953	1951
最小绝对湿度(毫米)														
1951	日	2.36	4.11	3.00	7.01	7.21	12.09	16.00	12.97	11.23	7.71	3.25	2.28	2.28
1952	日	13.14	7	2	4	20	9	9	23	20	31	26	15	15/12
1952	日	2.39	2.29	4.44	5.93	9.72	10.54	18.82	15.95	10.33	6.72	6.06	2.06	2.06
1953	日	8	19	12	18	13	9	12	19	26	11	1	3	3/12
1953	日	2.69	2.78	4.43	4.69	6.72	13.90	17.70	16.18	10.07	7.34	3.41	3.18	2.69
	日	18	18	30	23	24	12	30	30	27	10	19	11	18/1
極日	值	2.36	2.29	3.00	4.69	6.72	10.54	16.00	12.97	10.07	6.72	3.25	2.06	2.06
年	期	13.14	19	2	23	24	9	9	23	27	11	26	3	3/12
	份	1951	1952	1951	1953	1953	1952	1951	1951	1953	1952	1951	1952	1952
海 門 $\varphi=28^{\circ}40'N$ $\lambda=121^{\circ}26'E$ $H=4.9M$														
平均绝对湿度(毫米)														
1951	日	6.51	7.09	7.78	10.73	15.27	19.23	23.26	24.28	20.00	15.30	10.77	8.36	14.05
1952	日	6.59	6.43	8.00	11.20	16.05	19.81	23.71	23.92	20.39	12.76	11.63	6.30	13.90
1953	日	5.72	7.31	8.27	9.76	14.92	20.66	24.87	24.07	18.60	14.78	10.99	8.15	14.01
平 均		6.27	6.94	8.02	10.56	15.41	19.90	23.95	24.09	19.66	14.28	11.13	7.60	13.99
最大绝对湿度(毫米)														
1951	日	14.76	15.09	13.81	21.46	24.40	31.27	29.04	29.47	28.52	23.99	17.99	17.41	31.27
1952	日	6	23	27	28	30	25	16	31	7	19	6	25	25/6
1952	日	11.46	12.87	12.70	18.76	23.40	28.39	31.07	33.13	27.54	21.49	17.11	17.20	33.13
1953	日	22	25	18	28	4	18	6	1	9	10	11	1	1/8
1953	日	12.64	14.51	15.65	19.50	24.52	28.84	31.31	30.05	27.79	19.74	16.60	17.24	31.31
	日	11	12	10	29	22	21	16	8	4	19	15	1	16/7
極日	值	14.76	15.09	15.65	21.46	24.52	31.27	31.31	33.13	28.52	23.99	17.99	17.41	33.13
年	期	6	23	10	28	22	25	16	1	7	19	6	25	1/8
	份	1951	1951	1953	1951	1953	1951	1953	1952	1951	1951	1951	1951	1952
最小绝对湿度(毫米)														
1951	日	2.19	3.82	2.82	5.79	8.27	12.09	16.10	18.39	12.43	8.66	3.60	2.44	2.19
1952	日	21	6	2	4	18	11	9	19	20	27	26	15	21/1
1952	日	2.77	2.29	4.62	5.07	10.98	14.22	18.35	19.08	11.01	6.16	7.40	2.09	2.09
1953	日	25	18	20	2	8	1	4	16	26	11	1	4	4/12
1953	日	2.13	2.72	4.10	4.81	6.28	14.32	19.58	18.27	12.58	7.85	4.24	3.56	2.13
	日	18	18	29	16	15	8	1	30	30	10	19	10	18/1
極日	值	2.13	2.29	2.82	4.81	6.28	12.09	16.10	18.27	11.01	6.16	3.60	2.09	2.09
年	期	18	18	2	16	15	11	9	30	26	11	26	4	4/12
	份	1953	1952	1951	1953	1953	1951	1951	1953	1952	1952	1951	1952	1952
龍 泉 $\varphi=28^{\circ}06'N$ $\lambda=119^{\circ}07'E$ $H=200.0M$														
平均绝对湿度(毫米)														
1935	日	7.50	8.48	10.91	14.51	17.38	18.53	21.93	21.94	16.70	15.52	10.95	6.22	14.21
1936	日	5.21	6.83	6.64	13.02	16.42	21.69	24.10	23.83	17.70	10.85	8.95	7.38	13.55
1937	日	6.94	7.48	9.03	13.32	16.95	20.17	24.30	23.04	20.68	14.68	11.13	6.95	14.56
1938	日	6.71	6.66	9.61	13.99	18.72	23.09	22.13	21.94	17.57	14.64	8.11	6.95	14.18
1942	日	5.40	6.14	10.06	11.49	15.96	19.51	23.33	22.56	21.42	14.81	9.42	6.38	13.87
1943	日	4.37	5.39	9.96	11.64	15.87	19.30	21.39	20.17	17.59	12.67	9.33	6.50	12.85
1944	日	6.59	6.05	7.64	11.48	15.45	18.75	22.12	20.73	18.60	13.15	11.26	4.37	13.02
1945	日	5.19	5.16	8.28	11.20	12.55	19.08	22.24	20.63	20.11	10.31	10.95	6.69	12.70
1946	日	6.00	6.93	9.79	13.12	16.27	19.35	22.16	22.28	19.95	10.93	9.76	6.76	13.61
1947	日	7.34	5.51	7.81	10.44	15.92	17.66	21.55	20.94	18.87	11.13	9.03	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948		6.23	8.41	10.02	12.67	16.43	19.31	22.30	22.31	20.26	13.50	8.09	10.33	14.20
1949		5.69	8.04	9.65	12.74	—	19.48	22.16	22.73	20.35	13.49	10.94	8.95	—
1950		8.17	6.86	10.45	12.42	16.71	19.31	22.62	21.87	19.21	15.56	9.43	6.09	14.06
1951		6.96	7.97	8.93	13.06	15.52	19.03	20.75	21.01	18.79	13.68	10.45	8.59	13.73
1952		7.08	7.78	10.14	13.19	18.54	19.98	24.26	22.51	20.09	13.52	11.63	6.39	14.59
1953		6.02	7.65	9.05	9.77(14.68)	20.03	21.98	21.87	17.67	14.21	10.29	8.00		13.44
平 均		6.89	7.73	9.72	12.22	16.38	19.53	22.48	21.91	19.20	14.09	9.98	7.88	14.00
最大绝对湿度(毫米)														
1935		13.56	13.08	20.76	28.07	26.21	23.95	28.84	26.65	27.96	20.88	19.74	13.13	28.84
日		13	21	26	25	9	30	20	22	1	3	3	7	20/7
1936		8.47(12.76)	15.24	24.40	22.95	28.41	29.96	30.10	28.00	17.92	15.69	15.77		30.10
日		1	16	29	28	24	27	21	19	15	4	1	17	19/8
1937		13.09	15.81	17.20	22.32	29.29	27.72	30.46	29.51	27.18	23.66	19.64	11.10	30.46
日		17	23	24	20	12	28	11	1	7,8	3	18	14	11/7
1938		15.78	12.61	20.78	24.82	29.19	31.89	37.65	26.48	26.36	23.43	16.84	12.50	37.65
日		19	28	6	21	30	7	8	24	3	10	19	13	8/7
1942		11.97	14.49	19.88	19.94	23.03	26.64	31.32	31.25	30.83	30.65	19.10	15.34	31.32
日		31	23	13	14	26	30	25	24	12	4	9	23	25/7
1943		10.02	14.28	22.94	19.23	22.70	24.95	32.54	24.29	29.10	18.75	17.81	13.00	32.54
日		24	18	20	26,27	16	26	21	1	7	24	8	2	21/7
1944		10.67	10.44	12.44	17.65	20.95	23.03	25.92	25.77	27.61	18.83	18.00	10.24	27.61
日		4	2	26	6	31	24	23	4	13	19	26	11	13/9
1945		8.48	11.26	16.00	18.48	20.27	24.19	26.69	24.54	24.45	21.75	15.58	12.06	26.69
日		3	28	1	29	29	28	19	31	8	1	21	16	19/7
1946		12.48	13.74	22.54	22.70	22.06	24.51	25.80	25.65	26.24	20.90	15.65	11.38	26.24
日		27	27	27	5	10	12	5	1	4	2	26	14	4/9
1947		12.35	10.23	15.83	17.75	21.65	23.42	26.71	26.47	23.60	17.95	13.87	—	—
日		6	27	20	30	16	22	30	12	14	5	8	—	—
1948		12.33	18.46	20.05	19.50	24.33	26.46	29.37	27.82	27.95	22.66	15.53	16.97	29.37
日		23	15	12	30	23	27	3	28	1	3	24	6	3/7
1949		13.21	14.57	18.33	23.87	—	26.66	27.42	28.58	28.04	23.06	19.27	14.64	—
日		31	25	12	25	—	30	18	15	16	1	13	20	—
1950		14.85	15.27	20.87	21.53	24.80	26.65	28.23	26.59	27.08	22.84	18.01	13.22	28.23
日		18	8	26	15	18	23	13	1	13	16	13	29	13/7
1951		15.79	12.40	19.22	25.95	25.08	28.68	28.42	29.94	29.44	25.13	18.99	17.81	29.94
日		7	21	10	25	5	28,29	18	4	8	20	13	21	4/8
1952		15.04	16.79	22.31	25.86	29.70	30.77	34.71	31.75	29.63	23.15	17.79	17.80	34.71
日		28	13	29	30	5	27	23	2	10	21	11	1	23/7
1953		12.18	13.84	16.83	18.02	22.50	—	26.27	25.91	25.45	20.08	16.78	16.64	—
日		11	28	20	28	21	—	29	5	3	7	4	2	—
極 值	15.79	18.46	22.31	25.95	29.70	30.77	34.71	31.75	29.63	25.13	19.27	17.81		34.71
日 年	7	15	29	25	5	27	23	2	10	20	13	21		23/7
	1951	1948	1952	1951	1952	1952	1952	1952	1952	1951	1949	1951		1952
最小绝对湿度(毫米)														
1935		3.54	3.49	5.16	7.20	7.56	9.45	17.53	17.30	8.19	8.91	5.32	2.95	2.95
日		19	13	21	2	1	4	30	26	3	27	21	19	19/12
1936		2.23	(3.27)	2.80	5.20	10.00	16.22	17.94	18.47	8.02	5.06	3.99	3.67	2.23
日		19	11	4	4	7	11	29	28	25	22	29	27	19/1
1937		3.21	3.04	3.90	7.19	10.00	10.36	19.46	17.57	14.55	5.03	5.09	3.12	3.12
日		12	15	25	6	30	2	14	27	27	17	24	7	7/12
1938		2.73	3.70	3.54	6.50	10.79	17.35	17.76	16.58	10.13	6.38	2.80	2.17	2.17
日		8	18	15	19	13	16	21	9	26	18	13	20	20/12
1942		1.57	2.48	5.18	5.77	8.31	9.21	17.36	13.30	11.15	6.38	2.80	2.83	1.57
日		17	12	7	7	8	10	3	28	22	25	19	28	17/1
1943		1.03	2.23	4.49	3.09	9.57	13.23	16.32	12.58	9.60	6.85	2.58	2.21	1.03
日		12	7	9	8	7	6	25	30	22	3	19	8	12/1
1944		2.47	3.41	3.38	6.30	9.01	13.83	16.43	14.81	9.55	8.92	5.34	1.31	1.31
日		7	25	11	2	23	10	30	5	19	6	21	20	20/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1945	日	2.44	2.60	3.18	4.77	5.53	10.19	18.00	15.34	12.70	5.94	5.92	2.09	2.09
1946	日	1.04	2.48	5.23	4.73	8.19	13.06	12.18	17.45	11.03	6.27	5.10	3.24	1.04
1947	日	4.18	2.34	2.25	5.95	10.08	12.71	17.89	17.31	11.64	6.35	4.00	-	5/1
	日	27	23	10	3	23	18	9	8	19	14	20	-	-
					#			#			#			
1948	日	2.60	3.79	5.12	6.62	10.46	11.98	19.13	15.98	11.89	6.22	3.64	4.13	2.60
1949	日	16.17	10	3	11	9	6	22	18	14	31	16	16	16,17/1
1950	日	2.24	3.05	5.37	6.10	-	13.34	15.75	18.54	13.93	6.86	4.77	4.15	-
1951	日	9	16	7	15	-	20	29	31	4	28,31	17	6	-
1952	日	3.68	3.02	4.42	5.90	11.02	12.89	18.65	16.19	13.22	7.34	4.05	3.11	3.02
1953	日	7	17	12	7	23	13	7	28	21	27	15	10	17/2
1954	日	2.33	3.42	3.74	5.77	7.47	10.68	13.92	12.36	9.71	5.24	3.96	2.40	2.33
1955	日	14	19	3	4	20	10	10	23	20	30	9	16	14/1
1956	日	2.71	1.95	5.18	6.23	9.60	11.69	17.28	13.95	10.58	7.82	6.26	2.70	1.95
1957	日	8	19	20	14	14	10	2	12	29	17	2	5	19/2
1958	日	3.26	2.61	4.25	5.23	7.94	-	16.89	17.69	11.58	7.48	3.39	4.04	-
1959	日	19	18	30	17	14	-	6	15	25	10	19	11	-
極 值	日 期	2.24	1.95	3.74	5.23	7.47	10.68	13.92	12.36	9.71	5.24	3.39	2.40	1.95
日 年	份	9	19	3	17	20	10	10	23	20	30	19	16	19/2
		1949	1952	1951	1953	1951	1951	1951	1951	1951	1951	1953	1951	1952
溫 州 $\varphi=28^{\circ}01'N$ $\lambda=120^{\circ}40'E$ $H=4.8M$														
平均絕對湿度(毫米)														
1950	日	7.93	6.50	8.93	11.19	15.71	19.59	24.57	23.32	20.11	16.10	10.24	6.53	14.23
1951	日	7.03	7.82	8.24	11.28	15.48	19.66	23.01	23.35	19.72	15.05	11.04	8.53	14.18
1952	日	6.62	6.88	8.60	11.62	16.98	20.14	24.11	23.64	21.11	13.22	11.84	6.77	14.29
1953	日	6.28	7.92	8.88	10.27	15.48	21.75	25.84	24.10	19.11	15.22	11.23	8.59	14.56
平 均		6.97	7.28	8.66	11.09	15.91	20.29	24.38	23.60	20.01	14.90	11.09	7.61	14.32
最大絕對湿度(毫米)														
1950	日	14.92	14.46	16.17	18.62	23.27	28.96	31.13	28.87	26.52	23.16	19.01	13.71	31.13
1951	日	18	9	7	17	18	28	11	21	5	16	4	13	11/7
1952	日	15.95	15.55	14.45	21.14	23.10	29.42	30.14	27.43	27.62	22.79	17.91	15.63	30.14
1953	日	9	23	11	27	30	21	16	24	9	20	15	25	16/7
1954	日	11.47	14.55	13.39	20.63	24.10	27.46	29.49	30.94	27.99	21.75	16.60	17.81	30.94
1955	日	28	12	18	29	3	19	6	2	6	10	14	1	2/8
1956	日	12.65	15.89	16.93	19.27	24.68	30.33	32.24	30.57	28.80	19.67	17.34	17.61	32.24
1957	日	11	13	25	29	22	21	17	27	4	7	16	2	17/7
極 值	日 期	15.95	15.89	16.93	21.14	24.68	30.33	32.24	30.94	28.80	23.16	19.01	17.81	32.24
日 年	份	9	13	25	27	22	21	17	2	4	16	4	1	17/7
		1951	1953	1953	1951	1953	1953	1953	1952	1953	1950	1950	1952	1953
最小絕對湿度(毫米)														
1950	日	4.04	2.58	3.20	4.50	7.75	12.50	20.57	16.39	12.58	6.93	3.76	3.10	2.58
1951	日	23	27	12	6	21	1	20	29	21	31	15	17	27/2
1952	日	2.40	4.63	2.97	6.71	9.37	10.65	18.22	15.59	10.49	9.06	3.84	2.56	2.40
1953	日	13	6	1	12	18	5	9	20	19	31	26	15	13/1
1954	日	2.83	2.31	5.14	5.61	11.63	15.39	19.98	17.74	11.67	6.80	7.36	2.20	2.20
1955	日	7	18	20	2	13	12	5	16	30	11	1	3	3/12
1956	日	2.71	3.24	4.44	5.80	6.89	15.79	17.53	18.28	12.56	9.97	3.99	3.75	2.71
1957	日	18	19	30	17	15	2,8	31	2	25	10	19	11	18/1
極 值	日 期	2.40	2.31	2.97	4.50	6.89	10.65	17.53	15.59	10.49	6.80	3.76	2.20	2.20
日 年	份	13	18	1	6	15	5	31	20	19	11	15	3	3/12
		1951	1952	1951	1950	1953	1951	1953	1951	1951	1952	1950	1952	1952

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
安 徽 安 慶		$\varphi=30^{\circ}32'N$ $\lambda=117^{\circ}02'E$ $H=26.3M$												
		平均绝对湿度(毫米)												
1951		4.65	5.70	6.99	10.32	15.44	18.92	22.59	23.84	17.13	13.37	8.40	6.52	12.82
1952		5.28	5.15	6.99	11.81	16.21	19.58	23.48	22.38	18.72	11.42	9.87	4.75	12.97
1953		4.56	6.27	7.85	9.84	15.23	19.92	25.40	24.31	16.13	12.72	8.43	5.78	13.04
平 均		4.83	5.71	7.28	10.66	15.63	19.47	23.82	23.51	17.33	12.50	8.90	5.68	12.94
		最大绝对湿度(毫米)												
1951	日	8.58	14.30	12.25	15.62	22.16	28.53	29.60	27.99	26.35	19.74	15.68	12.25	29.60
		6	22	10	26	4	24	22	5	4	9	14	21	22/7
1952	日	9.12	8.73	12.23	20.42	23.61	25.02	28.63	28.16	26.98	19.29	15.47	10.54	28.63
		21	10	29	30	3	29	30,31	12	11	20	11	1	30,31/7
1953	日	8.60	14.25	14.79	20.72	22.96	26.44	29.52	29.51	24.58	17.25	13.61	10.82	29.52
		11	11	24	28	21	25	24	12	2,3	19	8	1	24/7
極 值	日 期	9.12	14.30	14.79	20.72	23.61	28.53	29.60	29.51	26.98	19.74	15.68	12.25	29.60
日 年		21	22	24	28	3	24	22	12	11	9	14	21	22/7
		1952	1951	1953	1953	1952	1951	1951	1953	1952	1951	1951	1951	1951
		最小绝对湿度(毫米)												
1951	日	1.91	3.78	2.74	6.62	7.81	10.24	16.46	14.75	11.36	6.31	3.50	2.74	1.91
		14	10	2	11	17	5	9	20	19	28	23	15	14/1
1952	日	2.83	2.04	4.14	6.06	10.13	12.56	19.65	15.27	10.27	6.03	7.01	2.06	2.04
		7	19	20	13	13	10	4	19	29	11	21	2,3	19/2
1953	日	1.63	3.07	4.42	5.07	6.09	13.27	20.50	16.52	10.04	7.60	3.79	3.01	1.63
		17	18	29	23	13	7	1	30	14	1	19	10	17/1
極 值	日 期	1.63	2.04	2.74	5.07	6.09	10.24	16.46	14.75	10.04	6.03	3.50	2.06	1.63
日 年		17	19	2	23	13	5	9	20	14	11	23	2,3	17/1
		1953	1952	1951	1953	1953	1951	1951	1951	1953	1952	1951	1952	1953
湖 北 光化老河口		$\varphi=32^{\circ}25'N$ $\lambda=111^{\circ}40'E$ $H=91.4M$												
		平均绝对湿度(毫米)												
1951		3.85	4.74	5.98	8.76	14.23	16.02	20.87	21.56	14.10	12.41	7.73	5.20	11.29
1952		4.37	4.11	6.38	10.72	14.59	16.61	22.39	18.84	16.81	10.44	8.39	4.89	11.55
1953		4.39	5.26	7.22	9.14	13.11	17.68	24.51	22.35	13.64	11.22	7.57	5.13	11.77
平 均		4.20	4.70	6.53	9.54	13.98	16.77	22.59	20.92	14.85	11.36	7.90	5.07	11.54
		最大绝对湿度(毫米)												
1951	日	6.03	8.89	10.57	13.16	20.29	25.26	26.93	30.23	20.54	19.24	13.27	10.21	30.23
		29	22	26	30	22	30	21	6	3	10	13	21	6/8
1952	日	7.17	6.97	11.79	19.34	21.88	26.47	28.16	27.06	22.66	15.21	13.67	7.28	28.16
		27	11	31	30	1	29	29	1	10	1	10	31	29/7
1953	日	9.13	10.73	12.44	18.83	20.17	24.80	31.07	30.51	19.50	15.78	12.00	9.54	31.07
		9	28	24	27	30	21	13	11	2,3	16	5	1	13/7
極 值	日 期	9.13	10.73	12.44	19.34	21.88	26.47	31.07	30.51	22.66	19.24	13.67	10.21	31.07
日 年		9	28	24	30	1	29	13	11	10	10	10	21	13/7
		1953	1953	1953	1952	1952	1952	1953	1953	1952	1951	1952	1951	1953
		最小绝对湿度(毫米)												
1951	日	1.69	2.13	2.61	3.80	7.70	6.60	14.94	10.90	6.74	7.11	3.65	2.34	1.69
		13	5	12	13	25	8	3	21	19	23	23	15	13/1
1952	日	2.53	2.40	3.14	5.46	7.87	8.62	16.83	13.08	9.53	5.12	5.21	2.17	2.17
		25	18	24	14	29	11	4	24	25	15	13	3	3/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	1.92 17	2.80 18	2.90 25	4.24 10	5.46 13	9.56 1	19.44 2	15.18 27	7.90 28	6.94 1	3.62 18	3.24 3,4	1.92 17,1
極 日 年	值 期 份	1.69 13	2.13 5	2.61 12	3.80 13	5.46 13	6.60 8	14.94 3	10.90 21	6.74 19	5.12 15	3.62 18	2.17 3	1.69 13/1
		1951	1951	1951	1951	1953	1951	1951	1951	1951	1952	1953	1952	1951
武 漢 $\varphi = 30^{\circ}38'N$ $\lambda = 114^{\circ}17'E$ $H = 23.0 M$ 平均絕對湿度(毫米)														
1905	—	4.40	6.40	9.80	13.90	19.40	22.10	21.00	16.40	11.80	7.70	5.80	—	—
1906	—	—	—	—	—	—	23.50	22.00	17.50	11.60	7.70	6.70	—	—
1907	5.80	4.90	7.20	10.40	14.60	19.10	21.30	22.60	16.50	13.50	8.60	6.10	12.55	—
1908	5.30	5.30	7.40	10.30	14.60	20.20	23.00	21.70	16.80	12.50	8.70	6.10	12.66	—
1909	5.00	5.40	7.00	11.70	13.70	19.20	23.20	22.10	18.60	13.00	8.80	5.20	12.74	—
1910	4.80	5.00	7.00	10.50	14.40	18.70	22.40	22.60	15.60	11.50	8.00	4.30	12.07	—
1911	4.40	5.10	7.70	10.60	14.50	18.60	22.10	21.90	18.10	11.00	7.90	5.20	12.26	—
1912	4.70	5.80	6.70	11.60	14.80	19.60	22.90	20.20	15.20	10.70	7.10	4.90	12.02	—
1913	4.90	5.30	6.80(10.80)	14.00	19.60	21.20	21.00	14.50	10.40	7.60	4.60	11.73	—	—
1914	5.60	6.20	8.10	10.80	13.90	19.20	22.50	20.30	14.60	12.60	8.40	5.30	12.29	—
1915	4.50	5.10	6.80	9.20	14.30	18.90	20.90	21.90	16.00	12.70	8.60	6.10	12.08	—
1916	4.90	5.20	6.30	10.40	15.00	18.10	21.70	19.80	16.10	10.40	7.60	4.80	11.69	—
1917	3.60	5.00	6.50	10.10	12.70	19.60	21.80	21.10	16.40	11.00	6.60	3.90	11.53	—
1918	2.90	4.90	7.00	10.90	13.90	18.60	21.60	21.20	16.20	10.50	8.20	5.50	11.78	—
1919	4.80	5.60	8.80	12.40	14.80	19.50	21.90	21.40	15.50	10.60	7.40	4.80	12.29	—
1920	4.60	4.70	7.40	10.40	15.80	18.60	22.50	20.90	17.90	12.30	9.20	5.50	12.48	—
1921	4.00	5.80	6.70	11.20	15.20	17.90	22.30	21.40	16.10	11.50	7.80	5.90	12.15	—
1922	4.20	6.30	7.30	11.30	15.40	19.80	22.10	22.30	15.70	11.10	6.40	4.20	12.18	—
1923	3.80	4.60	8.50	10.50	14.60	18.50	21.30	22.10	15.10	10.20	7.50	5.40	11.84	—
1924	5.20	5.10	6.40	11.10	14.40	18.00	22.70	21.40	16.30	11.40	7.00	4.80	11.98	—
1925	4.30	4.50	7.10	8.40	14.80	18.70	20.80	20.90	14.80	11.20	9.00	5.30	11.65	—
1926	5.00	5.30	7.30	10.30	15.80	17.50	22.40	23.00	17.50	11.00	8.10	5.40	12.38	—
1927	5.00	5.00	6.70	10.20	13.80	18.50	23.90	22.70	15.90	11.70	7.90	5.60	12.24	—
1928	4.40	5.00	7.20	11.70	15.30	18.10	22.60	19.70	14.30	9.20	7.60	5.40	11.71	—
1929	4.60	5.20	6.60	10.60	15.00	19.20	23.10	22.50	15.50	11.40	7.20	4.90	12.15	—
1930	3.50	6.50	8.10	11.30	15.60	18.40	22.60	21.80	15.50	11.40	7.50	5.80	12.33	—
1931	4.80	5.00	8.40	10.40	14.60	18.90	20.90	22.70	17.20	11.00	8.60	5.60	12.34	—
1932	5.30	4.70	6.90	10.30	15.10	18.00	22.10	22.30	16.30	9.90	7.60	4.40	11.91	—
1933	3.70	5.50	6.60	10.90	15.60	19.10	23.10	22.10	16.90	10.60	8.10	6.40	12.38	—
1934	3.70	5.20	6.20	9.90	15.80	18.50	23.30	21.10	16.70	10.20	6.70	5.70	11.92	—
1935	4.40	5.90	8.20	10.70	13.80	18.30	21.70	21.50	15.60	13.30	8.30	4.40	12.18	—
1936	4.20	4.90	5.90	10.50	14.00	19.80	21.80	20.90	15.50	9.80	6.80	5.00	11.59	—
1939	4.80	5.70	7.70	10.20	14.20	17.90	22.60	21.50	15.20	11.90	7.80	4.70	12.02	—
1940	5.00	5.67	6.70	9.30	13.03	17.53	21.87	20.77	14.77	11.43	8.13	5.80	11.67	—
1950	5.78	4.94	8.21	11.39	15.51	18.21	23.78	22.05	16.49	12.64	7.57	4.82	12.62	—
1951	4.22	5.29	6.97	10.45	16.36	20.07	22.51	23.97	16.83	13.12	8.17	6.09	12.84	—
1952	5.01	4.91	7.15	12.28	15.94	19.57	23.36	20.89	18.04	11.40	9.41	4.70	12.72	—
1953	4.56	5.90	8.09	10.31	15.51	19.84	24.83	24.06	16.02	13.08	8.57	5.75	13.04	—
平 均	4.59	5.29	7.21	10.65	14.73	18.83	22.35	21.68	16.12	11.42	7.90	5.23	12.17	—
最大絕對湿度(毫米)														
1905	—	7.10	12.30	17.50	25.00	24.70	27.30	25.60	25.40	19.80	14.10	10.20	—	—
日	—	24	29	19	16	26	21	2,19	14	12	11	5	—	—
1923	7.20	6.70	15.40	17.20	20.80	25.10	25.50	25.00	24.90	16.40	11.50	7.80	25.50	—
日	20	14	27	10	26	28	25	7	2	29	6	19	25/7	—
1924	8.80	7.20	10.40	17.00	18.50	23.50	27.60	25.60	21.00	19.00	10.70	6.80	27.60	—
日	14	21	31	28	29	25	24	24	14	15	2	4	24/7	—
1925	5.80	7.00	10.60	12.80	24.00	25.50	25.50	26.80	20.10	15.70	11.50	8.90	26.80	—
日	27	26	14	20	22	24	1	15	2	1	16	25	15/8	—
1926	7.70	9.00	11.80	15.20	22.00	25.10	26.90	27.30	24.80	20.10	12.60	10.50	27.30	—
日	29	9	31	16	25	24	23	6	8	4	12	1	6/8	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1927	日	8.80	6.80	12.70	—	18.80	25.30	28.80	26.80	25.30	21.00	12.40	9.30	—
1928	日	5	15	31	—	22	14	14	1	1	9	1	5	—
1929	日	6.90	13.30	12.60	19.30	20.50	24.80	27.80	24.40	21.40	12.40	17.00	8.10	27.80
1929	日	25	29	1	29	24	27	26	3	3	6	6	1	26/7
1929	日	7.90	10.30	13.10	17.00	20.10	25.10	—	—	—	—	—	—	—
1950	日	13	22	24	24	24	15	—	—	—	—	—	—	—
1950	日	10.83	9.28	13.06	20.64	22.99	25.33	35.44	29.42	23.89	21.58	13.17	7.49	35.44
1951	日	27	25	5	15	18	26	13	10	2	15	22	13	13/7
1951	日	7.73	12.26	12.47	14.35	23.17	32.74	29.01	34.17	26.44	19.34	15.43	10.43	34.17
1952	日	31	22	26	25	30	24	31	8	6	3	13	21	8/8
1952	日	8.85	8.91	12.52	20.52	21.31	27.13	27.78	26.09	27.03	17.42	16.23	6.64	27.78
1953	日	28	11	15	30	3	30	29	1	6	20	11	31	29/7
1953	日	8.94	12.36	15.47	20.53	21.56	28.80	29.36	30.84	24.12	17.20	14.17	9.83	30.84
1953	日	11	11	24	28	21	25	16	12	2	8	6	1	12/8
極日	值	10.83	13.30	15.47	20.64	25.00	32.74	35.44	34.17	27.03	21.58	17.00	10.50	35.44
期	份	27	29	24	15	16	24	13	8	6	15	6	1	13/7
年	份	1950	1928	1953	1950	1905	1951	1950	1951	1952	1950	1928	1926	1950
最小絶対湿度(毫米)														
1905	日	—	2.10	3.50	4.90	7.80	13.30	14.10	15.50	9.60	4.90	4.10	0.80	0.80
1923	日	—	1	4	3	3	15	2,9	20	18	30	4	21	21/12
1924	日	1.80	2.80	4.90	6.30	9.10	12.40	15.10	16.60	8.90	4.40	3.90	2.70	1.80
1924	日	2	1	8	19	7	2	1	24	28	9	19	29	2/1
1925	日	2.80	2.60	3.60	4.80	10.30	12.00	16.90	13.90	11.60	6.20	2.70	2.10	2.10
1925	日	27	23	22	3	2	6	3	31	24	28	30	10	10/12
1926	日	2.50	2.30	3.10	4.30	9.50	9.80	16.50	15.20	9.60	8.10	4.20	2.50	2.30
1926	日	31	13	1	10	27	8	11	29	29	21	28,30	29	13/2
1926	日	2.60	2.10	4.30	5.70	9.00	10.60	15.20	16.30	11.30	5.10	4.80	3.00	2.10
1926	日	30	23	14	9	6	1	2	28	30	29	14	8	23/2
1927	日	3.10	2.90	4.20	—	8.20	12.50	19.30	15.00	10.50	5.00	4.80	2.60	—
1927	日	23	7	3	—	5	2	1	18	17	28	6,12	28,29	—
1928	日	1.60	1.70	4.40	7.10	8.10	11.30	17.20	12.10	4.80	5.30	4.40	3.10	1.60
1928	日	11	7	12,14	4	14	1	29	28	25	30	21	4	11/1
1929	日	3.00	2.50	3.50	5.10	10.70	11.10	—	—	—	—	—	—	—
1929	日	16	4	11	11	3	4	—	—	—	—	—	—	—
1950	日	3.41	2.75	3.12	6.25	7.85	8.55	17.05	13.73	10.30	6.96	3.13	1.82	1.82
1950	日	23	15	11	5	20	8	1	28	21	30	30	24	24/12
1951	日	1.70	2.60	2.49	5.58	9.66	13.33	17.15	12.76	10.37	6.67	3.36	2.34	1.70
1951	日	14	5	2	19	1	17	5	21	30	27	23	15	14/1
1952	日	2.36	2.29	4.07	6.95	11.72	11.97	19.62	12.81	8.81	5.97	5.36	2.00	2.00
1952	日	7	18	19	12	13	9	4	18	26	10,11	14	3	3/12
1953	日	1.36	3.12	4.69	4.87	4.99	12.46	20.51	15.69	7.72	7.66	3.79	3.11	1.36
1953	日	18	18	27	12	13	7	1	29	30	20	19	23	18/1
極日	值	1.36	1.70	2.49	4.30	4.99	8.55	14.10	12.10	4.80	4.40	2.70	0.80	0.80
期	份	18	7	2	10	13	8	2,9	28	25	9	30	21	21/12
年	份	1953	1928	1951	1925	1953	1950	1905	1928	1928	1923	1924	1905	1905
沙 市 $\varphi=30^{\circ}18'N$ $\lambda=112^{\circ}15'E$ $H=50.0M$														
平均絶対湿度(毫米)														
1905	日	—	4.50	6.40	9.90	13.80	19.10	22.20	20.80	15.70	12.00	8.10	5.70	—
1906	日	5.20	4.80	7.50	11.00	14.90	19.80	23.00	21.10	16.40	11.00	6.60	5.60	12.24
1907	日	5.10	4.90	7.00	10.60	14.20	18.20	20.90	22.30	15.80	12.70	8.20	6.10	12.17
1908	日	5.30	5.40	7.30	9.70	14.20	19.60	23.00	22.20	16.10	11.90	8.30	5.50	12.38
1909	日	4.50	5.10	6.40	11.70	14.20	17.80	21.60	21.40	16.30	11.80	9.00	5.40	12.10
1910	日	5.00	5.20	6.80	10.20	14.40	18.40	22.40	22.50	15.20	12.00	8.20	4.60	12.08
1911	日	4.50	5.10	7.80	11.10	14.40	17.80	22.20	20.90	17.40	11.30	8.00	5.10	12.13
1912	日	4.90	6.30	6.90	—	—	20.60	22.80	20.00	14.40	10.80	7.20	5.00	—
1913	日	5.00	5.30	6.90	11.10	15.30	19.90	21.90	22.40	14.30	11.10	8.00	5.20	12.20
1914	日	6.00	6.50	8.70	11.60	14.50	19.70	23.70	21.50	15.70	12.70	8.60	5.50	12.89
1915	日	4.90	5.00	7.30	9.60	15.30	19.50	22.00	22.60	16.80	13.10	8.90	6.80	12.65
1916	日	5.20	5.10	6.70	11.20	15.30	19.00	21.70	20.50	16.30	11.10	7.80	5.30	12.10
1917	日	4.30	5.70	7.10	10.40	14.00	20.40	23.00	21.90	18.10	11.90	7.00	4.50	12.36
1918	日	3.60	5.20	7.40	11.10	14.70	18.40	21.60	21.10	16.50	11.00	8.20	5.20	12.00

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1919		4.90	6.00	8.60	12.60	15.50	19.40	21.90	21.60	15.70	11.00	7.70	4.80	12.48
平 均		4.88	5.33	7.35	10.92	14.68	19.07	22.22	21.69	16.20	11.74	8.04	5.35	12.29
恩 施 $\varphi=30^{\circ}16'N$ $\lambda=109^{\circ}22'E$ $H=434.6M$														
平均绝对湿度(毫米)														
1951		5.41	6.27	7.48	9.93	14.88	17.16	21.01	21.01	15.60	13.65	9.22	7.03	12.39
1952		6.17	5.90	7.88	12.60	15.47	17.49	21.90	19.69	16.66	11.50	9.73	5.89	12.57
1953		5.58	6.49	8.56	10.13	14.27	17.94	22.80	21.41	14.92	12.50	8.99	6.88	12.54
平 均		5.72	6.22	7.97	10.89	14.87	17.53	21.90	20.70	15.73	12.55	9.31	6.60	12.50
最大绝对湿度(毫米)														
1951		8.73	10.86	15.51	13.63	22.39	24.51	25.13	26.30	23.28	20.90	16.61	10.02	26.30
日		31	22	9	26	26	24	6	5	4	15	1	25	5/8
1952		8.82	9.50	12.84	25.24	19.87	24.98	25.88	25.07	24.38	16.60	14.88	10.57	25.88
日		28	13	15	15	3	30	26	5	10	1	12	1	26/7
1953		8.06	10.99	12.51	17.17	19.97	25.15	27.54	27.50	21.19	16.23	13.29	10.57	27.54
日		2	28	24	28	21	21	14	15	5	17	8	1,2	14/7
極日	值	8.82	10.99	15.51	25.24	22.39	25.15	27.54	27.50	24.38	20.90	16.61	10.57	27.54
年	期	28	28	9	15	26	21	14	15	10	15	1	3	14/7
	份	1952	1953	1951	1952	1951	1953	1953	1953	1952	1951	1951	1952	1953
最小绝对湿度(毫米)														
1951		2.71	4.17	3.17	6.12	9.27	9.45	16.59	12.91	8.35	8.08	5.14	4.76	2.71
日		15	12	2	11	25	18	24	18	21	24	24	29	15/1
1952		3.70	2.81	4.80	7.55	11.13	10.90	17.77	12.01	8.26	7.15	6.25	3.90	2.81
日		19	17,18	24	24	31	11	11	25	25	25	19	2	17,18/2
1953		3.59	3.71	4.91	6.14	6.81	9.87	16.03	14.13	10.53	7.72	5.18	4.79	3.59
日		13,14	18	31	12	14	7	31	31	8	31	18	5	13,14/1
極日	值	2.71	2.81	3.17	6.12	6.81	9.45	16.03	12.01	8.26	7.15	5.14	3.90	2.71
年	期	15	17,18	2	11	14	18	31	25	25	25	24	2	15/1
	份	1951	1952	1951	1951	1953	1951	1953	1952	1952	1952	1951	1952	1951
湖 南 常 德 $\varphi=28^{\circ}55'N$ $\lambda=111^{\circ}33'E$ $H=34.4M$														
平均绝对湿度(毫米)														
1934		4.07	5.93	7.14	10.53	16.41	18.78	22.14	21.47	17.53	10.72	7.86	-	-
1935	(4.90)	6.07	8.79	10.98	14.25	18.91	22.41	22.07	15.33	13.74	8.34	4.73	12.54	-
1936		4.50	5.28	5.32	11.47	14.69	20.30	22.78	21.58	15.78	10.24	8.28	5.61	12.34
1937		4.85	5.95	8.24	11.15	15.99	19.38	23.91	23.83	17.66	12.54	8.30	-	-
1938		4.45	5.79	7.50	11.13	15.33	19.24	22.57	-	-	-	-	-	-
1951		4.82	5.55	7.44	10.43	17.27	19.81	22.89	23.30	16.68	14.16	9.24	7.20	13.23
1952		6.03	5.37	7.55	13.31	16.49	20.42	24.64	21.41	18.78	11.92	9.53	5.41	13.41
1953		5.40	6.51	8.71	11.27	16.64	20.75	24.83	24.24	16.61	13.87	9.13	6.31	13.69
平 均		5.42	5.81	7.90	11.67	16.80	20.33	24.12	22.98	17.36	13.32	9.30	6.31	13.44
最大绝对湿度(毫米)														
1934		6.74	9.34	13.55	19.58	24.63	27.34	30.26	28.75	24.74	17.44	11.58	-	-
日		4	21	24	21	31	25	18	10	-	13	17	-	-
1935	(8.15)	9.14	15.42	19.70	21.90	27.31	30.00	27.42	24.32	18.49(18.45)	8.56	30.00	-	-
日		11	28	19	17	23	28	13	5	10	1	6	13/7	-
1936		7.03	10.04	13.05	24.16	21.30	27.24	29.75	28.57	25.80	16.81	12.04	9.42	29.75
日		30	16	28	21	14	30	31	14	4	6	3	15	31/7
1937		8.69	10.07	15.81	21.83	22.86	27.59	29.72	31.65	27.80	17.40	13.05	-	-
日		2	4	23	11	18	30	31	1	6	7	15	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	8.39	13.55	13.05	14.02	26.59	28.52	29.49	30.79	27.53	23.05	16.69	11.36	30.79
	日	31	22	10	9	26	20	24	28	6	19	13	22	28/8
1952	日	10.97	10.37	14.60	22.31	23.85	28.44	30.08	28.55	29.05	19.36	17.35	9.22	30.08
	日	21	11	15	27	16	30	3	4	11	1	10	31	3/7
1953	日	9.79	12.83	14.93	23.81	23.88	29.13	32.09	31.80	22.46	17.83	14.44	10.45	32.09
	日	9	11	24	28	20	24	18	15	10	3	6	1	18/7
極日	值	10.97	13.55	14.93	23.81	26.59	29.13	32.09	31.80	29.05	23.05	17.35	11.36	32.09
年	期	21	22	24	28	26	24	18	15	11	19	10	22	18/7
	份	1952	1951	1953	1953	1951	1953	1953	1952	1951	1952	1951	1951	1953
* 最小绝对湿度(毫米)														
1934	日	2.60	3.29	3.07	5.60	10.56	12.67	14.72	16.45	12.01	6.11	4.47	-	-
	日	20	8	5	14	24	11	21	14	-	25	19	-	-
1935	日	(2.88)	3.41	4.07	7.52	7.54	10.83	15.27	16.00	6.42	9.53	4.02	2.89	2.88
	日	16	15	20	1	14	3	1	28	13	30	17	12	16/1
1936	日	2.10	3.33	3.29	5.91	9.05	9.61	16.48	16.03	8.18	5.46	3.75	3.10	2.10
	日	17	6	4	11	3	2	4	28	30	26	27	20	17/1
1937	日	2.84	2.53	3.76	7.40	10.94	13.33	17.64	16.85	10.87	8.17	4.05	-	-
	日	12	13	25	4	3	12	16	28	14	16	22	-	-
* * *														
1951	日	1.91	3.38	2.72	6.69	10.93	12.92	18.14	12.10	10.60	8.04	4.05	3.25	1.91
	日	13	5	1	2,3	1	5	14	22	21	22	22	15	13/1
1952	日	3.28	2.76	4.23	6.64	11.27	13.84	18.98	14.29	10.04	7.54	5.69	2.71	2.71
	日	7	17	5	24	31	13	13	27,28	26	11	14	3	3/12
1953	日	2.70	3.33	4.71	6.15	7.05	13.06	20.76	16.74	10.79	8.77	4.33	4.45	2.70
	日	18	18	27	12	13	7	9	31	30	31	20	6	18/1
極日	值	1.91	2.76	2.72	6.15	7.05	12.92	18.14	12.10	10.04	7.54	4.05	2.71	1.91
年	期	13	17	1	12	13	5	14	22	26	11	22	3	13/1
	份	1951	1952	1951	1953	1953	1951	1951	1951	1952	1952	1951	1952	1951
長 沙 $\varphi=28^{\circ}15'N$ $\lambda=112^{\circ}50'E$ $H=60.0M$														
平均绝对湿度(毫米)														
1932	日	-	-	-	-	-	-	-	21.56	17.00	10.67	8.63	5.17	-
1933	日	4.13	6.25	7.26	11.87	16.19	19.84	23.13	21.59	17.78	11.27	8.79	6.92	12.92
1934	日	4.31	5.80	7.23	10.55	16.79	19.17	21.72	20.18	17.25	10.61	7.97	6.15	12.31
1935	日	5.09	6.40	9.33	11.54	15.15	19.24	21.60	21.56	16.10	14.43	9.13	5.11	12.89
1936	日	4.81	5.54	6.75	11.47	15.15	20.12	21.94	21.07	15.89	10.41	8.03	5.83	12.25
1937	日	4.89	5.83	7.99	11.49	15.66	19.07	22.45	22.47	18.24	12.68	8.32	-	-
1938	日	4.65	6.00	8.20	13.29	17.23	19.93	22.38	-	-	-	-	-	-
1951	日	5.03	5.86	7.82	10.98	17.07	20.49	23.92	23.33	18.15	14.05	9.48	7.27	13.62
1952	日	6.19	5.72	7.92	13.25	17.38	20.97	23.92	21.98	18.82	12.31	10.03	5.26	13.65
1953	日	5.50	6.68	9.16	11.14	16.33	20.58	23.63	23.85	17.51	14.48	9.56	6.58	13.75
平 均		5.01	6.04	7.92	11.54	16.29	20.06	22.84	21.94	17.36	12.51	9.00	6.16	13.06
最大绝对湿度(毫米)														
1932	日	-	-	-	-	-	-	-	27.82	23.75	17.53	15.60	8.92	-
	日	-	-	-	-	-	-	-	7	20	17	24	18	-
1933	日	7.63	9.09	16.08	19.59	22.28	25.09	27.47	27.10	21.22	20.46	12.39	9.99	27.47
	日	9	23	20	30	18	18	17	5	22	5	1	4	17/7
1934	日	6.31	10.09	14.15	17.12	25.15	26.14	28.30	24.36	23.50	19.18	12.79	9.31	28.30
	日	3	22	25	26	30	24	15	8	2	13	17	16	15/7
1935	日	9.24	9.35	16.43	20.36	22.39	26.97	26.06	25.91	23.46	20.28	19.02	8.75	26.97
	日	12	28	19	27	25	28	14	24	8	13	2	6	28/6
1936	日	7.88	10.14	14.16	19.89	22.41	26.85	26.37	26.23	24.18	16.42	12.73	11.57	26.85
	日	30	16	28	27	23	29	27	20	4	7	3	16	29/6
1937	日	7.44	10.20	16.40	21.25	22.33	24.84	27.41	26.69	24.24	18.42	13.88	-	-
	日	4	20	23	20	25	5	31	2	4	2	6	-	-
1951	日	9.41	13.07	14.40	14.59	23.60	27.23	28.61	28.63	26.39	20.24	16.73	13.30	28.63
	日	31	22	10	25	28	20	30	31	4	19	14	25	31/8
1952	日	11.87	11.89	16.18	26.91	23.68	30.34	32.65	26.86	27.34	19.74	17.88	11.98	32.65
	日	28	11	29	27	3	30	22	3	11	9	11	1	22/7
1953	日	9.76	14.02	16.73	20.31	24.42	27.73	29.29	30.19	24.98	19.61	14.96	11.32	30.19
	日	11	11	24	28	20	25	3	10	3	18	6	1	10/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日	值期	11.87	14.02	16.73	26.91	25.15	30.34	32.65	30.19	27.34	20.46	19.02	13.30	32.65
年	份	28	11	24	27	30	30	22	10	11	5	2	25	22/7
		1952	1953	1953	1952	1934	1952	1952	1953	1952	1933	1935	1951	1952
最小绝对湿度(毫米)														
1932	日	-	-	-	-	-	-	-	14.68	11.02	6.93	4.00	2.78	-
	日	-	-	-	-	-	-	-	21	27	10	16	12	-
1933	日	2.29	4.42	4.12	7.05	6.14	13.18	19.14	16.80	12.52	4.08	4.84	4.57	2.29
	日	14	2	12	8	3	6	1	28	29	23	18	16	14/1
1934	日	2.30	3.04	3.76	5.73	10.38	13.11	16.40	16.04	10.86	4.82	4.76	2.86	2.30
	日	24	5	5	14	1	11	30	6	8	26	27	5	24/1
1935	日	2.70	4.07	5.20	7.40	9.24	9.20	16.13	17.41	7.64	9.90	5.19	3.13	2.70
	日	18	12	21	2	7	3	8	28	13	30	18	22	18/1
1936	日	2.11	3.42	2.88	6.50	10.69	13.57	16.80	13.80	8.55	4.79	3.84	3.55	2.11
	日	18	26	1	4	4	8	5	29	26	26	27	26	18/1
1937	日	2.57	2.97	4.19	6.77	9.50	12.86	17.59	18.27	12.23	5.88	3.97	-	-
	日	11	2	25	5	29	1	9	24	27	16	25	-	-
1951	日	2.46	3.69	2.89	6.63	9.93	13.27	20.13	14.39	11.42	7.62	3.69	3.46	2.46
	日	13	5	2	19	19	5	17	20	19	24	22	14	13/1
1952	日	3.39	2.83	5.02	7.01	12.52	13.88	16.98	14.02	9.74	6.13	6.57	2.17	2.17
	日	7	19	5	25	14	10	6	18	25	11	14	3	3/12
1953	日	3.03	3.65	4.77	6.37	7.90	12.10	16.43	16.58	10.58	9.71	4.15	4.28	3.03
	日	18	21	27	1	14	7	29	31	15	31	19	10	18/1
極日	值期	2.11	2.83	2.88	5.73	6.14	9.20	16.13	13.80	7.64	4.08	3.69	2.17	2.11
年	份	18	19	1	14	3	3	8	29	13	23	22	3	18/1
		1936	1952	1936	1934	1933	1935	1935	1936	1935	1933	1951	1952	1936
芷 江 $\varphi=27^{\circ}27'N$ $\lambda=109^{\circ}38'E$ $H=266.5M$														
平均绝对湿度(毫米)														
1951		4.91	5.66	7.38	10.12	16.50	16.59	21.83	21.43	16.20	13.70	9.24	7.14	12.73
1952		5.90	5.38	7.33	12.88	16.67	19.00	23.06	21.26	18.05	11.97	9.68	5.16	13.03
1953		5.49	6.61	8.82	10.61	15.71	19.62	22.39	21.87	15.71	13.49	9.09	6.29	12.98
平 均		5.43	5.86	7.84	11.20	16.29	19.07	22.43	21.52	16.65	13.05	9.34	6.20	12.91
最大绝对湿度(毫米)														
1951	日	9.09	11.87	14.23	13.44	24.54	24.61	26.11	25.90	24.36	20.72	15.88	12.67	26.11
	日	31	22	10	24	13	30	31	12	5	18	14	24	31/7
1952	日	10.31	9.61	15.27	20.67	23.68	25.83	27.68	26.48	25.37	20.29	18.91	11.19	27.68
	日	22	12	15	10	3	30	28	9	11	20	11	1	28/7
1953	日	9.76	13.00	15.88	19.39	22.44	25.14	26.76	26.02	22.82	19.54	13.73	12.02	26.76
	日	11	12	10	28	21	26	4	6	10	18	5	1	4/7
極日	值期	10.31	13.00	15.88	20.67	24.54	25.83	27.68	26.48	25.37	20.72	18.91	12.67	27.68
年	份	22	12	10	10	13	30	28	9	11	18	11	24	28/7
		1952	1953	1953	1952	1951	1952	1952	1952	1952	1951	1952	1951	1952
最小绝对湿度(毫米)														
1951	日	1.89	3.70	2.62	6.74	11.89	12.61	16.08	13.38	9.86	7.86	3.82	3.18	1.89
	日	14	18	3	3	2	4	1	20	27	22	23	14	14/1
1952	日	3.58	2.20	4.69	7.37	12.34	13.65	19.19	14.97	10.53	7.96	6.27	2.75	2.20
	日	3,8	18	5	16	31	11	13	26	27	11,24	14	3	18/2
1953	日	3.30	3.35	4.86	5.97	6.63	13.86	17.16	16.00	9.50	7.63	4.58	4.02	3.30
	日	18	19	28	12	13	8	31	31	30	22	20	11	18/1
極日	值期	1.89	2.20	2.62	5.97	6.63	12.61	16.08	13.38	9.50	7.63	3.82	2.75	1.89
年	份	14	18	3	12	13	4	1	20	30	22	23	3	14/1
		1951	1952	1951	1953	1953	1951	1951	1951	1953	1953	1951	1952	1951
邵 陽 $\varphi=27^{\circ}15'N$ $\lambda=111^{\circ}23'E$ $H=250.0M$														
平均绝对湿度(毫米)														
1951		4.77	5.56	7.18	10.09	16.23	18.87	21.64	21.47	16.75	13.82	9.32	7.12	12.74
1952		6.02	5.47	7.67	12.81	16.59	18.94	22.77	20.87	18.05	11.99	9.50	4.88	12.96
1953		5.40	6.63	8.99	10.70	16.01	19.33	21.41	21.25	15.35	13.48	9.13	6.26	12.83

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均		5.40	5.89	7.95	11.20	16.28	19.05	21.94	21.20	16.72	13.10	9.32	6.09	12.84
最大绝对湿度(毫米)														
1951	日	8.99	13.02	13.19	14.55	23.14	24.06	25.92	25.57	24.98	21.36	17.80	15.21	25.92
1951	月	5	22	10	26	26	3	21	4	4	5	14	25	21/7
1952	日	11.21	11.35	16.25	21.02	22.01	27.77	26.80	25.79	24.53	21.91	16.66	11.86	27.77
1952	月	28	12	29	10,11	2,3	30	5	12	11	20	11	1	30/6
1953	日	10.54	13.51	16.39	20.09	23.76	24.95	25.96	24.39	22.13	19.74	15.34	12.32	25.96
1953	月	10,11	12	24	28	21	27	4	20	10,11	18	8	1	4/7
極 值	日 期	11.21	13.51	16.39	21.02	23.76	27.77	26.80	25.79	24.98	21.91	17.80	15.21	27.77
日 年	份	28	12	24	10,11	21	30	5	12	4	20	14	25	30/6
		1952	1953	1953	1952	1953	1952	1952	1952	1951	1952	1951	1951	1952
最小绝对湿度(毫米)														
1951	日	1.38	3.58	2.52	6.15	8.21	13.80	16.05	13.55	9.15	6.76	3.88	2.69	1.38
1951	月	13	4	2	3	19	18	1	22	19	24	23	15	13/1
1952	日	3.09	2.39	4.38	6.35	12.27	12.44	17.55	15.01	8.86	6.35	6.26	1.34	1.34
1952	月	6	18	5	24	13	10	17	18	26	31	14	4	4/12
1953	日	2.85	3.23	4.71	6.13	7.64	11.98	14.99	14.71	9.09	8.35	3.84	4.27	2.85
1953	月	12	18	27,28	12	13	17	30	31	29	20	19	10	12/1
極 值	日 期	1.38	2.39	2.52	6.13	7.64	11.98	14.99	13.55	8.86	6.35	3.84	1.34	1.34
日 年	份	13	18	2	12	13	17	30	22	26	31	19	4	4/12
		1951	1952	1951	1953	1953	1953	1953	1951	1952	1952	1953	1952	1952
衡 陽 $\varphi = 26^{\circ}56'N$ $\lambda = 112^{\circ}30'E$ $H = 94.0 M$														
平均绝对湿度(毫米)														
1932		-	-	-	-	-	-	-	22.24	18.27	12.42	9.97	6.06	-
1933		4.52	6.71	8.01	13.66	17.13	21.67	23.73	21.89	17.95	11.77	9.23	7.37	13.64
1934		4.57	6.23	7.98	11.46	17.73	19.92	21.51	20.52	17.12	10.93	8.71	6.59	12.77
1935		5.51	6.84	10.58	12.23	16.20	20.35	22.05	21.87	16.55	15.00	9.58	5.53	13.52
1936		5.27	6.03	7.15	12.28	16.08	21.36	22.05	22.22	16.49	10.90	8.75	6.35	12.91
1937		5.33	6.38	8.78	12.57	16.98	20.34	23.00	22.97	18.74	12.74	8.78	6.98	13.63
1938		5.32	6.30	8.54	13.86	17.50	19.56	20.78	-	-	-	-	-	-
1951		5.35	6.19	8.03	11.05	16.97	19.92	23.02	22.06	17.67	14.26	9.76	7.52	13.48
1952		6.52	5.94	8.26	13.54	17.79	20.00	23.54	21.95	19.09	12.77	10.10	5.37	13.74
1953		5.84	7.04	9.63	11.49	16.94	20.90	23.56	23.37	17.46	14.86	9.98	6.94	14.00
平 均		5.36	6.42	8.55	12.29	16.98	20.56	22.81	22.11	17.63	12.90	9.36	6.58	13.46
最大绝对湿度(毫米)														
1932	日	-	-	-	-	-	-	-	27.43	25.64	18.42	17.30	10.37	-
1933	月	-	-	-	-	-	-	-	7	20	2	24	18	-
1934	日	8.41	10.15	19.60	30.62	24.65	30.90	29.42	27.34	23.03	22.10	19.35	10.52	30.90
1934	月	10	23	21	7	27	5	12	12	25	4	25	25	5/6
1934	日	6.73	10.71	15.08	20.70	24.89	26.52	27.32	25.00	22.47	19.72	13.40	10.04	27.32
1934	月	3	22	25	27	21	25	5	28	4	13	25	16	5/7
1935	日	9.86	10.31	19.09	20.91	22.63	26.75	27.37	25.22	25.87	20.16	18.10	10.75	27.37
1935	月	12	19	25	27	24	24	13	25	9	13	2	7	13/7
1936	日	8.66	11.28	14.94	19.96	22.88	28.06	26.97	28.88	24.53	16.66	17.59	14.24	28.88
1936	月	30	16	28	27	23	30	2	22	14	7	3	16	22/8
1937	日	8.04	11.69	18.69	21.72	23.52	25.93	28.45	26.71	29.86	19.46	18.21	-	-
1937	月	4	20	23	20	25	5	3	1	1	2	16	-	-
1951	日	9.55	13.68	14.61	15.99	22.38	25.74	26.66	26.64	25.19	20.66	19.48	16.59	26.66
1951	月	1	22	10	26	28	20	8	4	1	4	14	25	8/7
1952	日	12.76	11.92	19.55	20.84	24.51	26.40	28.46	26.92	27.02	22.42	16.83	12.52	28.46
1952	月	28	12	29	30	10	18	5	11	10	9	12	1	5/7
1953	日	10.62	13.62	18.38	20.57	25.13	26.90	28.33	28.03	27.75	20.82	16.88	12.08	28.33
1953	月	11	12	24	28	21	27	4	11	3	18	7	1	4/7
極 值	日 期	12.76	13.68	19.60	30.62	25.13	30.90	29.42	28.88	29.86	22.42	19.48	16.59	30.90
日 年	份	28	22	21	7	21	5	12	22	1	9	14	25	5/6
		1952	1951	1933	1933	1953	1933	1933	1936	1937	1952	1951	1951	1933

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)														
1932	日	-	-	-	-	-	-	-	16.86	13.40	8.19	4.57	3.32	-
	日	-	-	-	-	-	-	-	29	28	19	14.22	7	-
1933	日	2.23	4.57	4.57	7.59	6.97	15.00	18.75	10.57	13.35	4.98	5.77	4.70	2.23
	日	28	22	14	10	3	8	14	30	16	25	7.18	24	28/1
1934	日	2.37	3.82	4.55	6.08	9.87	13.76	16.38	16.22	11.25	5.31	5.28	3.20	2.37
	日	25	3.6	15	14	9	11	31	3	20	26	28	5	25/1
1935	日	3.39	4.62	5.82	7.81	9.26	9.33	17.13	16.69	6.88	10.22	5.57	3.77	3.39
	日	16	12	21	1	15	3	1	19	14	26	18	14	16/1
1936	日	2.97	4.03	3.44	7.12	11.28	14.30	16.52	16.72	7.79	5.81	3.95	3.97	2.97
	日	18	6	4	11	25	8	6	29	27	18	27	20	18/1
1937	日	3.62	3.68	4.46	7.60	11.61	12.89	18.50	18.42	13.13	5.44	3.81	-	-
	日	6	12	12	5	1	1	9	24	15	16	24	-	-
1951	日	2.39	3.64	3.17	7.24	11.59	13.48	19.04	11.82	10.48	8.27	3.87	2.98	2.39
	日	13	14	2	3	17	5	25	20	20	24	23	15	13/1
1952	日	2.79	2.97	5.02	7.44	12.36	12.57	18.74	15.74	10.19	6.83	6.96	2.12	2.12
	日	7	18	5	13	14	10	6	18	26	11	21	3	3/12
1953	日	3.56	3.80	5.06	7.27	10.54	13.67	20.62	16.87	11.12	9.98	3.94	4.33	3.56
	日	18	18	28	12	13	12	30	31	24	31	19	10	18/1
極日	值	2.23	2.97	3.17	6.08	6.97	9.33	16.38	10.57	6.88	4.98	3.81	2.12	2.12
年	期	28	18	2	14	3	3	31	30	14	25	24	3	3/12
	份	1933	1952	1951	1934	1933	1935	1934	1933	1935	1933	1937	1952	1952
零 陵 $\varphi=26^{\circ}22'N$ $\lambda=111^{\circ}31'E$ $H=164.0M$														
平均绝对湿度(毫米)														
1951	日	5.48	6.34	(8.76)	11.05	16.78	20.43	22.44	22.48	18.20	14.90	9.98	7.67	13.71
1952	日	6.67	6.25	8.67	13.81	18.50	20.77	23.81	22.53	19.68	13.09	10.29	5.53	14.13
1953	日	6.01	7.40	10.03	11.69	17.56	21.09	22.39	22.41	17.48	15.12	10.00	7.06	14.02
平 均		6.05	6.66	9.15	12.18	17.61	20.76	22.88	22.47	18.45	14.37	10.09	6.76	13.95
最大绝对湿度(毫米)														
1951	日	9.94	13.45	(13.63)	16.03	24.14	27.53	29.00	27.81	27.44	21.51	18.98	16.39	29.00
	日	31	21	11	26	30	26	16	24	3	12	14	25	16/7
1952	日	12.57	14.88	19.95	23.84	25.11	26.83	29.25	28.35	28.68	22.36	17.70	13.10	29.25
	日	28	12	18	30	3	8	22	13	11	9	12	1	22/7
1953	日	10.99	13.87	18.30	22.13	25.06	25.88	25.97	27.16	25.54	22.91	20.81	12.46	27.16
	日	11	11	25	28	7	30	5	4	3	18	8	1	4/8
極日	值	12.57	14.88	19.95	23.84	25.11	27.53	29.25	28.35	28.68	22.91	20.81	16.39	29.25
年	期	28	12	18	30	3	26	22	13	11	18	8	25	22/7
	份	1952	1952	1952	1952	1952	1951	1952	1952	1952	1953	1953	1951	1952
最小绝对湿度(毫米)														
1951	日	2.36	3.89	(5.56)	6.81	9.05	15.22	15.89	15.11	11.41	7.32	3.98	2.46	2.36
	日	13	5	14	11	19	28	21	22	21	25	23	15	13/1
1952	日	2.78	3.19	5.09	7.30	14.26	14.57	19.76	16.27	11.41	8.09	6.87	2.56	2.56
	日	7	19	6	24	14	2	9	19	27	11	14.15	3	3/12
1953	日	3.87	4.13	5.42	7.11	10.09	15.24	18.44	17.00	12.53	9.62	3.83	4.31	3.83
	日	18	21	27.28	12	14	8	30	31	30	20	19	11	19/11
極日	值	2.36	3.19	5.09	6.81	9.05	14.57	15.89	15.11	11.41	7.32	3.83	2.46	2.36
年	期	13	19	6	11	19	2	21	22	21.27	25	19	15	13/1
	份	1951	1952	1952	1951	1951	1952	1951	1951	1951	1951	1953	1951	1951
江 西 九 江 $\varphi=29^{\circ}45'N$ $\lambda=115^{\circ}55'E$ $H=28.0M$														
平均绝对湿度(毫米)														
1951	日	4.52	5.46	7.12	10.31	15.17	18.73	22.99	24.14	17.74	14.05	8.90	6.60	12.98
1952	日	5.41	5.13	7.08	12.23	16.43	19.71	22.93	22.57	19.19	11.91	10.02	4.86	13.12
1953	日	4.75	6.38	8.14	10.06	15.77	20.36	25.33	24.42	17.73	13.75	9.00	6.47	13.51

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均		4.89	5.66	7.45	10.87	15.79	19.60	23.75	23.71	18.22	13.24	9.31	5.98	13.20
最大绝对湿度(毫米)														
1951	日	8.65	12.37	12.52	15.18	21.34	28.06	29.30	34.28	30.08	20.77	16.26	12.99	34.28
		5	22	26	26	30	24	22	8	4	19	14	25	8/8
1952	日	9.68	9.03	12.25	20.57	23.49	26.65	27.53	27.44	26.47	19.06	15.70	11.37	27.53
		21	12	29	30	3	18	6	3	10	20	10	1	6/7
1953	日	9.24	13.24	15.79	21.02	22.28	26.47	29.84	30.64	25.95	17.72	14.11	12.17	30.64
		11	11	10	28	21	24	19	11	2	19	8	1	11/8
極 值	日期	9.68	13.24	15.79	21.02	23.49	28.06	29.84	34.28	30.08	20.77	16.26	12.99	34.28
日 年	份	21	11	10	28	3	24	19	8	4	19	14	25	8/8
		1952	1953	1953	1953	1952	1951	1953	1951	1951	1951	1951	1951	1951
最小绝对湿度(毫米)														
1951	日	1.49	2.82	2.41	6.24	8.89	10.74	16.52	13.88	11.58	6.61	3.97	2.45	1.49
		14	17	1	2	2	4	9	21	20	28	24	15	14/1
1952	日	2.45	2.15	4.85	6.49	11.42	13.95	19.35	15.55	9.54	5.78	6.51	2.26	2.15
		7	19	4	13	8	10	1	18	26	11	1	3	19/2
1953	日	1.78	2.84	4.47	5.03	6.60	14.26	20.74	16.46	12.21	8.95	4.13	4.19	1.78
		18	18	29	12	13	13	26	30	14	31	19	11	18/1
極 值	日期	1.49	2.15	2.41	5.03	6.60	10.74	16.52	13.88	9.54	5.78	3.97	2.26	1.49
日 年	份	14	19	1	12	13	4	9	21	26	11	24	3	14/1
		1951	1952	1951	1953	1953	1951	1951	1951	1952	1952	1951	1952	1951
南 昌 $\varphi=28^{\circ}40'N$ $\lambda=115^{\circ}58'E$ $H=27.8M$														
平均绝对湿度(毫米)														
1951		5.24	6.13	7.59	11.20	16.66	19.82	23.50	22.97	18.44	14.11	9.22	7.14	13.50
1952		5.94	5.75	7.87	13.14	17.60	20.23	24.17	22.68	20.07	12.45	10.34	5.12	13.78
1953		5.33	7.03	8.87	11.02	16.75	21.15	24.93	24.25	17.54	14.17	9.65	6.90	13.97
平 均		5.50	6.30	8.11	11.79	17.00	20.40	24.20	23.30	18.68	13.58	9.74	6.39	13.75
最大绝对湿度(毫米)														
1951	日	10.22	13.85	12.57	16.50	23.21	27.43	28.45	29.30	26.90	20.31	16.50	14.44	29.30
		5	22	10	27	26	21	23	27	1	19	14	25	27/8
1952	日	11.06	10.00	16.56	21.09	24.98	28.71	29.72	27.60	28.96	20.70	15.72	12.88	29.72
		28	11	18	30	3	18	5	11	10	20	11	1	5/7
1953	日	9.74	15.94	18.34	22.70	24.67	27.87	29.76	29.28	26.54	19.27	14.93	13.49	29.76
		11	12	10	28	21	26	12	12	2	18	5	1	12/7
極 值	日期	11.06	15.94	18.34	22.70	24.98	28.71	29.76	29.30	28.96	20.70	16.50	14.44	29.76
日 年	份	28	12	10	28	3	18	12	27	10	20	14	25	12/7
		1952	1953	1953	1953	1952	1952	1953	1951	1952	1952	1951	1951	1953
最小绝对湿度(毫米)														
1951	日	2.20	3.80	2.31	6.45	10.60	12.60	17.38	13.11	11.53	7.24	4.32	2.31	2.20
		21	6	2	11	18	5	9	22	20	28	23	15	21/1
1952	日	2.89	2.19	5.12	6.43	12.34	11.53	20.74	14.04	10.21	7.11	6.99	2.25	2.19
		7	19	20	15	13	10	6	19	26	11	1	3	19/2
1953	日	2.33	3.29	5.11	5.40	8.28	14.24	20.58	16.35	11.64	9.35	4.33	4.17	2.33
		18	18	30	12	13	13	31	30	15	22	19	11	18/1
極 值	日期	2.20	2.19	2.31	5.40	8.28	11.53	17.38	13.11	10.21	7.11	4.32	2.25	2.19
日 年	份	21	19	2	12	13	10	9	22	26	11	23	3	19/2
		1951	1952	1951	1953	1953	1952	1951	1951	1952	1952	1951	1952	1952
玉 山 $\varphi=28^{\circ}40'N$ $\lambda=118^{\circ}15'E$ $H=93.6M$														
平均绝对湿度(毫米)														
1951		6.05	6.91	7.92	11.57	16.12	19.47	23.65	23.50	18.69	14.04	9.96	7.59	13.79
1952		6.14	6.17	8.48	12.77	17.85	19.87	24.74	23.66	20.55	13.50	11.43	6.07	14.27
1953		5.78	7.54	9.08	10.24	15.75	21.10	23.82	22.87	17.68	14.32	10.37	7.82	13.86
平 均		5.99	6.87	8.49	11.53	16.57	20.15	24.07	23.34	18.97	13.95	10.59	7.16	13.97

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1951	日	13.50	15.26	15.67	20.20	23.94	26.96	28.88	28.91	27.02	21.34	16.79	14.80	28.91
	日	6	22	11	27	27	20	18	12	8	20	23	21	12/8
1952	日	10.90	10.42	17.65	22.30	23.42	27.43	29.62	30.88	27.87	22.90	17.72	14.76	30.88
	日	28	12	18	30	10	30	4	3	6	21	10	1	3/8
1953	日	11.14	15.43	17.18	19.35	23.33	27.89	27.50	26.77	25.74	19.57	16.83	15.59	27.89
	日	11	12	10	27	21	21	20	11	3	19	5	2	21/6
值	13.50	15.43	17.65	22.30	23.94	27.89	29.62	30.88	27.87	22.90	17.72	15.59		30.88
日	6	12	18	30	27	21	4	3	6	21	10	2		3/8
年	1951	1953	1952	1952	1951	1953	1952	1952	1952	1952	1952	1953		1952
最小绝对湿度(毫米)														
1951	日	2.40	3.91	3.32	6.26	9.76	12.45	15.57	15.82	11.20	7.74	4.72	3.14	2.40
	日	14	18	2	3	20	17	9	16	20	31	26	16	14/1
1952	日	3.19	2.41	4.88	6.99	11.97	14.20	20.70	18.44	11.68	7.94	7.68	2.64	2.41
	日	8	19	20	2	24	20	12	18	30	31	1	3	19/2
1953	日	3.19	3.20	5.31	6.08	9.25	14.94	18.34	18.10	12.67	10.98	4.61	3.96	3.19
	日	6	18	29	12	14	7	30	30	28	21	20	12	6/1
值	2.40	2.41	3.32	6.08	9.25	12.45	15.57	15.82	11.20	7.74	4.61	2.64		2.40
日	14	19	2	12	14	17	9	16	20	31	20	3		14/1
年	1951	1952	1951	1953	1953	1951	1951	1951	1951	1951	1953	1952		1951
遂 川 $\varphi=26^{\circ}15'N$ $\lambda=114^{\circ}20'E$ $H=101.5M$														
平均绝对湿度(毫米)														
1951		6.38	7.27	8.53	12.45	17.05	20.82	22.80	22.78	19.04	14.75	10.61	8.32	14.23
1952		7.02	7.15	9.53	14.18	19.63	20.79	24.03	22.70	20.57	13.90	11.46	6.16	14.76
1953		6.60	8.19	10.50	11.76	16.86	21.18	23.21	23.03	18.65	16.10	11.02	8.11	14.60
平 均		6.67	7.54	9.52	12.80	17.85	20.93	23.35	22.84	19.42	14.92	11.03	7.53	14.53
最大绝对湿度(毫米)														
1951	日	14.20	14.56	17.39	22.31	23.40	27.48	27.41	27.35	30.15	22.98	18.26	17.13	30.15
	日	6	23	27	28	29	26	8	18	1	6	15	25	1/9
1952	日	13.99	16.30	19.22	21.55	25.62	26.87	29.00	27.95	26.22	21.94	16.35	18.01	29.00
	日	28	13	18	30	11	19	22	9	12	9	12	1	22/7
1953	日	13.35	14.85	18.73	21.60	24.71	26.47	27.24	27.75	25.21	24.28	20.05	14.48	27.75
	日	11	12	25	28	22	29	22	8	4	6	8	1	8/8
值	14.20	16.30	19.22	22.31	25.62	27.48	29.00	27.95	30.15	24.28	20.05	18.01		30.15
日	6	13	18	28	11	26	22	9	1	6	8	1		1/9
年	1951	1952	1952	1951	1952	1951	1952	1952	1951	1953	1953	1952		1951
最小绝对湿度(毫米)														
1951	日	2.61	4.42	3.25	7.44	9.86	15.10	17.52	16.21	11.48	8.07	5.39	3.59	2.61
	日	13	17	2	11	19	18	18	21	18	25	24	15	13/1
1952	日	3.31	3.07	6.15	7.36	13.00	13.93	19.99	18.19	11.26	7.93	8.79	3.06	3.06
	日	7	18	1	14	14	10	7	9	26	11	26	4	4/12
1953	日	3.89	4.04	6.42	7.12	9.08	15.54	19.53	15.98	13.66	11.44	4.38	4.55	3.89
	日	18	19	28,30	12	14	13	11	30	24	22	19	12	18/1
值	2.61	3.07	3.25	7.12	9.08	13.93	17.52	15.98	11.26	7.93	4.38	3.06		2.61
日	13	18	2	12	14	10	18	30	26	11	19	4		13/1
年	1951	1952	1951	1953	1953	1952	1951	1953	1952	1952	1953	1952		1951
赣 州 $\varphi=25^{\circ}50'N$ $\lambda=114^{\circ}50'E$ $H=109.5M$														
平均绝对湿度(毫米)														
1951		6.78	7.67	8.78	12.97	17.93	20.22	21.40	22.05	18.64	14.79	10.65	8.39	14.19
1952		7.21	7.59	9.90	14.67	20.22	21.69	24.44	23.87	21.49	14.38	11.34	6.41	15.27
1953		6.67	8.38	11.21	12.33	18.01	21.45	23.03	22.71	18.73	16.26	11.11	8.12	14.83
平 均		6.89	7.88	9.96	13.32	18.72	21.12	22.96	22.88	19.62	15.14	11.03	7.64	14.76

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1951	日	14.91	14.70	16.57	23.62	24.66	25.18	25.64	30.79	25.48	22.89	17.33	17.26	30.79
		6	22	27	28	15	30	8	31	3	20	14	22	31/8
1952	日	14.35	17.38	19.87	22.59	26.65	27.90	29.68	32.09	30.06	23.53	16.72	18.37	32.09
		28	13	18	30	23	18	11	4	10	9	12,13	1	4/8
1953	日	14.95	14.89	20.97	21.30	29.57	25.20	26.67	26.33	27.10	24.73	21.17	14.08	29.57
		25	13	25	28	26	10	3	22	5	6	9	2	26/5
極日	值	14.95	17.38	20.97	23.62	29.57	27.90	29.68	32.09	30.06	24.73	21.17	18.37	32.09
年	期	25	13	25	28	26	18	11	4	10	6	9	1	4/8
	份	1953	1952	1953	1951	1953	1952	1952	1952	1952	1953	1953	1952	1952
最小绝对湿度(毫米)														
1951	日	2.33	4.61	3.63	7.63	10.54	16.04	16.93	15.77	11.53	8.01	5.18	3.24	2.33
		14	17	2	4	19	18	22	21	19	31	4	15	14/1
1952	日	3.06	2.86	6.05	8.21	14.75	15.68	19.23	19.59	12.20	8.15	8.91	2.98	2.86
		7	19	20	13	14	10	31	19	26	11	1	4	19/2
1953	日	3.89	3.90	6.22	7.43	9.98	16.83	19.66	14.51	13.76	11.31	4.36	4.58	3.89
		18	19	29	12	14	12	14	30,31	26	21	19	11	18/1
極日	值	2.33	2.86	3.63	7.43	9.98	15.68	16.93	14.51	11.53	8.01	4.36	2.98	2.33
年	期	14	19	2	12	14	10	22	30,31	19	31	19	4	14/1
	份	1951	1952	1951	1953	1953	1952	1951	1953	1951	1951	1953	1952	1951
福 建 浦 城 $\varphi = 27^{\circ}55'N$ $\lambda = 118^{\circ}35'E$ $H = 269.6 M$														
平均绝对湿度(毫米)														
1935		-	-	-	-	-	-	-	-	-	-	-	6.19	-
1936		5.20	6.34	6.58	11.83	15.49	19.87	21.54	21.11	15.94	9.67	8.70	7.05	12.44
1937		6.44	6.85	8.64	12.37	15.40	18.67	21.04	20.63	18.32	13.23	9.97	6.45	13.17
1938		6.01	6.04	8.41	12.05	16.47	20.78	20.74	20.71	17.51	14.14	7.85	7.11	13.15
1939		6.17	7.10	8.99	10.85	15.76	19.26	21.37	20.97	16.44	13.49	10.39	5.01	12.98
1940		6.00	7.51	8.24	10.58	15.04	19.05	22.17	21.50	18.04	13.62	10.19	7.45	13.28
1941		7.67	7.75	9.36	12.00	16.71	19.47	22.29	21.92	18.40	13.35	9.99	8.48	13.95
1942		5.51	6.65	10.75	12.11	16.86	20.02	-	-	-	-	-	-	-
1951		-	6.89	8.01	11.83	14.90	18.74	20.98	20.81	18.04	12.91	9.74	7.23	-
1952		5.96	6.89	9.05	12.27	17.51	18.68	22.58	21.32	18.64	12.50	10.36	5.56	13.44
1953		6.04	7.63	9.27	10.26	14.99	19.76	22.02	21.47	17.61	14.64	10.65	7.95	13.52
平 均		6.19	7.01	8.57	11.53	15.92	19.44	21.72	21.20	17.61	13.08	9.76	6.88	13.24
最大绝对湿度(毫米)														
1935	日	-	-	-	-	-	-	-	-	-	-	-	13.58	-
		-	-	-	-	-	-	-	-	-	-	-	8	-
1936	日	7.78	10.68	13.16	19.84	22.21	24.29	25.71	25.15	24.11	16.55	15.76	14.22	25.71
		23	17	29	28	24	30	6	25	4	6	4	16	6/7
1937	日	10.63	13.15	17.24	19.70	22.26	23.29	23.98	24.32	22.84	22.17	17.13	9.76	24.32
		31	23	24	20	20	28	31	9	26	4	4	23	9/8
1938	日	13.79	10.56	16.09	17.48	20.65	23.85	23.79	26.70	23.99	22.08	14.45	12.24	26.70
		19	15	5	22	18	23	14	10	2	3	6	18	10/8
1939	日	10.71	11.89	16.06	-	-	24.46	24.72	24.36	23.38	19.01	17.45	7.40	-
		17	25	31	-	-	15	6	14	2	14	22	9	-
1940	日	10.59	13.44	13.48	18.43	21.22	24.26	26.78	25.02	23.74	21.99	19.46	13.98	26.78
		14	27	30	26	15	24	15	7	1	20	5	23	15/7
1941	日	12.86	11.62	17.40	21.01	22.47	25.32	27.20	25.52	26.42	20.89	17.35	13.64	27.20
		3	27	22	21	25	29	18	9	7	6	19	26	18/7
1942	日	11.26	14.76	16.65	18.84	24.46	24.56	-	-	-	-	-	-	-
		30	23	13	25	26	15	-	-	-	-	-	-	-
1951	日	-	14.20	14.87	21.21	21.34	25.55	26.38	26.30	24.49	19.03	15.50	14.24	-
		-	23	27	28	27	20	31	27	1	20	15	25	-
1952	日	11.63	14.71	17.15	20.85	22.12	24.60	27.79	27.39	23.73	19.83	13.92	14.16	27.79
		28	14	29	28	27	19	3	2	7	10	13	1	3/7
1953	日	13.07	13.14	15.90	19.01	22.01	25.19	27.55	25.67	24.48	20.33	17.63	15.94	27.55
		10,11	12	20	28	22	28	13	3	4	6	8	2	13/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日年	值期份	13.79 19 1938	14.76 23 1942	17.40 22 1941	21.21 28 1951	24.46 26 1942	25.55 20 1951	27.79 3 1952	27.39 2 1952	26.42 7 1941	22.17 4 1937	19.46 5 1940	15.94 2 1953	27.79 3/7 1952
最小绝对湿度(毫米)														
1935	日	-	-	-	-	-	-	-	-	-	-	-	3.26	-
1936	日	2.68 17	3.37 29	3.07 8	4.76 4	11.12 1	15.16 10	17.00 10	17.17 29	7.93 26	5.40 20	4.14 29	2.13 26	2.13 26/12
1937	日	3.07 12	2.99 15	4.02 12	6.47 8	8.24 29	12.13 1	15.09 22	15.63 20	12.09 11	4.70 17	4.56 24	3.31 7	2.99 15/2
1938	日	2.63 8	3.44 17	4.25 15	6.50 17	10.09 10	15.80 8	17.71 23	17.36 15	9.58 25	6.28 22	3.64 13	3.21 27	2.63 8/1
1939	日	3.05 8	3.40 8	5.02 15	-	-	12.18 4	17.91 23	13.01 31	9.01 23	7.87 31	3.37 26	2.90 28	-
1940	日	2.54 24	3.21 3	4.79 22	5.01 3	9.16 6	12.38 2	17.88 27	18.99 24	11.50 21	5.79 25	4.33 30	3.85 18	2.54 24/1
1941	日	3.30 31	2.96 1	4.98 30	4.19 6	9.82 4,14	12.24 15	17.38 14	15.48 24	11.07 30	5.49 27	5.88 28	4.42 29	2.96 1/2
1942	日	2.63 17	3.17 12	5.79 19	6.11 6	10.69 8	12.43 10	-	-	-	-	-	-	-
1951	日	-	3.71 14,15	3.21 2	6.12 4	7.27 19	12.13 10	16.78 5	15.39 20	10.37 20	6.79 30	4.56 25	1.34 16	-
1952	日	0.74 9	1.82 20	5.25 20	6.19 14	9.88 13	10.97 9	19.43 1	17.45 8	11.17 26	6.52 17	7.07 1	1.97 4	0.74 9/1
1953	日	3.40 18	3.49 21	4.89 29	4.67 3	6.93 14	10.95 12	16.36 3,4	16.22 30	10.10 25	8.40 10	4.12 19	3.86 12	3.40 18/1
極日年	值期份	0.74 9 1952	1.82 20 1952	3.07 8 1936	4.19 6 1941	6.93 14 1953	10.95 12 1953	15.09 22 1937	13.01 31 1939	7.93 26 1936	4.70 17 1937	3.37 26 1939	1.34 16 1951	0.74 9/1 1952
武夷山 $\varphi=27^{\circ}39'N$ $\lambda=117^{\circ}53'E$ $H=(514.6)M$														
平均绝对湿度(毫米)														
1951	日	6.38	6.99	7.86	11.64	14.51	18.06	20.24	19.68	17.42	12.38	9.71	7.22	12.67
1952	日	6.02	7.06	9.11	11.87	17.20	18.03	21.52	20.47	18.17	12.33	10.38	5.56	13.14
1953	日	6.14	7.92	9.21	10.11	14.46	19.12	21.33	20.76	17.11	14.67	10.75	8.02	13.30
平 均	日	6.18	7.32	8.73	11.21	15.39	18.40	21.03	20.30	17.57	13.13	10.28	6.93	13.04
最大绝对湿度(毫米)														
1951	日	12.83 9	14.95 24	13.74 27	19.48 28	21.33 15	24.10 26	24.29 6	24.46 31	23.94 11	19.00 7	16.24 15	13.56 22	24.46 31/8
1952	日	11.85 29	14.10 14	16.15 18	19.47 30	23.01 22	24.24 19	26.12 13	24.44 3	23.33 9	24.15 21	15.05 14	14.44 1	26.12 13/7
1953	日	11.87 11	13.54 25	15.61 25	17.94 29	21.68 22	25.69 25	26.04 22	27.62 8	23.33 3	19.35 7	18.38 8	16.39 1	27.62 8/8
極日年	值期份	12.83 9 1951	14.95 24 1951	16.15 18 1952	19.48 28 1951	21.33 15 1952	24.10 26 1953	24.29 6 1952	24.46 31 1953	23.94 11 1951	19.00 7 1952	16.24 15 1953	13.56 22 1953	27.62 8/8 1953
最小绝对湿度(毫米)														
1951	日	2.59 14	3.22 19	3.24 2	6.51 4	6.79 19	10.71 1	15.83 19	11.81 20	9.50 20	5.44 28	3.72 25	2.30 15	2.30 15/12
1952	日	2.23 8	2.41 19,20	5.05 20	5.20 15	8.76 13	10.25 9	17.94 29	15.36 15	10.13 22	7.11 12	6.88 6	1.87 4	1.87 4/12
1953	日	3.47 8	3.20 21	4.05 29	5.07 3	7.12 7	11.43 12	16.96 31	16.09 30	9.97 25	8.54 11	3.80 20	3.77 11	3.20 21/2
極日年	值期份	2.23 8 1952	2.41 19,20 1952	3.24 2 1951	5.07 3 1953	6.79 19 1951	10.25 9 1952	15.83 19 1951	11.81 20 1951	9.50 20 1951	5.44 28 1951	3.72 25 1951	1.87 4 1952	1.87 4/12 1952

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
<div>建 陽</div> <div>$\varphi=27^{\circ}20'N$ $\lambda=118^{\circ}07'E$ $H=--M$</div> <div>平均绝对湿度(毫米)</div>														
1940		-	-	-	-	-	-	-	-	-	14.07	11.00	7.74	-
1941		8.20	8.45	9.77	12.89	17.54	20.67	22.71	22.41	18.85	14.33	10.71	8.43	14.58
1942		6.11	7.51	11.54	13.05	17.68	20.93	-	-	-	-	-	-	-
1951		6.79	7.56	8.70	12.83	16.28	19.82	21.79	21.30	19.01	13.59	10.67	7.81	13.85
1952		6.76	7.90	10.08	12.88	18.54	19.63	22.92	22.01	19.76	13.62	10.95	6.17	14.27
1953		6.81	8.56	10.08	11.16	15.82	20.64	22.45	21.70	18.72	16.10	11.71	8.62	14.36
平 均		7.14	8.12	9.66	12.44	17.05	20.19	22.47	21.86	19.09	14.41	11.01	7.76	14.27
<div>最大绝对湿度(毫米)</div>														
1940		-	-	-	-	-	-	-	-	-	20.22	19.10	14.19	-
1941		12.42	12.85	17.41	20.52	23.61	26.15	26.16	25.99	19.63	17.55	12.66	26.16	-
1942		4	27	23	20	7	25	28	8	10	21	19	25	28/7
1942		11.38	14.83	17.35	19.58	24.34	25.99	-	-	-	-	-	-	-
1951		31	23	25	25	25	28	-	-	-	-	-	-	-
1951		12.89	14.69	15.59	20.32	20.96	25.23	24.65	25.65	24.32	19.89	15.48	13.92	25.65
1952		7	24	27	28	29	20	6	4	1	20	22	22	4/8
1952		12.30	15.09	17.62	20.90	24.18	26.05	28.29	26.88	26.66	21.04	14.67	15.34	28.29
1953		29	14	18	30	27	28	4	2	6	10	14	1	4/7
1953		13.04	14.44	16.99	19.89	22.49	27.04	27.34	26.31	24.81	20.42	19.54	17.18	27.34
極 日		11	25	20	29	22	26	27	24	6,11	7	9	2	27/7
極 日	值	13.04	15.09	17.62	20.90	24.34	27.04	28.29	26.88	26.66	21.04	19.54	17.18	28.29
年 份	期	11	14	18	30	25	26	4	2	6	10	9	2	4/7
1953	份	1953	1952	1952	1952	1942	1953	1952	1952	1952	1952	1953	1953	1952
<div>最小绝对湿度(毫米)</div>														
1940		-	-	-	-	-	-	-	-	-	4.32	3.63	3.92	-
1941		-	-	-	-	-	-	-	-	-	25	30	17	-
1941		3.39	3.22	5.65	4.73	9.68	14.36	17.73	16.02	10.95	6.32	4.99	4.40	3.22
1942		31	1	30	6	4	3	31	23	30	27	29	29	1/2
1942		2.65	3.60	6.89	5.71	11.74	11.95	-	-	-	-	-	-	-
1951		8	15	8	6	7	10	-	-	-	-	-	-	-
1951		2.87	3.62	4.05	6.91	10.67	14.16	18.13	14.68	11.21	7.16	5.11	2.30	2.30
1952		14	17	2	4	9	1	18	20	19	30	26	15	15/12
1952		3.04	2.95	6.56	7.84	10.19	13.08	18.91	17.48	12.55	8.56	8.14	2.72	2.72
1953		7	20	11	16	13	10	28	9	26	12	21	9	9/12
1953		3.64	3.99	4.89	6.03	9.21	15.39	18.32	17.78	12.32	11.35	4.44	4.42	3.64
極 日		8	22	29	24	14	13	30	30	27	11	19	11,12	8/1
極 日	值	2.65	2.95	4.05	4.73	9.21	11.95	17.73	14.68	10.95	4.32	3.63	2.30	2.30
年 份	期	8	20	2	6	14	10	31	20	30	25	30	15	15/12
1942	份	1942	1952	1951	1941	1953	1942	1941	1951	1941	1940	1940	1951	1951
<div>建 甌</div> <div>$\varphi=27^{\circ}05'N$ $\lambda=118^{\circ}19'E$ $H=112.8M$</div> <div>平均绝对湿度(毫米)</div>														
1951		7.70	8.46	9.42	13.45	17.24	20.43	22.36	21.85	19.73	14.88	11.59	8.57	14.64
1952		7.37	8.50	10.74	13.63	19.51	20.83	23.95	22.71	20.82	14.88	12.09	6.94	15.16
1953		7.21	8.93	10.36	11.43	15.92	21.08	22.41	22.05	18.96	16.24	11.91	9.08	14.63
平 均		7.43	8.63	10.17	12.84	17.56	20.78	22.91	22.20	19.84	15.33	11.86	8.20	14.81
<div>最大绝对湿度(毫米)</div>														
1951		14.66	16.98	18.29	22.34	24.01	26.55	26.52	28.47	25.70	22.82	17.37	16.44	28.47
1952		7	23	27	28	27	21	15	13	7	21	13	25	13/8
1952		12.92	17.80	19.56	22.01	25.73	29.54	29.51	27.90	26.11	21.74	16.35	16.26	29.54
1953		29	14	18	28	27	19	4	1	8	10	13	1	19/6
1953		13.87	15.92	17.40	21.34	24.13	27.45	27.69	26.45	26.02	21.66	21.28	17.36	27.69
極 日		11	25	25	29	21	28	17	6	11	7	8	2	17/7
極 日	值	14.66	17.80	19.56	22.34	25.73	29.54	29.51	28.47	26.11	22.82	21.28	17.36	29.54
年 份	期	7	14	18	28	27	19	4	13	8	21	8	2	19/6
1951	份	1951	1952	1952	1951	1952	1952	1952	1951	1952	1951	1953	1953	1952

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)														
1951	日	3.10	4.91	4.16	7.77	10.65	13.14	17.80	11.99	11.05	7.67	5.92	2.66	2.66
1952	日	14	17	2	4	9	10	22,23	20	20	29	24	15	15/12
1953	日	3.06	2.99	7.13	7.88	10.54	13.03	19.89	17.37	13.44	9.61	7.94	2.97	2.97
1953	日	8	19	20	15	15	10	6	5	22	12	21	10	10/12
1953	日	3.57	4.09	4.70	4.89	9.35	13.34	16.12	17.78	12.33	9.72	4.71	4.35	3.57
1953	日	6	22	31	23,24	14	13	30	30	27	11	19	11	6/1
極日	值	3.06	2.99	4.16	4.89	9.35	13.03	16.12	11.99	11.05	7.67	4.71	2.66	2.66
極日	期	8	19	2	23,24	14	10	30	20	20	29	19	15	15/12
年	份	1952	1952	1951	1953	1953	1952	1953	1951	1951	1951	1953	1951	1951
福 安 $\varphi=27^{\circ}04'N$ $\lambda=119^{\circ}38'E$ $H=116.0M$														
平均绝对湿度(毫米)														
1937	日	-	-	-	12.48	16.53	19.76	22.13	21.27	19.74(14.04)	11.73	7.72	-	-
1938	日	6.95	6.63(10.21)	11.51	17.30	23.81	21.28	21.44	18.58	15.45	9.00	7.78	14.16	14.16
1939	日	6.86	7.55	9.10	11.45	15.76	19.72	21.56	20.71	17.93	14.41	11.80	6.31	13.60
1940	日	6.57	7.65	8.73	10.24	14.40	18.77	21.48	20.59	18.52	15.20	11.07	8.28	13.46
1941	日	8.52	8.39	9.39	11.23	16.32	19.01	21.92	21.36	18.32	13.61	11.34	9.30	14.06
1942	日	6.55	7.84	10.86	12.35	16.23	19.88	-	-	-	-	-	-	-
平 均		7.23	7.56	9.36	11.11	15.95	20.33	21.56	21.03	18.34	14.67	10.80	7.92	13.82
最大绝对湿度(毫米)														
1937	日	-	-	-	18.69	23.43	24.11	25.54	24.98	24.81(22.30)	17.34	11.18	-	-
1938	日	12.73	14.60(22.83)	17.77	23.21	38.95	24.63	25.07	24.47	23.69	15.98	13.80	38.95	38.95
1939	日	19	27	21	22	6	24	12	2	3	1	3	19	24/6
1939	日	15.13	12.86	16.30	-	-	24.94	25.21	24.43	25.63	23.63	18.72	10.90	-
1939	日	16	25	31	-	-	14	6	11	22	14	9	21	-
1940	日	10.17	12.40	14.30	14.86	20.28	24.70	25.30	24.43	26.04	20.83	18.86	13.95	25.30
1940	日	12	13	12	27	12	14	15	1	2	1	4	23	15/7
1941	日	13.60	12.44	15.63	18.19	22.39	25.19	25.59	25.11	25.45	19.89	17.56	14.68	25.59
1941	日	22	17	23	4	9	27	28	26	12	6	20	9	28/7
1942	日	11.20	14.24	17.55	19.54	24.67	25.33	-	-	-	-	-	-	-
1942	日	31	23	13	25	26	30	-	-	-	-	-	-	-
極日	值	15.13	14.60	22.83	19.54	24.67	38.95	25.59	25.11	26.04	23.69	18.86	14.68	38.95
極日	期	16	27	21	25	26	24	28	26	2	1	4	9	24/6
年	份	1939	1938	1938	1942	1942	1938	1941	1941	1940	1938	1940	1941	1938
最小绝对湿度(毫米)														
1937	日	-	-	-	7.56	9.12	13.76	17.86	15.19	14.52 (5.53)	5.34	3.02	-	-
1938	日	-	-	-	6	8	2	13	31	2	17	22	6	-
1938	日	2.27	3.40 (5.29)	6.52	9.25	13.77	17.49	16.68	11.56	6.31	3.11	2.34	2.27	2.27
1939	日	8	17	17	1	10	3	21	15	25	22	13	27	8/1
1939	日	2.44	2.92	5.85	-	-	13.34	17.32	14.80	10.98	8.72	4.19	3.36	-
1939	日	8	8	18	-	-	2	23	29	30	31	27	29	-
1940	日	3.13	3.64	5.18	5.94	8.24	11.68	12.55	10.22	12.74	5.14	4.90	4.19	3.13
1940	日	24	2	17	15	5	3	27	28	10	25	30	17	24/1
1941	日	3.95	3.75	5.22	4.81	7.95	12.16	17.38	14.24	9.45	4.24	5.12	3.33	3.33
1941	日	31	1	12	6	14	4	15	7	30	27	28	29	29/12
1942	日	3.23	3.72	5.15	6.18	9.55	9.85	-	-	-	-	-	-	-
1942	日	18	12,13	7	11	21	9	-	-	-	-	-	-	-
極日	值	2.27	2.92	5.15	4.81	7.95	9.85	12.55	10.22	9.45	4.24	3.11	2.34	2.27
極日	期	8	8	7	6	14	9	27	28	30	27	13	27	8/1
年	份	1938	1939	1942	1941	1941	1942	1940	1940	1941	1941	1938	1938	1938
南 平 $\varphi=26^{\circ}38'N$ $\lambda=118^{\circ}10'E$ $H=127.2M$														
平均绝对湿度(毫米)														
1935	日	-	-	-	-	-	-	21.60	20.68	16.66	15.86	12.19	7.74	-
1936	日	6.33	7.80	7.55	13.56	16.22	20.56	21.19	20.81	17.17	10.62	9.46	8.26	13.29
1937	日	8.06	8.39	10.01	14.00	16.72	19.94	21.65	21.30	19.80	14.58	11.52	8.47	14.54

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938		7.60	7.35	9.57	12.62	17.40	20.56	21.00	21.00	19.05	15.62	9.60	8.59	14.16
1939		7.66	8.22	10.49	12.74	16.43	20.12	21.55	20.44	17.46	14.42	12.11	6.19	13.99
1940		7.06	8.70	9.32	11.21	16.08	19.65	21.99	21.09	19.01	15.32	11.60	8.83	14.16
1941		8.94	9.22	10.37	13.14	18.05	20.50	22.74	22.46	19.08	14.93	11.91	9.28	15.05
1942		6.66	8.10	11.68	13.32	17.30	20.72	-	-	-	-	-	-	-
1951		7.71	8.43	9.22	13.18	16.66	20.03	21.62	21.36	19.43	14.37	11.45	8.60	14.34
1952		7.32	8.51	10.52	13.08	19.19	20.29	22.89	21.67	20.01	14.16	11.66	7.03	14.69
1953		7.43	9.22	10.43	11.33	16.01	21.10	22.15	21.88	19.10	16.19	12.12	9.42	14.70
平 均		7.57	8.43	9.72	12.76	16.97	20.31	21.86	21.33	18.90	14.47	11.27	8.30	14.32
最大绝对湿度(毫米)														
1935		-	-	-	-	-	-	26.08	23.95	27.20	20.65	19.52	14.05	-
日		-	-	-	-	-	-	14	4	2	2	4	1	-
1936		9.41	12.01	14.64	-	20.60	25.62	24.44	24.63	23.33	17.80	16.29	14.87	-
日		18	23	29	-	19	17	1,15	9	7	6	4	17	-
1937		11.83	14.29	16.29	21.05	29.71	24.19	24.47	25.46	22.53	21.79	17.88	11.45	29.71
日		3	27	22	21	7	16	31	5	2	4	6	3	21/5
1938		14.71	12.48	15.42	18.13	22.33	23.97	23.94	24.96	23.87	22.81	16.01	14.29	24.96
日		19	15	6	22	31	28	26	12	2	8	6	19	12/8
1939		11.51	13.37	16.41	-	-	26.30	25.27	23.67	23.18	19.44	18.49	9.02	-
日		4	25	31	-	-	23	6	8	8	13	22	2	-
1940		10.89	14.29	13.81	17.20	23.66	25.26	26.20	25.42	25.63	20.44	19.31	14.77	26.20
日		13	20	6	27	9	27	14	3	27	18	5	23	14/7
1941		14.21	13.74	17.73	22.26	24.73	26.84	26.63	26.35	27.12	20.98	19.78	14.09	27.12
日		3	27	22	21	7	16	18	12	10	25	19	8	10/9
1942		11.71	16.14	18.11	20.70	25.31	25.75	-	-	-	-	-	-	-
日		30	23	13	25	26	21	-	-	-	-	-	-	-
1951		14.08	15.98	17.77	20.94	22.49	25.30	25.32	26.05	24.66	21.21	15.58	15.78	26.05
日		7	24	27	28	15	21	31	25	7	21	14	25	25/8
1952		13.11	15.86	17.03	21.27	25.27	26.00	26.92	26.45	24.82	21.03	15.94	15.33	26.92
日		29	14	29	28	31	19	17	3	2	10	13	1	17/7
1953		13.82	16.05	18.48	20.64	24.14	26.19	26.60	25.27	25.57	21.45	19.65	16.97	26.60
日		11	13	20	29	21	26	21	6	11	7	9	2	21/7
極 值	日 期	14.71	16.14	18.48	22.26	29.71	26.84	26.92	26.45	27.20	22.81	19.78	16.97	29.71
日 年		19	23	20	21	21	16	17	3	2	8	19	2	21/5
		1938	1942	1953	1941	1937	1941	1952	1952	1935	1938	1941	1953	1937
最小绝对湿度(毫米)														
1935		-	-	-	-	-	-	17.40	15.70	10.66	9.02	5.88	4.00	-
日		-	-	-	-	-	-	28	23	28	30	20	18	-
1936		2.52	4.65	2.25	-	9.63	16.01	16.06	16.49	9.01	6.69	3.79	4.06	-
日		18	29	12	-	7	9	21	22	26	23	28	27	-
1937		4.84	4.32	5.46	7.16	11.20	13.80	17.22	17.29	16.11	6.41	6.25	5.87	4.32
日		12	13	12	9	30	1	7	21	28	17	24	6	13/2
1938		3.36	4.44	4.37	6.26	11.87	16.02	16.97	14.82	11.24	7.30	4.56	3.89	3.36
日		8	9	16	1	10	8	20	5	25	22	13	30	8/1
1939		4.46	4.64	6.38	-	-	15.26	17.34	14.00	11.27	9.85	4.43	4.26	-
日		13	9	2	-	-	1	31	31	29	31	27	29	-
1940		2.79	3.80	6.14	5.90	10.25	10.96	18.29	17.78	14.16	6.56	4.97	5.07	2.79
日		25	3	1	3	6	2	27	27	29	25	30	17	25/1
1941		4.55	3.89	6.51	6.11	10.27	13.45	18.49	18.49	10.99	8.10	8.10	4.52	3.89
日		31	1	5	6	15	2	31	23,24	30	27	22	30	1/2
1942		3.35	3.57	6.57	6.37	9.15	8.87	-	-	-	-	-	-	-
日		8	13	20	11	15	8	-	-	-	-	-	-	-
1951		3.88	4.69	4.63	7.87	11.66	13.54	18.86	9.93	10.76	8.60	6.02	2.23	2.23
日		14	14	3	4	3	10	24	20	19	30	24	15	15/12
1952		3.48	3.19	6.53	7.06	10.69	14.37	19.29	15.93	13.18	9.45	8.38	2.84	2.84
日		8	19	21	15	13	10	5	4	26	12	21	4	4/12
1953		4.25	4.25	5.09	5.47	8.35	14.15	17.11	17.35	12.30	10.81	4.48	4.75	4.25
日		6	21	29	24	1	13	28	30	26	12	19	11	6/1, 21/2
極 值	日 期	2.52	3.19	2.25	5.47	8.35	8.87	16.06	9.93	9.01	6.41	3.79	2.23	2.23
日 年		18	19	12	24	1	8	21	20	26	17	28	15	15/12
		1936	1952	1936	1953	1953	1942	1936	1951	1936	1937	1936	1951	1951

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
沙 縣 $\varphi=26^{\circ}24'N$ $\lambda=117^{\circ}47'E$ $H=44.4 M$ 平均绝对湿度(毫米)														
1939	—	—	11.35	13.04	17.46	20.41	21.69	20.75	18.10	16.57	14.90	9.11	—	—
1940	7.71	8.94	9.83	12.49	16.22	21.46	22.33	21.29	19.22	15.68	11.85	8.80	14.65	—
1941	9.11	9.58	10.39	13.38	17.79	20.52	22.98	22.42	19.09	14.82	11.70	9.34	15.09	—
1942	6.81	8.55	12.41	14.19	18.40	21.36	—	—	—	—	—	—	—	—
1951	8.24	8.85	10.03	14.15	17.84	20.49	22.18	22.64	20.78	15.93	12.24	9.22	15.22	—
1952	8.07	9.47	11.79	14.26	20.28	21.42	23.65	23.23	21.53	15.84	12.84	7.97	15.86	—
1953	7.88	9.58	11.16	11.99	16.64	21.20	22.12	22.11	19.55	16.70	12.78	—	—	—
平 均	8.28	9.21	10.51	13.57	18.03	20.97	22.79	22.40	20.16	15.57	12.16	8.83	15.21	—
最大绝对湿度(毫米)														
1939	—	—	18.51	—	—	24.98	25.84	24.28	24.41	30.72	23.92	15.99	—	—
日	—	—	31	—	—	22	9	10	7	15	22	7	—	—
1940	15.94	14.98	15.43	25.42	22.19	36.63	28.18	23.97	23.92	20.83	19.23	14.56	36.63	—
日	5	27	11	19	11	18	13	5	27	23	4	23	18/6	—
1941	13.58	13.58	17.13	20.42	23.00	25.89	26.05	26.08	25.23	20.41	18.55	14.12	26.08	—
日	4	27	22	25	25	27	3	10	6	7	20	9	10/8	—
1942	12.03	16.04	17.14	20.63	24.52	25.77	—	—	—	—	—	—	—	—
日	30	2	26,27	25	30	21	—	—	—	—	—	—	—	—
1951	14.75	15.47	19.02	22.62	23.69	26.36	26.09	26.93	26.66	22.39	16.70	15.13	26.93	—
日	7	24	27	27	30	20	2	31	13	7	6	25	31/8	—
1952	13.16	16.37	19.77	22.38	26.42	26.47	28.60	26.05	26.61	22.40	15.99	16.04	28.60	—
日	29	14	18	30	27	18	17	1	7	10	13	1	17/7	—
1953	14.09	15.80	18.09	19.30	22.96	25.89	26.50	25.32	24.81	21.91	20.44	—	—	—
日	11	25	25	28	22	21	21	8	3	7	9	—	—	—
極 值	15.94	16.37	19.77	25.42	26.42	36.63	28.60	26.93	26.66	30.72	23.92	16.04	36.63	—
日 年	5	14	18	19	27	18	17	31	13	15	22	1	18/6	—
	1940	1952	1952	1940	1952	1940	1952	1951	1939	1939	1952	1940	—	—
最小绝对湿度(毫米)														
1939	—	—	6.53	—	—	15.73	17.85	15.17	10.05	11.33	5.60	4.22	—	—
日	—	—	7	—	—	12	31	31	30	7	28	29,31	—	—
1940	4.02	4.36	6.10	6.24	10.08	12.52	18.71	18.36	13.19	7.62	5.32	5.07	4.02	—
日	26	3	12	4	6	2	4	27	10	26	30	18	26/1	—
1941	3.94	3.68	5.91	6.10	11.34	12.99	19.48	18.89	11.49	7.40	7.03	4.66	3.68	—
日	1	1	15	6	4	3	31	24	30	27	29	30	1/2	—
1942	3.31	3.65	7.58	6.61	11.75	11.26	—	—	—	—	—	—	3.31	—
日	8	15	7	6	21	9	—	—	—	—	—	—	8/1	—
1951	4.15	4.80	5.42	9.36	13.19	14.77	18.42	16.53	15.06	9.13	6.93	4.24	4.15	—
日	14	20	3	4	23	10	24	21	27	31	24	16	14/1	—
1952	4.05	3.90	7.40	9.01	13.24	15.93	20.32	19.89	15.67	12.37	10.06	4.49	3.90	—
日	8,9	19	12	16	14	10	1	17	26	13	7	11	19/2	—
1953	3.97	4.99	6.38	7.51	10.65	15.36	17.45	18.25	12.05	10.46	4.55	—	—	—
日	8	22	4	24	1	13	30	16	26	11	19	—	—	—
極 值	3.31	3.65	5.42	6.10	10.08	11.26	17.45	15.17	10.05	7.40	4.55	4.22	3.31	—
日 年	8	15	3	6	6	9	30	31	30	27	19	29,31	8/1	—
	1942	1942	1951	1941	1940	1942	1953	1939	1939	1941	1953	1939	1942	—
福 州 $\varphi=26^{\circ}05'N$ $\lambda=119^{\circ}18'E$ $H=91.0 M$ 平均绝对湿度(毫米)														
1936	7.04	7.75	7.47	12.57	15.33	21.05	22.12	21.85	18.34	11.66	10.08	9.26	13.71	—
1937	8.41	8.36	9.63	12.59	16.59	19.94	22.28	22.00	20.33	15.29	12.48	8.57	14.71	—
1938	7.36	7.50	9.12	11.66	18.07	21.90	21.64	21.76	18.76	16.57	9.63	9.01	14.42	—
1939	7.88	8.17	9.71	11.88	16.18	20.25	22.04	20.78	18.31	15.14	12.49	7.02	14.15	—
1940	7.69	8.73	9.71	10.92	15.72	20.24	22.83	22.63	20.82	15.91	11.83	9.42	14.70	—
1941	9.26	9.29	10.57	—	—	—	—	—	—	—	—	10.56	—	—
1942	7.48	8.49	11.46	13.55	17.83	22.57	—	—	—	—	—	—	—	—

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	8.04	8.32	8.72	12.20	16.50	20.58	22.61	22.51	19.98	15.18	11.78	9.02	14.62
1952	7.59	8.09	9.73	12.80	18.58	21.10	23.54	22.35	20.62	14.10	12.12	7.82	14.87
1953	7.52	9.11	10.11	10.43	16.01	22.11	23.76	23.01	19.74	15.86	12.24	9.91	14.98
平 均	7.69	8.25	9.28	11.88	16.62	20.90	22.60	22.11	19.61	14.96	11.58	8.75	14.52
最大绝对湿度(毫米)													
1936	12.11	12.47	15.42	20.54	21.41	26.29	25.97	24.51	26.22	17.59	17.17	14.97	26.29
日	1	17	12	28	18	20	11	28	13	6	4	17	20/6
1937	13.67	15.45	18.29	20.72	23.69	25.29	25.10	26.41	24.41	24.26	18.09	12.79	26.41
日	5	21	6	21	20	12	14	1	25,26	5	6,18	4	1/8
1938	13.19	13.15	19.38	18.49	23.89	25.03	26.31	23.84	24.23	24.96	20.83	14.38	26.31
日	19	16	6	19	28	27	7	2	4	13	3	13	7/7
1939	12.78	12.35	16.74	-	-	24.68	27.66	25.07	24.61	21.60	19.16	10.82	-
日	17	25	31	-	-	16	17	11	5	13	22	9	-
1940	11.80	14.61	14.22	16.46	23.12	25.54	25.80	26.03	25.66	21.69	19.20	15.28	26.03
日	13	13	30	24	12	27	13	13	15	21	4	23	13/8
1941	13.69	13.86	19.46	-	-	-	-	-	-	-	-	15.54	-
日	22	17	22	-	-	-	-	-	-	-	-	26	-
1942	12.92	18.00	19.41	22.20	29.17	30.33	-	-	-	-	-	-	30.33
日	31	23	12	26	27	7	-	-	-	-	-	-	7/6
1951	14.45	14.94	16.00	21.60	24.30	27.58	26.99	27.99	27.01	23.41	18.92	15.42	27.99
日	7,9	23	27	28	15	25	16	18	14	20	15	22	18/8
1952	12.31	15.80	17.57	21.91	28.61	27.76	27.76	27.79	25.90	21.15	17.94	17.05	28.61
日	29	12	18	29	22	19	3	2	2	10	14	1	22/5
1953	13.29	16.61	20.01	21.11	25.21	26.90	28.30	27.79	26.41	22.82	18.91	17.87	28.30
日	11	25	20	29	22	20	13	27	11	7	9	2	13/7
極 值	14.45	18.00	20.01	22.20	29.17	30.33	28.30	27.99	27.01	24.96	20.83	17.87	30.33
日 期	7,9	23	20	26	27	7	13	18	14	13	3	2	7/6
年 份	1951	1942	1953	1942	1942	1942	1953	1951	1951	1938	1938	1953	1942
最小绝对湿度(毫米)													
1936	3.77	4.62	4.18	5.20	8.98	16.67	15.53	17.39	8.45	6.99	5.88	5.14	3.77
日	18	11	4	13	7	1	15	27	20	22	27	27	18/1
1937	3.85	4.28	4.83	6.76	8.81	13.14	18.86	18.05	15.11	5.88	6.42	4.51	3.85
日	12	15	25	5	9	2	8	18	28	17	9	6	12/1
1938	2.57	4.37	3.53	5.85	9.44	17.52	17.06	17.04	12.04	7.16	3.92	3.80	2.57
日	8	22	15	1	10	3	17	9	26	21	13	28	8/1
1939	4.11	3.95	5.42	-	-	13.76	17.32	14.34	9.74	9.20	4.82	4.30	-
日	12	8	18	-	-	1	23	30	30	26	30	28	-
1940	4.36	4.35	6.08	6.19	8.61	13.55	19.85	19.15	15.45	8.07	5.33	5.69	4.35
日	24	3	22	28	6,17	9	6	27,28	29	26	30	1	3/2
1941	5.38	4.63	6.38	-	-	-	-	-	-	-	-	5.24	-
日	31	1	12	-	-	-	-	-	-	-	-	30	-
1942	4.19	4.48	3.58	7.10	9.76	15.32	-	-	-	-	-	-	-
日	8	12	7	17	9	1	-	-	-	-	-	-	-
1951	3.00	4.71	4.03	5.75	9.23	11.92	19.00	13.30	9.39	6.83	4.40	2.52	2.52
日	14	15	2	12	19	9	25	20	19	25	24	15	15/12
1952	3.20	3.01	5.41	4.89	10.61	13.42	19.53	17.88	11.59	8.10	6.55	3.09	3.01
日	8	19	25	1,2	14	12	6	4	29	12	1	10	19/2
1953	3.76	4.61	3.57	3.41	6.18	15.09	16.84	16.70	10.98	7.64	4.67	3.79	3.41
日	7	22	3	23	1	8	31	30	25	10	19	11	23/4
極 值	2.57	3.01	3.53	3.41	6.18	11.92	15.53	13.30	8.45	5.88	3.92	2.52	2.52
日 期	8	19	15	23	1	9	1	20	27	17	13	15	15/12
年 份	1938	1952	1938	1953	1953	1951	1936	1951	1936	1937	1938	1951	1951
水 安 $\varphi=25^{\circ}58'N$ $\lambda=117^{\circ}21'E$ $H=208.3M$													
平均绝对湿度(毫米)													
1938	-	-	-	-	-	-	-	-	-	15.10	9.65	8.65	-
1939	8.04	8.55	11.13	12.55	16.57	20.28	21.48	20.23	17.47	14.47	12.29	6.29	14.11
1940	6.87	8.78	9.63	11.75	16.32	20.12	21.55	21.04	19.16	15.25	11.44	8.55	14.21
1941	9.13	9.71	10.44	13.54	17.73	20.38	22.18	21.41	18.71	14.78	11.59	9.16	14.90
1942	6.82	8.74	12.29	13.78	18.09	20.63	21.61	20.53	17.56	15.63	11.17	7.37	14.52
1943	6.16	6.89	11.27	13.50	16.51	19.98	21.57	20.97	19.86	14.35	10.86	8.05	14.16

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1944		8.77	8.64	10.09	14.58	18.15	20.69	21.23	21.48	19.57	15.92	13.03	6.25	14.87
1945		7.14	7.19	10.35	12.95	14.73	19.95	21.23	20.54	21.08	11.32	12.69	8.31	13.96
1946		7.80	8.34	11.00	14.14	18.62	20.74	21.94	22.04	20.02	12.84	11.34	8.41	14.77
1947		8.97	6.96	9.46	12.42	18.44	19.90	22.07	21.36	20.60	13.35	10.74	8.05	14.36
1948		6.76	10.13	11.25	14.88	18.34	19.77	21.34	21.79	20.02	14.76	9.91	-	-
1953		7.71	9.35	10.97	12.00	16.44	20.00	21.20	21.00	18.83	16.25	12.28	9.53	14.63
平 均		7.74	8.32	10.66	13.12	17.16	20.27	21.61	21.06	19.29	14.42	11.74	8.00	14.45
最大绝对湿度(毫米)														
1938		-	-	-	-	-	-	-	-	-	24.29	16.75	14.21	-
日		-	-	-	-	-	-	-	-	-	8	1	12	-
1939		13.08	13.30	18.55	19.34	23.82	25.33	26.26	24.39	24.02	19.80	19.45	10.24	26.26
日		4	25	31	21	23	23	12	25	6	13	22	9	12/7
1940		11.07	13.90	14.82	19.27	22.60	24.81	26.31	25.48	24.45	21.66	20.20	15.16	26.31
日		15	19	8	27	16	23	14	1	26	21	5	23	14/7
1941		14.71	14.70	18.38	21.09	24.36	27.76	26.16	25.34	25.37	21.32	18.83	13.18	27.76
日		3	12	22	25	25	25	1	10	7	6	20	8	25/6
1942		12.50	17.26	19.03	22.40	25.33	26.55	26.49	25.47	23.48	22.92	18.53	11.66	26.55
日		30	23	13	26	31	26	30	7	8	5	5	30	26/6
1943		10.87	11.81	15.96	21.39	24.80	27.58	26.13	24.20	24.54	21.09	18.00	14.26	27.58
日		25	18	23	27	25	23	4	12	8	15	8	3	23/6
1944		13.44	13.53	15.77	21.79	24.82	28.65	25.58	25.48	26.35	21.55	19.41	10.99	28.65
日		4	12	26	8	20	27	12,19	5	5	1	27	12	27/6
1945		11.79	14.43	18.52	20.82	22.12	25.64	27.27	24.60	24.96	21.25	16.47	14.59	27.27
日		31	28	5	30	31	19	26	1	8	1	24,25	7	28/7
1946		16.10	14.81	18.46	21.24	23.47	25.89	25.92	26.59	25.44	21.23	18.34	13.72	26.59
日		28	28	17	29	29	18	6	13	1	1	25	14	13/8
1947		15.72	12.14	17.06	19.79	24.07	24.92	27.91	26.63	25.67	20.57	15.52	17.47	27.91
日		12	11	20	30	16	13	17	24	1	4	4	9	17/7
1948		13.81	17.19	19.09	20.29	24.80	25.53	25.01	30.88	25.78	20.59	15.06	-	30.88
日		11	17	14	22	23	28	2	16	3	1	6	-	16/8
1953		14.50	14.42	17.37	19.44	24.91	24.74	26.30	25.09	24.16	21.72	20.02	16.76	26.30
日		25	28	20	28	22	10	21	19	11	7	9	2	21/7
極 值	日 期	16.10	17.26	19.09	22.40	25.33	28.65	27.91	30.88	26.35	24.29	20.20	17.47	30.88
日 年	份	28	23	14	26	31	27	17	16	5	8	5	9	16/8
		1946	1942	1948	1942	1942	1944	1947	1948	1944	1938	1940	1947	1948
最小绝对湿度(毫米)														
1938		-	-	-	-	-	-	-	-	-	4.34	2.80	3.30	-
日		-	-	-	-	-	-	-	-	-	17	13	30	-
1939		4.28	4.71	5.95	4.24	7.84	15.01	15.94	11.57	9.85	9.52	4.01	3.03	3.03
日		12	9	17	7	13	11	24	30	30	31	26	31	31/12
1940		2.88	3.94	3.66	4.83	7.83	12.95	17.63	15.68	13.50	6.93	4.97	4.92	2.88
日		1	2	12	4	1	2	27	29	29	26	30	18	1/1
1941		3.72	4.09	6.44	5.86	11.60	13.04	17.45	18.03	9.94	6.83	6.94	4.99	3.72
日		31	1	30	6	4	6	12	4	30	27	14	30	31/1
1942		3.00	3.08	5.84	6.81	10.42	9.66	17.18	7.21	8.39	5.00	6.82	2.63	2.63
日		8	15	8	6	21	9	2	30	21	24	28	5	5/12
1943		2.47	3.33	5.55	3.58	9.83	11.82	17.89	15.95	11.98	8.35	3.92	3.66	2.47
日		12	8	8	8	7	14	9	29	22	30	20	9	12/1
1944		3.98	4.55	4.38	8.64	10.55	15.13	16.52	15.88	10.37	11.54	6.87	2.94	2.94
日		7	25	11	2	5	9	15	13	17	30	22	20	20/12
1945		2.65	3.33	4.13	6.94	7.03	10.87	16.10	15.60	14.69	5.86	8.22	3.42	2.65
日		16	8	7	11	13	9	3	3	19	10	30	18	16/1
1946		3.93	3.68	5.32	5.61	11.88	13.00	16.22	18.29	12.46	7.48	5.73	4.03	3.68
日		7	2	20	18	16	6	16	23	27	24	19	29	2/2
1947		4.74	2.33	3.74	6.25	14.06	15.62	18.03	17.64	13.17	8.30	5.49	3.31	2.33
日		27	24	9	13	19	7	25	8	19	12	20	20	24/2
1948		3.33	4.15	5.22	9.06	12.61	12.47	17.49	16.87	13.93	8.63	4.84	-	-
日		16	10	3	12	14	6	14	8	16	31	15	-	-
1953		3.19	3.76	5.17	6.95	8.95	14.52	16.59	14.92	11.63	10.47	4.83	4.72	3.19
日		7	21	29	2	10	8	28	16	26	11	19	12	7/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日年	值期份	2.47 12 1943	2.33 24 1947	3.66 12 1940	3.58 8 1943	7.03 13 1945	9.66 9 1942	15.94 24 1939	7.21 30 1942	8.39 21 1942	4.34 17 1938	2.80 13 1938	2.63 5 1942	2.33 24/2 1947
長 汀 $\varphi=25^{\circ}45'N$ $\lambda=116^{\circ}20'E$ $H=325.0\text{ M}$														
平均絕對湿度(毫米)														
1935	日	-	-	-	-	-	-	-	-	-	-	11.21	6.53	-
1936	日	5.84	7.56	7.49	12.83	16.73	19.39	19.82	19.58	15.74	9.93	8.71	7.12	12.56
1937	日	7.10	7.56	9.94	13.68	16.46	19.58	20.25	20.13	18.32	13.51	10.20	7.26	13.67
1938	日	6.83	6.67	9.14	12.34	16.74	19.09	19.29	20.22	18.23	14.64	8.70	7.73	13.30
1939	日	7.25	7.84	10.31	11.72	16.71	19.87	20.69	19.48	16.38	13.38	10.88	5.63	13.35
1940	日	6.25	8.05	8.88	11.66	16.51	19.81	21.27	20.60	18.09	13.83	10.45	7.96	13.61
1941	日	8.55	8.87	10.09	13.50	17.62	20.07	22.20	21.50	17.98	14.00	10.79	8.46	14.47
1942	日	6.44	7.81	12.14	13.72	18.19	20.58	-	-	-	-	-	-	-
1951	日	6.88	7.36	9.03	13.31	16.21	19.18	20.57	20.44	18.05	13.28	10.38	7.95	13.55
1952	日	6.83	8.03	10.45	13.85	19.70	20.27	22.39	21.19	19.54	13.97	10.72	6.21	14.43
1953	日	6.90	8.56	11.03	11.90	16.80	20.16	21.81	21.32	18.55	16.34	11.65	8.67	14.47
平 均		6.94	7.83	9.60	12.75	17.05	19.71	20.92	20.50	17.88	13.65	10.28	7.44	13.71
最大絕對湿度(毫米)														
1935	日	-	-	-	-	-	-	-	-	-	-	17.41	14.42	-
1936	日	10.25	14.16	-	-	20.57	22.14	24.15	22.20	22.95	17.07	16.56	14.78	-
1937	日	23	25	-	-	16	29	12	27	5	5	5	17	-
1937	日	11.21	14.41	15.97	19.12	21.32	22.80	23.43	25.00	22.14	20.40	16.29	10.83	25.00
1938	日	30	23	23	24	20	12	31	4	17	9	4	23	4/8
1938	日	14.48	13.97	16.33	18.69	21.18	23.52	23.04	22.57	23.04	22.12	14.55	13.19	23.52
1939	日	19	15	6	20	7	30	1	2	6	7	2,4	12	30/6
1939	日	12.61	12.49	16.34	-	-	23.28	23.33	23.99	22.52	17.19	19.08	8.61	-
1940	日	3	25	30	-	-	15	15	17	4	3	22	8	-
1940	日	10.92	14.20	13.95	18.99	22.17	25.42	25.25	23.79	22.36	20.45	17.41	14.34	25.42
1941	日	15	28	29	25	15	24	16	2	24	23	3	23	24/6
1941	日	14.19	13.00	18.86	19.46	23.13	26.12	26.82	25.78	25.91	21.33	20.02	13.64	26.82
1942	日	3	27	22	25	10	28	28	12	6	24	20	26	28/7
1942	日	12.14	16.46	17.63	19.25	25.46	25.13	-	-	-	-	-	-	-
1951	日	30	2	13	15	28	4	-	-	-	-	-	-	-
1951	日	14.04	14.36	16.66	20.21	23.12	23.16	24.13	25.62	23.79	20.65	17.50	15.33	25.62
1952	日	9	24	17	29	16	19,26	6	1	10	6	15	25	1/8
1952	日	12.37	15.78	18.00	22.15	26.11	25.79	26.69	26.41	24.10	21.86	14.74	15.80	26.69
1952	日	29	14	29	11	22	18	9	11	11	10	13	1	9/7
1953	日	14.35	14.80	17.87	20.32	24.97	24.76	26.54	27.80	24.17	22.04	20.48	16.70	27.80
1953	日	25	28	20	28	22	10	17	7	11	7	9	2	7/8
極日年	值期份	14.48 19 1938	16.46 2 1942	18.86 22 1941	22.15 11 1952	26.11 22 1952	26.12 28 1941	26.82 28 1941	27.80 7 1953	25.91 6 1941	22.12 7 1938	20.48 9 1953	16.70 2 1953	27.80 7/8 1953
最小絕對湿度(毫米)														
1935	日	-	-	-	-	-	-	-	-	-	-	5.60	4.05	-
1936	日	2.92	3.62	-	-	11.75	15.31	14.34	16.14	6.71	5.71	3.63	3.84	-
1937	日	17	10	-	-	25	11	30	29	26	14	27	27	-
1937	日	3.93	3.18	4.21	6.69	10.93	13.63	16.94	15.40	14.48	5.25	4.53	4.14	3.18
1938	日	12	14	12	9	14	1	8	27	19	17	24	12	14/2
1938	日	3.11	3.40	4.38	7.43	10.35	14.22	14.26	16.34	10.88	6.97	3.78	3.19	3.11
1939	日	8	17	9	2	10	1	16	5	26	23	12	30	8/1
1939	日	4.17	4.28	5.78	-	-	14.51	16.03	10.96	9.22	8.24	3.32	3.28	-
1940	日	13	5	1	-	-	11	23	30	30	31	26	31	-
1940	日	3.33	3.80	5.25	5.18	9.73	12.40	17.10	17.48	12.98	5.72	4.55	4.11	3.33
1941	日	2	3	1,12	3	1	2	27	25	7	26	30	30	2/1
1941	日	3.48	3.75	5.41	4.98	10.05	14.28	19.50	17.18	10.86	5.18	5.64	4.42	3.48
1942	日	31	1	30	6	4	4	11	23	29	27	14	29	31/1
1942	日	3.12	3.21	7.32	6.07	10.07	11.46	-	-	-	-	-	-	-
1953	日	17	15	8	7	19	10	-	-	-	-	-	-	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	3.11	3.90	3.90	6.68	9.73	12.53	17.36	14.15	10.56	6.90	4.82	2.11	2.11
	日	13	17	2	4	19	1	23	21	19	30	23	15	15/12
1952	日	2.13	2.85	5.92	7.23	13.51	12.46	17.74	18.05	10.88	8.63	8.22	2.44	2.13
	日	7	19	20	15	14	10	5,6	16	26	12	25	4	7/1
1953	日	2.52	3.02	5.17	6.87	8.99	13.54	17.42	16.14	11.62	11.84	4.78	3.07	2.52
	日	8	21	29	2	7	12	31	16,17	26	21,28	19	11	8/1
極 日	值 期	2.13	2.85	3.90	4.98	8.99	11.46	14.26	10.96	6.71	5.18	3.32	2.11	2.11
年	份	7	19	2	6	7	10	16	30	26	27	26	15	15/12
		1952	1952	1951	1941	1953	1942	1938	1939	1936	1941	1939	1951	1951
龍 岩 $\varphi=25^{\circ}06'N$ $\lambda=117^{\circ}01'E$ $H=332.6 M$														
平均絕對濕度(毫米)														
1939	日	-	-	-	-	-	-	-	-	-	14.23	12.31	6.57	-
1940	日	7.29	9.49	11.18	12.79	17.38	20.82	21.82	20.73	19.24	15.89	11.98	8.86	14.79
1941	日	10.20	10.28	10.81	13.71	18.12	20.45	22.02	21.93	18.77	13.85	13.87	9.82	15.32
1942	日	8.50	9.93	13.82	14.31	18.32	20.74	-	-	-	-	-	-	-
1952	日	7.70	9.71	12.37	13.95	18.87	20.15	21.65	20.64	19.42	14.45	11.19	7.39	14.79
1953	日	8.43	10.29	11.89	12.44	17.08	20.56	21.74	21.51	19.12	16.88	12.63	9.99	15.21
平 均		8.41	9.94	11.56	13.22	17.86	20.50	21.81	21.20	19.14	15.27	12.42	9.02	15.03
最大絕對濕度(毫米)														
1939	日	-	-	-	-	-	-	-	-	-	21.27	19.50	10.16	-
	日	-	-	-	-	-	-	-	-	-	21	22	9	-
1940	日	11.33	13.95	17.31	26.81	24.49	27.71	26.62	23.26	23.40	21.73	18.24	14.43	27.71
	日	14	13	12	27	16	17	28	1	30	19	4	23	17/6
1941	日	15.18	15.62	17.23	19.91	23.67	25.15	27.39	25.53	25.33	22.52	24.99	14.66	27.39
	日	22	21	22	25	22	24	26	20	6	6	26	9	26/7
1942	日	18.82	16.75	18.40	20.77	25.22	24.87	-	-	-	-	-	-	-
	日	26	23	24	25,26	27	2	-	-	-	-	-	-	-
1952	日	12.99	14.88	16.92	20.62	25.28	23.52	25.27	24.35	24.20	19.50	14.78	17.29	25.28
	日	20	7	29	11	23	19	21	11	17	10	13	1	23/5
1953	日	14.61	15.99	18.34	19.69	22.73	24.29	25.33	25.14	23.72	21.91	19.43	16.67	25.33
	日	25	4	20	27	23	28	22	13	3	7	6	2	22/7
極 日	值 期	18.82	16.75	18.40	26.81	25.28	27.71	27.39	25.53	25.33	22.52	24.99	17.29	27.71
年	份	26	23	24	27	23	17	26	20	6	6	26	1	17/6
		1942	1942	1942	1940	1952	1940	1941	1941	1941	1941	1941	1952	1940
最小絕對濕度(毫米)														
1939	日	-	-	-	-	-	-	-	-	-	10.27	4.31	3.13	-
	日	-	-	-	-	-	-	-	-	-	31	27	26	-
1940	日	3.75	4.11	6.26	7.36	9.95	12.10	17.15	17.66	14.68	7.57	5.95	4.97	3.75
	日	1,23	2	22	4	6	2	2	13	29	26	30	1	1,23/1
1941	日	4.74	4.28	6.50	6.26	13.22	13.29	18.77	18.60	10.88	8.09	6.96	5.09	4.28
	日	31	1	30	6	3	6	31	11	28	22	6	16	1/2
1942	日	2.90	4.42	7.98	8.30	10.37	11.60	-	-	-	-	-	-	-
	日	8	15	8	6	7	9	-	-	-	-	-	-	-
1952	日	2.21	2.61	5.01	6.12	12.24	14.86	18.06	16.49	13.81	9.27	8.06	1.95	1.95
	日	8	20	22	15	15	10	1	31	30	26	2	10	10/12
1953	日	2.51	4.23	6.17	7.72	9.19	16.12	17.49	16.73	11.57	10.98	5.18	4.05	2.51
	日	7	21	29	4	4	8	29	17	26	11	20	12	7/1
極 日	值 期	2.21	2.61	5.01	6.12	9.19	11.60	17.15	16.49	10.88	7.57	4.31	1.95	1.95
年	份	8	20	22	15	4	9	2	31	28	26	27	10	10/12
		1952	1952	1952	1952	1953	1942	1940	1952	1941	1940	1939	1952	1952
廈 門 $\varphi=24^{\circ}32'N$ $\lambda=118^{\circ}07'E$ $H=12.3 M$														
平均絕對濕度(毫米)														
1951	日	9.50	9.63	9.77	13.82	17.56	21.44	23.43	23.75	21.03	16.76	13.12	10.39	15.85
1952	日	8.77	9.45	11.03	14.18	20.22	23.03	24.62	24.08	22.46	15.86	13.95	9.65	16.44
1953	日	8.87	10.11	10.87	11.62	17.34	22.54	23.93	23.43	20.79	17.26	13.50	10.74	15.92
平 均		9.05	9.73	10.56	13.21	18.37	22.34	23.99	23.75	21.43	16.63	13.52	10.26	16.07

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度 (毫米)														
1951	日	17.53	16.52	16.67	23.25	26.27	26.31	27.04	28.30	26.72	25.06	19.73	19.34	28.30
	值	7	22	28	29	16	26	6	19	12	7	15	31	19/8
1952	日	13.00	17.26	18.27	23.81	26.76	28.36	28.56	27.35	28.05	22.94	19.54	19.17	28.56
	值	29	15	19	28	28	8	15	3	9	10	14	1	15/7
1953	日	15.19	16.64	20.52	21.83	24.42	26.05	28.33	27.40	27.18	23.47	20.99	18.52	28.33
	值	11	13	20	29	22	11	19	17	11	7	9	2	19/7
極	值	17.53	17.26	20.52	23.81	26.76	28.36	28.56	28.30	28.05	25.06	20.99	19.34	28.56
日	期	7	15	20	28	28	8	15	19	9	7	9	31	15/7
年	份	1951	1952	1953	1952	1952	1952	1952	1951	1952	1951	1953	1951	1952
最小绝对湿度 (毫米)														
1951	日	5.00	5.75	5.47	7.29	8.66	13.11	20.00	17.78	9.94	9.14	6.05	3.15	3.15
	值	22	15	2	4	20	17	25	21	19	30	26	15	15/12
1952	日	3.54	3.95	4.92	6.44	10.58	16.29	20.96	20.46	13.64	10.04	9.88	4.21	3.54
	值	8	20	24	1	14	11	29	2,31	30	25	1	10	8/1
1953	日	5.45	4.99	4.81	5.60	7.30	16.97	18.48	17.86	13.48	9.71	6.27	5.05	4.81
	值	6	9	30,31	16	3	8	4	31	29	11	19	12	30,31/3
極	值	3.54	3.95	4.81	5.60	7.30	13.11	18.48	17.78	9.94	9.14	6.05	3.15	3.15
日	期	8	20	30,31	16	3	17	4	21	19	30	26	15	15/12
年	份	1952	1952	1953	1953	1953	1951	1953	1951	1951	1951	1951	1951	1951
台 灣 澎湖		$\varphi = 25^{\circ}38'N$ $\lambda = 122^{\circ}04'E$ $H = 126.5 M$												
平均绝对湿度 (毫米)														
1910		10.70	10.40	12.50	13.90	17.10	21.80	22.30	22.80	21.40	14.60	13.20	10.50	15.93
1911		10.60	10.80	12.30	14.20	17.10	22.50	22.30	22.40	22.20	15.40	13.20	13.30	16.36
1912		10.60	11.10	12.40	14.80	17.80	20.90	23.40	22.50	20.40	16.90	13.70	12.20	16.39
1913		10.50	11.20	11.30	15.60	17.00	21.60	22.70	22.30	20.70	13.90	13.80	10.50	15.93
1914		9.70	10.40	12.60	14.90	17.80	20.80	22.80	24.00	20.60	18.50	15.60	13.10	16.73
1915		11.70	12.10	12.10	16.20	16.90	22.00	23.30	23.60	20.20	19.50	16.60	11.20	17.12
1916		11.20	11.50	10.70	15.60	18.60	21.50	23.30	22.60	21.30	17.00	13.70	11.60	16.55
1917		8.60	9.30	10.20	13.50	16.30	21.80	22.10	22.80	21.50	16.90	12.30	9.60	15.41
1918		6.70	10.30	11.30	15.10	16.80	21.60	23.10	22.40	19.40	17.30	14.40	13.40	15.98
1919		10.90	10.00	13.00	15.20	17.90	23.30	23.20	23.50	19.60	17.00	13.60	10.90	16.51
1920		9.70	11.70	12.80	14.00	16.70	20.60	23.50	22.70	21.40	16.20	15.00	12.90	16.43
1921		11.20	10.60	12.60	15.90	18.20	21.40	22.60	23.00	18.90	14.10	12.70	12.00	16.10
1922		11.20	11.90	12.00	14.70	18.40	21.60	23.10	23.30	21.20	16.60	13.10	10.70	16.48
1923		11.30	11.10	13.90	16.00	19.50	22.30	24.50	23.90	20.10	18.90	13.20	11.80	17.21
1924		12.10	11.60	11.60	16.10	19.80	20.10	23.00	23.10	20.40	17.50	11.80	10.90	16.50
1925		10.80	9.60	12.00	12.70	18.20	20.90	22.00	22.40	19.10	14.10	13.90	10.00	15.48
1926		10.40	11.00	10.70	12.80	17.30	18.80	22.70	23.20	21.60	15.20	12.90	10.70	15.61
1927		10.30	10.50	11.00	13.70	16.90	20.60	22.60	23.00	18.40	15.50	12.50	12.00	15.58
1928		12.20	11.30	12.30	13.90	17.50	19.80	23.10	22.20	20.70	14.00	13.80	11.60	16.03
1929		10.80	10.70	10.70	12.90	17.10	21.10	22.70	22.30	18.60	14.10	12.00	12.60	15.47
1930		10.30	11.10	11.40	16.50	19.10	20.90	23.00	22.30	20.50	15.60	12.40	12.10	16.27
1931		11.50	11.20	12.00	14.70	17.70	20.30	23.30	23.60	21.20	15.20	14.30	11.30	16.36
1932		9.50	9.00	10.00	14.30	19.70	21.20	23.00	22.30	19.80	15.50	13.80	10.90	15.75
1933		10.10	11.30	10.90	15.00	17.80	21.50	22.70	22.60	20.70	16.00	13.00	10.80	16.03
1934		9.40	9.60	11.40	13.60	17.40	21.20	23.40	22.50	20.90	15.10	13.50	12.60	15.88
1935		9.60	10.90	12.10	15.00	17.70	21.10	23.00	22.20	18.70	17.40	14.10	11.60	16.12
1936		10.20	10.90	10.40	14.40	17.60	21.80	22.90	23.10	19.40	14.50	12.20	12.50	15.83
1937		11.60	10.60	12.20	15.10	19.00	21.50	23.10	22.70	21.00	17.10	15.70	11.50	16.76
1938		11.20	10.90	11.90	14.30	19.70	23.20	23.90	22.70	20.50	18.20	11.90	12.00	16.67
1939		10.50	10.80	12.20	13.50	17.50	21.90	23.20	22.00	19.30	17.10	14.80	9.40	16.02
1940		10.00	11.23	11.67	13.03	17.00	21.30	23.10	22.77	20.47	17.97	14.20	11.00	16.15
平 均		10.49	10.78	11.75	14.55	17.84	21.32	23.00	22.80	20.33	16.22	13.58	11.52	16.18

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1910		16.40	17.40	19.50	20.10	30.60	24.60	26.10	25.50	25.30	20.50	19.30	15.00	30.60
1911		17.00	17.00	19.00	21.20	22.30	25.70	25.10	24.80	25.50	23.40	20.50	18.10	25.70
1912		17.20	18.50	18.50	20.70	24.10	24.40	25.80	25.50	27.90	21.90	19.60	18.80	27.90
1913		17.00	16.10	18.90	21.70	22.30	24.90	25.50	26.20	25.00	21.00	19.90	16.90	26.20
1914		14.60	20.30	18.90	21.60	27.00	24.50	26.70	26.30	24.40	23.20	22.30	21.40	27.00
1915		18.00	20.40	19.60	21.80	23.70	24.80	25.80	27.20	25.20	25.40	24.10	17.40	27.20
1916		17.60	17.60	16.40	21.60	23.40	24.60	26.00	26.50	24.90	22.70	20.90	18.40	26.50
1917		14.50	14.40	17.50	18.30	22.50	25.30	24.10	25.20	25.60	21.90	19.30	16.90	25.60
1918		12.40	15.50	16.80	21.30	22.70	24.60	25.70	25.40	24.80	23.00	20.30	19.30	25.70
1919		20.10	15.80	19.30	22.10	24.90	25.80	25.90	26.60	26.10	23.70	23.00	18.00	26.60
1920		17.00	17.90	18.50	19.80	23.60	25.20	27.80	27.10	24.00	23.10	20.90	19.50	27.80
1921		16.90	18.90	19.50	22.60	22.70	25.10	28.90	26.20	23.80	20.50	18.20	18.30	28.90
1922		15.90	17.50	17.20	20.40	24.70	26.40	25.70	26.70	24.80	21.60	19.90	17.40	26.70
1923		18.40	18.10	20.40	22.00	27.70	30.60	29.20	27.60	26.50	25.90	20.30	19.30	30.60
1924		19.10	18.50	17.20	22.30	25.70	24.00	26.30	25.80	27.20	24.20	17.90	18.70	27.20
1925		15.50	15.50	16.90	19.30	21.90	24.50	25.50	24.90	23.80	20.70	20.40	18.50	25.50
1926		16.80	16.10	17.60	18.70	23.30	26.60	29.00	26.80	25.80	21.70	19.90	18.10	29.00
1927		18.30	16.80	17.70	19.30	23.50	24.80	25.20	26.40	26.60	24.90	19.60	19.60	26.60
1928		19.30	20.00	20.40	20.60	22.50	25.20	26.80	26.80	26.00	20.70	21.20	17.80	26.80
1929		16.30	16.70	23.10	19.90	21.70	26.80	28.80	26.10	23.90	21.60	21.10	20.80	28.80
1930		16.40	19.20	18.40	23.50	24.00	26.10	25.80	24.50	24.50	22.90	20.00	20.90	26.10
1931		20.90	17.30	18.20	21.70	28.00	25.10	27.00	28.10	25.30	23.50	22.70	18.30	28.10
1932		14.90	15.70	16.20	21.60	23.50	25.20	26.90	25.20	24.20	23.00	19.90	17.90	26.90
1933		17.80	16.50	18.10	20.90	22.60	25.70	26.90	25.00	24.60	23.50	20.90	17.40	26.90
1934		15.50	15.70	19.60	20.80	27.50	25.20	27.50	25.30	24.90	23.50	20.10	18.30	27.50
1935		17.40	16.30	18.80	20.60	26.60	26.30	27.20	26.40	26.80	22.10	18.80	18.10	27.20
1936		16.60	16.30	17.70	27.70	22.20	25.20	26.00	26.00	24.90	20.80	20.00	19.70	27.70
1937		17.20	18.00	19.80	21.90	24.20	25.80	28.20	25.10	25.00	23.60	21.80	17.40	28.20
1938		18.50	18.70	20.00	21.40	23.80	26.10	26.20	27.60	25.50	25.80	19.40	19.00	27.60
極日	值	20.90	20.40	23.10	27.70	30.60	30.60	29.20	28.10	27.90	25.90	24.10	21.40	30.60
年	期	5	25	25	18	12	15	-	28	9	2	4	2	12/5, 15/6
	份	1931	1915	1929	1936	1910	1923	1923	1931	1912	1923	1915	1914	1910
最小绝对湿度(毫米)														
1910		6.10	5.60	6.00	7.90	9.10	18.30	17.30	19.20	13.50	9.90	6.00	5.00	5.00
1911		6.20	6.70	5.80	6.10	9.80	16.60	18.50	17.40	16.50	9.50	7.10	8.90	5.80
1912		6.90	5.50	4.50	6.90	10.00	16.40	20.00	17.30	13.20	11.80	8.00	6.50	4.50
1913		6.00	5.60	5.10	8.00	9.50	15.80	16.80	18.00	14.90	8.00	8.90	4.90	4.90
1914		5.20	5.60	6.80	6.30	9.30	14.00	19.10	20.00	14.60	12.20	9.30	6.70	5.20
1915		6.70	5.50	6.90	5.70	8.20	17.40	17.10	20.00	12.30	11.80	7.50	5.30	5.30
1916		5.50	5.20	4.90	5.90	10.20	16.10	20.40	16.30	14.20	11.00	7.40	7.10	4.90
1917		4.30	5.10	6.10	5.40	7.80	15.40	19.60	17.00	12.70	11.50	5.60	4.70	4.30
1918		3.90	4.30	5.40	7.60	8.90	15.70	19.30	19.70	13.50	11.50	5.80	6.80	3.90
1919		5.10	5.40	7.30	9.10	7.00	19.50	17.90	19.70	10.70	10.30	6.90	4.50	4.50
1920		4.70	6.60	7.10	9.60	10.00	13.80	20.30	15.60	13.10	9.90	8.60	6.50	4.70
1921		5.80	5.10	6.70	7.40	12.40	14.10	17.30	19.60	9.40	9.80	7.70	7.60	5.10
1922		5.40	6.20	5.60	9.10	10.40	10.80	17.80	17.50	14.10	9.30	3.60	5.90	3.60
1923		7.10	5.60	8.90	10.20	12.50	13.90	20.20	20.80	12.50	8.80	8.20	5.60	5.60
1924		6.20	5.90	7.50	8.30	10.80	14.10	19.60	19.10	13.60	9.90	6.50	5.70	5.70
1925		4.80	4.60	6.90	7.10	11.30	13.00	16.90	18.50	12.50	8.80	7.00	4.40	4.40
1926		6.10	7.20	5.10	6.70	9.50	9.90	18.50	20.50	13.10	7.70	8.10	4.30	4.30
1927		4.20	4.10	5.40	7.00	10.40	14.50	18.30	20.50	11.50	9.30	7.80	6.30	4.10
1928		5.20	6.30	6.40	6.60	10.20	12.70	20.00	14.40	11.70	7.90	7.90	6.60	5.20
1929		6.10	4.30	5.30	7.00	9.90	14.80	20.30	18.30	12.60	9.00	5.80	7.20	4.30
1930		6.40	5.10	5.70	7.10	13.60	13.30	19.80	20.10	14.30	9.20	6.80	5.50	5.10
1931		4.30	6.80	5.00	7.20	10.90	10.70	20.70	20.80	14.70	7.00	6.70	5.30	4.30
1932		3.60	4.10	4.20	6.30	13.10	15.50	19.00	15.70	14.30	9.60	7.10	4.40	3.60
1933		5.20	6.30	4.70	7.60	7.80	11.50	19.00	19.40	12.60	9.40	6.70	6.30	4.70
1934		4.70	5.10	4.80	8.00	10.30	13.50	20.80	18.70	10.60	7.90	7.70	5.20	4.70

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1935		4.10	4.00	6.30	7.20	9.30	15.10	19.10	18.70	11.10	10.70	9.70	5.80	4.00
1936		5.00	5.30	4.70	6.20	11.50	15.90	20.20	20.00	9.20	8.20	6.60	5.90	4.70
1937		5.90	4.50	5.30	7.10	10.90	16.90	18.50	19.90	14.80	9.40	7.50	6.60	4.50
1938		6.50	5.90	5.60	7.50	10.40	19.30	20.50	18.50	14.20	9.40	5.80	4.20	4.20
極 日 年	值 期 份	3.60 9	4.00 12	4.20 1	5.40 29	7.00 3	9.90 1	16.80 9	14.40 30	9.20 26	7.00 29	3.60 26	4.20 30	3.60 26/11,9/1 1922 1932
		1932	1935	1932	1917	1919	1926	1913	1928	1936	1931	1922	1938	
大屯山		$\varphi=25^{\circ}11'N$ $\lambda=121^{\circ}31'E$ $H=1096.2M$												
		平均绝对湿度(毫米)												
1937		8.90	8.20	10.00	12.20	15.10	17.10	18.10	17.00	15.90	13.00	11.30	8.50	12.94
1938		8.10	7.80	8.70	10.70	14.50	16.80	17.00	16.30	15.40	13.50	10.10	9.50	12.37
1939		8.00	7.70	9.30	10.40	13.30	15.50	16.50	16.10	14.70	13.60	11.50	7.90	12.04
1940		7.00	8.10	8.60	10.00	13.00	15.50	16.80	16.20	15.20	-	-	-	-
平 均		8.33	7.90	9.33	11.10	14.30	16.47	17.20	16.47	15.33	13.37	10.97	8.63	12.45
基 隆		$\varphi=25^{\circ}09'N$ $\lambda=121^{\circ}45'E$ $H=32.0M$												
		平均绝对湿度(毫米)												
1899		-	-	-	-	-	-	-	-	-	15.40	14.50	14.70	-
1900		11.50	11.40	11.90	16.00	18.60	20.80	22.80	24.20	21.40	17.70	14.90	12.50	16.98
1901		12.80	7.30	11.60	16.60	19.00	20.60	22.70	21.60	18.00	16.40	13.00	11.40	15.92
1902		10.90	8.90	13.80	16.20	19.30	20.10	21.90	22.10	18.20	16.10	15.90	12.90	16.36
1903		10.60	9.70	13.70	15.50	17.60	20.10	21.70	20.90	20.20	17.20	13.10	10.40	15.89
1904		10.90	10.60	12.40	15.80	17.50	21.10	22.50	22.60	20.90	18.80	13.90	11.60	16.55
1905		13.40	10.20	12.40	14.90	19.40	22.20	23.90	23.80	22.10	18.30	14.10	14.00	17.39
1906		11.10	11.30	11.40	16.30	19.80	22.90	23.50	23.40	22.20	17.00	14.30	12.10	17.11
1907		11.40	10.50	12.30	14.50	16.80	20.60	22.20	22.40	20.40	19.40	15.70	11.40	16.47
1908		11.80	10.90	12.10	14.60	16.80	20.90	22.70	23.10	22.80	18.70	14.10	13.90	16.87
1909		12.70	11.90	12.20	14.40	16.80	21.30	21.80	22.00	22.20	20.00	14.80	11.70	16.82
1910		11.00	11.60	13.10	14.70	18.30	22.20	22.70	24.00	21.90	16.10	14.20	11.60	16.78
1911		11.50	11.30	12.50	14.90	18.50	22.10	21.30	22.10	22.70	15.50	13.20	13.70	16.61
1912		11.20	11.10	12.60	15.30	18.30	20.50	22.60	22.90	21.50	17.20	14.80	12.80	16.73
1913		11.70	12.20	12.30	16.10	18.00	21.80	22.50	23.00	21.60	15.30	14.50	11.50	16.71
1914		10.40	10.90	13.50	15.60	18.30	20.70	21.60	23.40	21.20	18.90	15.50	13.10	16.93
1915		11.80	12.40	11.00	16.10	16.90	22.10	22.80	23.20	20.50	20.00	16.40	12.60	17.15
1916		12.00	11.80	11.20	15.60	19.20	22.00	22.70	21.50	-	-	-	-	-
1917		9.30	9.40	10.70	13.90	16.40	20.90	21.10	22.00	21.10	17.50	13.30	10.30	15.49
1918		8.20	10.30	11.40	15.40	17.90	22.00	22.30	20.20	18.90	17.30	15.00	13.80	16.06
1919		10.80	10.00	13.30	15.40	17.70	22.20	21.20	21.90	18.70	15.90	13.60	11.40	16.01
1920		10.20	12.10	12.80	14.30	17.20	20.70	22.40	21.30	21.50	18.10	16.50	14.40	16.79
1921		12.30	10.80	12.40	15.60	18.60	22.30	22.30	21.10	19.80	15.30	13.40	12.60	16.38
1922		11.90	12.40	12.50	14.90	19.50	21.70	22.60	22.10	21.50	17.70	13.10	11.80	16.81
1923		11.40	11.00	13.10	16.20	18.80	21.80	23.20	22.80	19.90	17.30	15.70	12.40	16.97
1924		12.10	11.80	12.00	15.90	19.50	20.00	21.80	21.80	20.30	18.20	12.10	11.10	16.38
1925		11.50	10.10	12.20	13.10	18.50	21.00	22.30	22.60	19.40	14.90	14.50	10.90	15.92
1926		10.70	11.50	11.50	14.00	17.70	19.70	22.40	22.00	21.40	16.80	14.50	11.80	16.17
1927		11.30	11.10	11.60	14.60	18.30	21.10	22.10	22.60	18.40	16.00	13.40	12.60	16.09
1928		12.00	10.90	12.70	14.20	18.20	19.70	22.30	21.40	21.00	15.40	14.90	13.00	16.31
1929		11.90	11.30	11.80	14.20	18.50	21.30	22.10	21.70	19.50	16.40	13.70	13.80	16.35
1930		11.50	11.80	12.20	16.80	20.10	21.00	22.40	22.00	21.00	16.70	13.50	12.90	16.83
1931		11.90	11.80	12.40	15.70	18.50	20.10	22.90	22.70	21.20	16.40	14.90	12.40	16.74
1932		10.60	9.80	10.80	14.90	19.90	21.30	21.80	21.50	20.70	16.40	14.40	11.70	16.15
1933		11.00	11.00	11.60	15.80	18.80	21.10	22.50	22.30	20.70	17.00	13.70	11.20	16.47
1934		10.00	10.40	11.50	14.30	17.60	21.20	22.60	21.60	20.40	16.40	14.60	13.30	16.16
1935		10.60	11.70	12.70	15.40	18.40	20.90	22.20	21.50	19.00	17.90	15.10	12.20	16.47
1936		10.30	10.90	10.80	14.50	18.50	21.40	21.90	22.40	19.90	16.00	13.60	13.50	16.14
1937		12.20	10.70	12.90	15.40	19.10	21.90	22.30	22.10	20.80	17.20	15.70	12.40	16.89

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938		11.40	10.70	12.10	14.70	19.20	22.30	22.20	22.10	21.00	18.50	13.60	13.00	16.73
平 均		11.26	10.91	12.21	15.18	18.34	21.20	22.32	22.27	20.63	17.16	14.35	12.36	16.52
最大绝对湿度(毫米)														
1899		-	-	-	-	-	-	-	-	-	21.20	20.30	18.50	-
1900		16.80	15.60	17.00	22.00	24.80	25.80	26.50	28.70	25.30	23.20	20.80	17.30	28.70
1901		15.80	11.80	17.60	22.50	24.10	25.40	26.00	26.50	23.10	22.00	18.10	16.90	26.50
1917		14.60	16.80	15.80	18.10	22.60	24.10	24.50	28.60	26.70	21.40	21.20	17.10	28.60
1918		13.70	15.20	16.90	23.00	23.00	29.90	33.00	28.50	24.50	22.80	21.60	17.90	33.00
1919		15.60	14.40	20.40	21.50	26.50	25.60	24.80	26.20	25.70	21.60	21.40	17.00	26.50
1920		16.30	16.50	17.70	19.40	23.50	28.00	25.90	25.40	25.40	24.90	22.90	22.60	28.00
1921		16.90	16.10	22.30	21.80	24.20	27.70	25.80	26.20	27.80	20.20	18.20	17.00	27.80
1922		16.60	17.10	16.20	19.90	24.50	26.20	26.80	26.70	27.00	23.60	20.70	16.00	27.00
1923		18.20	15.90	17.50	21.50	26.40	29.90	28.40	26.20	27.10	23.30	22.20	17.90	29.90
1924		17.30	18.40	16.20	20.60	23.80	25.50	26.60	26.80	26.20	24.60	20.90	16.90	26.80
1925		15.10	15.30	15.60	18.70	23.30	25.30	25.30	29.50	24.20	20.80	19.50	17.10	29.50
1926		15.50	15.10	18.00	20.40	23.10	25.00	25.90	27.50	25.60	23.90	20.50	18.60	27.50
1927		17.80	15.70	16.70	20.20	23.00	25.50	25.30	26.00	24.40	23.40	18.00	20.00	26.00
1928		17.20	16.90	19.30	28.70	23.50	24.40	25.70	25.10	24.40	22.00	19.90	17.30	28.70
1929		15.40	15.80	18.80	20.70	23.50	25.30	25.60	25.50	25.30	22.40	19.20	17.60	25.60
1930		16.00	17.80	18.10	22.60	24.50	25.40	26.30	25.10	24.30	22.40	20.50	17.30	26.30
1931		17.20	16.90	17.60	22.10	23.50	26.10	26.10	25.90	24.80	24.70	20.60	18.50	26.10
1932		15.60	15.30	16.70	20.80	23.90	25.10	25.80	26.10	25.90	20.70	20.70	17.40	26.10
1933		17.40	16.30	19.20	21.00	24.80	25.90	26.20	26.10	27.90	23.20	20.80	16.70	27.90
1934		14.60	14.80	18.50	22.80	26.40	26.10	27.40	26.60	25.80	22.00	18.90	18.50	27.40
1935		16.60	15.40	19.30	21.50	24.30	24.90	25.10	24.90	23.70	21.90	19.10	18.40	25.10
1936		14.60	15.80	17.00	22.80	23.60	24.60	25.30	25.50	25.20	19.90	19.30	18.10	25.50
1937		16.00	15.80	19.40	20.30	25.00	25.80	25.20	25.00	24.80	24.90	20.40	15.80	25.80
1938		15.90	15.80	19.10	20.90	23.60	25.60	26.60	26.10	26.10	25.30	20.60	17.70	26.60
極 值	18.20	18.40	22.30	28.70	26.50	29.90	33.00	29.50	27.90	25.30	22.90	22.60		33.00
日 期	14	1	1	30	9	9	16	25	17	-	8	4		16/7
年 份	1923	1924	1921	1928	1919	1918	1918	1925	1933	1938	1920	1920		1918
最小绝对湿度(毫米)														
1899		-	-	-	-	-	-	-	-	-	10.10	7.20	10.10	-
1900		8.10	5.40	6.80	6.50	11.80	15.50	18.90	19.10	16.40	11.40	7.70	5.90	5.40
1901		8.90	3.40	5.40	9.80	11.60	14.10	17.80	17.00	13.70	9.10	7.80	5.90	3.40
1917		5.30	5.50	6.20	8.10	8.20	16.60	17.10	18.30	13.70	13.10	7.60	5.30	5.30
1918		5.40	4.60	6.40	8.50	11.20	18.00	17.10	15.60	13.50	12.10	9.40	8.00	4.60
1919		6.00	5.40	8.50	10.00	8.20	18.80	14.90	13.00	11.40	11.10	6.50	4.90	4.90
1920		4.50	7.30	7.80	9.70	10.20	13.80	16.50	15.10	16.70	11.00	11.80	7.40	4.50
1921		6.50	5.50	7.80	8.20	13.20	15.20	15.40	15.80	10.20	11.10	8.40	8.40	5.50
1922		6.50	7.30	6.90	8.30	11.80	13.50	17.90	11.50	16.20	10.60	4.20	7.00	4.20
1923		7.80	5.90	8.40	10.20	12.30	22.10	18.60	18.30	12.60	9.60	10.20	7.00	5.90
1924		7.50	7.10	7.70	8.80	13.30	14.00	15.40	15.70	15.10	9.80	7.00	5.60	5.60
1925		5.80	6.40	5.40	7.80	12.70	13.40	17.50	18.90	13.90	10.20	8.80	4.80	4.80
1926		7.00	8.40	7.10	8.60	12.20	12.50	17.00	16.90	13.90	8.80	9.80	5.30	5.30
1927		5.80	5.60	5.60	8.00	12.90	15.00	19.60	18.20	13.00	10.10	8.60	6.80	5.60
1928		6.00	7.50	9.20	7.90	11.50	14.90	19.10	15.80	12.40	10.10	9.70	8.10	6.00
1929		7.80	7.10	6.60	7.70	12.40	14.20	17.90	18.10	15.00	11.40	7.60	9.00	6.60
1930		7.50	5.50	5.70	9.20	13.50	13.60	19.00	17.70	15.10	10.40	8.60	6.80	5.50
1931		5.40	8.10	8.00	9.20	11.20	11.90	18.50	17.50	15.30	8.90	7.70	6.10	5.40
1932		5.40	5.30	5.10	8.30	15.00	17.10	17.40	16.90	16.10	11.10	8.30	4.40	4.40
1933		5.90	8.40	7.00	9.20	10.00	16.60	19.40	18.70	13.70	10.30	7.20	7.10	5.90
1934		5.60	5.60	5.80	9.00	11.70	15.10	19.80	17.80	12.40	8.90	9.30	5.40	5.40
1935		5.20	5.20	7.40	8.80	11.30	15.50	18.30	17.80	11.90	12.30	10.00	6.40	5.20
1936		5.60	6.10	5.80	7.40	13.60	18.20	16.60	18.90	11.70	11.90	7.80	7.20	5.60
1937		7.00	5.00	6.50	8.40	12.20	16.50	18.10	18.70	15.00	10.70	8.20	8.80	5.00
1938		6.80	6.50	7.50	8.60	11.90	17.30	18.20	18.70	14.40	11.20	7.70	5.70	5.70

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 日 年	值 期 份	4.50 22 1920	3.40 — 1901	5.10 1 1932	6.50 — 1900	8.20 7.3 1917 1919	11.90 2 1931	14.90 9 1919	11.50 27 1922	10.20 26 1921	8.80 — 1926	4.20 26 1922	4.40 7 1932	3.40 -/- 1901
松 山 $\varphi=25^{\circ}04'N$ $\lambda=121^{\circ}33'E$ $H=7.3M$														
平均绝对湿度(毫米)														
1936	—	—	—	—	—	—	22.30	22.80	20.10	15.80	13.50	13.20	—	—
1937	12.70	10.80	13.00	15.40	19.60	22.30	23.10	22.30	21.10	17.80	16.30	12.70	17.26	—
1938	12.70	11.10	12.40	14.60	19.00	22.90	22.50	22.50	21.30	18.60	14.10	13.70	17.08	—
1939	11.10	11.10	12.80	14.80	19.20	22.10	23.30	21.60	20.30	18.50	15.10	11.20	16.76	—
1940	10.60	11.10	11.60	14.30	17.80	21.20	22.50	21.80	21.10	—	—	—	—	—
平 均	12.17	11.00	12.73	14.93	19.27	22.30	22.97	22.13	20.90	18.30	15.17	12.53	17.03	—
台 北 $\varphi=25^{\circ}02'N$ $\lambda=121^{\circ}31'E$ $H=8.0M$														
平均绝对湿度(毫米)														
1897	12.30	10.00	13.20	13.40	18.50	20.30	20.50	21.30	20.90	17.80	15.30	11.60	16.26	—
1898	11.00	11.50	13.30	14.60	19.30	20.20	20.70	21.60	20.10	18.00	15.40	13.80	16.37	—
1899	10.60	10.30	11.00	15.00	17.70	19.80	21.20	21.10	19.10	15.40	14.10	10.70	15.77	—
1900	11.20	10.60	11.70	15.70	17.90	19.70	21.40	21.40	19.90	17.20	14.40	11.90	16.08	—
1901	12.60	7.30	11.20	15.90	18.00	19.80	21.50	20.90	17.70	16.60	12.90	11.10	15.46	—
1902	10.70	8.80	13.60	16.10	18.90	20.00	21.50	21.50	17.10	15.30	15.70	12.50	15.98	—
1903	10.30	9.50	13.80	15.30	17.20	20.30	21.50	20.70	20.10	17.30	13.40	10.60	15.83	—
1904	10.80	10.50	12.50	15.40	17.20	20.00	21.00	20.70	18.60	16.60	12.20	10.20	15.48	—
1905	12.10	10.20	12.50	14.20	18.70	21.00	21.50	21.50	20.70	17.10	12.50	13.20	16.27	—
1906	10.80	11.00	11.30	15.90	19.30	21.30	22.10	21.60	21.00	16.00	13.30	11.30	16.24	—
1907	10.40	10.30	12.00	14.40	16.70	20.60	21.20	21.30	19.70	19.20	15.70	11.60	16.09	—
1908	11.70	11.00	12.00	15.20	16.40	20.20	22.30	21.90	21.00	18.50	14.00	13.80	16.50	—
1909	12.10	11.40	12.20	14.50	16.80	21.20	20.60	21.20	21.00	18.70	14.10	10.90	16.23	—
1910	10.70	10.90	12.80	14.70	17.60	20.90	21.00	21.50	20.60	15.50	13.90	11.20	15.94	—
1911	10.90	11.10	12.20	14.70	18.10	22.00	20.70	21.50	20.60	15.20	12.90	13.50	16.12	—
1912	11.00	11.00	12.60	15.00	18.40	20.60	21.80	21.20	20.20	16.40	14.00	12.30	16.21	—
1913	11.00	11.20	12.10	16.10	18.00	20.90	22.70	22.00	20.80	15.20	14.40	11.40	16.32	—
1914	10.10	10.90	13.20	15.30	18.40	20.60	21.50	21.20	19.70	17.30	14.60	12.80	16.30	—
1915	11.20	11.80	11.20	16.10	16.90	21.10	21.70	22.30	19.90	19.40	16.30	12.00	16.66	—
1916	11.40	11.60	11.00	15.60	18.80	21.00	21.80	21.40	20.60	17.80	14.20	12.40	16.47	—
1917	9.20	9.30	10.80	14.30	16.70	21.20	21.20	21.90	20.80	17.50	13.00	9.70	15.47	—
1918	7.40	10.00	11.20	14.80	17.60	20.80	21.60	20.40	18.50	17.50	15.10	13.80	15.73	—
1919	10.80	10.00	13.80	15.80	18.00	22.30	21.20	22.00	18.60	15.90	13.60	11.50	16.13	—
1920	9.90	11.80	12.90	14.10	17.30	20.40	22.00	21.40	21.00	16.70	15.20	13.00	16.31	—
1921	11.20	10.20	12.40	15.60	18.50	21.00	21.40	20.90	18.80	15.20	13.20	12.30	15.89	—
1922	11.60	12.20	12.40	15.00	19.60	20.90	21.50	21.70	20.80	16.70	13.10	11.20	16.39	—
1923	10.70	10.40	12.40	15.20	17.30	20.20	21.10	21.10	18.80	16.30	13.40	11.20	15.68	—
1924	11.40	11.20	11.60	15.70	19.10	20.00	21.40	21.50	20.30	18.20	11.70	10.90	16.08	—
1925	11.30	9.90	12.10	13.30	18.50	20.60	21.70	21.70	19.00	14.60	13.90	10.10	15.56	—
1926	10.30	11.20	11.60	13.90	17.60	19.30	21.90	22.00	20.90	16.50	13.90	11.20	15.86	—
1927	10.80	10.90	11.30	14.20	18.00	21.00	22.00	22.30	18.70	16.00	13.20	12.00	15.87	—
1928	11.70	10.80	12.90	14.10	18.30	20.00	21.80	21.70	21.00	15.50	14.70	12.60	16.26	—
1929	11.40	11.20	11.30	13.30	18.20	20.80	21.80	22.00	19.30	15.50	13.30	13.10	15.93	—
1930	11.00	11.20	12.00	16.50	19.60	20.00	22.00	21.40	20.60	16.60	13.30	12.70	16.41	—
1931	11.40	11.70	12.30	15.50	18.40	20.20	22.20	22.30	20.90	16.20	15.00	12.20	16.53	—
1932	10.00	9.70	10.70	15.00	20.10	21.60	21.90	22.10	20.90	16.40	14.40	12.10	16.24	—
1933	11.10	11.90	11.90	16.50	19.90	22.10	23.40	23.10	20.00	17.00	13.60	11.10	16.80	—
1934	9.90	10.30	11.70	14.50	18.00	21.20	22.70	20.70	19.90	16.40	14.70	13.30	16.11	—
1935	10.50	11.40	12.70	15.50	18.30	21.10	22.30	21.90	19.30	18.00	15.10	12.20	16.53	—
1936	10.30	10.80	10.90	14.70	18.50	21.60	21.70	22.00	19.60	15.80	13.20	13.20	16.03	—
1937	11.90	10.50	12.60	15.20	19.00	21.70	21.80	21.90	20.80	17.50	15.40	12.20	16.71	—
1938	11.60	11.00	12.10	14.40	18.80	21.70	21.80	21.60	20.50	17.90	13.40	12.90	16.48	—

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1939	11.10	10.30	12.40	13.90	17.60	20.60	21.90	21.10	19.10	17.80	15.00	10.80	15.97
1940	10.29	11.04	11.60	13.87	17.47	20.98	21.68	21.23	20.05	18.03	14.64	11.35	16.02
平 均	10.90	10.68	12.11	14.95	18.16	20.75	21.64	21.54	19.94	16.82	14.05	11.94	16.13
最大绝对湿度(毫米)													
1897	17.00	15.40	22.00	21.10	24.50	26.20	24.30	24.70	24.20	24.60	23.00	17.60	26.20
日	14	1	28	25	31	11	6,15	10	21	12	3	9	11/6
1898	19.90	17.50	20.80	21.80	24.20	25.20	24.70	25.30	24.00	22.50	21.70	16.40	25.30
日	14	2	31	19	18,19	25	16	5	5,29	2	16	1	5/8
1899	15.10	15.00	15.40	19.90	23.90	24.90	24.30	24.30	24.00	20.10	21.60	17.20	24.90
日	11	28	9	17	30	23	30	10	19	3	9	4,29	23/6
1900	15.80	15.80	17.50	20.90	24.40	23.80	25.00	25.10	24.80	24.30	22.40	16.90	25.10
日	23	28	31	19	26	29	9,19	10	11	20	10	29	10/8
1901	17.40	12.00	17.20	21.80	22.10	23.90	25.30	25.30	23.60	22.20	18.70	17.20	25.30
日	16	9	28	22	3	23	7	27	17	3	11	1	7/7, 27/8
1902	14.70	14.20	18.90	21.90	23.40	23.70	24.90	24.90	23.00	19.40	19.60	16.90	24.90
日	20	28	20	23	21,30	18	23	3	22	29	13	4	23/7, 3/8
1903	17.80	16.80	18.70	20.80	23.50	25.70	25.50	25.60	24.20	24.90	18.10	16.20	25.70
日	26	27	14	24	30	1	14	1	6	7	5	15	1/6
1904	15.80	15.50	18.00	22.10	23.20	25.00	24.00	25.10	23.00	20.50	18.90	15.90	25.10
日	28	5	5	29	26	18	22	18	8,13	2	4	11	18/8
1905	17.60	16.10	18.00	22.10	23.80	24.90	25.00	25.50	26.50	21.60	17.90	17.00	26.50
日	24,25	24	13	30	8	13,29	28	22	29	11	2	19	29/9
1906	18.00	17.00	19.50	21.10	23.70	25.00	26.10	25.70	25.20	24.30	19.40	17.60	26.10
日	10	20	23	15	19	25	4	19	-	1	1	-	4/7
1907	15.00	15.10	18.40	19.40	22.70	24.20	25.10	25.20	25.60	24.80	20.10	18.50	25.60
日	26	9	22,27	29	22	29	29	8	3	10	19,23	9	3/9
1908	16.10	17.40	16.90	20.90	22.10	24.20	27.40	26.60	24.90	24.90	19.20	20.30	27.40
日	20	28	31	5	27	26	16	21	16	6	4,21	11	16/7
1909	17.10	18.30	19.00	21.20	21.40	25.00	24.40	25.20	25.70	24.20	21.70	17.50	25.70
日	31	19	9	28	4	25	3,9	20	21	18	3	31	21/9
1910	17.60	16.10	20.50	21.40	22.80	25.10	24.60	25.80	24.50	21.30	20.40	16.70	25.80
日	8	15	27	18	12	18	24	9	2	1	15	1	9/8
1911	14.90	15.70	18.90	21.50	22.70	26.20	24.90	25.00	25.00	23.40	18.10	17.50	26.20
日	31	11	22	25	20,29	19	3	7	1	2	1,17	1	19/6
1912	16.00	17.90	18.30	21.70	24.30	24.50	25.70	26.30	24.40	20.80	19.40	17.50	26.30
日	23	27	27,29	21,30	19	19	5	30	7,10	28	5,6	18	30/8
1913	16.00	17.80	17.80	21.60	23.70	24.30	28.90	29.50	24.90	21.40	20.10	16.10	29.50
日	15	22	31	30	24	19	31	5	10	7	8	15	5/8
1914	13.90	16.40	18.60	21.90	24.20	25.40	24.90	25.20	24.90	22.60	18.80	19.00	25.40
日	6	19	7,24	24	14	29	10	5	7	5	4	3	29/6
1915	15.30	18.00	17.70	21.30	23.80	26.30	25.20	26.00	25.50	23.40	22.80	17.80	26.30
日	27	26	7	13	22	28	31	23	17	4	3	8	28/6
1916	16.40	16.30	17.10	22.30	23.90	24.80	26.20	26.00	24.50	22.30	20.20	18.10	26.20
日	4	23	31	29	29	15	2	9	21	11	7	7	2/7
1917	13.70	14.30	17.90	18.90	23.50	24.90	27.50	26.90	25.00	22.80	20.30	16.00	27.50
日	1	25	13	12	31	20,23	1	17	7	5	2	13	1/7
1918	13.50	16.30	16.40	21.90	24.60	25.30	25.40	24.20	24.80	22.00	21.70	18.00	25.40
日	12	4	24	29	30	13	26	16	8	16	2	18	26/7
1919	17.50	14.40	20.10	22.70	24.70	26.70	24.30	28.20	24.40	22.10	20.60	16.90	28.20
日	10	28	24	30	21	13	19	3	7	11	3,5	3	3/8
1920	16.20	18.00	18.70	19.30	23.20	26.60	26.10	25.80	25.90	24.10	21.70	19.10	26.60
日	29	5	30	30	23	26	20	25	6	9	9	6	26/6
1921	16.40	17.90	19.80	22.70	23.10	24.90	25.70	26.00	25.30	19.50	18.20	16.70	26.00
日	1	28	20	27	26	15	21	22	16	31	28	16	22/8
1922	16.90	17.50	16.80	20.70	30.50	25.10	25.10	25.20	24.80	21.50	19.50	15.90	30.50
日	15	23	16	29	24	30	2	14	14	1	15	4	24/5
1923	14.60	16.10	16.60	21.40	24.40	26.60	24.80	25.80	24.50	20.80	20.80	18.40	26.60
日	31	19	11	17	26	28	5	12	5	31	1	7	28/6
1924	16.20	15.90	16.40	21.40	23.70	24.40	25.00	25.90	24.30	23.80	17.50	17.10	25.90
日	13	8	9	30	14	21	1	6	13	3	4,6	5	6/8
1925	14.60	15.00	16.10	19.60	24.30	25.00	26.10	25.70	23.50	21.50	19.50	15.50	26.10
日	3	17	23	25	31	24	7	28	12,13	8	23	31	7/7
1926	15.30	15.70	18.40	20.20	23.90	24.80	26.40	25.90	25.00	22.20	19.40	19.20	26.40
日	14	14	13	24	28	23	9	15	5	16	16	15	9/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1927	日	17.70	15.00	18.50	20.90	22.70	24.80	26.90	25.90	23.80	23.20	17.90	20.40	26.90
	日	7	15	12	20	27	29	16	28,30	1	11	24	5	16/7
1928	日	17.70	18.40	21.20	21.40	24.30	24.80	26.70	25.70	26.10	23.10	19.60	16.80	26.70
	日	27	28	1	30	23	24	21	16	28	2	26	14	21/7
1929	日	15.90	16.50	19.10	23.00	23.70	25.70	25.70	27.40	24.60	21.10	18.60	18.40	27.40
	日	27	28	25	30	25	13	6,19	22	5	6	6	14	22/8
1930	日	15.60	17.50	18.90	22.60	24.00	24.00	26.10	25.20	23.50	22.30	19.30	17.90	26.10
	日	1,2	27	2	28	25	13	24	1	17	1	-	19,30	24/7
1931	日	17.40	17.20	17.50	23.30	25.00	25.30	28.20	28.00	25.50	23.90	22.20	19.30	28.20
	日	5	3	26	29	23	30	11	28	4	3	11	8	11/7
1932	日	15.30	15.30	16.00	20.50	23.90	26.10	26.20	26.40	25.40	21.50	20.10	18.90	26.40
	日	25	2	12	29	28	17	18	16	17	27	11	27	16/8
1933	日	17.60	17.00	19.30	22.50	26.00	26.40	27.80	28.80	24.30	23.10	20.80	16.70	28.80
	日	10	15	21	8	19	20	21	12	21	1	-	-	12/8
1934	日	16.00	14.60	19.50	21.30	24.20	25.70	30.00	29.30	24.90	22.90	19.80	17.80	30.00
	日	-	-	-	-	-	-	31	4	-	-	-	-	31/7
1935	日	16.20	16.20	18.90	21.80	23.50	24.80	26.00	26.00	24.50	22.30	19.60	18.20	26.00
	日	-	-	19	-	-	-	14	4	-	-	-	-	14/7, 4/8
1936	日	14.60	15.80	17.80	20.80	22.70	28.70	26.20	25.60	24.60	21.50	18.90	18.10	28.70
	日	-	-	-	-	-	23	-	-	-	-	-	-	23/6
1937	日	15.80	16.90	19.60	22.20	24.00	25.40	25.50	26.60	24.80	24.90	20.80	16.50	26.60
	日	-	-	-	-	-	-	-	4	-	-	-	-	4/8
1938	日	19.60	16.50	18.50	21.50	23.40	25.10	25.40	26.40	25.20	23.80	19.90	17.90	26.40
	日	29	-	-	20	-	-	-	28	-	-	-	-	28/8
極 日	值	19.90	18.40	22.00	23.30	30.50	28.70	30.00	29.50	26.50	24.90	23.00	20.40	30.50
年 份	期	14	28	28	29	24	23	31	5	29	31	3	5	24/5
	份	1898	1928	1897	1931	1922	1936	1934	1913	1905	3年	1897	1927	1922
最小绝对湿度(毫米)														
1897	日	5.10	3.80	8.30	7.10	10.40	14.20	13.30	17.30	15.70	8.40	7.20	6.60	3.80
	日	18	11	20	20	3	8	23	17	30	24	29	27	11/2
1898	日	5.00	4.30	8.20	7.60	12.90	15.00	15.80	16.80	11.50	12.40	6.30	4.90	4.30
	日	24	11	10	10	3	6	10	1	20	6	27	14	11/2
1899	日	5.50	5.90	6.30	9.50	8.80	10.10	16.00	16.10	13.70	10.30	6.00	10.30	5.50
	日	5	7	17,26	22	3	5	8	6	23	16	27	31	5/1
1900	日	8.00	5.20	7.10	7.20	9.40	14.00	16.70	15.50	13.80	10.70	6.80	5.90	5.20
	日	6	5	19	28	3	6	27	26	24	15	17	8	5/2
1901	日	9.00	3.30	5.30	8.30	8.30	13.30	16.90	16.20	12.00	11.30	8.00	5.60	3.30
	日	18	12	4	11	13	3	3	15	5,25	18	19	4	12/2
1902	日	6.50	5.10	8.30	9.00	10.10	15.50	17.50	17.30	9.30	10.80	11.20	6.60	5.10
	日	14	2	4	3	12	2,7	18	31	28	17	6	15	2/2
1903	日	5.00	5.40	7.90	8.30	10.70	14.90	17.30	13.40	15.60	10.90	6.70	5.80	5.00
	日	18	4	1	4	9	14	23	30	25	31	27	4	18/1
1904	日	7.30	6.20	7.80	8.20	9.90	12.90	16.90	16.00	13.30	12.00	6.60	6.20	6.20
	日	20	9	21	1	6	1	2	31	28	10	16,30	30	9/2,30/12
1905	日	7.50	6.90	6.90	8.60	11.10	14.10	16.10	17.20	16.90	10.10	8.20	8.10	6.90
	日	1	14	5	7	3	19,20	1	7	23	20	6	20	14/2,5/3
1906	日	5.90	5.70	4.50	10.40	13.10	14.70	17.80	17.70	16.80	10.30	7.30	5.70	4.50
	日	25	4,5	6	2,9	29	1	11	22	27	18	20	29	6/3
1907	日	5.60	5.30	5.50	6.10	10.00	14.00	17.20	17.30	13.00	15.40	9.50	5.60	5.30
	日	2	23	5	1	1	7	-	13,14	18	31	29	21	23/2
1908	日	7.90	4.80	6.10	10.30	7.70	12.40	18.80	16.60	15.70	11.30	7.40	7.80	4.80
	日	7	18	11	15	3	3	24	17	30	31	27	30	18/2
1909	日	6.80	6.60	6.10	6.80	9.40	14.40	17.10	17.50	15.50	12.30	6.60	5.50	5.50
	日	14	12	25,26	7	28	9	14	27	13	30	25	25	25/12
1910	日	5.30	6.70	7.80	9.20	10.90	16.10	16.40	17.40	15.20	10.70	7.30	6.60	5.30
	日	25	2	4	11,12	2,3	9	29	2,28	6	11	11	26	25/1
1911	日	6.80	7.40	7.10	8.10	11.30	16.60	16.30	18.20	16.30	9.60	8.40	9.80	6.80
	日	19	4	1,2	18	15	1	11	27	21	17	10	12	19/1
1912	日	7.30	5.90	5.70	7.00	11.00	15.00	18.30	17.10	13.10	10.20	8.50	7.80	5.70
	日	30	3	17	12	4	10	14	6,12	26	4	23	28,29	17/3
1913	日	5.60	6.70	6.40	10.60	11.60	13.70	17.90	16.60	17.30	9.30	9.50	5.80	5.60
	日	30	10,11	25	9	2	4	3	27	2	16,17	21,22	31	30/1
1914	日	5.60	6.20	8.00	8.00	10.80	14.00	17.00	16.40	13.00	12.00	8.50	6.90	5.60
	日	8	12	14	7	3	3	28	31	17	12	27	13	8/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1915	日	6.70	5.40	6.10	6.80	10.00	14.70	16.40	17.60	11.30	11.40	8.50	5.80	5.40
	日	17	28	17	7	3	1	24	9,23	8	28	30	18	28/2
1916	日	5.90	5.50	5.80	6.70	11.00	16.30	17.70	15.40	15.20	12.20	7.60	8.00	5.50
	日	23	29	1	5	7,8	1,2	30	25	29	4	29	2	29/2
1917	日	5.20	5.20	6.50	9.80	8.40	17.60	17.40	16.80	14.00	12.90	6.50	4.60	4.60
	日	18	20	28	30	7	16	30	16	30	8	11	30	30/12
1918	日	4.40	4.50	6.20	7.90	11.10	16.90	16.90	15.30	11.80	12.00	10.40	7.90	4.40
	日	7	18	16	17	5	20,30	20	13	15	25	24	29	7/1
1919	日	5.70	5.60	8.50	11.30	8.40	17.90	16.00	17.60	11.70	11.10	6.60	5.00	5.00
	日	19	4,5	26	1,4	3	17	9	26	19	25	24	30	30/12
1920	日	5.20	7.20	8.10	9.50	9.10	11.60	16.40	13.60	15.60	11.00	10.70	7.30	5.20
	日	13	8	15	11	7	5	15	20	30	24,30	13	20	13/1
1921	日	5.40	5.20	7.20	7.50	13.30	12.60	13.50	16.00	10.10	11.60	8.20	8.40	5.20
	日	14	17	3	8	27,28	2	31	1	25	30	9	25	17/2
1922	日	6.00	7.20	6.10	7.70	12.60	13.60	17.20	17.10	14.00	9.60	3.60	6.30	3.60
	日	10	27	24	17	31	1	20	30	24	10	26	5	26/11
1923	日	7.40	5.70	8.20	8.70	10.40	12.60	16.40	17.10	10.70	8.80	8.40	5.70	5.70
	日	16	2	20	6	12	5	25	8	17	11	2	30	2/2,30/12
1924	日	6.50	6.30	6.80	9.40	12.40	13.80	17.40	16.80	15.60	9.20	5.80	5.90	5.80
	日	26	2	21	3	28	7	6	17	17	29	24	11	24/11
1925	日	5.70	5.30	6.50	7.30	12.60	12.20	17.20	17.70	11.20	9.50	8.30	5.10	5.10
	日	30	21	11	9	21	8	24	5	28	23,25	28	21	21/12
1926	日	6.20	7.40	6.60	8.50	11.00	11.70	17.10	16.90	13.40	9.10	9.40	4.60	4.60
	日	6	1	27	4	15	2	1	7	18	30	22	8	8/12
1927	日	5.40	5.30	6.10	8.20	11.70	15.20	17.90	18.30	13.60	10.30	9.30	6.50	5.30
	日	28	8	26,27	21	24,25	9	22	6	11	28	8	10	8/2
1928	日	6.00	6.90	7.30	8.30	12.10	15.50	18.10	14.70	14.30	9.50	8.80	7.40	6.00
	日	5	17	9	4	2	5,15	11	29	25,26	30	21	29	5/1
1929	日	7.40	6.70	6.10	6.00	10.70	15.40	17.80	18.30	12.70	10.30	7.00	8.60	6.00
	日	4	12	14	14	4	1	9	30	23	20	27	21	14/4
1930	日	7.00	5.60	6.00	8.40	12.30	14.40	18.20	17.70	15.90	11.10	8.30	6.70	5.60
	日	31	9	13,14	2	6	8	1	10,11	23	3	12,21	25	9/2
1931	日	4.30	7.90	6.80	9.20	12.50	12.40	17.40	17.00	15.00	9.50	7.70	5.00	4.30
	日	10	28	12	5	13	2	29	5	30	30	6	13	10/1
1932	日	5.10	5.30	5.00	8.70	15.00	17.10	18.40	17.00	16.80	11.60	8.10	5.50	5.00
	日	3	25	1	1	29	1	21	22	30	7	16	6	1/3
1933	日	6.00	7.90	6.70	9.40	11.10	16.90	19.80	17.60	13.60	10.60	7.20	6.40	6.00
	日	29	17	28	1	3	8	14	13	7	20	20	-	29/1
1934	日	4.90	5.80	5.90	9.10	11.10	15.10	18.30	15.60	12.60	9.80	9.30	6.60	4.90
	日	26	-	-	16	-	-	-	7	-	-	-	-	26/1
1935	日	5.00	5.20	7.20	9.30	11.90	16.20	18.40	17.20	12.50	12.60	9.80	7.20	5.00
	日	18	-	-	1	-	-	25	28	-	-	-	-	18/1
1936	日	5.30	5.30	6.20	7.50	13.00	17.50	16.50	17.90	11.70	10.60	7.10	7.20	5.30
	日	3	10	-	-	-	18	-	-	-	-	-	-	3/4, 10/2
1937	日	7.10	4.60	6.70	7.70	12.20	16.90	18.60	17.40	15.70	9.50	9.10	8.60	4.60
1938	日	6.90	6.00	7.60	8.70	11.00	17.80	16.90	17.70	13.30	11.30	6.10	5.80	5.80
極 日	值	4.30	3.30	4.50	6.00	7.70	10.10	13.30	13.40	9.30	8.40	3.60	4.60	3.30
年	期	10	12	6	14	3	5	23	30	28	24	26	30,8	12/2
	份	1931	1901	1906	1929	1908	1899	1897	1903	1902	1897	1922	1917	1901
													1926	
新 竹		$\varphi=24^{\circ}48'N$ $\lambda=120^{\circ}58'E$ $H=32.8M$												
		平均绝对湿度(毫米)												
1938	日	10.90	10.10	11.90	14.90	19.20	21.50	21.60	22.00	20.50	17.70	13.00	12.60	16.33
1939	日	10.60	10.30	12.70	14.10	18.10	20.10	21.60	21.70	19.50	17.50	14.80	10.00	15.92
1940	日	9.87	10.67	11.73	14.63	18.07	21.23	22.30	21.50	20.07	17.97	14.27	10.93	16.10
平 均	日	10.46	10.36	12.11	14.54	18.46	20.94	21.83	21.73	20.02	17.72	14.02	11.18	16.12
宜 蘭		$\varphi=24^{\circ}46'N$ $\lambda=121^{\circ}45'E$ $H=7.4M$												
		平均绝对湿度(毫米)												
1936	日	10.60	11.50	11.50	15.80	19.60	22.70	23.50	23.10	20.20	16.40	13.90	14.10	16.90

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937		12.70	11.40	13.60	17.00	20.10	22.20	22.30	22.40	21.80	17.50	16.00	13.00	17.50
1938		12.00	11.30	13.10	15.20	19.80	22.50	22.50	22.80	21.30	19.10	15.40	13.50	17.40
1939		11.50	11.10	13.20	14.60	18.10	21.10	21.80	21.40	21.70	20.20	16.60	11.40	16.90
1940		10.73	11.43	12.03	14.43	18.67	20.97	22.40	21.93	20.17	18.57	15.13	11.90	16.53
平 均		11.51	11.35	12.69	15.41	19.25	21.89	22.50	22.33	21.03	18.35	15.41	12.78	17.05
最大绝对湿度(毫米)														
1936		16.00	20.00	16.80	23.80	23.10	26.00	26.50	26.50	25.50	20.70	20.30	18.90	26.50
1937		17.40	18.70	21.80	22.70	24.40	26.50	25.20	25.20	25.70	24.10	21.30	17.10	26.50
1938		16.90	17.40	19.80	21.90	25.00	26.10	25.80	26.20	26.20	25.00	22.60	19.00	26.20
日 数		20	16	-	-	-	-	-	12	3	-	-	-	12/8, 3/9
極 值		17.40	20.00	21.80	23.80	25.00	26.50	26.50	26.50	26.20	25.00	22.60	19.00	26.50
日 期		5	17	24	28	-	24	15	15	3	-	-	-	3/8
年 份		1937	1936	1937	1936	1938	1937	1936	1936	1938	1938	1938	1938	1936
最小绝对湿度(毫米)														
1936		5.60	6.00	6.30	7.70	13.70	19.20	19.30	18.30	12.10	11.00	8.00	7.60	5.60
1937		8.50	5.40	6.70	9.90	14.70	17.40	19.00	18.20	15.20	10.70	9.30	8.40	5.40
1938		7.20	6.00	7.80	8.50	11.70	18.70	19.30	18.10	15.10	11.10	9.80	5.80	5.80
日 数		-	-	29	11	-	-	-	-	-	-	-	30	30/12
極 值		5.60	5.40	6.30	7.70	11.70	17.40	19.00	18.10	12.10	10.70	8.00	5.80	5.40
日 期		3	6	1	3	-	1	19	-	26	-	29	30	5/2
年 份		1936	1937	1936	1936	1938	1937	1937	1938	1936	1937	1936	1938	1937
台 中 $\varphi = 24^{\circ}09'N$ $\lambda = 120^{\circ}41'E$ $H = 77.1 M$														
平均绝对湿度(毫米)														
1897		12.20	10.30	14.00	15.10	20.30	21.80	21.40	21.60	21.50	18.10	15.10	11.30	16.89
1898		10.70	12.00	13.80	15.60	20.00	21.30	21.20	21.70	20.40	17.50	14.70	10.00	16.58
1899		9.90	10.20	11.40	16.00	18.60	20.10	21.90	21.30	19.20	15.80	13.50	13.10	15.92
1900		11.00	10.60	13.10	16.60	19.50	20.70	21.70	22.30	20.10	17.70	14.40	11.80	16.63
1901		12.40	7.70	12.30	17.10	19.30	20.20	21.50	21.40	17.80	16.30	13.00	11.20	15.85
1902		10.60	8.30	14.00	16.50	20.20	20.90	21.40	21.90	17.60	15.20	15.00	12.20	16.15
1903		10.20	9.40	14.40	15.90	18.40	20.50	21.50	20.40	19.90	17.40	13.30	10.90	16.02
1904		10.60	10.60	13.40	16.60	17.80	21.00	21.20	21.00	19.80	16.60	12.60	9.90	15.93
1905		11.90	10.50	12.90	15.90	19.80	21.30	21.70	21.60	21.20	17.20	12.40	13.00	16.62
1906		10.90	11.70	12.10	16.90	19.90	21.40	22.00	21.80	22.10	16.10	12.70	11.40	16.58
1907		10.50	10.10	12.40	14.80	18.20	20.60	21.00	21.20	20.30	19.50	15.50	11.40	16.29
1908		11.60	11.10	12.30	16.20	18.00	20.40	21.80	22.10	21.50	18.70	13.70	13.40	16.73
1909		11.70	11.40	12.90	15.70	18.90	21.20	21.90	21.80	21.30	19.50	14.50	10.70	16.79
1910		11.20	11.20	13.30	16.10	18.60	21.00	21.20	21.70	21.10	15.70	14.10	11.10	16.36
1911		11.10	11.00	13.10	15.40	19.30	21.50	22.40	21.90	21.20	15.60	13.30	13.40	16.60
1912		11.30	11.80	13.70	15.80	19.90	21.50	21.80	21.80	20.00	16.70	14.00	11.90	16.68
1913		10.70	11.20	12.60	16.90	19.40	21.30	22.50	22.40	21.40	15.10	14.10	11.50	16.59
1914		9.90	11.20	14.00	16.50	19.00	20.30	21.50	21.90	20.60	17.60	14.90	13.10	16.71
1915		11.30	12.40	12.10	17.00	18.70	21.40	22.70	22.80	19.80	19.40	16.20	11.50	17.11
1916		10.90	11.50	11.70	16.20	19.20	21.20	21.60	22.20	21.00	17.10	13.70	12.30	16.55
1917		9.20	9.60	12.00	16.20	18.40	21.40	21.40	22.30	21.00	17.00	12.90	9.70	15.93
1918		7.30	9.80	11.80	15.40	18.60	21.10	22.20	21.10	18.70	17.00	15.00	13.60	15.97
1919		11.20	10.40	14.80	17.30	18.80	21.80	21.10	22.00	18.30	16.30	13.10	11.10	16.35
1920		9.30	11.70	13.30	15.10	19.20	20.60	22.20	21.80	20.90	16.50	15.20	13.10	16.58
1921		10.80	10.00	12.90	16.40	19.60	21.00	21.30	21.00	18.80	15.40	13.40	12.00	16.05
1922		11.50	12.50	13.10	15.90	20.50	21.90	22.00	22.20	20.70	17.50	13.20	11.30	16.83
1923		10.50	10.70	12.90	15.90	17.70	20.90	21.40	21.60	18.30	16.00	13.70	11.30	15.91
1924		11.60	11.80	11.30	16.41	20.00	20.90	22.20	21.30	20.60	18.10	11.70	11.00	16.41
1925		11.30	10.00	13.00	14.40	19.70	21.20	21.90	22.10	19.90	14.40	13.70	10.10	15.98
1926		10.20	11.20	12.60	15.60	19.20	20.10	21.90	22.60	21.80	16.90	13.90	11.40	16.45
1927		10.80	11.30	12.20	15.50	19.70	21.80	21.70	22.30	19.40	16.30	12.80	11.80	16.30
1928		11.60	11.00	13.60	15.40	20.10	21.10	22.60	21.90	20.50	15.30	14.60	12.30	16.67
1929		11.10	11.10	11.40	14.40	19.80	21.00	22.00	22.10	20.00	12.90	12.90	12.80	16.13
1930		10.60	10.80	12.30	16.80	19.70	20.80	22.60	21.70	20.80	17.10	13.50	12.70	16.62

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1931		11.70	12.10	13.50	17.30	19.90	20.70	21.70	22.80	21.40	16.00	14.30	12.00	16.95
1932		9.40	9.80	11.50	16.80	20.40	21.50	21.70	21.30	20.90	16.60	14.30	11.30	16.29
1933		10.30	11.50	11.50	16.40	18.70	21.50	21.70	21.00	20.30	16.50	12.90	11.00	16.11
1934		9.60	10.40	11.90	14.90	18.90	20.70	21.80	21.70	21.00	16.20	14.20	12.60	16.16
1935		10.50	11.60	13.50	16.40	19.20	21.20	22.30	21.90	19.50	19.20	14.90	12.00	16.85
1936		10.20	11.30	11.40	16.10	19.70	21.60	22.30	22.50	20.30	15.40	13.10	13.10	16.42
1937		12.00	11.10	14.10	16.60	19.80	21.70	22.00	22.10	21.20	16.70	15.10	12.30	17.06
1938		11.10	11.00	12.90	16.10	19.70	21.40	21.40	21.90	21.40	17.60	13.40	13.00	16.74
1939		11.00	10.60	14.00	15.20	19.10	20.70	21.90	22.20	20.20	18.60	15.50	10.30	16.61
1940		9.90	10.73	12.10	15.07	18.67	21.80	22.10	21.40	20.27	18.47	14.70	10.67	16.32
平 均		10.76	10.82	12.80	16.01	19.27	21.08	21.80	21.81	20.32	16.88	13.93	11.76	16.44
最大绝对湿度(毫米)														
1897		16.30	15.60	20.40	21.00	24.00	25.60	25.00	25.60	25.60	23.70	21.50	22.20	25.60
日		—	25	28	24	30	—	30	—	20	10	3	9	34
1898		17.30	17.90	22.90	22.30	25.10	24.70	25.40	25.60	23.80	22.30	19.60	16.20	25.60
日		15	18	31	19	19	—	—	2	6	2,4	15	1	2/8
1899		12.90	14.00	18.20	20.70	24.50	24.40	26.10	24.60	24.90	21.40	19.50	15.80	26.10
日		34	—	—	18	23	29	14	—	3	14	—	4	14/7
1900		15.10	15.00	19.60	21.90	24.10	24.30	26.00	26.20	26.20	22.50	20.90	17.00	26.20
日		21,23	25	—	8	—	25	5	17	7	7	10	—	17/8,7/9
1901		16.80	11.50	17.70	21.90	23.20	25.10	24.70	25.60	21.40	22.70	18.50	15.60	25.60
日		22	19	—	—	25	14	7	3	19	4	12	1	3/8
1902		19.30	13.40	18.70	22.00	25.70	25.40	25.60	24.60	23.20	18.80	18.60	16.30	25.70
日		—	27	22	—	26	—	—	9	1	26	21	—	26/5
1903		18.10	14.70	18.90	19.80	22.90	23.80	24.10	24.40	23.30	22.80	17.80	16.10	24.40
日		25	26	14	24	31	12,21	21,27	4	29	7	17	15	4/8
1904		14.20	13.80	19.10	20.20	21.60	28.30	24.30	24.20	24.00	21.00	19.10	16.40	28.30
日		2,28	—	—	25	15	23	14	17	9	—	—	11	23/6
1905		17.30	16.20	20.50	21.60	23.10	25.10	24.60	25.80	25.10	21.10	17.00	17.00	25.80
日		27	25	31	30	—	—	34	29	2	—	—	7	29/8
1906		18.50	17.60	19.60	22.00	23.90	24.60	25.80	25.60	25.10	24.50	19.30	17.70	25.80
日		10	22	—	—	—	20	8	16	28	2	1	18	8/7
1907		14.70	14.70	18.30	19.60	22.30	23.10	24.00	24.60	25.20	22.70	19.60	18.80	25.20
1908		15.10	17.40	18.30	21.30	22.90	24.20	24.90	25.50	25.80	23.80	18.80	17.80	25.80
1909		17.10	17.10	19.30	21.90	26.40	25.40	25.60	24.60	26.70	24.20	21.90	16.10	26.70
1910		17.30	18.80	20.90	22.20	23.00	24.70	23.80	25.40	24.60	22.10	19.00	15.60	25.40
1911		17.20	19.20	19.40	21.20	23.10	25.20	25.40	26.20	24.80	22.90	18.40	16.30	26.20
1912		15.60	19.10	18.30	21.50	24.20	24.40	25.00	25.60	25.20	22.00	19.70	18.20	25.60
1913		14.80	18.40	19.30	22.50	24.10	24.40	26.30	25.80	25.10	22.40	18.70	16.40	26.30
1914		14.70	16.20	18.80	21.80	23.90	26.00	25.00	24.50	24.50	21.40	20.00	19.10	26.00
1915		15.90	18.60	17.10	21.90	25.40	26.40	26.10	26.30	24.90	23.10	22.30	16.20	26.40
1916		17.00	15.60	18.70	20.80	23.50	24.20	24.50	26.50	24.50	21.60	19.40	16.80	26.50
1917		14.60	14.70	18.20	20.80	23.60	25.10	24.40	25.50	25.30	20.50	19.60	16.30	25.50
1918		12.10	15.50	19.40	21.10	23.50	24.80	24.40	24.90	25.10	22.00	20.00	16.90	25.10
1919		18.40	15.80	22.00	22.30	23.10	25.70	26.10	26.70	23.80	21.30	20.50	16.20	26.70
1920		16.40	15.50	17.80	19.90	24.90	24.20	25.10	24.70	23.80	23.10	20.00	18.80	25.10
1921		15.00	20.60	20.00	21.40	22.70	25.00	25.10	24.00	24.20	20.00	18.10	16.80	25.10
1922		14.90	17.70	18.60	22.10	24.20	25.20	25.80	26.60	23.50	22.30	19.60	15.90	26.60
1923		14.60	18.40	16.80	21.90	24.20	25.10	24.30	24.70	23.10	20.50	18.70	17.40	25.10
日		14	—	11,12	17	26	8	20	3	4	29	1	6	8/6
1924		16.30	17.60	19.60	21.30	24.40	23.90	25.80	24.50	23.80	25.10	16.60	18.30	25.80
日		13,15	9	31	12	31	9	9	23	14	3	6	4	9/7
1925		15.90	14.20	17.80	21.20	23.00	25.70	26.90	25.00	23.40	21.30	19.30	16.00	26.90
日		29	17	15	26	24,30	13	13	28	1,12	8	23	14	13/7
1926		14.40	16.60	19.00	21.80	26.00	25.00	26.20	25.90	25.20	23.90	18.50	19.00	26.20
日		14	14	15	18,24	28	12	3	25	5	1	13	15	3/7
1927		17.30	16.90	19.00	22.30	23.90	25.00	25.60	25.20	24.40	23.50	17.90	19.00	25.60
日		—	15	8	20	26	14	15,21	29,30	5	6,9	21	5	15,21/7
1928		18.60	19.40	20.80	22.00	23.20	24.80	26.00	26.00	24.60	21.80	19.90	17.00	26.00
日		28	28	1	30	16	20	20	13	7	2	6	1	20/7,13/8
1929		16.50	16.50	19.90	21.50	23.50	24.20	26.90	24.70	25.80	21.60	18.50	18.30	26.90
日		28	28	25	29	17	30	8	9	—	—	9	—	8/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1930	日	15.50	16.80	17.90	21.10	23.80	25.30	26.20	24.90	24.10	23.30	20.30	17.60	26.20
	日	-	-	27,29	9	20	-	12	17	-	1	1	19	12/7
1931	日	19.30	18.20	17.60	23.30	24.40	24.10	25.00	27.10	25.50	23.40	20.30	19.00	27.10
	日	5	5	31	-	29,30	16	-	14	22	-	12	8	14/8
1932	日	15.30	21.90	17.50	24.50	25.70	24.40	25.30	26.00	24.70	21.60	19.10	16.60	26.00
	日	29	-	12	30	27	16	21	-	16	-	5	-	27/8
1933	日	15.90	16.50	18.40	21.60	23.60	25.10	24.70	24.30	23.70	22.70	20.30	16.50	25.10
	日	-	27	26	-	31	7	-	7	-	4	-	29	7/6
1934	日	14.60	14.40	19.20	20.40	23.50	23.80	24.70	24.40	25.50	24.80	22.30	17.70	25.50
	日	3	24	-	27	20	-	-	4	8	2	11	-	8/9
1935	日	16.10	18.10	19.40	21.80	23.00	24.50	25.10	25.50	24.20	22.30	18.50	18.40	25.50
	日	-	26	27	-	-	6	13	9	11	7	-	1	9/8
1936	日	13.80	17.80	19.40	24.20	23.10	24.70	25.00	25.50	25.20	19.90	18.80	17.00	25.50
	日	-	22	12	-	-	-	17	24	-	-	-	-	24/8
1937	日	16.20	18.10	20.80	22.20	24.00	25.10	25.80	25.90	24.70	25.10	19.40	18.50	25.90
1938	日	15.70	17.60	19.60	21.50	23.50	24.50	26.30	25.60	25.30	24.50	18.90	17.30	26.30
極日	值	19.30	21.90	22.90	24.50	26.40	28.30	26.90	27.10	26.70	25.10	22.30	22.20	28.30
年	期	-5	2	31	30	19	23	13,8	14	21	3,-	-11	9	23/6
	份	1902	1932	1898	1932	1909	1904	1925	1931	1909	1924	1915	1897	1904
		1931						1929			1937	1934		
最小绝对湿度(毫米)														
1897	日	5.80	4.30	9.00	9.60	13.70	16.40	16.70	18.20	16.30	7.30	7.50	7.50	4.30
	日	19	11	21	2	2	30	1	29	30	24	25	27	11/2
1898	日	4.50	4.50	8.10	8.50	14.40	16.80	17.40	18.10	13.80	13.60	7.30	4.40	4.40
	日	25	11	-	11	-	-	30	28	21	6	27	14	14/12
1899	日	5.50	5.60	6.40	10.30	10.00	13.60	16.90	13.60	13.10	10.70	5.90	9.80	5.50
	日	29	5	26	1	3	-	9	22	21	16	27	23	29/1
1900	日	8.00	6.00	8.30	8.20	15.20	16.80	17.10	19.70	13.60	11.80	6.60	6.30	6.00
	日	1	5	-	27	9	18	28	12	-	-	16	-	5/2
1901	日	9.40	2.50	5.80	10.30	13.30	13.40	17.40	17.30	12.20	10.90	8.40	5.60	2.50
	日	9	13	-	1	12	5	22	18	7	19	-	4	13/2
1902	日	7.60	4.60	7.90	10.10	10.70	16.60	16.20	14.20	9.00	11.70	11.40	6.90	4.60
	日	10	13,14	-	11	7	2	-	-	28	-	28	16	13,14/2
1903	日	5.00	5.70	9.10	8.90	12.10	16.30	17.20	16.00	14.90	10.90	6.30	6.60	5.00
	日	6	19	2	4	8	-	24	23	24	-	28	20	6/1
1904	日	7.50	5.80	8.70	10.30	11.80	14.20	18.00	17.40	13.50	10.00	6.00	6.40	5.80
	日	-	9	20	1	-	-	29	1	19	8	-	8	9/2
1905	日	8.20	6.80	7.60	9.80	14.80	16.00	16.10	17.20	16.40	10.20	9.00	8.80	6.80
	日	3	13	4	-	3	-	19	13	14	-	5	21	13/2
1906	日	6.40	4.50	4.70	12.00	15.80	19.00	18.30	17.50	18.10	11.10	8.50	5.10	4.50
	日	25	4	7	11	2,30	1,17	12	11	-	18,23	21	28	4/2
1907	日	6.00	5.90	7.40	6.50	10.80	15.10	17.70	17.00	15.60	16.00	9.00	5.00	5.00
1908	日	7.70	4.60	7.20	11.80	10.90	14.30	17.00	18.60	14.00	13.30	8.00	8.20	4.60
1909	日	7.50	7.80	7.30	7.50	11.90	17.40	17.70	18.20	14.40	13.10	7.70	5.70	5.70
1910	日	5.20	6.60	8.60	11.20	12.80	15.30	17.90	18.20	12.80	10.60	7.20	7.00	5.20
1911	日	7.20	7.80	5.90	9.70	13.60	17.90	19.30	15.80	17.50	10.60	8.90	9.80	5.90
1912	日	7.40	7.10	6.80	9.50	15.60	18.40	18.20	18.70	13.30	11.90	8.30	7.30	6.80
1913	日	6.70	7.10	5.60	11.10	11.60	17.60	18.80	14.60	14.60	7.80	9.00	5.70	5.70
1914	日	5.50	6.80	9.40	8.80	12.20	14.30	17.10	18.20	14.70	10.50	8.30	7.30	5.50
1915	日	7.10	7.10	7.50	8.10	11.90	17.70	19.60	20.20	12.90	11.50	9.20	5.80	5.80
1916	日	5.80	6.80	5.80	8.60	14.10	18.40	17.80	18.50	15.50	11.60	7.70	7.90	5.80
1917	日	5.50	5.70	8.60	12.00	10.30	18.00	18.20	18.20	13.20	12.00	7.70	4.40	4.40
1918	日	3.20	3.50	5.90	8.40	13.10	18.00	18.60	17.00	11.80	11.20	11.10	8.70	3.20
1919	日	5.80	5.50	9.90	12.10	8.90	18.20	17.40	17.40	11.70	11.10	5.80	3.70	3.70
1920	日	4.60	7.70	8.70	10.00	15.10	15.80	18.00	18.50	16.70	9.70	11.50	8.00	4.60
1921	日	5.70	4.10	7.80	8.70	16.30	15.30	16.10	15.60	9.90	12.00	8.20	8.70	4.10
1922	日	7.00	7.80	7.00	10.50	15.50	16.10	17.70	18.50	16.20	11.10	4.60	7.10	4.60
1923	日	6.90	4.60	8.90	9.90	10.50	15.80	18.10	17.30	11.20	7.80	7.00	6.10	4.60
	日	-	2	26	1	8	3	22	8	30	9	13	25,30	2/2
1924	日	7.80	6.80	7.80	10.40	16.40	17.00	19.10	17.80	16.90	10.00	5.80	5.00	5.00
	日	26,28	2	21	4	14	1,6	5	27	16	29	24	10	10/12
1925	日	5.80	4.20	8.60	8.90	15.80	12.00	18.30	18.90	13.60	9.50	8.40	5.10	4.20
	日	31	27	1	9	20	9	16	25	28	11,26	30	21	27/2

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1926	日	7.10 24	8.00 6	7.70 27	6.90 7	11.20 15	13.40 15	17.90 31	19.10 —	16.50 17	8.50 30	10.00 —	4.90 26	4.90 26/12
1927	日	6.30 28	6.20 8	6.00 27	9.50 3	14.60 3	17.60 8	16.00 17	18.80 19	14.30 22	9.20 28	8.70 31	7.10 —	6.00 27/3
1928	日	5.10 5	7.00 17	8.10 9,10	9.60 3	13.90 2	16.40 4	18.80 15	15.00 30	13.40 25,26	9.10 30	9.20 21	8.20 29	5.10 5/1
1929	日	7.50 2	7.40 10	7.40 14,18	7.90 21	14.70 4	16.30 2	18.20 —	19.80 —	13.50 7	9.50 20	6.80 26	8.60 —	6.80 26/11
1930	日	7.50 31	6.10 15	6.50 14	10.00 —	16.50 14	15.20 7	19.70 —	17.70 11	16.20 23	12.10 —	7.30 —	7.60 —	6.10 15/2
1931	日	5.00 10	8.40 —	7.00 —	11.20 5	14.70 8	16.60 —	18.30 —	15.60 23	15.30 30	10.00 29	6.10 —	5.00 13	5.00 10,11,13/12
1932	日	5.20 4	5.60 25	6.10 1	10.30 —	17.00 —	18.00 26	17.30 —	15.70 23	16.90 —	11.90 —	7.90 —	4.40 7	4.40 7/12
1933	日	6.20 29	7.50 1	6.50 13	9.70 —	13.50 —	17.10 —	18.60 —	17.20 —	14.10 20	9.90 20	6.20 18	6.20 31	6.20 31
1934	日	4.80 27	6.30 —	6.10 16	9.70 —	13.60 —	15.80 —	18.40 28,29	18.50 1	12.70 —	9.40 —	9.10 —	5.50 6	4.80 27/1
1935	日	5.50 —	4.30 13	9.30 5	9.10 —	14.60 —	17.60 —	18.50 —	12.40 24	11.90 —	14.40 31	11.00 23	7.50 —	4.30 13/2
1936	日	5.40 —	5.90 2	6.90 —	7.90 13	13.70 —	18.20 —	17.80 —	19.90 —	11.70 —	9.30 —	8.00 —	7.70 —	5.40 18/1
1937		8.10	5.70	7.50	10.80	14.80	17.90	17.70	19.60	15.50	9.00	9.50	9.10	5.70
1938		6.50	7.20	8.00	9.40	12.30	17.90	16.90	18.00	14.80	10.20	6.40	6.40	6.40
極 日 年	值 期 份	3.20 7	2.50 13	4.70 7	6.50 1	8.90 2	12.00 9	16.00 17	12.40 24	9.00 28	7.30 24	4.60 26	3.70 29	2.50 13/2
		1918	1901	1906	1907	1919	1925	1927	1935	1902	1897	1922	1919	1901
花 蓮 $\varphi=23^{\circ}58'N$ $\lambda=121^{\circ}37'E$ $H=17.6M$														
平均绝对湿度(毫米)														
1911		12.10	12.30	14.00	16.50	19.20	22.20	21.50	21.60	20.70	15.40	13.20	14.00	16.89
1912		11.80	12.00	14.20	16.00	18.60	20.70	21.40	21.20	19.90	16.70	14.60	13.00	16.68
1913		11.60	12.00	13.10	16.90	18.60	21.20	21.70	21.00	20.90	15.10	14.70	11.90	16.56
1914		10.50	11.70	14.50	16.20	19.00	20.30	20.90	20.60	19.60	17.50	15.00	13.50	16.61
1915		11.80	13.20	12.00	16.90	17.70	21.40	22.20	22.20	19.60	19.30	16.60	12.60	17.13
1916		12.50	12.30	12.00	16.70	19.40	21.10	21.10	21.30	20.40	18.10	14.50	12.70	16.84
1917		9.70	10.40	11.90	15.60	17.50	21.40	20.90	21.70	20.60	17.60	13.70	10.30	15.94
1918		7.70	10.80	12.40	15.50	18.20	21.40	21.80	20.50	18.70	17.80	15.60	14.40	16.23
1919		12.00	11.10	14.80	16.80	18.40	22.70	20.90	21.80	18.40	16.70	14.00	12.00	16.63
1920		10.60	12.90	14.80	15.70	18.60	21.00	22.60	22.00	20.40	16.40	15.70	13.80	17.04
1921		12.10	11.20	13.80	16.80	19.80	21.60	22.10	21.70	19.00	15.70	14.00	13.00	16.73
1922		12.70	13.60	13.90	16.40	20.40	22.00	21.80	22.40	20.60	17.50	14.00	12.00	17.28
1923		11.30	11.60	13.60	16.20	17.50	21.10	21.70	21.80	19.00	17.10	13.80	12.00	16.39
1924		12.40	12.40	13.20	17.20	20.10	21.00	22.10	21.80	20.60	18.60	12.20	11.30	16.91
1925		12.10	10.50	13.50	14.60	19.90	21.30	22.10	21.80	19.70	14.30	15.10	11.20	16.34
1926		10.90	12.30	13.20	14.80	18.60	20.10	22.10	22.10	21.30	17.20	14.50	12.10	16.60
1927		12.00	12.50	12.70	15.90	19.40	22.00	22.10	22.40	19.20	16.20	13.70	12.50	16.72
1928		12.70	12.00	14.30	15.40	19.40	20.80	22.40	22.30	21.10	15.60	15.30	13.30	17.05
1929		12.30	12.40	12.40	14.40	19.20	21.30	21.90	21.90	19.60	15.00	13.60	13.80	16.48
1930		12.00	12.10	13.70	17.30	20.20	21.10	22.40	21.30	20.10	17.00	14.00	13.60	17.07
1931		12.50	13.10	13.90	16.60	19.30	20.90	22.50	22.60	21.10	16.70	15.30	12.70	17.27
1932		10.30	10.60	11.50	16.00	20.40	22.10	22.20	21.60	20.70	17.20	14.90	12.20	16.64
1933		11.70	13.10	12.90	17.10	19.50	21.30	21.50	21.20	20.70	17.20	13.80	11.70	16.81
1934		10.30	11.60	12.60	14.90	18.40	21.50	21.70	21.40	20.40	16.80	15.40	13.60	16.55
1935		11.80	13.10	13.80	17.00	18.90	21.50	22.30	21.60	19.70	18.90	15.30	13.00	17.24
1936		11.10	12.70	12.10	16.10	19.60	21.70	21.80	22.00	20.00	16.30	13.60	14.10	16.76
1937		13.00	12.50	14.40	17.40	20.20	22.30	21.60	21.50	21.30	17.00	15.80	12.90	17.49
1938		12.10	12.00	13.50	15.50	19.70	22.20	21.50	21.60	21.10	18.20	14.30	13.60	17.11
1939		11.80	11.90	14.20	15.00	18.30	20.90	21.20	20.60	19.50	18.40	16.30	11.20	16.61
1940		11.37	12.20	13.00	14.87	18.43	21.43	22.47	21.47	20.60	18.80	16.13	12.47	16.94

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均		11.56	12.07	13.33	16.08	19.08	21.38	21.82	21.63	20.15	17.01	14.62	12.68	16.78
最大绝对湿度(毫米)														
1911		18.20	17.40	19.50	22.40	22.60	25.30	25.00	25.60	25.00	22.70	18.70	18.50	25.60
1912		15.90	20.00	21.10	22.60	23.50	25.20	25.10	25.40	23.70	21.70	20.80	19.40	25.40
1913		16.20	20.80	21.00	22.40	25.50	24.60	24.90	24.70	24.90	21.50	20.00	18.20	25.50
1914		15.30	19.40	20.50	22.30	24.60	23.60	24.90	25.00	25.60	21.80	19.50	19.20	25.60
1915		16.00	18.40	19.70	22.20	22.90	25.00	25.90	25.80	24.40	23.30	22.10	18.00	25.90
1916		19.20	17.10	18.10	23.50	23.50	24.70	24.40	24.70	24.20	22.20	20.40	17.70	24.70
1917		15.60	16.80	20.10	19.90	24.20	25.00	24.20	26.80	24.20	22.00	21.60	16.60	26.80
1918		12.60	14.90	17.60	22.10	23.20	24.20	25.80	24.00	23.40	22.80	21.20	19.10	25.80
1919		17.60	17.60	20.30	21.20	24.40	25.50	26.60	25.70	24.50	21.30	20.90	18.30	26.60
1920		17.70	18.20	19.80	20.30	25.40	26.50	25.80	26.10	24.90	22.60	22.50	20.50	26.50
1921		17.20	19.60	19.90	23.20	23.50	25.80	26.20	25.40	24.90	22.10	18.60	18.70	26.20
1922		17.10	20.80	18.10	21.30	24.60	26.00	26.40	25.40	24.90	22.70	19.60	16.10	26.40
1923		17.20	19.50	17.70	21.70	23.10	25.60	24.80	25.40	24.40	22.20	19.90	19.80	25.60
日		15	-	11	23	25	28	11	8	2	1	1	7	28/6
1924		18.30	16.80	18.30	22.80	23.40	25.00	24.60	25.00	24.50	24.60	19.00	18.10	25.00
日		15	9	31	15	7,14	22	2,3	8	14	3	6	5	22/6,8/8
1925		15.50	15.50	18.20	20.50	24.10	24.70	24.80	25.10	22.90	20.90	20.40	16.90	25.10
日		14	17	22,24	25	14	23	4	28	5	7	24	-	28/8
1926		16.70	17.30	19.10	21.20	24.20	26.00	24.80	25.50	25.10	23.60	19.10	20.30	26.00
日		14	14	18	24	11	27	3,7	25	-	9	16	14	27/6
1927		18.20	17.00	19.00	21.20	23.40	26.00	25.80	25.90	25.50	24.30	18.20	20.00	26.00
日		7	14	8	20,30	26	14	9	29	2	11	3	6	14/6
1928		19.00	20.60	21.00	21.30	24.10	25.80	26.80	25.30	25.10	21.50	20.70	17.50	26.80
日		27	28	2	30	24	28	21	38	7	3	7	14	21/7
1929		17.20	18.80	20.70	21.40	23.30	25.10	24.90	24.80	24.10	21.20	20.70	18.80	25.10
日		28	23	25	29	22	20	19	24	-	6	6	14	20/6
1930		17.80	19.00	19.10	21.90	24.10	25.30	25.10	24.60	24.30	22.10	20.10	19.60	25.30
日		-	-	-	30	21	21	-	-	27	1	10	20	21/6
1931		20.50	19.00	18.60	22.50	24.70	25.70	25.70	26.20	24.50	23.30	21.90	19.50	26.20
日		5	-	26	29	22	-	-	27	-	-	9,11	8	27/8
1932		15.00	16.00	16.30	21.90	23.90	25.50	25.60	25.80	24.40	22.10	19.70	18.30	25.80
日		-	4	12	-	-	17	8	17	18	27	-	5	17/8
1933		17.40	18.10	20.00	21.90	23.10	25.50	25.40	25.60	25.10	22.80	21.70	17.00	25.60
日		-	-	-	-	25	22	3	4	-	1	5	8	4/8
1934		16.40	15.70	19.80	20.90	24.00	24.70	24.60	25.10	24.60	24.10	21.10	19.10	25.10
日		-	-	-	27	-	-	14	27	15	-	18,26	-	27/8
1935		17.00	17.90	21.10	22.30	23.40	25.50	25.60	24.80	24.40	22.70	19.50	18.80	25.60
日		-	10,21	-	14	18	27,28	29	-	-	-	-	1	29/7
1936		16.00	19.10	19.30	22.60	23.70	24.70	25.50	24.80	25.10	21.40	19.80	19.10	25.50
日		-	25	12	-	19	3	14	-	-	-	-	-	14/7
1937		16.90	19.70	22.70	22.80	24.80	25.80	24.70	25.10	24.70	24.70	22.20	17.60	25.80
日		-	-	-	-	25	-	-	-	-	-	-	-	25/6
1938		17.90	19.20	19.50	21.30	25.00	25.30	25.50	24.70	25.00	25.00	21.00	18.80	25.50
日		-	16	6	30	-	1	3	-	-	-	-	-	3/7
極 值	日期	20.50	20.80	22.70	23.50	25.50	26.50	26.80	26.80	25.60	25.00	22.50	20.50	26.80
年	份	5	22,24	24	30	31	29	21	4	17	-	8	6	4/8,21/7
		1931	1913	1937	1916	1913	1920	1928	1917	1914	1938	1920	1920	1917
			1922											1928
最小绝对湿度(毫米)														
1911		7.60	8.60	8.80	10.00	13.40	16.50	15.90	16.60	15.10	10.20	7.90	10.20	7.60
1912		7.40	6.60	5.90	8.90	11.70	16.60	16.20	16.10	13.20	11.20	8.60	7.70	5.90
1913		6.40	7.50	7.80	12.20	10.10	14.30	17.80	16.20	16.70	8.80	9.20	5.70	5.70
1914		5.40	6.40	8.10	9.50	11.20	13.50	14.20	13.10	13.00	13.20	9.60	7.20	5.40
1915		7.10	6.50	7.40	7.80	10.60	14.70	14.60	17.00	12.10	11.90	9.30	5.90	5.90
1916		6.50	5.80	5.30	6.70	12.60	16.80	17.90	16.30	14.10	11.70	6.30	7.10	5.30
1917		5.70	6.80	7.20	11.70	9.50	16.00	16.00	17.20	16.00	11.80	6.50	4.80	4.80
1918		4.30	4.30	7.00	8.90	11.40	17.60	19.00	15.90	13.40	10.30	10.40	8.10	4.30
1919		6.30	6.30	9.80	9.70	9.50	18.80	16.60	14.90	11.30	11.50	6.60	4.70	4.70
1920		5.70	7.50	8.30	10.60	13.40	15.20	19.40	17.10	14.20	9.60	10.80	8.00	5.70
1921		6.10	5.50	8.50	8.60	14.90	11.70	18.20	16.00	11.00	12.40	8.40	8.90	5.50
1922		6.80	7.20	5.90	10.50	14.20	15.60	17.40	19.20	12.60	11.10	6.00	7.00	5.90

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1923	日	6.60	6.60	9.00	9.40	10.30	14.90	16.40	15.50	13.50	10.00	8.20	6.30	6.30
	日	2	1	20	2	7	5	9	22	17	10	13	30	30/12
1924	日	7.20	7.20	8.50	10.20	14.70	16.00	16.30	16.50	16.50	10.00	6.20	5.60	5.60
	日	26	23	22	3	29	12	27	28	18,20	29	24	10	10/12
1925	日	6.00	5.80	7.90	8.10	13.80	15.60	16.80	16.90	14.90	8.70	11.00	6.20	5.80
	日	30	27	7	9	19	9	25	23	29	23	30	5	27/2
1926	日	7.10	7.50	7.90	9.30	12.00	13.50	15.20	13.80	14.60	7.40	10.30	5.60	5.60
	日	9	1	27	8	15	15	1	13	18	30	1	23	23/12
1927	日	6.40	7.00	6.00	10.10	13.50	17.20	18.00	17.40	14.30	8.60	9.50	7.60	6.00
	日	28	8	27	4	3	8	23	27	11	29	30	24	27/3
1928	日	7.90	7.60	9.70	10.10	14.50	15.50	18.60	14.40	13.00	9.50	7.90	8.50	7.60
	日	4	17	10	3	3	15	31	31	25	9	21	29	17/2
1929	日	7.60	7.30	7.50	7.70	13.40	14.20	17.30	18.40	14.40	10.00	6.90	8.40	6.90
	日	11	2	2	20	-	2	24	29,31	-	12	25	-	25/11
1930	日	8.20	7.00	8.30	8.90	14.40	15.00	18.50	15.40	16.00	12.10	8.40	8.00	7.00
	日	-	16	-	3	6	-	23	9	20	4	19	25	16/2
1931	日	5.60	9.20	7.40	9.60	13.00	13.70	15.20	17.70	16.20	9.80	8.50	6.00	5.60
	日	10	6	-	1	16	2	29	3	6	29	-	13	10/1
1932	日	6.10	6.70	6.30	8.70	16.50	16.20	15.50	17.40	15.00	11.80	8.40	4.30	4.30
	日	9	-	-	2	1,9	26	13	28	21	-	-	9	9/12
1933	日	6.20	9.30	7.00	9.70	12.20	15.50	14.90	15.00	13.60	11.20	8.20	6.90	6.20
	日	29	1	-	1	3	26	9	-	28	17	21	-	29/1
1934	日	6.60	7.10	7.30	9.20	12.70	16.90	17.60	15.40	13.60	9.40	9.80	5.90	5.90
	日	-	-	-	-	-	-	-	7	-	26	-	5	5/12
1935	日	6.80	7.80	9.30	10.00	14.60	17.30	17.10	16.80	12.80	15.20	9.90	7.50	6.80
	日	16	12,13	3	-	-	4	28,29	27	26	5	-	-	16/1
1936	日	5.60	6.50	7.60	7.40	15.00	16.70	17.50	17.40	11.80	10.40	8.50	7.50	5.60
	日	3	-	-	-	-	-	-	-	-	-	-	-	3/1
1937	日	8.20	7.30	8.20	8.80	16.10	17.80	17.70	17.70	16.60	9.70	9.30	9.30	7.30
	日	-	2	-	-	-	-	-	-	-	-	-	-	2/2
1938	日	5.90	7.00	8.00	9.70	11.80	16.70	16.40	17.40	13.50	10.30	7.10	6.60	5.90
	日	8	22	14	10	-	-	-	-	-	-	-	-	8/1
極 值	日 期	4.30	4.30	5.30	6.70	9.50	11.70	14.20	13.10	11.00	7.40	6.00	4.30	4.30
年	份	7	18	1	5	1,3	2	23	6	26	30	26	9	31
		1918	1918	1916	1916	1917	1921	1914	1914	1921	1926	1922	1932	1918
						1919								1932
澎 湖 $\varphi=23^{\circ}32'N$ $\lambda=119^{\circ}33'E$ $H=9.4M$ 平均绝对湿度(毫米)														
1897		13.10	9.70	13.60	16.00	20.70	22.80	23.20	23.10	22.70	18.50	16.20	11.80	17.62
1898		10.80	13.20	13.90	15.50	21.50	23.90	23.70	23.40	23.10	20.00	16.20	11.70	18.08
1899		11.60	10.60	12.40	17.90	21.10	22.50	24.80	24.00	22.70	18.40	14.80	14.30	17.93
1900		11.10	10.40	14.00	18.50	20.90	23.00	24.50	23.80	21.90	19.20	15.60	13.90	18.07
1901		13.30	7.90	12.40	17.90	19.80	22.00	23.50	23.70	19.00	17.30	15.20	12.40	17.03
1902		11.80	10.90	14.50	16.90	20.20	22.10	23.40	23.70	19.20	16.20	15.60	13.20	17.31
1903		10.70	9.90	15.30	16.90	19.00	22.20	23.00	22.70	21.00	17.60	13.50	10.70	16.88
1904		10.50	10.80	13.40	16.20	18.10	21.90	22.50	22.40	20.60	17.40	13.20	10.90	16.49
1905		13.60	11.00	12.50	16.20	20.40	22.30	22.60	22.90	21.80	17.30	13.20	13.70	17.29
1906		10.80	11.90	12.30	17.20	20.50	24.00	23.80	23.20	23.20	16.30	13.30	12.30	17.40
1907		11.60	10.20	12.90	15.40	19.10	22.10	23.20	24.10	22.10	20.70	16.70	12.70	17.57
1908		13.40	11.60	12.40	16.50	20.00	23.00	24.00	24.30	23.70	20.70	16.40	13.50	18.29
1909		11.60	11.50	13.30	15.70	18.30	23.10	23.30	23.20	22.60	19.60	14.80	11.80	17.40
1910		11.90	10.60	13.00	15.60	18.60	23.70	23.20	23.70	21.70	16.00	14.90	11.60	17.04
1911		10.60	9.80	13.60	15.40	19.30	23.30	24.70	23.20	22.00	16.10	14.50	13.50	17.17
1912		11.10	12.60	14.50	16.70	21.40	23.90	25.20	23.90	21.90	17.70	14.90	12.10	17.99
1913		11.00	11.50	11.90	17.40	20.20	23.10	23.50	24.00	22.30	15.60	15.00	11.80	17.28
1914		11.30	12.60	15.10	17.10	19.70	22.30	23.70	23.20	20.90	18.30	15.60	13.20	17.75
1915		11.40	13.60	12.90	18.30	18.70	23.20	24.30	24.60	21.30	21.40	17.90	12.70	18.36
1916		11.90	11.10	10.70	16.70	19.70	22.30	23.30	23.80	22.10	17.20	13.90	12.10	17.07
1917		9.60	9.90	11.90	16.20	18.60	23.10	23.00	24.10	22.90	17.90	13.50	10.20	16.74
1918		7.80	10.20	12.80	16.50	19.20	22.70	23.60	22.80	20.10	17.80	15.80	14.40	16.98
1919		12.60	11.20	16.10	18.20	19.70	24.10	23.50	23.80	19.60	17.00	14.00	11.40	17.60

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1920	10.20	11.30	13.10	15.70	20.10	22.40	24.70	24.80	23.30	18.90	17.80	14.70	18.08
1921	12.20	11.30	14.40	17.70	21.20	22.60	23.40	23.60	20.40	16.90	14.90	13.00	17.63
1922	12.30	13.80	13.30	16.60	21.30	23.40	24.20	23.70	22.20	18.00	13.70	11.50	17.83
1923	10.80	11.20	13.40	16.70	18.80	22.20	24.00	23.60	22.10	17.10	14.60	11.90	17.20
1924	12.60	13.00	12.40	17.40	20.90	22.70	23.60	23.70	22.90	19.20	12.70	11.50	17.72
1925	10.80	9.90	12.40	14.30	20.70	23.60	23.80	24.40	21.40	14.80	14.90	10.90	16.83
1926	11.00	11.80	13.60	16.50	20.60	21.00	23.70	23.80	23.00	17.00	14.40	12.30	17.39
1927	11.90	12.00	13.00	15.80	20.50	23.30	24.00	24.90	20.80	17.60	14.30	13.20	17.61
1928	12.70	11.00	13.90	16.10	21.10	23.10	24.10	23.70	22.50	15.90	15.80	13.00	17.74
1929	11.70	11.00	12.50	15.90	20.20	23.60	24.20	24.20	20.90	16.00	14.40	14.50	17.43
1930	10.60	11.80	14.30	19.00	22.20	23.10	24.60	23.90	22.40	17.70	15.00	13.30	18.16
1931	12.90	12.80	13.70	18.10	21.30	23.90	24.20	26.30	24.10	17.90	15.80	13.20	18.68
1932	11.00	10.70	12.40	17.50	23.20	24.40	24.60	24.10	22.80	18.00	15.10	12.50	18.03
1933	10.50	11.30	12.10	17.60	20.90	24.20	24.70	23.80	22.70	18.30	15.20	12.30	17.80
1934	9.70	10.90	13.20	16.00	20.00	23.80	24.60	24.50	23.90	17.50	15.70	13.10	17.74
1935	11.70	11.90	14.70	17.70	20.50	24.10	24.90	23.60	21.40	20.80	17.00	13.30	18.47
1936	10.90	12.20	11.50	17.60	20.90	23.90	24.90	24.70	22.20	16.90	14.90	13.90	17.88
1937	12.30	11.90	15.10	17.30	21.40	24.00	24.70	25.00	23.40	18.90	16.70	13.00	18.64
1938	11.50	11.10	13.90	16.70	21.40	24.80	25.20	24.40	23.10	19.50	14.80	13.40	18.32
1939	11.40	11.30	14.60	15.70	20.20	22.90	23.60	23.80	22.50	20.20	17.20	11.70	17.93
1940	11.27	11.60	13.23	15.53	20.27	24.47	24.00	23.17	21.47	19.53	16.27	13.20	17.83
平 均	11.43	11.28	13.32	16.73	20.28	23.14	23.94	23.85	22.00	17.97	15.13	12.62	17.64
最大绝对湿度(毫米)													
1897	18.40	16.80	21.20	24.10	25.20	25.80	25.60	25.50	25.70	22.90	22.20	15.40	25.80
日	14	1	28	25	17	14	8,28	13	4	6,11	2,3	10	14/6
1898	17.10	19.40	21.10	23.50	25.90	26.70	26.60	25.40	27.00	24.60	20.10	17.70	27.00
日	15	18	31	19	30	8	22	16	28	3	38	1	28/9
1899	16.20	15.90	20.50	22.30	26.60	25.40	28.30	26.60	26.90	22.50	22.00	18.00	28.30
日	12	28	30	14	16	25	7	28	2	31	2	11	7/7
1900	14.20	14.90	20.10	24.20	26.20	27.90	27.70	26.50	26.30	23.60	23.40	18.40	27.90
日	21	26	31	19	22	9	20	13,28	3,9	9	10	6	9/6
1901	19.40	12.40	18.40	24.00	24.30	25.90	24.80	27.90	23.80	23.10	20.40	17.50	27.90
日	17	20	28	14	20	17	30	25	19	4	9	7	25/8
1902	14.40	19.90	20.10	21.90	24.00	24.80	26.80	26.90	24.50	20.00	19.50	17.40	26.90
日	13	27	22	22	27,28	-	19	10	1	27	13	4	10/8
1903	18.90	17.40	20.80	21.40	24.30	24.70	26.30	26.20	24.30	23.30	19.60	16.60	26.30
日	26	26	30	-	20	-	31	-	-	5	18	-	31/7
1904	14.10	16.40	18.30	21.70	22.70	24.60	24.80	24.70	24.90	21.80	18.90	15.80	24.90
日	14	21	5	25	24	21	20	16	9	2	4	11	9/9
1905	19.30	20.00	20.50	21.80	24.10	25.20	24.80	25.00	25.40	21.60	16.60	18.80	25.40
日	24,25	24	31	19	30	11,12	28	29	2	19	11	7	2/9
1906	18.90	18.50	20.20	22.30	24.50	28.60	29.70	25.50	29.20	25.10	19.80	18.90	29.70
日	9	22	24	15,22	22	23	2	29	18	2	1	18	2/7
1907	16.00	14.60	19.40	22.10	23.90	25.10	26.20	26.50	25.60	24.70	20.10	16.30	26.50
1908	19.60	18.50	19.20	22.40	25.40	25.60	26.00	27.60	27.20	24.70	21.90	17.10	27.60
1909	16.20	17.70	20.70	21.60	23.60	25.30	25.30	24.90	25.30	24.70	22.00	16.50	25.30
1910	18.30	19.50	21.50	20.60	23.80	26.50	25.30	25.60	25.40	21.50	19.60	18.50	26.50
1911	16.90	16.30	21.00	21.40	23.80	25.60	27.40	27.90	24.80	24.10	19.80	17.50	27.90
1912	14.30	21.10	23.80	23.20	26.30	26.50	28.60	26.80	26.80	23.00	20.50	19.10	28.60
1913	16.30	17.90	19.60	22.90	24.80	25.60	26.80	26.70	25.60	21.60	19.50	15.80	26.80
1914	16.30	19.50	21.50	22.40	24.40	25.20	26.60	26.20	24.10	21.20	20.80	18.10	26.60
1915	17.30	20.40	20.10	22.90	26.30	26.20	26.70	27.00	26.70	25.00	23.70	17.80	27.00
1916	15.40	13.60	19.30	22.00	24.10	24.60	25.50	26.70	25.40	21.10	18.80	15.80	26.70
1917	12.70	15.80	19.00	21.70	23.70	25.10	25.30	26.10	26.50	22.10	20.10	16.30	26.50
1918	11.30	15.30	19.90	22.40	25.40	25.30	26.20	25.00	25.00	22.00	21.70	18.40	26.20
1919	19.50	18.40	22.20	23.30	24.40	26.00	25.70	26.20	24.80	21.20	20.80	15.50	26.20
1920	17.60	19.00	18.20	21.90	24.40	26.70	28.20	27.60	26.80	25.00	23.10	19.90	28.20
1921	17.50	21.60	22.40	23.50	26.30	26.30	26.60	25.90	25.00	20.70	20.70	16.90	26.60
1922	15.60	19.60	19.80	23.00	24.90	27.10	33.40	26.70	26.80	23.70	19.40	15.20	33.40
1923	16.40	19.10	17.50	23.10	24.00	25.60	26.70	26.40	25.80	22.90	21.60	17.00	26.70
日	15	19	11	18	25	22	19	27	4	1	1	7	19/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1924	日	17.50	19.00	20.00	23.80	25.00	25.90	26.00	26.80	26.70	25.10	17.00	17.90	26.80
	日	14	19	31	15	12	19	13	14,23	6	11	6	4	14,23/8
1925	日	13.90	13.20	17.10	21.00	24.80	27.30	26.70	26.80	25.80	21.10	19.60	16.90	27.30
	日	13	5	23	25	14	24	4	14,28	14	5	10	15	24/6
1926	日	16.30	17.20	19.80	22.40	28.30	25.10	26.40	25.90	26.00	23.70	19.30	19.90	28.30
	日	19	14	14	24	29	27	9	15	30	1	13	15	29/5
1927	日	18.00	19.50	21.70	22.50	25.30	26.00	27.20	27.30	26.50	24.80	18.50	17.80	27.30
	日	15	15	12	20	22	15	18	12	5	11	1,21	5	12/8
1928	日	19.50	20.30	22.50	23.90	25.70	26.90	26.20	27.30	26.30	21.10	21.60	17.10	27.30
	日	27	28	1	30	15	11	21	12	8	2	8	1	12/8
1929	日	14.80	16.40	20.50	23.30	24.80	27.70	26.70	26.80	25.50	22.70	20.10	20.50	27.70
	日	14	23	25	29	-	30	1	-	3,4	7	6	-	30/6
1930	日	17.10	19.10	21.20	25.90	28.00	27.10	26.90	26.60	25.90	24.30	22.10	18.10	28.00
	日	2	27	27	29	20	-	-	-	7	1	1	20	20/5
1931	日	19.60	18.50	18.70	24.70	25.90	28.00	27.10	29.40	28.00	24.80	21.30	19.40	29.40
	日	-	5	26	-	-	29	13	25	-	5	-	-	25/8
1932	日	14.20	15.30	18.30	24.60	26.90	28.50	28.10	27.10	26.90	22.20	20.40	18.30	28.50
	日	30	2	11	-	-	15	12	-	23	-	-	-	15/6
1933	日	15.50	14.80	20.50	22.70	26.80	27.00	27.80	25.90	26.00	24.50	21.00	16.30	27.80
	日	-	24	-	7	-	5	27	-	-	7	5	-	27/7
1934	日	13.40	15.40	21.10	23.00	25.60	26.50	28.60	28.00	27.80	24.80	20.60	18.40	28.60
	日	-	22	28	-	-	11	15	8	4	1	-	28	15/7
1935	日	17.30	17.60	21.30	25.00	25.80	26.90	27.70	25.80	26.40	25.50	23.90	18.40	27.70
	日	-	26	-	28	-	10	8,20	16	9	11	3	1	8,20/7
1936	日	14.70	19.70	19.10	23.90	24.70	26.90	27.60	27.70	27.70	20.90	21.00	17.90	27.70
	日	-	22	12	-	4	-	11	5	4	-	-	-	5/8,4/9
1937	日	16.80	18.00	21.40	23.90	27.20	27.20	27.40	28.80	26.50	25.80	21.20	16.40	28.80
1938	日	17.70	19.80	21.30	23.30	25.20	28.30	30.10	27.70	28.20	27.20	20.30	17.40	30.10
極日	值	19.60	21.60	23.80	25.90	28.30	28.60	33.40	29.40	29.20	27.20	23.90	20.50	33.40
年	期	26,6	28	27	29	29	23	23	25	18	-	3	14	23/7
	份	1908	1921	1912	1930	1926	1906	1922	1911	1906	1938	1935	1929	1922
	1931	最小绝对湿度(毫米)												
1897	日	7.90	4.00	9.30	9.00	15.00	16.20	16.50	19.10	16.60	8.20	8.50	7.40	4.00
	日	19	11	21	2	3	8	1	8	30	24	25	27	11/2
1898	日	5.80	5.80	10.00	8.00	15.30	17.30	20.50	20.60	19.90	15.30	8.30	7.30	5.80
	日	25	11	15	11,10	3	18	25	24	20	25	27	14	25/1,11/2
1899	日	7.30	6.00	7.20	11.70	14.40	16.00	21.80	20.10	14.40	11.30	9.10	11.60	6.00
	日	5	4	17	1	10	4	11,12	29	22	7	23	8,9	4/2
1900	日	9.00	5.90	8.80	9.80	14.70	17.20	20.20	19.70	15.70	13.10	6.20	8.60	5.90
	日	26	5	19	28	9	18	30	29	28	23	16,17	8	5/2
1901	日	9.90	3.20	6.10	11.60	11.30	15.50	16.50	18.40	15.70	11.50	8.90	7.20	3.20
	日	9	12	3	1	13	9	23	31	30	27	25	4,5	12/2
1902	日	8.90	6.50	9.00	10.80	11.30	17.00	18.50	19.80	10.60	11.40	11.90	7.40	6.50
	日	23	23	4	11	12	-	1	18	27,28	17	26	14,15	23/2
1903	日	5.50	5.40	9.20	9.50	12.30	17.70	18.90	17.50	16.00	11.50	7.00	6.80	5.40
	日	17	18	1	3	8	14	16	-	23	31	27	21	18/2
1904	日	7.40	5.10	8.60	10.10	11.60	17.70	19.20	17.70	15.10	12.50	6.40	7.00	5.10
	日	25	9	20	1	6	1	12	20	28	8	30	31	9/2
1905	日	9.10	7.00	7.50	8.50	14.60	15.20	18.30	18.60	17.60	11.50	10.00	8.60	7.00
	日	1	13	4	6	3	18	15	13	22,30	21	5	21	13/2
1906	日	6.80	5.90	4.70	11.50	15.80	17.40	21.20	18.90	19.00	10.00	9.50	7.00	4.70
	日	25	4	6	2	1	1	25	10	-	22	20	29	6/3
1907	日	7.10	6.10	5.00	6.50	13.20	14.40	20.40	20.80	16.00	17.40	10.60	6.90	5.00
1908	日	9.60	5.60	7.50	11.80	11.00	19.10	21.40	20.10	18.80	15.60	8.50	8.00	5.60
1909	日	7.70	7.00	7.80	8.90	11.90	17.70	18.90	19.70	15.60	13.80	8.10	6.10	6.10
1910	日	5.70	7.00	7.60	10.00	11.70	20.40	20.50	20.70	14.60	10.30	8.30	6.20	5.70
1911	日	6.70	7.40	8.50	8.50	13.00	19.20	21.60	19.00	19.40	10.30	9.20	10.10	6.70
1912	日	7.70	7.60	6.80	9.10	14.50	19.70	21.10	19.10	15.80	14.30	8.70	7.40	6.80
1913	日	6.10	7.40	5.20	11.80	12.30	18.80	19.90	20.20	17.70	9.40	10.30	6.10	5.20
1914	日	6.00	7.10	9.80	9.00	12.40	15.50	20.20	20.60	14.70	12.90	9.50	8.00	6.00
1915	日	7.00	6.00	6.80	8.60	10.70	19.10	20.70	21.70	12.10	13.70	10.40	7.10	6.00
1916	日	6.70	6.90	6.20	7.40	13.40	18.10	19.60	17.80	15.50	13.00	8.30	8.80	6.20
1917	日	5.90	5.40	8.40	11.70	8.60	20.20	20.00	20.70	15.50	12.90	8.40	5.20	5.20

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1918		5.10	4.60	6.90	9.30	11.30	19.80	18.30	19.90	13.70	12.80	11.30	8.70	4.60
1919		6.70	6.80	10.20	12.90	10.60	21.40	18.90	20.40	12.20	12.60	6.30	5.30	5.30
1920		5.50	8.10	7.60	10.60	14.10	16.90	19.50	20.10	18.50	12.10	13.20	8.90	5.50
1921		6.50	5.70	9.20	10.80	16.60	14.70	19.80	21.20	12.40	12.80	10.20	9.70	5.70
1922		7.60	8.00	7.10	9.90	14.30	14.10	20.00	20.60	16.70	11.40	4.10	7.10	4.10
1923		7.30	5.60	9.40	11.00	11.70	15.40	20.10	20.30	15.80	8.80	8.40	6.30	5.60
日		2	1	20	6	11	3	27	20	30	11	24	30	1/2
1924		8.30	7.20	8.60	10.10	14.00	17.90	20.70	19.50	18.50	11.20	7.00	7.20	7.00
日		2	2	18	26	20	6	16	3	23	29	24	10	24/11
1925		5.70	5.50	8.10	8.70	15.30	15.90	19.30	20.30	14.20	8.50	8.90	4.80	4.80
日		31	27	7	9	19	8	15	4	30	24	28	21	21/12
1926		7.10	8.40	9.70	9.50	14.00	13.90	20.00	21.20	15.20	10.20	10.00	6.70	6.70
日		6	1	27	7	15	15	27	7,17	16	18,30	1	8	8/12
1927		7.80	6.30	5.80	11.00	14.30	18.30	21.40	21.90	14.90	11.50	9.00	8.40	5.80
日		27	7	27	3	3	8	1	25	22	14	7	9	27/3
1928		7.00	7.00	8.50	10.00	13.80	18.60	20.80	15.90	14.80	9.90	10.50	8.90	7.00
日		4	18	9	3	2	4,6	14	30	25	8	21	29	4/1, 18/2
1929		8.50	7.50	6.80	10.50	13.10	16.10	20.50	21.80	15.60	11.00	8.10	9.80	6.80
日		4	10	13	13	4	1	-	5,16	-	20	25	-	13/3
1930		7.80	6.80	8.20	8.90	18.20	16.00	21.90	19.90	17.60	11.10	10.10	7.80	6.80
日		-	1	13	1	-	-	13	-	-	3	-	25	1/2
1931		5.60	8.90	7.30	10.60	16.20	16.00	20.10	22.60	16.30	10.30	8.40	6.90	5.60
日		10	24	-	5	13	2	-	12	30	30	6	-	10/1
1932		7.20	6.60	7.30	12.40	19.20	20.60	21.20	20.60	18.30	13.60	9.60	5.70	5.70
日		8	25	1	1	29	28	-	5	6	31	16	7	7/12
1933		6.50	8.80	6.90	10.40	13.10	20.00	22.40	18.70	16.20	11.90	10.10	8.10	6.50
日		29	3	12	-	4	12	1	-	-	20	13	17	29/1
1934		5.40	6.20	7.00	10.80	15.10	19.20	21.90	21.20	16.40	10.90	11.00	6.30	5.40
日		25,26	3	-	-	-	13	-	26	22	26	28	5	25,26/1
1935		6.30	6.20	8.90	11.00	14.40	19.40	21.30	17.20	15.70	15.50	12.90	8.60	6.20
日		18	13	-	-	15	-	3	26	-	27	20	18	13/2
1936		6.80	7.20	7.10	9.60	16.30	21.10	22.00	21.00	12.90	11.00	9.50	8.80	6.80
日		3	10	1	13	1	-	-	-	-	-	-	-	3/1
1937		8.30	6.20	8.50	11.80	16.50	19.00	21.40	21.80	18.50	10.30	10.70	9.60	6.20
1938		7.20	7.50	8.40	9.80	13.60	19.70	21.40	21.90	16.00	10.70	8.00	7.10	7.10
極 值	日期	5.10	3.20	4.70	6.50	8.60	13.90	16.50	15.90	10.60	8.20	4.10	4.80	3.20
日 年		14	12	6	20	7	15	1,23	30	27,28	24	26	21	12/2
		1918	1901	1906	1907	1917	1926	1897	1928	1902	1897	1922	1925	1901
阿里山 $\varphi=23^{\circ}31'N$ $\lambda=120^{\circ}48'E$ $H=2406.1M$														
平均绝对湿度(毫米)														
1933		-	-	-	7.90	10.20	10.60	10.80	10.30	10.60	9.10	6.70	5.10	-
1934		5.40	5.50	6.40	8.20	10.00	10.20	11.10	10.60	10.40	8.90	7.80	6.50	8.42
1935		5.30	5.80	7.00	8.30	10.00	10.40	11.20	10.90	9.80	9.10	7.40	6.30	8.46
1936		5.60	6.00	6.70	7.40	9.40	10.40	10.70	11.00	10.20	8.50	6.30	7.00	8.27
1937		6.10	5.80	7.70	8.50	9.40	11.10	10.90	10.60	10.20	8.30	7.70	6.60	8.58
1938		6.00	6.10	7.40	8.30	9.80	10.50	10.70	11.00	11.20	9.10	7.30	7.00	8.70
1939		5.70	5.30	7.60	8.20	9.70	10.80	10.90	10.90	10.30	9.30	8.10	4.90	8.48
1940		5.17	5.83	6.37	7.67	9.20	10.87	10.77	10.67	10.20	9.10	7.93	5.33	8.26
平 均		5.61	5.76	7.02	8.08	9.64	10.61	10.90	10.81	10.33	8.90	7.50	6.23	8.45
最大绝对湿度(毫米)														
1934		9.40	9.00	9.70	12.80	12.80	13.30	13.80	13.80	14.00	13.00	11.30	9.70	14.00
日		15	-	-	24	19	30	17	27	4	1	26	-	4/9
1935		9.10	9.20	9.70	12.60	13.10	14.60	13.90	14.20	12.90	12.50	10.70	10.10	14.60
日		2	-	-	-	28	1	-	5	3	4	4	16	1/6
1936		8.20	8.30	9.40	11.10	13.30	13.70	14.20	13.70	14.00	12.70	11.40	10.60	14.20
日		23	-	20	-	-	30	9	-	-	-	-	-	9/7
1937		9.70	9.50	10.70	11.50	13.00	14.30	14.50	13.60	13.20	12.90	11.10	10.10	14.50
1938		9.80	9.00	10.60	11.20	12.90	14.00	13.70	13.30	13.70	14.00	11.00	12.00	14.00

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 日 年	值 期 份	9.80 — 1938	9.50 24 1937	10.70 22 1937	12.80 24 1934	13.30 — 1936	14.60 1 1935	14.50 29 1937	14.20 5 1935	14.00 4,5 1934 1936	14.00 14 1938	11.40 5 1936	12.00 — 1938	14.60 1/6 1935
最小绝对湿度(毫米)														
1934 日		2.70 —	1.80 —	1.40 8	2.00 7	5.80 4	6.20 15	6.80 3	5.90 7	3.60 22	2.90 27	3.90 7	1.90 9	1.40 8/3
1935 日		1.80 22	1.20 12	2.70 9	4.10 15	7.10 10	6.60 27	8.20 26	5.60 22	4.20 24	5.50 29	3.60 21	1.90 28	1.20 12/2
1936 日		2.20 14	2.30 —	3.00 29	1.20 4	3.50 8	4.10 20	7.10 9,29	7.00 —	4.00 —	1.60 21	1.00 29	2.00 —	1.00 29/11
1937 日		1.40	1.00	3.50	2.00	3.90	6.50	7.10	6.80	6.20	2.80	2.40	1.90	1.00
1938		2.00	1.00	2.70	2.90	4.00	6.90	7.10	7.00	6.70	4.00	3.00	2.90	1.00
極 日 年	值 期 份	1.40 16 1937	1.00 4,22 1937	1.40 8 1934	1.20 4 1936	3.50 8 1936	4.10 20 1936	6.80 3 1934	5.60 22 1935	3.60 22 1934	1.60 21 1936	1.00 29 1936	1.90 3 1936	1.00 3 1936
台 南 $\varphi = 23^{\circ}00'N$ $\lambda = 120^{\circ}13'N$ $H = 12.7 M$														
平均绝对湿度(毫米)														
1897		12.90	11.30	15.50	16.30	21.50	23.60	22.50	22.90	23.60	20.10	17.20	12.30	18.31
1898		11.70	13.30	14.20	15.50	19.80	22.30	21.30	22.40	20.90	18.80	15.50	10.60	17.19
1899		10.40	10.80	11.30	15.80	18.50	21.70	23.20	22.40	20.10	16.50	14.00	14.60	16.61
1900		11.80	10.30	13.20	17.10	20.00	21.70	22.70	22.70	21.30	19.00	15.00	12.40	17.27
1901		13.30	7.50	12.10	17.80	19.80	21.30	21.90	22.40	18.90	17.00	13.60	11.40	16.42
1902		11.20	8.70	14.00	16.40	20.30	22.20	21.80	22.40	17.90	15.70	15.30	12.80	16.56
1903		10.30	9.60	14.70	16.80	19.10	21.60	22.60	22.00	20.50	18.30	13.70	10.70	16.66
1904		10.80	10.90	13.40	16.30	18.30	21.30	22.10	21.90	20.40	17.50	13.00	10.30	16.35
1905		12.70	11.00	13.40	16.50	20.00	21.30	21.80	21.90	21.70	17.80	12.90	13.50	17.04
1906		11.10	12.10	12.30	16.80	19.60	21.50	22.70	22.20	22.70	17.20	13.40	11.80	16.95
1907		10.90	10.70	13.10	15.00	19.10	22.00	22.10	22.10	21.30	20.30	16.80	11.80	17.10
1908		12.00	11.70	12.70	16.80	18.50	21.60	23.00	22.70	22.10	19.90	15.10	14.80	17.58
1909		13.00	12.50	13.90	16.40	19.60	22.00	22.60	23.20	22.20	20.20	15.50	11.90	17.75
1910		12.10	12.50	14.20	16.70	20.10	22.50	22.40	22.60	21.90	16.90	14.70	11.60	17.35
1911		10.90	10.90	13.50	16.20	20.00	22.20	22.00	22.50	21.60	16.10	13.40	13.40	16.89
1912		11.20	12.20	14.00	15.40	20.40	22.80	22.80	22.70	20.90	19.20	14.40	14.20	17.52
1913		11.00	11.50	12.40	16.80	19.60	21.50	22.40	22.10	21.50	15.60	14.80	11.60	16.73
1914		10.40	11.50	14.60	16.60	19.10	20.90	22.60	22.30	21.60	18.70	15.60	13.70	17.30
1915		11.60	13.10	13.30	17.90	19.50	22.00	23.20	23.60	21.00	20.70	17.20	12.10	17.93
1916		11.60	11.60	11.90	16.70	19.50	21.30	21.50	22.90	21.10	18.30	14.20	12.40	16.92
1917		9.20	9.50	12.40	16.40	18.60	21.80	22.00	22.60	21.60	17.80	13.30	9.90	16.26
1918		7.40	10.00	12.20	15.60	18.90	21.20	22.20	21.50	19.20	17.80	15.60	14.20	16.32
1919		11.90	10.60	15.20	17.90	19.40	22.90	22.00	23.30	19.30	17.10	13.50	11.30	17.03
1920		9.70	12.20	14.00	15.70	20.50	22.20	23.70	23.00	22.40	18.80	16.20	14.10	17.71
1921		11.50	10.30	13.60	16.50	20.30	22.10	22.00	22.30	20.60	17.00	14.60	13.40	17.02
1922		12.70	13.60	13.70	15.90	21.50	23.40	22.50	22.80	21.90	18.70	13.80	11.80	17.69
1923		10.80	11.30	13.30	16.40	18.60	22.00	22.20	22.70	19.90	16.80	14.80	11.90	16.73
1924		12.10	12.80	13.10	17.70	21.20	22.70	23.70	22.70	22.00	19.50	12.80	11.80	17.68
1925		12.00	10.40	13.50	15.20	20.50	22.20	22.80	23.40	21.00	15.50	14.70	10.50	16.81
1926		10.80	11.90	13.60	17.20	20.20	21.40	22.80	23.40	23.00	18.00	14.80	12.00	17.43
1927		11.40	11.80	13.20	16.60	20.70	23.40	23.00	24.00	21.70	18.20	15.10	12.90	17.67
1928		12.90	11.60	14.60	16.40	20.50	22.40	23.50	23.20	22.10	16.60	15.80	13.40	17.75
1929		11.90	11.40	11.90	14.60	20.60	22.50	23.40	23.10	21.80	17.00	13.90	13.70	17.15
1930		11.20	11.40	13.40	18.10	21.20	22.50	24.20	23.10	22.50	18.50	14.90	13.30	17.86
1931		12.30	13.10	14.00	18.20	21.40	23.40	23.50	24.20	22.80	17.80	15.40	12.60	18.23
1932		10.10	10.30	12.30	17.80	22.30	23.40	23.70	23.50	22.60	18.50	15.30	12.30	17.68
1933		11.10	11.90	12.80	17.90	20.00	23.50	23.60	23.20	22.60	18.10	14.20	11.80	17.56
1934		9.80	10.70	13.00	15.70	20.20	22.40	23.20	23.00	22.50	18.10	15.50	13.40	17.29
1935		11.20	12.20	14.80	17.60	20.70	24.00	23.90	23.10	21.10	20.60	16.60	12.80	18.22
1936		10.90	12.60	12.50	17.90	21.40	23.30	24.20	24.50	22.20	17.20	14.70	14.50	17.99

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937	12.70	12.10	15.30	18.00	23.00	23.80	23.80	23.20	23.10	18.70	16.70	13.60	18.67
1938	13.00	12.00	14.60	17.70	21.50	23.70	22.80	23.50	23.10	19.90	15.40	14.30	18.46
1939	12.30	11.60	14.80	17.00	20.70	22.50	22.20	22.90	20.90	19.30	16.60	11.10	17.66
1940	10.63	11.43	13.60	16.80	21.00	24.07	23.50	22.60	21.60	19.60	15.77	11.90	17.71
平 均	11.37	11.37	13.48	16.70	20.16	22.37	22.76	22.83	21.47	18.16	14.89	12.51	17.34
最大绝对湿度(毫米)													
1897	17.80	17.60	28.90	23.40	27.20	27.50	25.60	25.50	26.90	24.60	24.10	16.60	28.90
日	1	1	30	25	-	12	-	12	-	-	-	9	30/3
1898	19.30	21.00	23.20	21.90	23.80	25.60	24.50	25.00	24.20	23.50	20.50	17.70	25.60
日	15	-	-	19	-	23	23	-	1	3	16	-	23/6
1899	13.60	19.30	20.10	22.30	24.80	26.50	27.80	25.00	24.30	21.20	20.50	19.20	27.80
日	1	28	-	21	-	4	5	21	2	4	15	-	5/7
1900	17.80	13.90	22.10	23.70	24.60	26.10	27.90	26.20	27.20	24.20	23.30	18.00	27.90
日	23	26,28	31	17	30	11	23	-	13	-	-	14	23/7
1901	18.70	13.40	21.70	21.90	24.00	24.90	25.00	26.00	22.90	23.20	20.90	17.30	26.00
日	31	1	-	28	23	23	-	26	27	4	30	1	26/8
1902	14.60	14.30	19.00	22.40	25.00	24.90	25.40	25.30	23.30	19.60	18.80	18.50	25.40
日	-	-	30	30	-	27	26	8	1	30	-	29	26/7
1903	19.40	15.70	19.20	21.10	23.00	25.10	27.00	26.60	23.90	23.40	17.90	16.40	27.00
日	25	26	31	16	18	-	31	-	1	5	5,17	15	31/7
1904	15.10	15.20	18.40	21.70	23.30	24.90	23.80	24.60	23.80	20.60	19.50	16.00	24.90
日	13	6	-	-	1	17	-	6	-	27	3	-	17/6
1905	18.30	17.00	20.00	22.50	23.60	24.60	24.60	26.20	26.90	21.30	17.20	18.10	26.90
日	26	-	-	-	-	-	-	29	3	1	3	7	3/9
1906	19.70	20.70	19.40	23.00	23.60	24.80	25.50	24.70	25.90	24.70	20.00	18.50	25.90
日	-	25	24	15	23	-	7	19	24	1	1	18	24/9
1907	15.70	15.90	19.80	22.70	23.00	25.20	25.30	24.90	24.50	22.60	21.60	16.10	25.30
1908	16.00	18.20	20.80	21.70	24.40	25.00	26.60	26.30	25.10	24.30	20.50	23.20	26.60
1909	23.90	19.80	20.80	21.50	24.20	26.00	25.00	25.90	25.70	23.80	22.00	17.40	26.00
1910	21.50	19.90	21.30	23.70	24.60	27.40	28.20	25.50	28.60	24.50	19.00	18.50	28.60
1911	19.10	19.20	20.00	23.50	24.40	24.90	24.70	25.60	25.10	23.40	18.10	18.10	25.60
1912	15.40	19.30	19.90	21.00	25.00	27.50	25.00	25.50	24.90	21.60	19.90	20.00	27.50
1913	16.00	20.20	20.00	22.40	24.50	24.60	25.70	25.20	24.20	22.10	20.90	17.00	25.70
1914	15.10	18.30	20.50	22.10	23.40	24.30	25.00	25.40	25.30	22.20	21.30	19.80	25.40
1915	18.80	19.10	19.70	23.30	24.90	25.20	26.50	25.80	26.50	25.50	24.80	17.30	26.50
1916	17.80	16.90	20.70	21.80	23.40	25.30	24.90	26.60	24.20	23.30	18.90	16.60	26.60
1917	14.40	14.60	19.00	22.00	23.80	24.80	24.60	25.50	25.30	21.10	19.70	15.90	25.50
1918	11.60	16.00	19.80	21.60	25.00	24.40	25.70	25.20	24.50	22.70	19.90	18.30	25.70
1919	19.50	16.90	21.20	22.30	24.70	25.10	25.60	26.60	24.20	22.60	20.60	16.50	26.60
1920	16.40	18.30	19.70	21.40	26.10	26.30	28.10	26.60	25.20	24.40	21.90	19.60	28.10
1921	15.90	21.10	21.50	24.40	23.80	24.50	26.20	26.40	24.80	21.10	18.90	18.30	26.40
1922	19.40	20.50	20.10	24.70	26.40	26.90	27.00	25.70	25.40	23.80	20.10	15.60	27.00
1923	14.40	18.90	17.10	21.90	23.80	25.80	26.60	25.00	25.20	22.10	21.60	18.00	26.60
日	-	-	11	18	24	23	19	13	1	2	1	7	19/7
1924	17.00	20.10	21.80	23.70	24.90	27.70	27.40	26.60	27.90	25.50	18.40	19.60	27.90
日	13	9	31	16	28	23	11	13	11	4	6	4	11/9
1925	18.10	14.20	18.40	22.40	23.60	25.90	25.90	26.10	24.60	22.50	19.40	16.40	26.10
日	29	17	24	26	31	7	10	15	14	6	19	15	15/8
1926	15.10	20.10	19.80	22.80	26.60	26.10	26.90	27.20	26.30	24.50	18.90	20.20	27.20
日	19	14	14	24	28	22	8	18	28	1	13	15	18/8
1927	19.40	19.90	21.40	21.40	25.90	27.00	26.00	27.40	27.40	25.60	19.60	17.90	27.40
日	6	15	29	13	31	14	23	28	4	10	25	6	28/8,4/9
1928	21.10	20.30	21.60	22.30	25.40	26.80	26.10	27.20	26.30	22.70	20.40	18.60	27.20
日	27	28	1	29	27	13	23	5	7	2	7,26	1	5/8
1929	18.20	18.90	21.60	21.70	24.10	28.20	26.70	25.70	26.50	24.10	18.80	19.10	28.20
日	28	28	25	29	17	30	23	-	-	-	6	-	30/6
1930	18.60	18.40	19.70	24.00	24.10	27.80	27.40	26.50	26.10	24.10	22.70	18.60	27.80
日	-	-	29	25	-	21	10	-	12	1	-	21	21/6
1931	21.00	19.70	19.00	24.50	26.60	27.50	26.70	27.50	26.10	23.80	21.20	18.70	27.50
日	6	14	-	17	31	18	22	25	24	6	11	8	18/6,25/8
1932	13.90	15.10	19.70	24.40	28.50	26.50	28.40	27.60	27.20	22.60	20.60	18.10	28.50
日	30	3	27	-	27	22	23	17	18	28	-	2	27/5

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1933	日	17.40	16.60	21.50	22.80	24.00	27.20	28.60	26.40	25.70	24.90	20.90	18.70	28.60
	日	10	-	-	-	-	-	26	19	-	3	-	-	26/7
1934	日	14.60	15.10	20.70	21.50	24.00	25.80	27.00	26.20	27.90	24.40	20.60	18.90	27.90
	日	31	-	-	-	9	28	16	27	8	1	26	28	8/9
1935	日	17.10	20.00	22.10	23.20	25.80	28.20	28.30	26.30	25.90	24.00	20.40	18.70	28.30
	日	-	26	28	28	30	21	9	-	10	-	-	-	9/7
1936	日	14.60	20.10	21.40	24.80	25.10	27.10	27.10	28.00	27.70	21.00	21.10	19.90	28.00
	日	24	25	13	22	-	15,29	12	13,17	-	-	-	-	13,17/8
1937	日	19.10	20.70	22.40	22.60	30.10	29.80	28.20	27.10	26.20	27.20	21.10	17.70	30.10
1938	日	21.40	20.80	23.00	23.90	25.50	25.60	27.80	27.30	26.70	26.80	24.50	18.90	27.80
恒 日	值	23.90	21.10	28.90	24.80	30.10	29.80	28.60	28.00	28.60	27.20	24.80	23.20	30.10
期	期	18	28	30	22	20	6	26	13,17	21	3	5	26	20/5
年	份	1909	1921	1897	1936	1937	1937	1933	1936	1910	1937	1915	1908	1937
最小绝对湿度(毫米)														
1897	日	5.90	4.60	10.00	10.00	15.90	19.00	18.10	18.90	19.60	10.20	8.10	7.80	4.60
	日	18	12	-	3	1	30	25	29	-	24	25	-	12/2
1898	日	5.20	5.00	9.30	8.50	12.80	16.80	17.50	19.00	16.70	14.60	7.40	4.30	4.30
	日	-	-	10	-	-	-	15	21	11,22	26	28	14	14/12
1899	日	5.30	6.00	6.80	9.80	8.70	17.10	19.30	19.50	14.60	11.70	6.70	10.80	5.30
	日	29	4	17,27	1	3	5	4	22	30	29	27	23	29/1
1900	日	8.80	5.50	8.20	7.70	13.90	17.40	19.00	19.00	16.60	13.30	5.60	6.40	5.50
	日	27	5	20	27	1	7	30	-	28	15	16	17	5/2
1901	日	9.60	2.50	5.90	10.40	12.40	14.80	17.20	18.70	14.00	11.20	8.60	5.30	2.50
	日	9	13	4	1	12	4	-	6,17	25	28	-	4	13/2
1902	日	7.00	5.30	8.00	10.20	10.80	17.60	17.50	18.80	9.80	11.70	10.90	6.80	5.30
	日	9	3	5	10	12	3	18	1	29	16	6	14	3/2
1903	日	4.90	5.60	8.80	10.10	13.20	18.20	18.40	17.50	17.00	11.30	5.70	6.30	4.90
	日	17	19	2	4	8	28	-	-	22	31	27	-	17/1
1904	日	7.40	5.60	8.40	9.80	12.90	14.70	18.70	18.40	16.40	11.80	5.60	6.30	5.60
	日	20	9	-	1	-	-	29	2	28	-	30	-	9/230/11
1905	日	7.90	7.20	8.10	10.10	14.90	16.50	18.00	18.10	18.20	10.20	8.70	9.10	7.20
	日	1	13	4	6	-	21	20	26	-	21	-	31	13/2
1906	日	6.40	4.00	4.00	11.70	16.00	17.40	20.00	17.90	18.50	11.20	9.10	4.70	4.00
	日	25	5	7	-	21	1	11	-	9	22	20,21	-	5/2,7/3
1907	日	5.80	6.30	5.30	6.10	13.00	16.30	18.80	19.30	17.40	17.50	10.40	4.70	4.70
1908	日	8.40	5.40	7.30	12.70	10.10	14.50	18.20	19.10	17.10	14.80	9.50	8.70	5.40
1909	日	8.30	8.10	9.00	6.40	12.30	18.50	19.20	19.80	16.20	13.60	8.20	6.80	6.40
1910	日	5.50	7.30	8.70	11.70	14.60	16.90	18.70	19.10	16.50	11.80	6.40	6.00	5.50
1911	日	6.70	7.60	6.10	10.60	14.20	18.20	18.70	18.70	18.00	11.00	9.20	9.80	6.10
1912	日	7.30	6.60	7.00	8.00	15.60	19.70	19.40	19.80	14.30	12.30	8.30	7.70	6.60
1913	日	6.50	7.10	5.50	10.50	11.50	18.00	17.80	18.80	17.10	8.20	9.80	5.10	5.10
1914	日	5.30	6.30	9.90	5.80	12.10	13.40	18.20	17.60	16.40	14.20	9.50	7.40	5.30
1915	日	6.90	6.10	7.50	8.60	12.90	18.70	18.60	20.90	13.80	13.20	9.80	5.80	5.80
1916	日	6.20	6.20	6.40	9.60	13.80	17.90	17.60	20.30	17.00	13.20	7.60	8.10	6.20
1917	日	5.60	4.70	8.40	11.20	10.00	17.70	19.30	18.30	14.40	13.00	7.40	4.40	4.40
1918	日	3.10	3.50	4.40	9.90	12.90	17.30	18.80	18.10	14.20	11.80	11.40	8.60	3.10
1919	日	6.60	5.90	9.80	12.40	8.60	19.20	17.80	20.10	12.40	12.10	5.90	3.40	3.40
1920	日	4.50	7.40	9.10	10.10	15.70	17.40	18.40	19.70	19.00	12.70	12.10	8.70	4.50
1921	日	6.10	3.60	8.50	8.30	16.10	18.00	17.60	19.70	12.70	12.60	8.90	9.70	3.60
1922	日	8.10	8.70	7.30	9.40	16.80	16.60	17.60	18.00	17.80	11.60	4.00	7.00	4.00
1923	日	7.10	4.40	9.20	10.30	12.00	15.40	17.70	20.20	12.50	8.50	7.50	6.60	4.40
	日	3	2	1	6	9	4	2	5,18	30	9,11	2	31	2/2
1924	日	8.40	7.40	8.80	11.50	16.30	19.30	20.60	19.60	19.40	10.30	6.40	5.50	5.50
	日	2	2	21	4	21	1	7	27	6	29	24	11	11/12
1925	日	6.00	6.00	9.10	9.60	16.80	14.20	19.10	20.40	14.90	10.50	8.50	5.50	5.50
	日	31	27	8	9	20	9	27	1	29	23	13	21	21/12
1926	日	7.20	8.30	9.30	9.20	13.60	16.50	19.10	20.10	18.00	9.20	10.00	4.90	4.90
	日	7	1	27	7	16	15	26	1	18	30	23	26	26/12
1927	日	5.70	6.00	7.50	11.20	15.20	20.40	19.90	20.40	15.00	11.60	9.60	7.30	5.70
	日	28	8	27	15	3	9	14	20	23	14	5	10	28/1
1928	日	6.10	7.60	7.60	10.50	15.30	18.50	19.10	18.70	15.10	10.20	10.20	8.90	6.10
	日	5	17,18	10	3	3	5	14	31	26	30	21	29	5/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1929	日	7.60 2	7.50 3,10	7.10 11	7.40 21	15.90 —	17.00 —	19.90 2	20.40 1	16.70 —	11.40 20	7.60 —	9.00 22	7.10 11/3
1930	日	8.30 —	6.40 15	7.40 —	11.10 1	17.70 —	17.80 7	20.80 25	19.50 25	18.00 9	13.30 2,3	8.70 21	8.10 —	6.40 15/2
1931	日	4.80 10	8.90 —	9.00 11	11.50 5	15.80 8,13	17.60 —	20.80 —	21.40 —	17.20 30	11.00 30	6.60 —	5.10 13	4.80 10/1
1932	日	4.30 3	5.90 29	5.40 1	12.10 1	18.10 —	20.50 4	20.20 26	20.10 23	19.30 30	13.80 5	8.00 16	5.50 —	4.30 3/1
1933	日	6.00 —	8.60 1	6.70 13	11.30 1	13.60 4	18.20 14	19.50 12	17.20 28	17.70 29,30	11.00 20	5.90 19	7.20 18	5.90 19/11
1934	日	5.20 26,27	6.40 4	6.00 16	10.00 15	14.60 —	18.10 —	20.00 27	19.20 21	16.00 —	11.80 26	10.50 28	5.80 5	5.20 26,27/1
1935	日	5.90 18	4.80 13	9.30 —	11.20 1	15.40 —	20.80 —	20.70 16	16.40 26	15.10 —	15.20 29	12.50 20	8.10 18	4.80 13/2
1936	日	5.90 17	7.30 11	7.00 8	9.10 —	14.70 1	18.90 25	20.00 5	21.40 —	13.50 —	11.40 —	8.70 —	9.00 —	5.90 17/1
1937		8.60	5.50	7.70	1.80	17.40	20.40	18.80	19.90	19.30	10.60	10.80	9.90	5.50
1938		7.50	8.20	8.90	11.00	14.60	20.50	18.40	18.80	17.80	12.80	7.30	7.20	7.20
值 日 年	期 份	3.10 8	2.50 13	4.00 7	5.80 8	8.60 2	13.40 3	17.20 23	16.40 26	9.80 29	8.20 19	4.00 27	3.40 30	2.50 13/2
		1918	1901	1906	1914	1919	1914	1901	1935	1902	1913	1922	1919	1901
台 东														

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1936		11.30	13.10	12.90	17.00	20.50	22.00	22.00	22.30	20.50	16.60	14.10	14.70	17.25
1937		13.40	12.90	15.10	18.20	20.60	22.50	22.00	21.60	21.50	17.40	16.50	13.40	17.93
1938		12.40	12.10	14.30	16.30	19.90	22.00	21.40	21.60	21.20	18.30	14.30	13.40	17.27
1939		12.20	12.20	14.80	15.50	19.10	21.00	21.70	21.20	20.20	18.70	16.60	11.10	17.03
1940		11.53	12.77	13.77	15.67	19.27	21.60	22.13	21.40	20.70	19.20	15.70	12.13	17.16
平 均		12.12	12.31	14.03	16.79	19.53	21.43	21.87	21.70	20.46	17.53	14.89	12.97	17.14
最大绝对湿度(毫米)														
1901		17.80	15.90	20.20	22.20	24.50	25.20	24.70	25.50	23.00	22.70	19.20	18.00	25.50
日		23	20	23	18	-	13	-	27	-	3,13	10	12	27/8
1902		17.50	15.10	19.50	22.40	24.20	24.30	24.50	24.90	24.10	20.60	21.20	19.10	24.90
日		31	28	-	7	29	6	-	30	1	28	-	29	30/8
1903		19.80	17.80	20.40	22.20	23.20	24.20	24.90	24.40	24.00	25.20	20.80	18.20	25.20
日		25	26	27	9	18	6	7	-	13	27	17	-	27/10
1904		16.10	17.00	19.40	20.80	23.00	24.80	24.10	25.40	23.70	21.00	21.20	16.60	25.40
日		16	21	25	-	11	7	-	16	8	27	4	10	16/8
1905		17.50	17.60	20.50	23.10	24.80	25.20	25.20	25.40	24.80	24.30	21.10	19.40	25.40
日		-	-	13	25	30	-	-	31	2	26	2	7	31/8
1906		20.20	19.40	20.80	22.20	25.50	24.60	25.70	26.30	25.20	24.20	22.90	22.80	26.30
日		-	21	-	-	21	-	30	1	1	1	-	-	1/8
1907		19.80	18.20	20.60	22.30	23.70	25.00	24.30	24.40	24.10	23.10	20.70	19.50	25.00
1908		19.20	20.50	20.30	22.20	23.00	24.40	25.20	24.80	24.30	24.40	21.20	21.40	25.20
1909		19.60	21.70	20.30	22.40	23.90	25.50	25.10	26.90	25.50	26.10	21.90	20.40	26.90
1910		19.80	19.50	21.70	23.20	24.30	25.60	25.30	25.20	26.10	23.00	19.80	18.10	26.10
1911		19.20	17.50	21.00	22.80	22.90	25.60	24.80	25.10	24.40	24.60	19.80	19.40	25.60
1912		18.80	20.50	19.90	21.80	24.80	24.10	25.80	25.60	25.60	21.40	21.10	19.80	25.80
1913		17.90	20.20	20.90	23.10	23.70	25.10	26.10	26.10	24.60	21.70	20.50	21.60	26.10
1914		17.50	18.70	21.10	23.10	26.10	24.60	25.90	25.00	25.60	22.90	21.20	21.00	26.10
1915		19.70	19.00	19.70	23.30	24.90	28.40	28.10	27.20	25.20	24.70	23.40	18.90	28.40
1916		20.40	19.00	20.40	24.20	26.70	26.50	26.50	26.60	25.50	23.50	21.90	18.90	26.70
1917		15.90	18.50	21.50	22.10	25.40	25.70	25.60	25.30	26.10	22.30	22.70	18.10	26.10
1918		13.80	16.90	18.70	22.70	23.60	25.60	26.60	25.30	25.90	23.80	21.50	19.70	26.60
1919		19.70	18.00	21.00	22.80	25.50	27.60	26.40	27.30	25.80	22.90	21.40	19.00	27.60
1920		19.70	20.20	20.10	23.60	25.20	23.90	26.10	26.90	24.40	22.80	21.20	21.60	26.90
1921		18.40	21.60	21.50	23.60	24.50	26.20	26.80	26.60	26.20	21.70	19.20	20.10	26.80
1922		17.50	20.10	20.40	22.20	26.90	26.30	27.30	25.80	24.40	23.50	19.50	17.60	27.30
1923		17.10	19.40	18.60	23.10	24.70	25.80	26.10	24.80	23.60	22.60	20.80	20.30	26.10
日		15	15	8	18	10	18	27	6	2	1	1	7	27/7
1924		18.70	18.70	18.90	25.00	25.00	25.00	25.50	25.70	25.20	24.90	19.50	19.70	25.70
日		30	7	29	30	13	28	10	6	14	11	6	5	6/8
1925		18.30	16.20	19.60	22.40	23.30	26.60	25.20	25.50	23.70	21.00	20.10	18.50	26.60
日		29	17	22	25	3,25	8	11	18	24	7	12	15	8/6
1926		16.20	19.20	18.60	20.20	23.90	25.20	25.70	25.50	25.20	25.50	21.80	19.70	25.70
日		14	14	18	17,24	11,29	21	18	24	27	9	13	14	18/7
1927		20.00	18.70	19.70	21.30	24.20	25.70	25.60	27.50	24.90	24.90	19.00	20.20	27.50
日		6	15	14	30	1	14	16	18	1	11	21	5	18/8
1928		20.50	21.20	21.20	21.70	24.00	25.50	26.20	25.80	25.10	23.20	21.00	17.70	26.20
日		27	28	1	30	26	9	18	4	8	3	7	15	18/7
1929		18.80	19.90	25.40	21.10	23.70	23.90	25.30	23.80	23.60	21.70	20.20	19.60	25.40
日		28	28	25	29	-	30	1	27	5	7	-	-	25/3
1930		18.70	19.50	19.70	21.90	24.30	25.50	25.20	24.40	24.50	23.90	21.70	20.40	25.50
日		-	-	-	8	-	22	10	-	-	1	-	20	22/6
1931		22.60	18.50	20.50	23.00	25.70	25.20	25.70	25.70	24.30	22.60	22.40	19.70	25.70
日		6	-	30	-	22	-	8	24	-	3	-	8	3
1932		16.60	17.40	17.40	23.40	23.70	24.00	24.70	25.30	25.30	22.40	21.30	18.30	25.30
日		26	-	-	-	-	-	-	21	18	19	-	2	21/8,18/9
1933		18.70	19.00	20.10	22.90	23.50	25.60	25.60	25.20	25.30	23.70	21.80	19.50	25.60
日		10	28	-	7	28	22	26	6	-	2	-	-	22/6,26/7
1934		15.80	16.90	20.60	21.80	23.80	25.50	24.50	24.80	24.40	24.00	21.70	19.70	25.50
日		-	24	24	29	20	16	10	3	8,25	-	26	28	16/6
1935		17.60	21.90	20.60	26.10	26.60	30.60	27.20	26.70	23.90	23.20	18.90	18.70	30.60
日		-	26	18	8,29	-	30	16	14	10	-	-	-	30/6
1936		17.80	19.50	21.90	23.70	25.70	27.70	25.30	25.30	26.50	21.70	20.30	24.40	27.70
日		24	25	12	22	-	23	24	-	-	-	-	-	23/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937		19.00	21.00	21.50	23.80	26.20	27.10	25.30	25.80	24.50	23.80	21.80	18.70	27.10
1938		19.80	19.20	22.40	21.70	24.10	25.40	25.30	25.30	24.90	24.70	21.10	19.20	25.40
極 日 年	值 期 份	22.60 6 1931	21.90 26 1935	25.40 25 1929	26.10 8.29 1935	26.90 25 1922	30.60 30 1935	28.10 9 1915	27.50 18 1927	26.50 4 1936	26.10 18 1909	23.40 4 1915	24.40 19 1936	30.60 30/6 1935
最小绝对湿度(毫米)														
1901		9.60	6.10	6.60	9.20	13.30	14.20	18.30	15.70	15.00	9.80	8.70	6.90	6.10
日		10	13	-	11	14	-	12	-	17	31	25	4	13/2
1902		7.70	6.50	9.10	10.20	11.40	14.90	15.30	23.50	11.00	10.70	12.10	9.00	6.50
日		11,14	11,14	-	-	-	21	4	-	30	18	7	-	11,14/2
1903		6.60	7.10	11.20	11.20	10.30	13.30	16.90	13.10	14.50	11.80	7.70	6.60	6.60
日		7	19	2	-	-	16	-	13	-	15	11	21	7/1, 21/12
1904		8.00	7.10	9.30	10.20	11.50	14.50	13.40	12.30	15.00	10.20	7.20	7.20	7.10
日		25,26	10	22	1	7	1	25	13	19	11	-	31	10/2
1905		7.70	8.30	8.70	8.90	15.40	15.70	17.20	16.00	15.10	11.90	8.70	9.30	7.70
日		2	14	5	16	-	19	14	6	-	21	13	22	2/1
1906		7.30	7.10	5.60	11.40	15.20	15.60	18.00	17.60	17.50	10.20	9.40	8.70	5.60
日		17	5	7	-	29	1	-	18	30	27	22	30	7/3
1907		7.20	7.50	6.80	8.20	10.80	16.00	17.50	15.40	15.10	16.10	9.50	5.80	5.80
1908		8.70	6.80	8.60	12.70	11.00	17.20	18.80	16.80	16.90	15.40	8.10	9.20	6.80
1909		8.40	8.50	8.60	9.20	10.80	17.10	17.00	17.90	17.20	14.80	8.90	7.40	7.40
1910		5.20	7.10	8.40	11.20	14.10	16.30	14.70	17.80	15.40	12.30	9.00	7.40	5.20
1911		8.10	8.20	8.20	10.10	13.40	17.50	18.50	14.60	17.10	10.40	9.60	10.40	8.10
1912		7.20	7.70	7.30	9.40	11.70	16.30	17.00	16.00	13.20	11.40	8.70	8.40	7.20
1913		7.30	7.70	9.00	11.90	12.90	15.60	17.60	16.90	17.70	9.70	9.40	7.10	7.10
1914		6.70	8.40	10.00	10.60	13.60	16.00	16.10	16.80	13.90	13.40	9.50	9.00	6.70
1915		8.20	8.90	8.60	9.80	11.80	16.60	18.60	19.00	14.30	14.00	11.00	7.20	7.20
1916		7.70	8.20	7.80	8.90	15.40	17.80	16.90	15.80	14.30	12.20	9.10	9.10	7.70
1917		6.70	7.40	8.70	11.70	10.80	17.50	18.20	17.00	17.10	13.60	8.70	6.80	6.70
1918		6.00	5.70	8.50	9.80	13.50	17.70	17.80	16.70	15.00	12.80	11.70	9.30	5.70
1919		7.40	7.10	10.90	10.10	11.30	19.50	18.10	16.10	12.80	12.00	7.60	6.30	6.30
1920		7.00	9.40	9.40	10.40	14.20	16.30	17.70	17.70	14.30	10.00	10.50	8.80	7.00
1921		7.10	6.60	9.00	9.60	15.60	13.50	17.40	14.40	12.20	13.30	9.60	9.30	6.60
1922		8.10	8.20	7.10	10.40	15.50	15.90	16.80	18.80	15.80	10.60	7.60	7.00	7.00
1923		7.90	7.10	9.10	9.80	11.00	15.70	16.90	16.80	13.40	11.10	8.00	7.20	7.10
日		3	2	1	1	11	6	8	19	18	12	14	30	2/2
1924		7.80	8.40	9.40	11.80	13.20	15.30	18.30	16.20	16.90	11.00	6.80	7.60	6.80
日		27	3	14	4	29	8	7	29	23	30	24	11	24/11
1925		7.20	6.70	6.80	9.20	14.40	16.70	16.50	17.70	14.30	8.70	10.70	6.20	6.20
日		31	1	13	9	19	9	24	23	16	27	29,30	6	6/12
1926		8.10	8.00	8.60	7.70	11.90	12.80	16.60	16.70	16.40	8.70	9.10	6.20	6.20
日		33	8	26	23	15	3	1	4	18	31	1	24,27	24,27/12
1927		7.30	7.20	7.50	10.00	13.20	17.20	17.10	17.40	13.50	10.00	9.80	7.70	7.20
日		28	8	5	4	4	9	23	18	9	31	13	11	8/2
1928		7.90	8.30	9.60	9.80	13.60	16.00	18.10	17.10	14.40	9.40	8.60	9.10	7.90
日		5,6	17	13	23	3,13	15	12	30,31	27	31	22	30	5,6/1
1929		7.40	8.20	8.40	6.50	13.30	13.30	17.30	16.90	15.10	10.40	7.40	7.40	6.50
日		11	3	15	15	-	21	17	30	23	23	-	2	15/4
1930		8.60	6.20	7.70	8.80	15.20	15.50	11.60	14.60	15.90	11.70	9.70	8.80	6.20
日		6	16	-	2	6	11	27	12	9	12	19	25	16/2
1931		5.40	9.40	8.40	9.90	14.60	14.70	16.40	11.40	15.70	10.50	8.80	6.50	5.40
日		11	-	11,12	-	16	3	30	-	23	29	7	14	11/1
1932		6.20	6.80	7.30	8.60	16.20	16.50	16.80	16.70	14.50	11.50	8.80	6.70	6.20
日		11	12	-	-	5,8	-	15	-	-	-	17	8	11/1
1933		7.10	8.90	7.50	9.00	12.80	15.20	17.40	16.60	14.00	10.20	6.30	7.10	6.30
日		-	3	13,14	1	4	-	13	31	-	-	20	19	20/11
1934		6.30	7.20	8.10	9.80	12.30	15.80	18.20	17.40	13.00	9.60	10.80	6.60	6.30
日		26	4	16	17	3	19	31	10	23	-	28	-	26/1
1935		7.40	8.20	9.50	11.20	15.00	19.00	18.80	16.00	13.30	14.90	10.00	7.90	7.40
日		19	14	-	1	-	5	31	-	25	30,31	21	19	19/1
1936		6.10	7.40	8.10	9.60	15.40	18.00	17.10	17.00	13.10	10.00	8.90	9.10	6.10
日		18	11	-	-	13	24	-	-	-	-	-	-	18/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937		8.80	7.70	9.00	9.00	15.50	17.70	16.00	16.10	17.50	9.90	10.00	9.80	7.70
1938		7.10	7.50	8.30	10.30	13.10	18.40	17.30	16.80	13.40	11.10	8.10	7.20	7.10
恒	值	5.20	5.70	5.60	6.50	10.30	12.80	11.60	11.40	11.00	8.70	6.30	5.80	5.20
日	期	26	19	7	15	10	3	27	10	30	27, 31	20	22	26/1
年	份	1910	1918	1906	1929	1903	1926	1930	1931	1902	1925	1933	1907	1910
1926														
高 雄														
$\varphi = 22^{\circ}37'N$ $\lambda = 120^{\circ}16'E$ $H = 29.1 M$														
平均绝对湿度(毫米)														
1932		10.30	10.80	12.70	17.60	21.50	22.70	22.40	22.60	22.20	18.70	15.60	12.50	17.47
1933		11.40	12.50	13.00	17.30	19.40	22.90	22.80	22.40	22.20	18.10	14.70	12.00	17.39
1934		10.10	11.30	13.30	15.70	19.60	22.10	22.80	22.60	21.90	18.40	16.20	13.50	17.29
1935		11.60	12.80	15.30	18.00	20.60	22.40	23.10	22.60	20.60	20.20	16.60	13.30	18.09
1936		11.00	12.90	12.90	17.30	19.90	22.50	23.20	22.90	21.50	17.50	14.60	14.00	17.52
1937		13.00	12.30	15.40	17.30	20.60	22.80	22.60	22.80	22.40	18.20	16.40	13.50	18.11
1938		12.50	12.30	14.40	17.40	20.70	22.00	22.00	22.60	22.50	19.10	15.00	14.00	17.88
1939		11.90	11.50	15.10	16.30	20.30	21.80	22.20	23.10	21.20	19.40	16.80	11.40	17.58
1940		10.73	12.00	13.30	15.90	19.40	22.43	23.00	22.23	21.80	19.87	16.33	12.23	17.44
平 均		11.39	12.04	13.93	16.98	20.22	22.40	22.68	22.65	21.81	18.83	15.80	12.94	17.64
最大绝对湿度(毫米)														
1932		14.80	18.40	19.30	23.90	26.10	26.50	26.30	25.90	27.40	23.00	19.80	17.70	27.40
1933		16.90	17.60	20.30	21.80	23.40	27.20	27.20	26.20	26.20	24.10	21.20	18.90	27.20
1934		15.10	15.40	20.60	21.00	24.00	25.60	27.50	25.60	26.10	25.40	20.20	20.00	27.50
1935		17.80	18.90	21.30	22.10	24.70	26.20	27.00	26.30	25.90	26.80	20.80	19.00	27.00
1936		15.50	20.40	21.30	22.90	23.70	25.80	26.70	26.90	26.00	21.90	20.20	18.00	26.90
1937		19.90	19.70	21.50	22.30	25.50	26.80	27.50	26.40	26.30	24.70	20.10	17.40	27.50
1938		19.10	20.20	21.90	23.10	24.10	25.30	26.40	26.60	28.40	26.70	20.60	17.90	28.40
恒	值	19.90	20.40	21.90	23.90	26.10	27.20	27.50	26.90	28.40	26.80	21.20	20.00	28.40
日	期	31	26	23, 24	27	27	4	16, 30	18	22	8	4	28	22/9
年	份	1937	1936	1938	1932	1932	1933	1934	1936	1938	1935	1933	1934	1938
1937														
最小绝对湿度(毫米)														
1932		3.00	6.00	7.50	11.00	17.30	19.50	17.30	19.10	18.40	14.50	9.80	4.10	3.00
1933		6.70	9.30	6.90	11.40	14.40	17.90	17.40	16.70	18.30	10.40	4.80	6.40	4.80
1934		5.50	6.50	4.30	8.20	13.30	17.20	17.40	17.50	15.50	12.60	11.80	5.80	4.30
1935		6.10	4.50	9.20	11.90	15.80	17.70	19.70	18.50	12.90	15.00	11.40	8.70	4.50
1936		6.10	8.00	7.20	9.70	16.00	17.40	18.80	19.70	14.60	11.60	8.10	8.20	6.10
1937		9.20	6.00	7.10	10.10	16.10	18.90	16.40	17.10	18.80	10.20	11.10	9.50	6.00
1938		7.80	6.50	8.10	11.10	14.30	16.90	16.70	18.30	16.20	11.50	8.10	5.30	5.30
恒	值	3.00	4.50	4.30	8.20	13.30	16.90	16.40	16.70	12.90	10.20	4.80	4.10	3.00
日	期	4	12	16	22	4	-	8	31	23	16	19	8	4/1
年	份	1932	1935	1934	1934	1934	1938	1937	1933	1935	1937	1933	1932	1932
恒 春														
$\varphi = 22^{\circ}00'N$ $\lambda = 120^{\circ}45'E$ $H = 22.3 M$														
平均绝对湿度(毫米)														
1897		14.30	13.50	17.30	17.30	20.80	23.70	23.80	24.70	25.30	21.80	19.90	14.80	19.77
1898		14.70	15.80	17.70	20.30	24.30	22.90	23.20	23.10	22.00	21.30	16.90	13.70	19.66
1899		13.80	13.90	13.40	17.90	20.70	22.10	23.40	22.70	20.90	16.90	15.90	15.20	18.07
1900		12.90	13.00	15.70	18.60	20.20	21.40	23.00	22.80	20.80	18.80	15.80	13.80	18.07
1901		14.90	10.10	13.50	17.90	20.40	22.20	23.50	22.60	19.90	17.80	14.80	13.30	17.58
1902		13.90	12.40	17.40	19.30	21.20	22.70	22.80	22.90	19.80	18.30	18.10	16.50	18.78
1903		13.90	13.50	17.20	18.40	20.70	23.10	24.00	22.60	21.40	20.00	16.20	14.00	18.75
1904		13.80	13.90	15.70	18.80	19.10	21.90	22.60	22.00	20.50	18.30	15.00	12.10	17.81
1905		14.20	13.10	14.60	18.10	21.00	22.20	22.30	22.60	21.50	18.80	14.50	15.30	18.18
1906		13.50	14.50	14.00	17.50	20.10	22.10	23.00	22.70	21.80	16.90	14.80	13.50	17.87

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1907	12.40	12.40	14.70	16.40	18.20	21.70	22.40	22.40	20.40	20.40	17.20	13.40	17.67
1908	13.60	12.70	15.10	18.50	18.70	22.40	22.60	22.40	21.70	19.40	15.50	15.10	18.14
1909	14.20	14.10	15.00	16.30	18.30	22.10	21.90	22.70	21.50	19.50	15.20	12.00	17.73
1910	12.90	12.60	14.60	17.30	19.60	22.10	22.40	22.70	21.30	16.50	14.80	13.00	17.48
1911	12.50	12.30	14.50	16.50	19.70	22.00	22.10	22.40	21.40	16.70	14.70	14.80	17.47
1912	12.80	13.40	15.20	17.40	19.90	22.90	23.10	22.30	20.90	18.50	15.40	13.60	17.95
1913	13.10	13.20	14.40	18.00	19.90	22.40	22.40	22.50	21.80	16.60	15.40	13.10	17.73
1914	12.30	13.20	15.50	16.80	19.50	21.70	22.50	21.90	20.10	17.60	15.70	14.60	17.62
1915	12.90	14.50	13.50	18.50	19.00	22.40	23.10	23.80	20.80	20.40	17.50	13.40	18.32
1916	13.20	13.40	12.90	17.00	20.00	21.80	22.50	23.10	20.90	18.40	15.70	13.60	17.71
1917	11.20	11.40	13.40	17.00	19.00	22.40	22.00	22.40	21.40	18.30	14.00	11.30	16.98
1918	8.80	11.60	13.60	16.30	19.40	22.60	23.00	21.70	20.20	18.60	17.10	16.20	17.43
1919	15.00	13.70	17.60	19.80	21.20	24.40	22.30	23.60	19.20	18.50	15.00	14.90	18.77
1920	12.90	15.30	16.10	17.70	20.20	22.90	24.10	23.40	22.40	19.50	18.70	14.30	18.96
1921	13.30	12.00	15.10	17.30	20.70	23.20	23.70	22.80	20.20	18.20	16.10	15.00	18.13
1922	15.20	16.30	15.10	17.50	22.20	23.60	22.80	23.10	21.00	17.70	14.40	15.00	18.66
1923	13.30	13.40	14.90	17.80	18.60	22.70	24.00	22.30	19.80	18.20	14.60	12.70	17.69
1924	13.20	13.50	14.00	18.00	20.30	22.10	22.20	22.50	21.80	18.80	12.80	11.70	17.58
1925	12.70	10.90	14.10	15.40	20.40	22.10	22.60	22.70	20.60	14.90	15.60	11.90	16.99
1926	11.70	13.20	14.00	16.40	19.60	20.30	22.60	22.70	21.50	17.40	15.00	13.10	17.29
1927	13.20	13.60	14.30	16.30	19.80	22.80	22.90	23.10	20.40	17.10	14.30	13.40	17.60
1928	14.00	12.80	15.10	16.10	20.30	21.70	23.00	23.10	21.60	15.90	15.40	13.90	17.74
1929	13.30	13.20	13.30	15.10	20.20	22.60	23.00	22.50	20.30	15.50	14.40	14.40	17.32
1930	12.90	12.90	14.40	17.80	20.50	22.20	23.40	22.70	21.00	18.00	15.20	14.50	17.96
1931	14.10	14.60	15.20	17.90	20.60	22.70	23.50	23.60	22.00	16.90	15.60	13.70	18.37
1932	10.90	11.60	12.80	17.30	21.90	23.30	23.00	23.40	21.70	17.90	15.70	13.40	17.74
1933	13.10	13.90	13.60	17.40	19.50	23.10	22.60	22.40	21.90	17.70	14.10	11.90	17.60
1934	11.10	12.70	13.90	15.80	18.90	22.50	22.90	22.50	21.20	17.60	16.60	14.00	17.48
1935	12.80	14.20	15.20	18.00	19.20	22.90	23.40	22.60	20.30	19.10	16.30	14.50	18.21
1936	12.90	13.90	13.00	17.60	20.60	23.00	23.00	23.30	20.80	17.60	15.30	14.50	17.96
1937	13.90	14.10	15.90	17.30	20.40	22.60	22.40	22.10	21.50	17.30	16.20	13.30	18.08
1938	12.70	13.00	14.40	16.30	19.90	22.00	22.20	22.50	21.50	18.40	14.80	13.90	17.63
1939	13.20	12.40	14.90	15.70	19.40	22.20	22.10	22.10	21.40	18.40	16.50	11.20	17.46
1940	11.80	13.00	13.90	16.90	20.20	23.00	23.40	22.00	21.20	19.30	15.90	13.10	17.81
1941	14.00	14.20	15.80	17.70	20.50	22.80	23.70	23.40	21.30	18.30	16.70	15.00	18.62
1942	12.40	14.20	16.30	17.50	19.90	23.20	23.30	22.80	21.00	18.00	15.00	13.30	18.08
1943	11.90	12.00	15.70	15.80	19.00	22.70	23.30	22.90	20.80	17.20	15.10	12.60	17.42
1944	13.20	12.40	12.70	17.40	20.60	22.70	22.40	22.20	21.20	18.00	17.20	12.90	17.74
1945	12.20	13.10	14.70	—	19.30	23.10	23.00	22.10	—	16.20	15.70	13.10	—
1946	13.40	12.70	16.30	16.50	20.90	22.10	22.10	22.70	21.60	16.70	15.30	13.60	17.83
平 均	13.10	13.23	14.83	17.36	20.11	22.49	22.89	22.73	21.13	18.12	15.67	13.71	17.95
最大绝对湿度(毫米)													
1897	19.40	19.30	23.10	23.50	26.00	27.70	28.80	29.10	32.10	26.20	27.10	20.60	32.10
1898	6	25	30	1	7	14	29	30	22	1	—	6	22/9
1899	22.00	22.90	25.10	26.90	28.80	26.80	26.70	29.30	26.40	26.00	22.60	18.30	29.30
1899	5	4	—	—	28	4	30	9	8	2	15	—	9/8
1899	17.20	19.40	20.40	23.80	25.90	25.30	27.90	29.00	26.50	22.40	22.20	19.20	29.00
1900	9, 11	21	—	21	—	—	27	30	—	4	12	12	30/8
1900	18.90	17.70	22.60	23.40	24.90	25.60	26.60	26.70	24.80	25.80	22.40	19.80	26.70
1901	—	—	24	16	—	30	—	19	16	—	10	28	19/8
1901	19.20	16.20	19.30	23.00	24.30	26.00	25.80	27.50	24.00	25.90	19.90	20.70	27.50
1902	—	—	23	23	—	—	—	3	19	2	1	1	3/8
1902	20.40	19.60	24.20	24.60	24.70	26.00	25.90	25.90	25.30	23.20	23.70	23.30	26.00
1903	—	28	20	17	26	19	—	18	1	27	14	30	19/6
1903	22.50	18.50	22.00	23.60	26.60	26.90	29.10	30.10	26.10	26.80	23.40	21.50	30.10
1904	27	—	30	—	18	—	30	2	29	—	17	—	2/8
1904	19.40	19.00	21.90	25.40	26.20	25.80	25.70	25.20	27.70	22.80	24.60	19.40	27.70
1905	13	6	4	30	1	—	4, 23	16	8	27	—	—	8/9
1905	20.00	18.90	21.10	23.20	24.70	26.10	26.60	25.60	24.90	23.60	21.70	19.60	26.60
1906	27	25	—	30	25	12	22	9	2	—	3	7	22/7
1906	20.40	21.90	21.80	23.80	24.10	25.40	25.50	25.60	25.20	25.00	20.30	20.90	25.60
1906	10	25	29	—	—	30	28	2	29	2	—	16	2/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1907		19.60	18.40	19.70	23.20	23.70	25.50	25.00	27.00	24.80	22.60	22.30	19.30	27.00
1908		20.70	20.40	20.90	23.60	23.80	25.50	25.70	26.10	24.70	24.30	20.80	20.30	26.10
1909		20.40	20.50	20.30	21.90	22.70	26.40	25.40	24.80	25.70	24.50	21.50	19.10	26.40
1910		19.90	20.20	21.30	24.50	23.50	24.70	25.20	26.50	25.10	22.70	20.40	17.80	26.50
1911		20.20	21.50	19.80	23.10	24.10	24.90	24.90	24.60	25.60	23.50	20.00	19.60	25.60
1912		18.00	19.20	20.20	22.90	24.90	26.20	25.60	25.20	25.30	22.30	22.10	19.90	26.20
1913		18.90	20.80	24.00	22.80	24.10	25.20	25.60	25.50	25.60	23.90	22.50	19.20	25.60
1914		18.30	18.60	21.30	22.40	24.70	25.00	26.50	24.10	25.30	21.50	21.80	21.50	26.50
1915		19.40	20.10	21.20	23.30	25.10	25.40	26.20	26.40	24.70	23.60	24.90	18.60	26.40
1916		20.80	18.80	20.00	22.50	24.00	25.00	24.50	25.80	25.80	23.00	22.00	17.90	25.80
1917		15.80	19.50	20.50	23.10	24.90	25.20	25.00	25.60	25.00	22.70	21.80	17.90	25.60
1918		13.00	15.60	20.60	22.40	25.00	27.40	26.40	25.20	24.70	23.40	21.40	21.20	27.40
1919		22.40	19.90	24.50	26.70	27.80	27.80	25.60	27.10	25.10	23.00	20.80	20.00	27.80
1920		17.90	21.90	20.70	22.80	25.80	27.50	28.30	26.40	27.60	24.80	25.10	21.80	28.30
1921		18.70	22.50	21.40	23.10	25.20	27.50	26.70	26.40	25.10	22.50	21.50	21.50	27.50
1922		20.90	21.80	20.70	24.90	27.70	27.10	27.10	26.10	25.70	22.80	20.00	19.60	27.70
1923		19.00	21.30	20.50	24.00	23.90	25.60	27.50	25.20	24.70	25.60	20.70	20.10	27.50
日		—	15	8	18	21	—	2	28	14	3	22	9	2/7
1924		19.00	21.10	21.00	23.10	23.70	25.60	25.30	26.00	25.60	24.70	19.10	19.80	26.00
日		13	7	31	29	27	2	3	21	11,12	11	1,6	5	21/8
1925		19.50	15.90	19.60	21.70	26.30	26.20	26.10	26.30	25.00	20.90	19.90	18.90	26.30
日		29	19	14	3	26	26	11	9	7	1	18	15	26/5, 9/8
1926		16.80	19.10	18.90	22.60	26.30	25.70	26.60	26.50	25.30	24.50	21.00	20.20	26.60
日		19	14	18,19	22	29	1	7	25	11	9	13	15	7/7
1927		20.40	19.90	20.70	21.90	25.50	25.70	25.70	25.70	25.10	23.80	19.00	20.50	25.70
日		6	15	29	20	31	14	9	31	5	11	3	10	3
1928		21.30	20.90	23.20	22.40	25.70	25.60	27.50	26.60	25.70	22.50	20.40	18.00	27.50
日		28	28	1	22,30	30	19	26	19	7	3	15,26	9	26/7
1929		19.60	19.50	21.60	21.40	24.90	26.60	26.40	27.10	24.00	21.30	20.80	19.30	27.10
日		28	28	25	29	26	23	19	23	8	5	—	13	23/8
1930		18.50	21.20	20.80	22.30	25.50	25.90	25.90	25.90	24.90	23.20	21.90	21.00	26.90
日		—	23	—	24	27	—	14	19	27	1	—	19	14/7
1931		22.20	19.80	21.70	23.10	25.50	26.80	26.50	28.20	25.80	23.40	23.00	19.80	28.20
日		—	9	30	—	20	23	2,1	26	4	—	11	8	26/8
1932		15.30	20.10	20.30	23.60	26.50	26.20	26.20	27.30	25.50	23.90	21.10	18.40	27.30
日		25	—	28	29	—	—	17	8	—	—	—	2	8/8
1933		19.10	20.30	19.90	22.30	24.00	26.20	26.00	26.40	25.70	28.60	21.00	19.70	28.60
日		10	—	—	7	21	5	—	1	27	1	—	—	1/10
1934		16.40	17.10	20.90	21.60	23.50	26.10	29.80	26.40	27.00	23.70	22.70	20.80	29.80
日		16	—	—	28	—	—	16	11	1	—	—	28	16/7
1935		17.80	21.70	21.80	22.40	24.30	25.80	27.10	25.30	25.00	23.30	27.20	19.40	27.20
日		—	—	28	—	29	—	—	14	—	—	9	1	9/11
1936		18.40	20.60	21.30	22.90	24.20	26.30	26.10	26.80	25.90	21.70	20.70	18.70	26.80
1937		19.70	23.70	21.10	22.30	24.70	25.80	25.80	27.10	25.40	25.30	21.40	17.30	27.10
1938		19.00	20.00	20.90	22.90	24.50	25.20	25.40	25.30	25.90	25.70	20.50	21.40	25.90
1939		18.80	17.20	20.40	23.90	24.80	26.00	26.00	25.30	24.90	24.60	22.00	15.30	26.00
1940		17.50	17.50	20.20	25.80	25.80	27.40	28.90	25.80	26.80	24.50	20.70	19.40	28.90
1941		19.80	19.40	22.50	23.70	26.20	26.60	27.30	26.20	24.80	23.20	22.10	19.90	27.30
1942		19.50	19.50	21.00	23.80	25.00	26.50	27.00	26.20	25.80	25.90	20.30	19.60	27.00
1943		16.30	17.80	21.20	22.40	26.30	27.50	26.30	26.30	24.60	21.90	23.10	19.90	27.50
1944		17.80	20.10	19.90	23.20	26.30	25.90	24.80	25.70	26.30	22.60	22.90	20.60	26.30
1945		17.40	21.60	23.10	—	—	—	—	—	—	—	—	19.30	—
1946		21.30	19.40	21.80	22.70	25.00	25.30	25.20	25.60	24.40	21.60	20.20	19.20	25.60
極日	值	22.50	23.70	25.10	26.90	28.80	27.80	29.80	30.10	32.10	28.60	27.20	23.30	32.10
日	期	27	21	30	20	28	18	16	2	22	1	9	30	22/9
年	份	1903	1937	1898	1898	1898	1898	1919	1934	1903	1897	1933	1935	1902
最小绝对湿度(毫米)														
1897		7.50	7.60	11.90	10.60	13.60	18.30	16.00	20.40	20.70	11.00	10.10	9.80	7.50
日		19	12	21	3	1	30	1	7	27	25	25	29	19/1
1898		8.20	9.40	11.90	11.60	17.50	15.80	19.40	20.00	18.30	16.40	9.40	8.90	8.20
日		25	11	—	11	—	—	12	21	—	—	29	15	25/1
1899		8.90	8.80	8.50	12.20	11.80	14.70	20.00	17.20	14.10	11.50	8.30	10.10	8.30
日		14	4	26	1	12	6	—	—	—	16	3	2	3

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1900	日	8.80	7.70	10.70	9.00	13.20	15.10	18.80	18.80	15.20	11.20	9.20	7.90	7.70
	日	—	6	11	—	1	6,7	31	15	25	16	18	9	6/2
1901	日	10.90	6.00	7.90	11.10	14.80	15.80	20.70	16.00	16.60	11.10	10.10	7.30	6.00
	日	9	12	4	1	12	—	14	—	25	19	25	5	12/2
1902	日	10.00	8.00	11.40	11.20	12.50	16.30	20.00	17.40	14.40	12.80	14.70	11.30	8.00
	日	25	14	4,5	11	13	8	7	1	27	18	24	—	14/2
1903	日	8.50	10.00	12.30	11.60	14.30	18.80	20.60	16.90	16.40	14.40	9.80	8.80	8.50
	日	7	9	1	—	9	—	8	23	22	31	28	21	7/1
1904	日	10.00	9.60	10.20	11.10	13.90	12.50	18.40	16.00	15.30	12.00	8.30	8.80	8.30
	日	1	10	21	2	7	1	31	—	29	10	17	—	17/11
1905	日	8.30	9.60	8.40	10.30	12.70	15.90	18.50	18.40	18.20	14.60	10.10	10.30	8.30
	日	2	14	5	—	5	20	15	—	18	34	—	—	2/1
1906	日	8.60	8.90	7.70	13.10	15.00	15.10	19.60	16.90	18.30	11.10	9.90	8.00	7.70
	日	25,26	5	7,8	11	31	—	20	22	—	19	21	—	7,8/3
1907	日	7.90	8.00	7.30	9.10	12.10	16.10	17.70	19.10	13.00	16.00	10.90	6.50	6.50
1908	日	9.10	7.30	8.70	14.00	11.60	18.20	19.00	18.20	17.90	14.60	9.50	9.90	7.30
1909	日	9.10	9.20	9.50	10.30	11.10	18.00	17.10	18.30	17.60	14.10	7.60	6.80	6.80
1910	日	7.40	7.70	9.50	10.70	13.30	17.40	19.70	17.30	16.00	11.70	9.00	8.10	7.40
1911	日	8.80	9.00	8.80	10.30	14.80	17.70	19.10	16.20	17.40	12.10	10.60	10.70	8.80
1912	日	8.10	8.50	7.90	10.20	14.60	16.80	19.30	19.20	14.40	13.80	9.40	8.80	7.90
1913	日	9.00	8.40	9.50	12.80	13.90	19.30	18.00	19.00	15.90	10.30	10.80	7.40	7.40
1914	日	7.00	8.00	10.20	10.40	13.20	17.20	17.90	18.00	13.50	12.10	9.40	9.60	7.00
1915	日	7.90	9.30	8.20	10.20	10.90	15.20	17.90	20.10	14.60	13.20	10.50	7.50	7.50
1916	日	6.80	8.40	7.60	8.60	12.90	15.40	19.90	18.00	13.60	12.70	8.90	9.20	6.80
1917	日	8.10	7.60	9.30	11.50	10.80	19.40	17.40	14.60	15.00	13.40	7.80	6.70	6.70
1918	日	5.70	6.20	8.90	10.00	12.40	18.20	18.80	18.80	14.00	11.70	11.80	10.50	5.70
1919	日	9.00	7.80	12.30	13.90	13.30	21.70	17.50	18.40	12.70	13.10	8.90	8.20	7.80
1920	日	8.00	10.30	11.00	13.10	15.00	16.70	19.80	20.00	19.00	12.10	13.30	9.50	8.00
1921	日	8.10	7.20	9.90	10.60	15.70	12.90	20.40	18.20	12.60	13.30	10.20	10.00	7.20
1922	日	10.00	9.20	8.30	10.40	16.90	17.00	17.60	18.30	15.30	12.40	8.80	9.10	8.30
1923	日	8.90	9.00	10.80	11.20	10.20	15.60	20.30	18.40	12.30	11.10	9.30	7.50	7.50
	日	3	28	1	1	9	6	31	23	18	12	2	31	31/12
1924	日	8.80	8.80	10.10	10.80	12.00	16.00	19.20	19.80	17.80	11.30	6.90	7.60	6.90
	日	27	24	14	4	29	6	8	31	18,19	29	24	11	24/11
1925	日	6.90	7.20	7.50	10.00	15.40	15.40	18.60	17.50	15.10	9.00	10.90	6.40	6.40
	日	31	1	12	9	19	9	7	25	28	26	29	21	21/12
1926	日	8.10	9.10	8.40	11.10	12.90	11.30	18.90	19.90	16.20	8.10	9.40	6.70	6.70
	日	10	1,2	25	4	15	1	26	13	18	31	1	27,29	27,29/12
1927	日	8.00	7.80	8.70	9.70	14.00	18.20	18.90	18.30	14.10	10.90	10.20	8.60	7.80
	日	23	8	5	4	3	9	15	19	10	29	30	1	8/2
1928	日	8.40	8.90	10.30	9.10	14.10	15.80	17.90	17.60	14.30	9.30	8.70	10.00	8.40
	日	6	1	13	23	3	14	12	25	26	31	22	17	6/1
1929	日	8.30	9.00	8.60	8.60	12.80	16.10	18.50	18.50	13.50	9.90	8.70	9.60	8.30
	日	11	3	8	14	—	3	—	—	12	22	26	—	11/1
1930	日	9.40	6.80	9.10	9.50	14.90	15.70	18.70	19.30	16.40	11.90	10.30	9.70	6.80
	日	—	15	15	2	6	—	—	5	—	12	17	25	15/2
1931	日	6.70	9.50	9.30	10.50	13.80	14.70	19.70	19.90	17.50	11.00	8.40	7.30	6.70
	日	11	24	—	5	16	3	—	—	—	30	7	—	11/1
1932	日	5.70	7.70	8.00	9.40	18.10	19.50	19.40	19.80	17.40	11.60	10.80	6.90	5.70
	日	2	—	1	—	24	—	—	—	20	—	—	9	2/1
1933	日	7.90	9.90	8.30	9.60	13.90	18.40	19.10	17.00	14.60	9.40	8.70	6.50	6.50
	日	29	3	—	—	—	—	17	—	8	17	—	22	22/12
1934	日	6.00	8.50	8.80	10.80	12.10	18.00	18.40	18.10	14.10	11.80	11.30	7.90	6.00
	日	21	4	—	8	—	—	—	—	9	8	28	5	21/1
1935	日	8.00	9.20	10.50	11.60	12.30	18.40	19.90	18.50	14.50	13.60	9.50	9.30	8.00
	日	21	—	5	—	—	—	30	—	—	—	—	—	21/1
1936	日	6.80	8.30	8.00	9.30	15.30	19.30	17.70	19.40	12.40	11.80	10.80	10.20	6.80
1937	日	9.40	8.90	9.90	9.50	13.10	16.80	17.30	17.60	17.90	10.80	9.30	9.00	8.90
1938	日	7.60	8.10	9.00	9.90	12.80	16.30	18.70	19.50	13.30	9.60	8.60	8.20	7.60
1939	日	8.90	9.70	9.80	7.90	13.30	16.40	19.30	17.10	11.70	13.90	8.60	7.70	7.70
1940	日	7.50	9.00	8.90	9.20	15.10	18.30	16.80	14.90	17.20	12.70	10.10	8.10	7.50
1941	日	9.10	7.60	10.60	10.20	14.90	15.30	21.20	19.20	14.30	13.10	12.00	9.90	7.60
1942	日	8.20	9.00	11.10	11.10	14.00	16.20	19.40	15.20	12.30	9.00	10.60	8.30	8.20

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1943		7.30	8.50	10.90	8.50	11.20	18.60	18.90	20.10	14.30	10.50	19.50	6.80	6.80
1944		7.70	7.00	8.40	10.90	12.90	19.70	20.00	18.60	13.30	13.50	10.30	9.00	7.00
1945		7.20	9.00	9.10	—	—	—	—	—	—	—	—	—	—
1946		9.50	7.30	10.60	7.40	15.50	15.50	17.00	20.10	16.30	12.10	10.40	7.70	7.30
極日	值	5.70	6.00	7.30	7.40	10.20	11.30	16.00	14.60	11.70	8.10	6.90	6.40	5.70
年	期	9,2	12	5	18	9	1	1	16	18	31	24	21	9,2/1
	份	1918	1901	1907	1946	1923	1926	1897	1917	1939	1926	1924	1925	1918
		1932												1932
廣 東 曲 江 $\varphi=24^{\circ}55'N$ $\lambda=113^{\circ}07'E$ $H=86.6M$ 平均绝对湿度(毫米)														
1951		7.52	8.22	9.55	14.02	18.34	21.13	22.17	22.49	19.53	15.66	10.85	8.42	14.83
1952		7.51	8.44	10.73	14.75	20.90	21.97	23.83	22.76	20.71	14.27	11.22	6.49	14.59
1953		7.23	9.12	11.73	12.68	18.56	22.03	22.92	22.71	18.82	16.80	11.87	8.69	15.26
平 均		7.42	8.59	10.67	13.82	19.27	21.71	22.97	22.65	19.69	15.58	11.31	7.87	14.89
最大绝对湿度(毫米)														
1951	日	15.97	15.81	17.38	21.16	25.51	25.23	26.80	27.52	26.32	23.33	18.18	17.92	27.52
		7	22	27	28	16	21	8	18	2	6	15	22	18/8
1952	日	13.15	17.73	19.70	22.81	26.55	26.34	28.23	27.79	27.32	22.70	16.23	18.23	28.23
		29	14	18	11	23	7	22	3	12	10	12	1	22/7
1953	日	15.10	15.96	18.81	21.42	25.17	26.14	27.15	27.11	24.57	22.52	21.53	15.48	27.15
		25	28	20	29	22	29	5	17	9	6	9	2	5/7
極日	值	15.97	17.73	19.70	22.81	26.55	26.34	28.23	27.79	27.32	23.33	21.53	18.23	28.23
年	期	7	14	18	11	23	7	22	3	12	6	9	1	22/7
	份	1951	1952	1952	1952	1952	1952	1952	1952	1952	1951	1953	1952	1952
最小绝对湿度(毫米)														
1951	日	3.39	4.12	4.42	7.76	8.83	16.75	18.78	15.39	10.29	7.43	4.59	2.89	2.89
		22	16	2	4	19	17	18	20	19	25	23	16	16/12
1952	日	3.32	3.13	6.05	8.44	14.50	13.50	20.01	19.13	11.95	6.99	8.56	2.96	2.96
		8	19	22	24	31	10	6	19	29	12	1	5	5/12
1953	日	4.38	4.53	6.00	8.18	12.01	17.48	18.37	15.22	12.67	11.43	4.63	4.33	4.33
		7	21	28	3	14	12	29	31	30	28	19,20	11,12	11,12/12
極日	值	3.32	3.13	4.42	7.76	8.83	13.50	18.37	15.22	10.29	6.99	4.59	2.89	2.89
年	期	8	19	2	4	19	10	29	31	19	12	23	16	16/12
	份	1952	1952	1951	1951	1951	1952	1953	1953	1951	1952	1951	1951	1951
汕 頭 $\varphi=23^{\circ}21'N$ $\lambda=116^{\circ}40'E$ $H=5.3M$ 平均绝对湿度(毫米)														
1951		9.68	10.01	10.40	14.31	18.08	21.55	23.47	23.88	21.47	17.14	13.76	10.90	16.22
1952		9.47	10.58	12.16	15.53	21.73	24.15	24.79	24.32	22.76	17.02	14.57	10.89	17.33
1953		10.23	11.24	12.26	13.17	19.28	24.02	24.17	24.32	21.81	19.02	14.79	11.79	17.18
平 均		9.79	10.61	11.61	14.34	19.70	23.24	24.14	24.17	22.01	17.73	14.37	11.19	16.91
最大绝对湿度(毫米)														
1951	日	15.99	16.27	17.03	21.40	24.88	26.69	26.92	27.62	25.98	24.50	20.13	18.01	27.62
		7	24	28	29	17	25	21	20	6	7	15	31	20/8
1952	日	15.06	18.63	18.83	24.71	27.44	28.68	28.64	27.42	27.20	22.59	18.78	19.29	28.68
		1	15	31	12	23	16	12	28	3	10	13	1	16/6
1953	日	17.24	17.73	20.38	23.49	28.88	27.49	28.16	29.14	26.78	25.17	22.72	19.19	29.14
		26	13	20	29	22	11	3	16	9	8	9	2	16/8
極日	值	17.24	18.63	20.38	24.71	28.88	28.68	28.64	29.14	27.20	25.17	22.72	19.29	29.14
年	期	26	15	20	12	22	16	12	16	3	8	9	1	16/8
	份	1953	1952	1953	1952	1953	1952	1952	1953	1952	1953	1953	1952	1953

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)														
1951	日	4.70	4.69	6.26	8.65	7.20	15.55	19.69	20.07	10.95	9.94	6.98	3.77	3.77
	日	14	19	3	4	10	16	24	12	19,20	31	24	16	16/12
1952	日	3.64	4.37	7.01	7.80	10.44	18.46	21.35	20.78	14.76	11.99	10.59	5.12	3.64
	日	8	19	25	1	14	11	4	14	30	26	1	10	8/1
1953	日	5.62	5.83	6.45	8.01	9.29	18.18	20.68	19.93	13.10	10.64	6.40	5.93	5.62
	日	6	22	30	17	1	12	29	31	25	11	20	11	6/1
極日	值	3.64	4.37	6.26	7.80	7.20	15.55	19.69	19.93	10.95	9.94	6.40	3.77	3.64
年	期	8	19	3	1	10	16	24	31	19,20	31	20	16	8/1
	份	1952	1952	1951	1952	1951	1951	1951	1953	1951	1951	1953	1951	1952
廣 州 $\varphi=23^{\circ}00'N$ $\lambda=113^{\circ}13'E$ $H=18.9M$														
平均绝对湿度(毫米)														
1921		7.98	8.49	11.37	15.94	20.65	22.48	21.75	22.63	18.88	14.15	9.47	9.60	15.28
1922		9.75	12.03	12.68	15.81	21.39	22.27	-	23.59	21.17	16.00	10.22	9.56	-
1923		9.34	9.54	13.24	16.17	19.71	21.96	22.82	22.60	20.19	16.51	13.35	9.77	16.27
1924		9.56	9.63	11.75	16.60	22.06	23.15	23.33	23.13	22.24	17.31	12.35	9.66	16.73
1925		8.31	8.16	13.15	14.33	21.97	23.54	24.95	24.42	20.96	16.88	15.31	9.87	16.77
1926		10.34	10.84	12.74	16.82	20.88	21.61	23.87	24.23	23.17	16.79	13.42	11.08	17.15
1927		9.86	9.75	11.26	15.04	20.77	23.10	23.82	24.57	21.41	18.41	14.66	13.97	17.22
1928		10.78	8.54	12.82	16.97	22.08	21.67	23.40	23.51	21.62	14.26	12.06	11.31	16.58
1929		10.48	10.71	12.64	15.07	21.32	22.66	23.05	23.20	21.14	14.84	10.01	11.28	16.37
1930		6.82	10.99	12.28	18.87	20.91	23.11	23.87	23.35	21.36	16.03	12.41	11.04	16.75
1931		10.60	10.15	13.59	18.20	21.21	23.16	23.82	24.03	22.05	14.66	12.37	11.43	17.11
1932		9.89	9.27	11.58	16.91	22.06	23.70	22.81	23.06	20.92	14.95	13.09	9.72	16.50
1933		7.22	11.22	12.00	17.57	20.70	23.78	22.55	22.20	22.18	15.21	11.50	10.83	16.41
1951		9.17	10.31	11.60	16.63	19.83	22.62	23.85	23.84	20.99	17.42	12.96	9.81	16.50
1952		9.29	10.78	14.10	17.31	23.37	24.41	25.30	24.00	22.25	16.88	12.40	7.60	17.31
1953		9.28	11.74	14.02	14.75	20.64	23.51	24.05	24.09	20.59	19.57	13.65	10.48	17.20
平 均		9.26	10.01	12.54	16.48	21.21	22.96	23.55	23.52	21.33	16.22	12.60	10.50	16.68
最大绝对湿度(毫米)														
1951	日	16.62	17.07	19.19	23.47	25.76	26.47	27.80	27.44	26.36	23.82	20.88	17.80	27.80
	日	8	24	18,27	29	15	27	31	14	8	6,7	14	24	31/7
1952	日	16.00	19.83	22.08	25.95	28.36	30.50	34.77	27.81	27.22	24.41	18.93	19.07	34.77
	日	29	15	18	28	30	17	8	8	11	10	12	1	8/7
1953	日	17.18	18.35	19.94	24.21	27.03	28.36	27.12	29.11	26.41	25.18	23.13	17.63	29.11
	日	25	14	20	29	20	25	7	12	10	6	9	2	12/8
極日	值	17.18	19.83	22.08	25.95	28.36	30.50	34.77	29.11	27.22	25.18	23.13	19.07	34.77
年	期	25	15	18	28	30	17	8	12	11	6	9	1	8/7
	份	1953	1952	1952	1952	1952	1952	1952	1953	1952	1953	1953	1952	1952
最小绝对湿度(毫米)														
1951	日	3.13	4.34	4.66	9.75	11.68	17.85	20.27	18.17	10.76	8.31	5.52	2.71	2.71
	日	14	17	3	3	9	11	24	21	19	25	24	15	15/12
1952	日	2.93	2.69	7.90	8.53	15.05	17.39	20.63	20.62	13.02	8.02	7.97	2.66	2.66
	日	8	19	20	14	15	10	6	27	26	31	1	10	10/12
1953	日	4.21	4.99	7.27	9.43	12.68	18.66	19.38	15.21	14.78	12.62	4.90	4.19	4.19
	日	8	21	29	2	3	12	28	31	26	24	19,20	12	12/12
極日	值	2.93	2.69	4.66	8.53	11.68	17.39	19.38	15.21	10.76	8.02	4.90	2.66	2.66
年	期	8	19	3	14	9	10	28	31	19	31	19,20	10	10/12
	份	1952	1952	1951	1952	1951	1952	1953	1953	1951	1952	1953	1952	1952
香 港 $\varphi=22^{\circ}18'N$ $\lambda=114^{\circ}10'E$ $H=33.2M$														
平均绝对湿度(毫米)														
1884		11.26	9.58	13.18	15.09	18.69	21.59	23.06	22.50	20.60	17.73	12.45	8.07	16.15
1885		9.73	8.94	11.61	16.96	20.86	22.40	22.30	21.99	20.12	15.67	10.77	10.77	16.01
1886		8.58	8.05	12.53	15.93	18.62	21.44	22.02	22.20	17.45	17.10	10.80	7.26	15.17
1887		10.49	8.87	10.56	14.99	18.08	21.62	22.55	21.64	21.54	14.15	10.72	9.07	15.36

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1888	9.60	9.02	13.24	17.73	20.86	22.25	23.06	22.71	20.96	16.51	13.95	11.83	16.81
1889	10.14	9.73	13.21	16.20	21.16	23.21	23.21	22.45	21.01	19.64	12.45	9.83	16.85
1890	9.19	12.17	12.07	16.66	20.01	22.40	22.89	21.99	18.62	14.22	12.22	12.45	16.24
1891	10.29	10.04	11.94	15.12	19.61	21.97	22.81	22.43	20.57	20.22	12.48	10.61	16.51
1892	9.53	11.91	11.56	15.83	18.74	21.89	23.09	21.84	19.10	13.80	13.77	7.70	15.73
1893	9.45	9.22	11.86	16.39	18.16	21.87	22.25	22.89	21.01	15.93	10.19	8.43	15.64
1894	7.42	10.01	11.53	16.96	19.69	22.18	22.35	22.66	21.23	14.78	11.28	9.45	15.80
1895	8.79	10.64	11.97	16.99	19.61	21.57	22.50	22.04	18.08	16.49	11.23	9.75	15.80
1896	10.77	9.83	11.46	16.86	18.13	22.50	23.47	22.55	21.69	17.88	15.02	9.80	16.66
1897	12.09	8.79	13.51	14.45	21.39	23.06	21.99	22.84	21.28	17.81	12.98	9.22	16.62
1898	8.99	11.78	12.80	14.88	20.57	22.71	22.10	22.35	21.44	14.88	11.41	7.55	15.96
1899	8.18	9.34	11.66	15.64	19.18	21.52	23.45	22.66	19.89	14.51	11.38	12.95	15.86
1900	8.82	8.99	12.27	17.17	20.17	20.96	22.66	22.55	19.64	17.02	12.50	10.36	16.09
1901	13.05	5.46	11.73	17.47	20.20	21.82	22.58	22.35	19.91	16.36	11.76	9.37	16.00
1902	9.96	8.10	14.35	17.42	21.57	21.94	22.69	22.71	17.61	16.46	14.63	11.81	16.60
1903	8.77	9.29	14.76	16.86	19.45	22.86	23.19	22.79	20.80	16.36	10.80	8.07	16.17
1904	9.50	10.14	13.03	16.59	18.77	21.44	22.25	22.02	21.21	17.22	11.56	8.56	16.02
1905	12.45	9.58	11.41	15.02	20.04	22.23	22.38	22.61	21.16	16.46	11.88	12.80	16.50
1906	10.09	11.94	11.46	16.00	19.86	22.35	23.01	22.69	21.54	14.20	10.67	10.72	16.21
1907	9.68	9.63	12.60	15.57	18.90	20.86	22.40	22.48	20.72	20.17	14.58	8.94	16.38
1908	11.26	9.73	10.77	15.78	18.21	22.13	23.01	23.16	22.35	18.37	12.24	11.36	16.53
1909	10.95	10.95	12.63	15.54	18.29	22.25	22.64	23.09	22.35	18.80	11.91	9.07	16.54
1910	11.00	10.46	12.75	15.37	19.33	22.20	22.71	23.26	21.11	16.05	12.88	8.84	16.33
1911	9.60	9.55	13.41	15.34	20.32	23.40	22.43	22.69	21.06	16.05	13.87	12.04	16.65
1912	9.65	10.14	13.59	15.32	21.16	23.40	23.01	22.76	18.39	15.49	12.22	10.36	16.29
1913	9.04	11.00	11.36	16.69	19.61	22.43	23.50	22.91	21.37	14.88	13.64	9.55	16.33
1914	10.14	11.86	14.35	16.54	20.15	21.94	22.91	22.04	19.25	18.44	14.02	11.38	16.92
1915	9.80	12.50	12.37	18.62	18.95	22.81	23.40	23.96	20.22	19.15	13.92	9.45	17.10
1916	10.04	10.64	10.67	16.26	20.40	21.92	22.45	23.16	20.72	16.18	11.36	8.84	16.05
1917	7.34	9.43	11.02	15.90	18.34	22.84	22.45	22.96	21.54	17.25	10.95	8.07	15.67
1918	4.96	9.32	12.39	16.18	19.56	21.87	23.21	21.94	20.80	15.29	14.40	13.05	16.08
1919	11.56	9.80	15.14	17.58	19.10	23.47	22.35	23.19	19.13	15.59	12.17	9.34	16.54
1920	7.45	10.80	12.34	15.49	20.20	22.48	23.42	23.29	21.77	16.31	14.48	11.86	16.66
1921	8.61	8.97	12.29	16.36	20.80	22.53	22.33	22.86	19.74	15.80	10.70	10.85	15.99
1922	10.97	11.71	12.45	15.69	21.13	22.50	22.84	23.24	20.72	16.66	11.02	9.04	16.50
1923	8.74	9.65	12.55	16.76	19.10	21.97	22.48	22.61	19.89	16.23	14.17	11.21	16.28
1924	11.66	11.73	11.46	15.62	20.98	21.97	22.91	22.61	21.89	16.69	10.36	8.72	16.38
1925	9.09	8.18	12.29	13.34	20.22	21.99	22.94	22.20	19.99	14.42	13.95	8.74	15.61
1926	9.96	10.87	12.48	15.75	19.20	20.30	22.64	23.09	21.94	16.29	13.08	10.70	16.36
1927	9.88	10.04	10.82	14.37	19.45	23.11	23.31	23.60	20.45	16.08	12.39	11.73	16.27
1928	11.78	10.41	12.90	15.90	20.55	21.47	23.34	23.62	20.45	14.53	12.53	11.61	16.59
1929	10.97	10.26	11.78	14.78	20.55	22.38	22.99	22.96	21.37	16.08	11.31	12.45	16.49
1930	8.38	10.59	11.81	18.34	20.77	22.35	23.19	22.89	20.83	17.12	13.54	11.63	16.79
1931	10.90	11.97	12.07	17.05	20.47	22.35	23.04	23.52	21.82	14.71	12.68	11.02	16.80
1932	8.74	9.07	11.05	16.51	22.45	23.60	22.86	22.91	20.96	16.18	13.29	10.21	16.49
1933	8.53	10.61	11.99	16.36	20.22	23.42	23.04	22.81	21.69	16.59	12.70	11.63	16.63
1934	8.16	9.60	11.94	15.02	19.05	22.91	23.82	23.31	22.48	16.29	14.27	11.56	16.53
1935	10.61	11.07	13.75	16.81	19.94	22.99	23.67	23.37	20.35	20.04	15.26	10.39	17.35
1936	9.17	11.12	9.78	16.99	20.42	23.57	23.80	23.11	20.52	14.10	13.95	11.83	16.53
1937	11.15	11.21	14.07	17.07	21.06	23.01	23.67	23.80	22.79	17.58	14.00	11.94	17.61
1938	10.41	10.16	12.70	16.00	20.83	23.37	23.11	23.11	21.84	18.54	12.45	11.94	17.04
1939	10.59	11.46	13.90	14.86	19.40	23.19	23.31	22.50	20.67	17.53	14.88	8.72	16.75
1940	9.91	10.92	12.70	14.48	19.56	23.11	23.62	22.61	22.10	18.29	13.97	11.94	16.93
1941	13.21	11.94	13.21	15.75	-	-	23.88	23.62	19.81	17.53	-	-	-
平 均	9.79	10.12	12.35	16.10	19.86	22.35	22.89	22.76	20.70	16.55	12.63	10.29	16.36
最大绝对湿度(毫米)													
1884	14.96	13.13	18.39	21.13	23.67	25.20	26.06	25.50	24.56	23.01	20.50	13.26	26.06
日	24	19	17	26	22	29	22	12	14	3	5	1	22/7

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1885	13.49	16.08	17.71	21.18	24.11	25.43	24.61	24.31	23.47	21.54	18.80	16.18	25.43
日	7	6	24	29	21	30	1	25	1	5	3	24	30/6
1886	13.95	12.68	18.21	20.91	23.14	24.53	24.31	24.18	22.76	22.07	15.67	12.37	24.53
日	22	5	23	24	30	10	28	9	2	12	10	13	10/6
1887	14.86	12.58	16.03	19.99	22.02	24.38	25.60	24.16	24.77	20.77	15.59	13.97	25.60
日	11	25	12	11,15	29	17	8	12	13	18	6	1	8/7
1888	14.63	13.85	19.03	21.52	24.56	25.18	25.45	25.40	23.91	23.40	17.56	17.25	25.45
日	17	12	28	26	21	21	29	7	5	9	17	10	29/7
1889	15.34	19.48	20.30	21.92	25.68	25.85	25.65	25.96	25.23	24.01	19.20	14.48	25.96
1890	14.42	20.20	18.44	21.79	26.24	24.56	25.78	26.01	24.36	22.76	15.75	18.83	26.24
1891	14.30	17.35	18.16	21.11	25.04	25.88	27.07	26.92	26.85	24.21	22.10	17.81	27.07
1892	15.67	18.44	19.79	22.64	25.38	25.43	26.55	24.58	25.02	20.80	19.35	13.95	26.55
1893	14.66	12.07	19.89	22.86	23.40	25.09	25.70	26.82	26.19	23.19	16.56	13.46	26.82
1894	16.56	14.27	17.86	19.79	24.23	26.26	25.70	25.70	25.96	23.91	18.57	15.17	26.26
1895	13.54	17.58	19.91	22.40	25.07	26.75	25.50	25.63	25.25	21.44	19.74	17.02	26.75
1896	16.08	14.25	17.91	22.38	24.48	26.36	28.39	25.07	26.14	24.13	21.34	17.50	28.39
1897	19.00	18.47	20.96	20.52	25.43	26.55	24.97	26.77	24.23	23.37	21.49	14.76	26.77
1898	17.22	20.42	19.61	21.08	24.92	25.20	25.18	26.39	25.07	21.28	17.25	13.39	26.39
1899	15.24	15.98	17.61	20.12	24.06	25.02	26.55	25.48	25.09	21.92	20.10	17.10	26.55
1900	12.88	14.93	20.22	22.35	24.26	25.43	25.25	25.83	25.96	23.29	21.11	16.86	25.96
1901	15.94	11.99	17.58	22.61	24.11	25.18	24.92	26.45	23.77	24.43	15.83	17.02	26.45
1902	14.25	14.68	19.69	21.49	25.94	25.23	25.85	26.47	24.01	21.34	20.50	16.69	26.47
1903	17.35	16.49	19.74	22.04	23.93	25.40	27.72	27.77	24.28	21.57	17.27	17.07	27.77
1904	16.18	15.34	20.40	21.72	24.16	24.72	25.53	25.02	24.67	23.25	19.40	14.66	25.53
1905	18.11	18.67	16.79	21.64	24.21	26.09	27.15	25.58	25.63	21.34	16.84	18.52	27.15
1906	17.12	20.83	20.67	22.13	24.56	24.77	25.38	25.23	25.60	24.18	20.65	16.61	25.60
1907	16.10	13.39	19.35	21.74	24.97	25.02	25.80	26.72	24.21	23.01	21.18	14.68	26.72
1908	15.78	16.39	19.45	21.34	23.67	24.64	25.73	27.07	24.92	23.57	20.47	17.56	27.07
1909	16.15	17.17	21.28	21.92	23.47	25.53	27.05	25.60	25.83	23.85	20.17	15.90	27.05
1910	17.76	19.18	19.30	21.39	24.31	26.24	25.99	26.52	25.09	22.02	18.34	18.29	26.52
1911	16.29	18.08	19.79	22.40	24.53	25.85	26.34	26.09	25.43	23.75	20.12	17.66	26.34
1912	13.97	19.18	20.35	21.72	24.72	26.45	25.75	26.57	25.33	21.06	19.79	15.90	26.57
1913	16.20	16.76	20.35	22.20	25.48	24.53	28.02	26.67	27.02	22.91	20.15	15.88	28.02
1914	14.56	18.47	20.50	23.77	24.87	25.18	25.68	26.24	24.16	22.13	21.13	18.08	26.24
1915	14.91	19.64	19.81	23.37	26.50	26.67	27.15	27.00	26.47	24.33	22.30	14.93	27.15
1916	16.49	17.63	19.45	22.86	24.51	24.33	25.25	26.36	24.61	20.60	19.86	13.56	26.36
1917	13.18	16.08	17.30	22.33	24.56	24.84	26.26	26.55	24.43	20.98	20.88	16.15	26.55
1918	8.69	15.44	19.56	22.48	25.09	24.87	26.34	25.18	26.04	21.03	20.77	17.35	26.34
1919	18.44	15.34	22.18	24.36	25.23	26.72	28.65	28.53	24.31	23.21	20.96	14.86	28.65
1920	17.96	19.20	19.84	21.16	26.85	27.15	28.24	27.10	27.15	23.75	20.67	19.10	28.24
日	31	1	11	20	23	24	16	29	2	11	9	6	16/7
1921	15.72	17.96	20.91	22.48	25.63	27.26	26.65	27.31	25.48	21.99	18.77	18.64	27.31
日	25	28	23	27	19	14	22	14	18	19	21	17	14/8
1922	15.75	17.93	19.89	24.56	26.26	26.57	26.55	27.00	26.57	22.02	18.90	13.69	27.00
日	1	11	4	30	30	17	31	8	12	24	8	4	8/8
1923	14.99	18.42	17.76	20.93	24.58	26.85	26.09	27.43	24.69	21.94	22.69	17.20	27.43
日	22	15	8	23	30	25	26	4	8	28	1	7	4/8
1924	17.20	20.62	17.86	23.34	24.21	25.99	26.21	26.57	26.60	23.70	17.37	13.85	26.60
日	15	8	31	30	14	4	12	12	6	15	7	5	6/9
1925	13.31	13.72	18.37	21.31	25.68	25.75	27.21	26.29	25.02	23.42	19.94	16.08	27.21
日	14	6	15	3	26	24	14	19	4	1	12	29	14/7
1926	15.62	15.85	20.01	22.33	27.15	25.45	26.21	28.22	27.48	24.08	19.28	19.91	28.22
日	19	10	14	24	29	28	15	16	4	6	13	15	16/8
1927	15.98	16.76	20.01	22.69	25.09	27.48	27.61	29.56	27.00	24.77	20.47	17.71	29.56
日	8	25	13	13	17	4	11	6	4	9	20	29	6/8
1928	18.64	18.44	18.49	23.67	25.83	26.26	28.80	29.06	27.31	20.91	21.72	16.36	29.06
日	27	29	26	30	17	21	18	8	7	2	8	15	8/8
1929	15.78	17.63	20.60	23.42	27.36	27.56	27.02	28.37	25.73	22.40	17.50	19.08	28.37
日	14	24	28	30	26	10	19	11	26	7	6	16	11/8
1930	16.49	19.53	20.32	23.55	25.28	26.80	28.24	26.97	24.61	23.70	21.92	18.90	28.24
日	3	27	29	23	23	2	23	15	1	1	1	1	23/7
1931	19.66	19.99	20.04	24.58	28.45	28.09	27.89	27.21	26.65	23.19	19.50	19.13	28.45
日	6	5	26	30	31	21	13	20	11	6	14	9	31/5
1932	13.08	16.03	19.20	22.43	27.18	27.77	26.39	27.36	26.11	21.34	19.33	15.93	27.77
日	22	22	12	24	29	7	27	16	24	2	25	25	7/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1933		15.95	16.36	21.23	21.87	24.11	26.34	25.94	25.91	26.55	23.88	18.52	16.81	26.55
1934		12.98	14.81	21.37	23.04	25.58	26.65	28.50	28.39	26.95	24.74	19.94	17.17	28.50
1935		16.03	16.08	20.45	23.29	25.09	26.39	27.46	26.55	26.62	24.01	22.66	18.98	27.46
1936		13.34	20.01	17.07	23.47	26.36	26.57	27.77	26.45	26.39	21.18	23.50	19.25	27.77
1937		18.93	18.26	22.48	23.96	25.53	25.73	26.90	27.74	26.34	25.43	20.45	15.98	27.74
1939		16.03	15.95	19.53	21.99	24.82	26.31	27.63	26.75	26.60	23.40	21.99	15.24	27.63
恒 日 年	信 期 份	19.66 6 1931	20.83 — 1906	22.48 — 1937	24.58 30 1931	28.45 31 1931	28.09 21 1931	28.80 18 1928	29.56 6 1927	27.48 4 1926	25.43 — 1937	23.50 — 1936	19.91 15 1926	29.56 6/8 1927
最小绝对湿度(毫米)														
1884		3.61	4.40	8.92	7.52	11.28	16.44	20.30	19.50	13.15	6.73	2.64	2.84	2.64
日		8	7	29	2	13	2	28	25	23	22	22	9	22/11
1885		6.38	6.50	6.53	13.31	15.69	15.19	16.86	18.52	10.97	7.77	3.79	3.45	3.45
日		29	24	16	23	1	9	16	16	14	24	4	27	27/12
1886		2.59	2.92	7.87	9.07	7.97	16.20	19.05	19.18	9.14	7.42	4.93	1.62	1.62
日		31	1	27	26	6	16	9	12	11	31	17	15	15/12
1887		5.77	5.11	4.40	4.42	7.97	9.45	19.50	17.58	16.74	8.07	3.45	1.12	1.12
日		5	10	27	3	14	1	18	8	30	6	17	31	31/12
1888		0.89	2.67	6.91	11.23	14.91	14.53	18.47	18.59	15.39	6.13	8.13	5.16	0.89
日		5	3	4	3	23	4	14	17.26	25	26	22	21	5/1
1889		5.21	0.91	7.45	7.47	16.41	18.80	18.03	15.12	11.26	10.01	3.61	2.77	0.91
1890		1.96	5.97	4.96	6.38	12.65	19.66	18.37	18.26	9.12	5.06	1.98	3.89	1.96
1891		2.67	3.18	6.20	6.58	11.43	15.07	18.67	16.41	13.03	13.08	6.94	2.62	2.62
1892		4.29	5.84	6.20	4.62	8.74	17.27	19.76	18.18	9.68	4.50	4.88	1.75	1.75
1893		1.75	6.07	5.92	8.97	9.68	15.39	17.02	18.77	14.32	8.87	2.32	1.30	1.30
1894		2.59	2.44	5.01	10.67	9.99	17.22	17.27	19.25	16.79	7.72	1.70	1.67	1.67
1895		4.37	3.02	3.28	6.18	9.94	15.04	17.86	14.27	6.53	9.58	2.77	1.91	1.91
1896		2.62	5.72	6.02	10.06	9.96	18.93	17.45	17.61	14.83	8.21	8.58	1.45	1.45
1897		3.89	1.93	7.82	5.64	13.05	15.17	13.92	19.10	12.32	9.50	1.78	3.23	1.78
1898		1.72	1.78	7.24	7.80	9.91	18.98	15.52	17.81	15.39	7.82	2.01	0.89	0.89
1899		2.29	1.83	5.16	10.21	9.40	15.37	19.08	18.08	8.10	6.33	2.44	3.50	1.83
1900		3.96	1.98	6.04	8.53	12.22	11.71	19.45	13.59	11.15	7.97	1.62	2.69	1.62
1901		9.37	0.66	6.30	9.73	12.32	12.19	17.86	16.99	9.48	6.94	3.89	1.25	0.66
1902		2.59	1.67	6.38	10.36	12.58	15.37	17.91	15.52	4.65	10.34	8.74	4.35	1.67
1903		1.88	4.93	6.99	8.43	8.53	19.35	19.08	18.49	15.39	7.40	2.99	1.12	1.12
1904		3.30	2.69	6.96	7.92	9.65	10.04	18.85	15.75	13.31	8.58	1.98	1.91	1.91
1905		5.94	4.50	6.07	5.08	12.39	10.29	16.18	17.63	12.95	6.04	6.07	6.23	4.50
1906		5.46	5.08	2.47	10.46	11.71	14.35	18.16	18.59	14.86	4.98	5.62	1.65	1.65
1907		2.01	3.86	2.59	5.08	9.94	11.18	17.45	17.40	11.94	14.15	6.89	2.52	2.01
1908		5.48	2.64	4.35	11.31	9.99	16.71	19.43	17.86	17.68	12.70	3.20	6.43	2.64
1909		6.48	4.80	6.18	4.96	8.67	16.91	17.98	17.96	12.85	12.50	4.35	3.28	3.28
1910		2.39	4.19	6.53	4.40	9.40	17.40	17.25	19.30	13.51	7.60	4.14	1.81	1.81
1911		4.37	5.03	4.29	8.99	15.47	20.50	16.69	18.83	16.13	6.65	6.63	7.06	4.29
1912		4.77	3.10	5.01	8.16	15.88	19.18	18.74	18.95	8.21	8.79	2.39	4.35	2.39
1913		3.81	6.33	4.40	9.40	13.03	18.72	18.88	17.50	13.13	5.31	6.53	2.21	2.21
1914		2.52	4.98	7.09	6.73	10.26	12.42	18.18	17.10	12.07	11.41	5.84	3.43	2.52
1915		2.89	3.66	4.50	5.51	7.31	18.93	18.57	18.39	11.99	8.58	5.36	2.54	2.54
1916		2.08	4.86	4.45	5.38	14.73	17.45	19.43	15.57	9.88	9.60	2.94	2.57	2.08
1917		1.78	3.76	6.38	7.47	5.62	19.64	18.83	17.73	15.27	11.58	2.37	1.98	1.78
1918		1.17	1.86	5.79	8.64	8.31	18.52	19.03	18.49	10.67	7.40	8.56	3.81	1.17
1919		2.11	4.35	8.94	6.86	5.89	18.21	17.56	18.11	8.97	6.70	3.69	1.22	1.22
1920		1.62	5.87	5.89	9.12	14.83	16.39	17.66	17.86	13.41	9.43	9.34	5.21	1.62
日		12	9	16	9	7	28	13	23	27	22	5	25	12/1
1921		2.54	4.01	5.31	8.33	15.47	12.75	18.62	20.01	8.02	7.92	3.56	6.13	2.54
日		14	21	4	8	31	2	6	5	25	4	8	9	14/1
1922		5.53	6.23	4.98	4.11	13.59	13.10	18.54	17.93	10.24	10.29	1.40	2.82	1.40
日		19	3	24	17	31	12	17	19	30	27	26	8	26/11
1923		3.02	1.57	5.74	8.94	11.41	14.30	18.26	17.10	7.90	6.80	6.60	3.71	1.57
日		4	1	22	6	8	6	26	18	29	11	2	30	1/2
1924		6.65	5.33	6.68	9.53	9.02	13.44	19.94	19.15	17.40	7.26	2.57	2.94	2.57
日		2	1	26	4	29	7	27	2	24	29	24	9	24/11

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1925	日	2.84 31	2.94 1	3.59 12	7.92 10	14.37 1	15.29 9	18.93 16	16.91 22	12.19 7	6.89 10	6.60 13	2.62 21	2.62 21/12
1926	日	5.59 1	7.01 24	7.29 24	8.43 5	10.39 14	10.95 1	17.91 22	18.72 7	15.22 18	7.40 19	5.74 5	2.52 27	2.52 27/12
1927	日	3.23 28	3.43 8	5.03 4	7.67 4	10.90 4	19.48 9	20.12 24	19.94 25	12.88 8	4.93 15	4.32 8	3.10 9	3.10 9/12
1928	日	3.91 4	6.10 1	7.40 10	9.27 3	9.24 3	13.44 13	18.39 5	17.71 31	13.10 29	5.94 24	5.11 21	6.50 4	3.91 4/1
1929	日	5.53 10	6.18 2	5.08 5	6.68 12	13.00 29	12.65 2	19.61 29	19.53 8	12.78 9	10.54 31	4.16 25	4.55 23	4.16 25/11
1930	日	4.60 9	4.14 1	4.62 13	7.95 2	13.82 13	15.49 9	19.10 24	19.03 25	15.42 23	8.82 10	6.78 5	4.32 25	4.14 1/2
1931	日	3.10 10	7.06 24	5.43 12	9.80 8	13.44 12	14.15 4	19.61 23	19.10 25	13.85 30	5.28 29	3.33 6	2.57 13	2.57 13/12
1932	日	2.57 3	3.86 29	5.41 15	8.82 2	18.18 6	20.70 5	19.89 26	19.10 27	15.14 29	11.26 21	7.04 13	2.03 7	2.03 7/12
1933		3.18	5.64	4.37	7.01	12.68	18.67	19.64	19.53	16.96	7.62	7.82	7.19	3.18
1934		3.28	4.57	5.21	9.17	10.70	19.35	19.43	19.08	12.98	8.51	7.92	2.54	2.54
1935		4.24	4.01	7.52	9.80	12.85	16.31	20.52	17.45	12.73	13.08	6.96	5.59	4.01
1936		4.26	5.38	4.04	9.50	15.42	18.16	21.21	19.33	9.73	6.83	6.96	4.98	4.04
1937		6.48	4.70	5.77	10.14	14.96	16.41	19.43	18.88	18.01	5.72	6.33	6.80	4.70
1939		6.43	5.92	8.51	5.62	12.48	17.12	19.59	11.63	11.97	10.97	5.41	4.86	4.86
極日	值	0.89	0.66	2.47	4.11	5.62	9.45	13.92	11.63	4.65	4.50	1.40	0.89	0.66
年	期	5	-	-	17	-	1	-	-	-	-	26	-	-/2
	份	1888	1901	1906	1922	1917	1887	1897	1939	1902	1892	1922	1898	1901
</														

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951		6.12	6.92	8.33	11.71	17.44	19.79	22.32	22.66	17.76	14.97	10.21	7.81	13.84
1952		6.74	6.63	9.06	14.29	18.76	20.16	23.43	21.86	19.25	12.74	10.72	5.58	14.10
1953		6.36	7.64	10.22	11.54	17.58	21.10	23.48	22.75	16.58	15.28	10.12	7.31	14.16
平 均		6.41	7.06	9.20	12.51	17.93	20.35	23.08	22.42	17.86	14.33	10.35	6.90	14.03
最大绝对湿度 (毫米)														
1949		14.61	14.60	18.51	22.87	26.50	28.45	-	28.24	26.93	24.22	-	-	-
日		31	22	13	26	31	5	-	23	6	1	-	-	-
1951		16.53	14.56	14.03	19.64	24.25	26.36	26.82	27.19	25.43	22.87	18.92	17.52	27.19
日		6	21, 23	18	28	16	27	31	13	6	6	14	22	13/8
1952		13.01	17.14	18.98	22.49	24.83	25.70	28.30	26.84	24.82	23.19	18.34	14.45	28.30
日		29	13	29, 30	10	23	30	21	4	7	9	12	1	21/7
1953		13.32	14.88	19.06	22.10	29.00	25.66	27.19	28.82	25.22	21.80	19.99	12.82	29.00
日		11	11	25	28	28	26	19	11	4	18	8	1	28/5
極 值	日期	16.53	17.14	19.06	22.87	29.00	28.45	28.30	28.82	26.93	24.22	19.99	17.52	29.00
日 年	份	6	13	25	26	28	5	21	11	6	1	8	22	28/5
1951	1952	1953	1949	1953	1949	1953	1952	1953	1949	1949	1953	1951	1953	1953
最小绝对湿度 (毫米)														
1949		2.47	2.95	5.26	5.94	10.16	16.12	-	12.44	13.71	7.69	-	-	-
日		6	15	23	3	1	15	-	18	27	31	-	-	-
1951		2.34	3.51	3.23	6.15	9.22	14.18	17.43	16.15	9.47	6.98	3.89	2.43	2.34
日		14	16	2	11	18	28	1	20	18	23	25	15	14/1
1952		2.90	2.72	4.85	6.35	13.65	11.32	19.50	15.65	10.42	7.13	6.85	1.80	1.80
日		7	19	19	14	13	10	3	19	26	11	21	3	3/12
1953		3.63	3.99	5.25	5.91	6.72	14.29	18.97	13.13	10.78	8.49	4.26	3.45	3.45
日		12	18	28	2	14	12	9	31	30	23	19	11	11/12
極 值	日期	2.34	2.72	3.23	5.91	6.72	11.32	17.43	12.44	9.47	6.98	3.89	1.80	1.80
日 年	份	14	19	2	2	14	10	1	18	18	23	25	3	3/12
1951	1952	1951	1953	1953	1953	1952	1951	1949	1951	1951	1951	1951	1952	1952
百 色 $\varphi = 23^{\circ}55'N$ $\lambda = 106^{\circ}32'E$ $H = 138.0 M$														
平均绝对湿度 (毫米)														
1951		9.07	10.19	11.24	16.60	20.40	22.19	23.54	24.54	20.81	18.35	13.51	11.42	16.82
1952		9.79	10.33	13.46	15.93	21.26	21.33	23.77	23.26	21.49	17.00	14.28	7.71	16.63
1953		9.22	10.57	13.32	14.00	19.26	21.96	23.04	22.69	18.55	18.10	12.81	10.33	16.15
平 均		9.36	10.36	12.67	15.51	20.31	21.83	23.45	23.50	20.28	17.82	13.53	9.82	16.53
最大绝对湿度 (毫米)														
1951		16.10	16.26	19.33	22.92	25.37	27.23	27.25	30.06	27.13	25.42	18.81	18.14	30.06
日		9	24	27	30	28	24	9	16	11	8	22	30	16/8
1952		15.47	18.13	20.83	24.75	26.46	26.01	29.91	26.63	26.40	23.79	20.57	14.04	29.91
日		28	14	26	10	30	6, 7	10	9	12	9	7	1	10/7
1953		15.70	16.05	19.93	20.22	25.33	27.04	27.79	26.91	26.53	23.78	22.20	15.48	27.79
日		25	16	21	28	25	30	5	19	5	6	9	17	5/7
極 值	日期	16.10	18.13	20.83	24.75	26.46	27.23	29.91	30.06	27.13	25.42	22.20	18.14	30.06
日 年	份	9	14	26	10	30	24	10	16	11	8	9	30	16/8
1951	1952	1952	1952	1952	1952	1951	1952	1951	1951	1951	1951	1953	1951	1951
最小绝对湿度 (毫米)														
1951		3.64	5.32	5.15	11.46	14.37	16.49	19.29	21.40	14.58	11.51	7.10	5.42	3.64
日		13	16	2	3	20	9	25	8	21	25	23	16	13/1
1952		5.46	3.70	7.88	6.80	15.07	11.75	19.33	20.02	13.47	11.20	9.25	3.89	3.70
日		8	18	19	14	6	15	6	20	26	12	21	4	18/2
1953		4.38	5.14	7.49	8.70	10.61	14.85	18.32	17.63	12.75	9.15	5.20	4.86	4.38
日		8	18	29	12	9	2	29	17	26	1	19	13	8/1
極 值	日期	3.64	3.70	5.15	6.80	10.61	11.75	18.32	17.63	12.75	9.15	5.20	3.89	3.64
日 年	份	13	18	2	14	9	15	29	17	26	1	19	4	13/1
1951	1952	1951	1952	1953	1952	1953	1953	1953	1953	1953	1953	1953	1952	1951

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
梧 州														
$\varphi=23^{\circ}30'N$ $\lambda=111^{\circ}25'E$ $H=45.3 M$														
平均绝对湿度(毫米)														
1951		8.79	9.24	10.62	15.40	18.61	21.07	21.69	22.49	19.63	16.74	12.15	9.81	15.52
1952		8.74	9.38	12.29	15.99	21.73	22.05	23.47	22.49	20.45	15.49	12.48	7.32	15.99
1953		8.39	9.87	12.88	13.64	19.17	22.19	22.74	22.59	19.26	17.96	12.32	9.34	15.86
平 均		8.64	9.50	11.93	15.01	19.84	21.77	22.63	22.52	19.78	16.73	12.32	8.82	15.79
最大绝对湿度(毫米)														
1951	日	16.43	15.95	18.67	22.32	23.78	25.65	26.16	26.15	25.02	24.13	20.30	17.88	26.16
1952	日	7	24	27	22	16	14	31	14	4	7	14	22	31/7
1953	日	24	14	30	30	23	18	12	23	12	9	12	1,2	12/7
1953	日	15.59	15.72	19.49	22.25	25.50	26.02	26.61	26.93	25.66	24.63	23.68	14.98	26.93
	日	25	14	11	29	31	26	9	7	10	5	9	16	7/8
極 值	日	16.43	19.05	22.08	23.17	26.92	26.24	27.60	26.93	25.77	24.63	23.68	18.98	27.60
日 年	期 份	7	14	30	30	23	18	12	7	12	5	9	1,2	12/7
		1951	1952	1952	1952	1952	1952	1952	1953	1952	1953	1953	1952	1952
最小绝对湿度(毫米)														
1951	日	3.29	5.12	4.58	9.54	10.72	15.47	16.32	17.35	10.85	8.59	5.25	3.81	3.29
1952	日	14	28	3	3	21	9	1	1	18	24	24	16	14/1
1952	日	3.37	3.17	5.81	7.79	16.13	16.43	18.36	18.36	11.34	8.41	7.85	2.63	2.63
1953	日	8	19	20	13	13	1	4	31	27	31	22	5	5/12
1953	日	4.26	4.70	6.10	8.40	10.66	17.11	16.56	14.45	13.00	11.66	3.75	4.42	3.75
	日	8	21	29	1	9	12	30	31	23	23	19	11	19/11
極 值	日	3.29	3.17	4.58	7.79	10.66	15.47	16.32	14.45	10.85	8.41	3.75	2.63	2.63
日 年	期 份	14	19	3	13	9	9	1	31	18	31	19	5	5/12
		1951	1952	1951	1952	1953	1951	1951	1953	1951	1952	1953	1952	1952
南 宁														
$\varphi=22^{\circ}48'N$ $\lambda=108^{\circ}18'E$ $H=76.7 M$														
平均绝对湿度(毫米)														
1951		9.26	9.91	11.27	16.71	20.29	22.61	23.73	24.32	20.72	18.06	13.43	11.06	16.78
1952		9.73	10.58	13.57	17.32	22.37	22.75	24.41	23.67	21.55	16.30	13.76	7.71	16.98
1953		9.44	11.08	14.07	14.74	20.60	23.19	23.98	23.10	19.36	18.47	13.21	10.36	16.80
平 均		9.48	10.52	12.97	16.26	21.09	22.85	24.04	23.70	20.54	17.61	13.47	9.71	16.85
最大绝对湿度(毫米)														
1951	日	16.67	16.31	19.16	23.39	26.18	27.68	27.08	29.52	27.01	25.95	20.85	18.24	29.52
1952	日	7.9	24	27	18	16	25	4	14	13	18	14	30	14/8
1952	日	15.57	19.82	22.39	24.61	26.97	27.38	28.30	26.92	27.13	22.27	19.10	17.47	28.30
1953	日	30	14	16	10	30	20	11	7	12	8	11	1	11/7
1953	日	17.23	17.63	20.51	23.22	26.50	28.02	28.12	26.82	26.32	24.52	23.03	15.64	28.12
	日	25	15	20	29	19	5	14	19	10	6	9	21	14/7
極 值	日	17.23	19.82	22.39	24.61	26.97	28.02	28.30	29.52	27.13	25.95	23.03	18.24	29.52
日 年	期 份	25	14	16	10	30	5	11	14	12	18	9	30	14/8
		1953	1952	1952	1952	1952	1953	1952	1951	1952	1951	1953	1951	1951
最小绝对湿度(毫米)														
1951	日	3.77	5.09	4.86	10.61	11.43	18.25	19.85	21.02	12.35	9.82	6.60	3.71	3.71
1952	日	14	17	3	3	19	8	21	2	19	25	24	16	16/12
1952	日	4.89	3.25	7.58	9.30	17.79	13.69	20.70	20.29	10.79	9.59	8.93	3.65	3.25
1953	日	8	19	20	14	13	11	6	28	26	31	22	5	19/2
1953	日	4.42	6.05	7.29	8.94	11.38	18.19	19.12	17.04	11.07	10.95	4.49	5.27	4.42
	日	8	18	29	1	14	12	31	31	24	23	19	11	8/1
極 值	日	3.77	3.25	4.86	8.94	11.38	13.69	19.12	17.04	10.79	9.59	4.49	3.65	3.25
日 年	期 份	14	19	3	1	14	11	31	31	26	31	19	5	19/2
		1951	1952	1951	1953	1953	1952	1953	1953	1952	1952	1953	1952	1952

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
貴 州 桐 梓 $\varphi = 28^{\circ} 20' N$ $\lambda = 106^{\circ} 40' E$ $H = 972.0 M$ 平均绝对湿度(毫米)													
1937	-	-	-	-	10.36	13.16	17.45	17.98	14.62	10.83	7.17	6.00	-
1938	4.49	5.05	7.24	10.58	13.67	15.56	17.48	17.24	14.78	11.49	7.79	6.04	10.95
1939	5.08	5.72	7.36	8.45	11.56	13.78	15.66	15.08	12.05	9.36	7.65	5.37	9.76
1940	5.32	5.74	6.26	8.07	11.16	13.50	16.13	15.41	12.83	10.18	7.37	6.53	9.88
1941	5.43	5.68	7.19	8.91	11.29	13.34	15.15	15.40	12.23	9.85	7.19	6.52	9.85
1942	5.65	4.62	7.52	9.04	11.80	13.94	15.81	14.13	11.72	10.03	8.32	5.51	9.84
1943	4.32	5.70	7.59	9.03	11.70	13.80	14.78	15.58	12.85	9.96	7.83	5.78	9.91
1944	4.80	5.10	-	-	-	-	-	-	9.74	7.86	4.05	-	-
1945	4.53	4.28	6.96	9.24	10.53	14.50	16.67	15.97	13.35	8.61	9.07	5.78	9.96
1946	(5.93)	6.61	6.95	10.56	12.17	15.19	16.30	16.45	14.77	9.96	-	-	-
1947	5.39	5.10	7.48	9.28	12.20	14.39	16.96	16.32	14.11	9.38	7.95	5.46	10.34
1948	5.44	6.19	7.29	10.07	10.97	17.13	18.58	16.62	17.34	11.34	7.17	7.05	11.27
1949	5.35	6.34	7.78	10.19	14.06	16.47	19.07	18.45	17.10	10.89	-	-	-
1950	-	-	-	10.70	14.36	16.25	19.37	17.68	14.77	12.30	8.22	5.02	-
1951	5.12	5.72	6.74	9.44	13.56	15.67	18.35	18.66	14.36	12.52	8.44	6.71	11.27
1952	5.75	5.59	7.60	11.11	14.33	15.67	18.64	17.24	15.28	10.71	9.32	5.25	11.37
1953	5.35	6.40	8.50	9.53	13.13	16.00	18.77	18.60	13.59	11.75	8.47	6.45	11.38
平 均	5.16	5.48	7.31	9.40	12.16	14.77	16.92	16.35	13.71	10.43	8.05	6.04	10.48
最大绝对湿度(毫米)													
1937	-	-	-	-	16.56	16.20	23.94	22.57	18.87	18.13	11.65	9.66	-
日	-	-	-	-	18	30	2	1	5	10	5	17	-
1938	6.81	10.77	12.77	16.48	19.50	22.10	21.25	20.64	21.19	17.26	11.08	9.74	22.10
日	1	27	4	22	16	20	13	26	1	9	6	17	20/6
1939	7.69	7.90	15.47	14.44	17.03	20.49	18.83	18.16	16.36	12.98	11.53	9.56	20.49
日	25	5	31	1	28	22	17	6	7	15, 17	20	6	22/6
1940	8.31	9.46	9.87	12.87	16.43	18.76	19.92	18.06	17.44	14.10	12.22	9.03	19.92
日	8	26	15	25	14	21	13	29	4	19	3	9	13/7
1941	8.42	8.85	12.00	13.21	17.55	18.03	18.88	19.81	19.36	14.10	10.96	9.22	19.81
日	2	21	22	24	22	16, 24	23	27	9	24	19	22	27/8
1942	9.27	8.46	11.48	14.47	17.72	20.06	20.07	19.57	17.00	16.56	12.40	7.73	20.07
日	30	1	27	13	29	21	15	10	7	5	12	1	15/7
1943	6.21	11.43	11.61	15.88	17.17	16.56	20.82	19.55	18.74	12.23	14.32	8.41	20.82
日	25	24	19	25	26	24	30	16	1	6	6	23	30/7
1944	6.92	8.19	-	-	-	-	-	-	-	13.54	10.91	5.38	-
日	4	12	-	-	-	-	-	-	-	1	3	31	-
1945	6.12	9.39	12.03	15.61	16.19	17.93	19.92	19.30	17.91	13.00	11.58	8.55	19.92
日	23	28	31	28	20	15	7	29	27	1	19	15	7/7
1946	(9.32)	11.47	11.26	16.74	18.97	21.28	20.03	20.29	20.52	17.90	10.78	7.39	21.28
日	24	25	25	23	6	24	14	10	3	2	9	8	24/6
1947	8.35	7.89	12.81	14.32	17.13	19.46	20.71	21.00	18.53	11.95	12.07	9.62	21.00
日	4	28	31	30	26	20	25	20	5	25	7	7, 9	20/8
1948	8.09	9.56	12.41	15.24	15.47	23.27	22.31	23.78	21.80	19.16	10.43	10.49	23.78
日	9	19	11	30	30	29	31	11	25	2	5	4	11/8
1949	8.74	11.20	13.59	17.60	22.69	20.08	24.30	24.77	22.93	17.51	-	-	24.77
日	24	22	12	27	28	29	23	8	8	1	-	-	8/8
1950	-	-	-	16.93	19.96	21.29	24.08	22.85	20.81	18.59	13.67	7.57	-
日	-	-	-	15	18	26	20	20	3	15	3	6	-
1951	9.09	9.45	10.56	13.30	17.79	20.61	21.02	21.98	20.49	17.01	13.01	10.54	21.98
日	5	22	10	28	26	25	10	27	1	2	5	24	27/8
1952	9.16	9.68	12.40	17.19	18.00	21.15	22.04	21.03	20.88	17.19	15.35	9.66	22.04
日	28	12, 13	16	10	10	30	9	8	11	20	12	1	9/7
1953	7.73	10.79	13.27	16.95	19.13	21.68	22.56	21.95	19.59	16.51	12.99	11.21	22.56
日	10	11	26	28	27	25	10	20	5	18	8	1	10/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日 年	值 期 份	9.32 24 1946	11.47 25 1946	15.47 31 1939	17.60 27 1949	22.69 28 1949	23.27 29 1948	24.30 23 1949	24.77 8 1949	22.93 8 1949	19.16 2 1948	15.35 12 1952	11.21 1 1953	24.77 8/8 1949
最小絕對湿度(毫米)														
1937	日	-	-	-	-	7.03	6.71	11.51	14.66	10.55	5.33	4.08	4.10	-
1938	日	-	-	-	-	30	1	7	27	24	17	22	24	-
1939	日	2.29	3.13	3.49	5.75	8.09	11.52	14.17	12.95	11.17	7.60	4.15	2.95	2.29
1940	日	7	6	11	24	9	2	28	4.5	20	21	26	26	7/1
1941	日	2.83	3.74	5.08	3.79	7.70	8.32	12.52	9.07	8.34	6.51	3.93	3.32	2.83
1942	日	12	5	25	3	2	3	10	30	30	26	27	25	12/1
1943	日	3.19	3.20	3.46	4.71	7.63	9.03	11.95	13.10	10.03	4.87	4.77	3.86	3.19
1944	日	23	3	1	5	5	2	23	28	14	25	30	30	23/1
1945	日	2.91	3.27	4.49	4.51	7.17	8.38	10.97	9.15	7.78	5.58	4.48	3.98	2.91
1946	日	20	1	17	10	3	5	25	30	14	29	29	29	20/1
1947	日	3.33	2.20	4.31	5.39	7.80	8.03	11.14	8.23	7.29	4.18	5.16	3.44	2.20
1948	日	18	11	7	1	19	8	7	30	22	25	28	12	11/2
1949	日	2.38	3.31	4.61	2.75	6.35	8.53	11.69	12.04	9.02	6.96	3.69	3.49	2.38
1950	日	11	7	8	8	6	7	17	27	29	29	18	6	11/1
1951	日	3.46	3.26	-	-	-	-	-	-	-	7.49	4.99	2.69	-
1952	日	16	6	-	-	-	-	-	-	-	30	30	16	-
1953	日	2.74	2.89	4.59	4.84	7.18	9.27	11.74	12.13	9.23	5.36	4.57	2.76	2.74
1954	日	17	8	7	7	3	4	31	4	20	2	30	26	17/1
1955	日	(3.01)	3.47	4.79	7.14	8.62	9.28	12.55	12.35	9.69	6.81	4.22	3.97	3.01
1956	日	10	3	10	4	3	1	10	17	27	28, 31	26	22	10/1
1957	日	3.72	2.73	4.67	5.36	9.32	10.35	11.16	12.64	9.44	7.22	4.63	2.83	2.73
1958	日	31	18	2	1, 2	18	2	14	6	30	15	20	28	18/2
1959	日	2.62	3.29	4.35	6.07	7.85	12.28	14.41	12.43	10.74	6.62	4.49	4.24	2.62
1960	日	26	6	3	1	8	13	20	22	17	31	19	30	26/1
1961	日	3.08	3.52	4.28	6.26	8.70	12.29	15.20	13.54	11.50	7.02	-	-	-
1962	日	15	16	16, 23	3	7	21	28	30	26	31	-	-	-
1963	日	-	-	-	5.64	9.00	11.33	15.68	11.71	10.20	8.33	4.13	3.33	-
1964	日	-	-	-	6	7	9	29	29	29	31	30	17	-
1965	日	2.44	3.35	3.18	6.66	8.78	10.13	15.34	15.05	8.68	7.44	4.14	3.56	2.44
1966	日	13	14	3	3	18	18	25	18	20	24	24	15	13/1
1967	日	3.60	2.92	4.69	5.79	9.14	12.23	15.38	12.98	8.59	6.64	5.92	2.78	2.78
1968	日	19	18	6	14	13	12	17	28	26	29	2	3	3/12
1969	日	3.33	3.55	4.31	5.64	8.17	9.63	15.02	13.76	9.81	7.57	4.26	4.54	3.33
1970	日	18	18	29	13	15	7	5	31	15	24	20	23, 24	18/1
極日 年	值 期 份	2.29 7 1938	2.20 11 1942	3.18 3 1951	2.75 8 1943	6.35 6 1943	6.71 1 1937	10.97 25 1941	8.23 30 1942	7.29 22 1942	4.18 25 1942	3.69 18 1943	2.69 16 1944	2.20 11/2 1942
思 南 $\varphi = 27^{\circ}56'N$ $\lambda = 108^{\circ}13'E$ $H = 376.2 M$														
平均絕對湿度(毫米)														
1941	日	7.07	7.23	9.97	13.08	17.32	21.19	24.07	18.85	17.84	13.57	9.60	7.21	13.92
1942	日	6.50	5.36	9.87	-	-	19.51	22.54	19.65	15.60	13.41	-	6.84	-
1943	日	7.12	6.36	9.06	12.12	16.54	19.08	20.63	21.63	-	-	-	-	-
1944	日	5.84	6.26	9.45	12.08	14.96	19.07	22.23	20.21	18.54	12.39	9.63	4.71	12.95
1945	日	5.24	5.36	8.40	12.65	14.90	19.81	22.65	21.51	18.31	10.89	10.71	6.61	13.09
1946	日	-	-	-	12.78	14.92	18.62	20.21	19.95(17.32)	11.72	9.42	5.73	-	-
1947	日	5.86	5.56	9.01	11.60	16.24	19.38	22.50(23.28)	19.94	12.37	10.64	7.49	13.66	-
1948	日	7.24 (7.96)	9.51	14.24	16.06	20.79	23.35	22.90	19.93	14.08	8.89	8.35	14.44	-
1949	日	6.54	7.75	9.22	12.38	16.79	19.46	22.51	21.55	19.69	13.86	-	-	-
1950	日	7.96	6.53	-	12.68	16.40	19.24	22.50	21.63	17.63	14.72	9.87	6.90	-
1951	日	6.45	6.98	8.51	11.49	17.39	19.51	22.38	22.46	17.41	15.21	10.55	8.62	13.91
1952	日	7.05	6.61	9.13	14.05	17.60	19.46	23.24	21.63	19.18	12.99	10.16	5.78	13.91
1953	日	5.68	6.87	9.14	10.81	15.48	19.16	22.21	22.08	16.21	13.57	9.55	6.76	13.13
平 均		6.30	6.60	9.14	12.50	16.24	19.80	22.83	21.62	18.42	13.13	9.97	6.94	13.63

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度(毫米)														
1946	日	-	-	-	19.97	21.82	26.16	24.51	24.29	(22.59)	19.27	14.94	7.81	-
1947	日	11.70	8.94	18.11	18.24	21.44	26.35	28.65	(29.99)	26.98	17.07	18.75	14.46	29.99
1948	日	11.06	(12.08)	18.51	20.58	26.87	28.47	29.75	27.47	25.65	21.54	13.36	15.22	29.75
1949	日	13.75	13.91	15.92	20.99	23.63	24.01	26.97	26.30	25.48	22.57	-	-	-
1950	日	12.29	11.00	-	18.49	23.65	25.40	26.83	26.39	24.15	21.58	14.08	8.85	-
1951	日	11.82	12.10	13.47	15.20	22.32	24.78	26.66	27.51	24.72	20.74	16.30	12.92	27.51
1952	日	10.54	11.02	15.64	23.53	23.43	26.24	28.35	27.03	25.99	17.76	17.36	11.72	28.35
1953	日	8.61	12.44	14.36	19.29	22.18	24.94	26.54	26.49	22.58	18.20	13.55	12.22	26.54
極日	值	13.75	13.91	18.51	23.53	26.87	28.47	29.75	29.99	26.98	22.57	18.75	15.22	29.99
極日	期	30	21	10	10	30	29	14	20	28	1	7	6	20/8
年	份	1949	1949	1948	1952	1948	1948	1948	1947	1947	1949	1947	1948	1947
最小绝对湿度(毫米)														
1946	日	-	-	-	6.64	9.00	11.33	15.96	15.17	(11.70)	5.96	4.44	3.62	-
1947	日	3.96	3.07	3.34	7.34	10.29	14.32	15.83	(13.95)	12.06	9.34	6.47	4.21	3.07
1948	日	3.90	(4.73)	5.68	9.54	10.40	14.69	18.49	18.04	13.13	8.61	4.82	5.09	3.90
1949	日	3.88	4.71	5.77	7.26	12.13	14.47	18.85	16.15	14.27	8.08	-	-	26/1
1950	日	5.52	3.99	-	7.68	11.18	14.95	19.31	15.98	10.83	9.59	5.18	5.17	-
1951	日	3.60	5.03	4.04	8.67	12.22	15.18	18.06	15.76	11.14	8.84	5.80	5.49	3.60
1952	日	4.80	3.48	5.90	8.70	13.07	14.45	18.88	16.95	12.30	8.37	5.93	2.96	2.96
1953	日	3.51	3.73	5.22	6.24	9.38	13.74	18.93	17.42	11.53	9.68	5.41	4.88	3.51
極日	值	3.51	3.07	3.34	6.24	9.00	11.33	15.83	13.95	10.83	5.96	4.44	2.96	2.96
極日	期	18	18	9	12	2	2	14	6	5	28	29	2	2/12
年	份	1953	1947	1947	1953	1946	1946	1947	1947	1950	1946	1946	1952	1952
湄 潭 $\varphi = 27^{\circ}47'N$ $\lambda = 107^{\circ}29'E$ $H = 769.0 M$														
平均绝对湿度(毫米)														
1940		-	-	-	9.65	13.29	16.37	19.91	18.86	15.62	12.52	6.50	7.14	-
1941		5.98	6.09	8.18	10.36	13.74	16.24	18.44	18.78	14.78	12.02	8.27	7.10	11.67
1942		5.70	4.98	8.85	10.78	14.25	17.00	19.70	17.73	14.39	12.07	9.40	6.03	11.74
1943		4.17	5.65	8.18	10.63	14.35	16.68	18.12	18.85	15.28	11.32	8.82	6.47	11.54
1944		5.11	5.47	8.14	10.78	13.08	16.70	19.90	17.84	16.52	10.99	8.60	4.04	11.43
1945		4.67	4.67	7.56	11.05	13.04	18.12	20.05	19.20	16.23	10.17	10.35	6.38	11.79
1946		6.05	7.01	7.04	12.02	14.17	18.14	19.65	19.43	16.55	11.28	9.23	5.59	12.18
1947		5.71	5.27	8.39	10.46	14.76	16.78	20.06	18.88	16.52	10.28	8.66	5.93	11.81
1948		5.78	6.58	7.82	11.74	13.32	17.43	19.47	18.94	16.51	11.43	7.22	7.14	11.95
1949		5.20	6.38	7.79	10.33	14.43	16.72	19.72	18.26	17.04	11.65	7.80	6.03	11.78
1950		6.56	5.05	7.97	10.60	13.99	16.13	19.37	17.83	15.02	12.46	8.15	5.16	11.52
1951		5.19	5.77	7.04	9.65	14.68	16.38	19.34	19.75	14.65	13.06	8.86	6.99	11.78
1952		5.89	5.47	7.76	11.83	15.13	16.68	19.72	18.51	16.37	11.37	9.53	5.39	11.97
1953		5.43	6.45	8.57	9.79	14.01	17.29	20.10	19.86	14.50	12.29	8.79	6.34	11.95
平 均		5.50	5.76	7.95	10.77	14.07	16.95	19.51	18.76	15.72	11.57	8.74	6.05	11.78

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最大绝对湿度 (毫米)														
1940	日	-	-	-	15.84	19.73	22.89	24.81	24.51	20.93	18.08	15.13	9.63	-
	日	-	-	-	25	13	21	13	4	28	19	3	10	-
1941	日	9.29	9.62	14.72	18.25	20.32	22.14	22.94	23.63	21.70	17.49	12.55	11.53	23.63
	日	2	21	22	21	22	24	21	16	3	24	19	24	16/8
1942	日	9.77	8.90	14.62	17.84	21.71	24.20	26.35	24.56	20.50	20.85	15.26	8.80	26.36
	日	30	23	27	13	16	22	14	9	10	6	13	2	14/7
1943	日	9.51	10.47	15.06	19.27	19.70	22.02	23.43	21.88	22.08	13.68	17.63	10.29	23.43
	日	26	27	22	26	26	25	25	4	1	11	6	2	25/7
1944	日	6.96	9.40	11.37	17.05	18.98	21.08	24.13	22.89	22.89	13.76	12.74	6.30	24.13
	日	24	11	21	23	14	29	24	3	29	2	2	5	24/7
1945	日	6.81	10.80	15.07	18.15	19.88	22.40	24.09	23.19	21.68	19.26	13.21	9.66	24.09
	日	23	28	31	29	31	19, 28	16	29	1	1	10	16	16/7
1946	日	10.49	12.25	9.92	19.88	19.01	24.70	24.50	23.04	21.51	17.45	16.53	8.05	24.70
	日	25	23	26	30	5	25	5	10	3	2	8	8	25/6
1947	日	10.52	8.35	15.69	16.64	20.29	21.09	24.86	23.66	21.48	14.13	13.64	11.38	24.86
	日	5	27	31	20	22	20	22	2	5	5	7	8	22/7
1948	日	9.17	10.05	14.39	17.82	19.43	23.49	22.50	23.89	22.23	16.99	11.18	12.20	23.89
	日	10	20	11	30	30	29	16	7	1	1	5	5	7/8
1949	日	9.96	11.18	12.55	18.76	22.13	21.41	22.90	21.65	22.85	19.36	12.15	8.30	22.90
	日	30	22	12	28	27	12	11, 23	13	24	1	11	3	11, 23/7
1950	日	10.50	9.76	11.76	15.47	18.75	21.05	23.16	22.23	20.58	17.70	12.18	7.36	23.16
	日	17	7	25	4	12	28	20	25	2	14	23	14	20/7
1951	日	9.97	10.92	11.67	12.45	19.86	21.51	23.38	22.87	21.61	17.40	13.60	11.23	23.38
	日	5	23	11	27	16	25	31	2	1	11	5	24	31/7
1952	日	9.36	9.35	12.99	18.99	21.00	22.05	22.98	22.10	21.87	17.43	15.86	11.01	22.98
	日	22	12	16	10	10	30	11	8	11	20	12	1	11/7
1953	日	7.85	11.03	13.15	17.61	21.36	23.04	24.17	25.64	20.43	17.04	13.17	11.05	25.64
	日	11	12	24	28	20	24	18	19	5	18	6	1	19/8
極日年	值期份	10.52	12.25	15.69	18.88	22.13	24.70	26.36	25.64	22.89	20.85	17.63	12.20	26.36
	年	5	23	31	30	27	25	14	19	29	6	6	5	14/7
		1947	1946	1947	1946	1949	1946	1942	1953	1944	1942	1943	1948	1942
最小绝对湿度 (毫米)														
1940	日	-	-	-	5.29	7.89	8.40	14.80	14.36	10.99	6.50	4.95	4.26	-
	日	-	-	-	3	4	2	23	31	13	26	9	30	-
1941	日	3.06	3.12	4.32	5.13	9.23	10.21	12.58	11.93	8.86	4.89	4.62	4.43	3.06
	日	25	1	1	5	14	2	1	23	15	26	28	13	25/1
1942	日	2.86	1.91	5.39	6.54	8.76	8.63	14.51	8.66	8.13	5.01	4.99	3.73	1.91
	日	18	15	7	1	7	8	6	30	21	24	27	31	15/2
1943	日	1.61	3.17	4.81	3.81	7.33	11.23	13.92	15.28	9.90	8.39	3.73	3.99	1.61
	日	13	7	6, 7	8	19	5	16	28	30	29	19	12	13/1
1944	日	3.68	3.79	4.04	6.98	8.62	11.27	16.26	12.03	9.24	7.66	5.55	2.50	2.50
	日	7	6	10	2	21	11	9	13	21	29	30	20	20/12
1945	日	3.33	2.97	3.83	5.41	7.23	12.66	13.74	14.17	10.42	5.23	4.62	3.64	2.97
	日	12	4	6	7	8	5	20	5	19	2	30	26	4/2
1946	日	2.42	3.46	4.96	6.24	8.46	9.77	15.40	15.78	10.77	6.06	4.08	4.04	2.42
	日	10	3	11	5	2	3	10	19	30	28	29	29	10/1
1947	日	3.76	2.88	4.43	6.41	9.83	11.94	14.18	14.73	10.32	7.89	5.03	2.64	2.64
	日	31	20	9	1	18	3	13	7	30	16	20	20	20/12
1948	日	2.30	3.64	4.55	8.32	8.88	11.22	15.73	13.77	9.71	6.76	4.24	4.09	2.30
	日	26	7	3	8	12	2	18	19	17	28	30	30	26/1
1949	日	2.41	3.49	4.60	5.39	9.48	12.69	15.77	12.59	12.79	6.91	4.44	4.26	2.41
	日	7	14	23	6	2	21	28	18	26	31	19	25	7/1
1950	日	3.54	3.04	4.87	4.86	8.47	8.47	15.78	13.11	10.49	8.10	3.38	3.38	3.04
	日	23	16	12	8	21	8	24	29	21	27	30	24	16/2
1951	日	2.74	3.66	2.98	7.67	9.38	10.31	16.33	14.22	7.49	7.41	4.97	3.79	2.74
	日	21	18	3	4	18	4	1	18	22	24	23	15	21/1
1952	日	3.86	2.64	4.93	6.83	10.04	11.96	15.98	13.78	9.92	8.18	5.84	3.04	2.64
	日	8	18	6	1	13	14	13, 14	26	27	26	21	3	18/2
1953	日	3.49	3.37	5.42	5.82	6.94	11.00	16.85	15.54	10.70	8.89	5.02	4.19	3.37
	日	18	17, 18	31	12	13	7	5	31	15	31	20	26	17, 18/2
極日年	值期份	1.61	1.91	2.98	3.81	6.94	8.40	12.58	8.66	7.49	4.89	3.38	2.50	1.61
	年	13	15	3	8	13	2	1	30	22	26	30	20	13/1
		1943	1942	1951	1943	1953	1940	1941	1942	1951	1941	1950	1944	1943

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
遵 義													
$\varphi=27^{\circ}41'N$ $\lambda=106^{\circ}55'E$ $H=855.6\text{ m}$													
平均绝对湿度(毫米)													
1946	-	-	-	-	-	17.80	19.02	19.04	16.50	11.43	9.20	5.79	-
1947	5.82	5.60	8.55	10.53	14.49	16.59	19.80	18.16	16.04	10.18	8.54	6.42	11.73
1948	6.11	7.07	8.14	12.28	-	-	-	17.05	-	-	-	7.35	-
1949	5.57	6.60	8.21	10.77	15.19	17.76	21.51	18.94	17.34	12.56	-	-	-
1950	-	-	-	-	-	-	-	-	-	12.21	8.87	5.32	-
1951	5.32	5.76	6.94	9.58	14.11	15.92	18.53	18.91	14.23	12.83	8.66	6.93	11.48
1952	5.97	5.66	7.80	11.56	14.89	15.96	18.57	17.69	15.84	11.21	9.60	5.48	11.69
1953	5.50	6.48	8.56	9.57	13.35	16.18	18.88	18.95	14.14	12.29	8.76	6.51	11.60
平 均	5.65	5.88	7.96	10.31	14.21	16.16	18.95	18.43	15.06	11.63	8.89	6.34	11.63
最大绝对湿度(毫米)													
1946	-	-	-	-	-	24.23	24.08	27.56	23.63	18.82	12.97	7.43	-
日	-	-	-	-	-	26	15	19	12	1	8	9	-
1947	11.40	9.81	15.16	17.70	20.83	21.37	23.73	22.43	21.87	14.28	14.03	12.21	23.73
日	5	2	30	30	26	26	29	3	5	5	7	7	29/7
1948	9.73	11.01	15.10	20.57	-	-	-	-	21.80	-	-	12.37	-
日	7	28	11	30	-	-	-	-	1	-	-	6	-
1949	10.46	12.15	14.97	19.43	25.51	22.75	28.98	24.20	22.52	22.11	-	-	28.98
日	30	21	12	27	28	25	8	8	9	11	-	-	8/7
1950	-	-	-	-	-	-	-	-	-	18.35	12.62	7.40	-
日	-	-	-	-	-	-	-	-	-	14	3	6	-
1951	9.30	10.34	11.11	12.98	19.02	22.11	22.68	23.12	20.77	18.68	13.07	10.00	23.12
日	6	2	10	28	9	24	31	9	4	13	5	27	9/8
1952	9.41	9.82	13.62	20.51	19.53	24.21	21.36	21.96	21.71	17.43	15.79	10.80	24.21
日	22	12	16	10	11	30	7	11	11	19	11	1	30/6
1953	8.21	10.82	13.53	16.34	19.37	21.16	24.51	22.08	21.73	18.18	13.26	11.35	24.51
日	10	12	26	28	20	25	15	24	5	18	7	1	15/7
極 值	11.40	12.15	15.16	20.57	25.51	24.23	28.98	27.56	23.63	22.11	15.79	12.37	28.98
日 年	5	21	30	30	28	26	8	19	12	11	11	6	8/7
份	1947	1949	1947	1948	1949	1946	1949	1946	1946	1949	1952	1948	1949
最小绝对湿度(毫米)													
1946	-	-	-	-	-	10.76	15.06	14.30	9.28	6.85	4.59	4.11	-
日	-	-	-	-	-	4	18	17	30	28	29	2	-
1947	3.85	3.41	4.89	6.91	9.65	12.14	13.02	14.66	8.69	5.56	5.24	3.42	3.41
日	31	18	9	2	2	3	12	12.16	18	23	20	19	18/2
1948	2.94	3.42	4.73	8.08	-	-	-	-	10.74	-	-	4.25	-
日	26	10	3	1	-	-	-	-	17	-	-	30	-
1949	2.32	3.49	4.93	6.57	9.98	12.95	17.23	11.74	11.74	7.31	-	-	2.32
日	15	8	23	8	4	22	28	31	26	31	-	-	15/1
1950	-	-	-	-	-	-	-	-	-	7.54	4.03	3.65	-
日	-	-	-	-	-	-	-	-	-	11	30	24	-
1951	2.75	3.81	3.11	7.21	8.88	10.90	15.36	13.27	8.04	7.31	4.37	3.97	2.75
日	13	11	2	3	18	18	3	18	22	24	24	16	13/1
1952	3.78	2.91	4.96	6.54	11.04	11.76	15.04	13.43	9.43	8.09	5.95	3.16	2.91
日	19	19	6	13.14	13	15	17	26	27	29	21	3	19/2
1953	3.46	3.67	4.67	5.92	8.27	10.11	15.66	15.02	10.28	7.71	4.90	4.66	3.46
日	19	19	29	12.13	14.15	7	5	31	30	31	20	23	19/1
極 值	2.32	2.91	3.11	5.92	8.27	10.11	13.02	11.74	8.04	5.56	4.03	3.16	2.32
日 年	15	19	2	12.13	14.15	7	12	31	22	23	30	3	15/1
份	1949	1952	1951	1953	1953	1953	1947	1949	1951	1947	1950	1952	1949
銅 仁													
$\varphi=27^{\circ}38'N$ $\lambda=108^{\circ}57'E$ $H=274.8\text{ m}$													
平均绝对湿度(毫米)													
1946	6.41	7.71	-	-	-	-	-	-	-	-	-	-	-
1947	5.43	5.46	8.65	10.82	15.43	19.17	22.07	21.09	17.94	10.74	8.74	5.72	12.61
1948	5.60	6.64	7.81	12.32	14.58	18.92	22.17	21.42	17.62	12.13	6.92	6.76	12.74

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949		5.35	6.56	-	11.30	16.24	18.43	(22.14)	20.25	18.10	13.56	-	-	-
1950		-	-	-	-	-	-	-	-	16.30	13.12	8.42	5.88	-
1951		5.08	5.77	7.38	10.25	16.36	18.33	21.49	21.09	16.80	13.95	9.44	7.34	12.77
1952		5.99	5.39	7.65	12.73	16.37	18.55	22.37	20.60	17.80	12.00	9.63	5.13	12.85
1953		5.38	6.51	8.67	10.36	15.40	19.21	22.39	21.61	15.65	13.43	9.08	6.30	12.83
平 均		5.50	5.95	8.03	11.30	15.63	18.84	22.10	21.16	17.16	12.45	8.76	6.25	12.76
最大绝对湿度(毫米)														
1946		13.06	15.72	-	-	-	-	-	-	-	-	-	-	-
日		25	23	-	-	-	-	-	-	-	-	-	-	-
1947		(7.74)	8.48	16.67	16.91	20.45	24.97	25.82	29.92	25.08	14.68	14.42	10.79	29.92
日		31	24	31	30	31	21	19	29	6	5	7	7	29/8
1948		9.12	11.13	16.52	19.49	23.11	25.35	25.48	25.01	23.69	19.38	11.72	12.30	25.48
日		22	27	10	9, 30	23	29	2	30	1	1	5	6	2/7
1949		10.16	13.09	-	18.55	23.46	23.77	(28.83)	29.49	24.46	18.73	-	-	-
日		24	21	-	28	27	12	12	3	30	8	-	-	-
1950		-	-	-	-	-	-	-	-	23.12	21.02	13.19	8.35	-
日		-	-	-	-	-	-	-	-	2	14	1	13	-
1951		9.31	11.29	12.06	13.46	22.62	24.36	25.85	27.61	23.63	20.27	16.35	12.73	27.61
日		31	22	12	26	12	21	31	1	5	18	4	21	1/8
1952		10.05	9.52	14.29	20.35	22.61	24.67	26.64	25.91	24.56	18.46	16.88	11.12	26.64
日		29	12	23	10	1	18	26	4	11	20	10	1	26/7
1953		8.37	12.41	14.86	18.85	25.20	26.47	27.51	26.16	22.38	17.89	13.26	11.54	27.51
日		11	12	24	28	21	24	15	19	10	29	6	1	15/7
極 值	日 期	13.06	15.72	16.67	20.35	25.20	26.47	28.83	29.92	25.08	21.02	16.88	12.73	29.92
年	份	25	23	31	10	21	24	12	29	6	14	10	21	29/8
		1946	1946	1947	1952	1953	1953	1949	1947	1950	1952	1951	1947	
最小绝对湿度(毫米)														
1946		2.90	3.73	-	-	-	-	-	-	-	-	-	-	-
日		10	3	-	-	-	-	-	-	-	-	-	-	-
1947		(4.23)	3.00	4.02	6.87	9.57	13.44	11.72	16.08	9.02	6.36	5.08	2.45	2.45
日		24	19	9	14	2	5	14	5	30	15	19	19, 20	19, 20/12
1948		2.06	3.18	3.77	8.16	8.86	13.48	17.95	16.23	11.62	6.61	3.27	3.64	2.06
日		26	10	1	10	7	18	4	19	17	29	29	24	26/1
1949		2.60	3.10	-	6.02	10.80	13.80	(17.65)	11.91	10.23	6.00	-	-	-
日		7	11	-	3	6	21	21	30	2	31	-	-	-
1950		-	-	-	-	-	-	-	-	11.30	8.09	3.46	3.47	-
日		-	-	-	-	-	-	-	-	29	28	30	27	-
1951		2.43	3.77	2.98	6.94	10.47	12.82	17.18	13.47	10.83	8.39	4.14	3.93	2.43
日		12	10	7	11	17	18	1	17	20	23	22, 23	15	12/1
1952		3.54	2.71	4.75	7.30	12.21	13.12	18.31	15.14	11.40	6.10	6.36	3.26	2.71
日		11	18	5	12	13	11	13	18	27	11	14	3	18/2
1953		3.31	3.22	4.91	5.88	6.69	11.86	17.74	16.28	10.38	8.92	5.14	4.61	3.22
日		18	18	27	12	13	7	30	31	16	23	19, 20	5	18/2
極 值	日 期	2.06	2.71	2.98	5.88	6.69	11.86	11.72	11.91	9.02	6.00	3.27	2.45	2.06
年	份	26	18	2	12	13	7	14	30	30	31	29	19, 20	26/1
		1948	1952	1951	1953	1953	1953	1947	1949	1947	1949	1948	1947	1947
畢 節 $\varphi = 27^{\circ}18'N$ $\lambda = 105^{\circ}14'E$ $H = 1474.0M$														
平均绝对湿度(毫米)														
1937		-	-	5.97	8.47	10.73	-	-	15.20	11.50	9.87	6.55	5.54	-
1938		4.52	4.69	-	-	11.48	13.29	14.48	14.95	12.98	9.69	7.21	5.78	-
1939		(5.21)	(5.65)	6.80	(7.53)	11.13	12.87	14.82	13.83	11.43	9.17	7.33	5.24	9.25
1940		4.88	5.42	6.15	7.25	10.44	11.98	-	14.62	12.87	10.81	-	6.25	-
1941		-	5.84	6.70	8.40	9.89	12.62	14.36	14.57	11.68	9.88	6.85	6.03	-
1942		5.17	4.85	7.25	8.75	11.48	13.50	14.75	13.24	11.74	10.29	8.16	5.29	9.54
1943		4.52	5.04	7.23	8.84	10.92	12.96	13.86	14.45	11.36	9.75	7.31	5.25	9.29
1944		4.95	5.13	7.12	8.90	9.89	13.06	14.96	13.04	12.49	10.03	7.27	4.08	9.24
1945		4.63	4.10	6.60	9.35	9.29	13.48	14.62	15.17	12.09	(8.00)	8.44	5.25	9.25
1946		5.50	5.54	6.15	9.02	11.34	14.38	15.12	14.73	13.28	9.96	7.95	5.11	9.84

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1947		5.06	5.14	6.99	8.68	11.08	13.74	16.25	15.40	13.80	9.21	7.82	5.51	9.89
1948		5.35	5.74	7.02	10.71	11.08	14.43	15.25	14.99	13.86	9.25	6.70	6.43	10.07
1949		4.97	5.80	6.47	8.87	12.18	14.32	15.85	14.90	13.83	10.33	-	-	-
1950		5.53	4.87	7.34	8.87	11.75	13.10	15.45	14.20	13.41	10.25	7.22	4.57	9.71
1951		4.71	5.35	6.04	8.50	11.43	13.09	15.53	15.89	12.23	10.90	7.54	6.01	9.77
1952		5.30	5.60	6.84	9.42	12.49	13.35	15.86	14.99	13.12	9.65	8.64	4.92	10.02
1953		5.03	5.87	7.62	8.72	11.20	13.79	15.89	16.03	12.07	10.56	7.74	6.16	10.06
平 均		5.08	5.24	6.92	8.94	11.09	13.48	15.20	14.66	12.57	9.75	7.68	5.32	9.66
最大绝对湿度(毫米)														
1937		-	-	8.47	12.84	16.94	-	-	18.77	17.51	14.54	11.52	7.84	-
日		-	-	7	20	25	-	-	1	24	10	5	7	-
1938		6.49	8.48	-	-	15.92	16.83	17.94	18.36	18.80	15.88	10.11	9.21	-
日		1	28	-	-	29	17	23	25	2	9	5	11	-
1939		(7.95)	(8.05)	11.26	(11.18)	16.86	18.11	20.81	17.91	16.59	13.93	12.20	7.36	20.81
日		3	28	31	1	28	26	17	28	6	17	20	3	17/7
1940		7.97	10.94	9.98	11.53	18.03	17.65	-	20.91	21.11	20.77	-	8.74	21.11
日		11	24	31	26	24	21	-	25	13	14	-	8	13/9
1941		-	9.08	17.00	18.82	14.41	17.63	17.94	21.67	17.78	14.67	14.85	9.03	-
日		-	21	23	22	12	16	19	16	7	24	19	25	-
1942		7.81	7.79	10.89	14.91	17.12	17.59	18.57	17.90	19.13	15.87	12.21	8.24	19.13
日		30	28	27	13	28	19	16	9	3	5	12	1	3/9
1943		6.77	8.74	10.91	14.64	16.18	17.94	16.99	17.13	15.25	13.38	12.78	8.79	17.94
日		23	28	23	25	24	27	7	26	1	19	5	1	27/6
1944		8.21	6.38	10.68	13.13	15.03	17.10	17.66	18.51	16.38	14.42	9.97	6.07	18.51
日		23	11	21	25	19	20	24	7	27	1	1	1	7/8
1945		7.30	7.07	10.97	13.48	15.28	17.59	18.70	18.17	16.27	-	-	-	-
日		20	28	31	17	19	16	28	29	26	-	-	-	-
1946		8.05	8.89	9.28	15.99	14.78	18.70	19.31	17.58	16.97	14.21	11.62	7.47	19.31
日		27	25	25	26	31	22	23	11	9	2	5	6	23/7
1947		6.94	7.44	11.45	13.70	15.78	19.89	19.18	19.57	17.95	12.93	11.76	15.11	19.89
日		5	1	30	30	21	20	11	23	5	25	7	8	20/6
1948		8.10	10.11	11.82	16.98	16.18	19.14	18.75	19.46	17.03	14.61	9.89	9.95	19.46
日		22	19	12	30	29	29	16	27	26	11	22	5	27/8
1949		8.90	8.62	10.11	15.01	19.07	17.74	22.13	20.03	16.87	16.11	-	-	22.13
日		28	22	29	27	28	30	11	4	16	2	-	-	11/7
1950		8.35	7.69	10.84	13.49	16.12	17.04	18.26	19.06	17.11	14.85	11.23	7.36	19.06
日		13	24	26	30	26	26	15	6	17	14	2	6	6/8
1951		7.60	7.74	9.90	11.99	15.21	17.87	18.32	18.70	16.37	15.34	11.19	8.32	18.70
日		31	18	10	27	16	25	10	11	9	11,12	5	27	11/8
1952		8.61	8.89	9.96	14.28	16.82	19.12	20.30	18.62	17.13	15.51	13.29	8.47	20.30
日		23	5	28	30	30	29	6	8	11	20	6	1	6/7
1953		7.14	9.41	11.90	14.22	16.77	18.85	20.21	19.46	18.66	15.46	13.82	9.26	20.21
日		10	14	25	28	20	3	18	19	5	16	7	1	18/7
極 值	日 期	8.94	10.94	17.00	18.82	19.07	19.89	22.13	21.67	21.11	20.77	14.85	15.11	22.13
日 年	份	5	24	23	22	28	20	11	16	13	14	19	8	11/7
		1947	1940	1941	1941	1949	1947	1949	1941	1940	1940	1941	1947	1949
最小绝对湿度(毫米)														
1937		-	-	2.90	3.62	6.82	-	-	11.43	7.30	3.80	3.41	2.53	-
日		-	-	12	27	7	-	-	30	12	17	23	20	-
1938		2.53	2.53	-	-	7.33	9.34	10.83	10.93	7.51	5.60	5.03	2.97	-
日		7	18	-	-	10	24	1	2	30	2	30	26	-
1939		(3.13)	3.60	2.67	4.27	5.25	5.42	9.45	7.51	6.37	4.18	3.73	2.85	2.67
日		10	5	26	5	7	2	16	31	2	3	29	5	26/3
1940		1.76	2.91	2.67	3.79	4.94	4.33	-	10.68	9.01	4.65	-	3.43	-
日		3	1	3	2	31	2	-	31	3	25	-	17	-
1941		-	3.01	2.62	2.58	4.52	6.77	10.04	9.60	6.46	5.73	3.45	3.65	-
日		-	5	13	6	20	2	3	31	24	5	16	31	-
1942		3.22	2.81	4.39	5.21	7.12	6.45	8.07	8.01	7.63	4.01	5.51	2.97	2.81
日		12	14	18	5	20	9	7	14	18	25	21	11	14/2
1943		2.43	2.35	3.61	2.78	5.13	7.75	10.34	11.15	7.83	4.42	1.78	3.24	1.78
日		11	7	8	8	5	5	12	12,13	9	28	22	7	22/11
1944		3.86	3.66	4.27	5.64	4.97	9.42	12.05	8.69	7.06	6.18	5.17	2.73	2.73
日		6	6	3	6	10	2	9	10	16	28	22	24	24/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1945	日	1.93 16	2.53 10	2.44 9	5.63 8	4.22 14	8.22 5	9.21 20	12.58 12	7.44 18	-	-	-	-
1946	日	3.66 22	2.34 3	3.11 20	3.92 3	6.30 2	8.11 2	10.22 9	10.99 30	8.38 29	6.35 8	4.25 29	2.47 2	2.34 3/2
1947	日	2.99 10	2.60 22	4.11 29	3.48 1	5.62 2	9.92 1	12.48 14	10.79 6	7.65 30	6.25 13	4.81 20	1.63 19	1.63 19/12
1948	日	2.56 28	1.73 9	2.49 8	6.13 8	7.14 3	8.93 14	9.96 20	10.20 20	9.07 17	5.93 19	4.71 29	3.47 15	1.73 9/2
1949	日	2.39 30	3.05 16	2.80 19	4.56 13	5.03 7	10.16 15	11.47 29	6.85 30	9.83 26	7.45 31	-	-	-
1950	日	2.77 6	2.89 17	3.60 27	4.04 5	7.73 3	7.21 9	11.87 23	8.83 22	8.16 28	7.45 27	3.24 30	2.46 18	2.46 18/12
1951	日	2.51 8	2.28 22	3.54 2,4	5.33 2	6.62 30	8.88 1	12.62 14	12.38 2	7.63 25	6.06 23	3.41 22,23	4.18 31	2.28 22/2
1952	日	3.33 19	3.01 19	3.71 22	3.41 13	9.23 19	8.59 14	11.97 16	11.01 27	7.54 25	6.36 11	5.09 20,21	2.96 3	2.96 3/12
1953	日	3.76 5	3.79 7	4.18 6	4.76 1	5.96 7	8.95 7	11.60 3	12.86 31	8.40 24	5.60 23	4.86 18	4.21 13	3.76 5/1
極日 年	值 期 份	1.76 3	1.73 9	2.44 9	2.58 6	4.22 14	4.33 2	8.07 7	6.85 30	6.37 2	3.80 17	1.78 22	1.63 19	1.63 19/12
		1940	1948	1945	1941	1945	1940	1942	1949	1939	1937	1943	1947	1947
鎮 遠 $\varphi=27^{\circ}03'N$ $\lambda=108^{\circ}24'E$ $H=463.0M$														
平均絕對湿度(毫米)														
1947	日	5.69	5.46	8.62	10.94	15.91	18.92	20.85	19.34	17.07	10.40	8.32	5.85	12.28
1948	日	5.51	6.76	7.95	12.31	14.23	18.44	20.62	20.05	17.38	11.99	7.12	7.01	12.45
1949	日	5.67	6.61	8.08	11.21	15.38	17.97	-	19.47	16.21	12.20	-	-	-
1950	日	6.44	3.89	7.86	11.17	14.84	16.92	20.51	18.97	15.42	12.75	8.25	5.13	11.85
1951	日	5.00	5.50	6.94	9.53	15.36	17.12	20.48	20.14	15.38	13.32	9.01	7.18	12.08
1952	日	5.84	5.31	7.76	12.46	16.39	17.89	21.40	19.93	17.26	11.66	9.43	5.00	12.53
1953	日	5.34	6.41	8.67	10.10	14.73	18.66	21.27	21.07	15.07	13.12	8.79	6.11	12.45
平 均		5.64	5.56	7.97	11.09	15.24	17.99	20.86	19.92	16.26	12.21	8.49	6.05	12.27
最大絕對湿度(毫米)														
1947	日	13.93 4	8.94 27	16.62 31	18.08 30	22.08 15	24.14 21	25.21 24	24.13 3	23.51 5	14.60 5	14.37 7	12.47 8	25.21 24/7
1948	日	9.52 8	11.49 26	17.36 10	19.15 20	24.60 30	24.82 28	25.70 16	25.53 14	23.94 2	18.77 2	11.79 5	13.93 5	25.70 16/7
1949	日	11.75 31	13.64 22	14.45 10	19.19 28	22.10 21	23.15 12	-	25.31 7	24.89 23	21.18 1	-	-	-
1950	日	10.47 17	11.32 8	12.57 6	16.73 24	22.60 10	22.60 27	24.74 22	23.43 8	21.26 4	19.17 15	13.64 1	7.72 13	24.74 22/7
1951	日	9.51 30	10.62 21	12.26 11	12.56 27	20.89 16	22.72 25	24.83 31	24.45 5	22.26 10	19.09 18	15.83 5	12.25 25	24.83 31/7
1952	日	10.46 22	10.05 11	14.22 15	20.89 10	22.42 2	24.32 18,19	25.70 8,10	24.12 9	23.19 6	19.59 20	16.71 11	11.45 1	25.70 8,10/7
1953	日	9.56 11	11.43 11,28	14.94 24	17.83 28	22.62 21	24.91 25	25.43 24	25.09 14	21.84 10	20.11 19	14.10 8	11.88 1	25.43 24/7
極日 年	值 期 份	13.93 4	13.64 22	17.36 10	20.89 10	24.60 30	24.91 25	25.70 31	25.53 14	24.89 23	21.18 1	16.71 11	13.93 5	25.70 31/7
		1947	1949	1948	1952	1948	1953	1948	1948	1949	1949	1952	1948	1948
最小絕對湿度(毫米)														
1947	日	3.92 31	2.45 19	3.43 9	7.58 14	11.70 19	14.41 4	15.03 14	14.23 6	9.59 30	7.13 11	5.15 25	2.64 19	2.45 19/2
1948	日	2.12 29	3.68 7	4.06 1	8.20 10	7.52 8	12.73 18	15.88 28	14.76 20	11.16 17	6.67 30	3.85 29	4.20 25	2.12 29/1
1949	日	1.92 13	3.48 11	4.28 23	5.76 6	9.68 2	13.68 22	-	12.52 31	12.97 26	6.31 31	-	-	1.92 13/1
1950	日	3.34 23	2.52 18	4.70 12	5.60 5	8.61 22	10.11 9	15.50 30	12.81 30	10.66 21	7.95 27	2.79 30	3.24 3	2.52 18/2

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951 日	2.25 14	2.34 18	2.66 3	6.34 3	10.44 17	12.08 18	16.94 26,27	13.22 18	9.83 21	7.78 22	3.70 22,23	3.82 15	2.25 14/1
1952 日	3.57 6	2.23 17,18	4.49 6	7.09 1	12.12 13	12.63 14	17.25 21	12.59 26	10.23 26	7.50 11	6.24 21	2.65 3	2.23 17,18/2
1953 日	3.05 18	3.18 17	4.79 27,28	5.82 12	6.83 13	13.06 8	17.17 31	15.91 31	10.31 25	8.75 23	4.64 18	3.99 12	3.05 18/1
極 日 年	1.92 13	2.23 17,18	2.66 3	5.60 5	6.83 13	10.11 9	15.03 14	12.52 31	9.59 30	6.31 31	2.79 30	2.64 19	1.92 13/1
值 期 份	1949	1952	1951	1950	1953	1950	1947	1949	1947	1949	1950	1947	1949
威 宁 $\varphi=26^{\circ}51'N$ $\lambda=104^{\circ}15'E$ $H=2316.5$ 米													
平均绝对湿度(毫米)													
1944	4.32	4.57	5.73	7.15	8.31	10.06	11.34	9.43	9.67	8.24	5.29	3.68	7.32
1945	3.88	3.43	5.14	7.22	7.19	10.37	11.25	11.20	9.36	6.34	5.81	4.22	7.12
1946	4.40	4.27	4.41	6.25	8.33	10.58	10.71	10.65	9.43	7.24	5.43	4.28	7.17
1947	3.51	3.74	5.09	6.33	8.05	9.41	11.26	10.64	9.52	6.85	5.35	4.02	6.98
1948	3.91	4.35	5.67	8.36	9.18	12.04	12.92	12.31	-	7.85	5.93	4.84	-
1949	4.05	-	-	-	-	-	-	-	-	-	-	-	-
1951	3.81	4.17	5.37	7.17	9.48	11.01	12.91	13.23	10.61	9.45	6.46	4.89	8.21
1952	4.46	4.52	5.32	7.53	10.44	11.80	13.13	12.59	11.06	8.70	7.29	4.54	8.45
1953	4.65	4.89	6.25	7.27	9.43	11.63	13.19	13.07	10.28	8.98	6.38	5.19	8.43
平 均	4.15	4.23	5.33	6.99	8.75	10.69	11.97	11.54	9.99	7.97	6.00	4.40	7.67
最大绝对湿度(毫米)													
1945 日	7.72 7	5.68 23	9.46 31	11.61 27	11.79 9	15.08 9	15.86 8	14.27 28	12.33 11	9.97 30	9.89 1	6.35 11	15.86 8/7
1946 日	6.40 29	6.50 20	7.67 31	11.51 26	11.76 22	14.48 22	14.04 28	14.86 10	13.28 9	11.44 11	9.88 9	7.18 12	14.86 10/8
1947 日	5.93 2	5.56 28	8.42 31	8.80 16	12.77 15	13.78 15	14.64 20	14.59 1	13.87 11	15.55 4	9.78 8	7.15 24	14.64 20/7
1948 日	6.46 7	7.30 25	9.06 31	12.53 29	13.87 30	16.37 29	18.63 28	18.31 14	-	11.62 2	8.12 4	7.66 3	18.63 28/7
1949 日	6.33 19	-	-	-	-	-	-	-	-	-	-	-	-
1951 日	5.76 2,3	7.41 5	9.05 26	10.70 14	12.99 24	14.53 26	15.44 15	16.12 6	14.01 6	14.08 7	9.82 5	8.01 9	16.12 15/8
1952 日	6.55 31	7.78 23	8.42 25	11.55 22	13.53 29	16.41 29	16.96 10	16.00 21	15.24 11	13.27 9	10.69 12	6.83 1	16.96 10/7
1953 日	7.93 24	7.15 34	8.89 19	10.64 27	14.03 21,22	15.38 30	16.15 14	15.68 4	14.35 5	12.87 5	10.18 8	7.95 2	16.15 14/7
極 日 年	7.93 24	7.78 23	9.46 31	12.53 29	14.03 21,22	16.41 29	18.63 28	18.31 14	15.24 11	15.55 4	10.69 12	8.01 9	18.63 28/7
值 期 份	1953	1952	1945	1948	1953	1952	1948	1948	1952	1947	1952	1951	1948
最小绝对湿度(毫米)													
1945 日	1.68 10	1.50 10	2.15 8	4.29 17	3.28 8	4.99 5	7.62 20	7.81 3	5.64 16	3.49 19	3.40 23	2.15 25	1.50 10/2
1946 日	1.60 1	2.40 19	1.59 16	2.97 18	3.42 6	5.56 3	6.51 9	(8.36) 2	5.51 27	4.86 29	2.66 25	1.91 2	1.59 16/3
1947 日	1.38 17	2.17 21	3.16 21	2.05 2	3.77 17	5.37 22	8.18 6	8.08 9	5.61 30	4.49 13	3.44 29	1.22 28	1.22 28/12
1948 日	2.17 28	1.30 9	2.06 8	4.90 9	4.94 4	7.13 14	7.04 20	7.21 20	-	4.34 18	3.82 15	2.69 -	-
1949 日	2.24 8	-	-	-	-	-	-	-	-	-	-	-	-
1951 日	2.22 8	1.80 22	2.46 1	3.21 12	5.54 4	6.69 7	10.36 20	9.77 2	5.89 29	5.05 23	2.40 22,23	2.82 11	1.80 22/2
1952 日	2.56 7	2.01 19	2.93 19	3.04 14	7.15 3	7.49 1	9.15 15	9.04 28,31	5.37 26	4.62 31	4.10 21	2.48 4	2.01 19/2
1953 日	2.10 27	2.87 4	3.35 5	4.30 1	4.94 7	7.78 13	9.13 3,4	10.08 8	7.20 24	4.84 31	2.97 22	2.86 26	2.10 27/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極日年	值期 份	1.38 17 1947	1.30 9 1948	1.59 16 1946	2.05 2 1947	3.28 8 1945	4.99 5 1945	6.51 9 1946	7.21 20 1948	5.37 26 1952	3.49 19 1945	2.40 22,23 1951	1.22 28 1947	1.22 28/12 1947
貴 陽														
$\varphi=26^{\circ}34'N$ $\lambda=106^{\circ}42'E$ $H=1071.2 M$														
平均絕對湿度(毫米)														
1935	—	—	—	—	—	—	—	—	—	—	—	9.26	4.97	—
1936	4.32	5.73	5.88	10.24	13.13	15.81	17.34	16.90	12.04	8.44	7.72	5.61	10.26	—
1937	4.79	5.69	7.18	10.28	12.49	15.24	17.28	18.21	15.55	11.99	8.27	6.59	11.13	—
1938	5.15	5.72	7.60	11.51	14.53	17.06	17.67	17.80	15.77	12.63	8.53	7.22	11.77	—
1939	5.83	6.64	8.03	9.66	13.83	16.04	18.07	16.76	14.02	10.86	8.85	5.31	11.16	—
1940	5.76	6.71	7.63	9.91	13.75	15.54	18.60	17.49	15.69	12.19	7.40	7.91	11.55	—
1941	6.81	7.26	8.67	11.45	14.63	14.53	19.93	17.88	13.99	12.12	8.07	7.14	11.87	—
1942	6.21	5.44	8.97	10.69	14.65	16.66	19.04	16.66	14.36	12.16	9.56	6.09	11.71	—
1943	4.91	5.82	8.92	11.06	14.32	15.89	16.82	17.48	14.16	11.06	8.91	6.39	11.31	—
1944	5.43	5.65	8.47	10.65	12.50	15.94	18.22	16.48	15.48	11.42	8.85	4.29	11.12	—
1945	5.29	4.93	8.54	11.57	11.99	16.51	18.25	17.77	14.77	9.38	10.41	6.46	11.32	—
1946	6.54	7.17	7.59	11.97	14.30	17.10	17.87	17.72	15.59	10.77	8.98	5.72	11.78	—
1947	6.15	5.49	8.49	10.38	14.19	15.77	18.28	17.03	15.31	9.82	8.18	5.96	11.25	—
1948	5.89	6.94	8.57(12.15)	13.11	16.91	17.34	17.43	15.57	10.74	6.84	7.28	11.56	—	—
1949	5.35	6.72	8.02	10.56	14.56	16.69	18.19	16.82	15.36	11.78	8.36	6.58	11.55	—
1951	5.56	6.08	6.94	9.82	13.71	15.28	17.79	17.99	13.83	12.48	8.64	6.92	11.25	—
1952	6.04	6.24	8.48	11.22	14.97	15.37	18.07	17.01	14.92	10.75	9.78	5.27	11.51	—
1953	5.66	6.63	8.60	9.44	13.09	16.14	18.18	18.01	13.09	12.08	8.72	6.50	11.35	—
平 均		5.63	6.14	8.03	10.74	13.75	16.03	18.06	17.38	14.68	11.22	8.59	6.31	11.38
最大絕對湿度(毫米)														
1935	—	—	—	—	—	—	—	—	—	—	—	15.73	9.41	—
日	—	—	—	—	—	—	—	—	—	—	—	3	6	—
1936	5.85	9.56	10.61	16.86	17.51	20.95	21.49	20.18	18.97	13.41	13.45	10.88	21.49	—
日	22	5	29	26	24	18	24	12	4	4	5	15	24/7	—
1937	9.64	9.59	13.65	17.09	18.48	22.89	29.08	23.59	20.18	18.67	15.15	10.71	29.08	—
日	30	23	24	20	26	16	23	5	7	3	16	16	23/7	—
1938	9.06	10.70	13.00	16.69	21.74	22.08	21.69	21.34	21.93	20.98	16.17	12.17	22.08	—
日	16	2	21	21	16	13	28	31	3	11	5	12	13/6	—
1939	10.21	12.23	15.17	14.95	21.09	21.40	21.78	19.98	18.36	15.64	16.21	7.83	21.78	—
日	31	24	30	1	30	17	16	16	14	15	21	9	16/7	—
1940	10.01	11.37	12.46	17.52	20.03	23.07	23.09	21.55	24.54	23.56	14.48	12.60	24.54	—
日	14	12	28	25	16	21	4	4	24	7	3	22	24/9	—
1941	11.43	13.23	15.95	19.72	29.06	21.32	34.29	24.27	23.20	17.94	13.67	11.21	34.29	—
日	5	11	23	24	23	16	7	13	6	24	9	8	7/7	—
1942	11.05	11.95	14.91	17.45	21.41	21.58	26.91	24.29	20.80	20.21	14.90	10.44	26.91	—
日	30	7	28	13	31	22	30	2	11	6	13	1	30/7	—
1943	10.07	10.57	13.86	17.06	20.81	21.18	20.76	21.04	19.35	15.37	17.71	11.07	21.18	—
日	26	17	21	25	26	29	7	5	7	19	6	16	29/6	—
1944	9.86	9.53	13.96	18.35	18.27	23.47	23.36	22.26	21.80	17.02	14.52	6.52	23.47	—
日	23	11	25	26	14	20	15	6	12	9	1,2	5	20/6	—
1945	9.82	12.08	14.97	18.06	17.97	20.05	22.10	25.44	19.29	19.09	14.45	11.96	25.44	—
日	22	28	31	29	31	28	7	25	30	30	19	15	25/8	—
1946	11.93	12.06	15.41	17.83	19.65	23.11	21.02	20.63	19.78	16.83	14.04	9.03	23.11	—
日	26	26	25	28	8	24	5	1	10	2	8	9	24/6	—
1947	11.76	10.19	14.79	16.30	18.44	20.56	22.65	20.82	20.63	13.65	12.77	10.92	22.65	—
日	6	2	31	22	26	20	21	1	5	4	7	9	21/7	—
1948	11.60	12.88	14.64(16.63)	19.29	23.30	21.68	22.93	20.12	16.19	10.43	11.97	23.30	23.30	—
日	22	19	12	23	23	29	11	12	5	11	23	5	29/6	—
1949	9.91	11.91	13.19	17.36	20.97	21.58	21.07	20.56	18.63	19.12	17.22	11.06	21.58	—
日	29	22	21	27	31	4	11	9	24	1	12	30	4/6	—
1951	11.83	10.54	11.52	17.42	19.24	20.05	21.50	21.61	19.82	18.74	13.66	11.32	21.61	—
日	8	22	10	27	16	24	31	11	10	4	5	21	11/8	—
1952	10.85	11.73	14.63	17.54	20.58	20.32	22.15	20.59	19.98	16.93	14.68	10.75	22.15	—
日	28	12	29	30	30	30	10	12	17	9	12	1	10/7	—

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	10.75 24	11.30 14	13.63 26	15.88 28	18.64 20	21.47 30	21.59 19	21.56 17	20.26 5	16.15 4	16.57 7	11.88 2	21.59 19/7
極 值	期	11.93 26	13.23 11	15.95 23	19.72 24	29.06 23	23.47 20	34.29 7	25.44 25	24.54 24	23.56 7	17.71 6	12.60 22	34.29 7/7
日 年	份	1946	1941	1941	1941	1941	1944	1941	1945	1940	1940	1943	1940	1941
最小绝对湿度(毫米)														
1935	日	-	-	-	-	-	-	-	-	-	-	4.75	2.93	-
1936	日	2.47 17	2.84 29	2.72 1	6.48 10	8.12 26	10.69 10	12.26 16	12.44 31	6.32 29	4.89 27	5.12 28	3.37 26	2.47 17/1
1937	日	2.29 12	2.54 2	3.73 12	4.87 8	7.94 15	8.31 1	12.62 4	14.50 29	11.56 27	5.15 19	3.96 23	4.14 11	2.29 12/1
1938	日	2.62 7	3.07 21	3.44 10	5.87 24	8.16 23	11.98 4	14.61 6	13.29 5	11.53 19	6.35 21	4.91 26	3.16 26	2.62 7/1
1939	日	3.22 12	4.07 5	4.96 15	4.36 4	8.85 12	10.80 3	14.75 1	9.45 31	9.16 30	6.94 13	3.99 29	2.69 25	2.69 25/12
1940	日	2.52 23	3.67 3	4.03 1	5.20 3	8.03 5	9.89 2	14.64 21	13.40 20	10.80 13	6.41 26	4.11 30	4.31 30	2.52 23/1
1941	日	3.27 25	3.86 13	5.00 30	5.25 6	8.38 16	9.80 5	13.96 25	11.37 30	8.19 30	5.20 27	4.38 29	3.81 27	3.27 25/1
1942	日	3.89 18	2.65 13	5.30 7	4.98 1	8.63 7	10.02 8	14.58 6	8.41 30	9.42 1,2	4.41 26	5.93 1	2.68 11	2.65 13/2
1943	日	2.06 11	2.76 7	4.76 7,8	3.55 8	8.74 6	10.35 6	11.61 17	12.78 31	9.62 29	6.85 29	3.70 19	3.27 12	2.06 11/1
1944	日	4.11 6	3.40 5,6	3.72 10	7.36 15	6.98 5	11.25 13	15.00 10	10.16 13	8.76 22	6.14 30	5.15 16	1.98 20	1.98 20/12
1945	日	3.16 12	2.84 12	3.98 6	5.36 6	7.71 3	8.98 6	12.29 20	13.86 19	9.47 4	5.65 3	4.38 30	3.22 26	2.84 12/2
1946	日	3.52 10	3.75 9	4.70 11	6.29 20	8.83 15	9.59 3	13.28 9	13.33 17	8.60 29	5.72 4	4.37 29	3.62 29	3.52 10/1
1947	日	3.81 31	1.68 21	4.17 9	5.09 2	10.03 2	10.97 4	12.67 14	12.63 7	9.02 18	6.61 11	4.63 20	2.45 19	1.68 21/2
1948	日	2.38 26	2.83 9	4.24 3	(7.66) 9	7.39 8	11.37 13	14.50 3	12.13 19	9.07 17	6.20 30	4.03 18	4.22 30	2.38 26/1
1949	日	1.64 9	2.84 16	4.83 23	5.20 6	9.22 7	13.14 15	13.85 29	11.05 18	11.03 26	7.49 23	4.50 17	4.15 27	1.64 9/1
1951	日	2.18 12	3.42 18	3.02 3	6.44 3	7.68 18	10.54 18	14.40 26	13.63 18	8.59 22	6.33 24	4.05 23	3.67 15	2.18 12/1
1952	日	3.62 19	2.80 18	4.92 12	5.65 14	10.76 20	10.12 14	14.05 21	12.66 28	8.17 27	7.23 11	5.11 2	2.37 3	2.37 3/12
1953	日	3.46 18	3.43 18	4.77 29	5.83 12	8.33 7	9.65 7	14.46 5	13.57 31	7.89 30	7.30 31	4.26 20	4.03 13	3.43 18/2
極 值	期	1.64 9	1.68 21	2.72 1	3.55 8	6.98 5	8.31 1	11.61 17	8.41 30	6.32 29	4.41 26	3.70 19	1.98 20	1.64 9/1
日 年	份	1949	1947	1936	1943	1944	1937	1943	1942	1936	1942	1943	1944	1949
安 順 $\varphi=26^{\circ}14'N$ $\lambda=105^{\circ}55'E$ $H=1375.1M$														
平均绝对湿度(毫米)														
1946	日	6.77	7.00	7.40	11.62	13.95	16.40	16.70	16.52	14.93	10.48	8.67	5.75	11.35
1947	日	6.10	5.71	8.42	9.95	13.59	15.03	17.44	16.24	14.65	9.79	8.30	5.95	10.93
1948	日	5.79	6.60	7.61	11.52	13.13	16.10	17.16	16.31	14.87	10.32	6.88	7.22	11.13
1949	日	5.31	6.44	7.56	10.04	13.25	15.70	16.60	15.76	14.71	11.23	7.97	6.34	10.91
1950	日	6.39	5.11	8.60	9.68	13.00	14.48	16.59	15.35	14.17	11.74	7.68	4.96	10.65
1951	日	5.35	6.04	6.75	9.62	12.90	14.23	16.23	16.63	13.11	11.90	8.39	6.79	10.66
1952	日	5.97	6.17	8.30	10.81	14.30	14.84	17.10	16.02	14.21	10.53	(9.78)	5.46	11.12
1953	日	5.80	6.76	8.62	9.39	12.58	15.23	17.17	17.17	12.61	11.74	8.63	6.72	11.04
平 均	日	5.94	6.23	7.91	10.33	13.34	15.25	16.87	16.25	14.16	10.97	8.29	6.15	10.97
最大绝对湿度(毫米)														
1946	日	14.39 24	11.30 23	13.77 25	18.97 30	19.53 8	24.39 25	20.60 30	19.42 1	22.89 2	15.89 1	15.46 6	10.97 10	24.39 25/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1947	日	10.29	9.47	14.43	15.55	18.54	20.34	22.15	19.66	19.40	—	12.66	9.93	—
	日	6	2	31	20	26	8	23	29	5	—	8	9	—
1948	日	9.77	10.74	12.10	20.77	17.79	21.16	20.91	20.31	19.34	15.12	10.60	12.90	21.16
	日	22	19	29	21	30	28	13	18	6	5	6	7	28/6
1949	日	8.43	10.29	12.88	15.60	18.67	20.31	19.48	19.71	17.43	18.52	14.97	10.93	20.31
	日	28	21	12	22	29	4	24	9	8	1	12	30	4/6
1950	日	9.93	8.86	12.54	16.32	17.91	18.83	19.95	19.28	18.33	19.32	13.40	7.53	19.95
	日	30	7	8	30	27	28	14	13	25	15	3	15	14/7
1951	日	9.60	10.13	11.60	16.78	17.26	18.53	19.39	18.90	18.25	16.76	12.28	9.52	19.39
	日	9.8	23.24	27	28	13	25	31	12	1	12	6	24	31/7
1952	日	9.58	10.20	12.02	16.16	19.23	20.27	20.05	19.73	18.64	15.68	14.49	9.80	20.27
	日	28	11	25	9.10	30	30	8	12	11	21	11	1	30/6
1953	日	10.22	11.45	12.69	14.65	18.46	19.97	20.41	20.61	17.75	15.79	15.13	12.39	20.61
	日	24	16	25	28	22	29	18	15	4	5	7	2	15/8
極 值	日期	14.39	11.45	14.43	20.77	19.53	24.39	22.15	20.61	22.89	19.32	15.46	12.90	24.39
年 份		24	16	31	21	8	25	23	15	2	15	6	7	25/6
		1946	1953	1947	1948	1946	1946	1947	1953	1946	1950	1946	1948	1946
最小绝对湿度(毫米)														
1946	日	4.39	3.38	3.53	6.57	8.49	10.04	11.70	12.54	9.35	6.82	4.61	3.45	3.38
	日	5	8	16	18	3	3	9	30	30	4	29	29	8/2
1947	日	4.38	3.01	5.41	5.30	9.50	10.15	11.59	13.23	8.55	—	4.03	3.16	3.01
	日	24	22	9	1	1	2	13	3	18	—	20	19	22/2
1948	日	2.67	2.77	4.18	7.05	7.22	10.77	13.49	11.84	8.48	6.36	4.46	4.43	2.67
	日	27	9	9	9	12	14	18	19	17	19	16	26	27/1
1949	日	2.42	3.15	5.08	5.92	7.85	11.17	12.52	11.03	10.46	6.05	4.37	4.48	2.42
	日	9	15	23	13	8	15	29	18	26	23	17	26	9/1
1950	日	3.61	3.03	4.53	4.84	9.32	8.73	13.71	10.29	8.97	7.56	3.47	2.78	2.78
	日	17	17	1	5	4.20	8	30	17	29	28	30	17	17/12
1951	日	2.39	3.77	3.35	5.75	6.87	8.87	12.05	12.71	8.27	6.56	3.91	3.71	2.39
	日	12	18	3	3	31	8	1	2	22	24	23	15	12/1
1952	日	3.41	3.17	4.91	5.00	10.48	10.48	12.82	12.36	8.16	6.44	5.33	3.51	3.17
	日	19	18	19	15	20	15	14	28	26	31	2	3	18/2
1953	日	3.92	3.72	5.12	5.45	7.26	10.23	12.39	13.01	8.74	6.98	4.13	4.35	3.72
	日	15	18	30	1	7	7	5	31	24	23	20	23	18/2
極 值	日期	2.39	2.77	3.35	4.84	6.87	8.73	11.59	10.29	8.16	6.05	3.47	2.78	2.39
年 份		12	9	3	5	31	8	13	17	26	23	30	17	12/1
		1951	1948	1951	1950	1951	1950	1947	1950	1952	1949	1950	1950	1951
獨 山 $\varphi=25^{\circ}51'N$ $\lambda=107^{\circ}32'E$ $H=988.7M$														
平均绝对湿度(毫米)														
1937	—	—	—	11.56	14.28	16.41	18.70	18.72	16.08	12.03	8.46	6.56	—	—
1938	4.94	5.74	7.78	11.64	14.81	17.84	17.82	18.38	16.02	12.55	8.13	6.74	11.87	—
1939	5.69	6.65	8.25	9.69	14.02	16.29	18.25	17.06	—	—	—	—	—	—
1940	—	6.58	7.11	9.66	13.55	15.48	17.76	17.73	15.85	11.71	8.61	7.34	—	—
1941	6.70	6.83	8.27	10.59	13.82	16.25	18.48	17.97	13.60	11.84	8.33	7.20	11.66	—
1942	5.92	5.71	9.44	10.67	14.69	16.88	18.71	16.86	13.69	12.19	9.71	6.24	11.73	—
1943	4.71	5.93	9.10	11.31	14.52	16.19	17.45	17.75	14.43	11.26	9.16	6.53	11.53	—
1944	5.55	5.73	8.38	10.71	12.89	17.08	18.45	17.25	16.03	12.30	—	—	—	—
1946	5.05	6.18	6.86	11.65	13.93	16.81	18.06	17.83	15.86(10.39)	9.09	5.74	11.45	—	—
1947	6.34	5.48	8.48	10.37	15.30	17.72	19.80	18.24	16.66	10.18	8.89	6.07	11.96	—
1948	6.08	7.56	8.96	12.80	13.99	17.60	18.71	17.63	15.93	11.26	6.84	8.01	12.11	—
1949	5.63	6.83	8.59	11.26	15.33	17.71	18.48	17.93	16.56	—	—	—	—	—
1950	—	—	—	11.50	15.11	16.75	18.51	17.88	—	12.23	8.34	5.12	—	—
1951	5.63	6.19	7.29	10.48	14.51	15.85	18.29	18.53	14.59	12.81	8.88	7.21	11.69	—
1952	6.01	6.45	8.99	12.53	16.18	16.18	18.46	17.43	15.29	10.93	9.71	5.10	11.94	—
1953	5.63	6.60	8.62	9.52	13.48	16.30	18.34	17.83	13.02	12.31	8.62	6.21	11.37	—
平 均		5.70	6.27	8.38	11.16	14.52	16.76	18.41	17.85	14.91	11.57	8.74	6.51	11.73
最大绝对湿度(毫米)														
1937	—	—	—	19.54	19.99	27.99	23.59	23.52	19.61	18.45	15.80	9.98	—	—
日	—	—	—	20	12	30	2	2	9	1	17	17	—	—

月 年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938 日	9.31	10.54	13.48	16.61	20.78	22.85	21.49	21.49	21.70	19.44	14.77	11.75	22.85
1939 日	17	15	21	21	16	23	3	29	4	10	5	12	23/6
1940 日	9.36	12.28	15.68	15.81	19.83	21.70	22.36	20.86	-	-	-	-	-
1941 日	31	18	31	14	23	17	7	25	-	-	-	-	-
1942 日	-	-	12.97	16.31	21.52	21.30	22.17	20.62	19.89	18.88	18.45	12.01	-
1943 日	-	-	10	25	16	29	1	4	26	20	1	23	-
1944 日	14.56	12.40	-	-	-	-	-	-	21.80	18.37	15.77	15.99	-
1945 日	1	11	-	-	-	-	-	-	3	24	20	8	-
1946 日	12.00	12.71	16.73	17.30	20.45	21.81	22.75	20.96	21.47	19.37	15.06	13.33	22.75
1947 日	29	7	22	25	29	27	13	11	2	6	4	14	13/7
1948 日	9.29	10.77	-	-	-	-	-	-	18.88	16.08	17.59	13.64	-
1949 日	26	17	-	-	-	-	-	-	7	23	6	18	-
1950 日	10.29	9.02	14.42	14.01	21.14	22.11	22.98	20.35	25.02	22.27	-	-	-
1951 日	24	12	25	20	31	20	25	26	30	3	-	-	-
1952 日	10.60	11.79	15.56	18.09	18.55	23.51	22.69	23.27	20.56	(15.47)	14.30	9.80	23.51
1953 日	28	26	16	30	23	25	27	9	5	1	9	10	25/6
1954 日	11.97	9.68	14.36	17.13	21.21	23.40	25.37	22.44	21.79	15.16	15.58	13.14	25.37
1955 日	6	2	31	22	31	21	19	6	4	5	7	9	19/7
1956 日	12.12	14.44	16.30	17.66	20.76	26.26	21.42	21.83	21.07	17.44	10.64	13.42	26.26
1957 日	22	19	10	9	22	12	6	15	2	4	5	9	12/6
1958 日	11.13	12.46	15.42	20.03	23.41	23.10	22.21	23.12	20.44	-	-	-	-
1959 日	31	22	21	26	12	2	10	9	25	-	-	-	-
1960 日	-	-	-	22.12	22.12	21.57	22.35	22.58	-	17.25	15.20	84.9	-
1961 日	-	-	-	16	18	5	6	14	-	15	3	7	-
1962 日	11.68	11.64	13.55	17.17	19.55	20.86	22.09	21.41	21.20	20.17	14.09	11.70	22.09
1963 日	8	23	27	27	16	26	31	13	11	4	6	21	31/7
1964 日	11.32	13.26	15.18	19.75	20.82	21.93	23.95	19.66	20.52	17.60	15.01	10.99	23.95
1965 日	28	14	17	9	30	30	8	23	12	20	12	1	8/7
1966 日	10.80	11.22	14.10	16.81	19.23	20.70	21.17	20.82	18.69	18.24	16.25	11.03	21.17
1967 日	24.25	13	25	28	22	4	18	19	5	5	8	2	18/7
恒 日	14.56	14.44	16.73	22.12	23.41	27.99	25.37	23.52	25.02	22.27	18.45	15.99	27.99
值 期	1	19	22	16	12	30	19	2	30	3	1	8	30/6
年 份	1941	1948	1942	1950	1949	1937	1947	1937	1944	1944	1940	1941	1937
最小绝对湿度(毫米)													
1937 日	-	-	-	5.29	7.58	8.56	14.46	15.36	9.96	4.24	3.27	4.03	-
1938 日	-	-	-	4	28	1	5	27	19	18	24	19	-
1939 日	2.04	3.00	3.07	6.76	8.45	11.75	14.19	15.63	11.10	5.29	4.80	2.44	2.04
1940 日	7	19	15	24	9	5	20	9	29	21	16	26	7/1
1941 日	2.03	4.45	4.43	4.24	6.13	9.51	15.08	8.55	-	-	-	-	-
1942 日	28	5	17	4	12	3	20	31	-	-	-	-	-
1943 日	-	-	3.55	4.58	7.99	9.96	12.70	14.16	11.07	5.42	3.34	3.95	-
1944 日	-	-	4	3	5	16	4	21	1	24	14	24	-
1945 日	2.36	3.40	-	-	-	-	-	-	7.41	4.92	4.26	3.40	-
1946 日	25	13	-	-	-	-	-	-	13	27	20	28	-
1947 日	2.26	2.20	4.64	5.84	7.20	8.56	15.67	8.16	7.94	4.33	5.50	3.88	2.20
1948 日	12	13	18	1	20	9	5	29	19	24	17	31	13/2
1949 日	1.62	2.29	-	-	-	-	-	-	9.03	6.76	2.33	3.63	-
1950 日	12	7	-	-	-	-	-	-	30	3	19	10	-
1951 日	3.57	3.41	4.00	6.61	6.59	12.48	13.66	11.41	9.09	7.01	-	-	-
1952 日	6	5	9	7	5	12	8	12	21	29	-	-	-
1953 日	1.87	2.34	3.43	6.36	8.29	8.42	15.09	14.21	8.20	(5.83)	4.05	2.91	1.87
1954 日	5	3	12	15	2	3	9	19	28	4	29	29	5/1
1955 日	3.99	2.25	3.35	6.71	10.91	11.74	14.27	13.29	10.92	7.56	4.61	1.87	1.87
1956 日	30	20	21	15	10	4	17	6	30	13	20	21	21/12
1957 日	2.40	3.57	4.48	8.24	9.26	11.55	15.60	12.93	9.24	6.22	4.20	4.23	2.40
1958 日	25	9	3	18	13	14	3	19	17	28	17	24	25/1
1959 日	1.13	1.87	3.34	6.01	8.59	13.14	12.69	12.97	11.33	-	-	-	1.13
1960 日	9	11	15	6	2	9	29	19	27	-	-	-	9/1
1961 日	-	-	-	5.21	9.40	(9.20)	13.97	13.49	-	7.49	3.34	2.84	-
1962 日	-	-	-	6	20	9	31	28	-	28	30	1	-
1963 日	2.34	3.32	3.26	6.74	7.75	11.53	14.67	13.70	9.00	6.66	3.75	3.71	2.34
1964 日	13	17	2	3	18	8	1	18	26	30	23	15	13/1
1965 日	3.24	2.33	5.00	6.46	11.85	12.10	15.32	14.23	7.97	6.88	5.79	2.20	2.20
1966 日	7	18	7	14	13	15	3	20	26	31	21	3	3/12
1967 日	3.36	3.18	4.80	5.45	6.25	9.96	15.14	13.50	7.71	7.41	3.69	2.84	2.84
1968 日	6	18	29, 30	12	13	12	30	31	30	23	21	13	13/12

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 日 年	值 期 份	1.13 9 1949	1.87 11 1949	3.07 15 1938	4.24 4 1939	6.13 12 1939	8.42 3 1946	12.69 29 1949	8.16 29 1942	7.41 13 1941	4.24 18 1937	2.33 18 1943	1.87 21 1947	1.13 9/1 1949
盤 縣 $\varphi = 25^{\circ}45'N$ $\lambda = 104^{\circ}39'E$ $H = 1322.0M$														
平均絕對湿度(毫米)														
1939	日	-	-	-	-	-	-	-	-	-	-	9.15	6.17	-
1940	日	5.70	6.54	7.56	9.04	11.66	14.18	16.96	16.64	14.30	11.86	8.20	7.33	10.83
1941	日	5.81	6.88	7.60	9.87	12.58	14.94	16.72	16.22	13.24	11.04	7.62	7.59	10.84
1942	日	6.07	5.78	8.10	-	-	-	-	-	-	11.86	9.78	6.66	-
1943	日	5.62	6.24	7.83	10.04	12.92	15.02	15.59	16.08	13.85	11.53	9.11	6.46	10.86
1944	日	-	6.15	8.04	10.35	12.56	16.37	17.66	-	-	-	-	-	-
1945	日	6.61	-	-	-	-	-	-	-	-	-	-	-	-
1946	日	8.00	8.05	9.03	12.33	15.78	18.30	18.55	-	15.54	11.46	9.67	6.92	-
1947	日	7.07	6.74	9.02	10.72	14.32	15.86	18.05	17.36	16.11	11.23	9.97	7.02	11.96
1948	日	6.81	6.96	8.37	11.97	13.20	16.06	16.90	16.29	15.34	11.72	8.30	8.43	11.70
1949	日	-	-	-	-	13.68	16.10	17.42	16.82	16.06	-	-	-	-
1950	日	-	-	-	-	-	-	-	-	-	12.22	8.71	-	-
1951	日	-	6.46	7.19	9.21	12.64	14.37	16.24	16.46	13.60	12.36	8.61	7.00	-
1952	日	6.45	6.00	7.66	9.49	13.55	14.50	16.11	15.87	14.12	11.17	9.37	5.92	10.85
1953	日	6.09	6.38	8.54	9.54	12.18	14.62	16.14	15.75	12.64	11.87	8.66	7.11	10.79
平 均		6.22	6.53	8.08	10.10	12.92	15.03	16.64	16.32	14.23	11.49	8.75	7.12	11.12
最大絕對湿度(毫米)														
1939	日	-	-	-	-	-	-	-	-	-	-	15.78	8.76	-
1940	日	12.35	10.93	11.35	14.55	18.93	20.12	29.25	21.91	20.44	18.83	12.53	11.22	29.25
1941	日	16	16	31	30	11	13	17	7	8	6	4	5	17/7
1942	日	9.02	15.22	26.03	19.39	20.00	20.96	20.20	20.57	18.51	18.08	11.98	12.32	26.03
1943	日	14	20	22	19	21	30	23	1	10	21	8	8	22/3
1944	日	11.26	12.35	15.99	-	-	-	-	-	-	17.33	14.91	10.52	-
1945	日	25	5	16	-	-	-	-	-	-	6	5	2	-
1946	日	9.17	10.03	11.64	15.52	17.86	19.18	18.92	18.46	19.52	15.96	14.98	9.07	19.52
1947	日	31	16	24	30	25	27	14	17	2	13	6	1	2/9
1948	日	-	8.96	11.71	15.28	20.51	22.70	23.90	-	-	-	-	-	-
1949	日	-	26	22	25	31	7	31	-	-	-	-	-	-
1950	日	13.48	-	-	-	-	-	-	-	-	-	-	-	-
1951	日	8	-	-	-	-	-	-	-	-	-	-	-	-
1952	日	12.10	14.70	14.40	18.10	25.10	23.80	23.60	-	21.00	17.60	18.30	12.50	-
1953	日	24	19	15	30	9	23	14	-	5	2	8	10	-
1944	日	12.70	11.50	15.20	15.40	18.70	20.60	22.30	24.10	20.30	18.90	19.30	13.40	24.10
1945	日	3	2	29	20	15	25	7	28	28	4	8	7	28/8
1946	日	11.60	15.50	13.80	16.40	19.20	21.10	22.40	20.00	21.70	16.10	14.00	14.70	22.40
1947	日	12	28	16	30	6	21	28	31	2	3	30	6	28/7
1948	日	-	-	-	-	19.50	23.90	22.80	21.90	20.90	-	-	-	-
1949	日	-	-	-	-	27	26	23	4	7	-	-	-	-
1950	日	-	-	-	-	-	-	-	-	-	16.90	13.90	-	-
1951	日	-	-	-	-	-	-	-	-	-	15	2	-	-
1952	日	9.17	14.06	11.94	13.03	17.44	18.66	18.86	18.73	18.37	17.24	11.97	11.08	18.86
1953	日	30	3	26	26	31	24	30	25	7	7	20	2	30/7
1944	日	9.45	9.51	19.18	17.32	18.67	19.05	19.88	19.98	18.68	16.08	13.49	9.12	19.98
1945	日	23	24	14	4	26	30	10	21	11	9	7	1	21/8
1946	日	9.47	9.98	12.93	13.94	16.27	18.07	19.36	18.97	17.61	16.24	13.24	10.35	19.36
1947	日	24	27	25	30	25	4	18	19	5	5	9	4	18/7
極 日 年	值 期 份	13.48 8 1945	15.50 28 1948	26.03 22 1941	19.39 19 1941	25.10 9 1946	23.90 26 1949	29.25 17 1940	24.10 28 1947	21.70 2 1948	18.90 4 1947	19.30 8 1947	14.70 6 1948	29.25 17/7 1940
最小絕對湿度(毫米)														
1939	日	-	-	-	-	-	-	-	-	-	-	5.41	2.29	-
1940	日	-	-	-	-	-	-	-	-	-	-	31	4	-
1941	日	2.61	3.62	5.18	3.85	6.96	9.28	13.29	13.20	11.64	4.48	3.98	3.49	2.61
1942	日	20	2	5	3	5	1	19,23	15	13	25	30	15	20/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941	日	2.37	3.26	2.21	4.31	7.83	7.95	12.82	11.54	8.18	6.67	3.93	4.99	2.21
1942	日	18	12	18	10	27	5	1	30	29	5	17	31	18/3
1943	日	3.58	2.53	3.57	-	-	-	-	-	-	3.45	6.58	3.66	-
1943	日	29	12	10	-	-	-	-	-	-	24	29	11	-
1943	日	8	9	17	26	5	5	17	29	30	29	20	7	2.32 9/2
1944	日	-	4.51	5.33	5.88	6.61	12.10	14.00	-	-	-	-	-	-
1944	日	-	24	9	8	10	13	13	-	-	-	-	-	-
1945	日	3.14	-	-	-	-	-	-	-	-	-	-	-	-
1945	日	2	-	-	-	-	-	-	-	-	-	-	-	-
1946	日	5.40	5.20	5.80	6.70	11.10	12.40	13.00	-	8.60	7.60	5.40	4.40	-
1946	日	13	11	16	7	3	10	9	-	27,28	9	29	3	-
1947	日	4.80	3.70	6.00	7.10	10.00	12.20	14.00	12.00	10.00	7.30	6.30	2.20	2.20
1947	日	17	21	10	2	2	4	14	31	18	10	20	30	30/12
1948	日	3.90	3.90	5.30	7.50	8.00	11.00	13.20	12.70	10.60	6.80	5.70	4.90	3.90
1948	日	4,27	8,9	4	9	3	19	3	20	18	19	29	21	4*
1949	日	-	-	-	-	8.50	10.30	14.00	10.40	10.50	-	-	-	-
1949	日	-	-	-	-	5	24	22,30	31	19	-	-	-	-
1950	日	-	-	-	-	-	-	-	-	-	8.60	4.50	-	-
1950	日	-	-	-	-	-	-	-	-	-	29	30	-	-
1951	日	3.97	3.95	3.97	5.90	7.98	9.25	12.23	14.19	8.27	6.64	4.62	4.58	3.95
1951	日	24	22	2	9	2	8	4	29	25	24	23	23	22/2
1952	日	3.12	3.54	3.64	4.13	8.01	8.19	12.87	12.88	7.53	7.10	5.76	3.84	3.12
1952	日	19	12	15	14	3	14	14	18	26	31	30	4	19/1
1953	日	4.14	3.93	4.71	6.33	5.82	9.06	12.39	12.22	7.45	7.94	4.73	4.69	3.93
1953	日	10	4	8	1	7	7	5	13	24	31	18	23	4/2
極 值	日 期	2.37	2.32	2.21	3.85	5.82	7.95	11.63	10.40	7.45	3.45	3.93	2.20	2.20
日 年	份	18	9	18	3	7	5	17	31	24	24	17	30	30/12
		1941	1943	1941	1940	1953	1941	1943	1949	1953	1942	1941	1947	1947
羅 甸 $\varphi = 25^{\circ}27'N$ $\lambda = 106^{\circ}46'E$ $H = 405.0 M$														
平均 绝对湿度 (毫米)														
1946	日	8.27	8.85	10.08	15.94	18.69	21.29	22.58	22.10	20.26	14.40	11.79	7.97	15.19
1947	日	7.94	7.11	11.13	13.28	17.76	18.54	21.10	20.41	18.62	12.20	10.72	7.64	13.87
1948	日	7.19	8.17	11.00	13.04	16.28	21.35	21.99	20.19	19.32	13.78	9.03	9.46	14.23
1951	日	-	8.37	9.04	12.57	17.37	19.55	22.19	22.45	18.47	16.24	11.32	9.21	-
1952	日	7.91	8.10	10.76	14.62	19.10	20.11	22.65	21.75	19.40	14.18	12.55	6.99	14.84
1953	日	7.53	8.87	10.97	12.09	16.98	20.29	22.70	22.19	17.04	16.01	11.22	8.35	14.52
平 均		7.77	8.22	10.79	13.79	17.76	20.32	22.20	21.33	18.93	14.11	11.06	8.08	14.53
最大 绝对湿度 (毫米)														
1946	日	16.47	14.59	18.26	28.47	29.53	31.40	28.71	28.38	25.73	23.69	18.18	14.20	31.40
1946	日	1	23	26	30	5	24	16	4	1	16	3	10	24/6
1947	日	14.44	13.16	20.78	21.11	22.88	24.55	27.44	25.01	23.20	15.74	16.50	17.45	27.44
1947	日	4	3	31	3	23	13	18	6	6	6	7	8	18/7
1948	日	13.95	12.79	17.90	19.17	23.27	26.75	26.41	25.89	23.89	19.89	13.62	14.57	26.75
1948	日	22	29	12	22	23	30	28	16	13	5	6	5	30/6
1951	日	-	14.33	15.95	26.10	20.96	30.54	27.24	27.76	26.10	21.91	17.33	14.70	-
1951	日	-	23	26	28	10	26	11	8	7	5	6	21	-
1952	日	13.29	15.48	17.51	22.30	26.13	26.74	26.48	25.83	24.62	21.39	17.97	13.86	26.74
1952	日	28	14	30	11	30	30	23	4	12	20	13	1	30/6
1953	日	13.35	14.37	17.74	19.04	23.59	26.02	26.60	27.49	23.62	22.77	20.31	14.33	27.49
1953	日	25	15	26	28	22	25	15	13	5	5	7	16	13/8
極 值	日 期	16.47	15.48	20.78	28.47	29.53	31.40	28.71	28.38	26.10	23.69	20.31	17.45	31.40
日 年	份	1	14	31	30	5	24	16	4	7	16	7	8	24/6
		1946	1952	1947	1946	1946	1946	1946	1946	1951	1946	1953	1947	1946
最小 绝对湿度 (毫米)														
1946	日	4.20	3.75	4.54	5.92	10.55	10.76	19.71	17.61	12.96	9.59	6.00	5.53	3.75
1946	日	13	1	5	14	15	3	31	15	29	4	29	2,29	1/2
1947	日	5.03	3.83	6.20	9.48	12.98	13.62	17.94	15.93	13.15	9.03	5.11	3.07	3.07
1947	日	30	20	9	2	11	4	14	12	30	10	20	19	19/12
1948	日	3.47	4.13	6.42	6.83	10.35	15.26	18.07	15.91	11.46	9.05	5.70	5.76	3.47
1948	日	27	7	4	4	2	14	18	21	18	31	28	31	27/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	—	3.60	4.20	5.56	10.18	13.47	17.97	17.12	10.02	10.10	5.65	4.79	—
		—	18	2	29	19	18	1	17	27	25	22,23	15	—
1952	日	4.62	3.13	6.50	7.46	14.48	14.46	18.96	16.98	12.25	7.86	7.43	3.60	3.13
		7	18	20	12	24	1	18	18	26	11	2	3	18/2
1953	日	4.62	4.16	6.42	6.97	9.69	13.89	19.08	17.02	9.82	10.47	6.17	4.79	4.16
		7	18	29,30	2	13	1	3,4	31	30	23	19	13	18/2
極 值	日	3.47	3.13	4.20	5.56	9.69	10.76	17.94	15.91	9.82	7.86	5.11	3.07	3.07
日 期		27	18	2	29	13	3	14	21	30	11	20	19	19/12
年 份		1948	1952	1951	1951	1953	1946	1947	1948	1953	1952	1947	1947	1947
興 仁 $\varphi=25^{\circ}25'N$ $\lambda=105^{\circ}15'E$ $H=1400.0M$														
平均绝对湿度(毫米)														
1947	日	6.47	6.53	9.08	10.75	14.64	15.93	17.58	16.77	15.42	10.92	8.98	6.49	11.63
1948	日	6.22	6.61	8.32	12.22	13.54	16.58	17.40	16.47	15.18	11.12	7.70	7.91	11.61
1949	日	5.99	7.30	8.41	11.46	13.99	16.23	16.69	16.08	15.07	12.06	—	—	—
1950	日	6.75	5.65	8.76	—	—	—	16.58	15.64	14.53	12.05	8.50	5.51	—
1951	日	5.85	6.94	7.59	10.51	13.18	14.85	16.70	17.16	14.06	12.91	9.18	7.36	11.36
1952	日	6.75	6.77	8.68	10.84	14.77	15.35	17.16	16.42	14.70	11.48	10.42	6.03	11.61
1953	日	6.71	7.47	9.43	10.31	13.18	15.36	16.92	16.97	13.06	12.73	9.39	7.59	11.59
平 均		6.40	6.86	8.62	10.93	13.86	15.61	17.15	16.76	14.48	11.83	9.13	7.08	11.56
最大绝对湿度(毫米)														
1947	日	11.32	10.11	15.64	16.74	21.40	20.43	24.14	23.46	22.42	22.07	16.91	10.80	24.14
		9	28	31	29	21	15	25	6	4	4	7	2	25/7
1948	日	9.45	12.02	13.26	16.75	19.51	22.07	29.05	22.62	19.24	16.23	11.14	11.36	29.05
		21	26	16	22	22	30	21	4	6	1	25	4	21/7
1949	日	10.71	11.89	16.23	16.13	19.33	20.46	19.69	18.88	17.94	19.94	—	—	—
		29	21	19	28	9	26	20	9	7	2	—	—	—
1950	日	9.80	9.55	14.48	—	—	—	20.37	19.18	18.15	17.04	13.57	9.66	—
		12	25	18	—	—	—	15	12	25	14	3	15	—
1951	日	10.25	10.07	12.62	14.71	17.43	19.54	19.64	20.44	19.22	18.48	12.77	9.74	20.44
		9	23	26	17	15	26	31	14	2	7	16	29	14/8
1952	日	10.17	10.49	12.27	16.53	20.22	19.80	20.52	19.42	19.95	16.44	14.64	10.41	20.52
		28,29	26	30	9	23	18	9	23	11	9	12,13	1,2	9/7
1953	日	10.81	11.28	13.20	15.55	18.38	19.26	20.94	20.92	18.62	17.63	14.79	10.94	20.94
		24	16	20	30	21,22	29	1	19	4	5,6	6	2	1/7
極 值	日	11.32	12.02	16.23	16.75	21.40	22.07	29.05	23.46	22.42	22.07	16.91	11.36	29.05
日 期		9	26	19	22	21	30	21	6	4	4	7	4	21/7
年 份		1947	1948	1949	1948	1947	1948	1948	1947	1947	1947	1947	1948	1948
最小绝对湿度(毫米)														
1947	日	2.34	3.27	5.61	6.30	9.83	11.43	13.39	12.54	10.45	7.17	6.02	3.39	2.34
		4	21	21,22	1	5	2	13	16	30	11	20	19	4/1
1948	日	3.31	2.90	4.22	7.34	8.07	9.19	13.28	12.38	9.07	6.97	5.25	5.30	2.90
		28	9	9	9	3	13	20	20	17	19	16	31	9/2
1949	日	3.46	3.93	5.79	7.65	7.99	11.40	12.90	11.24	11.11	8.53	—	—	—
		14	15	25	4	6	15	30	30	26	23	—	—	—
1950	日	4.19	3.13	5.61	—	—	—	13.41	11.03	9.47	7.26	4.47	2.33	2.33
		23	17	12	—	—	—	30	16	29	6	30	17	17/12
1951	日	3.04	4.03	3.50	6.51	7.82	9.36	14.20	13.89	8.47	7.36	4.53	5.28	3.04
		13	16	2	3	19	8	24	8	30	24,25	23	19	13/1
1952	日	2.54	3.37	5.08	5.68	8.62	9.57	13.77	13.30	8.46	7.05	5.51	3.43	2.54
		19	19	16	14	3	15	15	24	26	31	2	4	19/1
1953	日	4.36	4.33	6.06	6.81	7.78	9.19	13.38	13.10	7.43	7.91	5.05	4.85	4.33
		9	21	6,30	12	7	7	5	31	30	1	19	12	21/2
極 值	日	2.34	2.90	3.50	5.68	7.78	9.19	12.90	11.03	7.43	6.97	4.47	2.33	2.33
日 期		4	9	2	14	7	13,7	30	16	30	19	30	17	17/12
年 份		1947	1948	1951	1952	1953	1948	1949	1950	1953	1948	1950	1950	1950

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
四 川 松 潘	$\varphi = 32^{\circ}39'N$ $\lambda = 103^{\circ}34'E$ $H = 2881.6 M$ 平均绝对湿度(毫米)												
1940	-	-	-	3.66	5.58	6.70	9.51	9.65	8.50	5.08	2.60	2.31	-
1941	1.94	2.35	2.93	4.13	5.52	6.75	9.92	8.27	7.33	4.63	2.91	2.19	4.91
1942	1.94	2.68	3.60	4.45	5.82	7.28	8.76	8.09	6.90	5.80	3.64	2.09	5.09
1943	1.98	2.17	2.86	4.80	6.29	7.84	8.36	8.46	7.23	5.70	3.20	1.99	5.07
1944	2.24	2.36	2.98	4.08	5.31	7.65	8.46	7.56	7.35	5.68	3.24	2.13	4.92
1945	2.03	1.99	3.13	5.24	5.10	7.47	8.89	8.89	8.12	4.84	3.02	1.97	5.06
1946	2.27	3.10	3.75	4.65	6.32	9.11	9.79	9.22	8.12	5.29	3.45	2.34	5.62
1947	2.24	2.57	3.35	4.44	6.40	7.67	9.48	8.70	8.00	5.55	2.86	2.12	5.28
1948	2.03	2.54	3.53	5.12	6.09	8.59	8.82	8.63	7.97	4.98	3.25	2.16	5.31
1949	1.88	2.61	3.40	4.68	6.37	8.40	-	(9.02)	8.97	6.43	-	-	-
1950	2.36	-	-	4.89	6.54	-	8.68	8.06	7.78	-	-	2.30	-
1951	1.98	2.56	3.06	4.29	5.72	8.11	9.43	9.59	7.21	5.36	3.34	2.24	5.24
1952	2.14	2.55	3.51	4.56	6.55	7.91	9.30	8.47	7.68	5.51	3.88	2.25	5.36
1953	2.21	2.62	3.80	4.65	6.12	7.87	9.03	9.05	7.13	5.54	3.19	2.35	5.30
平 均	2.09	2.50	3.32	4.58	5.93	7.84	9.11	8.63	7.55	5.35	3.27	2.17	5.20
最大绝对湿度(毫米)													
1940	-	-	-	6.93	12.63	10.18	14.83	14.70	13.73	9.04	5.71	4.45	-
日	-	-	-	17	27	19	14	7	16	2	4	3	-
1941	4.59	4.27	5.72	7.96	11.50	11.69	15.34	12.42	13.47	8.80	5.34	5.18	15.34
日	7	28	23	24	30	19	21	1	7	19	12	2	21/7
1942	5.01	5.51	8.60	10.16	9.69	11.16	13.95	12.97	11.60	10.96	6.00	3.78	13.95
日	22	22	19	3	28	19	31	3	13	4	5	3	31/7
1943	4.05	3.98	5.51	8.09	11.61	12.49	13.05	11.80	10.87	8.04	7.06	4.64	13.05
日	27	8	5, 20	29	2	25	29	16	22, 23	19	6	2	29/7
1944	4.00	3.87	6.86	6.73	7.90	12.73	11.78	11.04	11.00	9.56	5.48	3.81	12.73
日	24	6	24	26	19	28	29	3	25	5	6	4	28/6
1945	3.64	3.56	5.51	7.50	8.09	12.15	13.81	12.44	11.88	9.30	5.80	3.48	13.81
日	7	28	31	28	20	21	10	9	6	4	19	3	10/7
1946	4.28	5.49	6.00	7.86	8.90	14.27	13.88	13.85	13.28	9.91	6.18	4.27	14.27
日	28	20	17	30	10	29	4	10	2	1	8	11, 12	29/6
1947	4.29	4.52	5.76	7.85	9.71	13.70	13.42	12.24	10.97	8.19	5.22	3.79	13.70
日	3	27	30	29	22	20	2	29	27	1	6	9	20/6
1948	3.90	4.71	6.65	7.94	9.04	12.80	13.35	12.30	14.03	10.59	4.98	4.21	14.03
日	24	25	14	19	14	28	29	10	25	2	8	11	25/9
1949	3.68	4.71	6.36	7.18	12.06	13.66	-	(12.77)	12.96	12.27	-	-	-
日	28	24	31	21	30	28	-	12	10	2	-	-	-
1950	4.83	-	-	6.87	9.95	-	12.15	11.97	11.33	-	-	4.30	-
日	29	-	-	30	30	-	19	12	25	-	-	6	-
1951	3.66	4.68	5.83	6.46	8.59	12.73	14.30	12.43	12.13	8.66	5.52	4.46	14.30
日	11	20	13	17	12	25	6	27	7	23	4	3	6/7
1952	3.99	4.58	5.22	7.90	9.58	12.59	12.99	12.17	11.95	8.81	8.14	4.20	12.99
日	10	26	7	31	22	27	3	1	9	19	12	1	3/7
1953	3.91	4.96	5.88	6.20	10.45	11.53	12.95	11.45	10.95	8.95	5.88	4.01	12.95
日	23	24	26	27	21	21	13	29	1	4	6	1	13/7
極 值	5.01	5.51	8.60	10.16	12.63	14.27	15.34	14.70	14.03	12.27	8.14	5.18	15.34
日 期	22	22	19	3	27	29	21	7	25	2	12	2	21/7
年 份	1942	1942	1942	1942	1940	1946	1941	1940	1948	1949	1952	1941	1941
最小绝对湿度(毫米)													
1940	-	-	-	1.97	2.48	2.54	4.17	4.39	4.60	1.68	0.67	0.49	-
日	-	-	-	2, 11	1	31	1	2	30	24	25	29	-
1941	0.56	0.60	0.94	1.59	2.48	3.11	4.69	3.38	2.59	1.97	1.14	0.72	0.56
日	14	14	2	6	3	2	29	30	27	3	2	22	14/1
1942	0.60	0.73	1.86	0.24	2.74	2.33	3.67	3.49	3.83	1.40	1.65	0.65	0.24
日	8	6	18	22	19	9	8	14	18	24	26	11	22/4

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1943	日	0.41	0.65	1.34	1.32	2.99	3.85	4.29	4.15	3.02	2.00	1.32	0.72	0.41
1944	日	0.72	1.17	0.94	1.64	2.66	4.35	3.94	4.17	4.10	2.39	1.08	0.81	0.72
1945	日	0.59	0.82	1.31	3.27	2.79	3.95	4.25	4.26	4.28	2.38	1.57	0.72	0.59
1946	日	0.68	1.05	1.61	2.46	3.17	4.73	5.03	4.57	3.29	1.68	1.34	0.94	0.68
1947	日	0.66	0.67	1.53	1.98	3.35	3.61	4.91	4.04	3.36	1.86	1.02	0.74	0.66
1948	日	0.65	0.89	1.50	2.42	2.83	5.82	4.32	3.64	4.05	1.98	1.46	0.75	0.65
1949	日	0.63	1.24	1.59	2.63	2.60	5.22	-	(4.48)	5.11	4.19	-	-	-
1950	日	0.66	-	-	2.27	3.60	-	4.53	3.45	3.57	-	-	0.78	-
1951	日	0.59	0.94	1.64	1.90	2.48	3.94	5.33	3.96	3.06	2.33	1.41	0.90	0.59
1952	日	1.02	1.25	1.59	2.12	3.52	4.43	5.18	5.18	4.05	2.24	1.73	0.86	0.86
1953	日	0.81	1.11	1.95	2.04	3.09	3.34	5.11	6.12	3.81	2.42	1.33	0.95	0.81
極 值	日	0.41	0.60	0.94	0.24	2.48	2.33	3.67	3.38	2.59	1.40	0.67	0.49	0.24
年 份	年	1943	1941	1941	1942	3年	1942	1942	1941	1941	1942	1940	1940	1942
廣 元 $\varphi = 32^{\circ}26'N$ $\lambda = 105^{\circ}48'E$ $H = 484.8 M$														
平均绝对湿度(毫米)														
1942	日	4.17	4.23	7.02	8.27	10.78	13.34	17.66	16.83	13.12	10.93	7.56	(4.09)	9.83
1943	日	3.54	4.63	6.73	8.10	11.09	14.70	16.94	16.85	13.68	10.13	6.29	4.61	9.77
1944	日	-	-	-	-	-	-	18.19	15.25	12.56	9.93	6.87	3.50	-
1945	日	3.74	4.08	5.47	9.39	10.57	14.02	16.87	18.31	14.50	9.78	8.48	4.83	10.00
1946	日	4.61	5.33	5.75	9.62	11.55	14.38	17.98	17.24	14.06	10.41	6.92	4.41	10.19
1947	日	4.29	4.41	6.38	8.52	11.73	14.77	17.31	17.37	14.94	9.33	7.70	4.72	10.12
1948	日	-	-	-	-	12.60	16.08	18.54	-	-	-	-	-	-
1949	日	4.10	5.52	6.61	-	12.69	16.27	20.41	18.22	15.15	11.83	-	-	-
1951	日	-	4.46	5.71	8.43	12.18	15.48	18.64	19.37	14.89	11.81	7.52	5.18	-
1952	日	4.27	4.83	6.25	10.11	13.90	15.81	20.62	16.21	14.91	9.76	7.75	4.36	10.73
1953	日	4.51	5.29	7.34	9.24	12.55	15.49	19.10	19.98	13.67	10.66	7.30	4.86	10.83
平 均		4.16	4.69	6.42	9.04	11.74	14.64	18.07	17.54	14.13	10.14	7.43	4.55	10.21
最大绝对湿度(毫米)														
1942	日	6.99	6.15	10.17	15.16	15.93	19.27	23.18	23.34	17.83	17.19	11.97	(7.64)	23.34
1943	日	30	28	27	24	25	21	26	2	8	4	12	16	2/8
1944	日	5.95	8.69	10.14	13.69	16.36	18.58	21.85	21.83	19.54	14.58	12.69	7.25	21.85
1945	日	31	28	22	26	24	27	15	14	21	10	4	18	15/7
1946	日	-	-	-	-	-	-	23.18	20.97	19.32	18.17	11.14	5.92	-
1947	日	-	-	-	-	-	-	28	7	26	4	1	11	-
1948	日	6.62	6.26	9.91	15.33	16.55	20.14	21.71	22.20	18.03	14.03	12.53	7.30	22.20
1949	日	31	23	31	27	18	19	9	25	4	22	9	15	25/8
1946	日	7.61	9.10	8.68	16.23	17.06	28.85	26.71	22.62	21.02	15.49	11.65	6.31	28.85
1947	日	27	22	31	27	30	14	16	22	11	1,25	5	13	14/6
1947	日	6.14	7.25	11.62	15.90	17.01	22.85	23.24	22.14	21.35	11.90	12.40	7.97	23.24
1948	日	4	28	30	21	18	25	28	1	4	3	5	8	28/7
1949	日	-	-	-	-	17.67	21.97	22.81	-	-	-	-	-	-
1951	日	-	-	-	-	29	29	15	-	-	-	-	-	-
1952	日	7.70	9.03	8.98	-	16.22	20.49	25.26	23.92	20.26	16.85	-	-	-
1953	日	30	21	11	-	10	28	23	2	1	1	-	-	-
1954	日	-	7.15	8.81	12.80	17.67	24.46	24.08	26.24	22.20	19.54	12.07	7.42	-
1955	日	-	1	25	26	14	22	19	14	5	1	1	23	-
1956	日	6.86	8.34	10.31	18.26	17.99	22.45	26.18	23.96	21.12	14.92	11.73	6.50	26.18
1957	日	28	13	16	30	12	28	29	11	9	2	5	22	29/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	6.68 9	7.93 28	11.58 25	15.20 27	17.46 28	25.51 21	25.44 17	23.79 26	19.83 1	14.48 17	12.14 7	7.31 14.15	25.51 21/6
極 植	日 期	7.70 30	9.10 22	11.62 30	18.26 30	17.99 12	28.85 14	26.71 16	26.24 14	22.20 5	19.54 1	12.69 4	7.97 8	28.85 14/6
年 份		1949	1946	1947	1952	1952	1946	1946	1951	1951	1951	1943	1947	1946
最小绝对湿度(毫米)														
1942	日	1.98 10	2.41 10	4.08 30	3.17 5	5.58 19	6.03 8	10.64 4	8.56 27	7.71 23	4.26 23	1.35 3	(1.56) 25	1.35 3/11
1943	日	1.45 6	0.27 6	3.88 6	1.05 7	5.63 4	9.75 3	10.56 17	9.07 26	8.12 27	6.16 20	1.77 18	1.96 3	0.27 6/2
1944	日	—	—	—	—	—	—	11.52 14	8.39 10	8.89 29	6.00 28	4.22 8	1.73 6	—
1945	日	1.74 14	1.01 8	1.78 6	6.01 6	5.91 10	7.46 1	11.39 30	12.58 2	9.29 30	3.60 1	3.11 28	1.49 17	1.01 8/2
1946	日	2.01 3	2.31 1	2.82 19	5.12 7	4.52 1	6.31 1	9.97 7	10.61 12	9.01 29	4.81 26	2.27 27	1.87 1	1.87 1/12
1947	日	2.16 29	1.50 20	2.66 20	3.76 3	6.80 4	7.65 10	11.87 5	11.10 19	7.05 29	5.73 9	3.14 23	1.60 10	1.50 20/2
1948	日	—	—	—	—	5.64 7	10.98 13	12.27 19	—	—	—	—	—	—
1949	日	1.57 7	2.31 1	2.86 5	—	8.30 21	9.92 14	13.28 8	9.30 25	9.57 25	7.15 30	—	—	—
1951	日	—	1.82 28	2.00 2	4.68 10	6.80 3	8.51 3	13.24 4	12.65 16	10.47 20	6.46 22	2.01 21	2.24 13	—
1952	日	1.49 6	1.29 18	2.59 18	4.20 12	8.86 3	8.03 9	14.20 12	10.87 24	6.19 25	4.89 10	4.10 20	1.52 2	1.29 18/2
1953	日	2.48 11	2.62 17	4.18 2	4.04 11	5.02 22	5.93 6	12.74 21	11.28 19,20	7.77 27	4.30 19	2.61 18	2.80 27	2.48 11/1
極 植	日 期	1.45 6	0.27 6	1.77 6	1.05 7	4.52 1	5.93 6	9.97 7	8.39 10	6.19 25	3.60 1	1.35 3	1.49 17	0.27 6/2
年 份		1943	1943	1945	1943	1946	1953	1946	1944	1952	1945	1942	1945	1943
平 武 $\phi = 32^{\circ}25'N$ $\lambda = 104^{\circ}35'E$ $H = 876.6 M$														
平均绝对湿度(毫米)														
1945	—	—	—	—	—	—	14.64	16.31	16.83	14.01	9.59	8.42	5.87	—
1946	—	5.28	6.74	10.26	12.63	14.26	16.99	17.70	15.31	11.87	7.80	4.86	—	—
1947	4.21	4.30	6.91	8.86	12.46	13.68	17.97	15.55	14.17	9.15	8.04	4.98	10.02	—
1948	4.25	4.31	6.19	10.88	11.13	15.53	17.11	17.63	15.47	10.78	7.24	5.71	10.52	—
1949	4.35	5.86	6.75	9.07	12.18	15.53	18.75	17.10	15.40	11.36	7.56	5.21	10.76	—
1950	—	—	—	—	—	—	14.24	17.49	16.70	13.73	10.72	7.25	4.46	—
1951	—	—	—	—	—	—	—	—	—	—	—	7.78	5.24	—
1952	4.29	4.83	6.22	9.31	12.94	14.37	17.51	15.48	13.99	9.55	7.86	4.22	10.05	—
1953	4.48	5.14	7.05	8.97	11.86	14.49	17.53	18.49	13.28	10.62	7.17	5.13	10.35	—
平 均	4.32	4.89	6.62	9.42	12.11	14.72	17.77	16.85	14.46	10.29	7.57	5.05	10.34	—
最大绝对湿度(毫米)														
1945	—	—	—	—	—	—	25.48	20.16	20.62	18.19	16.30	11.04	11.87	25.48
1946	—	7.32	11.81	16.56	16.96	19.59	22.73	22.61	20.04	15.81	11.84	8.31	—	25/6
1947	—	1	11	30	7	26	25	6	18	3	6	4	—	—
1948	5.03	8.38	9.97	13.24	20.13	19.14	22.28	21.31	19.08	11.43	11.59	7.95	22.28	—
1949	15	28	31	22	27	29	30	5	27	1	6	7	30/7	—
1948	6.31	6.93	10.43	15.81	15.43	22.82	21.43	23.97	18.96	15.40	9.71	7.88	23.97	—
1949	6	27	31	29	30	28	29	11	7	6	5	7	11/8	—
1949	8.10	8.30	7.83	12.79	18.05	20.16	24.60	22.10	19.91	16.30	10.61	7.74	24.60	—
1950	—	—	—	—	—	—	19.56	21.39	21.44	19.92	14.09	11.52	6.19	—
1951	—	—	—	—	—	—	26	26	16	24	14	2	14	—
1952	—	—	—	—	—	—	—	—	—	—	—	11.39	7.03	—
1952	5.73	7.49	9.10	14.59	15.98	20.05	22.49	20.31	18.98	12.88	11.66	7.56	22.49	—
日	23	14	17	27	11	28	29	1	10	1	12	1	29/7	—

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 日	6.15 10	6.77 26	10.28 26	12.87 27	16.26 21	21.12 21	22.03 13	22.85 13	18.16 1	13.54 6	10.93 8	7.82 1	22.85 13/8
極 值 日 期 年 份	8.10 1 1949	8.38 28 1947	11.81 11 1946	16.56 30 1946	20.13 27 1947	25.48 25 1945	24.60 25 1949	23.97 11 1948	20.04 18 1946	16.30 10,4 1945	11.84 6 1945	11.87 13 1945	25.48 25/6 1945
最小绝对湿度(毫米)													
1945 日	-	-	-	-	-	9.38 26	11.01 19	11.44 1	9.77 15	5.69 1	3.65 29	2.06 11	-
1946 日	-	3.15 11	3.53 19	6.69 3	7.33 2	9.02 3	11.28 10	10.69 30	11.51 29	6.26 31	3.20 28	3.03 1	-
1947 日	2.86 22	2.51 23	3.73 4	5.24 16	8.08 11	9.16 4	14.45 16	11.07 20	9.91 30	6.45 11	4.46 24	2.23 20	2.23 20/12
1948 日	2.14 27	2.76 5	3.55 6	7.23 3	6.61 7	11.11 16	11.60 3	11.77 19	10.90 2	6.56 28	4.81 17	3.76 14	2.14 27/1
1949 日	1.92 17	2.90 9	4.22 5	4.93 3	7.61 10	10.76 16	12.74 9	11.72 29,30	10.14 26	8.42 22	4.99 23	3.67 23	1.92 17/1
1950 日	-	-	-	-	-	10.88 7	13.57 5	11.41 23	9.42 29	8.35 10	3.60 5	2.73 20	-
1951 日	-	-	-	-	-	-	-	-	-	-	2.96 21	3.73 15	-
1952 日	2.10 8	2.34 18	3.24 18	4.51 11	9.73 5	9.72 1,2	12.27 17	10.89 31	10.16 28	5.72 22	4.01 20	2.11 2	2.10 8/1
1953 日	2.81 13	3.26 17	4.34 4	5.06 11	6.90 6	9.91 11	12.37 3,4	13.12 20	10.02 28	6.42 31	4.32 17,18	3.46 23	2.81 13/1
極 值 日 期 年 份	1.92 17 1949	2.34 18 1952	3.24 18 1952	4.51 11 1952	6.61 7 1948	9.02 3 1946	11.01 19 1945	10.69 30 1946	9.42 29 1950	5.69 1 1945	2.96 21 1951	2.06 11 1945	1.92 17/1 1949
甘 孜													
$\varphi=31^{\circ}38'N$ $\lambda=99^{\circ}59'E$ $H=3320.0M$													
平均绝对湿度(毫米)													
1951	1.67	1.74	2.48	3.45	4.59	8.03	9.69	9.84	7.24	4.85	2.92	1.88	4.87
1952	1.49	1.93	2.47	4.02	5.70	7.69	8.39	8.05	7.40	5.35	2.77	1.64	4.74
1953	1.80	2.09	3.19	4.11	5.55	7.45	8.59	8.52	7.10	4.86	2.60	1.93	4.63
平 均	1.65	1.92	2.71	3.86	5.28	7.72	8.89	8.80	7.25	5.02	2.83	1.82	4.81
最大绝对湿度(毫米)													
1951 日	4.45 19	3.31 13	5.33 28	5.28 21	7.69 16	11.76 27	12.63 29	21.13 26	12.04 9	9.67 11	5.98 3	3.91 7	21.13 26/8
1952 日	3.38 20	5.12 22	4.96 29	6.85 28	8.30 30	12.27 29	13.55 1	10.53 2	10.59 9	8.25 18	5.02 3	3.87 29	13.55 1/7
1953 日	3.64 2,3	5.47 12	5.07 19	6.33 20	8.29 28	11.70 28	11.60 17	11.29 28	9.98 5	8.14 1,2	4.90 5	4.05 4	11.70 28/6
極 值 日 期 年 份	4.45 19 1951	5.47 12 1953	5.33 28 1951	6.85 28 1952	8.30 30 1952	12.27 29 1952	13.55 1 1952	21.13 26 1951	12.04 9 1951	9.67 11 1951	5.98 3 1951	4.05 4 1953	21.13 26/8 1951
最小绝对湿度(毫米)													
1951 日	0.54 23	0.33 5	0.55 14	0.85 13	1.76 1	3.95 1	7.05 22	5.97 22	3.15 29	1.90 27	1.08 19	0.93 21	0.33 5/2
1952 日	0.53 30	0.90 19	0.59 21	1.16 13	2.50 4	4.56 14	5.41 14	4.91 18	4.12 25	1.54 30	1.04 19	0.69 12	0.53 30/1
1953 日	0.60 26	0.78 3,4	1.22 10	1.30 2	2.55 7	2.79 6	5.80 8	5.79 11	4.38 13	2.02 27	1.05 22	0.78 16	0.60 26/1
極 值 日 期 年 份	0.53 30 1952	0.33 5 1951	0.55 14 1951	0.85 13 1951	1.76 1 1951	2.79 6 1953	5.41 14 1952	4.91 18 1952	3.15 29 1951	1.54 30 1952	1.04 19 1952	0.69 12 1952	0.33 5/2 1951

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
達 縣 $\varphi=31^{\circ}16'N$ $\lambda=107^{\circ}28'E$ $H=296.5 M$ 平均绝对湿度(毫米)														
1942		6.89	5.96	9.84	12.35	16.70	18.66	21.68	23.13	17.50	14.69	11.03	7.62	13.84
1943		6.73	7.28	10.03	12.60	17.07	18.55	21.13	20.44	17.71	13.36	9.45	7.40	13.48
1944		6.27	6.40	8.29	10.24	12.57	17.04	20.63	16.82	16.04	11.98	9.25	4.99	11.71
1945		5.40	5.23	7.63	11.89	14.02	—	—	20.85	17.13	11.75	10.71	6.89	—
1946		6.75	7.25	7.43	12.46	15.70	19.67	22.38	21.51	18.70	13.24	9.91	6.61	13.47
1947		6.38	6.32	8.68	11.74	15.17	19.32	22.72	21.29	18.21	11.88	10.29	6.68	13.22
1948		6.13	6.92	9.15	12.68	14.43	19.24	22.54	22.28	18.08	12.80	8.82	7.72	13.40
1949		6.07	7.63	8.42	11.44	15.99	19.31	23.39	21.43	19.90	14.10	—	—	—
1950		—	6.39	9.15	11.93	15.49	17.95	22.16	20.86	16.49	13.19	9.32	6.82	—
1951		5.95	6.73	8.09	11.37	—	19.23	22.90	23.34	17.17	14.33	9.70	7.12	—
1952		6.45	6.52	8.27	12.85	16.79	19.53	24.18	20.15	18.06	12.48	10.22	6.45	13.50
1953		6.08	7.06	9.20	11.38	15.60	18.99	23.15	23.34	16.80	13.16	9.66	7.45	13.49
平 均		6.46	6.71	8.86	12.04	15.50	18.88	22.30	21.12	17.64	12.95	9.83	6.87	13.26
最大绝对湿度(毫米)														
1942		9.76	11.64	15.33	25.00	26.85	33.41	36.58	38.04	27.69	22.89	17.70	11.52	38.04
日		29	1	25	25	10	23	29	1	2	5	8	10	1/8
1943		9.09	13.82	16.94	20.43	24.53	25.37	28.03	27.01	27.18	21.16	16.46	11.81	28.03
日		1	24	18	23	13	10	22	14	18	2	1	11	22/7
1944		9.04	9.85	13.08	13.60	17.82	21.88	25.96	22.78	22.13	19.52	12.73	8.99	25.96
日		8	24	21	25	31	29	15	8	2	13	2	23	15/7
1945		7.22	9.31	13.42	17.44	20.52	—	—	24.31	28.39	15.11	17.25	9.96	—
日		23	28	31	1	17	—	—	11	3	16	10	15	—
1946		9.62	10.96	12.02	19.82	23.91	29.18	30.52	28.99	25.77	21.39	13.98	8.83	30.52
日		26	24	31	25	30	27	21	7	10	1	4	10	21/7
1947		9.42	10.62	16.03	17.62	23.56	25.91	29.37	29.24	23.88	14.91	15.23	10.87	29.37
日		9	27	31	18	17	29	29	1	5	6	7	8	29/7
1948		9.31	10.27	14.30	19.51	20.29	28.45	27.57	27.01	25.12	18.59	12.51	10.69	28.45
日		5	28	9,10	30	30	29	15	9	8	8	2	13	29/6
1949		9.38	11.49	12.27	17.62	22.13	23.83	28.61	28.10	26.62	19.88	—	—	—
日		30	22	29	20	21	30	12	21	10	8	—	—	—
1950		—	11.36	13.37	18.13	20.82	26.31	27.68	25.58	22.37	18.57	13.95	8.55	—
日		—	5	27	15	18	30	16	20	3	19	1	14	—
1951		8.59	10.44	11.14	15.76	—	27.28	28.63	29.33	25.34	20.18	15.35	9.45	—
日		5	22	26	26	—	24	24	6	4	18	4	25	—
1952		9.74	10.47	12.61	20.21	20.88	24.50	30.85	25.85	26.56	17.64	14.62	10.00	30.85
日		28	13	23	30	2	28	16	12	10	2	11	1	16/7
1953		8.48	10.21	13.71	18.85	21.00	25.71	28.60	27.33	21.88	17.13	15.44	11.05	28.60
日		11	28	25	27	21	25	17	16	4,5	17	7	1	17/7
極 值		9.76	13.82	16.94	25.00	26.85	33.41	36.58	38.04	28.39	22.89	17.70	11.81	38.04
日 期		29	24	18	25	10	23	29	1	3	5	8	11	1/8
年 份		1942	1943	1943	1942	1942	1942	1942	1942	1945	1942	1942	1943	1942
最小绝对湿度(毫米)														
1942		3.70	3.01	4.96	6.65	10.15	13.06	15.72	14.58	10.25	7.74	6.96	4.65	3.01
日		10	24	18	25	17	2	4	13	22	24	29,30	27	24/2
1943		4.78	4.78	5.55	5.73	11.44	13.61	16.60	13.74	11.53	10.38	5.71	4.20	4.20
日		10	9	6	7	4	10	16,21	13	27,29	25	19	3	3/12
1944		4.77	4.33	4.49	7.15	7.19	11.98	15.21	12.21	12.07	4.00	6.15	2.88	2.88
日		17	5	10	8	8	2	6	13	4	1	30	16	16/12
1945		3.39	3.54	4.14	6.52	9.89	—	—	17.91	13.47	4.41	5.55	3.17	—
日		15	7	5	7	1	—	—	6	8	2	29	17	—
1946		3.38	4.23	4.83	6.19	10.63	13.42	15.46	16.72	10.49	8.92	5.43	4.33	3.38
日		3	1	18	19	2	2	6	27	26	31	28	1	3/1
1947		3.78	3.84	4.48	8.03	10.63	14.10	17.38	15.91	10.32	8.78	5.10	3.02	3.02
日		29	19	21	7	2	1	1	20	30	30	23	18	18/12
1948		3.25	4.19	5.81	6.63	7.82	11.29	16.12	13.68	12.44	7.49	5.45	4.37	3.25
日		25	9	17	8	7	13	18	18	19	29	29	24	25/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1949	日	3.21	4.82	5.10	5.66	10.40	15.81	18.79	14.69	12.65	9.68	-	-	-
	7	7	10	21	18	4	9	27	25	25	22	-	-	-
1950	日	-	2.56	5.24	6.56	9.07	11.18	17.42	15.08	11.92	9.69	4.45	4.01	2.56
	-	20	9	5	1	8	9	25	29	30	29	18	20/2	-
1951	日	3.74	4.49	4.41	7.23	-	10.10	16.66	15.57	11.27	9.10	4.89	4.29	-
	-	4	-	1	-	17	12	16	20	21	23	30	-	-
1952	日	3.21	3.43	5.25	6.91	12.40	11.93	18.12	15.45	9.76	7.60	6.36	3.68	3.21
	7	18	18	11	18	12	12	27	25	10	20	2	7/1	-
1953	日	4.27	5.32	5.54	6.96	7.56	10.63	18.25	16.47	12.33	8.25	5.69	4.71	4.27
	18	8	27.28	11	12.13	7	3	31	15	31	18	5	18/1	-
極 值	3.21	2.56	4.14	5.66	7.19	10.10	15.21	12.21	9.76	4.00	4.45	2.88	2.56	-
日 期	7	20	5	18	8	17	6	13	25	1	29	16	20/2	-
年 份	1949	1950	1945	1949	1944	1951	1944	1944	1952	1944	1950	1944	1950	-
	1952													-
南 充 $\varphi=30^{\circ}48'N$ $\lambda=106^{\circ}04'E$ $H=296.0M$														
平均绝对湿度(毫米)														
1945	日	6.74	6.62	9.00	13.99	16.71	21.09	23.87	22.52	19.50	13.53	12.18	8.08	14.49
1946	日	8.14	8.87	9.26	14.64	17.12	20.90	24.20	23.75	20.21	14.29	10.17	-	-
1951	日	-	6.80	7.96	11.00	16.25	-	22.07	22.64	17.29	14.54	9.63	7.49	-
1952	日	6.63	6.92	8.43	12.42	16.15	18.99	23.51	19.22	17.86	12.23	10.61	6.50	13.29
1953	日	6.46	7.43	9.72	11.79	15.23	19.17	22.49	22.73	16.47	13.34	9.69	7.46	13.50
平 均		6.61	6.99	9.05	12.73	16.03	19.75	23.29	21.49	17.94	13.03	10.83	7.35	13.76
最大绝对湿度(毫米)														
1945	日	9.58	10.98	14.98	19.71	23.56	27.34	36.21	31.16	24.20	16.89	16.39	11.21	36.21
	23	28	31	17	31	10	2	9	25	11	16	15	2/7	-
1946	日	11.51	13.30	13.19	21.96	24.24	27.29	30.13	28.65	27.54	22.47	14.75	-	-
	27	22	30	22	30	22	23	9	10	1	3	-	-	-
1951	日	-	9.24	10.79	15.00	24.68	-	27.13	28.01	25.74	19.60	13.83	9.62	-
	-	2.3	31	26	26	-	21	29	1	9	4	10	-	-
1952	日	10.31	11.20	13.06	19.38	21.50	25.41	30.54	25.83	25.36	18.15	15.05	10.23	30.54
	29	13	23	17	29	24	4	1	9	2	12	1	4/7	-
1953	日	9.00	9.96	13.48	18.07	21.16	27.00	29.90	28.18	23.51	16.88	13.94	10.47	29.90
	12	28	24	28	27	16	13	2	18	6	1	16/7	-	-
極 值	11.51	13.30	14.98	21.96	24.68	27.34	36.21	31.16	27.54	22.47	16.39	11.21	36.21	-
日 期	27	22	31	22	26	10	2	9	10	1	16	15	2/7	-
年 份	1946	1946	1945	1946	1951	1945	1945	1945	1946	1946	1945	1945	1945	-
最小绝对湿度(毫米)														
1945	日	4.10	4.58	4.42	8.49	9.32	12.91	17.52	13.44	14.54	7.99	6.62	5.05	4.10
	15	13	5	6	4	5	11	2	11	2	30	26	15/1	-
1946	日	5.28	5.68	6.32	9.29	11.41	14.49	16.75	17.63	14.96	8.53	4.76	-	-
	3	3	12	15	2	1	6	28	28	26	27	-	-	-
1951	日	-	4.54	3.68	6.92	9.35	-	15.23	15.57	12.10	9.23	4.21	4.90	-
	-	28	6	3	5	-	4	17	26	22	22	31	-	-
1952	日	3.22	3.60	4.08	5.89	10.19	14.45	16.50	12.79	9.12	6.02	6.76	4.00	3.22
	6	18	19	11	3	5	12	26	25	11	20	2	6/1	-
1953	日	4.61	5.56	6.11	7.47	8.13	9.45	15.42	15.12	11.96	7.47	5.19	4.89	4.61
	6	8	27	11	12	6	22	20	27	19	18	24	6/1	-
日 期	3.22	3.60	3.68	5.89	8.13	9.45	15.23	12.79	9.12	6.02	4.21	4.00	3.22	-
年 份	6	18	6	11	12	6	4	26	25	11	22	2	6/1	-
	1952	1952	1951	1952	1953	1953	1951	1952	1952	1952	1951	1952	1952	-
成都川大 $\varphi=30^{\circ}41'N$ $\lambda=104^{\circ}12'E$ $H=503.1M$														
平均绝对湿度(毫米)														
1932	日	-	-	-	-	-	-	-	20.67	15.67	11.60	9.03	5.97	-
1933	日	4.79	7.52	7.68	10.39	13.52	17.92	21.10	20.75	16.39	11.61	9.04	7.67	12.37
1934	日	4.99	6.49	7.88	9.87	14.97	16.68	20.47	20.02	16.36	11.12	7.77	6.99	11.97
1935	日	5.17	6.93	8.80	10.55	13.53	17.05	20.74	20.46	15.58	12.54	8.65	5.10	12.09
1936	日	5.08	6.35	6.91	10.89	13.34	16.76	20.37	19.25	15.39	11.38	8.48	5.83	11.67

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1937	5.21	6.68	7.78	10.54	14.07	17.89	20.82	21.16	16.51	12.37	7.48	6.75	12.27
1938	5.80	6.08	8.40	12.00	15.08	16.93	20.34	20.59	15.71	13.21	9.58	6.90	12.55
1939	6.08	7.21	8.32	10.34	14.37	17.90	20.54	20.67	15.88	12.57	8.53	6.80	12.43
1940	6.27	5.43	8.34	10.12	14.74	17.29	22.07	19.88	16.30	13.44	9.39	7.94	12.68
1941	6.73	7.67	9.01	11.62	15.29	18.64	21.64	20.52	15.79	13.42	8.91	7.45	13.06
1942	6.50	6.41	-	11.13	14.84	-	-	-	15.75	13.47	-	-	-
平 均	5.57	6.82	8.12	10.70	14.32	17.45	20.90	20.37	15.99	12.41	8.65	6.83	12.34
最大绝对湿度(毫米)													
1932	-	-	-	-	-	-	-	28.36	19.89	15.38	12.64	8.11	-
日	-	-	-	-	-	-	-	14	14	1	6	3	-
1933	6.14	9.07	13.83	14.64	18.12	21.88	27.19	26.90	20.20	16.63	11.58	10.07	27.19
日	11	28	20	30	30	23	17	8	23	3	1	5	17/7
1934	6.73	8.79	13.01	15.63	18.93	23.69	25.46	28.04	21.59	15.33	11.53	9.27	28.04
日	4	23	27	23	31	28	16	24	7	12	6	14	24/8
1935	6.92	9.10	12.95	14.37	17.49	24.86	25.23	24.74	22.65	15.39	14.61	7.21	25.23
日	2	19	17	28	23	27	29	20	24	2	3	1	29/7
1936	7.58	8.48	10.33	18.94	17.88	24.64	24.88	29.03	21.07	15.00	12.93	9.94	29.03
日	20	23	28	25	23	30	10	30	3	4	2	14	30/8
1937	7.73	9.46	11.92	15.07	19.88	23.97	26.98	25.87	24.39	17.28	11.82	9.10	26.98
日	30	4	8	12	25	25	24	10	5	10	4	7	24/7
1938	7.39	10.54	12.78	19.72	22.87	22.60	24.74	25.38	20.91	18.99	13.12	9.31	25.38
日	31	26	4	21	30	26	27	24	1	8	4	17	24/8
1939	7.94	8.93	15.40	14.69	19.69	24.36	25.45	24.49	22.06	18.26	12.00	9.64	25.45
日	30	28	31	21	30	25	17	24	2	12	7	8	17/7
1940	9.23	9.90	12.74	16.20	21.16	25.17	28.57	25.27	20.62	19.35	17.05	10.98	28.57
日	9	18	30	30	29	29	14	3	13	16	4	6	14/7
1941	9.25	11.51	13.84	18.70	25.62	27.44	29.03	26.09	21.40	18.29	13.83	10.05	29.03
日	15	26	22	23	23	9	10	14	7	6	18	26	10/7
1942	10.05	10.51	-	16.42	20.93	-	-	-	22.72	21.41	-	-	-
日	31	24	-	24	26	-	-	-	14	5	-	-	-
極 值	10.05	11.51	15.40	19.72	25.62	27.44	29.03	29.03	24.39	21.41	17.05	10.93	29.03
日 期	31	26	31	21	23	9	10	30	5	5	4	6	30/8, 30/7
年 份	1942	1941	1939	1938	1941	1941	1941	1936	1937	1942	1940	1940	1936
最小绝对湿度(毫米)													
1932	-	-	-	-	-	-	-	14.07	10.32	8.52	4.84	3.27	-
日	-	-	-	-	-	-	-	31	27	18	28	12	-
1933	2.87	5.23	4.44	6.39	6.46	13.74	16.55	14.65	11.76	6.45	5.70	4.60	2.87
日	14	16	10	7	2	6	3	31	26	22	18	23	14/1
1934	3.09	3.72	3.76	5.59	8.87	11.85	13.75	16.26	12.45	7.51	4.16	4.43	3.09
日	19	1	20	14	1	15	22	19	30	25	27	5	19/1
1935	2.47	3.83	4.87	7.81	9.70	12.20	16.37	15.98	11.23	9.16	5.37	2.89	2.47
日	15	6	20	1	18	3	3	16	13	26	16	21	15/1
1936	3.08	4.22	4.47	6.71	7.82	11.35	15.95	12.66	10.80	6.33	4.57	2.83	2.83
日	2	7	1	8	31	9	1	18	27	28	6	2	2/12
1937	2.54	4.54	3.30	7.09	10.67	11.37	16.18	17.73	13.21	7.77	3.71	3.75	2.54
日	8	23	24	13	7	1	19	30	26	30	23	18	8/1
1938	4.35	3.20	4.48	7.36	10.54	11.93	16.16	17.24	11.73	8.49	6.90	4.17	3.20
日	9	16	9	23	21	2	13	1	9	29	30	23	16/2
1939	4.33	5.55	5.76	5.67	8.76	11.92	15.89	15.86	10.32	7.50	4.71	4.67	4.33
日	4	12	24	5	10	3	1	17	26	29	29	29	4/1
1940	3.50	3.76	5.20	6.61	8.43	9.82	16.10	12.86	11.50	7.50	5.05	4.65	3.50
日	23	1	3	2	5	3	1	31	21	25	30	30	23/1
1941	4.37	4.90	5.77	5.13	10.35	11.84	15.92	13.16	10.88	6.66	5.81	4.98	4.37
日	24	5	14	5	3	3	25	6	17	27	19	14	24/1
1942	3.92	3.94	-	4.83	11.03	-	-	-	8.16	6.50	-	-	-
日	8	15	-	4	19	-	-	-	29	23	-	-	-
極 值	2.47	3.20	3.30	4.83	6.46	9.82	13.75	12.66	8.16	6.33	3.71	2.83	2.47
日 期	15	16	24	4	2	3	22	18	29	28	23	2	15/1
年 份	1935	1938	1937	1942	1933	1940	1934	1936	1942	1936	1937	1936	1935
成 都 $\varphi = 30^{\circ}40'N$ $\lambda = 104^{\circ}04'E$ $H = 497.9 M$													
平均绝对湿度(毫米)													
1941	5.95	6.80	8.79	10.55	13.80	18.84	22.32	21.35	15.76	13.23	8.91	7.43	12.81

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942		6.30	6.28	9.74	11.51	15.32	17.92	23.20	21.19	16.93	13.99	10.03	6.50	13.24
1943		5.52	6.17	8.78	10.93	14.22	17.21	21.07	20.65	16.59	12.47	8.65	6.63	12.41
1944		5.93	6.44	8.53	11.02	12.99	17.74	21.84	19.88	16.57	12.40	8.41	4.91	12.22
1945		5.52	5.20	7.74	12.14	13.84	18.61	21.49	20.65	18.46	12.22	11.06	6.75	12.81
1946		6.67	7.85	7.74	12.36	15.06	18.52	21.76	21.49	17.43	12.80	9.42	6.60	13.14
1947		6.14	6.45	9.03	11.52	15.51	18.01	21.46	21.04	18.05	11.63	10.20	6.63	12.97
1948		6.08	6.61	8.74	12.85	13.81	18.46	20.85	20.71	17.69	12.30	8.57	7.12	12.82
1949		5.67	7.39	8.39	11.12	15.10	18.21	22.69	20.08	17.38	13.23	8.90	6.56	12.89
1950		6.94	5.94	8.93	10.83	14.95	10.99	21.88	20.28	16.17	12.34	8.80	5.70	11.98
1951		5.69	6.40	7.45	10.40	14.78	18.16	20.59	21.29	16.46	13.71	9.11	6.89	12.58
1952		5.80	6.25	7.97	11.92	15.67	18.12	21.71	18.00	16.30	11.87	9.78	5.49	12.41
1953		5.78	6.81	8.86	10.72	14.38	18.03	20.83	21.99	15.77	12.60	8.99	6.72	12.62
平 均		6.00	6.51	8.51	11.37	14.57	17.60	21.67	20.66	16.89	12.68	9.29	6.46	12.68
最大绝对湿度(毫米)														
1941	日	8.72	11.01	20.73	18.04	21.47	29.71	30.22	37.35	23.02	18.68	13.69	11.04	37.35
	6	26	22	23	23	2	8	9	26	7	18	8		9/8
1942	日	10.57	11.23	13.82	16.49	22.54	29.93	40.19	37.42	31.86	21.32	14.87	10.24	40.19
	31	7	28	24	28	21	20	3	14	6	13	19		20/7
1943	日	7.91	10.02	13.24	19.80	19.84	22.49	27.75	26.40	22.96	15.52	15.67	9.98	27.75
	23	27	23	25	30	26	27	15	22	10	2	17		27/7
1944	日	7.38	9.03	12.42	16.46	20.87	24.71	26.83	27.07	22.20	15.78	12.44	6.81	27.07
	3	28	31	30	31	10	23	3	25	8	2	5		3/8
1945	日	7.33	8.17	15.26	17.54	22.20	24.96	26.81	27.08	27.41	17.24	14.80	13.69	27.41
	31	26	31	18	18	21	25	14	22	1	13	8		22/9
1946	日	10.29	15.97	11.29	18.92	21.39	25.11	26.70	28.96	23.42	18.69	13.55	8.41	28.96
	24	25	31	29	29	23	23	8	11	1	4	6		8/8
1947	日	8.38	9.55	14.09	18.12	22.61	25.16	29.27	26.48	24.76	15.74	15.00	10.31	29.27
	5	28	31	20, 21	22	28	24	29	27	9	3	7		24/7
1948	日	8.83	9.61	12.12	18.84	22.33	25.69	26.05	26.75	22.19	16.61	11.43	9.66	26.75
	10	28	31	30	30	29	14	11	10	3	5	7		11/8
1949	日	8.48	10.49	11.49	16.49	21.52	23.71	28.11	26.20	23.93	19.49	12.73	9.58	28.11
	31	20	20	27	25	30	26	2	1	6	11	1		26/7
1950	日	9.65	8.70	11.38	15.84	21.36	22.36	28.04	26.57	22.95	15.44	13.15	7.47	28.04
1951	日	8.48	8.89	10.06	14.05	20.47	24.31	25.27	27.69	25.44	18.69	13.08	8.96	27.69
	4	2	26	30	25	27	20	14	5	10	4	3		14/8
1952	日	8.29	9.86	11.23	18.44	19.48	23.79	27.80	23.55	22.72	16.95	14.38	9.00	27.80
	29	14	17	10, 30	17	28	29	1	9	1	11	1		29/7
1953	日	7.59	9.72	12.25	16.03	20.29	26.36	26.71	25.67	22.08	16.10	13.57	9.91	26.71
	10	28	25	27	28	22	16, 17	13	1	6	8	1		16, 17/7
極 值	10.57	15.97	20.73	19.80	22.61	29.93	40.19	37.42	31.86	21.32	15.67	13.69	40.19	
日 期	31	25	22	25	22	21	20	3	14	6	2	8	20/7	
年 份	1942	1946	1941	1943	1947	1942	1942	1942	1942	1942	1943	1945	1942	
最小绝对湿度(毫米)														
1941	日	3.01	2.24	4.68	3.10	8.36	10.31	16.31	11.80	11.36	5.48	5.43	4.61	2.24
	23	14	12	14	2	3	25	7	13	27	29	16		14/2
1942	日	3.49	3.44	6.23	7.15	7.73	10.06	15.93	14.13	12.38	6.37	6.10	3.53	3.44
	11	16	9	27	10	14	5	26	24	23	29	30		16/2
1943	日	3.18	2.16	5.08	3.50	7.94	11.91	13.59	15.66	10.27	8.75	3.77	3.65	2.16
	11	7	5	7	5	7	4	4	30	26	20	3		7/2
1944	日	3.33	3.06	3.67	7.25	7.66	12.67	16.43	13.58	11.96	7.36	5.10	2.01	2.01
	5	4	5	12	4	3	6	8	19	29	11	16		16/12
1945	日	2.43	1.86	3.06	7.62	8.51	13.63	15.83	15.46	12.78	7.62	5.02	2.51	1.86
	15	7	5	5	3	1	17	1	9	31	30	17		7/2
1946	日	2.49	4.03	4.92	7.47	9.20	10.73	16.00	14.76	12.93	7.55	4.36	4.30	2.49
	6	1	10	14	2	9	9	29	28	29	27	27		6/1
1947	日	3.66	4.19	4.92	6.81	8.43	10.87	14.98	15.72	10.00	8.54	6.09	3.04	3.04
	8	22	3	2	3	10	15	19	30	11	23	20		20/12
1948	日	2.24	3.93	5.75	8.91	7.01	11.32	14.48	14.19	13.34	7.85	6.03	4.48	2.24
	25	9	17	8	7	16	1	20	16	29	15	14		25/1
1949	日	2.19	4.22	4.36	5.45	9.12	13.51	17.66	12.64	10.94	9.53	4.74	4.03	2.19
	8	9	4	2	11	16	4	25	26	30	22	24		8/1
1950	日	4.50	2.99	5.29	4.76	9.71	11.35	16.80	14.80	11.02	8.88	4.59	3.23	2.99

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	3.20	4.27	3.43	7.14	10.02	11.95	15.60	14.65	11.87	8.05	4.51	3.74	3.20
	日	22	28	1	11	5	7	5	17	29	23	21	14	22/1
1952	日	3.09	2.84	4.10	5.37	11.16	12.30	15.65	11.93	9.74	7.11	5.04	2.06	2.06
	日	7	18	18	11	18	1	17	24	25	22	20	2	2/12
1953	日	3.65	4.51	6.27	5.92	7.97	9.54	15.39	14.00	12.00	8.05	4.68	4.60	3.65
	日	11	17	5	11	7	6	22	20	6	30	18	22	11/1
極 值	日	2.19	1.86	3.06	3.10	7.01	9.54	13.59	11.80	9.74	5.48	3.77	2.01	1.86
年 份	日	8	7	5	14	7	6	4	7	25	27	20	16	7/2
	年	1949	1945	1945	1941	1948	1953	1943	1941	1952	1941	1943	1944	1945
遂 宁														
$\varphi = 30^{\circ}30'N$ $\lambda = 105^{\circ}35'E$ $H = 354.0 M$														
平均绝对湿度(毫米)														
1937	日	5.04	6.29	7.47	10.51	13.46	17.16	20.67	21.94	16.36	12.18	7.25	6.80	12.09
1938	日	5.84	6.08	8.49	12.18	14.76	17.73	20.98	21.48	16.41	13.62	10.00	7.17	12.90
1939	日	6.30	7.47	8.48	10.44	13.94	17.55	20.86	20.70	15.25	11.93	8.46	6.94	12.36
1940	日	5.93	6.20	7.90	9.13	13.40	15.79	21.17	20.09	16.47	12.89	8.66	7.53	12.10
1941	日	6.12	6.87	8.23	10.80	13.01	17.30	20.91	20.46	15.82	13.03	8.78	7.49	12.40
1942	日	6.13	5.73	9.70	10.79	13.62	17.06	20.55	17.98	15.70	13.66	10.04	6.63	12.30
1943	日	5.49	5.93	8.37	10.55	13.14	16.51	19.72	19.55	15.86	12.66	8.46	6.80	11.92
1944	日	6.07	6.35	8.31	10.31	11.76	16.73	21.28	17.71	16.43	12.49	8.85	5.16	11.79
1945	日	5.42	5.39	7.49	11.80	14.14	18.04	20.34	21.41	17.54	12.03	10.95	7.04	12.63
1946	日	7.14	7.62	7.91	12.14	14.59	18.40	22.16	20.30	17.24	12.80	9.61	6.64	13.05
1947	日	6.22	6.55	8.93	11.99	15.65	18.30	21.73	20.52	18.59	12.24	10.50	6.91	13.18
1948	日	6.56	7.05	9.50	13.71	14.60	19.98	22.88	22.87	19.08	13.00	9.04	7.75	13.84
1949	日	6.30	7.73	8.96	11.71	16.18	19.96	24.65	21.62	19.10	14.28	9.81	6.84	13.93
1950	日	7.62	6.66	10.48	13.82	16.93	18.63	23.58	21.79	16.87	12.84	9.51	(6.12)	13.74
1951	日	5.91	6.70	7.84	10.96	15.70	19.27	22.16	22.81	17.77	14.55	9.64	7.39	13.39
1952	日	6.34	6.81	8.50	12.70	16.51	19.65	23.73	19.76	17.80	12.41	10.83	6.43	13.46
1953	日	6.51	7.70	9.76	11.62	15.07	19.11	22.74	23.62	16.98	13.46	9.64	7.38	13.63
平 均	日	6.17	6.65	8.61	11.48	14.50	18.07	21.77	20.86	17.02	12.95	9.41	6.88	12.87
最大绝对湿度(毫米)														
1937	日	7.75	8.78	10.85	15.53	21.02	22.04	25.90	26.95	21.92	17.58	10.90	9.88	26.95
	日	1	8	7	12	18	26	24	9	5	10	3	8	9/8
1938	日	7.39	9.23	13.31	16.70	24.79	23.56	26.04	25.70	22.81	21.84	13.40	9.78	26.04
	日	28	28	5	21	29	25	8	4	4	8	7	18	8/7
1939	日	7.89	9.43	14.29	14.28	21.55	24.90	25.79	24.84	21.83	16.59	12.20	9.21	25.79
	日	30	28	31	22	29	23	12	7	1	17	6	22	12/7
1940	日	8.55	8.82	11.73	15.52	19.90	23.22	28.48	25.57	19.96	17.73	16.32	10.46	28.48
	日	16	26	15	30	15	30	14	11	12	5	2	8	14/7
1941	日	8.12	10.34	13.79	18.23	20.05	23.15	25.78	25.28	22.89	16.85	12.70	9.56	25.78
	日	17	25	22	26	23	27	7	18	5	11	9	25	7/7
1942	日	10.04	8.43	23.04	18.71	20.97	23.90	25.87	28.10	20.57	21.40	14.43	9.91	28.10
	日	7	27	25	13	28	22	15	23	8	5	10	18	23/8
1943	日	7.39	10.05	11.73	15.51	21.00	21.39	23.94	24.08	21.73	15.72	14.57	10.00	24.08
	日	1	28	22	25	25	27	29	12	21	4	1.2	17	12/8
1944	日	7.17	8.88	11.48	15.34	17.16	27.25	26.08	23.94	21.82	15.49	12.62	7.77	27.25
	日	26	29	21	25	31	25	12	7	27	8	1	1	25/6
1945	日	7.09	8.23	14.59	16.82	22.26	24.20	25.46	26.58	22.71	15.71	16.57	9.29	26.58
	日	24	28	31	2	21	22	9	29	17	10	12.13	15	29/8
1946	日	10.25	10.86	11.37	18.83	20.43	24.61	28.48	25.57	23.18	18.87	13.08	8.18	28.48
	日	27	25	31	26	31	23	24	9	10	1	1.4	38	24/7
1947	日	7.98	9.41	14.13	18.25	20.99	25.04	27.13	26.91	24.24	15.77	15.93	10.49	27.13
	日	2	27	31	20	19	29	31	1	24	8	6	8	31/7
1948	日	9.52	10.61	13.61	19.65	21.33	28.66	28.56	29.27	29.19	17.94	12.48	10.88	29.27
	日	10	27	31	30	31	30	24	31	11	9	4	7.8	31/8
1949	日	10.50	10.60	12.73	18.40	27.50	25.76	30.27	28.42	27.55	19.90	14.87	8.33	30.27
	日	30	3.23	12	27	26	30	24	9	15	6	5	1	24/7
1950	日	11.39	9.10	15.52	25.67	26.10	25.34	31.66	27.32	24.91	16.14	17.99	(7.49)	31.66
	日	12	24	31	15	14	22	17	19	1	14	1	13	17/7
1951	日	7.88	8.98	11.26	14.60	21.98	26.91	28.80	28.94	26.96	19.80	13.93	9.68	28.94
	日	7	2	25	26	26.27	24	29	15	5	11	2	10	15/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	9.53	12.61	12.61	19.23	21.35	26.77	29.74	26.50	25.15	18.05	15.50	10.03	29.74
	日	29	13	23	19	29	26	4	12	10	1	12	1	4/7
1953	日	7.98	10.13	13.31	18.52	19.93	26.57	28.75	29.01	24.49	17.18	13.64	10.82	29.01
	日	1,2	15	9	28	21	22	17	18	1,2	18	7	1	18/8
極 值	日	11.39	12.61	23.04	25.67	27.50	28.66	31.66	29.27	29.19	21.84	17.99	10.88	31.66
日 期	日	12	13	25	15	26	30	17	31	11	8	1	7,8	17/7
年 份	年	1950	1952	1942	1950	1949	1948	1950	1948	1948	1938	1950	1948	1950
最小绝对湿度(毫米)														
1937	日	3.47	4.21	3.59	4.31	7.36	11.54	13.09	15.31	10.58	5.74	3.18	2.51	2.51
	日	5	1	24	7	18	2	3	13	13	29	23	17	17/12
1938	日	3.76	3.00	4.13	6.78	8.43	10.95	16.06	16.17	11.69	5.98	7.24	3.76	3.00
	日	1	16	7	23	7	2	13	12	17	30	30	23	16/2
1939	日	4.40	5.46	5.11	4.46	7.98	10.67	15.85	15.74	9.91	7.18	4.12	4.86	4.12
	日	4	17	25	5	10	1	8	18	26	30	28	9,23	28/11
1940	日	2.85	4.15	3.44	3.45	7.39	7.16	14.09	14.03	11.34	5.02	4.49	3.48	2.85
	日	23	2	1	2	30	3	16	13	29	24	29	23	23/1
1941	日	3.14	3.15	3.59	4.62	5.99	9.04	16.25	15.60	10.71	6.95	4.81	5.03	3.14
	日	23	13	11	5	2	3	2	30	30	26	21	12	23/1
1942	日	3.98	2.79	5.82	4.62	6.65	8.39	13.11	9.45	10.48	6.44	5.72	4.12	2.79
	日	16	16	14	4	10,11	8	27	27	2	23	14	3	16/2
1943	日	2.96	2.02	5.05	2.69	7.69	11.07	10.84	10.28	11.09	9.53	4.55	3.36	2.02
	日	3	6	7	7	6	5	7	26	30	28	9,20	3	6/2
1944	日	3.10	3.82	4.20	4.20	6.13	11.79	14.67	12.01	11.89	8.99	6.20	0.88	0.88
	日	5	4	17	1	8	12	1,2	21	22	29	8	19	19/12
1945	日	2.70	3.05	2.92	7.55	9.30	12.94	11.79	14.78	13.09	5.96	6.05	3.83	2.70
	日	14	7	5	7	1	1	23	31	9	2	30	17	14/1
1946	日	4.40	4.37	4.90	7.36	8.35	12.35	16.90	14.44	11.67	7.49	4.66	3.67	3.67
	日	3	1	19	14	2	1	11	11	28	26	27	1	1/12
1947	日	4.32	4.48	4.32	7.77	11.11	12.54	14.15	14.00	10.81	9.84	6.48	2.85	2.85
	日	30	22	20	2	3	10	6	20	29	31	24	19	19/12
1948	日	3.72	4.26	6.66	8.57	7.31	13.77	16.76	14.54	13.01	8.84	6.28	5.32	3.72
	日	25	10	17	8	7	13	17	18	15	29	17	14	25/1
1949	日	2.72	4.57	6.15	6.47	7.68	16.72	19.86	12.70	12.03	10.16	6.20	5.43	2.72
	日	8	15	5	2	4	21	5	24	25	30	22	16	8/1
1950	日	4.26	3.61	5.48	6.57	9.78	12.67	17.33	15.12	10.77	9.58	5.46 (3.20)	3.20	3.20
	日	5	17	1	5	3	7	2	21	28	8	30	16	16/12
1951	日	3.72	4.44	3.78	6.11	9.25	11.63	15.21	16.54	12.58	9.22	4.34	5.09	3.72
	日	20	28	1	3	5	3	4,5	11	18	23	21	7	20/1
1952	日	3.39	4.07	3.99	6.02	12.49	15.10	17.05	14.53	8.86	7.49	7.23	3.31	3.31
	日	5,6	18	19	12	3	13	12	27	25	21	20	2	2/12
1953	日	4.58	5.12	5.84	7.77	8.34	9.73	15.93	16.27	12.97	7.27	5.39	5.01	4.58
	日	6	9	28	11	12	7	2	20	27	19	18	24	6/1
極 值	日	2.70	2.02	2.92	2.69	5.99	7.16	10.84	9.45	8.86	5.02	3.18	0.88	0.88
日 期	日	14	6	5	7	2	3	7	27	25	24	23	19	19/12
年 份	年	1945	1943	1945	1943	1941	1940	1943	1942	1952	1940	1937	1944	1944
名 山 $\varphi=30^{\circ}05'N$ $\lambda=103^{\circ}08'E$ $H=740.0M$														
平均绝对湿度(毫米)														
1942	日	7.22	6.57	10.08	12.78	16.27	17.09	22.01	22.05	16.96	13.79	10.47	7.07	13.53
1943	日	6.42	6.90	9.85	11.97	15.54	17.69	20.20	19.95	16.74	13.30	10.03	7.57	13.01
1944	日	6.61	7.12	9.07	11.05	14.19	16.33	20.58	19.77	16.42	12.58	9.56	5.40	12.40
1945	日	5.90	5.84	8.55	12.34	14.05	18.04	20.86	20.47	17.62	12.68	11.30	7.22	12.91
1946	日	7.22	8.01	9.25	13.74	15.84	19.34	21.72	21.72	18.10	13.72	9.98	7.05	13.81
1947	日	6.55	6.92	9.88	12.25	16.26	16.31	19.50	19.67	17.35	10.74	9.87	6.43	12.64
1948	日	5.79	6.19	8.29	12.26	13.01	16.04	19.06	19.24	16.90	11.75	7.99	6.70	11.94
1949	日	5.22	6.78	7.71	10.22	13.92	16.82	20.17	18.04	16.60	12.37	-	-	-
平 均	日	6.53	6.79	9.28	12.34	15.02	17.26	20.56	20.41	17.16	12.65	9.89	6.78	12.89
最大绝对湿度(毫米)														
1942	日	10.68	10.40	15.23	19.23	23.63	24.41	31.39	27.80	21.59	20.38	14.31	9.57	31.39
	日	31	28	18	23	15	18	22	25	1	6	11	1	22/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952	日	4.25	4.56	5.73	8.81	9.95	13.54	14.11	12.44	13.16	8.61	7.46	4.38	14.11
		29	20	25	9	30	27	4	1.2	11	19	12	1	4/7
1953	日	3.71	5.04	6.21	8.04	10.37	13.02	14.54	13.46	11.57	9.03	6.46	4.77	14.54
		10,11	23	25	28,29	29	21	17	19	1	3	9	1,3	17/7
極 值		5.41	5.82	7.68	10.12	13.24	14.07	14.54	15.13	13.16	11.36	8.74	6.77	15.13
日 期		9	26	31	29	31	26	17	11	11	11	4	2	11/8
年 份		1940	1944	1940	1946	1944	1946	1953	1940	1952	1940	1940	1940	1940
最小绝对湿度(毫米)														
1939	日	-	1.74	1.01	2.20	3.33	5.36	-	-	-	-	-	-	-
		6	26	3	7	1,2	-	-	-	-	-	-	-	-
1940	日	0.95	1.59	1.76	2.47	4.05	3.66	4.50	7.07	5.77	2.85	2.04	1.34	0.95
		5	24	12	10	1	5	1	1	29	28	20	1	5/1
1944	日	1.76	2.10	1.26	2.90	3.67	6.51	7.29	5.68	6.29	3.59	1.31	1.26	1.26
		9	11	9	21	5	11	2	16	21	23	19	9/3,19/12	1.26
1946	日	1.54	1.41	2.62	2.59	3.90	5.61	7.33	7.29	4.53	4.13	2.67	1.84	1.41
		8	7	28	4	2	2	8	14	27	29	24	2	7/2
1949	日	1.40	1.56	2.15	2.56	3.59	6.31	7.13	7.21	6.76	4.99	-	-	-
		22	13	19	10	9	14	30	30	27	21	-	-	-
1951	日	-	-	-	-	-	-	-	-	-	-	2.67	1.39	-
		-	-	-	-	-	-	-	-	-	-	30	22	-
1952	日	1.45	1.37	1.69	2.21	4.63	5.41	7.00	6.84	5.67	4.04	2.84	1.09	1.09
		13	6	22	13	4	1	18	28	25	11	29,30	13	13/12
1953	日	1.08	1.00	2.25	3.33	4.27	5.93	6.87	7.92	5.88	4.17	1.28	1.55	1.00
		26	10	6	25	7	13	3	5,10	11,12	31	21	24	10/2
極 值		0.95	1.00	1.26	2.20	3.33	3.66	4.50	5.68	4.53	2.85	1.28	1.09	0.95
日 期		5	10	9	3	7	5	1	2	27	28	21	13	5/1
年 份		1940	1953	1944	1939	1939	1940	1940	1944	1946	1940	1953	1952	1940
雅 安 $\varphi=30^{\circ}00'N$ $\lambda=103^{\circ}03'E$ $H=636.8M$														
平均绝对湿度(毫米)														
1943	日	6.03	-	(9.87)	12.87	(16.84)	18.35	21.60	-	17.77	(12.98)	(9.83)	7.59	-
1944	日	6.26	6.99	9.61	12.01	14.61	17.93	21.44	20.42	17.09	12.62	9.52	5.56	12.84
1945	日	6.07	5.92	9.09	13.24	15.35	17.24	20.36	20.13	17.73	12.62	11.51	7.09	13.03
1946	日	7.33	8.21	8.89	13.86	15.98	18.85	21.47	21.77	17.92	13.77	10.17	6.93	13.76
1947	日	6.16	6.46	9.41	11.81	15.98	17.57	21.14	21.06	18.65	11.75	10.54	7.00	13.13
1948	日	6.44	7.03	9.09	13.36	13.76	17.90	20.10	20.29	17.96	12.63	8.59	7.29	12.88
1949	日	5.84	7.43	8.52	11.24	15.16	17.34	21.18	18.68	17.37	12.99	8.80	6.54	12.59
1950	日	6.82	6.06	9.08	11.31	14.84	16.25	20.28	19.39	15.78	12.54	9.10	5.80	12.27
1951	日	5.85	6.65	7.43	10.05	14.33	16.86	19.69	20.98	16.63	13.80	9.31	7.21	12.40
1952	日	6.04	6.44	8.12	12.41	15.36	17.10	19.95	17.42	15.89	11.44	9.93	5.87	12.16
1953	日	5.72	6.85	9.02	10.63	13.83	16.74	19.61	21.33	15.08	12.25	8.84	6.74	12.22
平 均		6.25	6.80	8.83	11.99	14.92	17.38	20.52	20.15	17.01	12.64	9.64	6.61	12.73
最大绝对湿度(毫米)														
1943	日	8.69	-	(14.72)	22.29	(26.89)	25.82	34.60	-	25.00	(16.52)	(16.16)	11.55	34.60
		1	-	18	24	22	7	28	-	14	7,30	2	20	28/7
1944	日	7.69	11.85	13.24	18.16	21.17	25.67	28.94	29.91	24.24	17.57	13.71	8.00	29.91
		24	29	31	22	31	29	30	19	26	7	11	12	19/8
1945	日	9.51	12.78	17.06	21.35	23.87	22.34	28.00	25.51	23.73	17.64	17.94	9.72	28.00
		23	28	31	1	19	30	22	21	25	1	8	13	22/7
1946	日	13.07	12.43	13.25	21.13	22.44	27.18	28.36	31.43	24.13	19.16	14.55	8.73	31.43
		27	22	17	30	30	23	19	5	11	1	5	9	5/8
1947	日	8.18	9.37	13.79	18.53	20.99	26.86	28.52	28.04	26.04	15.70	15.20	11.11	28.52
		4	28	19	21	24	29	24	1	26	5	5	8	24/7
1948	日	9.53	9.90	13.07	18.77	19.06	26.25	24.84	25.48	23.99	18.53	11.36	9.39	26.25
		9	28	31	7	30	30	21	5	10	9	5	6	30/6
1949	日	8.70	10.15	12.62	16.23	20.44	22.30	27.37	26.28	23.79	18.90	13.32	10.17	27.37
		31	21	12	27	26	7	23	9	5	5	9	4	23/7
1950	日	9.50	8.84	12.62	16.52	20.39	23.53	28.68	26.46	23.92	16.64	13.58	7.70	28.68
		9	5	31	15	28	20	17	20	1	14	1	31	17/7
1951	日	8.81	9.13	10.82	13.98	19.82	24.70	25.59	28.06	24.93	18.70	13.76	9.13	28.06
		6	21	26	25	26	24	26	13	4	10	1	26	13/8

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1952 日	8.93 27	9.63 14	11.59 17	16.76 27	19.54 17	22.68 28	26.91 4	22.72 1	21.42 10	15.07 1	13.79 12	9.31 1	26.91 4/7
1953 日	7.63 10,11	9.60 28	11.60 25	16.96 28	19.91 28	24.14 22	25.91 9	26.08 13	21.48 1,2	16.30 7	12.43 8	10.19 1	26.08 13/8
極 值 日 期	13.07 27	12.78 28	17.06 31	22.29 24	26.89 22	27.18 23	34.60 28	31.43 5	26.04 26	19.16 1	17.94 8	11.55 20	34.60 28/7
年 份	1946	1945	1945	1943	1943	1946	1943	1946	1947	1946	1945	1943	1943
最小绝对湿度(毫米)													
1943 日	3.84 7	- -	(6.53) 6	4.69 8	(10.51) 6	11.92 4	15.52 19	- -	10.99 29	(9.60) 24	(6.05) 19	5.55 5,6	- -
1944 日	4.77 31	4.41 4	6.61 8	8.10 13	10.28 10	12.21 13	12.03 9	13.58 31	12.47 17	7.80 29	7.11 21	3.31 16	3.31 16/12
1945 日	4.19 15	3.73 9	5.07 6	7.70 6	9.94 3	11.39 24	14.04 18	15.72 5	13.34 15	9.11 31	6.12 30	4.52 26	3.73 9/2
1946 日	4.57 4	4.67 3	5.59 20	9.28 2,12	10.24 1,2	11.12 2	14.50 8	16.03 27	12.81 28	8.50 30	5.62 29	4.66 27	4.57 4/1
1947 日	3.63 8	4.12 22	6.10 12	7.63 2	10.42 4	10.61 1	16.21 6	14.80 20	12.54 30	8.86 21	6.61 20	3.41 22	3.41 22/12
1948 日	3.34 25	3.62 9	6.19 1	9.41 11	9.16 7	11.53 14	15.06 17	15.18 19	13.23 30	8.04 29	6.22 28	4.99 15	3.34 25/1
1949 日	3.56 10	4.50 9	6.02 6	7.10 3	9.40 5	11.96 15	15.19 29	12.62 29	12.69 27	9.15 24	5.58 24	4.06 24	3.56 10/1
1950 日	4.03 22	3.98 17,19	6.10 8	5.50 5	10.61 3	11.88 8	13.18 8	14.08 19	10.73 28	9.24 30	5.18 30	4.33 18	3.98 17,19/2
1951 日	3.38 21	5.03 28	3.78 1	6.68 5	9.43 18	10.01 8	13.15 14	14.64 22	11.13 29	8.32 23	4.94 22	4.94 30,31	3.38 21/1
1952 日	3.62 7	3.70 18	5.46 19	6.61 12	10.66 31	9.70 1	13.80 7	12.50 27	9.89 25	8.12 22	5.60 21	3.59 2	3.59 2/12
1953 日	4.04 14	5.07 17	6.67 5	6.79 12	7.57 13	10.11 12	12.89 3	16.27 9	10.87 28	7.88 31	5.19 18	4.98 23	4.04 14/1
極 值 日 期	3.34 25	3.62 9	3.78 1	4.69 8	7.57 13	9.70 1	12.03 9	12.50 27	9.89 25	7.80 29	4.94 22	3.31 16	3.31 16/12
年 份	1948	1948	1951	1943	1953	1952	1944	1952	1952	1944	1951	1944	1944
北 碚 $\varphi=29^{\circ}50'N$ $\lambda=106^{\circ}25'E$ $H=282.6M$													
平均绝对湿度(毫米)													
1936	5.46	6.93	7.19	11.48	14.28	17.53	19.00	20.18	14.41	11.41	9.14	6.48	11.96
1937	5.48	6.68	7.92	11.07	14.48	18.07	20.99	21.33	16.78	12.89	8.64	7.47	12.65
1938	5.99	6.43	8.84	12.63	15.50	17.94	20.63	21.22	17.36	14.24	10.22	8.02	13.25
1939	6.80	7.65	9.16	11.35	15.62	19.32	22.53	22.10	16.53	13.57	10.03	8.01	13.56
1940	6.99	7.12	8.41	10.67	15.26	18.27	22.74	21.44	18.05	14.44	9.87	8.59	13.49
1941	7.28	7.45	9.29	11.78	15.24	19.26	22.03	21.70	17.39	14.43	9.86	8.09	13.65
1942	6.88	6.32	9.71	11.89	15.78	19.63	22.22	19.33	16.18	14.96	11.31	7.73	13.50
1943	6.22	7.01	9.81	12.06	16.01	18.89	21.13	21.57	17.30	14.06	10.08	7.94	13.51
1944	6.72	6.64	9.62	11.95	13.92	19.22	22.95	19.18	18.30	13.71	10.52	5.94	13.22
1945	6.34	6.07	9.20	13.31	15.65	20.09	22.21	22.78	19.40	13.02	11.86	7.71	13.97
1946	7.75	8.58	8.70	13.27	16.15	20.35	23.31	22.12	19.05	14.07	10.85	7.33	14.29
1947	7.12	7.17	9.88	13.20	16.97	19.35	22.48	21.36	18.34	12.76	11.22	7.43	13.94
1948	7.21	7.69	9.95	13.82	15.09	20.07	22.95	22.03	18.85	13.42	9.48	8.49	14.09
1949	6.59	8.02	9.34	11.93	16.39	20.24	23.22	20.03	18.71	14.14	10.14	7.34	13.84
1950	7.79	6.81	9.90	12.61	16.40	18.55	23.11	21.51	17.34	13.74	10.06	6.56	13.70
1951	6.50	7.26	8.47	11.82	16.44	19.80	22.18	22.86	17.68	15.25	10.41	8.22	13.91
1952	7.14	7.29	8.98	13.47	17.16	19.36	23.81	20.32	18.34	12.95	11.41	7.07	13.94
1953	6.75	7.66	9.98	11.45	15.17	19.07	22.54	22.12	17.05	14.03	10.15	8.29	13.69
平 均	6.72	7.15	9.13	12.21	15.64	19.17	22.22	21.29	17.61	13.73	10.29	7.60	13.56
最大绝对湿度(毫米)													
1936 日	8.64 20	8.81 17	11.43 29	18.46 27	20.98 22	23.10 27	25.95 21	25.42 12	21.59 1	15.75 6	13.92 4	10.69 1	25.95 21/7
1937 日	8.10 31	9.28 7	11.58 23	15.79 12	23.75 18	21.85 8	25.67 25	27.73 26	21.49 4	17.31 10	13.42 5	10.00 4	27.73 26/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1938	日	8.11	9.69	14.53	18.04	20.40	25.19	26.13	26.77	24.62	20.98	13.85	11.88	26.77
		2	28	3	21	31	26	9	4	1	7	7	17	4/8
1939	日	8.23	9.67	15.09	16.59	23.82	25.71	28.98	25.22	22.28	18.45	13.14	10.43	28.98
		29	2	31	1	29	24	17	29	2	17	6	8	17/7
1940	日	9.76	10.77	12.64	16.05	22.75	25.79	27.64	26.96	22.07	19.00	18.68	10.96	27.64
		15	27	15	26	15	30	7	23	15	7	3	7	1/7
1941	日	9.49	10.05	16.40	17.02	20.95	27.54	27.08	26.76	25.01	21.00	14.53	10.66	27.54
		8	27	22	24	31	30	7	14,15	7	10	19	26	30/6
1942	日	9.66	9.27	14.51	19.07	23.03	29.62	29.26	26.39	21.09	23.02	15.12	9.39	29.62
		29	27	25	24	27	22	15	11	9	6	13	2	22/6
1943	日	8.42	11.11	14.27	18.17	21.93	23.16	27.79	25.47	22.51	16.62	16.45	10.06	27.79
		3	28	23	25	25	26	7	3	1	17	5	17	7/7
1944	日	8.04	9.20	13.77	16.67	19.81	24.48	28.46	25.56	23.88	16.39	13.87	9.21	28.46
		24	29	21	25	31	28	19	3	25	9	2	1	19/7
1945	日	7.82	11.16	14.51	19.44	22.26	25.48	27.19	28.04	25.53	16.60	14.54	10.30	28.04
		25	28	2	3	19	10	8	29	25	1	19	16	29/8
1946	日	11.09	13.09	12.74	20.63	22.25	28.92	28.98	26.50	24.35	20.48	14.26	9.08	28.98
		26	25	30	30	30	23	1	2	2	1	7	3	1/7
1947	日	9.26	10.42	16.55	18.76	23.97	26.45	28.16	27.28	24.26	16.49	17.50	11.68	28.16
		6	27	31	21	17	29	24	28	2	9	7	5	24/7
1948	日	9.70	10.83	15.57	19.07	24.13	28.44	27.99	26.93	22.52	17.41	13.25	10.92	28.44
		11	28	12	29	31	29	11	11	4	11	6	8	29/6
1949	日	9.65	11.83	14.27	17.44	22.19	26.22	28.06	27.40	23.83	20.19	13.86	10.05	28.06
		31	23	20	27	27	29	14	12	12	1	7	4	14/7
1950	日	10.46	9.58	13.24	16.80	21.77	23.62	27.90	27.10	24.06	17.43	14.44	8.09	27.90
		14	10	26	15	30	18	18	18	2	18	3	14	18/7
1951	日	9.40	9.73	11.49	16.85	22.20	26.88	26.84	27.64	25.66	20.30	15.49	10.80	27.64
		7	22	26	27	26	24,25	8	8	1	8	4	27,28	8/8
1952	日	10.42	11.41	13.71	21.37	21.65	25.35	29.57	26.55	24.16	17.87	15.70	11.89	29.57
		29	14	24	9,10	17	28	22	11	9	2	12	1	22/7
1953	日	9.30	10.52	13.63	18.46	20.96	25.70	29.30	27.30	23.26	17.81	14.70	11.65	29.30
		11,12	15	24,25	27	21,22	21,22	16	8	5	18	8	1	16/7
極 值	日	11.09	13.09	16.55	21.37	24.13	29.62	29.57	28.04	25.66	23.02	18.68	11.89	29.62
年 份		26	25	31	9,10	31	22	22	29	1	6	3	1	22/6
		1946	1946	1947	1952	1948	1942	1952	1945	1951	1942	1940	1952	1942
最小绝对湿度(毫米)														
1936	日	3.53	4.26	3.69	6.93	8.33	9.55	12.83	14.58	8.13	7.11	4.75	3.57	3.53
		18	29	4	8	3	9	10	19	29	29	26,27	17	18/1
1937	日	3.46	4.22	4.94	6.32	8.67	12.29	15.19	13.23	12.69	5.98	3.81	4.15	3.46
		12	15	12	14	15	8	9	31	27	16	23	18	12/1
1938	日	2.89	3.73	3.95	7.73	7.82	11.56	15.67	14.82	13.10	6.59	6.76	4.24	2.89
		7	16	9	24	18	2	12	15	14	30	14	30	7/1
1939	日	4.55	5.01	6.72	6.00	8.76	12.99	18.19	16.39	11.79	9.08	6.24	6.05	4.55
		6	6	24	4	11	1	8	30	7	30	22	19	6/1
1940	日	4.35	4.61	5.00	4.86	8.47	9.51	15.93	15.91	13.73	6.81	6.20	5.49	4.35
		25	3	1	2	31	4	19	25	29	24	29	30	25/1
1941	日	4.35	5.22	5.35	5.95	9.41	10.86	15.47	15.77	12.17	8.61	5.98	5.55	4.35
		20	13	10	6	3	3	25	29	30	27	29	29	20/1
1942	日	4.99	3.04	6.32	7.08	10.07	13.34	15.73	11.34	10.50	7.89	8.02	5.50	3.04
		18	14	8	5	7	9	8	28	21	25	30	14	14/2
1943	日	3.74	4.09	5.86	4.81	10.75	12.49	15.50	13.79	12.67	11.02	6.50	6.10	3.74
		13	6	7	8	7	10	7	27	28	28	23	7	13/1
1944	日	5.42	4.55	5.82	8.67	7.62	13.80	18.26	13.66	13.73	10.34	7.76	3.93	3.93
		5	6	17	8	5	2	9	11	22	30	16	21	21/12
1945	日	4.49	4.41	5.04	7.14	10.96	14.02	15.98	17.66	14.42	5.99	6.89	4.44	4.41
		12	13	5	7	1	7	1	5	9	2	30	17	13/2
1946	日	5.11	5.74	6.40	6.71	11.24	13.00	18.23	17.36	13.56	9.59	5.97	4.85	4.85
		3	3	16	19	2	1	12	12	30	31	28	28	28/12
1947	日	5.22	4.69	6.67	9.22	13.64	14.90	17.97	14.29	11.79	10.23	6.92	3.80	3.80
		10	17	10	2	2	2	13	19	30	30	21	18	18/12
1948	日	3.81	4.44	7.16	9.53	9.90	14.28	18.31	15.01	13.12	8.93	5.77	5.79	3.81
		26	9	16	28	7	2	18	18	15	31	29	29	26/1
1949	日	3.63	4.62	6.67	6.98	9.71	16.46	18.79	13.79	12.21	9.77	7.15	5.12	3.63
		8	8	4	13	14	22	31	25	2	16	20	24	8/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950	日	5.45 6	4.11 14	6.21 12	6.97 5	10.93 3	10.08 8	19.11 31	16.11 21	12.96 29	10.97 31	6.13 30	3.95 16	3.95 16/12
1951	日	3.36 13	5.14 17	4.86 3	8.08 3	11.67 5	12.27 1	17.65 25	18.62 19,20	11.98 20	9.83 23	4.67 22	4.61 31	3.36 13/1
1952	日	4.42 8	4.68 17	5.95 18,19	7.28 12	11.28 13	15.61 26	18.51 12	15.44 27	11.06 27	9.18 21	7.85 23	5.10 28	4.42 8/1
1953	日	4.49 19	5.09 18,19	5.48 29	7.03 12,13	7.23 12,13	9.97 6	17.25 2,3	17.14 20	11.23 15	8.94 31	6.22 20	5.72 25	4.49 19/1
極 值	日期	2.89 7	3.04 14	3.69 4	4.81 8	7.23 12,13	9.51 4	12.83 10	11.34 28	8.13 29	5.98 16	3.81 23	3.57 17	2.89 7/1
年 份		1938	1942	1936	1943	1953	1940	1936	1942	1936	1937	1937	1936	1938
內 江 $\varphi = 29^{\circ}35'N$ $\lambda = 105^{\circ}03'E$ $H = 343.0 M$ 平均绝对湿度(毫米)														
1937		5.70	6.96	8.50	11.97	15.21	19.05	21.93	23.13	17.81	13.40	6.35	7.51	13.29
1938		6.30	6.47	8.87	12.84	15.97	17.97	21.32	21.96	17.05	14.22	10.36	7.73	13.42
1939		6.58	7.79	8.95	11.02	15.38	18.30	20.98	21.23	15.69	12.55	9.16	7.45	12.92
1940		6.54	6.64	8.22	9.58	14.21	16.73	21.29	21.19	17.40	13.89	9.48	8.16	12.78
1941		6.68	7.25	8.67	10.83	13.56	17.77	21.94	20.78	16.88	14.06	9.17	7.83	12.95
1942		6.67	6.20	9.11	11.14	14.88	17.56	20.64	19.08	16.36	14.27	10.69	7.32	12.83
1943		6.15	6.57	9.06	11.06	13.85	17.24	20.17	21.05	17.25	13.43	9.19	7.25	12.69
1944		6.58	6.89	9.26	11.57	13.40	17.88	22.42	19.52	17.10	13.07	9.57	5.59	12.74
1945		6.00	5.88	8.30	12.56	14.54	19.11	22.29	22.12	18.73	12.88	11.80	7.41	13.47
1946		7.45	8.16	8.37	12.41	15.57	19.77	22.62	21.77	18.41	13.68	10.18	7.14	13.79
1947		6.71	7.01	9.36	12.56	17.54	20.00	23.31	22.69	20.13	12.86	10.97	7.13	14.19
1948		6.82	7.21	9.46	13.71	14.58	19.88	22.10	22.48	18.76	13.24	9.26	7.92	13.79
1949		6.40	7.78	8.64	11.26	15.32	19.03	23.76	21.01	18.76	14.15	9.67	7.23	13.58
1950		7.55	6.44	9.65	11.92	15.99	18.12	22.82	21.03	16.83	13.17	9.73	6.34	13.30
1951		6.06	6.87	8.08	11.18	15.68	19.48	22.15	23.10	17.89	15.01	9.99	7.84	13.61
1952		6.78	7.06	8.67	13.10	17.26	19.32	22.77	19.43	17.66	12.60	11.05	6.54	13.52
1953		6.60	7.54	9.92	11.66	15.21	18.73	22.25	23.39	17.03	13.83	10.11	7.81	13.67
平 均		6.56	6.98	8.89	11.79	15.19	18.58	22.04	21.47	17.63	13.55	9.93	7.31	13.33
最大绝对湿度(毫米)														
1937	日	7.69 30	10.03 7	12.21 23	17.47 19	22.20 19	24.40 30	27.15 24	28.04 7	24.80 5	18.17 10	12.95 5	10.25 16	28.04 7/8
1938	日	7.90 4	10.25 27	13.54 5	17.14 20	24.66 28	26.20 —	26.00 28	23.56 25	21.23 1	13.12 9	10.28 6	26.20 16	28/7
1939	日	8.16 30	10.09 26	14.20 30	15.26 30	22.94 30	24.67 23	25.42 18	26.04 22	21.86 3	12.80 15	9.28 6	26.04 3	22/8
1940	日	9.63 17	9.86 26	12.12 15	16.63 30	21.69 4*	21.85 30	29.39 14,15	28.34 7,8	23.79 12	17.34 6	18.42 3,4	10.84 7	29.39 14,15/7
1941	日	9.17 7	10.25 25,27	13.92 21,22	17.92 24	19.70 24	23.52 30	27.91 7	32.79 9	27.06 14	18.54 24	13.10 19	10.87 24	32.79 9/8
1942	日	9.53 29	10.37 2	15.75 27	17.46 24	24.24 16	25.73 21	25.62 31	29.89 2	22.08 8	22.19 6	14.95 11	9.14 2	29.89 2/8
1943	日	9.22 1	13.89 24	12.27 22	16.96 25	20.37 12	23.52 27	25.00 31	25.58 10	24.44 15	16.15 12	15.98 5	10.36 21	25.58 10/8
1944	日	7.99 22	10.41 18	12.54 30	19.06 24	20.85 31	24.93 29	27.70 29	26.52 18	22.19 28	16.46 27	13.43 1	7.42 29	27.70 29/7
1945	日	8.78 26	9.58 28	14.68 31	19.12 17	20.17 19	23.92 22	27.24 9	28.85 31	22.72 1	18.44 7,22	14.93 16	10.23 16	28.85 31/8
1946	日	11.64 27	14.68 19	12.07 30	20.11 29	21.28 10	26.83 23	27.45 2	26.62 4	23.51 10	18.89 2	14.73 4	9.03 10	27.45 2/7
1947	日	8.40 5	9.51 26	14.46 31	18.10 20	27.67 20	28.37 28	27.77 8	29.51 2	28.35 5	16.35 9	17.31 3	10.73 1	29.51 2/8
1948	日	9.64 10	10.75 27	13.27 12	20.40 29	20.94 31	27.58 26	27.15 15	27.13 8	24.96 10	17.59 22	13.22 5	11.01 8	27.58 26/6
1949	日	8.83 30	10.20 5	12.62 12	16.77 27	21.66 26	24.35 30	29.05 25	25.77 24	25.07 15	19.32 6	13.31 9	10.78 3	29.05 25/7

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1950 日	10.97 5	9.12 1	12.51 25	16.86 30	21.18 15	23.02 30	28.12 19	27.68 20	23.06 2	16.84 14	14.42 1	9.21 4	28.12 19/7
1951 日	8.25 6	10.22 21	10.86 26	15.14 2	21.78 26	26.91 24	26.62 29	28.00 21	26.40 6	20.21 16	15.02 3	10.04 11	28.00 29/8
1952 日	10.05 30	10.74 14	12.21 24	21.06 30	22.20 17	24.07 29	28.05 4	24.96 1,2	24.41 10,11	17.30 2	15.74 12	12.08 1	28.05 4/7
1953 日	8.45 10,11	9.80 28	13.47 25	17.60 27	20.17 29,30	25.72 21	28.29 17	27.57 14,15	23.25 2	17.56 18	14.67 8,9	11.50 1	28.29 17/7
極 值 日 年	11.64 27 1946	14.68 19 1946	15.75 27 1942	21.06 30 1952	27.67 30 1947	28.37 28 1947	29.39 18 1947	32.79 9 1941	28.35 5 1947	22.53 15 1939	18.42 3,4 1940	12.08 1 1952	32.79 9/8 1941
最小 絶対湿度 (毫米)													
1937 日	3.87 5	4.78 2	5.41 12	6.87 14	10.41 2	13.57 1	15.63 3	18.16 14	12.75 26	7.62 12	3.69 23	3.33 18	3.33 18/12
1938 日	3.90 9	2.71 16	4.90 9	7.80 23	9.49 21	12.15 —	17.21 5	18.27 5	13.20 17	7.60 29	7.31 28	4.56 23	2.71 16/2
1939 日	3.95 9	6.26 20	6.41 25	5.58 9	8.43 11	12.26 2	15.30 7	15.73 20	10.58 27	7.24 29	4.57 22	5.15 27	3.95 9/1
1940 日	2.80 25	3.68 5	5.22 4	3.72 2	8.90 5	9.09 3	12.95 19	15.80 13,14	12.72 29	7.89 25	4.79 29	4.49 23	2.80 25/1
1941 日	3.53 23	3.57 13	4.37 10	4.21 5	8.53 3	9.09 3	12.89 10	14.95 26	11.80 24	7.50 26	5.39 21	5.45 29	3.53 23/1
1942 日	3.89 7	3.54 12	4.42 5	7.05 5	8.39 3	9.30 9	14.55 6	12.98 28	11.78 23	6.25 25	6.74 14	4.65 3	3.54 12/2
1943 日	3.24 3	3.62 6	5.49 7	4.20 8	8.21 6	12.33 10	11.76 17	14.32 27	11.04 30	10.10 28	4.42 19	4.76 6	3.24 3/1
1944 日	4.64 4	4.43 4	4.45 17	7.91 8	7.72 8	12.10 2	16.21 5	12.63 9	13.38 30	9.63 29	7.07 12	3.30 21	3.30 21/12
1945 日	3.46 9	3.45 7	3.45 5	7.97 7	9.11 4	13.51 6	17.39 18	16.97 31	14.14 9	6.61 2	6.36 30	4.55 17	3.45 7/2, 5/3
1946 日	4.44 31	4.96 1	5.73 3	8.19 9	9.77 2	14.02 1	16.64 7	15.41 12	14.47 28	9.61 29	4.97 28	4.63 3	4.44 31/1
1947 日	5.00 11	4.82 22	5.46 20	7.04 2	11.22 6	13.51 11	15.39 15	15.78 20	10.51 30	10.13 11	7.51 21	4.12 19	4.12 19/12
1948 日	4.25 25	3.60 10	6.74 2	8.74 8	7.61 7	14.05 13	16.88 3	15.39 18	13.96 19	9.28 29	6.61 28	5.64 26	3.60 10/2
1949 日	2.71 12	5.06 9	5.88 4	5.33 2	9.44 6	12.61 16	18.68 15	12.86 25	11.50 25	10.42 31	6.00 22	4.87 24	2.71 12/1
1950 日	5.49 6	3.70 13	5.91 1	5.67 5	9.17 3	12.24 7	16.52 3	13.71 22	10.51 28	10.19 20	5.73 29	3.95 16	3.70 13/2
1951 日	4.01 28	4.45 18	4.35 3	7.45 3	10.78 5	13.43 3	16.57 5	16.65 17	13.51 21	9.04 23	4.72 22	4.86 31	4.01 28/1
1952 日	4.17 7	4.29 18	3.94 19	5.86 12	12.49 13	14.40 2	17.41 2	14.26 27	9.28 25	8.32 21	6.87 28	3.72 2	3.72 2/12
1953 日	4.38 11	4.93 6	6.64 29	8.17 11	7.82 12	9.23 6	16.13 2	19.11 27	14.11 27	8.28 31	5.45 18	5.55 17	4.38 11/1
極 值 日 年	2.71 12 1949	2.71 16 1938	3.45 5 1945	3.72 2 1940	7.61 7 1948	9.09 3 1940	11.76 17 1943	12.63 9 1944	9.28 25 1952	6.25 25 1942	3.69 23 1937	3.30 21 1944	2.71 12/1, 16/2 1938 1949
樂 山(一) $\varphi = 29^{\circ}30'N$ $\lambda = 103^{\circ}45'E$ $H = 387.0 M$													
平均 絶対湿度 (毫米)													
1937	5.34	6.34	7.31	10.23	13.14	16.66	19.54	20.31	16.29	12.19	7.70	6.88	11.83
1938	6.03	6.08	8.27	11.64	14.17	15.94	19.58	20.20	15.71	13.06	9.69	7.14	12.29
1939	6.28	7.58	8.45	10.21	14.29	16.52	18.88	19.43	15.50	12.49	8.74	7.29	12.14
1940	6.54	6.47	8.07	9.14	13.71	15.13	19.87	19.86	16.27	12.92	9.21	8.09	12.11
1941	6.64	6.61	8.25	9.91	12.27	15.90	19.59	18.90	15.57	12.90	8.77	7.50	11.90
1942	6.60	5.76	8.85	10.96	14.19	16.14	19.66	18.55	15.22	13.12	9.73	6.85	12.14
1943	6.49	7.64	10.58	13.67	18.33	19.59	18.54	19.29	16.13	11.91	8.58	6.68	13.12
1944	6.13	6.44	8.43	10.32	12.27	15.82	20.73	19.29	16.78	12.64	9.78	5.71	12.03

年 月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1945	5.92	5.43	7.67	11.48	12.28	15.95	19.22	19.18	16.31	11.59	10.49	6.47	11.83
1946	6.71	7.06	7.39	10.88	12.82	16.36	18.96	18.97	16.22	12.20	9.35	6.80	11.98
平 均	6.27	6.54	8.33	10.84	13.75	16.40	19.46	19.40	16.00	12.50	9.20	6.94	12.14
最大绝对湿度(毫米)													
1937	7.24	9.15	10.71	15.22	20.66	21.90	24.53	25.48	21.37	16.77	12.06	9.29	25.48
日	29	8	9	21	18	26	26	19	6	11	5	6	19/8
1938	7.42	10.37	12.88	18.51	22.95	20.16	23.75	24.39	21.45	19.35	12.64	9.59	24.39
日	2	25	5	21	30	25	10	3	1	9	8	10	3/8
1939	8.14	9.29	13.43	13.98	20.11	22.50	23.36	23.23	21.05	16.55	11.83	9.57	23.36
日	30	27,28	31	1	30	26	18	7	1	11	4	9	18/7
1940	8.90	9.01	12.74	14.33	19.51	21.35	26.72	24.50	20.37	16.66	15.52	10.59	26.72
日	9	26	31	30	14,15	30	15	12	13	8	4	7,8	15/7
1941	8.55	11.81	13.50	17.69	18.56	20.70	25.38	24.05	21.38	17.59	12.96	9.73	25.38
日	3	22	28	24	23	29	5	14	7	8	18	11	5/7
1942	11.88	8.83	11.99	16.48	19.59	22.35	29.15	25.07	19.28	19.21	17.44	9.25	29.15
日	22	1	28	24	27	20,21	11	5	1	6	11	21	11/7
1943	9.70	14.13	17.80	28.27	31.89	39.20	29.65	29.14	28.72	16.34	15.49	9.73	39.20
日	24	27	18	24	8	8	13	29	2	16	2	20	8/6
1944	7.57	14.13	14.10	14.07	17.31	20.01	28.58	37.02	23.69	16.63	15.95	7.89	37.02
日	3	28	31	22	30	29	15	19	27	7	11	28	19/8
1945	9.03	8.30	14.92	16.90	17.85	21.83	23.67	23.32	21.55	14.56	13.60	10.15	23.67
日	31	28	31	28	31	26	27	11	27	1	14	7	27/7
1946	9.49	10.49	11.81	17.35	17.60	22.81	23.52	24.23	21.99	17.60	12.88	8.42	24.23
日	27	25	18	30	13	23	30	5	11	1	3	14	5/8
極 值	11.88	14.13	17.80	28.27	31.89	39.20	29.65	37.02	28.72	19.35	17.44	10.59	39.20
日 期	22	27,28	18	24	8	8	13	19	2	9	11	7,8	8/6
年 份	1942	1943	1943	1943	1943	1943	1943	1944	1943	1938	1942	1940	1943
最小绝对湿度(毫米)													
1937	3.30	4.26	3.51	5.67	7.29	11.54	14.77	15.86	12.06	7.10	3.01	1.80	1.80
日	9	27	24	14	6	1	4	1	13	29	23	18	18/12
1938	4.52	2.25	4.35	6.54	7.97	10.97	14.54	16.66	11.90	7.61	6.48	4.08	2.25
日	20	16	7	24	22	1	13	28	9	30	12	1	16/2
1939	3.94	5.35	5.51	5.18	8.76	9.54	13.27	12.83	8.23	6.97	4.58	4.45	3.94
日	9	19	24	6	6	1	7	17	27	30	26	22	9/1
1940	3.38	3.46	4.80	4.66	8.21	8.81	12.83	14.22	12.50	5.39	5.24	4.75	3.38
日	23	2	4	2	6	4	21	31	29	24	29	23,28	23/1
1941	3.68	2.84	4.03	3.28	6.66	10.41	13.74	14.99	11.09	6.26	4.94	5.52	2.84
日	24	17	12	5	26	8	26	6	28	27	24	31	17/2
1942	3.74	3.19	5.53	5.09	8.88	9.07	11.51	12.24	9.97	6.63	6.32	3.83	3.19
日	7	16	14	5	19	9	5	14	29	24	21	10	16/2
1943	4.63	3.80	6.52	5.05	11.73	14.05	11.19	14.00	10.56	7.26	4.15	4.13	3.80
日	22	6	7	7	5	4	21	27	26	27	21	7	6/2
1944	4.22	4.19	5.59	6.85	7.07	11.34	13.28	12.52	12.60	9.32	5.85	3.18	3.18
日	4	5	3	23	4	3	7	9	21	29	17	1	1/12
1945	4.03	2.91	3.25	6.77	7.61	8.91	14.25	12.76	12.33	6.18	5.24	3.53	2.91
日	17	8,9	5	6	2	1	18	2	10	2	30	17	8,9/2
1946	3.36	3.34	4.65	4.76	7.24	9.29	10.37	12.23	9.12	7.55	4.50	4.25	3.34
日	3	1	19	10	2	10	7	12	26	29	29	1	1/2
極 值	3.30	2.25	3.25	3.28	6.66	8.81	10.37	12.23	8.23	5.39	3.01	1.80	1.80
日 期	9	16	5	5	26	4	7	12	27	24	23	18	18/12
年 份	1937	1938	1945	1941	1941	1940	1946	1946	1939	1940	1937	1937	1937
樂 山(二) $\varphi=29^{\circ}30'N$ $\lambda=103^{\circ}45'E$ $H=387.0M$													
平均绝对湿度(毫米)													
1947	6.26	6.67	9.21	12.85	17.47	18.57	21.56	21.37	18.58	11.88	11.13	7.16	13.56
1948	6.75	7.33	9.02	13.28	13.57	17.70	19.79	20.16	17.68	12.51	8.96	7.45	12.85
1949	6.12	7.37	8.50	10.95	14.50	17.35	21.36	18.99	17.43	13.10	8.86	—	—
1950	7.83	6.82	9.81	12.45	15.75	17.35	21.45	20.57	16.91	13.48	10.06	6.38	13.24
1951	6.31	7.04	8.22	11.15	15.56	18.96	21.00	22.20	17.69	15.00	10.20	8.12	13.45
1952	6.81	7.39	9.04	13.04	16.74	19.08	21.79	18.81	17.29	12.82	11.12	6.47	13.37
1953	6.55	7.68	10.08	11.70	15.46	18.61	21.55	23.02	16.78	13.62	10.24	7.69	13.58

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均		6.75	7.16	9.23	12.41	15.76	18.38	21.19	21.02	17.49	13.22	10.29	7.21	13.34
最大绝对湿度(毫米)														
1947	日	8.39	9.94	13.20	20.43	28.42	26.00	30.69	27.08	24.92	14.26	15.47	11.48	30.69
	日	6	28	20	21	21	28	13	1	4	5	12	1	13/7
1948	日	9.71	12.75	12.38	17.73	19.69	25.17	24.59	25.02	22.50	18.03	11.86	9.76	25.17
	日	10	13	31	30	31	30	11	10	10	10	4	7	30/6
1949	日	8.47	9.96	12.20	20.67	20.26	21.49	27.01	26.55	22.31	17.84	17.46	—	—
	日	31	22	11	29	20	7	23	3	2,14	10	5	—	—
1950	日	10.03	8.82	12.82	20.32	22.25	22.47	26.87	25.75	23.22	16.99	14.48	8.73	26.87
	日	14	25	25	23	14	30	17	20	2	14	2	7	17/7
1951	日	8.82	10.41	11.41	14.31	20.79	26.07	26.93	28.80	25.59	20.73	14.70	10.31	28.80
	日	4	18	26	26	25	24	26	14	5	16	4	25	14/8
1952	日	9.47	10.64	12.06	17.92	21.22	24.89	27.86	24.16	25.72	17.25	15.55	10.60	27.86
	日	29	13	17	30	29	25	22	1	10	1	12	1	22/7
1953	日	8.45	10.07	13.95	18.52	21.91	25.26	27.63	27.28	22.36	17.13	14.11	10.92	27.63
	日	10,11	28	25,26	27	27	23	17	18,19	2	4	8	1	17/7
極 值		10.03	12.75	13.95	20.67	28.42	26.07	30.69	28.80	25.72	20.73	17.46	11.48	30.69
日 期		14	13	25,26	29	21	24	13	14	10	16	5	1	13/7
年 份		1950	1948	1953	1949	1947	1951	1947	1951	1952	1951	1949	1947	1947
最小绝对湿度(毫米)														
1947	日	4.35	3.52	6.02	7.96	12.53	11.95	15.82	14.84	11.89	9.05	7.97	3.88	3.52
	日	7	1	3	1	9	1	15	19	30	11	24	19	1/2
1948	日	3.96	4.66	6.40	9.44	7.51	11.32	14.54	15.34	13.88	8.00	6.07	5.03	3.96
	日	26	9	18	8	7	7	3	18	28	24	15	26	26/1
1949	日	3.92	4.67	5.09	5.49	9.76	14.34	16.10	12.74	9.34	9.34	5.50	—	—
	日	7	1	22	3	11	4	29,30	25	25	30	22	—	—
1950	日	5.08	4.05	6.05	5.17	9.93	10.47	16.81	14.85	11.76	10.36	5.50	4.10	4.05
	日	22	17	8	5	3	7	2	25	28	9	28	19	17/2
1951	日	2.90	4.41	4.20	7.27	9.21	13.54	16.29	15.68	13.73	9.07	5.08	4.68	2.90
	日	25	9	1	11	30	2	31	17	29	23	23,24	31	25/1
1952	日	3.63	4.57	4.82	5.48	11.69	12.83	16.91	14.04	11.08	8.88	6.47	3.39	3.39
	日	2	18	19	12	31	1	15	27	25	11	20	3	3/12
1953	日	4.75	5.50	7.21	7.57	8.23	8.35	15.62	18.48	11.02	8.10	5.91	5.22	4.75
	日	6	8	6	12	13	7	19,20	31	28	20	19	17	6/1
極 值		2.90	3.52	4.20	5.17	7.51	8.35	14.54	12.74	9.34	8.00	5.08	3.39	2.90
日 期		25	1	1	5	7	7	3	25	25	24	23,24	3	25/1
年 份		1951	1947	1951	1950	1948	1953	1948	1949	1949	1948	1951	1952	1951
重慶白市驛 $\varphi=29^{\circ}30'E$ $H=106^{\circ}25'E$ $H=310.0 M$														
平均绝对湿度(毫米)														
1950		—	—	—	—	—	—	—	—	—	—	9.74	6.50	—
1951		6.45	7.17	8.29	11.45	16.17	19.76	21.95	22.88	17.53	15.13	10.22	8.27	13.77
1952		7.11	7.28	9.05	13.45	16.61	19.36	23.85	20.31	18.39	12.79	11.42	6.95	13.88
1953		6.70	7.53	9.77	11.40	14.98	18.85	22.65	22.40	17.39	13.71	10.01	8.16	13.63
平 均		6.75	7.33	9.04	12.10	15.92	19.32	22.82	21.86	17.77	13.88	10.55	7.79	13.76
最大绝对湿度(毫米)														
1950	日	—	—	—	—	—	—	—	—	—	—	14.26	7.92	—
	日	—	—	—	—	—	—	—	—	—	—	1	5	—
1951	日	9.07	9.77	11.47	15.00	22.48	27.76	28.23	28.04	26.70	19.79	15.15	10.37	28.23
	日	3	22	17	27	26	24	28	14	1	1	4	28	28/7
1952	日	10.62	11.39	14.18	20.07	21.71	25.51	30.51	27.07	26.19	18.14	15.82	11.67	30.51
	日	29	13	24	10	29,30	16	4	7	11	2	11	1	4/7
1953	日	9.30	10.67	13.54	20.01	21.24	25.74	30.78	27.51	25.52	17.44	14.56	11.27	30.78
	日	11	28	9	27	28	21	16	18	5	18	6	1	16/7
極 值		10.62	11.39	14.18	20.07	22.48	27.76	30.78	28.04	26.70	19.79	15.82	11.67	30.78
日 期		29	13	24	10	26	24	16	14	1	1	11	1	16/7
年 份		1952	1952	1952	1952	1951	1951	1953	1951	1951	1951	1952	1952	1953

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)													
1950	-	-	-	-	-	-	-	-	-	-	5.90	4.09	-
日	-	-	-	-	-	-	-	-	-	-	28	9	-
1951	3.30	4.96	4.31	8.22	10.60	11.57	16.99	17.86	11.70	9.04	4.71	5.74	3.30
日	13	12	3	3	22	1	24	7	20	23	22	31	13/1
1952	3.86	4.61	5.55	6.87	10.51	14.43	18.37	15.30	11.46	9.28	7.67	4.85	3.86
日	8	17	12	12	13	26	17	28	27	21	21	17	8/1
1953	4.29	5.22	5.77	7.36	7.92	9.60	17.47	17.21	12.04	8.64	6.39	5.22	4.29
日	18	18	30	13	12,13	6	3	30	15	31	20	24,25	18/1
值	3.30	4.61	4.31	6.87	7.92	9.60	16.99	15.30	11.46	8.64	4.71	4.09	3.30
日期	13	17	3	12	12,13	6	24	28	27	31	22	9	13/1
年份	1951	1952	1951	1952	1953	1953	1951	1952	1952	1953	1951	1950	1951
重慶沙坪壩 $\varphi = 29^{\circ}30'N$ $\lambda = 106^{\circ}33'E$ $H = 261.3M$													
平均绝对湿度(毫米)													
1946	7.74	8.79	8.99	13.41	16.16	20.12	22.96	22.35	18.63	13.95	10.75	7.27	14.26
1947	7.07	7.17	9.95	13.01	17.51	19.47	23.11	21.52	18.55	12.40	10.89	7.38	14.00
1948	7.29	7.68	9.70	13.70	14.73	19.78	22.13	21.60	19.05	13.22	9.39	8.47	13.90
1949	6.68	8.16	9.53	11.76	16.63	19.80	23.78	20.05	18.43	13.99	9.93	7.25	13.83
1950	7.73	6.73	9.89	12.38	16.54	14.84	22.70	21.03	17.21	13.52	9.90	6.57	13.25
1951	6.45	7.16	8.45	11.52	16.21	19.58	22.02	22.71	17.37	15.15	10.26	8.17	13.75
1952	7.11	7.23	8.88	13.40	16.88	19.28	23.50	20.12	18.54	12.87	11.45	7.00	13.86
1953	6.83	7.69	10.11	11.52	14.97	18.88	22.49	22.29	17.33	14.15	10.42	8.27	13.75
本 站	7.11	7.58	9.44	12.59	16.20	18.97	22.84	21.46	18.14	13.66	10.37	7.55	13.83
最大绝对湿度(毫米)													
1946	10.87	13.67	13.13	21.00	20.58	28.78	27.86	27.20	23.70	20.33	14.28	8.94	28.78
日	26	26	31	28	11	23	21	24	2	1	8	14,15	23/6
1947	9.44	10.75	15.78	19.18	24.17	24.80	27.58	29.44	24.51	15.62	16.50	11.40	29.44
日	10	27	31	20	22	30	10	26	4	9	7	8	26/8
1948	9.49	11.13	15.53	18.93	23.09	26.57	27.19	26.07	23.63	17.50	13.00	11.13	27.19
日	12	29	12	30	31	28	15	17	25	22	5	9	15/7
1949	9.71	11.88	14.86	16.92	22.31	25.31	29.06	25.79	23.68	20.12	13.42	9.60	29.06
日	30	23	20	27	20	30	24	5	9	1	12,13	3	24/7
1950	10.90	9.10	13.16	16.88	21.93	22.77	27.17	25.89	22.91	16.97	13.90	8.11	27.17
日	14	10	26	30	31	18	16	18	16	15	1	6	16/7
1951	9.01	9.45	11.53	14.86	23.16	27.23	26.19	28.04	25.94	19.70	14.94	10.59	28.04
日	7	3	26	27	26,27	24,25	8	16	2	18	5	28	16/8
1952	10.23	10.64	13.41	19.60	22.02	25.25	30.90	25.74	25.35	18.14	15.81	11.59	30.90
日	29	14	29	9	12	29	5	7	10	2,3	11	1	5/7
1953	9.08	10.59	13.70	19.67	20.71	25.76	28.97	26.46	23.96	18.26	14.72	11.65	28.97
日	11	15	25	28	28	19,20	17	1	5	1,2	8	1	17/7
值	10.90	13.67	15.78	21.00	24.17	28.78	30.90	29.44	25.94	20.33	16.50	11.65	30.90
日期	14	26	31	28	22	23	5	26	2	1	7	1	5/7
年份	1950	1946	1947	1946	1947	1946	1952	1947	1951	1946	1947	1953	1952
最小绝对湿度(毫米)													
1946	5.52	5.52	6.95	8.20	10.99	13.11	17.98	16.96	13.81	9.86	6.02	4.88	4.68
日	6	2	11	19	2	1	5	28	27	31	28	1	1/12
1947	5.71	4.61	6.86	7.46	12.78	14.27	17.98	16.66	11.22	9.10	6.63	3.66	3.66
日	27	17	21	2	6	11	15	20	30	23	20	19	19/12
1948	3.87	4.26	6.53	9.21	9.45	13.71	17.24	15.20	13.49	8.82	5.80	5.38	3.87
日	26	9	16	8	7	15	3	18	18	31	29	30	26/1
1949	3.99	4.84	7.18	6.98	11.33	16.15	17.95	12.44	11.65	9.58	6.61	4.96	3.99
日	9	7	22	13	14	14	30	19	2	31	20	27	9/1
1950	5.25	4.25	6.93	6.41	10.23	10.27	15.73	15.34	12.90	10.37	6.24	4.13	4.13
日	6	14	1	6	21	8	23	28	29	20	30	9	9/12
1951	3.57	5.45	4.86	8.31	10.25	12.34	17.33	17.87	10.96	9.09	4.73	5.36	3.57
日	13	10	3	3	5	1	5	1	12	23	22	31	13/1
1952	4.35	4.20	5.67	6.61	11.91	14.74	18.46	15.49	11.91	8.35	7.98	4.99	4.20
日	2	17	19	12	13	16	12	28	24,25	21	20,21	3	17/2

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953 日	4.68 18	5.35 18	5.77 29	7.65 13	8.22 12,13	9.16 6	16.14 3	17.02 30	12.15 16	8.51 31	6.56 18	5.97 25	4.68 18/1
極 值 日 期 年 份	3.57 13 1951	4.20 17 1952	4.86 3 1951	6.41 6 1950	8.22 12,13 1953	9.16 6 1953	15.73 23 1950	12.44 19 1949	10.96 12 1951	8.35 21 1952	4.73 22 1951	3.66 19 1947	3.57 13/1 1951
峨嵋山 $\varphi = 29^{\circ}28'N$ $\lambda = 103^{\circ}41'E$ $H = 3137.0 M$ 平均绝对湿度(毫米)													
1940	-	-	-	-	-	7.80	9.97	9.68	7.93	5.67	-	-	-
1941	-	-	3.31	4.72	5.51	7.19	10.11	8.62	7.16	5.30	3.48	2.72	-
1942	2.11	2.07	3.77	4.66	6.52	7.34	9.53	8.75	7.13	6.06	4.29	2.40	5.39
1943	2.13	2.48	3.62	4.99	6.10	7.47	8.87	8.26	7.16	5.33	3.91	2.45	5.23
1944	2.28	2.50	3.80	4.73	5.62	7.68	9.50	7.87	7.35	5.54	3.50	1.99	5.20
1945	1.99	2.15	3.35	5.30	5.07	7.47	9.07	9.36	7.82	4.97	4.49	2.70	5.31
1946	3.01	3.53	3.53	5.49	6.34	8.29	9.12	9.07	7.92	5.36	4.03	2.54	5.69
1947	2.18	2.60	3.77	4.76	6.32	7.40	9.60	9.65	8.63	4.81	4.00	2.45	5.51
1948	2.31	2.52	3.45	5.84	5.72	8.01	8.53	8.67	7.86	5.17	3.35	2.43	5.32
1949	2.15	2.73	3.02	4.64	6.36	7.94	9.75	8.68	8.78	5.70	3.49	2.35	5.47
1950	2.24	2.26	3.58	4.66	6.26	6.98	8.74	7.72	7.03	5.48	3.64	2.35	5.08
1951	2.12	2.48	2.87	4.35	5.95	7.70	9.40	9.77	7.64	5.96	3.85	2.54	5.39
1952	2.58	2.79	3.55	5.62	7.29	8.17	9.51	8.79	7.39	5.26	4.66	2.54	5.68
1953	2.46	2.68	4.04	4.79	6.66	8.11	9.83	10.42	7.06	5.83	3.79	2.99	5.72
平 均	2.30	2.57	3.53	4.99	6.18	7.71	9.29	8.92	7.65	5.46	3.92	2.48	5.42
最大绝对湿度(毫米)													
1940	-	-	-	-	-	14.10	15.38	13.44	11.11	8.12	-	-	15.38
日	-	-	-	-	-	2	12	9	11	7	-	-	12/7
1941	-	-	7.03	9.12	10.35	12.11	14.08	12.14	12.39	9.83	6.23	4.70	-
日	-	-	22	23	23	29	5	14	7	21	19	7	-
1942	4.21	4.11	6.03	8.09	10.78	12.14	12.88	13.21	10.88	10.37	7.41	4.38	13.21
日	23	25	28	24	27	16	12	5	8	5	9	16	5/8
1943	3.77	4.98	5.93	8.13	9.54	11.87	13.25	13.57	11.63	7.46	7.95	4.26	13.57
日	13	28	19	26	25	27	29	16	23	6	5	16	16/8
1944	3.81	5.04	6.35	8.20	9.94	11.01	14.10	12.18	10.73	7.90	5.83	4.29	14.10
日	1	22	21	25	13	27	29	25	26	1	2	4,5	29/7
1945	4.01	4.92	7.23	9.07	9.85	12.06	13.08	12.89	11.77	6.91	7.01	5.69	13.08
日	7	26	31	3	16	10	10	31	25	23	15	5	10/7
1946	5.46	8.67	9.75	9.32	9.93	13.95	12.79	13.11	12.48	9.52	6.54	5.88	13.95
日	24	3	16	30	30	25	4	23	11	1	5	16	25/6
1947	4.43	4.50	6.92	8.51	10.49	11.77	13.59	13.02	12.93	7.09	7.38	4.47	13.59
日	3	27	30	21	19	29	28	1	27	8	5	8	28/7
1948	4.67	4.75	7.01	8.45	8.50	12.55	12.97	12.28	12.19	8.74	5.39	4.43	12.97
日	2	26	12	30	23	27	28	16	12	2	7	26	28/7
1949	5.28	5.12	6.47	8.52	10.51	11.19	12.91	13.69	12.32	9.19	6.11	4.60	13.69
日	9	25	14	27	27	30	22	24	16	1	6	22	24/8
1950	3.88	4.84	5.47	7.43	10.29	10.29	12.53	12.16	11.42	8.30	6.72	4.79	12.53
日	7	24	7	15	31	26	20	20	2	16	2	5	20/7
1951	4.54	5.06	5.76	6.63	9.51	13.63	14.94	13.77	12.76	9.19	6.23	5.47	14.94
日	5	22	10	26	26	24	26	29	1	11	4	20	26/7
1952	4.97	4.88	6.21	9.51	10.03	13.15	14.21	13.25	12.69	8.40	7.10	4.89	14.21
日	26	5	25	10	6	26	4	2	10	19	12	1	4/7
1953	4.17	4.80	6.38	8.94	10.89	14.08	14.59	14.76	11.93	8.93	6.16	5.22	14.76
日	7	16	19	28	28	21	17	18	5	7	9,10	1	18/8
極 值 日 期 年 份	5.46 24 1946	8.67 3 1946	9.75 16 1946	9.51 10 1952	10.89 28 1953	14.10 2 1940	15.38 12 1940	14.76 18 1953	12.93 27 1947	10.37 5 1942	7.95 5 1943	5.88 16 1946	15.38 12/7 1940
最小绝对湿度(毫米)													
1940	-	-	-	-	-	2.43	4.25	4.33	4.83	1.14	-	-	-
日	-	-	-	-	-	5	31	1	29	28	-	-	-
1941	-	-	0.60	0.79	0.79	2.13	3.88	3.73	1.32	0.64	0.67	0.47	-
日	-	-	14	29	19	5	29	28	24	24	17	2	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1942	日	0.62	0.84	1.23	0.41	0.91	1.36	2.47	2.99	2.71	0.49	0.73	0.51	0.41
		27	8	15	5,6	13	9	6	14,15	28	24	29	13	5,6/4
1943	日	0.74	1.03	0.77	1.03	1.46	0.41	2.82	1.77	1.84	1.31	0.67	0.42	0.41
		25	6,7	20	8	18	5	17	28	13	28	24	6	5/6
1944	日	0.71	1.11	0.82	0.85	0.66	3.30	3.83	3.13	3.58	3.19	0.76	0.75	0.66
		3	10	12	30	5	11	3	21,22	20	29	10	19,20	5/5
1945	日	0.49	1.01	0.96	3.16	1.08	0.96	2.16	5.46	3.76	2.79	1.64	0.75	0.49
		17	8,11	27	6,7	8	4	24	1	15	9	29	3	17/1
1946	日	1.13	1.47	1.21	0.82	1.11	2.51	3.38	3.93	1.07	0.75	1.40	0.81	0.75
		3	4	30	3	11	1	9	29	27	23	30	2	23/10
1947	日	0.56	1.08	1.85	0.40	1.67	1.86	4.45	3.38	3.42	1.91	1.52	0.90	0.40
		8,9	22	9	17	17	21	24	9	16	31	27	18	17/4
1948	日	0.41	0.93	0.90	2.75	1.99	1.83	2.37	2.48	2.36	1.15	1.38	0.45	0.41
		27	8	9	8	5	13,14	1	19	8	17	4	5	27/1
1949	日	0.51	0.96	0.88	2.33	2.42	3.85	2.77	1.37	4.19	2.24	1.77	0.51	0.51
		21	13	28	25	10	17	9	30	26	5	23	27	21,12,27/12
1950	日	0.56	0.65	1.37	1.30	0.97	2.77	3.73	4.96	1.95	2.31	0.87	1.03	0.56
		1	20	1	5	14	7	22	16	4	11	30	1	1/1
1951	日	1.05	1.04	0.87	2.04	0.98	2.21	2.63	4.32	3.86	0.87	1.11	0.74	0.74
		25	1	21	11	21	29	1	18	18	23	29	25	25/12
1952	日	1.12	1.07	1.20	1.77	3.97	3.28	4.11	3.86	3.23	2.38	2.03	0.92	0.92
		14	18	19	14	19,20	13	15	18	20	31	29	9	9/12
1953	日	1.54	0.78	1.37	2.56	1.64	2.76	4.69	5.33	4.08	2.22	1.73	1.73	0.78
		5	8	4	1	13	13,14	24,25	8	29	20	26	24,25	8/2
極 值	日	0.41	0.65	0.60	0.40	0.66	0.41	2.16	1.37	1.07	0.49	0.67	0.42	0.40
年 份		1947	20	14	17	5	5	24	30	27	24	17,24	6	17/4
		1948	1950	1941	1947	1944	1943	1945	1949	1946	1942	1941	1943	1947
												1943		
漢 源														
φ-29°21'N λ-102°41'E H-793.5 M														
平均绝对湿度(毫米)														
1946	日	5.67	6.15	6.63	10.86	13.74	16.09	18.54	18.48	15.88	12.29	8.81	5.54	11.56
1947	日	5.02	5.40	7.93	10.36	13.45	15.78	19.22	19.49	17.16	10.97	9.37	6.12	11.69
1948	日	5.70	5.91	7.80	11.77	12.39	16.06	18.52	18.45	16.51	11.51	8.20	6.41	11.60
1949	日	5.23	6.36	7.27	9.90	13.66	15.98	19.80	18.13	17.06	12.67	8.06	-	-
1950	日	-	-	-	-	-	-	-	17.24	-	-	-	-	-
1951	日	4.91	5.90	6.67	9.36	12.85	16.54	19.22	19.73	15.43	13.03	8.79	6.42	11.57
1952	日	5.42	5.78	7.53	11.51	14.62	16.65	18.59	17.56	15.90	11.39	9.19	5.36	11.63
1953	日	5.16	6.24	8.41	9.84	13.49	16.29	19.52	19.96	15.01	12.21	8.38	6.39	11.74
平 均		5.31	5.90	7.50	10.62	13.42	16.24	18.94	18.95	15.98	11.90	8.79	6.04	11.63
最大绝对湿度(毫米)														
1946	日	8.39	10.21	10.37	20.44	17.85	22.05	23.32	24.86	21.18	17.81	12.80	7.70	24.86
		26	22	30	5	11	25	20	4	12	1	5	15	4/8
1947	日	7.11	8.12	11.32	15.93	19.01	21.65	23.91	24.15	22.12	14.15	13.13	9.41	24.15
		5	26	31	22	21	28	23	1	25	8	7	7	1/8
1948	日	8.05	8.48	12.71	16.44	16.49	24.00	24.15	22.44	22.11	16.03	10.51	8.53	24.15
		11	27	12	30	5	27	28	13	12	21	10	6	28/7
1949	日	7.50	9.21	11.09	15.19	19.42	20.59	24.28	22.01	21.83	17.42	11.38	-	-
		30	22	12	25	27	30	6	4	12	10	11	-	-
1950	日	-	-	-	-	-	-	-	24.35	-	-	-	-	-
		-	-	-	-	-	-	-	1	-	-	-	-	-
1951	日	7.64	9.26	10.48	13.00	19.30	22.55	23.96	24.20	24.03	17.71	12.61	8.21	24.20
		5	21	25	25	13	23	26	11	1	8	5	25	11/8
1952	日	8.21	8.92	10.83	16.85	18.21	22.23	24.13	23.04	21.97	15.16	13.09	8.23	24.13
		30	13	17	22	7	26	27	12	9	1	7	1	27/7
1953	日	7.10	9.23	11.77	14.00	17.72	22.94	25.52	23.18	19.59	16.08	11.45	9.40	25.52
		10	27	23	28	28	22	16	19	3,4	6	9	2	16/7
極 值	日	8.39	10.21	12.71	20.44	19.42	24.00	25.52	24.86	24.03	17.81	13.13	9.41	25.52
年 份		26	22	12	5	27	27	16	4	1	1	7	7	16/7
		1946	1946	1948	1946	1949	1948	1953	1946	1951	1946	1947	1947	1953

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)														
1946	日	3.13	3.68	4.25	6.27	9.68	9.40	13.71	14.23	11.33	7.82	4.46	3.72	3.13
	日	31	1	19	10	2	10	7,9	30	28	30	30	1	31/1
1947	日	3.66	3.67	6.06	7.15	8.36	11.24	13.61	15.43	10.71	8.24	6.18	3.43	3.43
	日	8	20	24	2	10	22	6	20	29	26	27	19	19/12
1948	日	3.21	3.29	5.13	8.92	7.34	9.72	15.03	12.88	13.02	7.74	5.45	4.56	3.21
	日	26	22	19	26	7	14	3	20	31	30	28	26/1	
1949	日	3.42	4.07	4.88	5.93	9.20	12.23	15.63	12.75	11.74	9.17	5.33	-	-
	日	9	10	25	3	4	18	30	30	27	31	23	-	-
1950	日	-	-	-	-	-	-	-	13.15	-	-	-	-	-
	日	-	-	-	-	-	-	-	23	-	-	-	-	-
1951	日	3.17	3.68	3.88	6.00	7.78	11.92	14.47	15.59	11.03	7.35	4.93	4.00	3.17
	日	22	15	1	2	17,18	5	14	1	29	22	22	31	22/1
1952	日	3.69	3.14	4.39	6.26	11.64	10.53	13.11	12.37	10.67	7.85	5.25	3.47	3.14
	日	2	18	19	11,12	27	19	15,16	18	24	22	21	3	18/2
1953	日	3.89	4.50	6.35	6.21	7.86	11.03	15.55	15.32	10.76	7.27	5.97	4.86	3.89
	日	6	6	30,31	12	13,14	8	3	8	12	31	18	6,7	6/1
極 值	日	3.13	3.14	3.88	5.93	7.34	9.40	13.11	12.37	10.67	7.27	4.46	3.43	3.13
年 份	日	31	18	1	3	7	10	15,16	18	24	31	30	19	31/1
	年	1946	1952	1951	1949	1948	1946	1952	1952	1952	1953	1946	1947	1946
峨 嵋 $\varphi = 29^{\circ}16'N$ $\lambda = 103^{\circ}30'E$ $H = 524.0M$														
平均绝对湿度(毫米)														
1942		-	6.99	11.34	-	-	15.87	19.25	18.45	14.88	13.13	9.83	6.80	-
1943		6.00	6.57	8.85	10.71	13.65	15.80	18.24	17.98	15.42	11.92	8.99	6.91	11.75
1944		6.36	6.56	8.52	10.65	12.52	16.53	19.63	17.47	15.59	11.96	8.49	5.24	11.63
1945		5.76	5.37	7.70	11.45	12.71	16.66	19.92	20.17	16.18	11.34	10.57	7.06	12.07
1946		7.39	8.09	8.63	13.72	16.27	18.42	20.21	19.88	17.26	12.66	9.33	6.61	13.21
1947		6.19	6.44	8.58	11.38	15.10	17.84	21.24	20.88	19.07	11.68	10.16	7.06	12.97
1948		6.64	7.55	9.21	13.45	15.25	18.40	20.43	20.97	18.26	12.89	9.02	7.77	13.32
1949		6.42	7.69	8.54	11.34	15.03	17.50	21.31	19.41	17.54	13.25	9.04	6.99	12.84
1950		7.43	6.63	9.13	11.42	15.09	16.92	21.38	20.13	16.46	12.18	9.05	5.61	12.62
1951		6.01	6.54	7.95	10.72	15.30	18.00	20.93	21.89	17.14	14.33	9.59	7.85	13.02
1952		6.72	6.87	8.30	12.19	15.53	18.08	20.97	18.08	16.33	12.02	10.56	6.39	12.67
1953		6.34	7.37	9.58	11.23	14.74	17.66	20.55	22.09	15.76	12.89	9.67	7.37	12.94
平 均		6.48	6.88	8.64	11.66	14.65	17.44	20.44	19.90	16.82	12.47	9.50	6.81	12.64
最大绝对湿度(毫米)														
1942	日	-	12.36	20.25	-	-	22.37	25.21	24.71	19.15	20.14	13.40	8.90	-
	日	-	24	27	-	-	21	21	4	8	6	12	1	-
1943	日	7.80	10.20	11.89	16.44	20.91	21.41	25.65	24.33	20.70	15.04	15.11	9.44	25.65
	日	3	28	22	25	12	27	28	2	22	9	4	16	28/7
1944	日	7.45	8.69	11.93	15.29	17.58	22.79	24.90	23.54	21.48	16.09	12.13	6.55	24.90
	日	3	29	31	22	31	29	23	6	27	7	2	14	23/7
1945	日	7.41	8.46	13.04	16.44	18.70	21.87	25.02	27.56	20.50	14.36	13.84	10.16	27.56
	日	26	28	31	2	30	29	9	25	19	10	18	16	25/8
1946	日	10.72	18.36	12.33	24.76	26.36	25.58	27.79	26.26	23.10	18.99	13.16	8.03	27.79
	日	26	24	31	5	29	4	19	9	11	1	3	10	19/7
1947	日	8.39	9.28	14.51	18.15	22.26	25.46	28.21	28.01	27.72	15.91	15.46	10.51	28.21
	日	4	28	30	20	31	28	30	1	18	8	4	6	30/7
1948	日	9.66	11.96	16.37	18.31	28.80	26.42	26.47	27.49	23.89	18.30	12.02	9.79	28.80
	日	10	20	31	30	31	1	14	12	7	9,10	5	8	31/5
1949	日	9.31	10.45	12.46	16.85	21.42	23.63	28.45	27.92	23.85	19.21	13.00	10.22	28.45
	日	31	21	12	27	9	29	23	3	14	6	11	4	23/7
1950	日	9.64	11.17	12.73	17.36	21.57	22.63	30.56	27.61	23.79	17.05	13.38	7.99	30.56
	日	12	8	31	15	28	20	12	20	2	16	1	5	12/7
1951	日	9.33	8.95	11.64	20.49	23.41	26.70	27.68	28.55	25.08	19.32	13.45	9.72	28.55
	日	6	21	26	30	25	23	24	12	1	9,17	4	26	12/8
1952	日	9.85	10.18	11.35	18.21	22.91	25.34	27.85	23.93	22.37	16.17	14.82	9.78	27.85
	日	29,30	14	16	30	11	25	29	6	10	1	12,13	1	29/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953	日	8.07	9.86	12.88	18.06	21.70	25.48	26.97	28.13	24.06	16.33	13.20	10.68	28.13
	日	10	15,16	25,26	28	28	27	17	14	1	5	8	1	14/8
值	期	10.72	18.36	20.25	24.76	28.80	26.70	30.56	28.55	27.72	20.14	15.46	10.68	30.56
日	份	26	24	27	5	31	23	12	12	18	6	4	1	12/7
年	份	1946	1946	1942	1946	1948	1951	1950	1951	1947	1942	1947	1953	1950
最小绝对湿度(毫米)														
1942	日	-	2.99	6.37	-	-	9.01	11.70	12.92	10.29	6.96	6.70	4.24	-
	日	-	16	9	-	-	8	5	14	28	24	20	4	-
1943	日	4.23	3.57	5.70	4.71	8.75	10.16	14.77	12.86	9.42	8.41	5.39	4.92	3.57
	日	6	9	6	8	5	3	17	27	29	28	19	6	9/2
1944	日	4.63	4.64	5.72	7.21	9.34	10.16	14.33	12.77	12.00	7.76	5.81	2.46	2.46
	日	10	5	3	27	20	8	7	16	19	29	15	17	17/12
1945	日	3.70	3.26	4.17	6.43	8.68	11.52	12.65	13.74	11.89	7.02	5.95	4.12	3.26
	日	14	7	7	6	2	1	18	2	8	2	30	24	7/2
1946	日	5.37	4.76	5.70	8.71	10.14	11.70	12.36	14.30	10.82	7.47	4.02	3.84	3.84
	日	3	3	20	12	2	1	7	29	26	28	23	1	1/12
1947	日	4.45	3.80	5.51	7.33	10.62	11.26	16.44	15.46	10.88	9.22	6.88	3.78	3.78
	日	30	22	21	2	4	10	15	3	30	21	10	19	19/12
1948	日	3.82	4.19	6.05	9.67	10.06	12.35	12.76	14.84	12.63	8.70	6.76	5.47	3.82
	日	25	9	17	16	3	16	3	19	16	13	26	26	25/1
1949	日	4.34	4.92	5.94	6.83	9.84	11.59	16.06	13.36	11.49	9.56	5.02	5.04	4.34
	日	7	9	1	3	4,5	15	30	25	26	31	26	26,27	7/1
1950	日	5.30	3.82	5.77	6.20	10.62	12.13	15.12	14.14	10.45	9.18	5.28	4.17	3.82
	日	6	17	8	5	5	8	1	22	27	20	27	16	17/2
1951	日	4.10	4.77	4.20	7.13	11.10	11.63	13.67	13.10	11.05	8.04	5.03	5.13	4.10
	日	22	17	1	3	20	8	11	18	29	23	22	30	22/1
1952	日	4.25	4.14	4.82	4.67	8.21	9.37	10.20	12.98	9.12	8.35	5.90	3.47	3.47
	日	2	18	19	12	18,19	1	15	26	24,25	26	20	14,15	14,15/12
1953	日	4.38	4.53	5.81	6.04	7.42	10.20	12.23	15.17	9.74	6.71	5.71	4.91	4.38
	日	14	7	4,5	12	13	8	3,4	20,21	27,28	21,22	18	22	14/1
值	期	3.70	2.99	4.17	4.67	7.42	9.01	10.20	12.77	9.12	6.71	4.02	2.46	2.46
日	份	14	16	7	12	13	8	15	16	24,25	21,22	23	17	17/12
年	份	1945	1942	1945	1952	1953	1942	1952	1944	1952	1953	1946	1944	1944
彭 水 $\varphi=29^{\circ}15'N$ $\lambda=108^{\circ}10'E$ $H=284.5M$														
平均绝对湿度(毫米)														
1946	日	6.53	6.95	7.31	11.87	14.50	18.92	20.84	20.58	18.24	12.14	9.73	5.96	12.80
1947	日	6.12	6.05	9.73	12.07	16.83	19.47	23.17	22.23	19.39	12.34	10.29	7.01	13.73
1948	日	6.78	7.51	9.30	13.25	16.72	20.02	22.67	22.28	19.57	13.66	8.68	8.18	14.05
1949	日	6.21	7.58	8.79	11.87	16.80	19.41	22.95	20.87	19.97	13.69	-	7.28	-
1950	日	7.62	6.00	9.23	12.09	15.60	18.27	22.35	20.51	16.92	14.38	9.31	6.24	13.21
1951	日	5.83	6.49	8.00	11.11	16.24	18.89	22.64	23.00	17.27	14.95	9.91	7.83	13.51
1952	日	6.40	6.28	8.41	13.60	17.14	19.30	22.77	20.82	18.68	12.78	10.62	6.39	13.60
1953	日	6.25	7.06	9.31	10.97	15.30	19.16	22.66	22.32	16.43	13.70	9.90	7.40	13.37
平 均		6.50	6.62	8.76	12.14	16.05	19.15	22.44	21.68	18.07	13.42	9.78	7.00	13.47
最大绝对湿度(毫米)														
1946	日	10.11	11.77	10.64	17.80	19.51	26.13	25.06	25.49	23.61	18.27	13.75	7.61	26.13
	日	26,28	24	28	30	11	25	16	10	2	2	25	14	25/6
1947	日	9.14	9.20	16.98	18.71	21.75	25.80	29.24	27.98	26.85	15.90	15.38	12.03	29.24
	日	6	24	31	20	25	24	27	1	5	5	1	9	27/7
1948	日	9.76	10.75	16.55	19.37	28.21	28.33	26.95	27.81	24.28	22.01	13.32	11.60	28.33
	日	22	20	10	29	27	29	1	10	1	1	4	12	29/6
1949	日	10.54	11.88	12.25	17.47	23.66	23.23	27.22	26.86	26.43	20.17	-	9.99	-
	日	30	21	20	28	27	30	13	23	8	1	-	4	-
1950	日	10.51	8.87	12.67	18.76	22.58	25.77	27.50	25.10	22.43	22.53	13.63	8.25	27.50
	日	17	25	6	15	18	26	13	9	2	15	23	14	13/7
1951	日	10.00	11.48	11.85	14.86	22.08	25.87	27.86	27.20	24.86	20.54	15.64	10.17	27.86
	日	6	23	27	27	24	25	7	4	1	19	5	25	7/7
1952	日	9.52	10.27	13.48	20.42	22.13	28.21	26.07	25.67	25.35	17.84	17.05	12.40	28.21
	日	29	13	30	28	11	30	9	8	11	1	12	1	30/6

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1951	日	10.83	11.36	14.34	16.02	25.20	29.33	28.12	30.09	26.01	20.77	14.90	10.54	30.09
		7	22	24	15	26	23	4	15	5	17	4	7	15/8
1952	日	10.72	12.26	14.43	21.94	22.52	25.08	29.29	25.79	25.41	17.80	16.48	13.33	29.29
		28	14	17	30	2	28	4	2	10,11	2	12	1	4/7
1953	日	9.88	11.14	16.10	19.41	21.78	28.50	28.57	26.20	22.98	17.31	15.30	11.86	28.57
		12	11	9	28	28,29	21	17	14,15	4	18	8	1	17/7
極 值	13.55	14.44	18.28	26.36	28.77	30.69	34.37	41.15	30.01	24.42	18.06	13.97	41.15	
日 期	31	25	30	27	8	29	27	1	2	7	1	9	1/8	
年 份	1942	1946	1945	1943	1945	1947	1943	1945	1946	1942	1943	1947	1945	
最小 绝对湿度 (毫米)														
1942	日	5.32	4.38	5.51	7.59	11.67	13.46	17.51	14.70	12.09	8.29	7.49	5.26	4.38
		8	14	21	5	3	10	5	29	24	6	26	14/2	
1943	日	4.72	4.18	6.41	4.65	13.36	12.74	17.69	17.23	11.64	9.40	7.63	6.05	4.18
		17	7	7	8	19	13	18	27	30	28	7	7/2	
1944	日	5.80	5.81	7.99	9.86	10.95	16.81	19.16	16.50	13.62	10.62	8.31	4.45	4.45
		9	6	15	2	10	12	10	9	30	29	18	17	17/12
1945	日	5.60	4.53	5.67	7.54	12.82	14.82	16.20	17.51	15.17	8.87	7.11	4.43	4.43
		12	8,11	7	6	27	12	19	23	11	3	30	26	26/12
1946	日	4.91	6.71	6.34	9.75	7.00	12.57	17.63	17.20	15.72	9.66	6.01	5.58	4.91
		6	1	12	3	15	16	9	30	27	29	28	28	6/1
1947	日	4.98	4.61	6.51	8.76	14.65	13.93	17.74	17.90	12.69	10.70	7.94	4.97	4.61
		8	22	21	2	9	11	15	3	30	11	21,25	19	22/2
1948	日	4.71	4.69	6.76	10.72	11.18	15.23	16.55	15.68	15.42	10.29	7.27	6.29	4.69
		27	9	2	1	8	15	3	19	28	29	26	9/2	
1949	日	4.83	5.41	6.91	8.36	11.66	14.70	19.73	14.00	12.62	10.38	7.11	4.92	4.83
		15	7	5	3	7	17	21,28	25	26	31	23,24	27	15/1
1950	日	5.88	4.83	-	-	-	-	-	-	-	-	-	-	-
		6	14	-	-	-	-	-	-	-	-	-	-	-
1951	日	4.54	5.68	5.75	8.40	12.45	15.02	17.54	17.29	14.10	9.51	4.35	6.12	4.35
		14	17	2	3	5	6	31	1	21	23	22	30	22/11
1952	日	4.60	4.97	6.87	7.43	13.21	14.37	18.47	14.81	12.30	9.76	7.26	4.84	4.60
		7	18	19	12	19	9	12	27	26	11	21	3	7/1
1953	日	5.51	5.46	7.82	8.45	10.11	12.78	17.42	18.39	13.25	8.39	7.24	6.85	5.46
		6	19	30	12	7	7	2	25	14,15	31	18	23	19/2
極 值	4.54	4.18	5.51	4.65	7.00	12.57	16.20	14.00	11.64	8.29	4.35	4.43	4.18	
日 期	14	7	21	8	15	16	19	25	30	24	22	26	7/2	
年 份	1951	1943	1942	1943	1946	1946	1945	1949	1943	1942	1951	1945	1943	
宜 賓 $\varphi = 28^{\circ}49'N$ $\lambda = 104^{\circ}32'E$ $H = 291.4 M$														
平均 绝对湿度 (毫米)														
1938	-	-	-	-	17.31	18.90	22.52	23.68	18.40	14.93	10.81	6.48	-	-
1939	7.17	8.43	9.67	11.64	16.40	19.23	22.15	22.02	17.09	13.80	9.79	8.04	13.79	
1940	7.22	7.60	9.01	10.50	15.50	18.50	22.50	22.20	18.10	14.60	10.30	9.10	13.76	
1941	8.40	10.00	11.20	12.70	14.80	18.70	22.30	21.90	17.90	14.70	10.00	8.50	14.26	
1942	7.35	6.68	10.40	12.30	16.10	18.53	22.04	20.66	17.50	15.00	11.28	7.90	13.81	
1951	6.59	7.59	8.70	11.65	16.56	19.68	21.93	23.12	18.11	15.18	10.36	8.46	13.99	
1952	7.39	7.77	9.59	14.07	17.28	19.96	22.56	19.65	17.97	13.17	11.59	6.93	13.99	
1953	7.10	8.20	10.65	12.27	15.90	19.36	22.24	23.55	17.38	14.16	10.75	8.38	14.16	
平 均	7.32	8.04	9.89	12.16	16.08	19.14	22.25	21.87	17.72	14.37	10.58	8.19	13.97	
最大 绝对湿度 (毫米)														
1951	日	10.63	10.50	12.40	15.59	24.55	26.41	27.48	28.61	26.73	21.40	14.61	10.28	28.61
		6	21	11	26	26	23	25	30	5	16	4	10	30/8
1952	日	10.33	11.44	13.42	24.35	23.03	25.95	29.03	25.87	23.86	17.14	15.99	11.04	29.03
		29	13	24,25	27,28	1	28	4	2	10	2,3	12	1	4/7
1953	日	9.07	10.73	14.28	19.64	22.52	27.63	27.81	26.90	24.47	17.50	14.51	11.88	27.81
		11	14	25	27,28	27	21	17	14	2	18	8	1	17/7
極 值	10.63	11.44	14.28	24.35	24.55	27.63	29.03	28.61	26.73	21.40	15.99	11.88	29.03	
日 期	6	13	25	27,28	26	21	4	30	5	16	12	1	4/7	
年 份	1951	1952	1953	1952	1951	1953	1952	1951	1951	1951	1952	1953	1952	

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
最小绝对湿度(毫米)													
1951	4.87	6.02	5.17	7.75	10.78	14.76	17.11	17.06	13.56	9.49	4.66	5.30	4.66
日	23	16	2	11	5	5	31	1	18	23	22	31	22/11
1952	4.41	4.79	5.08	5.71	12.74	14.68	18.06	14.06	12.22	10.00	7.55	4.73	4.41
日	6	18	19	12	18,19	16,17	12	27	25	11	22	4	6/1
1953	5.93	5.68	7.49	8.08	9.70	11.68	17.06	19.21	14.14	8.31	6.91	6.72	5.68
日	15	19	29	1	13	6	2	31	28	31	19	23	19/2
極 值	4.41	4.79	5.08	5.71	9.70	11.68	17.06	14.06	12.22	8.31	4.66	4.73	4.41
日 期	6	18	19	12	13	6	2	27	25	31	22	4	6/1
年 份	1952	1952	1952	1952	1953	1953	1953	1952	1952	1953	1951	1952	1952
西 陽 φ= 28°48'E H= 108°45'E H= 630.0 M													
平均绝对湿度(毫米)													
1942	-	4.62	8.03	9.98	13.12	15.96	19.39	18.13	13.59	11.81	8.52	5.36	-
1943	3.77	4.44	6.32	8.42	13.69	15.78	17.67	18.55	14.70	10.65	7.81	5.61	10.62
1944	4.46	4.38	6.78	9.34	-	-	-	-	-	-	-	-	-
1946	5.04	5.77	6.24	10.69	13.23	17.38	20.36	18.91	16.16	9.88	8.32	4.85	11.40
1947	4.94	4.58	7.34	9.11	13.30	15.45	19.65	18.48	15.41	9.25	7.41	4.95	10.82
1948	4.77	5.70	6.97	10.44	12.81	17.48	19.93	19.78	16.54	11.05	6.48	6.34	11.52
1949	4.81	5.74	6.81	9.87	13.48	16.48	19.58	18.24	16.66	10.87	6.99	5.24	11.23
1950	5.77	5.59	7.23	-	12.86	15.99	19.94	18.04	14.35	12.00	7.23	4.64	-
1951	4.58	4.86	6.47	8.98	14.07	15.98	19.67	19.54	14.03	12.08	7.94	6.01	11.18
1952	4.79	4.60	6.65	11.29	14.46	16.56	20.57	18.65	16.34	10.85	8.77	4.79	11.53
1953	4.83	5.87	7.69	9.34	13.81	17.08	20.51	19.57	14.15	11.68	8.14	6.02	11.56
平 均	4.69	5.20	6.81	9.77	13.61	16.52	19.74	18.97	15.50	10.79	7.73	5.48	11.23
最大绝对湿度(毫米)													
1942	-	8.17	12.86	15.99	20.60	21.67	24.67	23.37	21.80	19.40	15.06	8.57	-
日	-	23	25	24	26	17	17	12	7	4	13	1	-
1943	8.08	10.56	12.36	14.71	19.36	22.12	22.60	22.22	21.00	16.32	16.01	11.63	22.60
日	2	28	19	27	26	25	27	16	26	21	4	20	27/7
1944	6.26	6.89	9.56	13.92	-	-	-	-	-	-	-	-	-
日	24	29	27	22	-	-	-	-	-	-	-	-	-
1946	10.97	9.96	11.00	17.77	19.10	24.47	24.39	21.92	21.27	17.28	13.58	8.20	24.47
日	25	24	31	23	6	29	4	4	15	1	8	15	29/6
1947	8.57	7.16	14.52	13.75	18.90	21.90	23.89	23.07	21.40	12.80	13.00	9.73	23.89
日	5	25	31	17	21	21	11	1	5	5	11	9	11/7
1948	7.97	9.04	13.48	16.54	19.34	25.52	23.00	23.87	21.93	18.06	10.46	11.77	25.52
日	21	27	10	30	30	29	16	15	1	1	5	6	29/6
1949	10.75	-	9.91	16.50	20.27	20.04	23.84	23.11	21.49	16.81	11.23	7.28	-
日	30	-	10	27	26	17	12	23	7	1	11	29	-
1950	8.94	7.89	11.76	-	18.85	23.11	24.50	22.94	21.26	20.11	12.28	6.86	-
日	13	8	6	-	18	27	21	20	2	16	22	14	-
1951	8.26	9.52	10.61	12.28	19.54	23.79	23.48	23.04	22.47	18.55	12.90	9.56	23.79
日	2	22	11	26	13	25	28	28	18	19	14	21	25/6
1952	8.39	8.29	11.92	19.16	19.07	23.05	25.14	23.26	22.55	15.46	16.49	10.32	25.14
日	22	12	15	10	16	30	22	6	9	20,21	11	1	22/7
1953	8.15	10.91	13.28	18.68	19.66	24.11	23.61	24.21	18.78	15.21	11.99	9.89	24.21
日	10	12	10	28	21	24	18	15	4,5	19	8	1	15/8
極 值	10.97	10.91	14.52	19.16	20.60	25.52	25.14	24.21	22.55	20.11	16.49	11.77	25.52
日 期	25	12	31	10	26	29	22	15	9	16	11	6	29/6
年 份	1946	1953	1947	1952	1942	1948	1952	1953	1952	1950	1952	1948	1948
最小绝对湿度(毫米)													
1942	-	1.48	4.38	5.79	8.14	10.19	12.23	7.11	6.42	4.75	4.71	3.20	-
日	-	13	31	1	7	10	7	30	21	26	28	31	-
1943	1.76	1.09	1.20	3.17	8.56	10.26	11.30	14.27	8.97	7.00	2.86	2.82	1.09
日	12	23	6	8	30	6	7	29	30	6	17	12	23/2
1944	2.85	2.11	3.23	6.39	-	-	-	-	-	-	-	-	-
日	5	10	13	14	-	-	-	-	-	-	-	-	-
1946	2.72	3.22	4.19	5.73	7.56	7.94	13.41	13.24	9.53	4.26	3.57	3.20	2.72
日	16	2	11	7	2	2	9	18	25	28	29	23	16/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1947	日	3.53 28	1.45 19	3.41 9	5.10 4	9.25 7	10.83 6	14.06 14	13.77 7	9.02 18,30	6.36 16	3.77 20	2.10 21	1.45 19/2
1948	日	1.77 28	2.85 6	3.61 1	6.84 10	7.76 8	9.56 2	16.23 3	15.53 20	10.76 19	6.71 28	3.01 29	3.42 29	1.77 28/1
1949	日	2.07 6	- 22	3.53 6	4.48 6	5.73 1	12.54 22	14.96 28	10.60 31	11.18 27	6.46 30	4.09 27	3.16 27	- -
1950	日	3.96 23,24	0.83 19	4.08 1	- -	7.02 21	9.04 11	14.72 31	12.28 29	10.03 21	7.18 27	3.55 30	2.50 28	0.83 19/2
1951	日	2.64 23	2.81 17	3.00 3	6.03 11	7.69 8	8.12 4	16.66 26	13.44 22	9.02 20	6.96 24	4.01 22	3.58 15	2.64 23/1
1952	日	2.54 11	2.06 18	4.01 6	6.73 1	10.41 13	12.46 11,12	17.27 17	13.69 26	9.80 27	7.46 25	6.17 20,21	2.51 2	2.06 18/2
1953	日	2.86 14	2.89 19	4.19 31	4.11 12	8.25 13	11.15 7	17.23 1	15.07 31	9.77 30	7.26 23	4.63 20	4.22 26	2.86 14/1
極 值	期	1.76 12	0.83 19	1.20 6	3.17 8	5.73 1	7.94 2	11.30 7	7.11 30	6.42 21	4.26 28	2.86 17	2.10 21	0.83 19/2
年 份		1943	1950	1943	1943	1949	1946	1943	1942	1942	1946	1943	1947	1950
西 昌														
φ- 27°53'N λ- 102°18'E H- 1582.8 M														
平均绝对湿度(毫米)														
1951		4.14	4.57	6.17	7.19	9.23	13.80	15.88	16.47	13.21	11.51	7.74	5.58	9.62
1952		4.58	4.62	5.08	7.85	10.47	14.18	16.13	14.88	13.42	10.46	8.04	5.25	9.58
1953		5.28	5.19	6.71	7.35	10.87	13.90	15.62	15.50	12.47	10.42	7.16	6.03	9.71
平 均		4.67	4.79	5.99	7.46	10.19	13.96	15.88	15.62	13.03	10.80	7.65	5.62	9.64
最大绝对湿度(毫米)														
1951	日	5.92 3	7.86 21	8.55 12	10.10 30	14.10 28	18.93 25	19.94 9	20.50 23	19.24 1	16.13 7	11.60 5	8.15 13	20.50 23/8
1952	日	7.37 31	8.35 23	10.27 25	12.84 20	15.93 29	21.08 30	21.25 6	18.56 11	18.35 8	14.31 21	12.05 5	7.32 20	21.25 6/7
1953	日	13.81 10	7.98 20	11.28 27	10.46 30	16.16 26	19.61 20	20.68 24	19.05 7	16.95 2	15.20 7	10.20 9	8.16 2	20.68 24/7
極 值	期	13.81 10	8.35 23	11.28 27	12.84 20	16.16 26	21.08 30	21.25 6	20.50 23	19.24 1	16.13 7	12.05 5	8.16 2	21.25 6/7
年 份		1953	1952	1953	1952	1953	1952	1952	1951	1951	1951	1952	1953	1952
最小绝对湿度(毫米)														
1951	日	2.43 12	2.49 17	3.32 2	3.74 14	4.01 8	5.49 1	12.05 3	12.46 3	8.62 23	6.46 22	3.60 23	3.66 30	2.43 12/1
1952	日	2.72 18	2.45 19	2.68 2	3.65 10	6.27 10	7.25 1	10.72 18	11.78 27,28	6.44 25	6.71 31	4.22 30	3.41 4	2.45 19/2
1953	日	2.53 20	2.88 4	3.82 24	5.08 4	5.54 8	9.21 1	9.83 4	10.95 14	8.12 28	5.84 31	4.35 18	3.95 31	2.53 20/1
極 值	期	2.43 12	2.45 19	2.68 2	3.65 10	4.01 8	5.49 1	9.83 4	10.95 14	6.44 25	5.84 31	3.60 23	3.41 4	2.43 12/1
年 份		1951	1952	1952	1952	1951	1951	1953	1953	1952	1953	1951	1952	1951
雲 南 昭 通														
φ- 27°20'N λ- 103°45'E H- 1960.0 M														
平均绝对湿度(毫米)														
1945		(4.38)	4.02	5.99	8.24	8.36	12.11	13.86	13.99	11.45	7.92	7.20	4.63	8.51
1946		4.93	5.48	5.41	7.95	10.85	12.94	13.49	13.21	11.69	9.05	6.80	4.45	8.85
1947		3.72	4.16	5.97	7.58	9.90	-	-	-	-	-	-	-	-
1950		-	-	-	5.78	9.28	10.84	12.57	11.77	10.94	8.90	6.06	3.81	-
1951		3.57	4.14	4.95	7.21	10.54	12.80	14.14	14.08	10.97	9.57	6.34	4.76	8.59
1952		4.25	4.34	5.04	7.36	10.27	11.98	13.67	13.05	11.24	8.39	6.87	4.12	8.38
1953		4.01	4.29	6.05	7.31	9.28	12.03	13.78	13.41	10.57	8.93	5.96	5.00	8.39

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
平 均		4.23	4.45	5.49	7.61	9.86	12.37	13.79	13.55	11.18	8.77	6.63	4.59	8.54
最大绝对湿度(毫米)														
1945	(9.24)	8.80	11.54	12.98	12.88	16.74	17.16	17.41	15.29	11.55	9.81	9.47	17.41	
日	23	23	31	3	19	15	10	29	8	1	15	15	29/8	
1946	8.77	8.36	9.46	13.22	16.39	17.74	18.27	16.18	15.79	13.95	10.49	6.56	18.27	
日	30	24	7	30	13	25	19	11	11	13	2	6	19/7	
1947	6.52	6.06	9.71	11.87	15.18	-	-	-	-	-	-	-	-	
日	10	26	29	14	30	-	-	-	-	-	-	-	-	
1950	-	-	-	9.52	14.05	15.37	15.36	14.46	14.66	12.45	9.86	6.87	-	
日	-	-	-	30	26	4	21	12	2	9	2	6	-	
1951	5.63	6.44	9.05	11.62	18.54	19.19	19.73	17.37	14.71	13.83	9.24	7.55	19.73	
日	3	6	24	28	8	25	6	29	2	11	5	2	6/7	
1952	6.75	7.82	9.88	11.26	14.82	18.21	17.41	16.40	15.96	12.17	10.28	6.84	18.21	
日	23	23	25	30	29	30	4	8	7	19	12	1	30/6	
1953	6.58	7.56	8.87	10.72	13.04	16.19	19.03	16.64	14.52	13.50	9.27	8.68	19.03	
日	24	28	27	28	21	24	17	18	5,6	3	9	3	17/7	
極 值	9.24	8.80	11.54	13.22	18.54	19.19	19.73	17.41	15.96	13.95	10.49	9.47	19.73	
日 年	23 1945	23 1945	31 1945	30 1946	8 1951	25 1951	6 1951	29 1945	7 1952	13 1946	2 1946	15 1945	6/7 1951	
最小绝对湿度(毫米)														
1945	(2.51)	1.83	2.83	4.29	3.43	4.73	8.83	10.83	6.71	4.68	4.05	2.30	1.83	
日	14	11	7	18	8	4	21	2	14	2	29	31	11/2	
1946	2.78	3.02	0.82	3.68	6.56	7.00	8.51	9.09	6.18	6.24	3.33	2.49	0.82	
日	2	3	16	7	2	3	7	29	28	29	30	1	16/3	
1947	1.36	1.41	3.04	2.26	3.59	-	-	-	-	-	-	-	-	
日	10	4	30	1	2	-	-	-	-	-	-	-	-	
1950	-	-	-	1.08	4.44	5.65	8.72	7.34	6.81	6.48	2.44	2.42	-	
日	-	-	-	1	4	8	23	23	29	27	30	18	-	
1951	2.44	2.24	2.90	4.47	5.64	8.28	10.91	10.49	6.24	5.24	2.82	2.62	2.24	
日	7	2	7	2	17	8	25	22	29	23	22	23	2/2	
1952	2.18	2.50	2.64	3.59	5.73	7.21	9.67	9.28	4.99	5.02	3.75	2.53	2.18	
日	19	19	16	12,14	9	1	15	19	25	11	30	31	19/1	
1953	2.14	1.60	3.58	4.92	4.29	7.77	8.96	9.32	6.39	5.28	3.74	2.86	1.60	
日	27	11	23	28	7	7	4	10	23	31	19	31	11/2	
極 值	1.36	1.41	0.82	1.08	3.43	4.73	8.51	7.34	4.99	4.68	2.44	2.30	0.82	
日 年	10 1947	4 1947	16 1946	1 1950	8 1945	4 1945	7 1946	23 1950	25 1952	2 1945	30 1950	31 1945	16/3 1946	
圖 江 $\varphi = 26^{\circ}57'N$ $\lambda = 100^{\circ}18'E$ $H = 2445.0 M$														
平均绝对湿度(毫米)														
1943	3.27	2.18	4.14	4.46	6.60	10.21	10.43	11.36	10.59	7.04	4.72	2.89	6.49	
1945	-	-	-	-	-	-	-	-	-	7.33	4.21	3.10	-	
1946	3.06	3.09	3.78	6.70	8.83	11.74	12.08	12.11	11.23	8.67	5.75	2.93	7.50	
1947	3.04	3.56	4.99	6.61	7.98	11.34	13.12	12.25	11.67	8.97	5.36	4.52	7.78	
1948	3.96	4.19	4.73	6.41	8.97	11.57	12.58	11.90	11.34	8.36	6.34	3.90	7.85	
1949	4.18	4.42	5.39	6.87	9.17	11.87	12.43	12.53	11.70	9.24	-	-	-	
1950	-	-	-	-	-	-	-	-	-	10.46	9.18	5.46	3.53	
1951	3.19	3.90	4.91	5.72	7.60	11.43	12.58	12.67	10.87	8.97	5.61	4.13	7.63	
1952	3.25	4.06	4.43	6.19	8.21	11.58	12.29	12.49	11.36	9.69	5.87	3.83	7.77	
1953	3.22	3.96	5.43	5.70	8.46	10.99	12.37	11.84	10.91	7.57	4.76	4.17	7.45	
平 均	3.28	3.56	4.63	5.97	8.09	11.27	12.21	12.09	11.14	8.47	5.49	3.77	7.50	
最大绝对湿度(毫米)														
1943	6.39	5.06	6.74	8.17	10.71	13.99	13.46	13.05	13.11	11.14	8.61	5.39	13.99	
日	30	27	23	11	30	21	31	1	3	1	2	4	21/6	
1945	-	-	-	-	-	-	-	-	-	11.49	7.78	6.10	-	
日	-	-	-	-	-	-	-	-	-	1	4	18	-	
1946	4.94	4.99	7.43	9.83	12.33	14.73	15.29	14.52	13.81	11.15	7.97	5.52	15.29	
日	27	26	24	28	13	20	1	27	1	13	14	11	1/7	
1947	5.41	5.78	6.82	9.99	12.76	15.62	15.54	14.49	14.07	12.51	7.77	7.82	15.62	
日	3	10	20	22	29	25	8	1	1	1	5	25	25/6	

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948 日	5.74 23	6.71 25	7.17 15	9.76 21	12.40 19	14.46 8	14.98 9	14.19 31	13.99 12	12.20 2	8.96 2	5.95 4	14.98 9/7
1949 日	6.13 12	6.58 6	8.06 21	8.82 24	13.55 29	15.06 30	15.90 1	15.09 3	13.81 3	12.01 11	— —	— —	15.90 1/7
1950 日	— —	— —	— —	— —	— —	— —	— —	— —	12.57 15	11.82 2	10.88 1	7.32 6	— —
1951 日	4.76 4	5.87 23	6.69 13	7.92 26	12.29 12	14.55 27	14.96 10	14.97 12	13.81 11	12.19 4	9.40 4	6.24 16	14.97 12/8
1952 日	5.04 16	7.21 23	7.39 17	9.49 20	12.98 31	14.82 27	14.75 6	15.19 9	15.19 10	12.39 22	9.93 11	5.73 9	15.19 9/8,10/9
1953 日	5.35 17	6.50 26	7.94 30	8.72 14	11.42 16	14.71 28	15.14 2	13.87 20	13.39 6	12.17 2	7.21 1	6.07 2	15.14 2/7
極 值 日 期 年 份	6.39 30 1943	7.21 23 1952	8.06 21 1949	9.99 22 1947	13.55 29 1949	15.62 25 1947	15.90 1 1949	15.19 9 1952	15.19 10 1952	12.51 1 1947	10.88 1 1950	7.82 25 1947	15.90 1/7 1949
最小绝对湿度(毫米)													
1943 日	0.47 19	1.22 2	1.32 6	2.54 16	3.63 3	7.05 1	6.60 24	8.72 30	7.69 14	3.53 26	2.04 16	0.55 6	0.47 19/1
1945 日	— —	— —	— —	— —	— —	— —	— —	— —	— —	3.47 30	2.41 21	1.01 14	— —
1946 日	0.87 2	0.91 1	1.31 6	4.42 16	5.16 2	8.85 1	9.54 11	9.59 13	7.42 27	5.63 30	2.41 28	1.08 7	0.87 2/1
1947 日	1.51 12	2.00 3	3.72 23	4.50 2	3.38 2	7.87 5	10.96 17	9.79 4	9.17 17	4.97 31	3.41 28	1.81 29	1.51 12/1
1948 日	2.19 1	2.32 18	2.44 4	3.43 1	6.18 3	7.24 6	9.64 19	8.27 19	8.80 19	5.30 18,31	4.39 4	2.04 8	2.04 8/12
1949 日	2.80 5	3.04 11	2.27 2	4.97 21	6.78 6	9.59 1	9.94 30	9.74 30	8.14 27	5.37 25	— —	— —	— —
1950 日	— —	— —	— —	— —	— —	— —	— —	— —	8.22 25	4.58 17	3.42 8	1.39 3	— —
1951 日	2.00 31	2.20 1	3.21 15	3.21 12	4.75 1	6.31 1	10.66 12	7.33 3	7.03 28	5.73 28	3.09 30	2.27 27	2.00 31/1
1952 日	1.99 3	2.92 25	2.55 22	3.01 14	5.02 4	6.30 14	8.52 15	10.38 17,18	7.21 26	5.16 31	2.90 28	1.86 28	1.86 28/12
1953 日	1.66 31	2.16 1	2.88 15	2.62 3	3.69 8	7.39 4	9.62 14	9.27 18	7.57 13	4.06 18	2.07 16	2.13 30	1.66 31/1
極 值 日 期 年 份	0.47 19 1943	0.91 1 1946	1.31 6 1946	2.54 16 1943	3.38 2 1947	6.30 14 1952	6.60 24 1943	7.33 3 1951	7.03 28 1951	3.47 30 1945	2.04 16 1943	0.55 6 1943	0.47 19/1 1943
大 理 $\varphi = 25^{\circ}43'N$ $\lambda = 100^{\circ}11'E$ $H = 1960.0 M$													
平均绝对湿度(毫米)													
1940	3.92	4.18	5.76	6.87	9.75	12.99	14.73	14.24	12.93	9.94	7.30	6.05	9.06
1941	4.33	4.97	6.44	8.05	10.56	13.11	14.64	14.06	12.33	9.51	6.56	5.84	9.20
1942	4.46	4.80	6.19	7.94	10.24	13.62	14.65	13.80	12.97	10.06	8.19	5.16	9.34
1943	5.16	5.07	6.39	7.39	9.49	13.53	13.76	13.78	12.83	10.17	7.60	5.19	9.20
1944	5.09	4.81	5.95	(7.64)	11.29	14.70	14.73	13.71	13.74	11.28	6.88	5.64	9.62
1945	4.99	4.64	6.71	8.24	10.48	13.86	14.53	14.88	13.96	10.14	7.62	5.76	9.65
1946	5.54	5.76	6.54	8.94	11.34	14.01	14.54	14.57	12.72	10.02	7.37	5.34	9.72
1947	4.46	4.57	6.20	8.10	9.61	13.42	15.00	13.73	13.18	10.70	6.70	5.63	9.28
1948	4.85	5.38	5.97	7.95	10.58	13.20	14.30	13.49	12.99	9.73	8.04	5.02	9.29
1949	5.08	4.97	5.94	8.12	10.90	13.62	13.96	14.19	13.09	10.79	6.82	4.38	9.32
1950	4.56	5.00	5.84	6.57	9.97	13.26	13.93	13.35	13.10	12.04	6.38	5.01	9.08
1951	4.43	4.87	6.13	6.90	9.56	13.42	14.52	14.71	12.51	10.91	6.97	6.11	9.25
1952	4.94	5.33	5.81	7.89	10.15	13.80	14.12	14.18	13.05	11.58	7.57	5.17	9.47
1953	4.45	5.11	6.84	7.05	10.45	13.04	14.56	14.20	12.84	10.10	7.29	5.81	9.31
平 均	4.73	4.96	6.19	7.69	10.31	13.54	14.43	14.06	13.02	10.50	7.24	5.44	9.34
最大绝对湿度(毫米)													
1940 日	5.85 29	6.74 11	8.66 21	11.39 2	13.73 25	16.50 28	17.83 5	19.08 29	15.92 6	12.93 2	9.78 20	8.38 22	19.08 29/8

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1941	日	6.55	7.52	9.74	11.54	16.37	16.88	17.19	17.33	17.25	13.77	9.97	8.63	17.33
	日	7	18	30	29	29	25	19	23	10	11	20	5	23/8
1942	日	6.78	7.88	9.08	12.13	13.62	16.78	17.99	17.08	16.79	14.24	13.06	7.77	17.99
	日	9	22	8	30	31	28	15	13	3	1	5	7	15/7
1943	日	7.55	7.75	9.50	10.58	14.38	18.29	16.92	17.38	15.80	13.47	12.58	7.81	18.29
	日	5	25	30	19	26	26	30	1	7.24	2	1	4	26/6
1944	日	7.83	6.81	8.07(13.63)	16.94	19.17	17.64	18.51	18.39	16.37	10.33	8.09	19.17	19.17
	日	29	27	23	24	22	23	25	26	10	4	1	4	23/6
1945	日	8.25	7.02	10.76	12.61	14.35	17.90	17.99	18.63	18.14	15.31	13.37	8.68	18.63
	日	7	14	31	2	21	13	9	26	19	5	17	17	26/8
1946	日	8.39	8.08	10.66	12.70	15.32	18.11	20.51	18.96	16.54	13.35	10.26	9.81	20.51
	日	30	1	24	25	31	25	2	15	5	13	8	11	2/7
1947	日	6.55	7.30	8.69	11.45	13.89	16.91	17.36	17.00	17.17	14.21	14.40	11.91	17.36
	日	6	17	31	23	28	26	19	30	4	6	7	8	19/7
1948	日	8.15	7.69	8.34	11.14	14.49	15.81	16.95	16.99	16.25	13.14	11.92	8.56	16.99
	日	10	6	27	30	19	28	11	23	14	3	2	1	23/8
1949	日	6.57	6.67	9.16	11.61	14.60	16.52	16.95	16.60	15.90	13.89	11.07	6.69	16.95
	日	20	27	31	24	31	20	12	10	8	3	1	1	12/7
1950	日	6.47	7.85	8.38	10.46	13.74	17.01	16.09	16.97	15.01	14.09	10.70	9.64	17.01
	日	28	23	10	28	30	27	2	14	26	5	23	6	27/6
1951	日	7.15	7.32	8.99	9.65	14.10	17.40	16.97	19.91	16.78	14.20	9.79	9.97	19.91
	日	17	23	17	20	29	15	6	14	7	3	1	12	14/8
1952	日	6.96	8.59	8.91	10.81	14.86	17.19	16.88	16.91	16.14	14.27	11.74	7.81	17.19
	日	22	23	30	17	31	12	21	21	7	1	12	9	12/6
1953	日	7.15	8.67	9.77	10.74	13.04	17.44	17.38	16.86	15.76	13.63	10.85	7.75	17.44
	日	17	25	28	14	11	28	23	20	5	8	7	3	28/6
極 值	日	8.39	8.67	10.76	13.63	16.94	19.17	20.51	19.91	18.39	16.37	14.40	11.91	20.51
年 份	日	30	25	31	24	22	23	2	14	10	4	7	8	2/7
	年 份	1946	1953	1945	1944	1944	1944	1946	1951	1944	1944	1947	1947	1946
最小绝对湿度(毫米)														
1940	日	1.35	0.90	2.98	4.42	6.57	6.43	10.31	9.66	8.65	6.34	4.35	3.00	0.90
	日	25	19	18	16	1	1	31	1	21	28	13	30	19/2
1941	日	2.81	2.84	3.52	4.80	7.15	8.26	11.76	9.21	6.75	6.10	4.15	3.42	2.81
	日	14	8	2	2	17	5	1	30	29	5	16	30	14/1
1942	日	2.50	2.09	3.58	4.36	8.01	8.54	11.51	9.63	9.37	5.00	4.57	2.84	2.09
	日	10	3	29	22	8	1	6	30	19	25	28	29	3/2
1943	日	2.69	3.00	3.68	4.65	6.18	10.24	10.10	10.68	9.62	6.51	4.75	2.90	2.69
	日	19	8	8	30	8	1	19	10	19	23	11	6	19/1
1944	日	2.87	2.91	3.33	(4.44)	6.53	11.42	11.64	10.27	10.51	6.15	4.69	3.27	2.87
	日	3	14	6,10	8	10	11	3	12	20	28	27	14	3/1
1945	日	2.39	2.65	3.95	5.88	7.03	9.73	10.09	12.72	10.12	6.10	4.97	4.12	2.39
	日	30	15	5	6	15	1	20	10	16	21	24	8	30/1
1946	日	3.92	3.39	4.16	5.71	8.19	10.19	10.71	11.48	8.19	6.27	4.19	2.69	2.69
	日	25	7	9	4	3	5	24	14	28	28	4	24	24/12
1947	日	2.70	2.40	4.16	5.08	5.89	10.35	13.24	11.53	10.46	5.97	4.76	2.06	2.06
	日	15	4	10	9	12	4	6	10	19	30	25	9	9/12
1948	日	2.66	3.58	3.14	5.33	6.79	9.33	11.34	9.80	8.81	5.38	4.98	2.70	2.66
	日	27	3	18	1	5	3	19	1	21	18	26	22	27/1
1949	日	2.68	3.16	3.78	5.80	7.30	10.74	11.45	10.59	9.63	6.31	4.31	2.30	2.30
	日	28	2	9	16	7	10	14	30	31	26	31	25	25/12
1950	日	2.78	2.47	3.16	3.72	4.90	7.83	10.19	9.92	10.87	8.74	2.28	1.45	1.45
	日	9	6,13	7	10	3	8	24	30	29	31	25	12	12/12
1951	日	2.57	2.43	2.94	3.56	3.83	9.76	11.88	9.59	8.45	7.04	4.52	2.44	2.43
	日	1	2	1	12	15	1	24	3	25	28	22	26	2/2
1952	日	2.48	3.28	2.34	3.22	6.54	9.71	9.45	11.69	7.82	6.61	3.75	2.15	2.15
	日	11	26	15	14	2	15	15	18	20	31	12,13	23	23/12
1953	日	2.32	2.38	4.38	3.55	5.99	9.03	11.87	11.72	9.09	6.06	2.77	2.49	2.32
	日	29,30	5	21	4	7	1	14	10	24	30,31	16	28	29,30/1
極 值	日	1.35	0.90	2.34	3.22	3.83	6.43	9.45	9.21	6.75	5.00	2.28	1.45	0.90
年 份	日	25	19	15	14	15	1	15	30	29	25	25	12	19/2
	年 份	1940	1940	1952	1952	1951	1940	1952	1941	1941	1942	1950	1950	1940

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
霏 益 $\varphi=25^{\circ}35'N$ $\lambda=103^{\circ}50'E$ $H=1884.3M$ 平均绝对湿度(毫米)													
1951	5.67	5.28	6.48	7.67	10.68	12.71	14.15	14.26	12.05	10.91	7.84	6.26	9.50
1952	5.36	5.41	6.15	8.04	11.44	13.25	14.21	14.15	12.54	10.80	8.17	5.48	9.58
1953	5.68	5.76	6.79	8.29	10.78	13.03	14.33	14.17	11.49	10.97	7.91	6.33	9.63
平 均	5.57	5.48	6.47	8.00	10.97	13.00	14.23	14.19	12.03	10.89	7.97	6.02	9.57
最大绝对湿度(毫米)													
1951	8.27	8.08	9.48	11.02	14.43	16.73	16.22	16.40	15.73	15.40	10.45	9.27	16.73
日	21	6	12	30	24	24	6	11	11	6	9	13	24/6
1952	7.75	9.94	9.76	12.00	15.59	19.35	16.98	16.74	16.72	14.13	11.30	7.83	19.35
日	25	23,24	25	20	29	6	4	8	11	14	12	20	6/6
1953	8.66	8.32	9.84	11.86	14.99	16.58	16.78	16.26	16.06	14.66	12.20	9.20	16.78
日	24	24,25	22	21	22	30	23	19	5	8	7	4	23/7
極 值	8.66	9.94	9.84	12.00	15.59	19.35	16.98	16.74	16.72	15.40	12.20	9.27	19.35
日 期	24	23,24	22	20	29	6	4	8	11	6	7	13	6/6
年 份	1953	1952	1953	1952	1952	1952	1952	1952	1952	1951	1953	1951	1952
最小绝对湿度(毫米)													
1951	3.79	3.16	3.26	3.75	6.96	8.08	11.58	11.35	7.45	6.16	3.52	4.05	3.16
日	12	2	6	12	2	8	14	18	29	23	23	23	2/2
1952	2.75	3.11	3.62	3.98	7.13	7.88	10.33	10.60	7.00	6.16	4.75	3.48	2.75
日	13	12	15	14	3	14	16	18	26	31	26	23	13/1
1953	3.17	3.31	3.89	4.31	6.19	8.32	10.10	10.89	7.81	7.47	4.18	4.28	3.17
日	27	4	15,24	4	7	7	3,4	8	30	22	18	30	27/1
極 值	2.75	3.11	3.26	3.75	6.19	7.88	10.10	10.60	7.00	6.16	3.52	3.48	2.75
日 期	13	12	6	12	7	14	3,4	18	26	23,31	23	23	13/1
年 份	1952	1952	1951	1951	1953	1952	1953	1952	1952	1951	1951	1952	1952
保 山 $\varphi=25^{\circ}13'N$ $\lambda=99^{\circ}15'E$ $H=1693.0M$ 平均绝对湿度(毫米)													
1950	-	-	-	8.31	11.77	14.95	15.99	15.62	14.99	13.54	8.50	6.62	-
1951	5.79	6.22	7.28	8.25	10.38	14.07	14.20	15.37	13.24	12.00	8.04	7.49	10.19
1952	5.72	6.26	7.06	9.38	11.76	14.96	15.21	15.31	13.91	13.14	8.46	5.87	10.59
1953	5.76	6.37	8.22	8.29	11.72	13.88	15.09	15.38	14.05	11.80	8.59	7.36	10.54
平 均	5.76	6.28	7.52	8.64	11.29	14.30	14.83	15.35	13.73	12.31	8.36	6.91	10.44
最大绝对湿度(毫米)													
1950	-	-	-	12.02	16.75	19.05	20.58	19.54	18.68	18.86	12.82	10.29	20.58
日	-	-	-	30	22	26	4	5,6	16	3	1	5	4/7
1951	8.33	7.97	9.49	11.53	14.08	16.36	16.58	19.16	17.43	15.70	12.01	11.34	19.16
日	7	24	30	28	17	18	20	29	8	8	27	11	29/8
1952	8.96	10.39	11.67	13.10	16.45	17.85	19.59	17.73	18.24	16.14	14.43	8.79	19.59
日	24	22	30	30	27	25	31	12,20	19	17	12	9	31/7
1953	8.59	10.00	11.95	12.29	14.56	17.40	17.30	18.76	18.21	15.00	12.52	10.23	18.76
日	17	25	21	14	28	21	3	20	2	2	7	3	20/8
極 值	8.96	10.39	11.95	13.10	16.75	19.05	20.58	19.54	18.68	18.86	14.43	11.34	20.58
日 期	24	22	21	30	22	26	4	5,6	16	3	12	11	4/7
年 份	1952	1952	1953	1952	1950	1950	1950	1950	1950	1950	1952	1951	1950
最小绝对湿度(毫米)													
1950	-	-	-	5.22	7.74	9.94	13.28	12.61	12.28	10.63	5.30	4.39	-
日	-	-	-	24	4	8	25	25	30	16	24,28	31	-
1951	3.90	4.32	4.86	4.88	5.99	11.67	12.34	12.13	9.15	7.93	4.03	4.85	3.90
日	29	3	15	12	5,6	19	2	31	26	30	25	26	29/1
1952	2.92	3.84	3.70	4.76	7.74	12.10	12.25	13.01	7.09	7.28	4.23	3.04	2.92
日	14	4	15	13	7	2	16	22	26	31	27	2	14/1
1953	3.15	4.31	4.99	4.51	6.38	9.62	12.83	11.88	10.66	6.29	4.49	4.86	3.15
日	27	5	19	23	7	2	31	14	13	22	29	29	27/1

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
極 日 年	值 期 份	2.92 14 1952	3.84 4 1952	3.70 15 1952	4.51 23 1953	5.99 5.6 1951	9.62 2 1953	12.25 16 1952	11.88 14 1953	7.09 26 1952	6.29 22 1953	4.03 25 1951	3.04 2 1952	2.92 14/1 1952
騰 衝 $\varphi=25^{\circ}07'N$ $\lambda=98^{\circ}29'E$ $H=1646.0M$														
平均絕對湿度(毫米)														
1951	日	5.30	5.94	7.76	9.12	11.61	15.45	15.59	16.47	14.34	12.43	8.00	7.39	10.78
1952	日	5.54	6.10	6.97	9.71	12.42	15.52	15.68	15.70	14.62	13.69	8.69	5.71	10.86
1953	日	5.62	6.01	8.20	8.75	12.76	14.71	15.35	15.81	14.34	11.91	8.60	6.92	10.75
平 均		5.49	6.02	7.64	9.19	12.26	15.23	15.54	15.99	14.43	12.68	8.43	6.67	10.80
最大絕對湿度(毫米)														
1951	日	7.75	8.52	10.94	12.21	15.23	17.53	18.11	24.18	20.27	16.45	11.87	10.94	24.18
	時	21	21	26	20	20	20	28	3	7	8	1	13	3/8
1952	日	8.01	10.08	10.84	16.92	16.24	18.28	19.24	18.87	18.01	15.50	13.28	9.05	19.24
	時	4	29	30	8	20	28	29	13	13	21	12	4	29/7
1953	日	8.83	9.73	12.37	13.37	15.27	17.30	17.13	18.59	18.54	15.39	13.04	9.99	18.59
	時	17	24	28	16	25	30	6,17	10	2	2	7	2	10/8
極 日 年	值 期 份	8.83 17 1953	10.08 29 1952	12.37 28 1953	16.92 8 1952	16.24 20 1952	18.28 28 1952	19.24 29 1952	24.18 3 1951	20.27 7 1951	16.45 8 1951	13.28 12 1952	10.94 13 1951	24.18 3/8 1951
最小絕對湿度(毫米)														
1951	日	3.42	3.95	5.13	5.66	7.29	12.17	13.21	12.29	10.12	7.85	3.90	4.70	3.42
	時	10	1	1	12	5	19	23	11	27	23	25	27	10/1
1952	日	3.68	3.76	3.67	4.27	8.20	12.08	12.97	13.48	9.46	7.64	4.51	3.62	3.62
	時	11	4	1	14	7	14	18	27	20	31	29	31	31/12
1953	日	3.20	3.33	5.25	4.86	9.24	11.63	13.92	13.05	11.28	7.23	4.88	3.95	3.20
	時	27	4	6,7	4	1	7	30	11	13	31	29	30	27/1
極 日 年	值 期 份	3.20 27 1953	3.33 4 1953	3.67 1 1952	4.27 14 1952	7.29 5 1951	11.63 7 1953	12.97 18 1952	12.29 11 1951	9.46 20 1952	7.23 31 1953	3.90 25 1951	3.62 31 1952	3.20 27/1 1953
昆 明 $\varphi=25^{\circ}02'N$ $\lambda=102^{\circ}43'E$ $H=1893.3M$														
平均絕對湿度(毫米)														
1930	日	5.67	5.93	7.19	9.07	11.91	13.40	14.45	15.05	12.68	9.65	8.61	6.58	10.02
1931	日	5.79	6.91	8.10	10.13	12.24	14.12	14.68	14.29	12.56	9.93	7.55	6.89	10.27
1932	日	6.30	6.36	7.70	9.82	11.34	14.24	14.76	14.99	12.75	11.40	9.08	6.22	10.41
1933	日	6.55	7.35	8.24	9.77	11.68	13.54	13.59	13.44	12.55	11.22	7.84	6.51	10.19
1934	日	5.84	6.23	7.21	9.20	11.14	12.50	14.15	14.17	13.13	9.72	8.21	5.20	9.73
1935	日	5.09	6.19	7.05	8.93	12.71	14.47	15.11	14.24	12.75	11.47	9.08	6.66	10.31
1936	日	5.13	5.49	6.96	9.10	11.20	13.21	14.43	14.39	11.43	8.59	8.13	6.48	9.54
1937	日	5.50	7.21	8.14	11.00	12.03	14.33	15.08	14.77	12.98	10.50	8.10	7.30	10.58
1938	日	6.28	6.11	7.33	9.47	-	-	-	-	-	-	-	-	-
1946	日	5.42	5.86	5.08	8.06	10.94	-	13.52	13.51	12.25	10.22	7.83	6.79	-
1950	日	5.94	5.96	7.81	8.73	11.97	12.80	12.97	13.14	12.65	10.74	7.49	5.44	9.64
1951	日	5.47	5.19	6.31	6.91	10.05	13.00	14.11	14.04	11.91	10.69	7.69	6.21	9.30
1952	日	5.34	5.68	6.34	8.31	11.59	13.47	14.29	13.83	12.47	11.01	8.28	5.52	9.68
1953	日	5.87	6.20	6.69	7.50	10.64	13.30	14.46	14.18	11.70	11.10	8.20	6.48	9.69
平 均		5.71	6.23	7.31	9.04	11.54	13.53	14.34	14.21	12.46	10.50	8.19	6.29	9.95
最大絕對湿度(毫米)														
1930	日	8.97	9.56	11.30	15.20	16.49	17.47	20.36	19.97	18.06	14.44	13.35	9.50	20.36
1931	日	9.78	9.05	12.59	15.50	17.79	19.13	18.30	19.13	17.55	15.85	11.58	10.54	19.13
1932	日	10.12	13.87	15.50	14.41	18.06	18.27	19.07	19.31	18.87	18.06	16.78	13.43	19.31
1933	日	12.20	15.20	15.20	15.50	19.20	18.03	18.56	17.75	17.30	17.06	15.46	11.82	19.20
1934	日	9.81	10.34	12.30	12.20	14.71	14.94	18.06	17.30	16.38	13.31	11.17	7.34	18.06
	時	9	17,19	5	20	21	24	16	3	1	7	3,4	21	16/7

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1935	日	7.94	10.10	13.19	16.20	17.74	19.60	24.16	18.87	17.06	14.59	13.67	13.15	24.16
1936	日	8.02	8.71	9.78	14.41	15.47	16.50	17.54	17.77	17.82	14.95	13.31	10.89	27/7
1937	日	9.05	10.65	12.59	15.09	16.22	17.75	19.60	19.42	16.22	16.22	11.39	11.35	12/9
1938	日	9.26	9.48	11.17	14.52	—	—	—	—	—	—	—	—	19.60
1946	日	8.00	8.15	11.17	11.21	16.42	—	17.62	18.10	17.09	14.05	17.35	11.92	31/7
1950	日	8.80	10.12	13.05	15.31	17.40	16.73	15.83	19.34	15.26	18.87	12.13	8.15	—
1951	日	8.76	7.82	8.93	10.52	13.50	16.02	16.53	17.22	15.83	15.05	11.09	9.56	—
1952	日	8.02	10.77	9.78	12.20	16.39	16.77	16.73	17.30	16.37	13.87	11.40	7.90	17.22
1953	日	9.64	9.56	9.35	11.56	15.95	17.03	17.64	17.75	16.10	14.07	12.96	9.56	23/8
極 值	日	23.24	11	30	23	24	30	18	19	6	8	7	3	17.30
年 份		1933	1933	1932	1935	1933	1935	1935	1930	1932	1950	1946	1932	17.75
最小绝对湿度(毫米)														
1930	日	3.14	3.29	4.18	6.02	7.16	9.08	11.06	11.93	8.02	6.54	5.54	4.07	19/8
1931	日	3.58	3.92	5.21	6.87	7.50	9.24	10.29	11.41	7.67	5.78	4.33	4.30	—
1932	日	4.30	4.30	4.45	6.30	6.59	8.67	11.13	10.33	9.08	7.09	4.45	4.07	1/8
1933	日	4.07	4.14	4.20	6.35	8.38	9.76	8.67	9.52	8.67	8.02	4.03	3.78	—
1934	日	2.31	3.93	4.07	5.83	6.70	7.40	10.63	11.82	8.38	6.30	4.18	3.55	23/8
1935	日	24	6	17	26	27	13	6	28	21	16	27	30	17.30
1936	日	3.51	3.51	4.18	5.49	8.55	9.31	9.30	11.35	8.26	7.73	5.70	3.55	16/8
1937	日	2.79	3.93	3.93	6.28	7.64	8.71	10.11	10.83	5.55	3.75	5.52	4.30	—
1938	日	2.52	4.18	4.16	6.25	7.68	10.34	10.83	10.90	8.38	4.18	4.68	4.30	27/7
1946	日	2.21	2.07	0.30	4.09	6.42	—	8.67	9.72	5.52	6.32	2.45	2.54	—
1950	日	3.56	2.16	3.79	3.49	5.60	5.11	6.80	9.33	8.09	7.42	3.64	2.16	3/1
1951	日	3.22	15	30	24	2	8	22	8	7	6	29	9	—
1952	日	2.95	2.72	3.59	3.63	5.83	7.67	11.97	10.81	7.42	6.34	4.01	3.01	21/1.4/2
1953	日	31	3	16	12	1	28	22	2	9	13	23	23	—
極 值	日	2.37	3.57	3.30	4.00	7.61	7.41	11.25	10.37	5.79	5.99	4.09	2.86	—
年 份		13	3	2	14	8	14	16	18	26	31	30	23	2.52
1946	日	2.49	3.19	3.90	4.03	3.70	8.56	10.89	11.25	6.54	7.39	3.73	4.10	3/1
1950	日	27	12	24	4	7	14	4	14	23	1	19	25	—
1951	日	2.21	2.07	0.30	3.49	3.70	5.11	6.80	9.33	5.52	3.75	2.45	2.16	—
1952	日	31	4	16	24	7	8	22	8	27	27	3	9	—
1953	日	1946	1946	1946	1950	1953	1950	1950	1950	1946	1936	1946	1950	0.30
昆明太華山 $\varphi=24^{\circ}57'N$ $\lambda=102^{\circ}37'E$ $H=2318.0M$														
平均绝对湿度(毫米)														
1938	日	—	—	—	—	10.18	12.43	12.51	12.89	12.24	9.33	6.85	5.90	—
1939	日	5.25	5.27	5.24	6.82	9.57	11.72	12.44	11.97	10.62	8.96	7.99	5.51	8.45
1940	日	4.29	4.90	5.68	6.58	9.20	11.55	12.93	12.53	11.52	9.41	6.85	6.04	8.46
1941	日	4.35	4.69	6.04	7.20	9.56	11.44	12.94	12.50	10.53	8.77	6.87	6.48	8.45
1942	日	5.28	4.74	5.57	7.26	9.45	11.55	—	—	—	—	—	—	—
1943	日	5.41	5.23	5.69	6.77	9.08	11.91	11.95	12.28	11.20	9.04	7.74	5.46	8.48
1944	日	5.60	5.18	5.78	6.73	9.35	12.28	12.77	11.43	11.53	10.27	6.72	5.55	8.60
1945	日	5.04	4.58	6.68	7.84	8.84	12.08	12.74	12.90	12.73	8.07	7.32	5.89	8.73
1946	日	5.44	5.91	5.16	7.70	10.39	12.23	12.48	12.51	11.18	9.15	7.09	5.83	8.76
1947	日	4.63	4.52	6.19	7.92	9.74	12.13	13.22	12.76	11.91	9.61	7.50	6.46	8.88

年	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1948	5.58	5.74	7.32	8.61	10.32	12.84	12.73	12.42	11.45	9.27	7.61	6.25	9.18
1949	5.46	5.73	6.42	-	-	-	-	-	-	-	-	-	-
1953	-	-	(5.92)	6.76	9.78	11.89	12.69	12.62	10.49	9.87	7.41	5.86	-
平 均	5.07	5.11	5.98	7.35	9.56	12.02	12.69	12.37	11.41	9.17	7.30	5.94	8.67
最大绝对湿度(毫米)													
1938	-	-	-	-	14.60	15.47(15.54)	15.79	15.52(14.08)	9.75	8.59	-	-	-
日	-	-	-	-	13	30	2	20	6	8	1	13	-
1939	(7.23)	(7.42)	8.49	10.25	13.51	14.99	15.40	14.67	14.01(12.28)	(10.70)	(7.60)	15.40	15.40
日	12	28	18	22	28	20	19	9	19	7	13	9	19/7
1940	(5.90)	(8.22)	8.22(10.35)	13.50	15.30	16.55	16.98	14.68	12.96	9.26	8.50	16.98	16.98
日	23	23	21	29	23	7	8	4	6	1	21	23	4/8
1941	6.75	7.30	9.98	10.43	12.90	15.59	16.82	15.85	14.58	12.43	10.04	9.59	16.82
日	15	2	31	30	30	24	8	25	11	17	21	8	8/7
1942	6.93	7.17	8.22	11.08	18.07(13.96)	-	-	-	-	-	-	-	18.07
日	22	4	8	30	22	30	-	-	-	-	-	-	22
1943	7.81	7.75	8.89	12.09	12.88	14.03	14.78	14.77	13.87	12.63	11.91	8.18	14.78
日	6	21	24	6	26	28	22	7	3	15	7	23	22/7
1944	7.73	7.68	10.07	10.21	12.88	15.59	15.01	14.69	14.79	13.04	10.31	7.26	15.59
日	31	10	11	13	22	27	14	23	12	18	5	26	27/6
1945	8.24	6.97	11.84	11.46	12.26	16.70	16.84	15.76	15.36	13.12	10.12	8.91	16.84
日	7	10	22	4	31	29	9	30	3	1	2	17	9/7
1946	7.27	11.66	9.71	10.74	13.54	16.48	15.44	14.71	15.22	12.73	10.12	9.92	16.48
日	22	25	26	29	29	26	30	3	11	13	13	11	26/6
1947	7.84	7.16	9.85	10.90	13.13	15.43	15.75	15.69	15.67	14.06	10.02	8.63	15.75
日	9	19	26	21	30	21	25	18	12	5	2	25	25/7
1948	7.10	7.51	11.14	11.10	14.49	15.69	16.20	16.64	15.38	12.02	11.32	8.30	16.64
日	15	22	11	29	16	23	11	31	1	2	1	4	31/8
1949	6.90	8.64	7.80	-	-	-	-	-	-	-	-	-	-
日	18	21	15	-	-	-	-	-	-	-	-	-	-
1953	-	-	9.24	10.47	13.38	15.18	15.68	14.99	14.36	12.44	11.69	8.04	-
日	-	-	29	23	24	30	2	7,24	4	7	7	3	-
極 值	8.24	11.66	11.84	12.09	18.07	16.70	16.84	16.98	15.67	14.08	11.91	9.92	18.07
年 份	7	25	22	6	22	29	9	4	12	8	7	11	22/5
	1945	1946	1945	1943	1942	1945	1940	1940	1947	1938	1943	1946	1942
最小绝对湿度(毫米)													
1938	-	-	-	-	6.27	10.35(10.13)	10.18	8.92	(5.05)	4.14	(3.63)	-	-
日	-	-	-	-	10	2	16	7	30	3	13	22	-
1939	3.07	(3.31)	3.13	3.60	4.81	8.44	9.02	7.07	6.74	(6.21)	5.07	(3.80)	3.07
日	7	1	22	6	7	3	27	31	28	3	29	30	7/1
1940	(2.69)	(2.58)	3.73	(3.45)	5.95	6.17	9.34	9.83	8.68	3.22	3.47	4.24	2.58
日	16	18	24	3	5	1	20	1	2	25	13	31	18/2
1941	2.39	2.46	(3.65)	4.52	5.73	5.79	10.26	8.11	6.01	4.92	3.30	4.06	2.39
日	17	5	1	2	14	5	27	12	27	4	17	3	17/1
1942	2.95	2.72	1.30	4.87	4.58	(5.86)	-	-	-	-	-	-	1.30
日	27	7	2	3	31	14	-	-	-	-	-	-	2/3
1943	2.54	3.26	3.05	2.53	5.31	8.51	8.63	9.98	8.16	4.34	4.31	2.85	2.53
日	19	3	16	8	1	8	19	29	28	29	20	12	8/4
1944	3.31	3.22	2.99	3.56	2.45	9.27	8.42	6.95	8.01	5.77	4.33	3.58	2.45
日	12	14	10	10	10	5	4	16	27	30	6,19	10/5	10/5
1945	2.65	2.27	4.13	4.50	4.12	8.02	8.29	10.10	7.52	3.78	4.83	3.60	2.27
日	31	17	4	18	8	5	20	2	18	21	27	21	17/2
1946	3.31	3.44	2.37	4.80	6.10	9.15	9.15	9.51	6.89	6.30	4.46	3.25	2.37
日	14	12	16	7	12	2	9	14	27	21	30	31	16/3
1947	2.63	1.78	3.29	4.32	5.00	8.31	11.24	10.52	9.52	7.01	5.31	3.43	1.78
日	10	3	23	2	1	24	4	4,5	8	12,13	19	19	3/2
1948	3.89	3.05	5.02	5.42	5.50	9.21	10.59	9.42	8.49	6.63	4.96	4.23	3.05
日	28	8	7	16	3	14	18	3	19	13	15	31	8/2
1949	3.13	3.76	5.07	-	-	-	-	-	-	-	-	-	-
日	8	15	28	-	-	-	-	-	-	-	-	-	-
1953	-	-	3.38	3.73	4.03	7.77	10.11	10.29	5.20	6.68	3.96	3.45	-
日	-	-	15	5	7	7	4	17	24	1	18	31	-

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
值 日 期	期	2.39	1.76	1.30	2.53	2.45	5.79	8.29	6.95	5.20	3.22	3.30	2.85	1.30
年	份	17	3	2	8	10	5	20	4	24	25	17	12	2/3
		1941	1947	1942	1943	1944	1941	1945	1944	1953	1940	1941	1943	1942
玉 溪 $\varphi=24^{\circ}20'N$ $\lambda=102^{\circ}34'E$ $H=1671.0M$														
平均绝对湿度(毫米)														
1946	日	7.16	8.33	7.38	10.00	13.10	15.81	15.86	15.85	14.12	11.89	8.82	7.59	11.33
1947	日	6.05	6.13	8.27	10.82	11.89	15.53	16.33	15.02	14.58	11.77	8.35	7.82	11.05
1948	日	6.64	6.43	7.60	9.71	12.99	15.70	15.82	15.17	14.28	11.07	9.36	7.17	11.00
1950	日	-	-	-	-	-	-	-	-	-	-	-	6.87	-
1951	日	7.01	7.22	8.55	9.02	11.63	15.03	15.60	15.69	13.67	12.17	9.40	7.85	11.07
1952	日	7.35	7.55	7.84	9.54	13.08	15.22	16.46	16.07	14.43	12.46	9.69	7.02	11.39
1953	日	7.16	7.26	8.08	9.22	11.80	14.56	15.42	15.02	12.70	12.24	9.33	7.41	10.85
平 均		6.90	7.15	7.95	9.72	12.42	15.31	15.92	15.47	13.96	11.93	9.16	7.43	11.12
最大绝对湿度(毫米)														
1946	日	9.29	11.36	12.44	13.12	16.26	19.18	19.62	17.97	17.63	15.05	12.65	11.68	19.62
	日	30	20	24	26	14	25	28	4,28	9	14	13	11	28/7
1947	日	9.17	9.57	11.60	14.00	16.82	18.83	18.82	17.35	18.77	15.90	11.60	11.12	18.83
	日	19	19	25	23	29	25	23	8	5	2	1	18	25/6
1948	日	8.83	9.81	12.31	12.61	16.26	18.01	18.49	17.79	17.77	14.98	13.74	10.87	18.49
	日	8	15	16	13	18	11	23	31	1	11	1	4	23/7
1950	日	-	-	-	-	-	-	-	-	-	-	-	10.41	-
	日	-	-	-	-	-	-	-	-	-	-	-	15	-
1951	日	9.94	9.45	12.26	14.57	15.53	18.10	18.57	18.59	16.72	16.95	13.14	12.16	18.59
	日	21	6	28	8	26	17	4	16	6	11	19	13	16/8
1952	日	11.45	12.38	10.86	13.02	17.34	18.55	20.48	19.36	18.15	15.75	13.84	10.08	20.48
	日	5	23	26	20	24	30	30	8	12	21	12	22	30/7
1953	日	10.43	9.94	10.78	12.54	15.72	17.97	18.90	17.71	16.82	14.59	14.37	10.40	18.90
	日	24	19	29	22	23	30	1	19	5	13	8	3	1/7
值 日 期	期	11.45	12.38	12.44	14.57	17.34	19.18	20.48	19.36	18.77	16.95	14.37	12.16	20.48
年	份	5	23	24	8	24	25	30	8	5	11	8	13	30/7
		1952	1952	1946	1951	1952	1946	1952	1952	1947	1951	1953	1951	1952
最小绝对湿度(毫米)														
1946	日	5.23	5.36	3.32	6.25	9.89	11.88	12.13	12.74	9.15	8.54	5.87	4.34	3.32
	日	14	8	8	7	9	11	9	13	28	21	25	31	8/3
1947	日	3.54	4.35	5.16	6.68	6.19	11.54	13.41	12.76	11.33	8.70	6.51	4.33	3.54
	日	16	3	5	28	1	22	4	4	22	10	29	28	16/1
1948	日	4.50	4.08	3.64	5.21	7.81	12.28	11.77	12.65	9.60	7.28	6.26	4.04	3.64
	日	4	8	7	8	3	14	21	24	19	19	15	31	7/3
1950	日	-	-	-	-	-	-	-	-	-	-	-	4.04	-
	日	-	-	-	-	-	-	-	-	-	-	-	29	-
1951	日	4.60	4.82	5.21	4.70	6.45	10.01	13.55	13.14	9.84	8.35	6.28	5.29	4.60
	日	13	16	6	23	2	19	24	8,30	25	31	23	23,27	13/1
1952	日	4.19	4.62	5.52	5.48	8.37	10.48	12.76	12.29	7.44	6.20	5.64	4.58	4.19
	日	14	19	13	14	7	14	14	18	26	31	29	31	14/1
1953	日	3.81	5.13	4.64	5.99	6.02	11.36	11.71	11.61	6.99	9.15	4.86	4.97	3.81
	日	27	13	24	24	7	14	4	31	23	1	19	30	27/1
值 日 期	期	3.54	4.08	3.32	4.70	6.02	10.01	11.71	11.61	6.99	6.20	4.86	4.04	3.32
年	份	15	8	8	23	7	19	4	31	23	31	19	31,29	8/3
		1947	1948	1946	1951	1953	1951	1953	1953	1953	1952	1953	1948	1946
蒙 自 $\varphi=23^{\circ}30'N$ $\lambda=103^{\circ}30'E$ $H=1299.1M$														
平均绝对湿度(毫米)														
1950	日	-	-	-	-	16.01	16.10	17.12	17.06	15.96	14.06	10.47	6.89	-
1951	日	7.73	7.64	8.95	10.90	13.78	15.70	16.06	16.88	14.48	13.08	10.38	8.44	12.00
1952	日	8.10	8.25	9.46	10.88	15.20	16.27	17.25	16.65	15.80	13.67	11.79	7.90	12.60
1953	日	8.98	9.01	10.14	11.64	13.72	15.55	16.27	16.41	13.50	13.48	10.26	8.23	12.27

月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
年													
平 均	8.27	8.30	9.52	11.14	14.23	15.84	16.53	16.65	14.59	13.41	10.81	8.19	12.29
最大绝对湿度(毫米)													
1950	-	-	-	-	22.65	20.96	21.41	21.67	19.52	18.09	16.71	8.85	22.65
日	-	-	-	-	27	2	15	13	4	16	4	7	27/5
1951	11.54	9.97	13.27	14.60	17.01	19.54	18.95	21.09	18.70	17.76	14.45	11.75	21.09
日	20	21	28	27,28	15	16	2	15	7	5	17	3	15/8
1952	10.36	12.54	14.33	14.42	18.38	18.99	21.24	19.32	19.97	17.11	16.02	11.38	21.24
日	4	27	11	20	24	29	6	15	11	9	13	2	6/7
1953	12.47	12.24	13.49	15.30	20.25	19.03	20.00	19.77	18.64	16.30	14.74	10.63	20.25
日	17	25,26	25	10	19	28	2	19	6	7	1	3	19/5
極 值	12.47	12.54	14.33	15.30	22.65	20.96	21.41	21.67	19.97	18.09	16.71	11.75	22.65
日 期	17	27	11	10	27	2	15	13	11	16	4	3	27/5
年 份	1953	1952	1952	1953	1950	1950	1950	1950	1952	1950	1950	1951	1950
最小绝对湿度(毫米)													
1950	-	-	-	-	11.88	9.44	14.05	13.00	11.89	10.28	5.52	3.35	3.35
日	-	-	-	-	1,5	8	29	21	29	27	30	10	10/12
1951	5.01	4.56	5.28	6.02	9.34	9.91	12.09	13.75	10.17	7.90	6.90	4.80	4.56
日	13	27	5	22	7	29	25	27,28	29	23	23	17	27/2
1952	3.82	3.76	5.21	4.39	9.64	12.11	14.68	13.60	8.85	7.68	7.05	4.59	3.76
日	13	6	2	15	3	15	9	28	26	31	28	9	6/2
1953	4.73	5.18	4.44	6.38	7.49	11.12	12.69	12.05	7.86	9.58	4.79	4.90	4.44
日	27	10	24	9	8	6	30	31	23	1	19	13	24/3
極 值	3.82	3.76	4.44	4.39	7.49	9.44	12.09	12.05	7.86	7.68	4.79	3.35	3.35
日 期	13	6	24	15	8	8	25	31	23	31	19	10	10/12
年 份	1952	1952	1953	1952	1953	1950	1951	1953	1953	1952	1953	1950	1950
昌都地區 昌 都 $\varphi=31^{\circ}11'N$ $\lambda=96^{\circ}59'E$ $H=3200.0M$													
平均绝对湿度(毫米)													
1941	3.37	2.84	3.15	5.24	6.83	7.86	9.24	8.54	7.22	4.76	2.51	2.10	5.31
1951	-	-	-	3.49	4.76	8.61	10.02	9.23	6.73	4.79	2.93	1.85	-
1952	1.67	2.29	2.89	4.25	6.28	8.29	8.61	8.63	7.97	5.32	2.81	1.85	5.07
1953	1.84	2.14	3.13	4.24	5.33	7.49	8.62	8.55	7.16	4.70	2.37	1.90	4.79
平 均	2.29	2.42	3.06	4.58	6.15	7.88	8.82	8.57	7.45	4.93	2.56	1.95	5.06
最大绝对湿度(毫米)													
1951	-	-	-	5.52	8.43	12.54	12.97	12.91	11.25	8.81	5.32	3.33	12.97
日	-	-	-	26	17	25	9	4	1	3	1	28	9/7
1952	4.16	4.20	4.78	7.04	9.48	12.04	12.84	11.84	11.14	8.19	5.31	3.29	12.84
日	29	22	31	22	28	28	9	6	5	17	3	28	9/7
1953	3.96	4.93	5.26	6.44	7.90	11.37	11.67	11.69	9.36	8.81	4.23	4.02	11.69
日	8	23,24	19	16	30	29	18	4	10	3	17	4,5	4/8
極 值	4.16	4.93	5.26	7.04	9.48	12.54	12.97	12.91	11.25	8.81	5.32	4.02	12.97
日 期	29	23,24	19	22	28	25	9	4	1	3	1	4,5	9/7
年 份	1952	1953	1953	1952	1952	1951	1951	1951	1951	1951	1951	1953	1951
最小绝对湿度(毫米)													
1951	-	-	-	1.71	2.41	3.50	6.66	5.90	3.35	0.82	1.54	0.81	-
日	-	-	-	14	6	1	22	22	29	23	20	22	-
1952	0.75	1.36	1.42	1.79	3.53	4.99	5.32	5.01	5.51	1.97	1.23	0.98	0.75
日	12	24	20	13	4	14	17	27	30	30	22	31	12/1
1953	0.66	0.72	1.66	2.19	2.42	4.10	5.18	6.24	4.20	2.16	1.03	0.99	0.66
日	25,26	4	22	2	1	13	8	11	21	22	21	19	25,26/1
極 值	0.66	0.72	1.42	1.71	2.41	3.50	5.18	5.01	3.35	0.82	1.03	0.81	0.66
日 期	25,26	4	20	14	6	1	8	27	29	23	21	22	25,26/1
年 份	1953	1953	1952	1951	1951	1951	1953	1952	1951	1951	1953	1951	1953

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
西 藏 拉 薩		$\varphi=29^{\circ}48'N$ $\lambda=91^{\circ}20'E$ $H=3600.0\text{ M}$												
		平均绝对湿度(毫米)												
1941		0.78	1.18	1.02	2.36	3.47	5.76	6.60	7.18	5.09	2.91	1.22	0.75	3.19
1942		0.69	0.52	0.97	1.89	2.58	5.00	6.57	6.15	5.66	2.47	0.93	0.64	2.84
1943		0.82	0.76	1.05	2.06	2.82	5.95	6.18	5.82	5.47	2.56	0.80	0.69	2.92
1944		0.74	0.57	1.22	2.18	2.64	4.61	5.55	5.26	5.75	2.48	0.90	0.45	2.70
1945		0.67	0.73	0.95	2.05	—	5.06	7.19	7.23	6.70	3.74	1.34	0.91	—
1946		0.66	1.28	1.23	2.21	3.67	5.27	6.83	5.73	5.38	3.90	1.53	0.50	3.18
1947		0.43	0.23	1.21	1.89	3.58	5.15	7.63	6.36	5.74	2.86	0.96	0.69	3.06
1948		0.39	0.53	1.08	2.34	4.04	5.36	6.94	6.95	6.64	3.94	1.52	0.53	3.36
1949		0.55	0.51	0.74	2.69	3.41	5.89	—	—	—	—	—	—	—
					*			*			*			
1953		1.32	1.55	2.19	2.99	4.79	6.87	8.36	8.30	6.83	3.37	1.75	1.50	4.15
					*			*			*			
平 均		0.64	0.72	1.11	2.13	3.26	5.30	6.61	6.21	5.68	3.02	1.12	0.61	3.04
		最大绝对湿度(毫米)												
1941		3.71	5.75	4.72	4.89	6.61	9.08	9.63	10.12	10.00	6.31	5.12	4.19	10.12
日		4	19	3	26	5	22	25	13	8	9	22	24	13/8
1942		3.14	3.65	4.05	5.20	5.87	9.27	10.66	9.38	9.04	6.08	3.42	2.86	10.66
日		18	21	19,20	30	9	21	16	2	11	1	6	20	16/7
1943		4.33	3.77	3.85	5.65	7.96	9.74	8.79	11.26	10.17	5.57	3.41	3.31	11.26
日		1	25	25	24	29	3	16	12	4	4	1	30	12/8
1944		2.92	4.64	5.16	6.89	9.38	11.37	9.61	10.32	9.13	7.24	3.41	1.75	11.37
日		18	24	31	25	13	18	24	28	5,9	1	8	18	18/6
1945		3.05	3.32	4.41	6.90	—	7.84	10.20	9.82	11.01	7.85	4.28	2.96	—
日		6	1	18	15	—	23	16	26	5	12	7	22	—
1946		1.82	4.09	4.29	5.09	8.69	9.07	10.95	8.40	8.44	6.75	4.36	2.20	10.95
日		28	5	29	28	23	27	24	9	2	9	20	11	24/7
1947		2.74	2.19	4.17	5.27	7.33	8.95	9.35	9.51	8.36	6.88	2.73	2.30	9.51
日		6	26	21	20	22	30	25	15	1	2	14	25	15/8
1948		2.02	2.22	4.31	7.03	6.87	7.79	9.43	8.83	9.02	7.27	3.65	1.83	9.43
日		6	23	20	30	27	17	13	6	3	3	30	8	13/7
1949		2.74	2.84	3.45	5.04	6.68	8.48	—	—	—	—	—	—	—
日		27	24	30	27	22	30	—	—	—	—	—	—	—
					*			*			*			
1953		2.52	3.35	4.87	5.47	6.69	10.49	11.08	10.83	10.15	7.30	3.30	3.51	11.08
日		16	6	8	10	18	29	17,18	7	1	1	3	4	17,18/7
					*			*			*			
值 日		4.33	5.75	5.16	7.03	9.38	11.37	10.95	11.26	11.01	7.85	5.12	4.19	11.37
年 份		1	19	31	30	13	18	24	12	5	12	22	24	18/6
		1943	1941	1944	1948	1944	1944	1946	1943	1945	1945	1941	1941	1944
		最小绝对湿度(毫米)												
1941		0.01	0.00	0.05	0.22	0.83	1.10	3.26	3.34	1.37	0.93	0.00	0.00	0.00
日		1,2	28	13	1	7	14	6	14	9	23	6	12	19
1942		0.00	0.00	0.00	0.00	0.61	1.80	1.96	2.40	1.97	0.41	0.00	0.00	0.00
日		8	24	19	1	12	12	5	14	27	31	5	18	75
1943		0.00	0.00	0.00	0.00	0.62	1.13	3.27	2.09	2.54	0.19	0.00	0.00	0.00
日		7	14	5	1,4	1	6	9	26	20	31	13	17	58
1944		0.00	0.00	0.00	0.00	0.00	1.32	0.48	1.83	2.95	0.00	0.00	0.00	0.00
日		18	24	7	9,11	8	4	1	10	30	23,27	7	26	87
1945		0.00	0.00	0.00	0.00	—	2.54	3.38	5.21	4.62	0.43	0.00	0.00	0.00
日		25	23	16	5	—	27	23	27	25	30	7	22	94
1946		0.00	0.00	0.00	0.00	1.33	2.59	3.12	2.99	2.48	0.93	0.00	0.00	0.00
日		22	11	12	1,15	8	4	11	1	27	24	4	26	77
1947		0.00	0.00	0.00	0.00	1.03	1.70	5.47	2.70	2.19	0.50	0.00	0.00	0.00
日		28	28	10	3,26	7	3	1	4	15	20	14	22	104
1948		0.00	0.00	0.00	0.79	0.66	2.52	3.44	3.18	4.03	0.60	0.00	0.00	0.00
日		27	20	10	8	3	1	17	4	30	23	8	24	89
1949		0.00	0.00	0.00	0.28	0.52	3.63	—	—	—	—	—	—	0.00
日		27	22	22	25	9	2	—	—	—	—	—	—	71

年	月	1	2	3	4	5	6	7	8	9	10	11	12	全 年
1953				*			*			*				
日		0.33	0.69	0.86	1.03	1.97	3.09	4.05	6.27	4.08	0.87	0.41	0.51	0.33
		25	25	4	3	5	11	3,4	29	12	30	16	29	25/1
極	值				*			*			*			
日	期	0.00	0.00	0.00	0.00	0.00	1.10	0.48	1.83	1.37	0.00	0.00	0.00	0.00
年	份	162次	167次	101次	10次	8	14	1	10	9	23,27	64次	167次	674次
		8年	9年	8年	6年	1944	1941	1944	1944	1941	1944	8年	8年	9年

中科院植物所图书馆



S0013525

56.4572251
144

6925

中央气象台

書 名

中国温度资料

借者姓名

借出日期

还书日期

王学勤

6.17.24

6.11.22

8.29

56.4572251
144

6925

МАТЕРИАЛ ПО ВЛАЖНОСТИ
В КИТАЕ

HUMIDITY DATA OF CHINA

Центральное Метеорологическое Управление
КНР.

Central Weather Bureau Peoples Republic
of China.

350